

Table 2-121. National estimates of lost-time injuries by region of the U.S. for family workers, 1993.

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	10776.3	8.5	10776.3	8.5
South	27656.0	21.9	38432.3	30.4
Midwest	69990.9	55.4	108423.2	85.9
West	17865.8	14.1	126289.0	100.0

Table 2-122. National estimates of lost-time injuries by farm type for family workers, 1993.

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grain	24628.1	19.5	24628.1	19.5
Field crops	10069.0	8.0	34697.1	27.5
Veg, fruit, nuts	9108.3	7.2	43805.4	34.7
Nursery	852.6	0.7	44658.0	35.4
Beef, hogs, sheep	54893.9	43.5	99551.9	78.8
Poultry	1463.8	1.2	101015.7	80.0
Dairy	22780.2	18.0	123795.9	98.0
Other farms	2493.1	2.0	126289.0	100.0

Table 2-123. National estimates of lost-time injuries by gender for family workers, 1993.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	110028.9	87.1	110028.9	87.1
Female	16260.1	12.9	126289.0	100.0

Table 2-124. National estimates of lost-time injuries by age group for family workers, 1993.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10-19	9599.7	7.6	9599.7	7.6
20-29	8775.7	6.9	18375.4	14.6
30-39	27520.5	21.8	45895.9	36.3
40-49	24408.2	19.3	70304.1	55.7
50-59	24886.5	19.7	95190.6	75.4
60-69	20154.9	16.0	115345.5	91.3
>=70	10943.5	8.7	126289.0	100.0

Table 2-125. National estimates of lost-time injuries by race or ethnic origin for family workers, 1993.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	122723.7	97.2	122723.7	97.2
Hispanic	2426.8	1.9	125150.5	99.1
Asian	752.8	0.6	125903.3	99.7
American Indian	385.7	0.3	126289.0	100.0

Table 2-126. National estimates of lost-time injuries by month for family workers, 1993.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	8174.8	6.5	8174.8	6.5
February	5830.0	4.6	14004.8	11.1
March	5569.6	4.4	19574.4	15.5
April	9318.0	7.4	28892.4	22.9
May	7855.4	6.2	36747.8	29.1
June	15064.8	11.9	51812.6	41.0
July	15331.9	12.1	67144.5	53.2
August	13377.7	10.6	80522.2	63.8
September	14993.0	11.9	95515.2	75.6
October	8850.1	7.0	104365.3	82.6
November	10763.5	8.5	115128.8	91.2
December	11160.2	8.8	126289.0	100.0

Table 2-127. National estimates of lost-time injuries by severity of the injury for family workers, 1993.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	119095.4	94.3	119095.4	94.3
Permanent	6315.3	5.0	125410.7	99.3
Fatality	878.3	0.7	126289.0	100.0

Table 2-128. National estimates of lost-time injuries by whether professional medical attention was sought for family workers, 1993.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	7193.6	5.7	7193.6	5.7
Yes	97310.6	77.1	104504.2	82.8
No	21784.8	17.2	126289.0	100.0

Table 2-129. National estimates of lost-time injuries by body part injured for family workers, 1993.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	5756.4	4.6	5756.4	4.6
Eye	5305.2	4.2	11061.6	8.8
Chest/trunk	9303.2	7.4	20364.8	16.1
Back	14365.4	11.4	34730.2	27.5
Arm/shoulder	10792.3	8.5	45522.5	36.0
Finger	15357.0	12.2	60879.5	48.2
Hand/wrist	16143.1	12.8	77022.6	61.0
Leg/knee/hip	24942.0	19.7	101964.6	80.7
Toe	983.7	0.8	102948.3	81.5
Foot	11784.1	9.3	114732.4	90.8
Mult. parts	9635.3	7.6	124367.7	98.5
Other	1921.3	1.5	126289.0	100.0

Table 2-130. National estimates of lost-time injuries by nature of the injury for family workers, 1993.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	967.6	0.8	967.6	0.8
Bruise	15431.5	12.2	16399.1	13.0
Burn	879.3	0.7	17278.4	13.7
Cut	23339.6	18.5	40618.0	32.2
Crush	9802.0	7.8	50420.0	39.9
Fracture	24156.6	19.1	74576.6	59.1
Poisoning	356.5	0.3	74933.1	59.3
Puncture	6594.2	5.2	81527.3	64.6
Sprain/strain	26236.9	20.8	107764.2	85.3
Mult. injury	10446.0	8.3	118210.2	93.6
Other	8078.8	6.4	126289.0	100.0

Table 2-131. National estimates of lost-time injuries by type of event for family workers, 1993.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	3031.8	2.4	3031.8	2.4
Caught between	11858.6	9.4	14890.4	11.8
Caught under	6730.3	5.3	21620.7	17.1
Struck by/against	28410.8	22.5	50031.5	39.6
Struck by falling	6429.5	5.1	56461.0	44.7
Struck by flying	5490.7	4.3	61951.7	49.1
Contact sharp obj.	13793.9	10.9	75745.6	60.0
Fall, same level	17821.1	14.1	93566.7	74.1
Fall, elevation	13859.1	11.0	107425.8	85.1
Overexertion	9446.0	7.5	116871.8	92.5
Other	9417.2	7.5	126289.0	100.0

Table 2-132. National estimates of lost-time injuries by activity when injured for family workers, 1993.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	20692.5	16.4	20692.5	16.4
Machine maint.	17853.6	14.1	38546.1	30.5
Field work	15256.1	12.1	53802.2	42.6
Crop handling	20054.9	15.9	73857.1	58.5
Livestock handling	43325.3	34.3	117182.4	92.8
Other	9106.6	7.2	126289.0	100.0

Table 2-133. National estimates of lost-time injuries by source of injury for family workers, 1993.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	7417.3	5.9	7417.3	5.9
Machinery	19372.4	15.3	26789.7	21.2
Livestock	28999.5	23.0	55789.2	44.2
Hand tool	13955.6	11.1	69744.8	55.2
Power tool	4963.8	3.9	74708.6	59.2
Pesticide/chem.	1122.9	0.9	75831.5	60.0
Plant/tree	3863.5	3.1	79695.0	63.1
Working surface	12441.5	9.9	92136.5	73.0
Truck/auto	3605.0	2.9	95741.5	75.8
Other vehicle	2786.1	2.2	98527.6	78.0
Liquids	734.4	0.6	99262.0	78.6
Other	27027	21.4	126289.0	100.0

Table 2-134. National estimates of lost-time injuries by region of the U.S. for hired workers, 1993.

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	3521.5	4.8	3521.5	4.8
South	16164.7	22.2	19686.2	27.1
Midwest	11723.7	16.1	31409.9	43.2
West	41307.8	56.8	72717.7	100.0

Table 2-135. National estimates of lost-time injuries by farm type for hired workers, 1993.

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grain	3723.4	5.1	3723.4	5.1
Field crops	6996.2	9.6	10719.6	14.7
Veg, fruit, nuts	23519.7	32.3	34239.3	47.1
Nursery	13756.1	18.9	47995.4	66.0
Beef, hogs, sheep	7121.8	9.8	55117.2	75.8
Poultry	618.3	0.9	55735.5	76.6
Dairy	13689.0	18.8	69424.5	95.5
Other farms	3293.2	4.5	72717.7	100.0

Table 2-136. National estimates of lost-time injuries by gender for hired workers, 1993.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	69498.4	95.6	69498.4	95.6
Female	3219.3	4.4	72717.7	100.0

Table 2-137. National estimates of lost-time injuries by age group for hired workers, 1993.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10-19	3273.7	4.5	3273.7	4.5
20-29	28650.6	39.5	31924.3	44.0
30-39	21995.3	30.3	53919.6	74.3
40-49	12102.3	16.7	66021.9	91.0
50-59	5157.2	7.1	71179.1	98.1
60-69	631.6	0.9	71810.7	99.0
>=70	758.2	1.0	72568.9	100.0

(Frequency Missing = 148.8)

Table 2-138. National estimates of lost-time injuries by race or ethnic origin for hired workers, 1993.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	28893.6	39.8	28893.6	39.8
Hispanic	40873.8	56.3	69767.4	96.1
Black	1422.6	2.0	71190.0	98.1
American Indian	588.9	0.8	71778.9	98.9
Other	790.0	1.1	72568.9	100.0

(Frequency Missing = 148.8)

Table 2-139. National estimates of lost-time injuries by month for hired workers, 1993.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	3441.9	4.7	3441.9	4.7
February	1665.6	2.3	5107.5	7.0
March	2606.4	3.6	7713.9	10.6
April	4233.8	5.8	11947.7	16.5
May	7961.7	11.0	19909.4	27.4
June	10264.1	14.1	30173.5	41.6
July	10505.7	14.5	40679.2	56.1
August	10249.3	14.1	50928.5	70.2
September	4602.2	6.3	55530.7	76.5
October	6977.9	9.6	62508.6	86.2
November	6438.9	8.9	68947.5	95.0
December	3600.6	5.0	72548.1	100.0

(Frequency Missing = 169.6)

Table 2-140. National estimates of lost-time injuries by severity of the injury for hired workers, 1993.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	69517.8	95.6	69517.8	95.6
Permanent	2827.3	3.9	72345.1	99.5
Fatality	372.6	0.5	72717.7	100.0

Table 2-141. National estimates of lost-time injuries by whether professional medical attention was sought for hired workers, 1993.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	3199.9	4.4	3199.9	4.4
Yes	62230.3	85.6	65430.2	90.0
No	7287.5	10.0	72717.7	100.0

Table 2-142. National estimates of lost-time injuries by body part injured for hired workers, 1993.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	4333.8	6.0	4333.8	6.0
Eye	8207.0	11.3	12540.8	17.2
Chest/trunk	7804.7	10.7	20345.5	28.0
Back	15235.2	21.0	35580.7	48.9
Arm/shoulder	4546.6	6.3	40127.3	55.2
Finger	8392.7	11.5	48520.0	66.7
Hand/wrist	7513.6	10.3	56033.6	77.1
Leg/knee/hip	5572.1	7.7	61605.7	84.7
Toe	847.2	1.2	62452.9	85.9
Foot	5821.5	8.0	68274.4	93.9
Mult. parts	2340.3	3.2	70614.7	97.1
Other	2103.0	2.9	72717.7	100.0

Table 2-143. National estimates of lost-time injuries by nature of the injury for hired workers, 1993.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	186.6	0.3	186.6	0.3
Bruise	12029.5	16.5	12216.1	16.8
Burn	1402.6	1.9	13618.7	18.7
Cut	13677.9	18.8	27296.6	37.5
Crush	3656.6	5.0	30953.2	42.6
Fracture	6232.5	8.6	37185.7	51.1
Poisoning	33.3	0.0	37219.0	51.2
Puncture	2975.8	4.1	40194.8	55.3
Sprain/strain	24970.4	34.3	65165.2	89.6
Mult. injury	1000.7	1.4	66165.9	91.0
Other	6551.8	9.0	72717.7	100.0

Table 2-144. National estimates of lost-time injuries by type of event for hired workers, 1993.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	2117.4	2.9	2117.4	2.9
Caught between	7683.2	10.6	9800.6	13.5
Caught under	1639.5	2.3	11440.1	15.7
Struck by/against	8912.6	12.3	20352.7	28.0
Struck by falling	4189.1	5.8	24541.8	33.7
Struck by flying	1378.3	1.9	25920.1	35.6
Contact sharp obj.	8817.9	12.1	34738.0	47.8
Fall, same level	6173.3	8.5	40911.3	56.3
Fall, elevation	4356.0	6.0	45267.3	62.3
Overexertion	16536.6	22.7	61803.9	85.0
Other	10913.8	15.0	72717.7	100.0

Table 2-145. National estimates of lost-time injuries by activity when injured for hired workers, 1993.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	10499.8	14.4	10499.8	14.4
Machine maint.	8530.1	11.7	19029.9	26.2
Field work	22040.7	30.3	41070.6	56.5
Crop handling	10574.0	14.5	51644.6	71.0
Livestock handling	7589.7	10.4	59234.3	81.5
Other	13483.4	18.5	72717.7	100.0

Table 2-146. National estimates of lost-time injuries by source of injury for hired workers, 1993.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	3347.6	4.6	3347.6	4.6
Machinery	14953.3	20.6	18300.9	25.2
Livestock	6677.3	9.2	24978.2	34.3
Hand tool	8495.8	11.7	33474.0	46.0
Power tool	2275.8	3.1	35749.8	49.2
Pesticide/chem.	331.1	0.5	36080.9	49.6
Plant/tree	4786.1	6.6	40867.0	56.2
Working surface	4571.2	6.3	45438.2	62.5
Truck/auto	2535.9	3.5	47974.1	66.0
Other vehicle	2055.3	2.8	50029.4	68.8
Liquids	493.3	0.7	50522.7	69.5
Other	22195.0	30.5	72717.7	100.0

Table 2-147. National estimates of lost-time injuries by region of the U.S. for other workers, 1993.

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	113.6	7.4	113.6	7.4
South	277.5	18.0	391.1	25.3
Midwest	619.4	40.1	1010.5	65.5
West	532.5	34.5	1543.0	100.0

Table 2-148. National estimates of lost-time injuries by farm type for family workers, 1993.

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grain	735.2	47.6	735.2	47.6
Field crops	164.0	10.6	899.2	58.3
Beef, hogs, sheep	530.2	34.4	1429.4	92.6
Dairy	69.3	4.5	1498.7	97.1
Other farms	44.3	2.9	1543.0	100.0

Table 2-149. National estimates of lost-time injuries by gender for family workers, 1993.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	1543.0	100.0	1543.0	100.0

Table 2-150. National estimates of lost-time injuries by age group for family workers, 1993.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
20-29	499.8	32.4	499.8	32.4
30-39	279.8	18.1	779.6	50.5
50-59	297.0	19.2	1076.6	69.8
60-69	222.3	14.4	1298.9	84.2
>=70	244.1	15.8	1543.0	100.0

Table 2-151. National estimates of lost-time injuries by race or ethnic origin for family workers, 1993.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	926.7	67.7	926.7	67.7
Hispanic	441.5	32.3	1368.2	100.0

(Frequency Missing = 174.8)

Table 2-152. National estimates of lost-time injuries by month for family workers, 1993.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	44.3	3.2	44.3	3.2
February	0.0	0.0	44.3	3.2
March	277.5	20.3	321.8	23.5
April	252.7	18.5	574.5	42.0
May	0.0	0.0	574.5	42.0
June	386.3	28.2	960.8	70.2
July	0.0	0.0	960.8	70.2
August	0.0	0.0	960.8	70.2
September	291.6	21.3	1252.4	91.5
October	0.0	0.0	1252.4	91.5
November	115.8	8.5	1368.2	100.0
December	0.0	0.0	1368.2	100.0

(Frequency Missing = 174.8)

Table 2-153. National estimates of lost-time injuries by severity of the injury for family workers, 1993.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	1323.9	96.8	1323.9	96.8
Permanent	44.3	3.2	1368.2	100.0

(Frequency Missing = 174.8)

Table 2-154. National estimates of lost-time injuries by whether professional medical attention was sought for family workers, 1993.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	219.1	14.2	219.1	14.2
Yes	1323.9	85.8	1543.0	100.0

Table 2-155. National estimates of lost-time injuries by body part injured for family workers, 1993.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	115.8	7.5	115.8	7.5
Back	452.3	29.3	568.1	36.8
Arm/shoulder	69.3	4.5	637.4	41.3
Finger	608.6	39.4	1246.0	80.8
Mult. parts	44.3	2.9	1290.3	83.6
Other	252.7	16.4	1543.0	100.0

Table 2-156. National estimates of lost-time injuries by nature of the injury for other workers, 1993.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	277.5	18.0	277.5	18.0
Cut	416.7	27.0	694.2	45.0
Fracture	185.1	12.0	879.3	57.0
Puncture	222.3	14.4	1101.6	71.4
Sprain/strain	174.8	11.3	1276.4	82.7
Mult. injury	266.6	17.3	1543.0	100.0

Table 2-157. National estimates of lost-time injuries by type of event for other workers, 1993.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Struck by/against	277.5	18.0	277.5	18.0
Struck by falling	291.6	18.9	569.1	36.9
Struck by flying	475.0	30.8	1044.1	67.7
Fall, elevation	160.1	10.4	1204.2	78.0
Overexertion	174.8	11.3	1379.0	89.4
Other	164.0	10.6	1543.0	100.0

Table 2-158. National estimates of lost-time injuries by activity when injured for other workers, 1993.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	338.8	22.0	338.8	22.0
Machine maint.	338.1	21.9	676.9	43.9
Field work	266.6	17.3	943.5	61.1
Livestock handling	599.5	38.9	1543.0	100.0

Table 2-159. National estimates of lost-time injuries by source of injury for other workers, 1993.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	174.8	11.3	174.8	11.3
Machinery	115.8	7.5	290.6	18.8
Livestock	530.2	34.4	820.8	53.2
Hand tool	444.6	28.8	1265.4	82.0
Power tool	164.0	10.6	1429.4	92.6
Working surface	44.3	2.9	1473.7	95.5
Other	69.3	4.5	1543.0	100.0

Table 2-160. National estimates of lost-time injuries by region of the U.S. for male workers, 1993.

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	10953.7	6.0	10953.7	6.0
South	39590.3	21.9	50544.0	27.9
Midwest	73853.3	40.8	124397.3	68.7
West	56673.0	31.3	181070.3	100.0

Table 2-161. National estimates of lost-time injuries by farm type for male workers, 1993.

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grain	27588.3	15.2	27588.3	15.2
Field crops	16045.7	8.9	43634.0	24.1
Veg, fruit, nuts	31329.1	17.3	74963.1	41.4
Nursery	13312.5	7.4	88275.6	48.8
Beef, hogs, sheep	55047.9	30.4	143323.5	79.2
Poultry	1411.8	0.8	144735.3	79.9
Dairy	31714.1	17.5	176449.4	97.4
Other farms	4620.9	2.6	181070.3	100.0

Table 2-162. National estimates of lost-time injuries by status of the injured worker for male workers, 1993.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	100139.5	55.3	100139.5	55.3
Partner/family	9889.4	5.5	110028.9	60.8
Hired labor	67801.2	37.4	177830.1	98.2
Unpaid nonfamily	1697.2	0.9	179527.3	99.1
Other	1543.0	0.9	181070.3	100.0

Table 2-163. National estimates of lost-time injuries by age group for male workers, 1993.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10-19	11487.2	6.3	11487.2	6.3
20-29	36843.1	20.3	48330.3	26.7
30-39	44834.3	24.8	93164.6	51.5
40-49	31286.2	17.3	124450.8	68.7
50-59	25672.9	14.2	150123.7	82.9
60-69	19770.4	10.9	169894.1	93.8
>=70	11176.2	6.2	181070.3	100.0

Table 2-164. National estimates of lost-time injuries by race or ethnic origin for male workers, 1993.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	135010.8	74.6	135010.8	74.6
Hispanic	42507.2	23.5	177518.0	98.1
Black	1422.6	0.8	178940.6	98.9
Asian	190.3	0.1	179130.9	99.0
American Indian	974.6	0.5	180105.5	99.6
Other	790.0	0.4	180895.5	100.0

(Frequency Missing = 174.8)

Table 2-165. National estimates of lost-time injuries by month for male workers, 1993.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	11220.9	6.2	11220.9	6.2
February	6884.1	3.8	18105.0	10.0
March	8018.6	4.4	26123.6	14.4
April	11251.4	6.2	37375.0	20.7
May	13125.2	7.3	50500.2	27.9
June	22456.0	12.4	72956.2	40.3
July	24228.3	13.4	97184.5	53.7
August	21951.0	12.1	119135.5	65.9
September	19077.3	10.5	138212.8	76.4
October	14892.6	8.2	153105.4	84.6
November	15515.9	8.6	168621.3	93.2
December	12253.4	6.8	180874.7	100.0

(Frequency Missing = 195.6)

Table 2-166. National estimates of lost-time injuries by severity of the injury for male workers, 1993.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	170964.2	94.5	170964.2	94.5
Permanent	8680.4	4.8	179644.6	99.3
Fatality	1250.9	0.7	180895.5	100.0

(Frequency Missing = 174.8)

Table 2-167. National estimates of lost-time injuries by whether professional medical attention was sought for male workers, 1993.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	10106.1	5.6	10106.1	5.6
Yes	143594.0	79.3	153700.1	84.9
No	27370.2	15.1	181070.3	100.0

Table 2-168. National estimates of lost-time injuries by body part injured for male workers, 1993.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	8159.7	4.5	8159.7	4.5
Eye	13283.1	7.3	21442.8	11.8
Chest/trunk	16953.4	9.4	38396.2	21.2
Back	27868.7	15.4	66264.9	36.6
Arm/shoulder	13253.6	7.3	79518.5	43.9
Finger	22775.8	12.6	102294.3	56.5
Hand/wrist	20149.6	11.1	122443.9	67.6
Leg/knee/hip	26810.5	14.8	149254.4	82.4
Toe	1813.2	1.0	151067.6	83.4
Foot	15544.5	8.6	166612.1	92.0
Mult. parts	10470.5	5.8	177082.6	97.8
Other	3987.7	2.2	181070.3	100.0

Table 2-169. National estimates of lost-time injuries by nature of the injury for male workers, 1993.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	1019.6	0.6	1019.6	0.6
Bruise	24870.3	13.7	25889.9	14.3
Burn	1883.3	1.0	27773.2	15.3
Cut	33820.5	18.7	61593.7	34.0
Crush	12669.2	7.0	74262.9	41.0
Fracture	26339.9	14.5	100602.8	55.6
Poisoning	162.1	0.1	100764.9	55.6
Puncture	9677.7	5.3	110442.6	61.0
Sprain/strain	47126.6	26.0	157569.2	87.0
Mult. injury	9965.5	5.5	167534.7	92.5
Other	13535.6	7.5	181070.3	100.0

Table 2-170. National estimates of lost-time injuries by type of event for male workers, 1993.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	4929.2	2.7	4929.2	2.7
Caught between	17262.7	9.5	22191.9	12.3
Caught under	6898.6	3.8	29090.5	16.1
Struck by/against	33084.7	18.3	62175.2	34.3
Struck by falling	9765.4	5.4	71940.6	39.7
Struck by flying	7124.0	3.9	79064.6	43.7
Contact sharp obj.	20406.0	11.3	99470.6	54.9
Fall, same level	19909.3	11.0	119379.9	65.9
Fall, elevation	17845.2	9.9	137225.1	75.8
Overexertion	25227.2	13.9	162452.3	89.7
Other	18618.0	10.3	181070.3	100.0

Table 2-171. National estimates of lost-time injuries by activity when injured for male workers, 1993.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	30077.8	16.6	30077.8	16.6
Machine maint.	25448.9	14.1	55526.7	30.7
Field work	32551.0	18.0	88077.7	48.6
Crop handling	28722.6	15.9	116800.3	64.5
Livestock handling	43456.8	24.0	160257.1	88.5
Other	20813.2	11.5	181070.3	100.0

Table 2-172. National estimates of lost-time injuries by source of injury for male workers, 1993.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	10206.9	5.6	10206.9	5.6
Machinery	32719.5	18.1	42926.4	23.7
Livestock	30346.5	16.8	73272.9	40.5
Hand tool	21724.5	12.0	94997.4	52.5
Power tool	7403.6	4.1	102401.0	56.6
Pesticide/chem.	1022.1	0.6	103423.1	57.1
Plant/tree	7223.7	4.0	110646.8	61.1
Working surface	16044.9	8.9	126691.7	70.0
Truck/auto	5639.5	3.1	132331.2	73.1
Other vehicle	4415.3	2.4	136746.5	75.5
Liquids	1227.7	0.7	137974.2	76.2
Other	43096.1	23.8	181070.3	100.0

Table 2-173. National estimates of lost-time injuries by region of the U.S. for female workers, 1993.

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	3457.7	17.8	3457.7	17.8
South	4507.9	23.1	7965.6	40.9
Midwest	8480.7	43.5	16446.3	84.4
West	3033.1	15.6	19479.4	100.0

Table 2-174. National estimates of lost-time injuries by farm type for male workers, 1993.

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grain	1498.4	7.7	1498.4	7.7
Field crops	1183.5	6.1	2681.9	13.8
Veg, fruit, nuts	1298.9	6.7	3980.8	20.4
Nursery	1296.2	6.7	5277.0	27.1
Beef, hogs, sheep	7498.0	38.5	12775.0	65.6
Poultry	670.3	3.4	13445.3	69.0
Dairy	4824.4	24.8	18269.7	93.8
Other farms	1209.7	6.2	19479.4	100.0

Table 2-175. National estimates of lost-time injuries by status of the injured worker for female workers, 1993.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	11263.8	57.8	11263.8	57.8
Partner/family	4996.3	25.6	16260.1	83.5
Hired labor	2980.6	15.3	19240.7	98.8
Unpaid nonfamily	238.7	1.2	19479.4	100.0

Table 2-176. National estimates of lost-time injuries by age group for female workers, 1993.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10-19	1386.2	7.2	1386.2	7.2
20-29	1083.0	5.6	2469.2	12.8
30-39	4961.3	25.7	7430.5	38.4
40-49	5224.3	27.0	12654.8	65.5
50-59	4667.8	24.1	17322.6	89.6
60-69	1238.4	6.4	18561.0	96.0
>=70	769.6	4.0	19330.6	100.0

(Frequency Missing = 148.8)

Table 2-177. National estimates of lost-time injuries by race or ethnic origin for female workers, 1993.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	17533.2	90.7	17533.2	90.7
Hispanic	1234.9	6.4	18768.1	97.1
Asian	562.5	2.9	19330.6	100.0
(Frequency Missing = 148.8)				

Table 2-178. National estimates of lost-time injuries by month for female workers, 1993.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	440.1	2.3	440.1	2.3
February	611.5	3.2	1051.6	5.4
March	434.9	2.2	1486.5	7.7
April	2553.1	13.2	4039.6	20.9
May	2691.9	13.9	6731.5	34.8
June	3259.2	16.9	9990.7	51.7
July	1609.3	8.3	11600.0	60.0
August	1676.0	8.7	13276.0	68.7
September	809.5	4.2	14085.5	72.9
October	935.4	4.8	15020.9	77.7
November	1802.3	9.3	16823.2	87.0
December	2507.4	13.0	19330.6	100.0
(Frequency Missing = 148.8)				

Table 2-179. National estimates of lost-time injuries by severity of the injury for female workers, 1993.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	18972.9	97.4	18972.9	97.4
Permanent	506.5	2.6	19479.4	100.0

Table 2-180. National estimates of lost-time injuries by whether professional medical attention was sought for female workers, 1993.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	506.5	2.6	506.5	2.6
Yes	17270.8	88.7	17777.3	91.3
No	1702.1	8.7	19479.4	100.0

Table 2-181. National estimates of lost-time injuries by body part injured for female workers, 1993.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	2046.3	10.5	2046.3	10.5
Eye	229.1	1.2	2275.4	11.7
Chest/trunk	154.5	0.8	2429.9	12.5
Back	2184.2	11.2	4614.1	23.7
Arm/shoulder	2154.6	11.1	6768.7	34.7
Finger	1582.5	8.1	8351.2	42.9
Hand/wrist	3507.1	18.0	11858.3	60.9
Leg/knee/hip	3703.6	19.0	15561.9	79.9
Toe	17.7	0.1	15579.6	80.0
Foot	2061.1	10.6	17640.7	90.6
Mult. parts	1549.4	8.0	19190.1	98.5
Other	289.3	1.5	19479.4	100.0

Table 2-182. National estimates of lost-time injuries by nature of the injury for female workers, 1993.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	134.6	0.7	134.6	0.7
Bruise	2868.2	14.7	3002.8	15.4
Burn	398.6	2.0	3401.4	17.5
Cut	3613.7	18.6	7015.1	36.0
Crush	789.4	4.1	7804.5	40.1
Fracture	4234.3	21.7	12038.8	61.8
Poisoning	227.7	1.2	12266.5	63.0
Puncture	114.6	0.6	12381.1	63.6
Sprain/strain	4255.5	21.8	16636.6	85.4
Mult. injury	1747.8	9.0	18384.4	94.4
Other	1095.0	5.6	19479.4	100.0

Table 2-183. National estimates of lost-time injuries by type of event for female workers, 1993.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	220.0	1.1	220.0	1.1
Caught between	2279.1	11.7	2499.1	12.8
Caught under	1471.2	7.6	3970.3	20.4
Struck by/against	4516.2	23.2	8486.5	43.6
Struck by falling	1144.8	5.9	9631.3	49.4
Struck by flying	220.0	1.1	9851.3	50.6
Contact sharp obj.	2205.8	11.3	12057.1	61.9
Fall, same level	4085.1	21.0	16142.2	82.9
Fall, elevation	530.0	2.7	16672.2	85.6
Overexertion	930.2	4.8	17602.4	90.4
Other	1877.0	9.6	19479.4	100.0

Table 2-184. National estimates of lost-time injuries by activity when injured for female workers, 1993.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	1453.3	7.5	1453.3	7.5
Machine maint.	1272.9	6.5	2726.2	14.0
Field work	5012.4	25.7	7738.6	39.7
Crop handling	1906.3	9.8	9644.9	49.5
Livestock handling	8057.7	41.4	17702.6	90.9
Other	1776.8	9.1	19479.4	100.0

Table 2-185. National estimates of lost-time injuries by source of injury for female workers, 1993.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	732.8	3.8	732.8	3.8
Machinery	1722.0	8.8	2454.8	12.6
Livestock	5860.5	30.1	8315.3	42.7
Hand tool	1171.5	6.0	9486.8	48.7
Pesticide/chem.	431.9	2.2	9918.7	50.9
Plant/tree	1425.9	7.3	11344.6	58.2
Working surface	1012.1	5.2	12356.7	63.4
Truck/auto	501.4	2.6	12858.1	66.0
Other vehicle	426.1	2.2	13284.2	68.2
Other	6195.2	31.8	19479.4	100.0

Table 2-186. National estimates of lost-time injuries by status of the injured worker for workers 10-19 years of age, 1993.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	8820.0	68.5	8820.0	68.5
Partner/family	779.7	6.1	9599.7	74.6
Hired labor	2755.1	21.4	12354.8	96.0
Unpaid nonfamily	518.6	4.0	12873.4	100.0

Table 2-187. National estimates of lost-time injuries by gender for workers 10-19 years of age, 1993.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	11487.2	89.2	11487.2	89.2
Female	1386.2	10.8	12873.4	100.0

Table 2-188. National estimates of lost-time injuries by race or ethnic origin for workers 10-19 years of age, 1993.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	11872.1	92.2	11872.1	92.2
Hipanic	811.0	6.3	12683.1	98.5
American Indian	190.3	1.5	12873.4	100.0

Table 2-189. National estimates of lost-time injuries by month for workers 10-19 years of age, 1993.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	209.5	1.6	209.5	1.6
February	0.0	0.0	209.5	1.6
March	186.6	1.4	396.1	3.1
April	390.1	3.0	786.2	6.1
May	804.0	6.2	1590.2	12.4
June	3937.6	30.6	5527.8	42.9
July	1722.8	13.4	7250.6	56.3
August	3969.0	30.8	11219.6	87.2
September	933.5	7.3	12153.1	94.4
October	0.0	0.0	12153.1	94.4
November	720.3	5.6	12873.4	100.0
December	0.0	0.0	12873.4	100.0

Table 2-190. National estimates of lost-time injuries by severity of the injury for workers 10-19 years of age, 1993.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	12463.1	96.8	12463.1	96.8
Permanent	410.3	3.2	12873.4	100.0

Table 2-191. National estimates of lost-time injuries by whether professional medical attention was sought for workers 10-19 years of age, 1993.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	10775.0	83.7	10775.0	3.2
Yes	1688.1	13.1	12463.1	96.8
No	410.3	3.2	12873.4	100.0

Table 2-192. National estimates of lost-time injuries by body part injured for workers 10-19 years of age, 1993.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	797.8	6.2	797.8	6.2
Chest/trunk	209.5	1.6	1007.3	7.8
Back	252.7	2.0	1260.0	9.8
Arm/shoulder	186.6	1.4	1446.6	11.2
Finger	4266.6	33.1	5713.2	44.4
Hand/wrist	895.9	7.0	6609.1	51.3
Leg/knee/hip	3033.4	23.6	9642.5	74.9
Toe	591.5	4.6	10234.0	79.5
Foot	2232.6	17.3	12466.6	96.8
Mult. parts	337.5	2.6	12804.1	99.5
Other	69.3	0.5	12873.4	100.0

Table 2-193. National estimates of lost-time injuries by nature of the injury for workers 10-19 years of age, 1993.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	1416.1	11.0	1416.1	11.0
Cut	3426.2	26.6	4842.3	37.6
Crush	2688.9	20.9	7531.2	58.5
Fracture	1498.5	11.6	9029.7	70.1
Puncture	1269.0	9.9	10298.7	80.0
Sprain/strain	1474.2	11.5	11772.9	91.5
Mult. injury	763.0	5.9	12535.9	97.4
Other	337.5	2.6	12873.4	100.0

Table 2-194. National estimates of lost-time injuries by type of event for workers 10-19 years of age, 1993.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	464.1	3.6	464.1	3.6
Caught between	4322.7	33.6	4786.8	37.2
Caught under	1131.3	8.8	5918.1	46.0
Struck by/against	690.1	5.4	6608.2	51.3
Struck by falling	442.3	3.4	7050.5	54.8
Struck by flying	318.8	2.5	7369.3	57.2
Contact sharp obj.	3274.5	25.4	10643.8	82.7
Fall, same level	493.0	3.8	11136.8	86.5
Fall, elevation	720.3	5.6	11857.1	92.1
Overexertion	590.2	4.6	12447.3	96.7
Other	426.1	3.3	12873.4	100.0

Table 2-195. National estimates of lost-time injuries by activity when injured for workers 10-19 years of age, 1993.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	1158.7	9.0	1158.7	9.0
Machine maint.	3018.6	23.4	4177.3	32.4
Field work	2796.6	21.7	6973.9	54.2
Crop handling	1731.2	13.4	8705.1	67.6
Livestock handling	3579.4	27.8	12284.5	95.4
Other	588.9	4.6	12873.4	100.0

Table 2-196. National estimates of lost-time injuries by source of injury for workers 10-19 years of age, 1993.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	394.8	3.1	394.8	3.1
Machinery	4673.6	36.3	5068.4	39.4
Livestock	1204.0	9.4	6272.4	48.7
Hand tool	2301.6	17.9	8574.0	66.6
Working surface	443.6	3.4	9017.6	70.0
Other vehicle	1411.4	11.0	10429.0	81.0
Other	2444.4	19.0	12873.4	100.0

Table 2-197. National estimates of lost-time injuries by status of the injured worker for workers 20-29 years of age, 1993.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	6533.1	17.2	6533.1	17.2
Partner/family	2242.6	5.9	8775.7	23.1
Hired labor	28093.1	74.1	36868.8	97.2
Unpaid nonfamily	557.5	1.5	37426.3	98.7
Other	499.8	1.3	37926.1	100.0

Table 2-198. National estimates of lost-time injuries by gender for workers 20-29 years of age, 1993.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	36843.1	97.1	36843.1	97.1
Female	1083.0	2.9	37926.1	100.0

Table 2-199. National estimates of lost-time injuries by race or ethnic origin for workers 20-29 years of age, 1993.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	20579.6	54.3	20579.6	54.3
Hipanic	16365.9	43.2	36945.5	97.4
Black	430.1	1.1	37375.6	98.5
American Indian	398.6	1.1	37774.2	99.6
Other	151.9	0.4	37926.1	100.0

Table 2-200. National estimates of lost-time injuries by month for workers 20-29 years of age, 1993.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	1334.8	3.5	1334.8	3.5
February	281.5	0.7	1616.3	4.3
March	1429.6	3.8	3045.9	8.0
April	1677.8	4.4	4723.7	12.5
May	6042.1	15.9	10765.8	28.4
June	5674.9	15.0	16440.7	43.4
July	2720.1	7.2	19160.8	50.5
August	9571.6	25.3	28732.4	75.8
September	3241.4	8.6	31973.8	84.4
October	3701.6	9.8	35675.4	94.1
November	744.6	2.0	36420.0	96.1
December	1485.3	3.9	37905.3	100.0

(Frequency Missing = 20.8)

Table 2-201. National estimates of lost-time injuries by severity of the injury for workers 20-29 years of age, 1993.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	37655.1	99.3	37655.1	99.3
Permanent	271.0	0.7	37926.1	100.0

Table 2-202. National estimates of lost-time injuries by whether professional medical attention was sought for workers 20-29 years of age, 1993.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	271.0	0.7	271.0	0.7
Yes	34407.3	90.7	34678.3	91.4
No	3247.8	8.6	37926.1	100.0

Table 2-203. National estimates of lost-time injuries by body part injured for workers 20-29 years of age, 1993.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	1277.9	3.4	1277.9	3.4
Eye	6323.5	16.7	7601.4	20.0
Chest/trunk	4301.6	11.3	11903.0	31.4
Back	6831.8	18.0	18734.8	49.4
Arm/shoulder	1632.6	4.3	20367.4	53.7
Finger	5374.2	14.2	25741.6	67.9
Hand/wrist	3307.2	8.7	29048.8	76.6
Leg/knee/hip	2481.2	6.5	31530.0	83.1
Toe	566.2	1.5	32096.2	84.6
Foot	4155.9	11.0	36252.1	95.6
Mult. parts	529.7	1.4	36781.8	97.0
Other	1144.3	3.0	37926.1	100.0

Table 2-204. National estimates of lost-time injuries by nature of the injury for workers 20-29 years of age, 1993.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	5995.3	15.8	5995.3	15.8
Burn	1461.3	3.9	7456.6	19.7
Cut	9700.7	25.6	17157.3	45.2
Crush	1871.0	4.9	19028.3	50.2
Fracture	2104.8	5.5	21133.1	55.7
Puncture	1279.2	3.4	22412.3	59.1
Sprain/strain	11527.8	30.4	33940.1	89.5
Mult. injury	296.8	0.8	34236.9	90.3
Other	3689.2	9.7	37926.1	100.0

Table 2-205. National estimates of lost-time injuries by type of event for workers 20-29 years of age, 1993.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	814.2	2.1	814.2	2.1
Caught between	2563.5	6.8	3377.7	8.9
Caught under	2345.2	6.2	5722.9	15.1
Struck by/against	5292.6	14.0	11015.5	29.0
Struck by falling	2885.9	7.6	13901.4	36.7
Struck by flying	1346.3	3.5	15247.7	40.2
Contact sharp obj.	4505.4	11.9	19753.1	52.1
Fall, same level	1432.3	3.8	21185.4	55.9
Fall, elevation	2530.4	6.7	23715.8	62.5
Overexertion	5634.8	14.9	29350.6	77.4
Other	8575.5	22.6	37926.1	100.0

Table 2-206. National estimates of lost-time injuries by activity when injured for workers 20-29 years of age, 1993.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	6863.1	18.1	6863.1	18.1
Machine maint.	3717.8	9.8	10580.9	27.9
Field work	9066.6	23.9	19647.5	51.8
Crop handling	5545.6	14.6	25193.1	66.4
Livestock handling	4440.4	11.7	29633.5	78.1
Other	8292.6	21.9	37926.1	100.0

Table 2-207. National estimates of lost-time injuries by source of injury for workers 20-29 years of age, 1993.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	417.9	1.1	417.9	1.1
Machinery	10527.6	27.8	10945.5	28.9
Livestock	3754.7	9.9	14700.2	38.8
Hand tool	4510.7	11.9	19210.9	50.7
Power tool	2634.7	6.9	21845.6	57.6
Pesticide/chem.	304.3	0.8	22149.9	58.4
Plant/tree	866.1	2.3	23016.0	60.7
Working surface	1589.6	4.2	24605.6	64.9
Truck/auto	1404.0	3.7	26009.6	68.6
Other vehicle	1072.4	2.8	27082.0	71.4
Liquids	370.7	1.0	27452.7	72.4
Other	10473.4	27.6	37926.1	100.0

Table 2-208. National estimates of lost-time injuries by status of the injured worker for workers 30-39 years of age, 1993.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	23979.8	48.2	23979.8	48.2
Partner/family	3540.7	7.1	27520.5	55.3
Hired labor	21724.3	43.6	49244.8	98.9
Unpaid nonfamily	271.0	0.5	49515.8	99.4
Other	279.8	0.6	49795.6	100.0

Table 2-209. National estimates of lost-time injuries by gender for workers 30-39 years of age, 1993.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	44834.3	90.0	44834.3	90.0
Female	4961.3	10.0	49795.6	100.0

Table 2-210. National estimates of lost-time injuries by race or ethnic origin for workers 30-39 years of age, 1993.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	35302.5	70.9	35302.5	70.9
Hipanic	13735.1	27.6	49037.6	98.5
Black	567.7	1.1	49605.3	99.6
Other	190.3	0.4	49795.6	100.0

Table 2-211. National estimates of lost-time injuries by month for workers 30-39 years of age, 1993.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	2643.5	5.3	2643.5	5.3
February	2381.9	4.8	5025.4	10.1
March	2135.6	4.3	7161.0	14.4
April	4796.2	9.6	11957.2	24.0
May	2525.0	5.1	14482.2	29.1
June	5525.8	11.1	20008.0	40.2
July	8302.9	16.7	28310.9	56.9
August	2785.2	5.6	31096.1	62.4
September	5766.7	11.6	36862.8	74.0
October	2739.4	5.5	39602.2	79.5
November	5285.3	10.6	44887.5	90.1
December	4908.1	9.9	49795.6	100.0

Table 2-212. National estimates of lost-time injuries by severity of the injury for workers 30-39 years of age, 1993.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	48397.8	97.2	48397.8	97.2
Permanent	1397.8	2.8	49795.6	100.0

Table 2-213. National estimates of lost-time injuries by whether professional medical attention was sought for workers 30-39 years of age, 1993.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	1397.8	2.8	1397.8	2.8
Yes	38437.0	77.2	39834.8	80.0
No	9960.8	20.0	49795.6	100.0

Table 2-214. National estimates of lost-time injuries by body part injured for workers 30-39 years of age, 1993.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	1829.5	3.7	1829.5	3.7
Eye	2674.3	5.4	4503.8	9.0
Chest/trunk	3286.6	6.6	7790.4	15.6
Back	6786.6	13.6	14577.0	29.3
Arm/shoulder	4672.5	9.4	19249.5	38.7
Finger	4859.0	9.8	24108.5	48.4
Hand/wrist	7886.2	15.8	31994.7	64.3
Leg/knee/hip	8008.0	16.1	40002.7	80.3
Toe	58.7	0.1	40061.4	80.5
Foot	6748.3	13.6	46809.7	94.0
Mult. parts	1459.0	2.9	48268.7	96.9
Other	1526.9	3.1	49795.6	100.0

Table 2-215. National estimates of lost-time injuries by nature of the injury for workers 30-39 years of age, 1993.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	186.6	0.4	186.6	0.4
Bruise	9721.8	19.5	9908.4	19.9
Cut	8570.4	17.2	18478.8	37.1
Crush	2409.7	4.8	20888.5	41.9
Fracture	4005.2	8.0	24893.7	50.0
Poisoning	33.3	0.1	24927.0	50.1
Puncture	4692.3	9.4	29619.3	59.5
Sprain/strain	14266.2	28.6	43885.5	88.1
Mult. injury	3062.8	6.2	46948.3	94.3
Other	2847.3	5.7	49795.6	100.0

Table 2-216. National estimates of lost-time injuries by type of event for workers 30-39 years of age, 1993.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	1303.4	2.6	1303.4	2.6
Caught between	4614.1	9.3	5917.5	11.9
Caught under	2617.9	5.3	8535.4	17.1
Struck by/against	8969.4	18.0	17504.8	35.2
Struck by falling	1283.7	2.6	18788.5	37.7
Struck by flying	2927.0	5.9	21715.5	43.6
Contact sharp obj.	8840.9	17.8	30556.4	61.4
Fall, same level	6730.4	13.5	37286.8	74.9
Fall, elevation	3124.3	6.3	40411.1	81.2
Overexertion	5544.3	11.1	45955.4	92.3
Other	3840.2	7.7	49795.6	100.0

Table 2-217. National estimates of lost-time injuries by activity when injured for workers 30-39 years of age, 1993.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	6517.1	13.1	6517.1	13.1
Machine maint.	9292.7	18.7	15809.8	31.7
Field work	11624.9	23.3	27434.7	55.1
Crop handling	6409.4	12.9	33844.1	68.0
Livestock handling	10614.8	21.3	44458.9	89.3
Other	5336.7	10.7	49795.6	100.0

Table 2-218. National estimates of lost-time injuries by source of injury for workers 30-39 years of age, 1993.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	2520.1	5.1	2520.1	5.1
Machinery	7617.8	15.3	10137.9	20.4
Livestock	7517.7	15.1	17655.6	35.5
Hand tool	7743.0	15.5	25398.6	51.0
Power tool	2474.3	5.0	27872.9	56.0
Pesticide/chem.	183.3	0.4	28056.2	56.3
Plant/tree	3544.2	7.1	31600.4	63.5
Working surface	4329.4	8.7	35929.8	72.2
Truck/auto	3223.6	6.5	39153.4	78.6
Other vehicle	1253.9	2.5	40407.3	81.1
Liquids	435.0	0.9	40842.3	82.0
Other	8953.3	18.0	49795.6	100.0

Table 2-219. National estimates of lost-time injuries by status of the injured worker for workers 40-49 years of age, 1993.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	20385.5	55.8	20385.5	55.8
Partner/family	4022.7	11.0	24408.2	66.9
Hired labor	11798.5	32.3	36206.7	99.2
Unpaid nonfamily	303.8	0.8	36510.5	100.0

Table 2-220. National estimates of lost-time injuries by gender for workers 40-49 years of age, 1993.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	31286.2	85.7	31286.2	85.7
Female	5224.3	14.3	36510.5	100.0

Table 2-221. National estimates of lost-time injuries by race or ethnic origin for workers 40-49 years of age, 1993.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	27170.1	74.4	27170.1	74.4
Hipanic	8702.3	23.8	35872.4	98.3
Asian	190.3	0.5	36062.7	98.8
Other	447.8	1.2	36510.5	100.0

Table 2-223. National estimates of lost-time injuries by month for workers 40-49 years of age, 1993.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	3647.6	10.0	3647.6	10.0
February	398.6	1.1	4046.2	11.1
March	1807.3	5.0	5853.5	16.0
April	1875.0	5.1	7728.5	21.2
May	1067.6	2.9	8796.1	24.1
June	4500.5	12.3	13296.6	36.4
July	7719.8	21.1	21016.4	57.6
August	2815.2	7.7	23831.6	65.3
September	2280.6	6.2	26112.2	71.5
October	2387.3	6.5	28499.5	78.1
November	5355.6	14.7	33855.1	92.7
December	2655.4	7.3	36510.5	100.0

Table 2-224. National estimates of lost-time injuries by severity of the injury for workers 40-49 years of age, 1993.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	33065.9	90.6	33065.9	90.6
Permanent	2897.2	7.9	35963.1	98.5
Fatality	547.4	1.5	36510.5	100.0

Table 2-225. National estimates of lost-time injuries by whether professional medical attention was sought for workers 40-49 years of age, 1993.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	3444.6	9.4	3444.6	9.4
Yes	25863.8	70.8	29308.4	80.3
No	7202.1	19.7	36510.5	100.0

Table 2-226. National estimates of lost-time injuries by body part injured for workers 40-49 years of age, 1993.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	2517.9	6.9	2517.9	6.9
Eye	892.0	2.4	3409.9	9.3
Chest/trunk	2261.4	6.2	5671.3	15.5
Back	9352.9	25.6	15024.2	41.2
Arm/shoulder	2973.6	8.1	17997.8	49.3
Finger	3429.0	9.4	21426.8	58.7
Hand/wrist	2191.0	6.0	23617.8	64.7
Leg/knee/hip	5843.4	16.0	29461.2	80.7
Foot	2711.5	7.4	32172.7	88.1
Mult. parts	4222.0	11.6	36394.7	99.7
Other	115.8	0.3	36510.5	100.0

Table 2-227. National estimates of lost-time injuries by nature of the injury for workers 40-49 years of age, 1993.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	134.6	0.4	134.6	0.4
Bruise	3991.9	10.9	4126.5	11.3
Burn	398.6	1.1	4525.1	12.4
Cut	4324.3	11.8	8849.4	24.2
Crush	2540.8	7.0	11390.2	31.2
Fracture	5799.0	15.9	17189.2	47.1
Poisoning	194.4	0.5	17383.6	47.6
Puncture	1171.6	3.2	18555.2	50.8
Sprain/strain	14167.7	38.8	32722.9	89.6
Mult. injury	1847.8	5.1	34570.7	94.7
Other	1939.8	5.3	36510.5	100.0

Table 2-228. National estimates of lost-time injuries by type of event for workers 40-49 years of age, 1993.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	493.7	1.4	493.7	1.4
Caught between	3788.8	10.4	4282.5	11.7
Caught under	221.2	0.6	4503.7	12.3
Struck by/against	7141.6	19.6	11645.3	31.9
Struck by falling	1135.9	3.1	12781.2	35.0
Struck by flying	708.2	1.9	13489.4	36.9
Contact sharp obj.	2511.6	6.9	16001.0	43.8
Fall, same level	3377.3	9.3	19378.3	53.1
Fall, elevation	4738.0	13.0	24116.3	66.1
Overexertion	9350.5	25.6	33466.8	91.7
Other	3043.7	8.3	36510.5	100.0

Table 2-229. National estimates of lost-time injuries by activity when injured for workers 40-49 years of age, 1993.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	6946.1	19.0	6946.1	19.0
Machine maint.	3898.6	10.7	10844.7	29.7
Field work	6421.9	17.6	17266.6	47.3
Crop handling	6674.0	18.3	23940.6	65.6
Livestock handling	8940.7	24.5	32881.3	90.1
Other	3629.2	9.9	36510.5	100.0

Table 2-230. National estimates of lost-time injuries by source of injury for workers 40-49 years of age, 1993.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	1903.3	5.2	1903.3	5.2
Machinery	4350.3	11.9	6253.6	17.1
Livestock	6170.2	16.9	12423.8	34.0
Hand tool	3410.1	9.3	15833.9	43.4
Power tool	946.2	2.6	16780.1	46.0
Pesticide/chem.	850.6	2.3	17630.7	48.3
Plant/tree	1130.1	3.1	18760.8	51.4
Working surface	4679.7	12.8	23440.5	64.2
Truck/auto	1120.0	3.1	24560.5	67.3
Other vehicle	222.3	0.6	24782.8	67.9
Other	11727.7	32.1	36510.5	100.0

Table 2-231. National estimates of lost-time injuries by status of the injured worker for workers 50-59 years of age, 1993.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	23657.1	78.0	23657.1	78.0
Partner/family	1229.4	4.1	24886.5	82.0
Hired labor	4872.2	16.1	29758.7	98.1
Unpaid nonfamily	285.0	0.9	30043.7	99.0
Other	297.0	1.0	30340.7	100.0

Table 2-232. National estimates of lost-time injuries by gender for workers 50-59 years of age, 1993.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	25672.9	84.6	25672.9	84.6
Female	4667.8	15.4	30340.7	100.0

Table 2-233. National estimates of lost-time injuries by race or ethnic origin for workers 50-59 years of age, 1993.

Race/Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	27619.3	91.0	27619.3	91.0
Hipanic	2596.6	8.6	30215.9	99.6
Black	124.8	0.4	30340.7	100.0

Table 2-234. National estimates of lost-time injuries by month for workers 50-59 years of age, 1993.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	1401.7	4.6	1401.7	4.6
February	1502.2	5.0	2903.9	9.6
March	545.6	1.8	3449.5	11.4
April	3106.8	10.2	6556.3	21.6
May	3242.1	10.7	9798.4	32.3
June	4196.6	13.8	13995.0	46.1
July	2639.7	8.7	16634.7	54.8
August	1006.8	3.3	17641.5	58.1
September	2677.0	8.8	20318.5	67.0
October	4194.9	13.8	24513.4	80.8
November	3723.4	12.3	28236.8	93.1
December	2103.9	6.9	30340.7	100.0

Table 2-235. National estimates of lost-time injuries by severity of the injury for workers 50-59 years of age, 1993.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	28368.0	93.5	28368.0	93.5
Permanent	1972.7	6.5	30340.7	100.0

Table 2-236. National estimates of lost-time injuries by whether professional medical attention was sought for workers 50-59 years of age, 1993.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	1972.7	6.5	1972.7	6.5
Yes	25391.2	83.7	27363.9	90.2
No	2976.8	9.8	30340.7	100.0

Table 2-237. National estimates of lost-time injuries by body part injured for workers 50-59 years of age, 1993.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	1785.2	5.9	1785.2	5.9
Eye	2855.8	9.4	4641.0	15.3
Chest/trunk	3583.3	11.8	8224.3	27.1
Back	2762.0	9.1	10986.3	36.2
Arm/shoulder	2246.4	7.4	13232.7	43.6
Finger	2763.0	9.1	15995.7	52.7
Hand/wrist	4754.7	15.7	20750.4	68.4
Leg/knee/hip	5877.5	19.4	26627.9	87.8
Toe	64.0	0.2	26691.9	88.0
Foot	622.4	2.1	27314.3	90.0
Mult. parts	2072.8	6.8	29387.1	96.9
Other	953.6	3.1	30340.7	100.0

Table 2-238. National estimates of lost-time injuries by nature of the injury for workers 50-59 years of age, 1993.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	244.1	0.8	244.1	0.8
Bruise	2442.1	8.0	2686.2	8.9
Cut	5618.4	18.5	8304.6	27.4
Crush	1286.8	4.2	9591.4	31.6
Fracture	8889.7	29.3	18481.1	60.9
Puncture	299.7	1.0	18780.8	61.9
Sprain/strain	6515.3	21.5	25296.1	83.4
Mult. injury	1838.1	6.1	27134.2	89.4
Other	3206.5	10.6	30340.7	100.0

Table 2-239. National estimates of lost-time injuries by type of event for workers 50-59 years of age, 1993.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	422.9	1.4	422.9	1.4
Caught between	1754.4	5.8	2177.3	7.2
Caught under	759.1	2.5	2936.4	9.7
Struck by/against	7655.6	25.2	10592.0	34.9
Struck by falling	2079.8	6.9	12671.8	41.8
Struck by flying	891.4	2.9	13563.2	44.7
Contact sharp obj.	1307.7	4.3	14870.9	49.0
Fall, same level	5708.7	18.8	20579.6	67.8
Fall, elevation	4563.6	15.0	25143.2	82.9
Overexertion	2583.4	8.5	27726.6	91.4
Other	2614.1	8.6	30340.7	100.0

Table 2-240. National estimates of lost-time injuries by activity when injured for workers 50-59 years of age, 1993.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	2202.4	7.3	2202.4	7.3
Machine maint.	1977.3	6.5	4179.7	13.8
Field work	3351.3	11.0	7531.0	24.8
Crop handling	5568.7	18.4	13099.7	43.2
Livestock handling	14112.7	46.5	27212.4	89.7
Other	3128.3	10.3	30340.7	100.0

Table 2-241. National estimates of lost-time injuries by source of injury for workers 50-59 years of age, 1993.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	2675.0	8.8	2675.0	8.8
Machinery	2409.0	7.9	5084.0	16.8
Livestock	9933.6	32.7	15017.6	49.5
Hand tool	2094.0	6.9	17111.6	56.4
Power tool	670.5	2.2	17782.1	58.6
Plant/tree	1611.5	5.3	19393.6	63.9
Working surface	2845.7	9.4	22239.3	73.3
Truck/auto	241.4	0.8	22480.7	74.1
Other vehicle	576.1	1.9	23056.8	76.0
Other	7283.9	24.0	30340.7	100.0

Table 2-242. National estimates of lost-time injuries by status of the injured worker for workers 60-69 years of age, 1993.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	17293.8	82.3	17293.8	82.3
Partner/family	2861.1	13.6	20154.9	95.9
Hired labor	631.6	3.0	20786.5	98.9
Other	222.3	1.1	21008.8	100.0

Table 2-243. National estimates of lost-time injuries by gender for workers 60-69 years of age, 1993.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	19770.4	94.1	19770.4	94.1
Female	1238.4	5.9	21008.8	100.0

Table 2-244. National estimates of lost-time injuries by race or ethnic origin for workers 60-69 years of age, 1993.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	20001.9	95.2	20001.9	95.2
Hipanic	58.7	0.3	20060.6	95.5
Asian	562.5	2.7	20623.1	98.2
American Indian	385.7	1.8	21008.8	100.0

Table 2-245. National estimates of lost-time injuries by month for workers 60-69 years of age, 1993.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	1183.1	5.6	1183.1	5.6
February	2503.9	11.9	3687.0	17.5
March	1095.6	5.2	4782.6	22.8
April	1958.6	9.3	6741.2	32.1
May	1489.7	7.1	8230.9	39.2
June	819.2	3.9	9050.1	43.1
July	1154.4	5.5	10204.5	48.6
August	1728.1	8.2	11932.6	56.8
September	4918.3	23.4	16850.9	80.2
October	659.5	3.1	17510.4	83.3
November	190.3	0.9	17700.7	84.3
December	3308.1	15.7	21008.8	100.0

Table 2-246. National estimates of lost-time injuries by severity of the injury for workers 60-69 years of age, 1993.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	19593.4	93.3	19593.4	93.3
Permanent	711.9	3.4	20305.3	96.7
Fatality	703.5	3.3	21008.8	100.0

Table 2-247. National estimates of lost-time injuries by whether professional medical attention was sought for workers 60-69 years of age, 1993.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	1415.4	6.7	1415.4	6.7
Yes	16564.0	78.8	17979.4	85.6
No	3029.4	14.4	21008.8	100.0

Table 2-248. National estimates of lost-time injuries by body part injured for workers 60-69 years of age, 1993.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	1997.7	9.5	1997.7	9.5
Eye	766.6	3.6	2764.3	13.2
Chest/trunk	2709.3	12.9	5473.6	26.1
Back	2538.4	12.1	8012.0	38.1
Arm/shoulder	2276.6	10.8	10288.6	49.0
Finger	1780.2	8.5	12068.8	57.4
Hand/wrist	2838.7	13.5	14907.5	71.0
Leg/knee/hip	2323.3	11.1	17230.8	82.0
Toe	151.9	0.7	17382.7	82.7
Foot	1134.9	5.4	18517.6	88.1
Mult. parts	2024.1	9.6	20541.7	97.8
Other	467.1	2.2	21008.8	100.0

Table 2-249. National estimates of lost-time injuries by nature of the injury for workers 60-69 years of age, 1993.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	588.9	2.8	588.9	2.8
Bruise	1411.9	6.7	2000.8	9.5
Burn	422.0	2.0	2422.8	11.5
Cut	3385.2	16.1	5808.0	27.6
Crush	2277.1	10.8	8085.1	38.5
Fracture	5556.3	26.4	13641.4	64.9
Poisoning	115.8	0.6	13757.2	65.5
Puncture	558.2	2.7	14315.4	68.1
Sprain/strain	2426.7	11.6	16742.1	79.7
Mult. injury	2239.7	10.7	18981.8	90.4
Other	2027.0	9.6	21008.8	100.0

Table 2-250. National estimates of lost-time injuries by type of event for workers 60-69 years of age, 1993.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	398.6	1.9	398.6	1.9
Caught between	1479.0	7.0	1877.6	8.9
Caught under	743.1	3.5	2620.7	12.5
Struck by/against	4633.3	22.1	7254.0	34.5
Struck by falling	1942.5	9.2	9196.5	43.8
Struck by flying	1152.3	5.5	10348.8	49.3
Contact sharp obj.	1193.8	5.7	11542.6	54.9
Fall, same level	4702.9	22.4	16245.5	77.3
Fall, elevation	1696.2	8.1	17941.7	85.4
Overexertion	1747.6	8.3	19689.3	93.7
Other	1319.5	6.3	21008.8	100.0

Table 2-251. National estimates of lost-time injuries by activity when injured for workers 60-69 years of age, 1993.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	5480.4	26.1	5480.4	26.1
Machine maint.	3199.9	15.2	8680.3	41.3
Field work	2394.2	11.4	11074.5	52.7
Crop handling	2146.5	10.2	13221.0	62.9
Livestock handling	6922.1	32.9	20143.1	95.9
Other	865.7	4.1	21008.8	100.0

Table 2-252. National estimates of lost-time injuries by source of injury for workers 60-69 years of age, 1993.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	1696.2	8.1	1696.2	8.1
Machinery	1713.2	8.2	3409.4	16.2
Livestock	5269.0	25.1	8678.4	41.3
Hand tool	2499.7	11.9	11178.1	53.2
Pesticide/chem.	115.8	0.6	11293.9	53.8
Plant/tree	1099.1	5.2	12393.0	59.0
Working surface	2519.9	12.0	14912.9	71.0
Liquids	422.0	2.0	15334.9	73.0
Other	5673.9	27.0	21008.8	100.0

Table 2-253. National estimates of lost-time injuries by status of the injured worker for workers 70 or more years of age, 1993.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	10734.0	89.9	10734.0	89.9
Partner/family	209.5	1.8	10943.5	91.6
Hired labor	758.2	6.3	11701.7	98.0
Other	244.1	2.0	11945.8	100.0

Table 2-254. National estimates of lost-time injuries by gender for workers 70 or more years of age, 1993.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	11176.2	93.6	11176.2	93.6
Female	769.6	6.4	11945.8	100.0

Table 2-155. National estimates of lost-time injuries by race or ethnic origin for workers 70 or more years of age, 1993.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	9998.5	84.9	9998.5	84.9
Hipanic	1472.5	12.5	11471.0	97.5
Black	300.0	2.5	11771.0	100.0

(Frequency Missing = 174.8)

Table 2-256. National estimates of lost-time injuries by month for workers 70 or more years of age, 1993.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	1240.8	10.5	1240.8	10.5
February	427.5	3.6	1668.3	14.2
March	1253.2	10.6	2921.5	24.8
April	0.0	0.0	2921.5	24.8
May	646.6	5.5	3568.1	30.3
June	1060.6	9.0	4628.7	39.3
July	1577.9	13.4	6206.6	52.7
August	1751.1	14.9	7957.7	67.6
September	69.3	0.6	8027.0	68.2
October	2145.3	18.2	10172.3	86.4
November	1298.7	11.0	11471.0	97.5
December	300.0	2.5	11771.0	100.0

(Frequency Missing = 174.8)

Table 2-257. National estimates of lost-time injuries by severity of the injury for workers 70 or more years of age, 1993.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	10245.0	87.0	10245.0	87.0
Permanent	1526.0	13.0	11771.0	100.0
(Frequency Missing = 174.8)				

Table 2-158. National estimates of lost-time injuries by whether professional medical attention was sought for workers 70 or more years of age, 1993.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	1700.8	14.2	1700.8	14.2
Yes	9277.7	77.7	10978.5	91.9
No	967.3	8.1	11945.8	100.0

Table 2-259. National estimates of lost-time injuries by body part injured for workers 70 or more years of age, 1993.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Chest/trunk	756.2	6.3	756.2	6.3
Back	1528.5	12.8	2284.7	19.1
Arm/shoulder	1419.9	11.9	3704.6	31.0
Finger	1886.3	15.8	5590.9	46.8
Hand/wrist	1634.2	13.7	7225.1	60.5
Leg/knee/hip	2947.3	24.7	10172.4	85.2
Toe	398.6	3.3	10571.0	88.5
Mult.parts	1374.8	11.5	11945.8	100.0

Table 2-260. National estimates of lost-time injuries by nature of the injury for workers 70 or more years of age, 1993.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	2759.4	23.1	2759.4	23.1
Cut	2409.0	20.2	5168.4	43.3
Crush	384.3	3.2	5552.7	46.5
Fracture	2720.7	22.8	8273.4	69.3
Poisoning	46.3	0.4	8319.7	69.6
Puncture	522.3	4.4	8842.0	74.0
Sprain/strain	855.4	7.2	9697.4	81.2
Mult. injury	1665.1	13.9	11362.5	95.1
Other	583.3	4.9	11945.8	100.0

Table 2-261. National estimates of lost-time injuries by type of event for workers 70 or more years of age, 1993.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	1252.3	10.5	1252.3	10.5
Caught between	1019.3	8.5	2271.6	19.0
Caught under	552.0	4.6	2823.6	23.6
Struck by/against	3069.5	25.7	5893.1	49.3
Struck by falling	1140.1	9.5	7033.2	58.9
Contact sharp obj.	977.9	8.2	8011.1	67.1
Fall, same level	1549.8	13.0	9560.9	80.0
Fall, elevation	1002.4	8.4	10563.3	88.4
Overexertion	706.6	5.9	11269.9	94.3
Other	675.9	5.7	11945.8	100.0

Table 2-262. National estimates of lost-time injuries by activity when injured for workers 70 or more years of age, 1993.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	2363.3	19.8	2363.3	19.8
Machine maint.	1616.9	13.5	3980.2	33.3
Field work	1759.1	14.7	5739.3	48.0
Crop handling	2553.5	21.4	8292.8	69.4
Livestock handling	2904.4	24.3	11197.2	93.7
Other	748.6	6.3	11945.8	100.0

Table 2-263. National estimates of lost-time injuries by source of injury for workers 70 or more years of age, 1993.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	1183.6	9.9	1183.6	9.9
Machinery	3150.0	26.4	4333.6	36.3
Livestock	2357.8	19.7	6691.4	56.0
Hand tool	336.9	2.8	7028.3	58.8
Power tool	677.9	5.7	7706.2	64.5
Plant/tree	398.6	3.3	8104.8	67.8
Working surface	649.1	5.4	8753.9	73.3
Truck/auto	151.9	1.3	8905.8	74.6
Other vehicle	305.3	2.6	9211.1	77.1
Other	2734.7	22.9	11945.8	100.0

Table 2-264. National estimates of lost-time injuries by region of the U.S. for white workers, 1993.

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	13401.2	8.8	13401.2	8.8
South	36253.3	23.8	49654.5	32.6
Midwest	80186.8	52.6	129841.3	85.1
West	22702.7	14.9	152544.0	100.0

Table 2-265. National estimates of lost-time injuries by status of the injured worker for white workers, 1993.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	107838.0	70.7	107838.0	70.7
Partner/family	14885.7	9.8	122723.7	80.5
Hired labor	27295.2	17.9	150018.9	98.3
Unpaid nonfamily	1598.4	1.0	151617.3	99.4
Other	926.7	0.6	152544.0	100.0

Table 2-266. National estimates of lost-time injuries by gender for white workers, 1993.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	135010.8	88.5	135010.8	88.5
Female	17533.2	11.5	152544.0	100.0

Table 2-267. National estimates of lost-time injuries by age group for white workers, 1993.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10-19	11872.1	7.8	11872.1	7.8
20-29	20579.6	13.5	32451.7	21.3
30-39	35302.5	23.1	67754.2	44.4
40-49	27170.1	17.8	94924.3	62.2
50-59	27619.3	18.1	122543.6	80.3
60-69	20001.9	13.1	142545.5	93.4
>=70	9998.5	6.6	152544.0	100.0

Table 2-268. National estimates of lost-time injuries by month for white workers, 1993.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	8974.6	5.9	8974.6	5.9
February	6795.5	4.5	15770.1	10.3
March	5979.8	3.9	21749.9	14.3
April	12131.6	8.0	33881.5	22.2
May	14352.8	9.4	48234.3	31.6
June	19615.0	12.9	67849.3	44.5
July	18293.7	12.0	86143.0	56.5
August	15461.1	10.1	101604.1	66.6
September	15968.3	10.5	117572.4	77.1
October	10017.0	6.6	127589.4	83.7
November	12345.5	8.1	139934.9	91.7
December	12588.3	8.3	152523.2	100.0

(Frequency Missing = 20.8)

Table 2-269. National estimates of lost-time injuries by severity of the injury for white workers, 1993.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	142754.7	93.6	142754.7	93.6
Permanent	8538.4	5.6	151293.1	99.2
Fatality	1250.9	0.8	152544.0	100.0

Table 2-270. National estimates of lost-time injuries by whether professional medical attention was sought for white workers, 1993.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	9789.3	6.4	9789.3	6.4
Yes	120116.7	78.7	129906.0	85.2
No	22638.0	14.8	152544.0	100.0

Table 2-271. National estimates of lost-time injuries by body part injured for white workers, 1993.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	7767.9	5.1	7767.9	5.1
Eye	8986.9	5.9	16754.8	11.0
Chest/trunk	12452.1	8.2	29206.9	19.1
Back	16449.3	10.8	45656.2	29.9
Arm/shoulder	11788.7	7.7	57444.9	37.7
Finger	19657.9	12.9	77102.8	50.5
Hand/wrist	18037.0	11.8	95139.8	62.4
Leg/knee/hip	27623.7	18.1	122763.5	80.5
Toe	1618.8	1.1	124382.3	81.5
Foot	14348.5	9.4	138730.8	90.9
Mult. parts	11487.3	7.5	150218.1	98.5
Other	2325.9	1.5	152544.0	100.0

Table 2-272. National estimates of lost-time injuries by nature of the injury for white workers, 1993.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	1154.2	0.8	1154.2	0.8
Bruise	20804.1	13.6	21958.3	14.4
Burn	1247.4	0.8	23205.7	15.2
Cut	29755.9	19.5	52961.6	34.7
Crush	11768.3	7.7	64729.9	42.4
Fracture	27640.8	18.1	92370.7	60.6
Poisoning	389.8	0.3	92760.5	60.8
Puncture	7919.0	5.2	100679.5	66.0
Sprain/strain	31243.4	20.5	131922.9	86.5
Mult. injury	11564.5	7.6	143487.4	94.1
Other	9056.6	5.9	152544.0	100.0

Table 2-273. National estimates of lost-time injuries by type of event for white workers, 1993.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	4452.3	2.9	4452.3	2.9
Caught between	16289.6	10.7	20741.9	13.6
Caught under	6672.4	4.4	27414.3	18.0
Struck by/against	34639.0	22.7	62053.3	40.7
Struck by falling	7625.3	5.0	69678.6	45.7
Struck by flying	6520.3	4.3	76198.9	50.0
Contact sharp obj.	16250.2	10.7	92449.1	60.6
Fall, same level	19936.3	13.1	112385.4	73.7
Fall, elevation	16717.5	11.0	129102.9	84.6
Overexertion	11265.7	7.4	140368.6	92.0
Other	12175.4	8.0	152544.0	100.0

Table 2-274. National estimates of lost-time injuries by activity when injured for white workers, 1993.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	23400.3	15.3	23400.3	15.3
Machine maint.	23859.2	15.6	47259.5	31.0
Field work	19597.5	12.8	66857.0	43.8
Crop handling	24094.4	15.8	90951.4	59.6
Livestock handling	48265.1	31.6	139216.5	91.3
Other	13327.5	8.7	152544.0	100.0

Table 2-275. National estimates of lost-time injuries by source of injury for white workers, 1993.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	9256.9	6.1	9256.9	6.1
Machinery	26147.3	17.1	35404.2	23.2
Livestock	32798.2	21.5	68202.4	44.7
Hand tool	16140.7	10.6	84343.1	55.3
Power tool	5136.5	3.4	89479.6	58.7
Pesticide/chem.	1339.5	0.9	90819.1	59.5
Plant/tree	3946.2	2.6	94765.3	62.1
Working surface	13539.3	8.9	108304.6	71.0
Truck/auto	5215.3	3.4	113519.9	74.4
Other vehicle	3439.4	2.3	116959.3	76.7
Liquids	1227.7	0.8	118187.0	77.5
Other	34357.0	22.5	152544.0	100.0

Table 2-276. National estimates of lost-time injuries by region of the U.S. for Hispanic workers, 1993.

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	1010.2	2.3	1010.2	2.3
South	5653.2	12.9	6663.4	15.2
Midwest	1972.4	4.5	8635.8	19.7
West	35106.3	80.3	43742.1	100.0

Table 2-277. National estimates of lost-time injuries by status of the injured worker for Hispanic workers, 1993.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	2426.8	5.5	2426.8	5.5
Hired labor	40536.3	92.7	42963.1	98.2
Unpaid nonfamily	337.5	0.8	43300.6	99.0
Other	441.5	1.0	43742.1	100.0

Table 2-278. National estimates of lost-time injuries by gender for Hispanic workers, 1993.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	42507.2	97.2	42507.2	97.2
Female	1234.9	2.8	43742.1	100.0

Table 2-279. National estimates of lost-time injuries by age group for Hispanic workers, 1993.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10-19	811.0	1.9	811.0	1.9
20-29	16365.9	37.4	17176.9	39.3
30-39	13735.1	31.4	30912.0	70.7
40-49	8702.3	19.9	39614.3	90.6
50-59	2596.6	5.9	42210.9	96.5
60-69	58.7	0.1	42269.6	96.6
>=70	1472.5	3.4	43742.1	100.0

Table 2-280. National estimates of lost-time injuries by month for Hispanic workers, 1993.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	2534.5	5.8	2534.5	5.8
February	700.1	1.6	3234.6	7.4
March	2207.6	5.0	5442.2	12.4
April	1672.9	3.8	7115.1	16.3
May	1310.9	3.0	8426.0	19.3
June	6100.2	13.9	14526.2	33.2
July	7085.7	16.2	21611.9	49.4
August	8165.9	18.7	29777.8	68.1
September	2850.5	6.5	32628.3	74.6
October	5811.0	13.3	38439.3	87.9
November	4972.7	11.4	43412.0	99.2
December	330.1	0.8	43742.1	100.0

Table 2-281. National estimates of lost-time injuries by severity of the injury for Hispanic workers, 1993.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	43283.9	99.0	43283.9	99.0
Permanent	458.2	1.0	43742.1	100.0

Table 2-282. National estimates of lost-time injuries by whether professional medical attention was sought for Hispanic workers, 1993.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	458.2	1.0	458.2	1.0
Yes	37812.1	86.4	38270.3	87.5
No	5471.8	12.5	43742.1	100.0

Table 2-283. National estimates of lost-time injuries by body part injured for Hispanic workers, 1993.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	2438.1	5.6	2438.1	5.6
Eye	4012.2	9.2	6450.3	14.7
Chest/trunk	4503.9	10.3	10954.2	25.0
Back	12501.6	28.6	23455.8	53.6
Arm/shoulder	3619.5	8.3	27075.3	61.9
Finger	4242.3	9.7	31317.6	71.6
Hand/wrist	4266.9	9.8	35584.5	81.4
Leg/knee/hip	2590.4	5.9	38174.9	87.3
Toe	212.1	0.5	38387.0	87.8
Foot	2871.4	6.6	41258.4	94.3
Mult. parts	532.6	1.2	41791.0	95.5
Other	1951.1	4.5	43742.1	100.0

Table 2-284. National estimates of lost-time injuries by nature of the injury for Hispanic workers, 1993.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	6134.4	14.0	6134.4	14.0
Burn	1034.5	2.4	7168.9	16.4
Cut	7154.9	16.4	14323.8	32.7
Crush	1166.7	2.7	15490.5	35.4
Fracture	2180.6	5.0	17671.1	40.4
Puncture	1573.3	3.6	19244.4	44.0
Sprain/strain	18889.4	43.2	38133.8	87.2
Mult. injury	148.8	0.3	38282.6	87.5
Other	5459.5	12.5	43742.1	100.0

Table 2-285. National estimates of lost-time injuries by type of event for Hispanic workers, 1993.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	696.9	1.6	696.9	1.6
Caught between	2342.9	5.4	3039.8	6.9
Caught under	1697.4	3.9	4737.2	10.8
Struck by/against	2070.8	4.7	6808.0	15.6
Struck by falling	2899.2	6.6	9707.2	22.2
Struck by flying	671.8	1.5	10379.0	23.7
Contact sharp obj.	6061.6	13.9	16440.6	37.6
Fall, same level	3229.5	7.4	19670.1	45.0
Fall, elevation	1657.7	3.8	21327.8	48.8
Overexertion	14209.2	32.5	35537.0	81.2
Other	8205.1	18.8	43742.1	100.0

Table 2-286. National estimates of lost-time injuries by activity when injured for Hispanic workers, 1993.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	7080.0	16.2	7080.0	16.2
Machine maint.	1784.1	4.1	8864.1	20.3
Field work	17254.6	39.4	26118.7	59.7
Crop handling	5776.5	13.2	31895.2	72.9
Livestock handling	3097.5	7.1	34992.7	80.0
Other	8749.4	20.0	43742.1	100.0

Table 2-287. National estimates of lost-time injuries by source of injury for Hispanic workers, 1993.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	973.5	2.2	973.5	2.2
Machinery	7317.2	16.7	8290.7	19.0
Livestock	3256.9	7.4	11547.6	26.4
Hand tool	5819.8	13.3	17367.4	39.7
Power tool	2267.1	5.2	19634.5	44.9
Plant/tree	3742.3	8.6	23376.8	53.4
Working surface	3256.8	7.4	26633.6	60.9
Truck/auto	772.2	1.8	27405.8	62.7
Other vehicle	1402.0	3.2	28807.8	65.9
Other	14934.3	34.1	43742.1	100.0

Table 2-288. National estimates of lost-time injuries by region of the U.S. for black workers and workers of other races, 1993.

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
South	2042.9	51.9	2042.9	51.9
West	1897.1	48.1	3940.0	100.0

Table 2-289. National estimates of lost-time injuries by status of the injured worker for black workers and workers of other races, 1993.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	1138.5	28.9	1138.5	28.9
Hired labor	2801.5	71.1	3940.0	100.0

Table 2-290. National estimates of lost-time injuries by gender for black workers and workers of other races, 1993.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	3377.5	85.7	3377.5	85.7
Female	562.5	14.3	3940.0	100.0

Table 2-291. National estimates of lost-time injuries by age group for black workers and workers of other races, 1993.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10-19	190.3	4.8	190.3	4.8
20-29	980.6	24.9	1170.9	29.7
30-39	758.0	19.2	1928.9	49.0
40-49	638.1	16.2	2567.0	65.2
50-59	124.8	3.2	2691.8	68.3
60-69	948.2	24.1	3640.0	92.4
>=70	300.0	7.6	3940.0	100.0

Table 2-292. National estimates of lost-time injuries by month for black workers and workers of other races, 1993.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	151.9	3.9	151.9	3.9
February	0.0	0.0	151.9	3.9
March	266.1	6.8	418.0	10.6
April	0.0	0.0	418.0	10.6
May	153.4	3.9	571.4	14.5
June	0.0	0.0	571.4	14.5
July	458.2	11.6	1029.6	26.1
August	0.0	0.0	1029.6	26.1
September	1068.0	27.1	2097.6	53.2
October	0.0	0.0	2097.6	53.2
November	0.0	0.0	2097.6	53.2
December	1842.4	46.8	3940.0	100.0

Table 2-293. National estimates of lost-time injuries by severity of the injury for black workers and workers of other races, 1993.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	3749.7	95.2	3749.7	95.2
Permanent	190.3	4.8	3940.0	100.0

Table 2-294. National estimates of lost-time injuries by whether professional medical attention was sought for black workers and workers of other races, 1993.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	190.3	4.8	190.3	4.8
Yes	2787.2	70.7	2977.5	75.6
No	962.5	24.4	3940.0	100.0

Table 2-295. National estimates of lost-time injuries by body part injured for black workers and workers of other races, 1993.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Eye	513.1	13.0	513.1	13.0
Chest/trunk	151.9	3.9	665.0	16.9
Back	927.2	23.5	1592.2	40.4
Finger	458.1	11.6	2050.3	52.0
Hand/wrist	1204.0	30.6	3254.3	82.6
Leg/knee/hip	300.0	7.6	3554.3	90.2
Foot	385.7	9.8	3940.0	100.0

Table 2-296. National estimates of lost-time injuries by nature of the injury for black workers and workers of other races, 1993.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	800.0	20.3	800.0	20.3
Cut	523.4	13.3	1323.4	33.6
Crush	523.6	13.3	1847.0	46.9
Fracture	752.8	19.1	2599.8	66.0
Puncture	300.0	7.6	2899.8	73.6
Sprain/strain	925.7	23.5	3825.5	97.1
Other	114.5	2.9	3940.0	100.0

Table 2-297. National estimates of lost-time injuries by type of event for black workers and workers of other races, 1993.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught between	909.3	23.1	909.3	23.1
Struck by/against	742.3	18.8	1651.6	41.9
Struck by falling	385.7	9.8	2037.3	51.7
Struck by flying	151.9	3.9	2189.2	55.6
Contact sharp obj.	300.0	7.6	2489.2	63.2
Fall, same level	828.6	21.0	3317.8	84.2
Overexertion	507.7	12.9	3825.5	97.1
Other	114.5	2.9	3940.0	100.0

Table 2-298. National estimates of lost-time injuries by activity when injured for black workers and workers of other races, 1993.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	876.0	22.2	876.0	22.2
Machine maint.	1078.5	27.4	1954.5	49.6
Field work	562.5	14.3	2517.0	63.9
Crop handling	758.0	19.2	3275.0	83.1
Livestock handling	151.9	3.9	3426.9	87.0
Other	513.1	13.0	3940.0	100.0

Table 2-299. National estimates of lost-time injuries by source of injury for black workers and workers of other races, 1993.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	385.7	9.8	385.7	9.8
Machinery	977.0	24.8	1362.7	34.6
Livestock	151.9	3.9	1514.6	38.4
Hand tool	935.5	23.7	2450.1	62.2
Pesticide/chem.	114.5	2.9	2564.6	65.1
Plant/tree	961.1	24.4	3525.7	89.5
Working surface	260.9	6.6	3786.6	96.1
Truck/auto	153.4	3.9	3940.0	100.0

Table 2-300. National estimates of lost-time injuries by source of injury and the nature of injury.

Source of Injury	Nature of Injury						Total
	Amputation	Bruise	Burn	Cut	Crush	Fracture	
Tractor	174.81	2437.8	0	1945.8	1872.3	1935.2	10939
Machinery	719.73	5811.6	0	7336.1	4793.5	5930	34442
Livestock	0	8699.7	1034.5	6038.7	1684.1	8415.6	36207
Hand tool	.0	582.47	0	10275	148.76	236.62	22896
Power tool	0	0	0	2766.4	402.7	0	7404
Pesticide/chem.	0	0	431.9	0	337.5	0	1454
Plant/tree	0	1692.5	0	1214.2	0	1602.7	8649
Working surface	0	2275.7	0	394.57	872.17	3567	17057
Truck/auto	0	1806.1	0	302.68	0	298.73	6141
Other vehicle	0	583.99	0	0	0	1618.6	4842
Liquids	0	0	644.34	0	0	0	1228
Other	259.64	3848.8	171.21	7160.5	3347.4	6969.9	49292
Total	1154.18	27738.7	2281.94	37434.3	13458.6	30574.4	200550

Table 2-300. National estimates of lost-time injuries by source of injury and the nature of injury (Continued).

Source of Injury	Nature of Injury					Total
	Poisoning	Puncture	Sprain/ Strain	Mult. Injury	Other	
Tractor	0	129.97	1735.6	270.97	436.88	10939
Machinery	0	637.5	5752.6	3081.4	379.06	34442
Livestock	0	151.88	6834	1493.9	1854.8	36207
Hand tool	0	6338.2	4154.3	222.33	938.06	22896
Power tool	0	446.94	393.6	703.53	2690.7	7404
Pesticide/chem.	149.1	0	0	0	535.48	1454
Plant/tree	0	229.09	2146.7	700.88	1063.3	8649
Working surface	0	458.68	6990.2	599.27	1899.5	17057
Truck/auto	0	0	1321.8	1102.1	1309.4	6141
Other vehicle	0	174.81	840.97	1047	576.12	4842
Liquids	0	0	434.96	148.44	0	1228
Other	240.77	1225.1	20777	2343.5	2947.4	49292
Total	389.873	9792.2	51382.1	11713.4	14630.7	200550

(Frequency Missing = 584)

Table 2-301. National estimates of lost-time injuries by source of injury and the type of injury event.

Source of Injury	Type of Event						Total
	Caught in	Caught between	Caught under	Struck by /against	Struck by falling	Struck by flying	
Tractor	732.42	2613.8	737.38	2430.7	1149.6	19.9	10939
Machinery	3247	6142.7	2502.4	7630.3	2204.6	538.74	34442
Livestock	289.33	3368.5	2130.8	16784	995.53	991.18	36207
Hand tool	488.75	698.18	0	3262.4	490.98	2302.9	22896
Power tool	174.81	402.7	0	0	0	1197.5	7404
Pesticide/chem.	0	0	0	0	337.5	0	1454
Plant/tree	64.865	0	0	1135.6	1548.6	750.23	8649
Working surface	0	412.75	0	540.69	64.865	333.33	17057
Truck/auto	151.88	600	703.53	540.12	442.31	219.99	6141
Other vehicle	0	1632.3	945.37	417.98	0	0	4842
Liquids	0	0	0	0	0	0	1228
Other	0	3671	1350.3	4858.7	3676.4	990.37	49292
Total	5149.07	19541.9	8369.81	37600.6	10910.4	7344.06	200550

Table 2-301. National estimates of lost-time injuries by source of injury and the type of injury event (Continued).

Source of Injury	Type of Event					Total
	Contact sharp obj.	Fall, same level	Fall, elevation	Overexer- tion	Other	
Tractor	80.357	541.94	1912.1	196.74	524.46	10939
Machinery	3201.6	163.99	2139	4658	2013.1	34442
Livestock	186.59	2827	2659.4	867.52	5107.1	36207
Hand tool	11388	414.85	114.51	3736	0	22896
Power tool	3082.7	0	0	393.6	2152.6	7404
Pesticide/chem.	0	0	0	0	1116.5	1454
Plant/tree	482.25	1840.2	120.69	2443.7	263.34	8649
Working surface	547.92	9500	4020.5	915.76	721.34	17057
Truck/auto	0	783.88	1618.1	343.58	737.3	6141
Other vehicle	0	374.67	720.28	0	750.94	4842
Liquids	0	0	270.97	163.99	792.78	1228
Other	3643.2	7547.8	4799.5	12439	6315.7	49292
Total	22612.1	23994.3	18375	26157.7	20495.2	200550

(Frequency Missing = 584)

Table 2-302. National estimates of lost-time injuries by nature of injury and the body part injured.

Nature of Injury	Body Part Injured						Total
	Head/ neck	Eye	Chest/ trunk	Back	Arm/ shoulder	Finger	
Amputation	0	0	0	0	0	963.88	1154
Bruise	1373.9	403.83	5075.3	2629.2	3869	1565.3	27739
Burn	1067.8	171.21	0	0	222.33	0	2282
Cut	3551.3	5558.6	0	0	1970.1	11343	37434
Crush	582.08	0	1458.7	330.15	174.81	5516	13459
Fracture	763.15	0	5090	2535.2	2840.5	2448.7	30574
Poisoning	0	0	0	0	0	0	390
Puncture	993.05	1655.5	174.81	222.33	20.833	501.42	9792
Sprain/Strain	524.25	0	4311.8	22930	3545.2	270.97	51382
Mult. Injury	577.99	576.12	211.76	0	638.75	925.85	11713
Other	772.7	5147	785.63	1406.2	2127	822.81	14631
Total	10206.2	13512.3	7108.1	30052.8	15408.4	24358.4	200550

Table 2-302. National estimates of lost-time injuries by nature of injury and the body part injured (Continued).

Nature of Injury	Body Part Injured						Total
	Hand/ wrist	Leg/knee/ hip	Toe	Foot	Mult. part	Other	
Amputation	0	0	0	0	0	190.3	1154
Bruise	2102.3	5932.7	926.23	3005	717.13	138.68	27739
Burn	0	0	0	820.59	0	0	2282
Cut	7375.3	5114.4	0	2268.4	0	252.74	37434
Crush	3785.1	186.59	46.326	658.45	720.28	0	13459
Fracture	5316.4	6009.8	385.41	3851.2	1333.9	0	30574
Poisoning	46.326	0	0	0	227.78	115.77	390
Puncture	1360.5	2710.3	260.87	1740.7	151.88	0	9792
Sprain/Strain	1476.5	9284.6	194.44	5261.1	1356.9	2226.6	51382
Mult. Injury	1231.1	641.65	0	0	6910.1	0	11713
Other	962.97	633.92	17.677	0	602.03	1352.8	14631
Total	23656.5	30514.1	1830.95	17605.5	12020	4276.93	200550

(Frequency Missing = 584)

