

Table 1. Non-chinook salmon mortality in BSAI groundfish fisheries.

Year	Annual	Annual	Annual	A season	B season	A season	B season	A season	B season
	with CDQ	without CDQ	CDQ only	With CDQ	Without CDQ	With CDQ	Without CDQ	With CDQ	Without CDQ
1991	na	30,262	na	na	na	3,016	27,246	na	na
1992	na	41,450	na	na	na	2,120	39,329	na	na
1993	na	243,270	na	na	na	1,848	241,422	na	na
1994	94,548	83,384	11,165	5,599	88,949	5,291	78,093	309	10,856
1995	21,875	21,290	585	3,033	18,842	2,903	18,387	130	456
1996	78,060	75,801	2,259	665	77,395	619	75,181	45	2,214
1997	66,994	62,765	4,229	2,710	64,285	2,618	60,148	92	4,137
1998	65,697	64,782	915	4,520	61,177	4,432	60,350	88	827
1999	47,132	46,325	807	393	46,739	378	45,947	15	792
2000	59,327	57,621	1,706	350	58,977	283	57,338	67	1,639
2001	60,731	57,440	3,291	2,903	57,828	2,719	54,721	184	3,107
2002	82,483	78,879	3,604	1,698	80,785	1,677	77,202	21	3,583
2003	197,111	188,709	8,402	4,113	192,998	3,876	184,833	237	8,165
2004	450,588	440,177	10,411	1,021	449,567	991	439,186	30	10,381
2005	709,386	700,983	8,403	1,038	708,348	998	699,985	40	8,363
2006	325,177	323,785	1,392	3,501	321,676	3,435	320,350	66	1,326
2007	97,224	90,044	7,180	9,638	87,586	8,475	81,569	1,163	6,017
2008	17,186	16,661	525	517	16,669	444	16,217	73	452
2009	105	102	3	105		102		3	

Notes Retrieval done on 3/19/2009

Non-CDQ data from 1991-2002 found in bsahalx.dbf

Non-CDQ data from 2003-2009 found in AKFISH_V_GG_PSCNQ_ESTIMATE

CDQ data from 1999-2009 found in AKFISH_V_CDQ_CATCH_REPORT_TOTAL_CATCH

CDQ data for 1998 from boarate.dbf

CDQ data from 1992-1997 found in bsahalx.dbf

A season - January 1 to June 10

B season - June 11 to December 31

Table 2. Non-chinook salmon mortality in BSAI pollock directed fisheries.

Year	Annual	Annual	Annual	A season	B season	A season	B season	A season	B season
	with CDQ	without CDQ	CDQ only	With CDQ	Without CDQ	With CDQ	Without CDQ	With CDQ	Without CDQ
1991	na	28,951	na	na	na	2,850	26,101	na	na
1992	na	40,274	na	na	na	1,951	38,324	na	na
1993	na	242,191	na	na	na	1,594	240,597	na	na
1994	92,672	81,508	11,165	3,991	88,681	3,682	77,825	309	10,856
1995	19,264	18,678	585	1,708	17,556	1,578	17,100	130	456
1996	77,236	74,977	2,259	222	77,014	177	74,800	45	2,214
1997	65,988	61,759	4,229	2,083	63,904	1,991	59,767	92	4,137
1998	64,042	63,127	915	4,002	60,040	3,914	59,213	88	827
1999	45,172	44,610	562	362	44,810	349	44,261	13	549
2000	58,571	56,867	1,704	213	58,358	148	56,719	65	1,639
2001	57,007	53,904	3,103	2,386	54,621	2,213	51,691	173	2,930
2002	80,782	77,178	3,604	1,377	79,404	1,356	75,821	21	3,583
2003	189,184	180,782	8,402	3,834	185,350	3,597	177,185	237	8,165
2004	440,472	430,284	10,188	422	440,050	395	429,889	27	10,161
2005	704,590	696,880	7,710	595	703,995	563	696,317	32	7,678
2006	309,643	308,429	1,214	1,332	308,311	1,266	307,163	66	1,148
2007	93,660	87,191	6,469	8,523	85,137	7,368	79,823	1,155	5,314
2008	15,423	14,992	431	320	15,103	247	14,745	73	358
2009	39	36	3	39		36		3	

Notes Retrieval done on 3/19/2009

Non-CDQ data from 1991-2002 found in bsahalx.dbf

Non-CDQ data from 2003-2009 found in AKFISH_V_GG_PSCNQ_ESTIMATE

CDQ data from 1999-2009 found in AKFISH_V_CDQ_CATCH_REPORT_TOTAL_CATCH

CDQ data for 1998 from boarate.dbf

CDQ data from 1992-1997 found in bsahalx.dbf

A season - January 1 to June 10

B season - June 11 to December 31