

Section 4: State Data

Table 4-1. State estimates of lost-time injuries, restricted workdays, lost-time injuries per 200,000 hours worked, and restricted workdays per 200,000 hours worked, 1995.

State	Estimated Lost-time Injuries	Estimated Restricted Workdays	Lost-time Injury Rate	Restricted Workday Rate
Arkansas	1957	32161	5.1	84.5
California	11230	83714	4.7	35.2
Conn., Mass., Rhode Island	1058	4820	9.2	42.0
Delaware, Maryland	1264	16145	5.6	71.2
Florida	1634	23996	3.5	51.4
Hawaii	493	1382	6.2	17.3
Kansas	5160	67203	9.1	117.3
Louisiana	1302	7348	4.4	24.8
Minnesota	11847	357744	11.1	334.4
Mississippi	3925	39596	9.1	91.7
Nebraska	5536	102539	8.7	161.5
New Mexico	1422	52796	9.5	354.1
Ohio	8458	103681	8.6	105.0
Pennsylvania	5634	112374	8.2	164.1
Texas	8300	192448	5.2	119.7
Virginia	3120	61103	7.7	150.2

Table 4-2. Estimates of lost-time injuries by farm group for the State of Arkansas, 1995.

<u>Farm Group</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Crops	469.1	24.0	469.1	24.0
Livestock	1488.1	76.0	1957.2	100.0

Table 4-3. Estimates of lost-time injuries by status of the injured worker for the State of Arkansas, 1995.

<u>Status of Injured Worker</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Operator/family	1591.4	81.3	1591.4	81.3
Partner/family	137.2	7.0	1728.6	88.3
Hired labor	228.6	11.7	1957.2	100.0

Table 4-4. Estimates of lost-time injuries by gender for the State of Arkansas, 1995.

<u>Gender</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Male	1751.4	89.5	1751.4	89.5
Female	205.8	10.5	1957.2	100.0

Table 4-5. Estimates of lost-time injuries by age group for the State of Arkansas, 1995.

<u>Age Group (Years)</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
20-29	76.2	3.9	76.2	3.9
30-39	360.1	18.4	436.3	22.3
40-49	583.0	29.8	1019.3	52.1
50-59	421.2	21.5	1440.5	73.6
60-69	242.3	12.4	1682.8	86.0
>=70	274.4	14.0	1957.2	100.0

Table 4-6. Estimates of lost-time injuries by race or ethnic origin for the State of Arkansas, 1995.

<u>Race/Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	1888.6	100.0	1888.6	100.0

(Frequency Missing = 68.6)

Table 4-7. Estimates of lost-time injuries by month for the State of Arkansas, 1995.

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
January	137.2	7.3	137.2	7.3
February	78.1	4.2	215.3	11.4
March	374.8	19.9	590.1	31.4
April	27.0	1.4	617.1	32.8
May	68.6	3.6	685.7	36.5
June	95.6	5.1	781.3	41.5
July	137.2	7.3	918.5	48.8
August	154.3	8.2	1072.8	57.0
September	497.3	26.4	1570.1	83.5
October	137.2	7.3	1707.3	90.8
December	173.7	9.2	1881.0	100.0

(Frequency Missing = 76.2)

Table 4-8. Estimates of lost-time injuries by severity of the injury for the State of Arkansas, 1995.

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	1957.2	100.0	1957.2	100.0

Table 4-9. Estimates of lost-time injuries by whether professional medical attention was sought for the State of Arkansas, 1995.

<u>Medical Attention Required</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Yes	1450.3	75.1	1450.3	75.1
No	479.9	24.9	1930.2	100.0

(Frequency Missing = 27)

Table 4-10. Estimates of lost-time injuries by body part injured for the State of Arkansas, 1995.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	283.9	14.5	283.9	14.5
Back	649.7	33.2	933.6	47.7
Arm/shoulder	68.6	3.5	1002.2	51.2
Finger	274.4	14.0	1276.6	65.2
Hand/wrist	68.6	3.5	1345.2	68.7
Leg/knee/hip	149.6	7.6	1494.8	76.4
Foot	154.3	7.9	1649.1	84.3
Mult. parts	308.1	15.7	1957.2	100.0

Table 4-11. Estimates of lost-time injuries by nature of the injury for the State of Arkansas, 1995.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	242.3	12.9	242.3	12.9
Cut	328.4	17.5	570.7	30.3
Crush	68.6	3.6	639.3	34.0
Fracture	146.7	7.8	786.0	41.8
Puncture	146.7	7.8	932.7	49.6
Sprain/strain	811.1	43.1	1743.8	92.7
Mult. injury	137.2	7.3	1881.0	100.0

(Frequency Missing = 76.2)

Table 4-12. Estimates of lost-time injuries by type of event for the State of Arkansas, 1995.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	68.6	3.5	68.6	3.5
Caught between	137.2	7.0	205.8	10.5
Struck by/against	370.0	18.9	575.8	29.4
Struck by falling	105.1	5.4	680.9	34.8
Struck by flying	78.1	4.0	759.0	38.8
Contact sharp obj.	27.0	1.4	786.0	40.2
Fall, same level	315.7	16.1	1101.7	56.3
Fall, elevation	137.2	7.0	1238.9	63.3
Overexertion	436.3	22.3	1675.2	85.6
Other	282.0	14.4	1957.2	100.0

Table 4-13. Estimates of lost-time injuries by activity when injured for the State of Arkansas, 1995.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	535.7	28.5	535.7	28.5
Machine maint.	144.8	7.7	680.5	36.2
Field work	358.2	19.1	1038.7	55.3
Crop handling	137.2	7.3	1175.9	62.6
Livestock handling	634.6	33.8	1810.5	96.3
Other	68.6	3.7	1879.1	100.0

(Frequency Missing = 78.1)

Table 4-14. Estimates of lost-time injuries by source of injury for the State of Arkansas, 1995.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	68.6	3.7	68.6	3.7
Machinery	213.4	11.4	282.0	15.0
Livestock	438.6	23.3	720.6	38.3
Hand tool	144.8	7.7	865.4	46.1
Power tool	105.1	5.6	970.5	51.6
Plant/tree	146.7	7.8	1117.2	59.5
Working surface	83.3	4.4	1200.5	63.9
Other vehicle	146.7	7.8	1347.2	71.7
Other	531.9	28.3	1879.1	100.0

(Frequency Missing = 78.1)

Table 4-15. Estimates of lost-time injuries by farm group for the State of California, 1995.

Farm Group	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Crops	8006.7	71.3	8006.7	71.3
Livestock	3222.8	28.7	11229.5	100.0

Table 4-16. Estimates of lost-time injuries by status of the injured worker for the State of California, 1995.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	1849.8	16.5	1849.8	16.5
Hired labor	8476.2	75.5	10326.0	92.0
Unpaid nonfamily	625.0	5.6	10951.0	97.5
Other	278.5	2.5	11229.5	100.0

Table 4-17. Estimates of lost-time injuries by gender for the State of California, 1995.

<u>Gender</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Male	10604.5	94.4	10604.5	94.4
Female	625.0	5.6	11229.5	100.0

Table 4-18. Estimates of lost-time injuries by age group for the State of California, 1995.

<u>Age Group (Years)</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
<20	278.5	2.5	278.5	2.5
20-29	4077.4	36.3	4355.9	38.8
30-39	2358.1	21.0	6714.0	59.8
40-49	1460.5	13.0	8174.5	72.8
50-59	2198.1	19.6	10372.6	92.4
60-69	835.5	7.4	11208.1	99.8
>=70	21.4	0.2	11229.5	100.0

Table 4-19. Estimates of lost-time injuries by race or ethnic origin for the State of California, 1995.

<u>Race/ Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	2844.5	25.3	2844.5	25.3
Hispanic	8251.7	73.5	11096.2	98.8
Other	133.3	1.2	11229.5	100.0

Table 4-20. Estimates of lost-time injuries by month for the State of California, 1995.

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
January	557	5.0	557.0	5.0
February	21.4	0.2	578.4	5.2
March	154.7	1.4	733.1	6.5
April	578.4	5.2	1311.5	11.7
May	1273.2	11.3	2584.7	23.0
July	1878.9	16.7	4463.6	39.7
August	3587.7	31.9	8051.3	71.7
September	1460.5	13.0	9511.8	84.7
October	792.8	7.1	10304.6	91.8
November	903.5	8.0	11208.1	99.8
December	21.4	0.2	11229.5	100.0

Table 4-21. Estimates of lost-time injuries by severity of the injury for the State of California, 1995.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	10304.6	91.8	10304.6	91.8
Permanent	924.9	8.2	11229.5	100.0

Table 4-22. Estimates of lost-time injuries by whether professional medical attention was sought for the State of California, 1995.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	924.9	8.2	924.9	8.2
Yes	8350.5	74.4	9275.4	82.6
No	1954.1	17.4	11229.5	100.0

Table 4-23. Estimates of lost-time injuries by body part injured for the State of California, 1995.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	903.5	8.0	903.5	8.0
Eye	411.8	3.7	1315.3	11.7
Chest/trunk	514.9	4.6	1830.2	16.3
Back	871.2	7.8	2701.4	24.1
Arm/shoulder	2684.2	23.9	5385.6	48.0
Finger	1071.9	9.5	6457.5	57.5
Hand/wrist	1036.8	9.2	7494.3	66.7
Leg/knee/hip	2017.5	18.0	9511.8	84.7
Foot	1417.8	12.6	10929.6	97.3
Mult. parts	299.9	2.7	11229.5	100.0

Table 4-24. Estimates of lost-time injuries by nature of the injury for the State of California, 1995.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	2101.1	18.7	2101.1	18.7
Burn	411.8	3.7	2512.9	22.4
Cut	1739.0	15.5	4251.9	37.9
Fracture	625.0	5.6	4876.9	43.4
Sprain/strain	5774.2	51.4	10651.1	94.8
Mult. injury	21.4	0.2	10672.5	95.0
Other	557.0	5.0	11229.5	100.0

Table 4-25. Estimates of lost-time injuries by type of event for the State of California, 1995.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	536.3	4.8	536.3	4.8
Caught between	514.9	4.6	1051.2	9.4
Struck by/against	557.0	5.0	1608.2	14.3
Struck by falling	1417.8	12.6	3026.0	26.9
Contact sharp obj.	1739.0	15.5	4765.0	42.4
Fall, same level	1182.0	10.5	5947.0	53.0
Fall, elevation	2705.6	24.1	8652.6	77.1
Overexertion	571.3	5.1	9223.9	82.1
Other	2005.6	17.9	11229.5	100.0

Table 4-26. Estimates of lost-time injuries by activity when injured for the State of California, 1995.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	4166.1	37.1	4166.1	37.1
Machine maint.	503.0	4.5	4669.1	41.6
Field work	2763.7	24.6	7432.8	66.2
Crop handling	625.0	5.6	8057.8	71.8
Livestock handling	1161.3	10.3	9219.1	82.1
Other	2010.4	17.9	11229.5	100.0

Table 4-27. Estimates of lost-time injuries by source of injury for the State of California, 1995.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Machinery	3582.4	31.9	3582.4	31.9
Livestock	814.8	7.3	4397.2	39.2
Hand tool	903.5	8.0	5300.7	47.2
Power tool	690.3	6.1	5991.0	53.4
Plant/tree	299.9	2.7	6290.9	56.0
Working surface	835.5	7.4	7126.4	63.5
Truck/auto	278.5	2.5	7404.9	65.9
Other vehicle	278.5	2.5	7683.4	68.4
Other	3546.1	31.6	11229.5	100.0

Table 4-28. Estimates of lost-time injuries by farm group for the State of Connecticut, the State of Massachusetts, and the State of Rhode Island, 1995.

<u>Farm Group</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Crops	977.3	92.4	977.3	92.4
Livestock	80.4	7.6	1057.7	100.0

Table 4-29. Estimates of lost-time injuries by status of the injured worker for the State of Connecticut, the State of Massachusetts, and the State of Rhode Island, 1995.

<u>Status of Injured Worker</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Operator/family	372.6	52.3	372.6	52.3
Partner/family	127.3	17.9	499.9	70.1
Hired labor	172.4	24.2	672.3	94.3
Unpaid nonfamily	20.2	2.8	692.5	97.2
Other	20.2	2.8	712.7	100.0

(Frequency Missing = 345.0)

Table 4-30. Estimates of lost-time injuries by gender for the State of Connecticut, the State of Massachusetts, and the State of Rhode Island, 1995.

<u>Gender</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Male	660.8	92.7	660.8	92.7
Female	51.9	7.3	712.7	100.0

(Frequency Missing = 345.0)

Table 4-31. Estimates of lost-time injuries by age group for the State of Connecticut, the State of Massachusetts, and the State of Rhode Island, 1995.

<u>Age Group (Years)</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
<20	22.7	3.2	22.7	3.2
20-29	161.5	22.7	184.2	25.8
30-39	152.0	21.3	336.2	47.2
40-49	47.8	6.7	384.0	53.9
50-59	107.3	15.1	491.3	68.9
60-69	176.0	24.7	667.3	93.6
>=70	45.4	6.4	712.7	100.0

(Frequency Missing = 345.0)

Table 4-32. Estimates of lost-time injuries by race or ethnic origin for the State of Connecticut, the State of Massachusetts, and the State of Rhode Island, 1995.

<u>Race/ Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	658.3	92.7	658.3	92.7
Hispanic	49.4	7.0	707.7	99.6
Other	2.5	0.4	710.2	100.0

(Frequency Missing = 347.5)

Table 4-33. Estimates of lost-time injuries by month for the State of Connecticut, the State of Massachusetts, and the State of Rhode Island, 1995.

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
February	20.1	2.8	20.1	2.8
March	44.9	6.3	65.0	9.1
April	104.6	14.7	169.6	23.8
June	77.9	10.9	247.5	34.7
July	49.4	6.9	296.9	41.7
August	170.1	23.9	467.0	65.5
September	30.2	4.2	497.2	69.8
October	22.7	3.2	519.9	72.9
November	49.4	6.9	569.3	79.9
December	143.4	20.1	712.7	100.0

(Frequency Missing = 345.0)

Table 4-34. Estimates of lost-time injuries by severity of the injury for the State of Connecticut, the State of Massachusetts, and the State of Rhode Island, 1995.

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	587.9	82.5	587.9	82.5
Permanent	124.8	17.5	712.7	100.0

(Frequency Missing = 345.0)

Table 4-35. Estimates of lost-time injuries by whether professional medical attention was sought for the State of Connecticut, the State of Massachusetts, and the State of Rhode Island, 1995.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	469.8	44.5	469.8	44.5
Yes	429.6	40.7	899.4	85.2
No	155.8	14.8	1055.2	100.0

(Frequency Missing = 2.5)

Table 4-36. Estimates of lost-time injuries by body part injured for the State of Connecticut, the State of Massachusetts, and the State of Rhode Island, 1995.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	20.2	2.8	20.2	2.8
Eye	22.6	3.2	42.8	6.0
Chest/trunk	29.2	4.1	72.0	10.1
Back	221.9	31.1	293.9	41.2
Arm/shoulder	5.0	0.7	298.9	41.9
Finger	80.8	11.3	379.7	53.3
Hand/wrist	120.8	16.9	500.5	70.2
Leg/knee/hip	129.3	18.1	629.8	88.4
Toe	2.5	0.4	632.3	88.7
Foot	80.4	11.3	712.7	100.0

(Frequency Missing = 345.0)

Table 4-37. Estimates of lost-time injuries by nature of the injury for the State of Connecticut, the State of Massachusetts, and the State of Rhode Island, 1995.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	98.1	13.8	98.1	13.8
Bruise	45.0	6.3	143.1	20.1
Cut	123.3	17.3	266.4	37.4
Crush	20.2	2.8	286.6	40.2
Fracture	49.4	6.9	336.0	47.1
Puncture	77.9	10.9	413.9	58.1
Sprain/strain	256.1	35.9	670.0	94.0
Other	42.7	6.0	712.7	100.0

(Frequency Missing = 345.0)

Table 4-38. Estimates of lost-time injuries by type of event for the State of Connecticut, the State of Massachusetts, and the State of Rhode Island, 1995.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	20.2	2.8	20.2	2.8
Caught between	40.4	5.7	60.6	8.5
Struck by/against	76.1	10.7	136.7	19.2
Contact sharp obj.	198.7	27.9	335.4	47.1
Fall, same level	20.2	2.8	355.6	49.9
Fall, elevation	29.8	4.2	385.4	54.1
Overexertion	123.8	17.4	509.2	71.4
Other	203.5	28.6	712.7	100.0

(Frequency Missing = 345.0)

Table 4-39. Estimates of lost-time injuries by activity when injured for the State of Connecticut, the State of Massachusetts, and the State of Rhode Island, 1995.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	272.3	38.2	272.3	38.2
Machine maint.	24.8	3.5	297.1	41.7
Field work	120.8	16.9	417.9	58.6
Crop handling	146.0	20.5	563.9	79.1
Livestock handling	76.0	10.7	639.9	89.8
Other	72.8	10.2	712.7	100.0

(Frequency Missing = 345.0)

Table 4-40. Estimates of lost-time injuries by source of injury for the State of Connecticut, the State of Massachusetts, and the State of Rhode Island, 1995.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Machinery	174.8	24.5	174.8	24.5
Livestock	49.3	6.9	224.1	31.4
Hand tool	118.3	16.6	342.4	48.0
Pesticide/chem.	5.0	0.7	347.4	48.7
Plant/tree	45.2	6.3	392.6	55.1
Working surface	42.9	6.0	435.5	61.1
Truck/auto	98.1	13.8	533.6	74.9
Other	179.1	25.1	712.7	100.0

(Frequency Missing = 345.0)

Table 4-41. Estimates of lost-time injuries by farm group for the State of Delaware and State of Maryland.

<u>Farm Group</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Crops	756.6	59.9	756.6	59.9
Livestock	507.0	40.1	1263.6	100.0

Table 4-42. Estimates of lost-time injuries by status of the injured worker for the State of Delaware and the State of Maryland, 1995.

<u>Status of Injured Worker</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Operator/family	934.2	73.9	934.2	73.9
Partner/family	197.4	15.6	1131.6	89.6
Hired labor	132.0	10.4	1263.6	100.0

Table 4-43. Estimates of lost-time injuries by gender for the State of Delaware and the State of Maryland, 1995.

<u>Gender</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Male	1136.3	89.9	1136.3	89.9
Female	127.3	10.1	1263.6	100.0

Table 4-44. Estimates of lost-time injuries by age group for the State of Delaware and the State of Maryland, 1995.

<u>Age Group (Years)</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
20-29	46.9	3.7	46.9	3.7
30-39	310.4	24.6	357.3	28.3
40-49	80.4	6.4	437.7	34.6
50-59	340.1	26.9	777.8	61.6
60-69	178.4	14.1	956.2	75.7
>=70	307.4	24.3	1263.6	100.0

Table 4-45. Estimates of lost-time injuries by race or ethnic origin for the State of Delaware and the State of Maryland, 1995.

<u>Race/ Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	1179.2	93.3	1179.2	93.3
Other	84.4	6.7	1263.6	100.0

Table 4-46. Estimates of lost-time injuries by month for the State of Delaware and the State of Maryland, 1995.

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
January	179.1	14.2	179.1	14.2
March	87.1	6.9	266.2	21.1
May	87.1	6.9	353.3	28.0
June	242.2	19.2	595.5	47.1
July	92.0	7.3	687.5	54.4
Aug	191.4	15.1	878.9	69.6
September	157.0	12.4	1035.9	82.0
October	105.4	8.3	1141.3	90.3
November	122.3	9.7	1263.6	100.0

Table 4-47. Estimates of lost-time injuries by severity of the injury for the State of Delaware and the State of Maryland, 1995.

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	1158.2	91.7	1158.2	91.7
Fatality	105.4	8.3	1263.6	100.0

Table 4-48. Estimates of lost-time injuries by whether professional medical attention was sought for the State of Delaware and the State of Maryland, 1995.

<u>Medical Attention Required</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Unknown	105.4	8.3	105.4	8.3
Yes	1111.3	87.9	1216.7	96.3
No	46.9	3.7	1263.6	100.0

Table 4-49. Estimates of lost-time injuries by body part injured for the State of Delaware and the State of Maryland, 1995.

<u>Body Part Injured</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Chest/trunk	80.4	6.4	80.4	6.4
Back	203.9	16.1	284.3	22.5
Arm/shoulder	132.2	10.5	416.5	33.0
Finger	73.0	5.8	489.5	38.7
Hand/wrist	228.4	18.1	717.9	56.8
Leg/knee/hip	254.5	20.1	972.4	77.0
Foot	79.7	6.3	1052.1	83.3
Mult. parts	211.5	16.7	1263.6	100.0

Table 4-50. Estimates of lost-time injuries by nature of the injury for the State of Delaware and the State of Maryland, 1995.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	40.2	3.2	40.2	3.2
Cut	412.4	32.6	452.6	35.8
Fracture	120.6	9.5	573.2	45.4
Poisoning	59.2	4.7	632.4	50.0
Puncture	202.0	16.0	834.4	66.0
Sprain/strain	236.7	18.7	1071.1	84.8
Mult. injury	152.3	12.1	1223.4	96.8
Other	40.2	3.2	1263.6	100.0

Table 4-51. Estimates of lost-time injuries by type of event for the State of Delaware and the State of Maryland, 1995.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	32.8	2.6	32.8	2.6
Caught between	122.3	9.7	155.1	12.3
Struck by/against	374.0	29.6	529.1	41.9
Struck by falling	40.2	3.2	569.3	45.1
Contact sharp obj.	230.9	18.3	800.2	63.3
Fall, same level	84.4	6.7	884.6	70.0
Fall, elevation	87.1	6.9	971.7	76.9
Overexertion	87.1	6.9	1058.8	83.8
Other	204.8	16.2	1263.6	100.0

Table 4-52. Estimates of lost-time injuries by activity when injured for the State of Delaware and the State of Maryland, 1995.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	219.3	17.4	219.3	17.4
Machine maint.	40.2	3.2	259.5	20.5
Field work	367.3	29.1	626.8	49.6
Crop handling	51.6	4.1	678.4	53.7
Livestock handling	552.4	43.7	1230.8	97.4
Other	32.8	2.6	1263.6	100.0

Table 4-53. Estimates of lost-time injuries by source of injury for the State of Delaware and the State of Maryland, 1995.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	87.1	6.9	87.1	6.9
Machinery	202.0	16.0	289.1	22.9
Livestock	413.5	32.7	702.6	55.6
Hand tool	138.9	11.0	841.5	66.6
Power tool	59.2	4.7	900.7	71.3
Plant/tree	59.2	4.7	959.9	76.0
Working surface	143.6	11.4	1103.5	87.3
Other	160.1	12.7	1263.6	100.0

Table 4-54. Estimates of lost-time injuries by farm group for the State of Florida, 1995.

Farm Group	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Crops	1206.2	73.8	1206.2	73.8
Livestock	427.6	26.2	1633.8	100.0

Table 4-55. Estimates of lost-time injuries by status of the injured worker for the State of Florida, 1995.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	665.3	40.7	665.3	40.7
Hired labor	968.5	59.3	1633.8	100.0

Table 4-56. Estimates of lost-time injuries by gender for the State of Florida, 1995.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	1454.1	89.0	1454.1	89.0
Female	179.7	11.0	1633.8	100.0

Table 4-57. Estimates of lost-time injuries by age group for the State of Florida, 1995.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
20-29	317.2	19.4	317.2	19.4
30-39	471.6	28.9	788.8	48.3
40-49	422.5	25.9	1211.3	74.1
60-69	84.2	5.2	1295.5	79.3
>=70	338.3	20.7	1633.8	100.0

Table 4-58. Estimates of lost-time injuries by race or ethnic origin for the State of Florida, 1995.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	1374.6	84.1	1374.6	84.1
Hispanic	259.2	15.9	1633.8	100.0

Table 4-59. Estimates of lost-time injuries by month for the State of Florida, 1995.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
February	158.6	9.7	158.6	9.7
April	212.4	13.0	371.0	22.7
May	338.3	20.7	709.3	43.4
July	317.2	19.4	1026.5	62.8
September	84.2	5.2	1110.7	68.0
October	84.2	5.2	1194.9	73.1
November	438.9	26.9	1633.8	100.0

Table 4-60. Estimates of lost-time injuries by severity of the injury for the State of Florida, 1995.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	1633.8	100.0	1633.8	100.0

Table 4-61. Estimates of lost-time injuries by whether professional medical attention was sought for the State of Florida, 1995.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	1052.7	64.4	1052.7	64.4
No	581.1	35.6	1633.8	100.0

Table 4-62. Estimates of lost-time injuries by body part injured for the State of Florida, 1995.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	158.6	9.7	158.6	9.7
Back	338.3	20.7	496.9	30.4
Arm/shoulder	259.2	15.9	756.1	46.3
Finger	168.4	10.3	924.5	56.6
Hand/wrist	529.6	32.4	1454.1	89.0
Leg/knee/hip	179.7	11.0	1633.8	100.0

Table 4-63. Estimates of lost-time injuries by nature of the injury for the State of Florida, 1995.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	513.3	31.4	513.3	31.4
Cut	158.6	9.7	671.9	41.1
Fracture	327.0	20.0	998.9	61.1
Puncture	138.0	8.4	1136.9	69.6
Sprain/strain	496.9	30.4	1633.8	100.0

Table 4-64. Estimates of lost-time injuries by type of event for the State of Florida, 1995.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	242.8	14.9	242.8	14.9
Struck by/against	179.7	11.0	422.5	25.9
Struck by falling	158.6	9.7	581.1	35.6
Contact sharp obj.	296.6	18.2	877.7	53.7
Fall, same level	84.2	5.2	961.9	58.9
Overexertion	179.7	11.0	1141.6	69.9
Other	492.2	30.1	1633.8	100.0

Table 4-65. Estimates of lost-time injuries by activity when injured for the State of Florida, 1995.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	158.6	9.7	158.6	9.7
Machine maint.	317.2	19.4	475.8	29.1
Field work	422.5	25.9	898.3	55.0
Crop handling	179.7	11.0	1078.0	66.0
Livestock handling	417.8	25.6	1495.8	91.6
Other	138.0	8.4	1633.8	100.0

Table 4-66. Estimates of lost-time injuries by source of injury for the State of Florida, 1995.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	242.8	14.9	242.8	14.9
Machinery	338.3	20.7	581.1	35.6
Livestock	175.0	10.7	756.1	46.3
Other	877.7	53.7	1633.8	100.0

Table 4-67. Estimates of lost-time injuries by farm group for the State of Hawaii, 1995.

Farm Group	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Crops	399.5	81.1	399.5	81.1
Livestock	93.2	18.9	492.7	100.0

Table 4-68. Estimates of lost-time injuries by status of the injured worker for the State of Hawaii, 1995.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	252.7	51.3	252.7	51.3
Partner/family	10.4	2.1	263.1	53.4
Hired labor	195.7	39.7	458.8	93.1
Unpaid nonfamily	10.4	2.1	469.2	95.2
Other	23.5	4.8	492.7	100.0

Table 4-69. Estimates of lost-time injuries by gender for the State of Hawaii, 1995.

<u>Gender</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Male	411.8	83.6	411.8	83.6
Female	80.9	16.4	492.7	100.0

Table 4-70. Estimates of lost-time injuries by age group for the State of Hawaii, 1995.

<u>Age Group (Years)</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
<20	57.4	11.7	57.4	11.7
20-29	57.4	11.7	114.8	23.3
30-39	91.3	18.5	206.1	41.8
40-49	161.8	32.8	367.9	74.7
50-59	23.5	4.8	391.4	79.4
60-69	43.9	8.9	435.3	88.3
>=70	57.4	11.7	492.7	100.0

Table 4-71. Estimates of lost-time injuries by race or ethnic origin for the State of Hawaii, 1995.

<u>Race/ Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	91.3	18.5	91.3	18.5
Hispanic	57.0	11.6	148.3	30.1
Asian	320.9	65.1	469.2	95.2
Other	23.5	4.8	492.7	100.0

Table 4-72. Estimates of lost-time injuries by month for the State of Hawaii, 1995.

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
March	161.8	32.8	161.8	32.8
April	23.5	4.8	185.3	37.6
June	10.4	2.1	195.7	39.7
July	23.5	4.8	219.2	44.5
August	57.4	11.7	276.6	56.1
September	90.9	18.4	367.5	74.6
October	44.3	9.0	411.8	83.6
November	57.4	11.7	469.2	95.2
December	23.5	4.8	492.7	100.0

Table 4-73. Estimates of lost-time injuries by severity of the injury for the State of Hawaii, 1995.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	492.7	100.0	492.7	100.0

Table 4-74. Estimates of lost-time injuries by whether professional medical attention was sought for the State of Hawaii, 1995.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	317.8	67.7	317.8	67.7
No	151.4	32.3	469.2	100.0

(Frequency Missing = 23.5)

Table 4-75. Estimates of lost-time injuries by body part injured for the State of Hawaii, 1995.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	23.5	4.8	23.5	4.8
Eye	94.0	19.1	117.5	23.8
Back	104.4	21.2	221.9	45.0
Arm/shoulder	67.8	13.8	289.7	58.8
Finger	47.0	9.5	336.7	68.3
Hand/wrist	54.7	11.1	391.4	79.4
Leg/knee/hip	47.0	9.5	438.4	89.0
Foot	54.3	11.0	492.7	100.0

Table 4-76. Estimates of lost-time injuries by nature of the injury for the State of Hawaii, 1995.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	47.0	9.5	47.0	9.5
Burn	10.4	2.1	57.4	11.7
Cut	90.9	18.4	148.3	30.1
Fracture	33.9	6.9	182.2	37.0
Puncture	78.2	15.9	260.4	52.9
Sprain/strain	161.8	32.8	422.2	85.7
Other	70.5	14.3	492.7	100.0

Table 4-77. Estimates of lost-time injuries by type of event for the State of Hawaii, 1995.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught under	20.4	4.1	20.4	4.1
Struck by/against	57.4	11.7	77.8	15.8
Struck by falling	23.5	4.8	101.3	20.6
Struck by flying	33.9	6.9	135.2	27.4
Contact sharp obj.	125.2	25.4	260.4	52.9
Fall, same level	33.9	6.9	294.3	59.7
Overexertion	117.5	23.8	411.8	83.6
Other	80.9	16.4	492.7	100.0

Table 4-78. Estimates of lost-time injuries by activity when injured for the State of Hawaii, 1995.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	78.2	15.9	78.2	15.9
Machine maint.	23.5	4.8	101.7	20.6
Field work	141.0	28.6	242.7	49.3
Crop handling	70.5	14.3	313.2	63.6
Livestock handling	41.2	8.4	354.4	71.9
Other	138.3	28.1	492.7	100.0

Table 4-79. Estimates of lost-time injuries by source of injury for the State of Hawaii, 1995.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Livestock	30.8	6.3	30.8	6.3
Hand tool	70.5	14.3	101.3	20.6
Power tool	47.0	9.5	148.3	30.1
Plant/tree	57.4	11.7	205.7	41.7
Working surface	47.0	9.5	252.7	51.3
Truck/auto	23.5	4.8	276.2	56.1
Other vehicle	33.9	6.9	310.1	62.9
Other	182.6	37.1	492.7	100.0

Table 4-80. Estimates of lost-time injuries by farm group for the State of Kansas, 1995.

Farm Group	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Crops	3182.7	61.7	3182.7	61.7
Livestock	1977.1	38.3	5159.8	100.0

Table 4-81. Estimates of lost-time injuries by status of the injured worker for the State of Kansas, 1995.

<u>Status of Injured Worker</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Operator/family	3455.8	67.0	3455.8	67.0
Partner/family	438.7	8.5	3894.5	75.5
Hired labor	1265.3	24.5	5159.8	100.0

Table 4-82. Estimates of lost-time injuries by gender for the State of Kansas, 1995.

<u>Gender</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Male	4274.3	82.8	4274.3	82.8
Female	885.5	17.2	5159.8	100.0

Table 4-83. Estimates of lost-time injuries by age group for the State of Kansas, 1995.

<u>Age Group (Years)</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
<20	692.4	13.4	692.4	13.4
20-29	292.9	5.7	985.3	19.1
30-39	1003.0	19.4	1988.3	38.5
40-49	989.5	19.2	2977.8	57.7
50-59	1064.2	20.6	4042.0	78.3
60-69	701.6	13.6	4743.6	91.9
>=70	416.2	8.1	5159.8	100.0

Table 4-84. Estimates of lost-time injuries by race or ethnic origin for the State of Kansas, 1995.

<u>Race/Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	5159.8	100.0	5159.8	100.0

Table 4-85. Estimates of lost-time injuries by month for the State of Kansas, 1995.

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
February	30.6	0.6	30.6	0.6
March	280.0	5.6	310.6	6.2
April	140.0	2.8	450.6	9.0
May	692.4	13.8	1143.0	22.8
June	999.2	19.9	2142.2	42.7
July	467.7	9.3	2609.9	52.0
August	1126.9	22.4	3736.8	74.4
September	280.0	5.6	4016.8	80.0
October	692.4	13.8	4709.2	93.8
November	280.0	5.6	4989.2	99.4
December	30.6	0.6	5019.8	100.0

(Frequency Missing = 140)

Table 4-86. Estimates of lost-time injuries by severity of the injury for the State of Kansas, 1995.

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	4883.6	94.6	4883.6	94.6
Permanent	276.2	5.4	5159.8	100.0

Table 4-87. Estimates of lost-time injuries by whether professional medical attention was sought for the State of Kansas, 1995.

<u>Medical Attention Required</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Unknown	276.2	5.4	276.2	5.4
Yes	4436.8	86.0	4713.0	91.3
No	446.8	8.7	5159.8	100.0

Table 4-88. Estimates of lost-time injuries by body part injured for the State of Kansas, 1995.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	276.2	5.4	276.2	5.4
Eye	276.2	5.4	552.4	10.7
Back	863.0	16.7	1415.4	27.4
Arm/shoulder	5.4	0.1	1420.8	27.5
Finger	446.8	8.7	1867.6	36.2
Hand/wrist	276.2	5.4	2143.8	41.5
Leg/knee/hip	1388.6	26.9	3532.4	68.5
Toe	30.6	0.6	3563.0	69.1
Foot	993.3	19.3	4556.3	88.3
Mult. parts	586.8	11.4	5143.1	99.7
Other	16.7	0.3	5159.8	100.0

Table 4-89. Estimates of lost-time injuries by nature of the injury for the State of Kansas, 1995.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	866.8	16.8	866.8	16.8
Burn	5.4	0.1	872.2	16.9
Cut	832.4	16.1	1704.6	33.0
Fracture	723.0	14.0	2427.6	47.0
Puncture	989.5	19.2	3417.1	66.2
Sprain/strain	1139.2	22.1	4556.3	88.3
Mult. injury	280.0	5.4	4836.3	93.7
Other	323.5	6.3	5159.8	100.0

Table 4-90. Estimates of lost-time injuries by type of event for the State of Kansas, 1995.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	276.2	5.4	276.2	5.4
Caught between	276.2	5.4	552.4	10.7
Caught under	280.0	5.4	832.4	16.1
Struck by/against	285.4	5.5	1117.8	21.7
Struck by falling	341.2	6.6	1459.0	28.3
Struck by flying	276.2	5.4	1735.2	33.6
Contact sharp obj.	1545.7	30.0	3280.9	63.6
Fall, same level	552.4	10.7	3833.3	74.3
Fall, elevation	692.4	13.4	4525.7	87.7
Overexertion	217.9	4.2	4743.6	91.9
Other	416.2	8.1	5159.8	100.0

Table 4-91. Estimates of lost-time injuries by activity when injured for the State of Kansas, 1995.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	810.5	15.7	810.5	15.7
Machine maint.	1244.8	24.1	2055.3	39.8
Field work	416.2	8.1	2471.5	47.9
Crop handling	552.4	10.7	3023.9	58.6
Livestock handling	1146.8	22.2	4170.7	80.8
Other	989.1	19.2	5159.8	100.0

Table 4-92. Estimates of lost-time injuries by source of injury for the State of Kansas, 1995.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	561.6	10.9	561.6	10.9
Machinery	968.6	18.8	1530.2	29.7
Livestock	976.2	18.9	2506.4	48.6
Hand tool	416.2	8.1	2922.6	56.6
Power tool	140.0	2.7	3062.6	59.4
Pesticide/chem.	16.7	0.3	3079.3	59.7
Plant/tree	157.1	3.0	3236.4	62.7
Working surface	416.2	8.1	3652.6	70.8
Truck/auto	140.0	2.7	3792.6	73.5
Other	1367.2	26.5	5159.8	100.0

Table 4-93. Estimates of lost-time injuries by type of farm for the State of Louisiana, 1995.

Farm Group	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Crops	396.8	30.5	396.8	30.5
Livestock	905.5	69.5	1302.2	100.0

Table 4-94. Estimates of lost-time injuries by status of the injured worker for the State of Louisiana, 1995.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	980.4	75.3	980.4	75.3
Partner/family	293.2	22.5	1273.6	97.8
Hired labor	28.6	2.2	1302.2	100.0

Table 4-95. Estimates of lost-time injuries by gender for the State of Louisiana, 1995.

<u>Gender</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Male	1009.0	77.5	1009.0	77.5
Female	293.2	22.5	1302.2	100.0

Table 4-96. Estimates of lost-time injuries by age group for the State of Louisiana, 1995.

<u>Age Group (Years)</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
<20	218.2	16.8	218.2	16.8
20-29	28.6	2.2	246.8	19.0
30-39	603.6	46.4	850.4	65.3
40-49	75.0	5.8	925.4	71.1
50-59	75.0	5.8	1000.4	76.8
>=70	301.8	23.2	1302.2	100.0

Table 4-97. Estimates of lost-time injuries by race or ethnic origin for the State of Louisiana, 1995.

<u>Race/ Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	1227.2	94.2	1227.2	94.2
Black	75.0	5.8	1302.2	100.0

Table 4-98. Estimates of lost-time injuries by month for the State of Louisiana, 1995.

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
April	301.8	23.2	301.8	23.2
May	330.4	25.4	632.2	48.5
September	218.2	16.8	850.4	65.3
October	75.0	5.8	925.4	71.1
November	376.8	28.9	1302.2	100.0

Table 4-99. Estimates of lost-time injuries by severity of the injury for the State of Louisiana, 1995.

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	1000.4	76.8	1000.4	76.8
Permanent	301.8	23.2	1302.2	100.0

Table 4-100. Estimates of lost-time injuries by whether professional medical attention was sought for the State of Louisiana, 1995.

<u>Medical Attention Required</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Unknown	301.8	23.2	301.8	23.2
Yes	1000.4	76.8	1302.2	100.0

Table 4-101. Estimates of lost-time injuries by body part injured for the State of Louisiana, 1995.

<u>Body Part Injured</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Chest/trunk	301.8	23.2	301.8	23.2
Finger	376.8	28.9	678.6	52.1
Hand/wrist	75.0	5.8	753.6	57.9
Leg/knee/hip	548.6	42.1	1302.2	100.0

Table 4-102. Estimates of lost-time injuries by nature of the injury for the State of Louisiana, 1995.

<u>Nature of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Bruise	28.6	2.2	28.6	2.2
Cut	218.2	16.8	246.8	19.0
Fracture	678.6	52.1	925.4	71.1
Puncture	376.8	28.9	1302.2	100.0

Table 4-103. Estimates of lost-time injuries by type of event for the State of Louisiana, 1995.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	75.0	5.8	75.0	5.8
Struck by/against	75.0	5.8	150.0	11.5
Struck by flying	603.6	46.4	753.6	57.9
Contact sharp obj.	218.2	16.8	971.8	74.6
Fall, elevation	330.4	25.4	1302.2	100.0

Table 4-104. Estimates of lost-time injuries by activity when injured for the State of Louisiana, 1995.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	595.0	45.7	595.0	45.7
Machine maint.	301.8	23.2	896.8	68.9
Field work	75.0	5.8	971.8	74.6
Crop handling	28.6	2.2	1000.4	76.8
Livestock handling	301.8	23.2	1302.2	100.0

Table 4-105. Estimates of lost-time injuries by source of injury for the State of Louisiana, 1995.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	218.2	16.8	218.2	16.8
Machinery	451.8	34.7	670.0	51.5
Hand tool	301.8	23.2	971.8	74.6
Working surface	330.4	25.4	1302.2	100.0

Table 4-106. Estimates of lost-time injuries by farm group for the State of Minnesota, 1995.

Farm Group	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Crops	3288.9	27.8	3288.9	27.8
Livestock	8558.5	72.2	11847.4	100.0

Table 4-107. Estimates of lost-time injuries by status of the injured worker for the State of Minnesota, 1995.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	8073.7	69.5	8073.7	69.5
Partner/family	1186.8	10.2	9260.5	79.7
Hired labor	1429.2	12.3	10689.7	92.0
Unpaid nonfamily	929.1	8.0	11618.8	100.0

(Frequency Missing = 228.6)

Table 4-108. Estimates of lost-time injuries by gender for the State of Minnesota, 1995.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	9938.2	85.5	9938.2	85.5
Female	1680.6	14.5	11618.8	100.0

(Frequency Missing = 228.6)

Table 4-109. Estimates of lost-time injuries by age group for the State of Minnesota, 1995.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
<20	395.6	1.8	395.6	3.4
20-29	1281.4	10.9	1677.0	14.2
30-39	1855.9	15.7	3532.9	29.9
40-49	1083.7	9.2	4616.6	39.1
50-59	3755.2	31.8	8371.8	71.0
60-69	2933.8	24.9	11305.6	95.8
>=70	490.8	4.2	11796.4	100.0

(Frequency Missing = 51.0)

Table 4-110. Estimates of lost-time injuries by race or ethnic origin for the State of Minnesota, 1995.

Race/Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	11660.8	98.9	11660.8	98.9
Hispanic	135.6	1.1	11796.4	100.0

(Frequency Missing = 51.0)

Table 4-111. Estimates of lost-time injuries by month for the State of Minnesota, 1995.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	93.9	0.8	93.9	0.8
March	177.6	1.5	271.5	2.3
April	355.2	3.0	626.7	5.3
May	1064.7	9.0	1691.4	14.3
June	831.6	7.0	2523.0	21.4
July	2171.4	18.4	4694.4	39.8
August	929.1	7.9	5623.5	47.7
September	1365.1	11.6	6988.6	59.2
October	751.5	6.4	7740.1	65.6
November	3224.7	27.3	10964.8	93.0
December	831.6	7.0	11796.4	100.0

(Frequency Missing = 51.0)

Table 4-112. Estimates of lost-time injuries by severity of the injury for the State of Minnesota, 1995.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	10649.3	90.3	10649.3	90.3
Permanent	395.6	3.4	11044.9	93.6
Fatality	751.5	6.4	11796.4	100.0

(Frequency Missing = 51.0)

Table 4-113. Estimates of lost-time injuries by whether professional medical attention was sought for the State of Minnesota, 1995.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	1198.1	10.1	1198.1	10.1
Yes	9607.6	81.1	10805.7	91.2
No	1041.7	8.8	11847.4	100.0

Table 4-114. Estimates of lost-time injuries by body part injured for the State of Minnesota, 1995.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	887.1	7.5	887.1	7.5
Eye	353.6	3.0	1240.7	10.5
Chest/trunk	929.1	7.9	2169.8	18.4
Back	2230.8	18.9	4400.6	37.3
Arm/shoulder	1606.8	13.6	6007.4	50.9
Finger	1106.7	9.4	7114.1	60.3
Hand/wrist	1187.5	10.1	8301.6	70.4
Leg/knee/hip	1106.7	9.4	9408.3	79.8
Foot	395.6	3.4	9803.9	83.1
Mult. parts	845.4	7.2	10649.3	90.3
Other	1147.1	9.7	11796.4	100.0

(Frequency Missing = 51.0)

Table 4-115. Estimates of lost-time injuries by nature of the injury for the State of Minnesota, 1995.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	177.6	1.5	177.6	1.5
Bruise	1898.6	16.1	2076.2	17.6
Burn	218.0	1.8	2294.2	19.4
Cut	1679.9	14.2	3974.1	33.7
Crush	751.5	6.4	4725.6	40.1
Fracture	2263.1	19.2	6988.7	59.2
Puncture	489.2	4.1	7477.9	63.4
Sprain/strain	2148.4	18.2	9626.3	81.6
Mult. injury	845.4	7.2	10471.7	88.8
Other	1324.7	11.2	11796.4	100.0

(Frequency Missing = 51.0)

Table 4-116. Estimates of lost-time injuries by type of event for the State of Minnesota, 1995.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	897.3	7.6	897.3	7.6
Caught between	3183.6	27.0	4080.9	34.6
Caught under	969.5	8.2	5050.4	42.8
Struck by/against	749.2	6.4	5799.6	49.2
Struck by falling	969.5	8.2	6769.1	57.4
Contact sharp obj.	1105.1	9.4	7874.2	66.8
Fall, same level	1001.3	8.5	8875.5	75.2
Fall, elevation	271.5	2.3	9147.0	77.5
Overexertion	1461.9	12.4	10608.9	89.9
Other	1187.5	10.1	11796.4	100.0

(Frequency Missing = 51.0)

Table 4-117. Estimates of lost-time injuries by activity when injured for the State of Minnesota, 1995.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	822.4	7.0	822.4	7.0
Machine maint.	1253.2	10.6	2075.6	17.6
Field work	1062.4	9.0	3138.0	26.6
Crop handling	2035.1	17.3	5173.1	43.9
Livestock handling	4766.7	40.4	9939.8	84.3
Other	1856.6	15.7	11796.4	100.0

(Frequency Missing = 51.0)

Table 4-118. Estimates of lost-time injuries by source of injury for the State of Minnesota, 1995.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	146.5	1.2	146.5	1.2
Machinery	3787.3	32.1	3933.8	33.3
Livestock	2690.5	22.8	6624.3	56.2
Pesticide/chem.	218.0	1.8	6842.3	58.0
Plant/tree	887.1	7.5	7729.4	65.5
Working surface	926.8	7.9	8656.2	73.4
Truck/auto	177.6	1.5	8833.8	74.9
Other vehicle	395.6	3.4	9229.4	78.2
Other	2567.0	21.8	11796.4	100.0

(Frequency Missing = 51.0)

Table 4-119. Estimates of lost-time injuries by farm group for the State of Mississippi, 1995.

<u>Farm Group</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Crops	2426.1	61.8	2426.1	61.8
Livestock	1499.0	38.2	3925.1	100.0

Table 4-120. Estimates of lost-time injuries by status of the injured worker for the State of Mississippi, 1995.

<u>Status of Injured Worker</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Operator/family	3372.6	88.4	3372.6	88.4
Partner/family	110.0	2.9	3482.6	91.3
Hired labor	222.5	5.8	3705.1	97.1
Other	110.0	2.9	3815.1	100.0

(Frequency Missing = 110.0)

Table 4-121. Estimates of lost-time injuries by gender for the State of Mississippi, 1995.

<u>Gender</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Male	3494.7	91.6	3494.7	91.6
Female	320.4	8.4	3815.1	100.0

(Frequency Missing = 110.0)

Table 4-122. Estimates of lost-time injuries by age group for the State of Mississippi, 1995.

<u>Age Group (Years)</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
<20	112.5	2.9	112.5	2.9
20-29	112.5	2.9	225.0	5.9
30-39	2092.3	54.8	2317.3	60.7
40-49	202.0	5.3	2519.3	66.0
50-59	855.8	22.4	3375.1	88.5
60-69	330.0	8.6	3705.1	97.1
>=70	110.0	2.9	3815.1	100.0

(Frequency Missing = 110.0)

Table 4-123. Estimates of lost-time injuries by race or ethnic origin for the State of Mississippi, 1995.

<u>Race/ Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	3482.6	91.3	3482.6	91.3
Black	332.5	8.7	3815.1	100.0
(Frequency Missing = 110.0)				

Table 4-124. Estimates of lost-time injuries by month for the State of Mississippi, 1995.

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
January	110.0	2.9	110.0	2.9
March	110.0	2.9	220.0	5.8
April	312.0	8.2	532.0	13.9
May	110.0	2.9	642.0	16.8
June	220.0	5.8	862.0	22.6
July	332.5	8.7	1194.5	31.3
August	195.8	5.1	1390.3	36.4
September	412.4	10.8	1802.7	47.3
October	1682.4	44.1	3485.1	91.4
November	220.0	5.8	3705.1	97.1
December	110.0	2.9	3815.1	100.0
(Frequency Missing = 110.0)				

Table 4-125. Estimates of lost-time injuries by severity of the injury for the State of Mississippi, 1995.

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	3595.1	94.2	3595.1	94.2
Permanent	220.0	5.8	3815.1	100.0
(Frequency Missing = 110.0)				

Table 4-126. Estimates of lost-time injuries by whether professional medical attention was sought for the State of Mississippi, 1995.

<u>Medical Attention Required</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Unknown	220.0	5.8	220.0	5.8
Yes	1383.2	36.3	1603.2	42.0
No	2211.9	58.0	3815.1	100.0
(Frequency Missing = 110.0)				

Table 4-127. Estimates of lost-time injuries by body part injured for the State of Mississippi, 1995.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	110.0	2.9	110.0	2.9
Eye	97.9	2.6	207.9	5.4
Chest/trunk	220.0	5.8	427.9	11.2
Back	89.5	2.3	517.4	13.6
Arm/shoulder	220.0	5.8	737.4	19.3
Finger	320.4	8.4	1057.8	27.7
Hand/wrist	537.9	14.1	1595.7	41.8
Leg/knee/hip	2017.4	52.9	3613.1	94.7
Foot	112.5	2.9	3725.6	97.7
Mult. parts	89.5	2.3	3815.1	100.0

(Frequency Missing = 110.0)

Table 4-128. Estimates of lost-time injuries by nature of the injury for the State of Mississippi, 1995.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	97.9	2.6	97.9	2.6
Bruise	442.5	11.6	540.4	14.2
Cut	2014.9	52.8	2555.3	67.0
Crush	335.0	8.8	2890.3	75.8
Fracture	330.0	8.6	3220.3	84.4
Puncture	97.9	2.6	3318.2	87.0
Sprain/strain	187.4	4.9	3505.6	91.9
Mult. injury	89.5	2.3	3595.1	94.2
Other	220.0	5.8	3815.1	100.0

(Frequency Missing = 110.0)

Table 4-129. Estimates of lost-time injuries by type of event for the State of Mississippi, 1995.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	210.4	5.5	210.4	5.5
Caught between	199.5	5.2	409.9	10.7
Caught under	222.5	5.8	632.4	16.6
Struck by/against	335.0	8.8	967.4	25.4
Struck by flying	110.0	2.9	1077.4	28.2
Contact sharp obj.	2000.3	52.4	3077.7	80.7
Fall, elevation	427.9	11.2	3505.6	91.9
Overexertion	89.5	2.3	3595.1	94.2
Other	220.0	5.8	3815.1	100.0

(Frequency Missing = 110.0)

Table 4-130. Estimates of lost-time injuries by activity when injured for the State of Mississippi, 1995.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	2440.3	64.0	2440.3	64.0
Machine maint.	112.5	2.9	2552.8	66.9
Field work	432.9	11.3	2985.7	78.3
Crop handling	97.9	2.6	3083.6	80.8
Livestock handling	440.0	11.5	3523.6	92.4
Other	291.5	7.6	3815.1	100.0

(Frequency Missing = 110.0)

Table 4-131. Estimates of lost-time injuries by source of injury for the State of Mississippi, 1995.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	335.0	8.5	335.0	8.5
Machinery	395.3	10.1	730.3	18.6
Livestock	440.0	11.2	1170.3	29.8
Hand tool	1794.9	45.7	2965.2	75.5
Working surface	207.9	5.3	3173.1	80.8
Other vehicle	419.5	10.7	3592.6	91.5
Other	332.5	8.5	3925.1	100.0

Table 4-132. Estimates of lost-time injuries by farm group for the State of Nebraska, 1995.

Farm Group	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Crops	2602.9	47.0	2602.9	47.0
Livestock	2933.2	53.0	5536.1	100.0

Table 4-133. Estimates of lost-time injuries by status of the injured worker for the State of Nebraska, 1995.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	5300.8	95.7	5300.8	95.7
Partner/family	235.3	4.3	5536.1	100.0

Table 4-134. Estimates of lost-time injuries by gender for the State of Nebraska, 1995.

<u>Gender</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Male	5100.8	92.1	5100.8	92.1
Female	435.3	7.9	5536.1	100.0

Table 4-135. Estimates of lost-time injuries by age group for the State of Nebraska, 1995.

<u>Age Group (Years)</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
20-29	435.3	7.9	435.3	7.9
30-39	1598.3	28.9	2033.6	36.7
40-49	1481.6	26.8	3515.2	63.5
50-59	235.3	4.3	3750.5	67.7
60-69	844.4	15.3	4594.9	83.0
>=70	941.2	17.0	5536.1	100.0

Table 4-136. Estimates of lost-time injuries by race or ethnic origin for the State of Nebraska, 1995.

<u>Race/ Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	5536.1	100.0	5536.1	100.0

Table 4-137. Estimates of lost-time injuries by month for the State of Nebraska, 1995.

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
January	200.0	3.8	200.0	3.8
February	235.3	4.4	435.3	8.2
April	470.6	8.9	905.9	17.1
May	927.7	17.5	1833.6	34.6
June	235.3	4.4	2068.9	39.0
July	235.3	4.4	2304.2	43.5
August	435.3	8.2	2739.5	51.7
October	1163.0	21.9	3902.5	73.6
November	1079.7	20.4	4982.2	94.0
December	318.6	6.0	5300.8	100.0

Frequency Missing = 235.3

Table 4-138. Estimates of lost-time injuries by severity of the injury for the State of Nebraska, 1995.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	5536.1	100.0	5536.1	100.0

Table 4-139. Estimates of lost-time injuries by whether professional medical attention was sought for the State of Nebraska, 1995.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	5300.8	95.7	5300.8	95.7
No	235.3	4.3	5536.1	100.0

Table 4-140. Estimates of lost-time injuries by body part injured for the State of Nebraska, 1995.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Back	1515.0	27.4	1515.0	27.4
Arm/shoulder	705.9	12.8	2220.9	40.1
Finger	235.3	4.3	2456.2	44.4
Hand/wrist	1163.0	21.0	3619.2	65.4
Leg/knee/hip	837.2	15.1	4456.4	80.5
Foot	1079.7	19.5	5536.1	100.0

Table 4-141. Estimates of lost-time injuries by nature of the injury for the State of Nebraska, 1995.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	235.3	4.3	235.3	4.3
Bruise	235.3	4.3	470.6	8.5
Cut	83.3	1.5	553.9	10.0
Fracture	1279.7	23.1	1833.6	33.1
Puncture	927.7	16.8	2761.3	49.9
Sprain/strain	2774.8	50.1	5536.1	100.0

Table 4-142. Estimates of lost-time injuries by type of event for the State of Nebraska, 1995.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught between	1079.7	19.5	1079.7	19.5
Struck by/against	235.3	4.3	1315.0	23.8
Struck by flying	83.3	1.5	1398.3	25.3
Contact sharp obj.	927.7	16.8	2326.0	42.0
Fall, same level	200.0	3.6	2526.0	45.6
Fall, elevation	1785.6	32.3	4311.6	77.9
Overexertion	753.9	13.6	5065.5	91.5
Other	470.6	8.5	5536.1	100.0

Table 4-143. Estimates of lost-time injuries by activity when injured for the State of Nebraska, 1995.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Machine maint.	872.5	15.8	872.5	15.8
Field work	470.6	8.5	1343.1	24.3
Livestock handling	3957.7	71.5	5300.8	95.7
Other	235.3	4.3	5536.1	100.0

Table 4-144. Estimates of lost-time injuries by source of injury for the State of Nebraska, 1995.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	235.3	4.3	235.3	4.3
Machinery	470.6	8.5	705.9	12.8
Livestock	2642.7	47.7	3348.6	60.5
Hand tool	318.6	5.8	3667.2	66.2
Power tool	83.3	1.5	3750.5	67.7
Working surface	470.6	8.5	4221.1	76.2
Other	1315.0	23.8	5536.1	100.0

Table 4-145. Estimates of lost-time injuries by type of farm for the State of New Mexico, 1995.

Farm Group	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Crops	503.9	35.4	503.9	35.4
Livestock	917.8	64.6	1421.7	100.0

Table 4-146. Estimates of lost-time injuries by status of the injured worker for the State of New Mexico, 1995.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	790.0	64.3	790.0	64.3
Partner/family	118.1	9.6	908.1	74.0
Hired labor	254.9	20.8	1163.0	94.7
Unpaid nonfamily	15.6	1.3	1178.6	96.0
Other	49.3	4.0	1227.9	100.0

(Frequency Missing = 193.8)

Table 4-147. Estimates of lost-time injuries by gender for the State of New Mexico, 1995.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	1070.6	87.2	1070.6	87.2
Female	157.3	12.8	1227.9	100.0

(Frequency Missing = 193.8)

Table 4-148. Estimates of lost-time injuries by age group for the State of New Mexico, 1995.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
<20	98.6	8.0	98.6	8.0
20-29	73.8	6.0	172.4	14.0
30-39	312.2	25.4	484.6	39.5
40-49	123.2	10.0	607.8	49.5
50-59	241.7	19.7	849.5	69.2
60-69	246.5	20.1	1096.0	89.3
>=70	131.9	10.7	1227.9	100.0

(Frequency Missing = 193.8)

Table 4-149. Estimates of lost-time injuries by race or ethnic origin for the State of New Mexico, 1995.

Race/Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	908.1	74.0	908.1	74.0
Hispanic	319.8	26.0	1227.9	100.0

(Frequency Missing = 193.8)

Table 4-150. Estimates of lost-time injuries by month for the State of New Mexico, 1995.

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
January	39.8	3.2	39.8	3.2
March	171.7	14.0	211.5	17.2
April	45.6	3.7	257.1	20.9
May	114.4	9.3	371.5	30.3
June	265.4	21.6	636.9	51.9
July	94.9	7.7	731.8	59.6
August	136.4	11.1	868.2	70.7
October	98.6	8.0	966.8	78.7
November	89.4	7.3	1056.2	86.0
December	171.7	14.0	1227.9	100.0

(Frequency Missing = 193.8)

Table 4-151. Estimates of lost-time injuries by severity of the injury for the State of New Mexico, 1995.

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	1227.9	100.0	1227.9	100.0

(Frequency Missing = 193.8)

Table 4-152. Estimates of lost-time injuries by whether professional medical attention was sought for the State of New Mexico, 1995.

<u>Medical Attention Required</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Unknown	193.8	13.6	193.8	13.6
Yes	937.4	65.9	1131.2	79.6
No	290.5	20.4	1421.7	100.0

Table 4-153. Estimates of lost-time injuries by body part injured for the State of New Mexico, 1995.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	216.1	17.6	216.1	17.6
Eye	33.3	2.7	249.4	20.3
Chest/trunk	98.6	8.0	348.0	28.3
Back	104.7	8.5	452.7	36.9
Arm/shoulder	209.3	17.0	662.0	53.9
Finger	184.0	15.0	846.0	68.9
Hand/wrist	52.2	4.3	898.2	73.1
Leg/knee/hip	216.1	17.6	1114.3	90.7
Foot	24.5	2.0	1138.8	92.7
Mult. parts	89.1	7.3	1227.9	100.0

(Frequency Missing = 193.8)

Table 4-154. Estimates of lost-time injuries by nature of the injury for the State of New Mexico, 1995.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	39.8	3.2	39.8	3.2
Bruise	123.1	10.0	162.9	13.3
Burn	49.3	4.0	212.2	17.3
Cut	268.3	21.9	480.5	39.1
Crush	45.6	3.7	526.1	42.8
Fracture	230.5	18.8	756.6	61.6
Sprain/strain	251.2	20.5	1007.8	82.1
Mult. injury	134.7	11.0	1142.5	93.0
Other	85.4	7.0	1227.9	100.0

(Frequency Missing = 193.8)

Table 4-155. Estimates of lost-time injuries by type of event for the State of New Mexico, 1995.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	45.6	3.7	45.6	3.7
Caught between	39.8	3.2	85.4	7.0
Caught under	18.9	1.5	104.3	8.5
Struck by/against	356.5	29.0	460.8	37.5
Struck by falling	89.1	7.3	549.9	44.8
Struck by flying	49.3	4.0	599.2	48.8
Contact sharp obj.	68.2	5.6	667.4	54.4
Fall, same level	98.6	8.0	766.0	62.4
Fall, elevation	193.5	15.8	959.5	78.1
Overexertion	120.5	9.8	1080.0	88.0
Other	147.9	12.0	1227.9	100.0

(Frequency Missing = 193.8)

Table 4-156. Estimates of lost-time injuries by activity when injured for the State of New Mexico, 1995.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	157.3	12.8	157.3	12.8
Machine maint.	113.6	9.3	270.9	22.1
Crop handling	55.4	4.5	326.3	26.6
Livestock handling	863.2	70.3	1189.5	96.9
Other	38.4	3.1	1227.9	100.0

(Frequency Missing = 193.8)

Table 4-157. Estimates of lost-time injuries by source of injury for the State of New Mexico, 1995.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	18.9	1.5	18.9	1.5
Machinery	109.9	9.0	128.8	10.5
Livestock	719.0	58.6	847.8	69.0
Power tool	49.3	4.0	897.1	73.1
Working surface	18.9	1.5	916.0	74.6
Truck/auto	49.3	4.0	965.3	78.6
Other vehicle	98.6	8.0	1063.9	86.6
Other	164.0	13.4	1227.9	100.0

(Frequency Missing = 193.8)

Table 4-158. Estimates of lost-time injuries by farm group for the State of Ohio, 1995.

Farm Group	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Crops	2553.6	30.2	2553.6	30.2
Livestock	5904.0	69.8	8457.6	100.0

Table 4-159. Estimates of lost-time injuries by status of the injured worker for the State of Ohio, 1995.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	7766.2	91.8	7766.2	91.8
Partner/family	141.0	1.7	7907.2	93.5
Hired labor	550.4	6.5	8457.6	100.0

Table 4-160. Estimates of lost-time injuries by gender for the State of Ohio, 1995.

<u>Gender</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Male	7520.3	88.9	7520.3	88.9
Female	937.3	11.1	8457.6	100.0

Table 4-161. Estimates of lost-time injuries by age group for the State of Ohio, 1995.

<u>Age Group (Years)</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
<20	447.9	5.3	447.9	5.3
20-29	204.4	2.4	652.3	7.7
30-39	1959.7	23.2	2612.0	30.9
40-49	1141.7	13.5	3753.7	44.4
50-59	2420.5	28.6	6174.2	73.0
60-69	1078.3	12.7	7252.5	85.8
>=70	1205.1	14.2	8457.6	100.0

Table 4-162. Estimates of lost-time injuries by race or ethnic origin for the State of Ohio, 1995.

<u>Race/ Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	8457.6	100.0	8457.6	100.0

Table 4-163. Estimates of lost-time injuries by month for the State of Ohio, 1995.

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
February	447.9	5.5	447.9	5.5
March	282.0	3.5	729.9	9.0
April	73.9	0.9	803.8	10.0
May	243.5	3.0	1047.3	13.0
June	2604.5	32.3	3651.8	45.2
July	486.4	6.0	4138.2	51.3
August	2142.4	26.5	6280.6	77.8
September	407.3	5.0	6687.9	82.8
November	1000.7	12.4	7688.6	95.2
December	384.5	4.8	8073.1	100.0

(Frequency Missing = 384.5)

Table 4-164. Estimates of lost-time injuries by severity of the injury for the State of Ohio, 1995.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	8316.6	98.3	8316.6	98.3
Permanent	141.0	1.7	8457.6	100.0

Table 4-165. Estimates of lost-time injuries by whether professional medical attention was sought for the State of Ohio, 1995.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	141.0	1.7	141.0	1.7
Yes	6160.0	72.8	6301.0	74.5
No	2156.6	25.5	8457.6	100.0

Table 4-166. Estimates of lost-time injuries by body part injured for the State of Ohio, 1995.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	384.5	4.5	384.5	4.5
Chest/trunk	1485.6	17.6	1870.1	22.1
Back	1205.1	14.2	3075.2	36.4
Arm/shoulder	793.9	9.4	3869.1	45.7
Finger	1219.3	14.4	5088.4	60.2
Hand/wrist	141.0	1.7	5229.4	61.8
Leg/knee/hip	1564.7	18.5	6794.1	80.3
Toe	63.4	0.7	6857.5	81.1
Foot	1078.3	12.7	7935.8	93.8
Mult. parts	447.9	5.3	8383.7	99.1
Other	73.9	0.9	8457.6	100.0

Table 4-167. Estimates of lost-time injuries by nature of the injury for the State of Ohio, 1995.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	243.5	2.9	243.5	2.9
Bruise	2001.4	23.7	2244.9	26.5
Cut	423.0	5.0	2667.9	31.5
Crush	282.0	3.3	2949.9	34.9
Fracture	2731.3	32.3	5681.2	67.2
Poisoning	73.9	0.9	5755.1	68.0
Sprain/strain	1073.8	12.7	6828.9	80.7
Mult. injury	243.5	2.9	7072.4	83.6
Other	1385.2	16.4	8457.6	100.0

Table 4-168. Estimates of lost-time injuries by type of event for the State of Ohio, 1995.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	1078.3	12.7	1078.3	12.7
Caught between	282.0	3.3	1360.3	16.1
Caught under	345.4	4.1	1705.7	20.2
Struck by/against	2385.9	28.2	4091.6	48.4
Struck by falling	937.3	11.1	5028.9	59.5
Contact sharp obj.	282.0	3.3	5310.9	62.8
Fall, same level	306.9	3.6	5617.8	66.4
Fall, elevation	1317.3	15.6	6935.1	82.0
Overexertion	384.5	4.5	7319.6	86.5
Other	1138.0	13.5	8457.6	100.0

Table 4-169. Estimates of lost-time injuries by activity when injured for the State of Ohio, 1995.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	1624.4	19.2	1624.4	19.2
Machine maint.	769.0	9.1	2393.4	28.3
Field work	63.4	0.7	2456.8	29.0
Crop handling	2395.6	28.3	4852.4	57.4
Livestock handling	3605.2	42.6	8457.6	100.0

Table 4-170. Estimates of lost-time injuries by source of injury for the State of Ohio, 1995.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	267.8	3.2	267.8	3.2
Machinery	2604.5	30.8	2872.3	34.0
Livestock	1667.2	19.7	4539.5	53.7
Power tool	141.0	1.7	4680.5	55.3
Pesticide/chem.	73.9	0.9	4754.4	56.2
Working surface	857.3	10.1	5611.7	66.4
Other vehicle	204.4	2.4	5816.1	68.8
Other	2641.5	31.2	8457.6	100.0

Table 4-171. Estimates of lost-time injuries by farm group for the State of Pennsylvania, 1995.

Farm Group	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Crops	3575.6	63.5	3575.6	63.5
Livestock	2058.3	36.5	5633.9	100.0

Table 4-172. Estimates of lost-time injuries by status of the injured worker for the State of Pennsylvania, 1995.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	3224.7	57.2	3224.7	57.2
Partner/family	202.4	3.6	3427.1	60.8
Hired labor	2004.4	35.6	5431.5	96.4
Unpaid nonfamily	202.4	3.6	5633.9	100.0

Table 4-173. Estimates of lost-time injuries by gender for the State of Pennsylvania, 1995.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	5037.8	89.4	5037.8	89.4
Female	596.1	10.6	5633.9	100.0

Table 4-174. Estimates of lost-time injuries by age group for the State of Pennsylvania, 1995.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
<20	384.4	6.9	384.4	6.9
20-29	2386.6	43.1	2771.0	50.1
30-39	384.4	6.9	3155.4	57.0
40-49	793.5	14.3	3948.9	71.3
50-59	367.0	6.6	4315.9	78.0
60-69	981.5	17.7	5297.4	95.7
>=70	239.0	4.3	5536.4	100.0

(Frequency Missing = 97.5)

Table 4-175. Estimates of lost-time injuries by race or ethnic origin for the State of Pennsylvania, 1995.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	5633.9	100.0	5633.9	100.0

Table 4-176. Estimates of lost-time injuries by month for the State of Pennsylvania, 1995.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	101.2	1.9	101.2	1.9
February	101.2	1.9	202.4	3.7
March	396.1	7.3	598.5	11.0
April	384.4	7.1	982.9	18.1
May	198.7	3.7	1181.6	21.7
June	782.8	14.4	1964.4	36.1
July	2406.5	44.2	4370.9	80.4
August	101.2	1.9	4472.1	82.2
September	101.2	1.9	4573.3	84.1
October	345.0	6.3	4918.3	90.4
November	419.4	7.7	5337.7	98.1
December	101.2	1.9	5438.9	100.0

(Frequency Missing = 195.0)

Table 4-177. Estimates of lost-time injuries by severity of the injury for the State of Pennsylvania, 1995.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	5141.9	91.3	5141.9	91.3
Permanent	394.5	7.0	5536.4	98.3
Fatality	97.5	1.7	5633.9	100.0

Table 4-178. Estimates of lost-time injuries by whether professional medical attention was sought for the State of Pennsylvania, 1995.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	492.0	8.7	492.0	8.7
Yes	4823.7	85.6	5315.7	94.4
No	318.2	5.6	5633.9	100.0

Table 4-179. Estimates of lost-time injuries by body part injured for the State of Pennsylvania, 1995.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	101.2	1.8	101.2	1.8
Eye	641.3	11.4	742.5	13.2
Chest/trunk	198.7	3.5	941.2	16.7
Back	413.6	7.3	1354.8	24.0
Arm/shoulder	401.9	7.1	1756.7	31.2
Finger	1972.4	35.0	3729.1	66.2
Hand/wrist	321.9	5.7	4051.0	71.9
Leg/knee/hip	202.4	3.6	4253.4	75.5
Toe	98.3	1.7	4351.7	77.2
Foot	966.9	17.2	5318.6	94.4
Mult. parts	315.3	5.6	5633.9	100.0

Table 4-180. Estimates of lost-time injuries by nature of the injury for the State of Pennsylvania, 1995.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	97.5	1.7	97.5	1.7
Bruise	778.3	13.8	875.8	15.5
Burn	101.2	1.8	977.0	17.3
Cut	1887.3	33.5	2864.3	50.8
Crush	838.8	14.9	3703.1	65.7
Fracture	848.9	15.1	4552.0	80.8
Puncture	463.0	8.2	5015.0	89.0
Sprain/strain	517.7	9.2	5532.7	98.2
Mult. injury	101.2	1.8	5633.9	100.0

Table 4-181. Estimates of lost-time injuries by type of event for the State of Pennsylvania, 1995.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	101.2	1.8	101.2	1.8
Caught between	1927.3	34.2	2028.5	36.0
Caught under	919.0	16.3	2947.5	52.3
Struck by/against	442.5	7.9	3390.0	60.2
Struck by falling	395.3	7.0	3785.3	67.2
Struck by flying	564.2	10.0	4349.5	77.2
Contact sharp obj.	262.8	4.7	4612.3	81.9
Fall, same level	300.7	5.3	4913.0	87.2
Fall, elevation	401.9	7.1	5314.9	94.3
Overexertion	217.8	3.9	5532.7	98.2
Other	101.2	1.8	5633.9	100.0

Table 4-182. Estimates of lost-time injuries by activity when injured for the State of Pennsylvania, 1995.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	678.5	12.3	678.5	12.3
Machine maint.	884.0	16.0	1562.5	28.2
Field work	879.5	15.9	2442.0	44.1
Crop handling	551.9	10.0	2993.9	54.1
Livestock handling	593.2	10.7	3587.1	64.8
Other	1949.3	35.2	5536.4	100.0

(Frequency Missing = 97.5)

Table 4-183. Estimates of lost-time injuries by source of injury for the State of Pennsylvania, 1995.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	900.7	16.0	900.7	16.0
Machinery	622.6	11.1	1523.3	27.0
Livestock	390.8	6.9	1914.1	34.0
Hand tool	742.5	13.2	2656.6	47.2
Power tool	101.2	1.8	2757.8	49.0
Plant/tree	195.8	3.5	2953.6	52.4
Working surface	300.7	5.3	3254.3	57.8
Truck/auto	119.5	2.1	3373.8	59.9
Other vehicle	101.2	1.8	3475.0	61.7
Liquids	202.4	3.6	3677.4	65.3
Other	1956.5	34.7	5633.9	100.0

Table 4-184. Estimates of lost-time injuries by farm group for the State of Texas, 1995.

<u>Farm Group</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Crops	2078.7	25.0	2078.7	25.0
Livestock	6221.6	75.0	8300.3	100.0

Table 4-185. Estimates of lost-time injuries by status of the injured worker for the State of Texas, 1995.

<u>Status of Injured Worker</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Operator/family	5641.4	68.0	5641.4	68.0
Partner/family	709.8	8.6	6351.2	76.5
Hired labor	1949.1	23.5	8300.3	100.0

Table 4-186. Estimates of lost-time injuries by gender for the State of Texas, 1995.

<u>Gender</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Male	6990.6	84.2	6990.6	84.2
Female	1309.7	15.8	8300.3	100.0

Table 4-187. Estimates of lost-time injuries by age group for the State of Texas, 1995.

<u>Age Group (Years)</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
30-39	1466.6	17.7	1466.6	17.7
40-49	1800.7	21.7	3267.3	39.4
50-59	2232.9	26.9	5500.2	66.3
60-69	1987.2	23.9	7487.4	90.2
>=70	812.9	9.8	8300.3	100.0

Table 4-188. Estimates of lost-time injuries by race or ethnic origin for the State of Texas, 1995.

<u>Race/Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	7344.8	88.5	7344.8	88.5
Hispanic	955.5	11.5	8300.3	100.0

Table 4-189. Estimates of lost-time injuries by month for the State of Texas, 1995.

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
March	993.6	12.0	993.6	12.0
April	2800.1	33.7	3793.7	45.7
May	316.1	3.8	4109.8	49.5
June	245.7	3.0	4355.5	52.5
July	774.8	9.3	5130.3	61.8
August	496.8	6.0	5627.1	67.8
September	1206.6	14.5	6833.7	82.3
October	993.6	12.0	7827.3	94.3
November	213	2.6	8040.3	96.9
December	260	3.1	8300.3	100.0

Table 4-190. Estimates of lost-time injuries by severity of the injury for the State of Texas, 1995.

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	7274.4	87.6	7274.4	87.6
Permanent	1025.9	12.4	8300.3	100.0

Table 4-191. Estimates of lost-time injuries by whether professional medical attention was sought for the State of Texas, 1995.

<u>Medical Attention Required</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Unknown	1025.9	12.4	1025.9	12.4
Yes	6517.6	78.5	7543.5	90.9
No	756.8	9.1	8300.3	100.0

Table 4-192. Estimates of lost-time injuries by body part injured for the State of Texas, 1995.

<u>Body Part Injured</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Head/neck	709.8	8.6	709.8	8.6
Eye	426.0	5.1	1135.8	13.7
Back	1555.4	18.7	2691.2	32.4
Arm/shoulder	1490.4	18.0	4181.6	50.4
Finger	1569.7	18.9	5751.3	69.3
Leg/knee/hip	1309.7	15.8	7061.0	85.1
Mult. parts	496.8	6.0	7557.8	91.1
Other	742.5	8.9	8300.3	100.0

Table 4-193. Estimates of lost-time injuries by nature of the injury for the State of Texas, 1995.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	316.1	3.8	316.1	3.8
Bruise	993.6	12.0	1309.7	15.8
Burn	213.0	2.6	1522.7	18.3
Cut	993.6	12.0	2516.3	30.3
Crush	260.0	3.1	2776.3	33.4
Fracture	1309.7	15.8	4086.0	49.2
Sprain/strain	3291.5	39.7	7377.5	88.9
Mult. injury	709.8	8.6	8087.3	97.4
Other	213.0	2.6	8300.3	100.0

Table 4-194. Estimates of lost-time injuries by type of event for the State of Texas, 1995.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	316.1	3.8	316.1	3.8
Caught between	756.8	9.1	1072.9	12.9
Caught under	709.8	8.6	1782.7	21.5
Struck by/against	1522.7	18.3	3305.4	39.8
Struck by falling	213.0	2.6	3518.4	42.4
Contact sharp obj.	496.8	6.0	4015.2	48.4
Fall, same level	496.8	6.0	4512.0	54.4
Fall, elevation	993.6	12.0	5505.6	66.3
Overexertion	2794.7	33.7	8300.3	100.0

Table 4-195. Estimates of lost-time injuries by activity when injured for the State of Texas, 1995.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	993.6	12.0	993.6	12.0
Machine maint.	812.9	9.8	1806.5	21.8
Field work	671.7	8.1	2478.2	29.9
Crop handling	1555.4	18.7	4033.6	48.6
Livestock handling	4266.7	51.4	8300.3	100.0

Table 4-196. Estimates of lost-time injuries by source of injury for the State of Texas, 1995.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Livestock	2279.5	27.5	2279.5	27.5
Hand tool	993.6	12.0	3273.1	39.4
Power tool	316.1	3.8	3589.2	43.2
Plant/tree	922.8	11.1	4512.0	54.4
Working surface	1490.4	18.0	6002.4	72.3
Other	2297.9	27.7	8300.3	100.0

Table 4-197. Estimates of lost-time injuries by farm group for the State of Virginia, 1995.

Farm Group	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Crops	774.8	24.8	774.8	24.8
Livestock	2345.4	75.2	3120.2	100.0

Table 4-198. Estimates of lost-time injuries by status of the injured worker for the State of Virginia, 1995.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	1813.5	58.1	1813.5	58.1
Hired labor	998.4	32.0	2811.9	90.1
Unpaid nonfamily	112.0	3.6	2923.9	93.7
Other	196.3	6.3	3120.2	100.0

Table 4-199. Estimates of lost-time injuries by gender for the State of Virginia, 1995.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	2878.6	92.3	2878.6	92.3
Female	241.6	7.7	3120.2	100.0

Table 4-200. Estimates of lost-time injuries by age group for the State of Virginia, 1995.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
<20	281.2	9.0	281.2	9.0
20-29	296.3	9.5	577.5	18.5
30-39	774.1	24.8	1351.6	43.3
40-49	433.2	13.9	1784.8	57.2
50-59	857.9	27.5	2642.7	84.7
60-69	477.5	15.3	3120.2	100.0

Table 4-201. Estimates of lost-time injuries by race or ethnic origin for the State of Virginia, 1995.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	2306.7	73.9	2306.7	73.9
Hispanic	224.6	7.2	2531.3	81.1
Black	588.9	18.9	3120.2	100.0

Table 4-202. Estimates of lost-time injuries by month for the State of Virginia, 1995.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
March	353.9	11.3	353.9	11.3
April	629.5	20.2	983.4	31.5
May	196.3	6.3	1179.7	37.8
June	492.6	15.8	1672.3	53.6
July	281.2	9.0	1953.5	62.6
Aug	392.6	12.6	2346.1	75.2
September	140.2	4.5	2486.3	79.7
October	56.7	1.8	2543.0	81.5
November	380.9	12.2	2923.9	93.7
December	196.3	6.3	3120.2	100.0

Table 4-203. Estimates of lost-time injuries by severity of the injury for the State of Virginia, 1995.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	3120.2	100.0	3120.2	100.0

Table 4-204. Estimates of lost-time injuries by whether professional medical attention was sought for the State of Virginia, 1995.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	2739.3	93.3	2739.3	93.3
No	196.3	6.7	2935.6	100.0

(Frequency Missing = 184.6)

Table 4-205. Estimates of lost-time injuries by body part injured for the State of Virginia, 1995.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Eye	40.0	1.3	40.0	1.3
Chest/trunk	449.3	14.4	489.3	15.7
Arm/shoulder	299.2	9.6	788.5	25.3
Finger	673.8	21.6	1462.3	46.9
Hand/wrist	644.2	20.6	2106.5	67.5
Leg/knee/hip	688.9	22.1	2795.4	89.6
Toe	184.6	5.9	2980.0	95.5
Foot	55.3	1.8	3035.3	97.3
Mult.parts	84.9	2.7	3120.2	100.0

Table 4-206. Estimates of lost-time injuries by nature of the injury for the State of Virginia, 1995.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	84.9	2.7	84.9	2.7
Burn	236.3	7.6	321.2	10.3
Cut	281.2	9.0	602.4	19.3
Crush	718.8	23.0	1321.2	42.3
Fracture	785.2	25.2	2106.4	67.5
Puncture	351.6	11.3	2458.0	78.8
Sprain/Strain	381.0	12.2	2839.0	91.0
Other	281.2	9.0	3120.2	100.0

Table 4-207. Estimates of lost-time injuries by type of event for the State of Virginia, 1995.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	196.3	6.3	196.3	6.3
Caught between	619.1	19.8	815.4	26.1
Struck by/against	688.9	22.1	1504.3	48.2
Struck by falling	436.2	14.0	1940.5	62.2
Contact sharp object	281.2	9.0	2221.7	71.2
Fall, same level	281.2	9.0	2502.9	80.2
Fall, elevation	269.0	8.6	2771.9	88.8
Overexertion	56.7	1.8	2828.6	90.7
Other	291.6	9.3	3120.2	100.0

Table 4-208. Estimates of lost-time injuries by activity when injured for the State of Virginia, 1995.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm main.	840.5	26.9	840.5	26.9
Machine main.	225.1	7.2	1065.6	34.2
Field work	427.1	13.7	1492.7	47.8
Crop handling	196.3	6.3	1689.0	54.1
Livestock handling	1291.2	41.4	2980.2	95.5
Other	140.0	4.5	3120.2	100.0

Table 4-209. Estimates of lost-time injuries by source of injury for the State of Virginia, 1995.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	84.9	2.7	84.9	2.7
Machinery	477.5	15.3	562.4	18.0
Livestock	702.3	22.5	1264.7	40.5
Hand tool	84.9	2.7	1349.6	43.3
Power tool	380.9	12.2	1730.5	55.5
Plant/tree	196.3	6.3	1926.8	61.8
Working surface	100.0	3.2	2026.8	65.0
Truck/auto	84.9	2.7	2111.7	67.7
Other vehicle	269.0	8.6	2380.7	76.3
Other	739.5	23.7	3120.2	100.0