

PipeID	Collapse Test Number	Nominal		
		OD	Weight	Yield
1	1	2.875	7.8	125
2	2	3.5	9.2	110
3	3	3.5	10.2	125
4		4.5	12.6	80
5		4.5	12.6	80
6		4.5	12.6	80
7		4.5	12.6	80
8		4.5	12.6	80
9		4.5	12.6	80
10	6	4.5	12.6	80
11	5	4.5	12.6	80
12	4	4.5	12.6	80
13	7	4.5	13.5	85
14	8	4.5	13.5	95
15	9	4.5	13.5	110
16	10	4.5	13.5	125
17	11	4.5	15.1	95
18	14	4.5	15.1	110
19	12	4.5	15.1	110
20	13	4.5	15.1	110
21		5	15	95
22	17	5	15	95
23	15	5	15	95
24	16	5	15	95
25	20	5.5	14	55
26	19	5.5	14	55
27	18	5.5	14	55
28	21	5.5	14	55
29	29	5.5	17	80
30	26	5.5	17	80
31	28	5.5	17	80
32	27	5.5	17	80
33	22	5.5	17	80
34	24	5.5	17	80
35	23	5.5	17	80
36	25	5.5	17	80
37	30	5.5	17	110
38		5.5	20	80
39	36	5.5	20	80
40	35	5.5	20	80
41	34	5.5	20	80
42		5.5	20	80
43	31	5.5	20	80
44	33	5.5	20	80
45	32	5.5	20	80
46	41	5.5	20	110
47	40	5.5	20	110
48		5.5	20	110

49	37	5.5	20	110
50	39	5.5	20	110
51	38	5.5	20	110
52	44	5.5	23	110
53	42	5.5	23	110
54	43	5.5	23	110
55		7	26	55
56	47	7	26	55
57	45	7	26	55
58	46	7	26	55
59		7	29	80
60	56	7	29	80
61	54	7	29	80
62	55	7	29	80
63		7	29	80
64		7	29	80
65		7	29	80
66		7	29	80
67	53	7	29	80
68	52	7	29	80
69	51	7	29	80
70	49	7	29	80
71	48	7	29	80
72	50	7	29	80
73		7	29	80
74		7	29	80
75	58	7	29	95
76	59	7	29	95
77	57	7	29	95
78	63	7	29	110
79	61	7	29	110
80	62	7	29	110
81	60	7	29	110
82		7	29	110
83		7	29	110
84		7	29	110
85		7	29	110
86		7	29	110
87		7	32	80
88	66	7	32	80
89	65	7	32	80
90	64	7	32	80
91		7	32	110
92	68	7	32	110
93	67	7	32	110
94	69	7	32	110
95		7	32	110
96		7	35	125
97	71	7	35	125
98	70	7	35	125
99	72	7	35	125
100		7.625	29.7	110

101		7.625	29.7	110
102		7.625	55.3	110
103		7.625	55.3	110
104		7.625	55.3	110
105		7.75	46.1	110
106	75	7.75	46.1	110
107	74	7.75	46.1	110
108	73	7.75	46.1	110
109	76	7.75	46.1	125
110	77	7.75	46.1	125
111		8.625	24	55
112	79	8.625	24	55
113	80	8.625	24	55
114	78	8.625	24	55
115	84	8.625	32	55
116	83	8.625	32	55
117	82	8.625	32	55
118	81	8.625	32	55
119	88	9.625	36	55
120	85	9.625	36	55
121	87	9.625	36	55
122	86	9.625	36	55
123		9.625	36	55
124	91	9.625	36	55
125	90	9.625	36	55
126	89	9.625	36	55
127		9.625	40	80
128		9.625	40	80
129		9.625	40	80
130	93	9.625	40	80
131	92	9.625	40	80
132	94	9.625	40	80
133		9.625	40	110
134		9.625	43.5	110
135		9.625	43.5	110
136		9.625	43.5	110
137		9.625	43.5	110
138		9.625	47	80
139	97	9.625	47	80
140	96	9.625	47	80
141	95	9.625	47	80
142		9.625	47	80
143	98	9.625	47	80
144	100	9.625	47	80
145	99	9.625	47	80
146		9.625	53.5	110
147	101	9.625	53.5	110
148	103	9.625	53.5	110
149	102	9.625	53.5	110
150		9.625	53.5	110
151	106	9.625	53.5	110
152	104	9.625	53.5	110

153	105	9.625	53.5	110
154		9.625	53.5	125
155	109	9.625	53.5	125
156	107	9.625	53.5	125
157	108	9.625	53.5	125
158		10.75	40.5	55
159	112	10.75	40.5	55
160	110	10.75	40.5	55
161	111	10.75	40.5	55
162		10.75	45.5	80
163	113	10.75	45.5	80
164	115	10.75	45.5	80
165	114	10.75	45.5	80
166		11.75	71	125
167	118	11.75	71	125
168	116	11.75	71	125
169	117	11.75	71	125
170		13.375	48	40
171	120	13.375	48	40
172	119	13.375	48	40
173	121	13.375	48	40
174	126	13.375	54.5	55
175	128	13.375	54.5	55
176	125	13.375	54.5	55
177	127	13.375	54.5	55
178		13.375	54.5	55
179	124	13.375	54.5	55
180	122	13.375	54.5	55
181	123	13.375	54.5	55
182		13.375	68	80
183	129	13.375	68	80
184	131	13.375	68	80
185	130	13.375	68	80
186		13.375	68	110
187	136	13.375	68	110
188	135	13.375	68	110
189	137	13.375	68	110
190		13.375	68	110
191	132	13.375	68	110
192	134	13.375	68	110
193	133	13.375	68	110
194		13.375	72	80
195	138	13.375	72	95
196	139	13.375	72	95
197		13.375	72	110
198		13.375	72	110
199		13.375	72	110
200		13.375	72	110
201	140	13.375	72	110
202	141	13.375	72	110
203	142	13.375	72	110
204		13.625	88.2	125

205	144	13.625	88.2	125
206	145	13.625	88.2	125
207	143	13.625	88.2	125
208		16	84	55
209		16	84	80
210	148	16	84	80
211	147	16	84	80
212	146	16	84	80
213		16	97	110
214	150	16	97	110
215	149	16	97	110
216	151	16	97	110