

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, 2001

Part of body	Part of body code ²	Total cases	Event or exposure leading to injury or illness ³						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Private industry		1,537,567	400,033	199,855	101,177	68,048	96,359	182,641	50,269
Head	0	99,523	60,622	31,543	11,090	436	3,543	8,736	-
Head, unspecified	00	18,346	11,525	6,785	4,539	105	1,022	3,060	-
Cranial region, including skull	01	11,726	5,918	3,567	2,258	84	1,490	2,727	-
Cranial region, unspecified	010	442	297	154	142	-	45	40	-
Brain	011	7,555	3,418	2,204	1,197	-	1,182	1,678	-
Scalp	012	3,169	1,892	954	880	52	166	894	-
Skull	013	389	179	151	-	-	97	78	-
Multiple cranial region locations	018	37	-	-	-	-	-	-	-
Cranial region, n.e.c.	019	135	97	81	-	-	-	-	-
Ear(s)	02	2,628	336	237	-	17	19	-	-
Face	03	65,397	42,065	20,549	3,905	216	932	2,807	-
Face, unspecified	030	6,115	2,144	1,785	345	-	324	249	-
Forehead	031	3,383	2,307	1,446	843	-	125	525	-
Eye(s)	032	44,811	31,376	12,275	1,690	91	54	480	-
Nose, nasal cavity	033	3,099	1,916	1,569	333	-	51	421	-
Nose, except internal location of diseases or disorders	0330	2,977	1,916	1,569	333	-	51	421	-
Sinuses	0334	82	-	-	-	-	-	-	-
Cheek(s)	034	971	692	579	82	-	17	-	-
Jaw/chin	035	1,462	724	471	252	-	172	243	-
Mouth	036	2,575	1,445	1,231	189	17	127	430	-
Mouth, unspecified	0360	454	235	184	39	-	-	98	-
Lip(s)	0361	700	374	339	-	-	-	138	-
Tooth(teeth)	0363	1,194	688	585	102	-	99	134	-
Multiple mouth locations	0368	180	115	106	-	-	-	59	-
Multiple face locations	038	2,751	1,381	1,154	159	64	56	431	-
Face, n.e.c.	039	229	81	38	-	-	-	-	-
Multiple head locations	08	1,174	611	320	277	-	69	116	-
Head, n.e.c.	09	252	167	85	81	-	-	-	-
Neck, including throat	1	27,110	4,097	2,642	1,288	38	638	1,230	295
Neck, except internal location of diseases or disorders	10	26,502	4,095	2,639	1,288	38	638	1,230	295
Internal neck location, unspecified	11	486	-	-	-	-	-	-	-
Vocal cord(s)	12	-	-	-	-	-	-	-	-
Larynx	13	17	-	-	-	-	-	-	-
Trachea	16	41	-	-	-	-	-	-	-
Trunk	2	561,603	30,567	17,743	8,364	2,200	25,774	51,944	14,819
Trunk, unspecified	20	2,716	438	269	40	68	376	481	59
Shoulder, including clavicle, scapula	21	88,484	7,102	4,738	1,709	360	4,428	10,276	1,368
Chest, including ribs, internal organs	22	23,489	4,871	3,065	1,334	289	2,528	4,205	100
Chest, except internal location of diseases or disorders	220	21,189	4,871	3,065	1,334	289	2,518	4,192	100
Internal chest location, unspecified	221	289	-	-	-	-	-	-	-
Heart	223	522	-	-	-	-	-	-	-
Bronchus	224	234	-	-	-	-	-	-	-
Lung(s), pleura	225	1,231	-	-	-	-	-	-	-
Back, including spine, spinal cord	23	372,683	11,754	6,055	3,450	743	14,805	27,568	11,647
Back, including spine, spinal cord, unspecified	230	158,124	5,594	2,866	1,607	505	6,509	11,889	5,661

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, 2001 — Continued

Part of body	Event or exposure leading to injury or illness ³									All other events ⁴
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			
	Total	In lifting					Total	By person	All other assaults	
Private industry	409,011	227,291	65,162	68,269	66,802	3,711	23,694	17,214	6,479	171,615
Head	166	136	—	16,927	3,856	1,069	3,391	2,881	510	1,194
Head, unspecified	59	57	—	161	1,568	181	538	475	63	229
Cranial region, including skull	39	39	—	—	919	—	342	342	—	252
Cranial region, unspecified	—	—	—	—	—	—	18	18	—	—
Brain	38	38	—	—	755	—	251	251	—	213
Scalp	—	—	—	—	124	—	72	72	—	—
Skull	—	—	—	—	—	—	—	—	—	—
Multiple cranial region locations	—	—	—	—	—	—	—	—	—	—
Cranial region, n.e.c.	—	—	—	—	—	—	—	—	—	—
Ear(s)	—	—	—	1,844	—	—	213	180	—	132
Face	55	—	—	14,799	1,158	787	2,205	1,793	413	574
Face, unspecified	—	—	—	1,778	432	626	445	225	220	113
Forehead	—	—	—	91	119	—	191	168	—	—
Eye(s)	40	—	—	11,996	63	76	409	354	56	313
Nose, nasal cavity	—	—	—	168	172	—	279	275	—	83
Nose, except internal location of diseases or disorders	—	—	—	46	172	—	279	275	—	83
Sinuses	—	—	—	82	—	—	—	—	—	—
Cheek(s)	—	—	—	124	—	19	65	60	—	—
Jaw/chin	—	—	—	—	—	—	290	246	43	—
Mouth	—	—	—	57	143	—	346	321	—	—
Mouth, unspecified	—	—	—	—	70	—	—	—	—	—
Lip(s)	—	—	—	—	—	—	120	98	—	—
Tooth(teeth)	—	—	—	—	51	—	208	205	—	—
Multiple mouth locations	—	—	—	—	—	—	—	—	—	—
Multiple face locations	—	—	—	555	112	67	128	116	—	—
Face, n.e.c.	—	—	—	—	64	—	52	—	—	—
Multiple head locations	—	—	—	88	117	60	93	91	—	—
Head, n.e.c.	—	—	—	—	59	—	—	—	—	—
Neck, including throat	9,306	4,674	828	761	6,082	—	625	561	64	3,244
Neck, except internal location of diseases or disorders	9,302	4,673	817	200	6,082	—	625	561	64	3,213
Internal neck location, unspecified	—	—	—	479	—	—	—	—	—	—
Vocal cord(s)	—	—	—	—	—	—	—	—	—	18
Larynx	—	—	—	—	—	—	—	—	—	—
Trachea	—	—	—	41	—	—	—	—	—	—
Trunk	326,743	191,294	10,508	3,070	17,550	121	4,152	3,585	567	76,355
Trunk, unspecified	606	302	65	122	204	—	108	106	—	254
Shoulder, including clavicle, scapula	47,585	21,894	6,083	82	2,562	—	632	605	—	8,337
Chest, including ribs, internal organs	5,629	2,958	105	1,828	1,594	—	840	674	167	1,787
Chest, except internal location of diseases or disorders	5,462	2,846	104	261	1,591	—	830	663	167	1,259
Internal chest location, unspecified	—	—	—	144	—	—	—	—	—	121
Heart	102	87	—	—	—	—	—	—	—	394
Bronchus	—	—	—	234	—	—	—	—	—	—
Lung(s), pleura	40	—	—	1,167	—	—	—	—	—	—
Back, including spine, spinal cord	230,523	138,384	3,810	159	11,103	—	1,444	1,357	88	59,849
Back, including spine, spinal cord, unspecified	93,906	57,810	1,283	132	5,942	19	722	674	48	26,467

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, 2001 — Continued

Part of body	Part of body code ²	Total cases	Event or exposure leading to injury or illness ³						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Lumbar region	231	183,424	4,961	2,374	1,590	217	5,917	11,712	5,133
Thoracic region	232	15,064	670	494	146	—	484	878	368
Sacral region	233	1,765	56	—	—	—	49	207	74
Coccygeal region	234	2,778	150	122	—	—	1,196	1,263	—
Multiple back regions	238	11,034	283	159	43	—	596	1,556	394
Back, including spine, spinal cord, n.e.c.	239	494	40	—	—	—	53	65	—
Abdomen	24	34,538	1,481	933	405	56	372	950	283
Abdomen, except internal location of diseases or disorders	240	9,435	1,201	735	369	55	251	772	67
Internal abdominal location, unspecified	241	12,920	139	102	17	—	67	71	118
Stomach organ	242	886	—	—	—	—	—	—	—
Spleen	243	—	—	—	—	—	—	19	—
Intestines, peritoneum	245	11,070	122	95	19	—	54	88	66
Intestines, peritoneum, unspecified	2450	9,556	102	82	19	—	53	73	61
Peritoneum	2451	425	—	—	—	—	—	—	—
Small intestine	2452	180	—	—	—	—	—	—	—
Large intestine/colon, rectum	2453	672	17	—	—	—	—	—	—
Intestines, n.e.c.	2459	231	—	—	—	—	—	—	—
Other digestive structures	246	79	18	—	—	—	—	—	—
Other digestive structures, unspecified	2460	18	18	—	—	—	—	—	—
Liver	2461	62	—	—	—	—	—	—	—
Internal abdominal location, n.e.c.	249	98	—	—	—	—	—	—	—
Pelvic region	25	25,674	2,804	1,772	712	254	1,850	5,808	764
Pelvic region, unspecified	250	835	95	—	17	42	48	235	—
Hip(s)	251	9,213	824	335	324	120	1,302	3,785	305
Pelvis	252	929	224	179	—	—	103	197	—
Buttock(s)	253	1,802	199	177	—	—	269	979	51
Groin	254	11,560	1,004	695	264	—	93	311	384
External reproductive tract structures	255	738	401	343	44	—	—	112	—
External reproductive tract structures, unspecified	2550	69	—	—	—	—	—	—	—
Scrotum	2551	283	155	112	39	—	—	43	—
Penis	2552	264	223	213	—	—	—	—	—
External female genital region	2553	116	—	—	—	—	—	65	—
Internal reproductive tract structures	256	122	—	—	—	—	—	—	—
Testis(testes)	2562	76	—	—	—	—	—	—	—
Multiple pelvic region locations	258	283	—	—	—	—	—	64	—
Pelvic region, n.e.c.	259	191	—	—	—	—	—	112	—
Multiple trunk locations	28	13,882	2,088	887	711	428	1,413	2,618	597
Trunk, n.e.c.	29	136	—	—	—	—	—	38	—
Upper extremities	3	355,344	188,712	82,867	44,821	53,351	12,513	27,391	816
Upper extremities, unspecified	30	619	202	135	—	43	—	16	—
Arm(s)	31	70,945	19,328	8,370	8,043	2,307	5,587	11,259	271
Arm(s), unspecified	310	24,643	5,988	3,192	1,344	1,210	2,034	3,582	105
Upper arm(s)	311	4,953	786	425	239	112	388	709	37
Elbow(s)	312	25,589	6,665	1,470	4,865	154	2,303	5,200	118
Forearm(s)	313	12,448	5,206	3,002	1,391	643	627	1,242	—
Multiple arm(s) locations	318	2,637	497	191	157	148	182	448	—

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, 2001 — Continued

Part of body	Event or exposure leading to injury or illness ³									All other events ⁴
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			
	Total	In lifting					Total	By person	All other assaults	
Lumbar region	119,940	71,336	2,061	17	3,863	—	530	493	—	29,290
Thoracic region	9,789	5,605	273	—	456	—	98	95	—	2,040
Sacral region	1,117	659	—	—	48	—	—	—	—	184
Coccygeal region	37	—	—	—	42	—	—	—	—	78
Multiple back regions	5,522	2,862	134	—	735	—	80	80	—	1,731
Back, including spine, spinal cord, n.e.c.	212	88	37	—	17	—	—	—	—	59
Abdomen	27,392	18,653	249	582	271	—	607	503	104	2,320
Abdomen, except internal location of diseases or disorders	5,493	3,715	45	261	234	—	586	485	101	495
Internal abdominal location, unspecified	11,281	7,683	108	—	—	—	—	—	—	1,117
Stomach organ	661	435	—	153	—	—	—	—	—	42
Spleen	—	—	—	—	—	—	—	—	—	—
Intestines, peritoneum	9,860	6,768	96	125	—	—	—	—	—	646
Intestines, peritoneum, unspecified	8,554	5,705	57	74	—	—	—	—	—	573
Peritoneum	369	330	—	—	—	—	—	—	—	46
Small intestine	150	123	—	—	—	—	—	—	—	—
Large intestine/colon, rectum	598	449	—	—	—	—	—	—	—	—
Intestines, n.e.c.	183	155	—	45	—	—	—	—	—	—
Other digestive structures	—	—	—	—	—	—	—	—	—	—
Other digestive structures, unspecified	—	—	—	—	—	—	—	—	—	—
Liver	—	—	—	—	—	—	—	—	—	—
Internal abdominal location, n.e.c.	92	51	—	—	—	—	—	—	—	—
Pelvic region	10,478	6,678	69	209	764	—	227	166	62	2,674
Pelvic region, unspecified	273	119	—	—	57	—	—	—	—	113
Hip(s)	1,409	777	40	66	487	—	66	57	—	929
Pelvis	160	146	—	—	119	—	—	—	—	109
Buttock(s)	106	—	—	53	—	—	—	—	—	104
Groin	8,172	5,474	—	74	53	—	107	73	—	1,335
External reproductive tract structures	140	73	—	—	37	—	—	—	—	—
External reproductive tract structures, unspecified	—	—	—	—	—	—	—	—	—	—
Scrotum	59	—	—	—	—	—	—	—	—	—
Penis	—	—	—	—	37	—	—	—	—	—
External female genital region	43	43	—	—	—	—	—	—	—	—
Internal reproductive tract structures	58	—	—	—	—	—	—	—	—	46
Testis(testes)	—	—	—	—	—	—	—	—	—	46
Multiple pelvic region locations	135	—	—	—	—	—	—	—	—	—
Pelvic region, n.e.c.	—	—	—	—	—	—	—	—	—	—
Multiple trunk locations	4,513	2,418	127	76	1,044	—	293	175	117	1,104
Trunk, n.e.c.	—	—	—	—	—	—	—	—	—	—
Upper extremities	35,716	15,340	49,664	18,426	3,532	961	6,390	3,547	2,843	11,222
Upper extremities, unspecified	—	—	165	136	—	19	—	—	—	—
Arm(s)	15,734	7,682	6,869	5,274	1,025	192	1,409	729	680	3,997
Arm(s), unspecified	5,508	2,930	1,603	2,937	488	116	606	306	300	1,678
Upper arm(s)	2,299	1,121	157	175	49	—	127	106	—	218
Elbow(s)	5,263	2,436	3,971	196	228	—	186	166	—	1,435
Forearm(s)	1,770	811	790	1,740	162	—	411	131	280	454
Multiple arm(s) locations	745	320	322	167	42	—	75	18	58	152

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, 2001 — Continued

Part of body	Part of body code ²	Total cases	Event or exposure leading to injury or illness ³						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Arm(s), n.e.c.	319	674	186	90	46	40	53	79	—
Wrist(s)	32	78,857	10,248	5,549	3,047	1,236	4,937	9,742	356
Hand(s), except finger(s)	33	63,727	43,014	20,794	10,254	10,012	849	2,619	91
Finger(s), fingernail(s)	34	123,523	109,807	45,550	22,511	37,301	489	2,628	83
Multiple upper extremities locations ...	38	17,517	6,106	2,465	941	2,453	638	1,122	—
Multiple upper extremities locations, unspecified	380	134	43	—	—	—	—	—	—
Hand(s) and finger(s)	381	5,059	3,465	1,295	480	1,517	43	162	—
Hand(s) and wrist(s)	382	4,296	1,255	439	202	568	150	322	—
Hand(s) and arm(s)	383	1,608	374	167	—	176	—	81	—
Multiple upper extremities locations, n.e.c.	389	6,421	968	548	211	187	410	555	—
Upper extremities, n.e.c.	39	156	—	—	—	—	—	—	—
Lower extremities	4	322,959	99,959	54,215	32,314	10,731	33,693	56,295	31,440
Lower extremities, unspecified	40	262	69	40	18	—	64	—	—
Leg(s)	41	163,416	39,168	18,463	15,902	2,855	13,986	35,502	15,055
Leg(s), unspecified	410	21,724	8,704	5,261	2,239	793	2,173	3,471	688
Thigh(s)	411	6,243	2,282	1,754	395	109	615	928	191
Knee(s)	412	119,669	21,743	8,031	10,804	1,467	9,468	28,839	13,682
Lower leg(s)	413	11,782	5,205	2,704	2,100	336	1,031	1,406	225
Multiple leg(s) locations	418	3,473	1,002	559	332	105	649	768	246
Leg(s), n.e.c.	419	523	232	155	—	44	50	90	—
Ankle(s)	42	80,071	14,113	5,163	6,853	1,980	12,575	14,311	14,124
Foot(feet), except toe(s)	43	51,721	28,592	17,662	6,792	3,657	5,109	4,093	1,525
Foot(feet), except toe(s), unspecified	430	45,261	25,774	16,289	5,626	3,396	3,561	3,817	1,314
Instep(s)	431	923	600	503	64	—	—	—	—
Sole	432	4,310	1,701	511	990	184	1,489	192	133
Sole(s), unspecified	4320	525	504	—	495	—	—	—	—
Ball(s)	4321	52	46	—	46	—	—	—	—
Arch(es)	4322	273	206	143	51	—	—	—	—
Heel(s)	4323	3,396	922	366	375	169	1,476	190	117
Sole(s), n.e.c.	4329	57	20	—	20	—	—	—	—
Multiple foot(feet) locations	438	340	152	117	—	—	—	—	64
Foot(feet), n.e.c.	439	887	364	242	91	—	—	45	—
Toe(s), toenail(s)	44	16,396	14,334	11,094	1,854	1,271	320	503	110
Multiple lower extremities locations ...	48	11,039	3,680	1,792	896	956	1,635	1,857	622
Multiple lower extremities locations, unspecified	480	99	—	—	—	—	—	—	—
Foot(feet) and leg(s)	481	1,256	194	134	44	—	46	467	45
Foot(feet) and ankle(s)	482	4,427	1,486	483	340	656	888	469	259
Foot(feet) and toe(s)	483	1,082	816	595	78	120	20	17	49
Multiple lower extremities locations, n.e.c.	489	4,174	1,162	565	432	163	668	877	247
Lower extremities, n.e.c.	49	54	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, 2001 — Continued

Part of body	Event or exposure leading to injury or illness ³									All other events ⁴
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			
	Total	In lifting					Total	By person	All other assaults	
Arm(s), n.e.c.	149	65	—	58	56	—	—	—	—	61
Wrist(s)	13,131	5,184	34,474	838	785	—	1,043	916	127	3,295
Hand(s), except finger(s)	2,633	1,031	2,543	7,326	581	625	1,940	944	997	1,506
Finger(s), fingernail(s)	2,174	589	2,077	2,553	484	67	1,628	798	830	1,535
Multiple upper extremities locations ...	1,982	811	3,526	2,238	647	51	341	149	192	856
Multiple upper extremities locations, unspecified	—	—	—	—	—	—	—	—	—	—
Hand(s) and finger(s)	130	54	218	832	—	—	120	—	107	79
Hand(s) and wrist(s)	543	190	1,032	550	55	—	108	40	68	274
Hand(s) and arm(s)	204	74	324	467	—	—	—	—	—	73
Multiple upper extremities locations, n.e.c.	1,090	484	1,924	367	567	—	89	87	—	414
Upper extremities, n.e.c.	—	—	—	61	—	—	—	—	—	—
Lower extremities	16,788	5,646	1,014	6,863	10,577	164	3,500	1,870	1,630	62,666
Lower extremities, unspecified	—	—	—	—	41	—	—	—	—	—
Leg(s)	13,906	4,808	771	2,369	4,991	133	2,646	1,353	1,293	34,887
Leg(s), unspecified	1,321	503	61	1,114	1,681	77	818	148	670	1,616
Thigh(s)	842	429	18	461	185	—	258	74	185	458
Knee(s)	10,918	3,676	647	134	2,085	—	1,241	956	284	30,891
Lower leg(s)	631	162	—	562	839	—	265	150	115	1,564
Multiple leg(s) locations	165	39	—	81	171	—	—	—	—	338
Leg(s), n.e.c.	—	—	—	16	—	—	—	—	—	—
Ankle(s)	1,724	511	78	540	1,515	—	420	189	231	20,663
Foot(feet), except toe(s)	780	228	141	3,152	2,661	—	167	86	81	5,479
Foot(feet), except toe(s), unspecified	674	190	121	2,706	2,442	—	156	77	79	4,673
Instep(s)	—	—	—	200	—	—	—	—	—	99
Sole	93	—	20	16	150	—	—	—	—	513
Sole(s), unspecified	—	—	—	—	—	—	—	—	—	—
Ball(s)	—	—	—	—	—	—	—	—	—	—
Arch(es)	—	—	—	—	—	—	—	—	—	—
Heel(s)	88	—	20	—	150	—	—	—	—	429
Sole(s), n.e.c.	—	—	—	—	—	—	—	—	—	37
Multiple foot(feet) locations	—	—	—	—	—	—	—	—	—	—
Foot(feet), n.e.c.	—	—	—	201	52	—	—	—	—	170
Toe(s), toenail(s)	149	64	—	54	600	—	—	—	—	291
Multiple lower extremities locations ...	226	—	—	724	741	—	237	217	20	1,295
Multiple lower extremities locations, unspecified	—	—	—	—	—	—	—	—	—	—
Foot(feet) and leg(s)	—	—	—	239	112	—	38	—	—	103
Foot(feet) and ankle(s)	—	—	—	250	244	—	161	161	—	636
Foot(feet) and toe(s)	—	—	—	46	97	—	—	—	—	—
Multiple lower extremities locations, n.e.c.	178	—	19	184	286	—	—	—	—	541
Lower extremities, n.e.c.	—	—	—	—	—	—	—	—	—	16

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, 2001 — Continued

Part of body	Part of body code ²	Total cases	Event or exposure leading to injury or illness ³						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Body systems	5	21,657	337	118	185	—	399	300	—
Multiple body parts	8	139,675	15,211	10,410	3,015	1,239	19,108	36,024	2,686
Other body parts	9	226	42	28	14	—	22	—	—
Prosthetic devices	91	47	42	—	—	—	—	—	—
Other body parts, n.e.c.	98	179	—	—	—	—	—	—	—
Nonclassifiable	9999	9,469	486	289	85	20	669	721	204

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, 2001 — Continued

Part of body	Event or exposure leading to injury or illness ³									
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			All other events ⁴
	Total	In lifting					Total	By person	All other assaults	
Body systems	125	96	59	14,526	241	65	1,448	1,356	92	4,159
Multiple body parts	19,510	9,892	2,972	6,171	23,852	1,317	3,989	3,342	646	8,836
Other body parts	35	—	—	55	29	—	—	—	—	39
Prosthetic devices	—	—	—	—	—	—	—	—	—	—
Other body parts, n.e.c.	—	—	—	55	—	—	—	—	—	—
Nonclassifiable	623	212	106	1,469	1,083	—	197	69	128	3,900

¹ Days-away-from-work cases include those which result in days away from work with or without restricted work activity.

² Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Data shown in columns correspond to the following Event codes: Contact with objects, Total = 00-09; Struck by object = 020-029; Struck against object = 010-019; Caught in or compressed or crushed = 030-049; Fall to lower level = 110-119; Fall on same level = 130-139; Slips or trips without fall = 215; Overexertion, Total = 220-229; In lifting = 221; Repetitive motion = 230-239; Exposure to harmful substance or environment = 30-39; Transportation accidents = 40-49; Fires and explosions = 50-52; Assaults

and violent acts, Total = 60-63; By person = 61; All other assaults = 60, 62, and 63; All other events = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁴ Includes nonclassifiable responses.

NOTE: Dashes indicate data that are not available. Because of rounding, data may not sum to totals.
n.e.c. = not elsewhere classified.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor