

TABLE R45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, 2004

Nature	Nature code ²	Private industry ³	Age										Not reported
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over		
Total		1,259,320	-	200	38,230	141,730	303,880	331,610	272,250	128,810	23,950	18,670	
Traumatic injuries and disorders	0	1,167,100	-	200	36,690	135,080	284,570	306,090	248,190	116,980	22,390	16,930	
Traumatic injuries and disorders, unspecified	00	37,510	-	-	1,160	3,870	7,700	9,900	8,780	3,860	790	1,440	
Traumatic injuries to bones, nerves, spinal cord	01	103,660	-	-	3,140	9,940	20,610	25,590	23,760	14,470	5,210	940	
Traumatic injuries to bones, nerves, spinal cord, unspecified	010	460	-	-	-	-	100	100	230	-	-	-	
Dislocations	011	8,670	-	-	460	940	1,890	2,070	1,910	970	260	180	
Fractures	012	94,040	-	-	2,670	8,930	18,560	23,180	21,570	13,430	4,940	760	
Traumatic injuries to spinal cord	013	60	-	-	-	-	20	-	-	-	-	-	
Traumatic injuries to nerves, except the spinal cord	014	130	-	-	-	20	-	50	-	-	-	-	
Multiple traumatic injuries to bones nerves, spinal cord	018	200	-	-	-	-	-	120	-	-	-	-	
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	019	90	-	-	-	-	-	50	-	-	-	-	
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	02	531,000	-	40	12,170	54,560	132,570	149,540	116,380	51,510	7,270	6,960	
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	020	4,570	-	-	90	490	940	1,260	850	770	130	40	
Sprains, strains, tears	021	525,390	-	40	12,030	54,020	131,390	147,850	115,330	50,680	7,140	6,920	
Injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	029	1,040	-	-	50	50	250	430	210	60	-	-	
Open wounds	03	129,630	-	50	6,650	22,840	33,800	29,290	22,930	9,950	1,670	2,450	
Open wounds, unspecified	030	630	-	-	-	100	50	240	150	90	-	-	
Amputations	031	8,160	-	-	260	820	2,130	1,970	2,100	750	80	60	
Amputations, fingertip	0311	5,570	-	-	210	490	1,520	1,460	1,260	520	60	50	
Amputations, except fingertip	0319	2,590	-	-	50	330	600	510	840	230	20	-	
Animal or insect bites	032	4,020	-	-	430	450	1,250	750	710	320	60	50	
Avulsions	033	1,990	-	-	60	360	360	460	390	90	-	250	
Cuts, lacerations	034	98,660	-	50	5,140	17,910	26,000	21,640	16,700	7,990	1,390	1,850	
Gunshot wounds	036	170	-	-	-	-	20	-	90	50	-	-	
Punctures, except bites	037	15,470	-	-	740	3,050	3,930	4,060	2,730	650	80	230	
Multiple open wounds	038	210	-	-	-	70	-	-	-	-	-	-	
Open wounds, n.e.c.	039	310	-	-	-	60	50	80	50	-	-	-	

See footnotes at end of table.

TABLE R45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, 2004 — Continued

Nature	Nature code ²	Private industry ³	Age										Not reported
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over		
Surface wounds and bruises ..	04	139,410	—	80	5,580	18,270	34,350	33,210	28,590	14,140	3,300	1,890	
Surface wounds and bruises, unspecified	040	280	—	—	—	—	100	80	—	50	—	—	
Abrasions, scratches	041	8,730	—	—	330	1,180	2,150	2,570	1,360	880	140	130	
Blisters	042	220	—	—	—	—	60	—	50	60	—	—	
Bruises, contusions	043	114,680	—	80	4,690	14,390	27,720	26,560	24,580	12,030	3,050	1,570	
Foreign bodies (superficial splinters, chips)	044	14,290	—	—	390	2,540	4,100	3,750	2,290	1,000	70	170	
Friction burns	045	230	—	—	—	120	—	40	—	—	—	—	
Multiple surface wounds and bruises	048	790	—	—	130	—	180	150	220	60	—	—	
Surface wounds and bruises, n.e.c.	049	190	—	—	—	—	40	—	—	70	—	—	
Burns	05	27,020	—	—	2,260	4,460	6,840	6,630	4,300	1,580	410	540	
Burns, unspecified	050	60	—	—	—	—	—	—	—	—	—	—	
Chemical burns	051	7,360	—	—	210	990	2,150	2,010	1,150	560	190	80	
Electrical burns	052	1,050	—	—	—	70	300	390	140	70	40	—	
Heat burns, scalds	053	18,510	—	—	2,020	3,370	4,350	4,230	2,990	940	170	450	
Intracranial injuries	06	5,740	—	—	350	780	1,270	1,530	1,000	600	170	—	
Intracranial injuries, unspecified	060	130	—	—	—	—	—	40	—	—	—	—	
Cerebral hemorrhages	061	—	—	—	—	—	20	—	—	—	—	—	
Concussions	062	5,570	—	—	350	770	1,210	1,480	970	580	160	—	
Effects of environmental conditions	07	1,910	—	—	60	160	610	460	370	220	—	—	
Effects of reduced temperature	071	220	—	—	—	—	—	—	70	70	—	—	
Frostbite	0711	200	—	—	—	—	—	—	60	70	—	—	
Effects of heat and light	072	1,520	—	—	60	130	490	410	260	140	20	—	
Effects of heat and light, unspecified	0720	80	—	—	—	—	—	40	—	—	—	—	
Heat stroke	0721	250	—	—	—	—	120	40	50	—	—	—	
Heat syncope	0722	160	—	—	—	—	—	100	—	—	—	—	
Heat fatigue	0723	200	—	—	20	40	—	60	—	—	—	—	
Effects of heat and light, n.e.c.	0729	830	—	—	—	70	290	150	160	100	20	—	
Effects of air pressure	073	160	—	—	—	—	90	—	40	—	—	—	
Effects of air pressure, n.e.c.	0739	130	—	—	—	—	70	—	40	—	—	—	
Multiple traumatic injuries and disorders	08	50,350	—	—	1,140	5,080	12,310	11,630	11,690	6,430	1,520	550	
Multiple traumatic injuries and disorders, unspecified	080	1,740	—	—	—	200	330	410	460	300	—	20	
Cuts, abrasions, bruises	081	8,990	—	—	230	1,580	2,210	2,050	1,590	910	260	160	
Sprains and bruises	082	19,720	—	—	250	1,610	4,980	5,040	4,480	2,620	540	180	
Fractures and burns	083	160	—	—	—	—	—	50	20	—	—	—	
Fractures and other injuries	084	9,790	—	—	250	1,040	1,640	1,900	3,110	1,550	280	—	

See footnotes at end of table.

TABLE R45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, 2004 — Continued

Nature	Nature code ²	Private industry ³	Age										Not reported
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over		
Burns and other injuries	085	390	-	-	-	-	80	60	210	20	-	-	
Intracranial injuries and injuries to internal organs	086	50	-	-	-	-	40	-	-	-	-	-	
Other combinations of traumatic injuries and disorders, n.e.c.	089	9,510	-	-	380	570	3,030	2,100	1,820	1,010	430	160	
Other traumatic injuries and disorders	09	140,860	-	20	4,170	15,110	34,500	38,300	30,380	14,230	2,030	2,120	
Other traumatic injuries and disorders, unspecified	090	310	-	-	-	70	50	70	90	-	-	-	
Asphyxiations/strangulations, suffocations	091	40	-	-	-	-	-	-	20	-	-	-	
Electrocutions, electric shocks	093	1,670	-	-	180	190	520	380	220	100	-	70	
Internal injuries to organs and blood vessels of the trunk	094	140	-	-	-	-	-	50	-	-	-	-	
Other poisonings and toxic effects	095	5,810	-	-	490	700	1,660	1,380	1,090	390	40	60	
Other poisonings and toxic effects, unspecified	0950	140	-	-	-	-	-	-	70	-	-	-	
Animal or insect bites, venomous	0951	4,060	-	-	420	480	1,260	990	680	180	-	-	
Other poisonings and toxic effects, n.e.c.	0959	1,610	-	-	80	210	370	380	340	210	-	-	
Traumatic complications	096	110	-	-	-	-	-	70	-	-	-	-	
Traumatic complications, n.e.c.	0969	80	-	-	-	-	-	60	-	-	-	-	
Nonspecified injuries and disorders	097	131,190	-	20	3,420	13,960	31,780	35,920	28,690	13,520	1,940	1,950	
Crushing injuries	0971	16,490	-	-	880	2,440	4,450	4,370	3,070	970	90	220	
Back pain, hurt back	0972	37,930	-	-	920	3,970	10,550	11,380	7,190	3,030	270	620	
Soreness, pain, hurt, except the back	0973	66,630	-	20	1,500	6,600	14,370	17,590	16,050	8,180	1,400	920	
Multiple nonspecified injuries and disorders ...	0978	5,250	-	-	60	640	960	1,520	1,220	620	150	80	
Nonspecified injuries and disorders, n.e.c.	0979	4,890	-	-	60	310	1,450	1,070	1,160	720	-	110	
Other traumatic injuries and disorders, n.e.c.	099	1,580	-	-	50	160	460	410	240	190	-	-	
Systemic diseases and disorders	1	69,350	-	-	780	4,650	13,780	19,570	18,840	9,520	1,030	1,190	
Systemic diseases and disorders, unspecified	10	330	-	-	-	-	60	70	160	-	-	-	

See footnotes at end of table.

TABLE R45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, 2004 — Continued

Nature	Nature code ²	Private industry ³	Age										Not reported
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over		
Nervous system and sense organs diseases	12	23,270	-	-	140	1,110	4,590	6,680	6,440	3,640	270	410	
Nervous system and sense organs diseases, unspecified	120	60	-	-	-	-	-	-	-	50	-	-	
Inflammatory diseases of the central nervous system	121	-	-	-	-	-	-	-	20	-	-	-	
Inflammatory diseases of the central nervous system, n.e.c.	1219	-	-	-	-	-	-	-	20	-	-	-	
Degenerative diseases of the central nervous system	122	150	-	-	-	-	-	-	-	-	-	-	
Disorders of the peripheral nervous system	124	19,230	-	-	60	640	3,290	5,600	5,840	3,320	190	290	
Disorders of the peripheral nervous system, unspecified	1240	120	-	-	-	-	20	-	60	-	-	-	
Carpal tunnel syndrome	1241	18,710	-	-	60	630	3,200	5,500	5,650	3,270	190	210	
Inflammatory and toxic neuropathy, toxic polyneuropathy	1242	140	-	-	-	-	-	-	-	-	-	80	
Other disorders of the peripheral nervous system, n.e.c.	1249	260	-	-	-	-	60	50	120	20	-	-	
Disorders of the eye, adnexa, vision	125	3,530	-	-	80	460	1,180	880	530	240	70	100	
Disorders of the eye, adnexa, vision, unspecified	1250	390	-	-	-	50	60	140	60	40	-	-	
Conjunctivitis non-viral	1252	750	-	-	-	170	260	120	60	80	60	-	
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	1253	220	-	-	-	-	-	130	60	-	-	-	
Welder's flash	1256	1,870	-	-	40	230	710	430	290	90	-	80	
Visual disturbances	1258	110	-	-	-	-	50	20	-	-	-	-	
Disorders of the eye, adnexa, vision, n.e.c. ..	1259	180	-	-	-	-	80	50	20	-	-	-	
Disorders of the ear, mastoid process, hearing	126	260	-	-	-	-	100	40	50	-	-	-	
Deafness, hearing loss or impairment	1261	110	-	-	-	-	-	-	-	-	-	-	
Otalgia	1263	-	-	-	-	-	20	-	-	-	-	-	

See footnotes at end of table.

TABLE R45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, 2004 — Continued

Nature	Nature code ²	Private industry ³	Age										Not reported
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over		
Disorders of the ear, mastoid process, and hearing, n.e.c.	1269	80	-	-	-	-	70	-	-	-	-	-	
Circulatory system diseases ..	13	850	-	-	-	-	50	130	370	280	-	-	
Circulatory system diseases, unspecified	130	-	-	-	-	-	-	-	20	-	-	-	
Ischemic heart disease, including heart attack	133	460	-	-	-	-	20	80	80	260	-	-	
Myocardial infarction (heart attack)	1331	420	-	-	-	-	-	80	50	260	-	-	
Diseases of arteries, arterioles, capillaries	137	-	-	-	-	-	-	20	-	-	-	-	
Aneurysm nontraumatic	1372	20	-	-	-	-	-	-	-	-	-	-	
Diseases of the veins, lymphatics	138	300	-	-	-	-	-	-	240	-	-	-	
Diseases of the veins, lymphatics, unspecified	1380	20	-	-	-	-	-	-	-	-	-	-	
Hemorrhoids	1382	50	-	-	-	-	20	20	-	-	-	-	
Phlebitis	1383	220	-	-	-	-	-	-	220	-	-	-	
Respiratory system diseases	14	1,450	-	-	-	40	220	480	470	200	-	-	
Respiratory system diseases, unspecified	140	440	-	-	-	-	50	130	70	180	-	-	
Acute respiratory infections (including common cold)	141	90	-	-	-	-	-	20	-	-	-	-	
Other diseases of upper respiratory tract	142	50	-	-	-	-	-	-	-	-	-	-	
Other diseases of upper respiratory tract, unspecified	1420	20	-	-	-	-	-	-	-	-	-	-	
Chronic obstructive pulmonary disease and allied conditions	144	670	-	-	20	40	60	270	270	-	-	-	
Bronchitis	1441	100	-	-	-	-	-	90	-	-	-	-	
Extrinsic asthma	1443	450	-	-	-	-	60	130	210	-	-	-	
Extrinsic allergic alveolitis and pneumonitis (including farmer's lung, bagassosis)	1444	70	-	-	-	-	-	-	-	-	-	-	
Chronic obstructive pulmonary disease and allied conditions, n.e.c.	1449	-	-	-	-	-	-	-	20	-	-	-	
Pneumoconioses	145	50	-	-	-	-	-	-	40	-	-	-	

See footnotes at end of table.

TABLE R45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, 2004 — Continued

Nature	Nature code ²	Private industry ³	Age										Not reported	
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over			
Pneumoconioses, unspecified	1450	40	-	-	-	-	-	-	-	-	-	-	-	-
Byssinosis, Mill fever	1461	20	-	-	-	-	-	-	-	-	-	-	-	-
Other respiratory system diseases	149	120	-	-	-	-	-	-	50	-	-	-	-	-
Other respiratory system diseases, unspecified ...	1490	-	-	-	-	-	-	-	20	-	-	-	-	-
Pneumonitis, n.e.c.	1492	-	-	-	-	-	-	20	-	-	-	-	-	-
Other respiratory system diseases, n.e.c.	1499	20	-	-	-	-	-	-	-	-	-	-	-	-
Digestive system diseases and disorders	15	21,110	-	-	240	1,320	4,520	5,750	5,590	2,930	510	250	-	-
Hernia	153	21,060	-	-	240	1,320	4,480	5,740	5,580	2,930	510	250	-	-
Hernia, unspecified	1530	8,920	-	-	70	690	2,000	2,290	2,310	1,290	180	90	-	-
Inguinal hernia	1531	8,350	-	-	60	570	1,800	2,070	2,240	1,200	270	140	-	-
Hiatal hernia	1532	360	-	-	-	-	60	190	60	40	-	-	-	-
Ventral hernia	1533	1,770	-	-	90	-	200	720	510	180	40	-	-	-
Hernia, n.e.c.	1539	1,650	-	-	-	40	410	470	460	220	-	-	-	-
Genitourinary system diseases and disorders	16	100	-	-	-	80	-	-	-	-	-	-	-	-
Diseases and disorders of the genital tract	163	90	-	-	-	80	-	-	-	-	-	-	-	-
Spontaneous abortion, miscarriage	1632	80	-	-	-	80	-	-	-	-	-	-	-	-
Musculoskeletal system and connective tissue diseases and disorders	17	17,090	-	-	60	1,260	3,360	4,980	4,890	2,060	140	340	-	-
Musculoskeletal system and connective tissue diseases and disorders, unspecified	170	450	-	-	-	-	50	100	240	40	-	-	-	-
Arthropathies and related disorders (arthritis)	171	270	-	-	-	-	-	90	90	60	-	-	-	-
Dorsopathies	172	1,860	-	-	-	140	470	430	400	360	-	40	-	-
Dorsopathies, unspecified	1720	100	-	-	-	-	-	20	-	50	-	-	-	-
Sciatica	1721	380	-	-	-	-	60	100	100	70	-	-	-	-
Disc disorders, except dislocation	1723	250	-	-	-	-	60	50	50	90	-	-	-	-
Dorsopathies, n.e.c.	1729	1,120	-	-	-	100	340	260	230	140	-	40	-	-
Rheumatism, except the back	173	14,190	-	-	50	1,090	2,730	4,290	4,030	1,580	120	290	-	-
Rheumatism, except the back, unspecified	1730	1,740	-	-	-	80	500	470	470	160	-	40	-	-
Bursitis	1731	720	-	-	-	40	80	230	230	130	-	-	-	-
Synovitis	1732	50	-	-	-	-	-	-	-	-	-	-	-	-
Tendonitis	1733	6,930	-	-	-	760	1,390	1,990	1,790	730	100	140	-	-
Tenosynovitis	1734	770	-	-	-	40	130	210	270	80	-	-	-	-
Ganglion/cystic tumor	1735	550	-	-	-	-	200	90	190	40	-	-	-	-

See footnotes at end of table.

TABLE R45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, 2004 — Continued

Nature	Nature code ²	Private industry ³	Age										Not reported
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over		
Rheumatism, except the back, n.e.c.	1739	3,420	-	-	-	130	410	1,290	1,050	460	-	70	
Osteopathies, chondropathies, acquired deformities	174	40	-	-	-	-	-	-	-	-	-	-	
Osteopathies, chondropathies, acquired deformities, n.e.c.	1749	40	-	-	-	-	-	-	-	-	-	-	
Musculoskeletal system and connective tissue diseases and disorders, n.e.c.	179	280	-	-	-	-	80	60	120	-	-	-	
Disorders of the skin and subcutaneous tissue	18	4,800	-	-	310	630	960	1,420	860	350	100	160	
Disorders of the skin and subcutaneous tissue, unspecified	180	280	-	-	-	-	60	90	70	40	-	-	
Infections of the skin and subcutaneous tissue	181	1,080	-	-	-	120	150	330	300	110	-	60	
Infections of the skin and subcutaneous tissue, unspecified	1810	370	-	-	-	-	70	80	110	20	-	60	
Cellulitis and abscess	1812	470	-	-	-	-	60	170	160	50	-	-	
Impetigo	1814	90	-	-	-	70	-	-	-	-	-	-	
Infections of the skin and subcutaneous tissue, n.e.c.	1819	120	-	-	-	-	-	70	-	40	-	-	
Dermatitis	182	3,220	-	-	300	480	650	930	470	190	90	100	
Dermatitis, unspecified ...	1820	700	-	-	-	-	80	230	180	50	-	80	
Atopic dermatitis and related conditions	1821	20	-	-	-	-	-	-	-	-	-	-	
Contact dermatitis and other eczema	1822	900	-	-	200	140	160	160	120	100	-	-	
Allergic dermatitis	1823	1,060	-	-	-	210	320	360	90	20	60	-	
Irritant dermatitis	1824	440	-	-	50	60	70	150	80	20	-	-	
Other contact dermatitis	1825	60	-	-	-	-	-	-	-	-	-	-	
Dermatitis, n.e.c.	1829	40	-	-	-	-	-	-	-	-	-	-	
Other inflammatory conditions of the skin	183	60	-	-	-	-	-	-	-	-	-	-	
Other inflammatory conditions of the skin, unspecified	1830	-	-	-	-	-	20	-	-	-	-	-	
Other diseases and disorders of the skin and subcutaneous tissue	189	140	-	-	-	-	60	50	20	-	-	-	
Urticaria, hives	1898	120	-	-	-	-	50	40	-	-	-	-	

See footnotes at end of table.

TABLE R45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, 2004 — Continued

Nature	Nature code ²	Private industry ³	Age										Not reported
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over		
Other systemic diseases and disorders	19	320	-	-	-	160	20	60	40	40	-	-	
Endocrine, nutritional, metabolic, and immunity disorder	191	60	-	-	-	-	-	-	-	20	-	-	
Endocrine, nutritional, metabolic, and immunity disorders, n.e.c.	1919	40	-	-	-	-	-	-	-	20	-	-	
Systemic diseases and disorders, n.e.c.	199	260	-	-	-	160	-	40	40	20	-	-	
Infectious and parasitic diseases	2	1,680	-	-	60	310	410	510	230	130	-	-	
Infectious and parasitic diseases, unspecified	20	100	-	-	-	-	20	-	-	-	-	-	
Bacterial diseases	21	390	-	-	-	20	60	200	70	40	-	-	
Bacterial diseases, unspecified	210	140	-	-	-	-	-	130	-	-	-	-	
Other bacterial diseases	219	250	-	-	-	20	60	60	70	40	-	-	
Diphtheria, whooping cough	2192	160	-	-	-	-	40	60	40	-	-	-	
Other bacterial diseases, n.e.c.	2199	60	-	-	-	-	-	-	-	-	-	-	
Viral diseases	22	430	-	-	40	60	90	140	80	-	-	-	
Viral diseases accompanied by exanthem (eruptive fever)	223	310	-	-	40	50	60	100	-	-	-	-	
Chickenpox	2233	240	-	-	-	50	50	90	-	-	-	-	
Viral diseases of the conjunctiva	226	80	-	-	-	-	-	-	-	-	-	-	
Viral diseases of the conjunctiva, unspecified	2260	20	-	-	-	-	-	-	-	-	-	-	
Viral conjunctivitis (ophthalmia)	2262	60	-	-	-	-	-	-	-	-	-	-	
Other diseases due to viruses and Chlamydiae ...	229	20	-	-	-	-	-	-	-	-	-	-	
Other arthropod-borne diseases	23	120	-	-	-	-	110	-	-	-	-	-	
Lyme disease	237	110	-	-	-	-	-	-	-	-	-	-	
Mycoses	24	100	-	-	-	90	-	-	-	-	-	-	
Histoplasmosis	245	90	-	-	-	-	-	-	-	-	-	-	
Infectious diseases peculiar to the intestines	26	190	-	-	-	-	-	100	20	-	-	-	
Infectious diseases peculiar to the intestines, unspecified	260	100	-	-	-	-	-	60	-	-	-	-	

See footnotes at end of table.

TABLE R45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, 2004 — Continued

Nature	Nature code ²	Private industry ³	Age										Not reported
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over		
Shigellosis	264	40	-	-	-	-	-	-	-	-	-	-	-
Other bacterial food poisoning (including botulism and staphylococcal food poisoning)	265	-	-	-	-	-	-	-	-	-	20	-	-
Other infectious and parasitic diseases	29	350	-	-	-	70	90	70	50	-	-	-	-
Acariasis (including scabies, chiggers, mites)	294	330	-	-	-	70	80	70	50	-	-	-	-
Symptoms, signs, and ill-defined conditions	4	11,950	-	-	310	870	3,230	2,960	2,860	1,260	310	150	
Symptoms, signs, and ill-defined conditions, unspecified	40	300	-	-	-	90	-	-	130	40	-	-	-
Symptoms	41	11,400	-	-	310	780	3,190	2,800	2,690	1,210	310	120	
Symptoms, unspecified	410	510	-	-	-	-	150	70	100	-	-	-	-
General symptoms	411	4,350	-	-	190	360	860	1,380	840	540	120	60	
General symptoms, unspecified	4110	200	-	-	-	-	80	70	-	-	-	-	-
Loss of consciousness not heat related	4111	840	-	-	120	160	250	80	70	130	-	-	-
Convulsions, seizures	4112	70	-	-	-	-	20	-	-	-	-	-	-
Dizziness	4114	540	-	-	-	-	160	150	150	-	-	-	-
Non-specified allergic reaction	4115	640	-	-	20	-	130	300	130	-	-	-	-
Multiple general symptoms	4118	220	-	-	-	-	60	-	90	-	-	-	-
General symptoms, n.e.c.	4119	1,840	-	-	60	100	160	740	380	310	50	50	
Symptoms involving nervous and musculoskeletal systems	412	1,770	-	-	-	140	450	450	510	190	-	-	
Symptoms involving nervous and musculoskeletal systems, unspecified	4120	130	-	-	-	-	40	60	-	-	-	-	-
Earache	4122	50	-	-	-	-	20	-	-	-	-	-	-
Symptoms involving nervous and musculoskeletal systems, n.e.c.	4129	1,560	-	-	-	130	360	390	460	180	-	-	
Symptoms involving skin and other integumentary tissue	413	1,600	-	-	80	40	640	210	450	170	-	-	

See footnotes at end of table.

TABLE R45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, 2004 — Continued

Nature	Nature code ²	Private industry ³	Age										Not reported
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over		
Edema (including dropsy)	4131	1,290	-	-	80	-	580	180	280	150	-	-	
Symptoms involving skin and other integumentary tissue, n.e.c.	4139	270	-	-	-	-	50	-	150	-	-	-	
Symptoms involving head and neck	414	630	-	-	-	60	220	110	150	70	-	-	
Headache, except migraine	4141	470	-	-	-	50	190	100	80	40	-	-	
Symptoms involving head and neck, n.e.c. ...	4149	150	-	-	-	-	-	-	80	-	-	-	
Symptoms involving cardiovascular system	415	320	-	-	-	-	320	-	-	-	-	-	
Symptoms involving cardiovascular system, n.e.c.	4159	320	-	-	-	-	320	-	-	-	-	-	
Symptoms involving respiratory system and chest	416	1,530	-	-	-	130	300	400	470	180	-	-	
Symptoms involving respiratory system and chest, unspecified	4160	630	-	-	-	-	180	110	200	90	-	-	
Chest pain	4164	320	-	-	-	-	40	130	100	50	-	-	
Multiple symptoms involving respiratory system and chest	4168	110	-	-	-	-	40	50	-	-	-	-	
Symptoms involving respiratory system and chest, n.e.c.	4169	460	-	-	-	100	-	110	170	-	-	-	
Symptoms involving digestive and urinary system	417	220	-	-	-	-	110	60	20	-	-	-	
Nausea and vomiting	4171	130	-	-	-	-	80	-	-	-	-	-	
Abdominal pain, unspecified	4175	40	-	-	-	-	-	-	-	-	-	-	
Multiple symptoms	418	440	-	-	-	-	110	110	150	-	-	-	
Abnormal findings	42	80	-	-	-	-	-	60	-	-	-	-	
Abnormal findings from histological and immunological studies	426	80	-	-	-	-	-	60	-	-	-	-	
Multiple symptoms, signs, and ill-defined conditions	48	150	-	-	-	-	-	80	20	-	-	-	
Multiple chemical sensitivity	481	70	-	-	-	-	-	60	-	-	-	-	
Multiple symptoms, signs, and ill-defined conditions, n.e.c.	489	70	-	-	-	-	-	20	-	-	-	-	

See footnotes at end of table.

TABLE R45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, 2004 — Continued

Nature	Nature code ²	Private industry ³	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Other diseases, conditions, and disorders	5	3,010	-	-	100	190	580	1,060	690	340	-	-
Damage to prosthetic devices	51	80	-	-	-	-	-	-	40	-	-	-
Mental disorders or syndromes	52	2,920	-	-	100	190	550	1,050	650	340	-	-
Mental disorder or syndrome, unspecified	520	170	-	-	-	-	-	80	-	20	-	-
Anxiety, stress, neurotic disorders	521	2,660	-	-	100	180	510	970	590	280	-	-
Anxiety, stress, neurotic disorders, unspecified ..	5210	1,070	-	-	60	60	150	410	270	100	-	-
Post-traumatic anxiety acute	5211	280	-	-	-	-	60	70	60	70	-	-
Post-traumatic anxiety chronic	5212	40	-	-	-	-	-	40	-	-	-	-
Panic disorder	5213	60	-	-	-	-	-	-	-	-	-	-
Neurotic reaction to stress	5214	1,040	-	-	40	80	220	380	240	60	-	20
Multiple anxiety, stress, neurotic disorders	5218	120	-	-	-	-	50	-	-	50	-	-
Neurotic disorders, n.e.c.	5219	40	-	-	-	-	-	-	-	-	-	-
Mental disorders or syndromes, n.e.c.	529	90	-	-	-	-	-	-	-	-	-	-
Multiple diseases, conditions, and disorders	8	1,110	-	-	-	80	250	270	230	80	-	50
Nonclassifiable	9999	5,120	-	-	270	530	1,070	1,160	1,220	490	70	310

¹ Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

² Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies