

TABLE R79. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and hours on the job before event occurred, 2004

Part of body	Part of body code ²	Private industry ³	Hours on the job before event occurred										
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported
Total		1,259,320	6,740	101,550	121,830	275,580	203,830	186,580	92,210	23,490	7,820	470	239,230
Head	0	81,530	450	7,150	6,460	17,310	14,480	13,340	7,170	1,720	370	50	13,020
Head, unspecified	00	16,300	80	1,660	1,430	3,510	3,410	2,140	1,580	300	40	—	2,120
Cranial region, including skull	01	9,600	60	910	820	2,080	1,960	1,410	770	220	40	—	1,310
Cranial region, unspecified	010	300	—	50	—	70	40	50	—	—	—	—	60
Brain	011	5,830	50	670	580	1,310	1,000	740	580	110	—	—	750
Scalp	012	2,650	—	140	190	480	740	500	120	80	—	—	390
Skull	013	600	—	40	—	130	140	120	60	—	—	—	60
Multiple cranial region locations	018	60	—	—	—	—	—	—	—	—	—	—	—
Cranial region, n.e.c.	019	160	—	—	—	50	—	—	—	—	—	—	40
Ear(s)	02	1,030	—	90	80	230	210	120	50	—	—	—	190
Face	03	52,780	290	4,000	4,030	11,200	8,720	9,170	4,710	1,150	250	—	9,240
Face, unspecified	030	4,070	60	400	250	890	760	440	310	80	40	—	850
Forehead	031	3,130	—	210	230	820	570	770	140	60	—	—	310
Eye(s)	032	36,680	170	2,560	2,780	7,960	5,780	6,010	3,470	870	130	—	6,940
Nose, nasal cavity	033	2,380	—	230	220	420	360	700	150	—	—	—	270
Nose, except internal location of diseases or disorders	0330	2,340	—	220	210	410	360	690	150	—	—	—	260
Cheek(s)	034	850	—	130	—	180	130	230	60	—	—	—	90
Jaw/chin	035	1,060	—	90	90	190	150	310	60	—	—	—	170
Mouth	036	1,950	—	200	150	330	320	340	140	—	20	—	390
Mouth, unspecified	0360	320	—	—	—	—	70	130	—	—	—	—	50
Lip(s)	0361	480	—	80	90	120	50	70	—	—	—	—	60
Tooth(teeth)	0363	900	—	80	40	130	180	140	90	—	—	—	210
Multiple mouth locations	0368	120	—	—	—	70	—	—	—	—	—	—	—
Mouth, n.e.c.	0369	110	—	40	—	—	—	—	—	—	—	—	—
Multiple face locations	038	2,490	—	190	240	380	600	350	320	80	60	—	220
Face, n.e.c.	039	180	—	—	—	—	50	—	50	—	—	—	—
Multiple head locations	08	1,690	—	490	—	290	170	490	60	—	—	—	130
Head, n.e.c.	09	130	—	—	70	—	20	—	—	—	—	—	—
Neck, including throat	1	21,130	60	2,130	1,690	5,020	2,870	3,010	1,390	230	130	—	4,590
Neck, except internal location of diseases or disorders	10	20,980	60	2,130	1,660	5,000	2,870	2,940	1,390	230	130	—	4,560
Multiple internal neck locations	18	70	—	—	—	—	—	—	—	—	—	—	—
Trunk	2	447,140	1,620	35,540	46,290	98,540	71,030	62,730	28,910	7,380	2,460	90	92,560
Trunk, unspecified	20	2,220	50	240	180	470	360	310	130	40	40	—	390
Shoulder, including clavicle, scapula	21	82,220	380	6,390	8,070	16,420	13,320	11,230	5,950	1,440	510	—	18,480
Chest, including ribs, internal organs	22	20,280	50	1,640	2,100	4,550	3,190	2,660	1,810	280	200	—	3,790
Chest, except internal location of diseases or disorders	220	17,800	50	1,440	1,940	4,170	2,870	2,470	1,490	280	190	—	2,890
Internal chest location, unspecified	221	230	—	—	50	—	80	—	—	—	—	—	70
Heart	223	470	—	—	20	90	70	—	230	—	—	—	—
Bronchus	224	160	—	—	—	20	—	—	—	—	—	—	110
Lung(s), pleura	225	1,590	—	180	90	230	170	170	50	—	—	—	690

See footnotes at end of table.

TABLE R79. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and hours on the job before event occurred, 2004 — Continued

Part of body	Part of body code ²	Private industry ³	Hours on the job before event occurred										Not reported	
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours		
Internal chest location, n.e.c.	229	20	—	—	—	—	—	—	—	—	—	—	—	—
Back, including spine, spinal cord	23	282,240	710	22,850	30,860	63,920	44,240	39,880	16,760	4,420	1,490	50	57,070	
Back, including spine, spinal cord, unspecified	230	123,200	270	9,350	12,850	27,780	18,980	17,240	6,880	1,910	460	—	27,470	
Lumbar region	231	137,210	300	11,260	15,590	31,470	22,230	19,140	8,490	2,210	860	—	25,630	
Thoracic region	232	10,350	—	1,250	1,140	2,310	1,590	1,670	380	110	80	—	1,780	
Sacral region	233	860	—	70	70	240	150	120	70	—	—	—	130	
Coccygeal region	234	2,130	—	240	200	390	280	410	120	20	—	—	430	
Multiple back regions	238	7,790	40	640	900	1,650	900	1,110	790	150	80	—	1,530	
Back, including spine, spinal cord, n.e.c.	239	700	—	40	120	80	110	200	20	—	—	—	100	
Abdomen	24	29,010	—	1,620	2,180	5,900	5,050	4,130	2,140	500	100	—	7,370	
Abdomen, except internal location of diseases or disorders	240	7,540	—	420	610	1,900	1,360	1,060	650	140	50	—	1,320	
Internal abdominal location, unspecified	241	9,670	—	550	650	1,920	1,510	1,230	540	160	—	—	3,110	
Stomach organ	242	710	—	60	60	80	150	180	50	—	—	—	130	
Urinary organs	244	20	—	—	—	—	—	—	—	—	—	—	—	
Intestines, peritoneum	245	10,990	—	590	860	1,980	2,010	1,640	890	200	—	—	2,800	
Intestines, peritoneum, unspecified	2450	9,650	—	520	830	1,770	1,640	1,370	820	200	—	—	2,470	
Peritoneum	2451	730	—	40	—	90	230	120	—	—	—	—	230	
Small intestine	2452	210	—	—	—	40	70	40	—	—	—	—	—	
Large intestine/colon, rectum	2453	330	—	—	—	70	40	100	—	—	—	—	60	
Multiple intestinal locations	2458	20	—	—	—	—	—	—	—	—	—	—	—	
Intestines, n.e.c.	2459	40	—	—	—	—	—	—	—	—	—	—	—	
Internal abdominal location, n.e.c.	249	70	—	—	—	—	—	20	—	—	—	—	—	
Pelvic region	25	22,390	330	2,060	2,000	4,870	3,780	3,320	1,600	450	80	—	3,890	
Pelvic region, unspecified	250	290	—	—	—	70	90	—	—	—	—	—	100	
Hip(s)	251	9,520	310	940	1,020	2,070	1,480	1,420	860	210	—	—	1,180	
Pelvis	252	740	—	40	60	120	140	130	70	20	—	—	150	
Buttock(s)	253	1,280	—	130	—	380	230	130	50	60	—	—	250	
Groin	254	10,000	—	910	800	2,180	1,710	1,540	580	140	40	—	2,090	
External reproductive tract structures ..	255	300	—	—	20	40	70	50	—	—	—	—	80	
External reproductive tract structures, unspecified	2550	50	—	—	—	—	20	—	—	—	—	—	—	
Scrotum	2551	210	—	—	20	—	40	40	—	—	—	—	50	
Multiple pelvic region locations	258	150	—	—	40	—	—	20	—	—	—	—	—	
Pelvic region, n.e.c.	259	90	—	—	—	—	—	20	—	—	—	—	—	
Multiple trunk locations	28	8,490	70	730	880	2,350	1,060	1,150	520	240	—	—	1,460	
Trunk, n.e.c.	29	280	—	—	—	70	—	40	—	—	—	—	110	
Upper extremities	3	290,460	930	22,700	27,310	62,500	44,760	44,410	20,570	5,200	1,560	110	60,410	
Upper extremities, unspecified	30	480	—	—	20	290	—	40	20	—	—	—	80	
Arm(s)	31	58,310	290	4,750	5,260	11,770	9,410	9,380	4,140	1,300	310	—	11,660	
Arm(s), unspecified	310	21,290	100	1,480	1,730	3,830	3,320	3,180	1,830	730	130	—	4,960	
Upper arm(s)	311	4,190	—	280	500	830	910	600	230	40	90	—	690	

See footnotes at end of table.

TABLE R79. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and hours on the job before event occurred, 2004 — Continued

Part of body	Part of body code ²	Private industry ³	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
Elbow(s)	312	19,060	140	1,530	1,730	3,750	3,010	3,240	1,310	220	70	—	4,030
Forearm(s)	313	10,240	20	1,140	960	2,320	1,670	1,870	560	260	—	—	1,420
Multiple arm(s) locations	318	2,660	—	250	250	890	420	260	120	—	—	—	430
Arm(s), n.e.c.	319	870	—	70	100	150	80	230	90	20	—	—	130
Wrist(s)	32	58,510	280	3,820	4,040	9,580	7,500	5,890	3,310	810	310	—	22,960
Hand(s), except finger(s)	33	50,190	190	3,230	4,860	11,930	8,490	8,120	3,850	880	260	—	8,370
Finger(s), fingernail(s)	34	107,860	120	9,740	11,570	25,320	16,810	19,040	8,310	1,890	500	70	14,500
Multiple upper extremities locations	38	15,020	60	1,140	1,550	3,570	2,530	1,910	940	310	180	—	2,830
Multiple upper extremities locations, unspecified	380	250	—	50	—	—	—	—	—	—	—	—	130
Hand(s) and finger(s)	381	5,260	—	390	650	1,390	1,050	630	410	150	150	—	430
Hand(s) and wrist(s)	382	3,230	—	230	230	910	460	470	110	50	—	—	740
Hand(s) and arm(s)	383	1,680	—	80	270	200	200	290	100	—	—	—	500
Multiple upper extremities locations, n.e.c.	389	4,600	—	390	400	1,050	790	500	310	80	20	—	1,030
Upper extremities, n.e.c.	39	100	—	—	—	—	—	—	—	—	—	—	—
Lower extremities	4	269,490	2,190	20,730	25,780	59,350	47,570	41,430	22,010	5,140	2,020	90	43,180
Lower extremities, unspecified	40	250	—	—	—	—	—	80	—	—	—	—	—
Leg(s)	41	138,580	990	10,050	13,030	30,940	25,040	20,290	10,890	2,510	960	60	23,820
Leg(s), unspecified	410	18,890	80	1,140	1,860	4,000	3,690	2,640	1,630	530	80	—	3,240
Thigh(s)	411	4,820	80	260	620	980	1,010	610	490	70	—	—	670
Knee(s)	412	99,720	680	7,730	9,310	22,570	17,750	14,480	7,260	1,440	750	40	17,690
Lower leg(s)	413	10,840	90	700	930	2,030	1,870	1,930	1,140	400	80	—	1,670
Multiple leg(s) locations	418	3,450	60	190	290	1,000	630	540	270	60	—	—	410
Leg(s), n.e.c.	419	840	—	—	20	370	80	90	110	—	—	—	130
Ankle(s)	42	64,320	680	5,530	5,630	13,150	11,550	10,750	5,370	1,650	720	—	9,310
Foot(foot), except toe(s)	43	45,110	390	3,230	4,490	10,410	7,340	7,200	3,920	710	270	—	7,130
Foot(foot), except toe(s), unspecified ..	430	39,250	390	2,910	4,030	8,890	6,380	6,320	3,360	610	230	—	6,110
Instep(s)	431	990	—	60	100	140	260	120	120	—	—	—	170
Sole	432	3,830	—	140	280	1,210	520	540	310	80	—	—	720
Sole(s), unspecified	4320	680	—	—	—	260	90	60	—	—	—	—	180
Arch(es)	4322	180	—	—	20	90	—	—	—	—	—	—	—
Heel(s)	4323	2,900	—	110	220	850	390	440	280	70	—	—	510
Multiple foot(foot) locations	438	310	—	—	—	70	50	60	40	—	—	—	—
Foot(foot), n.e.c.	439	730	—	100	50	100	140	150	90	—	—	—	90
Toe(s), toenail(s)	44	12,840	20	1,060	1,710	2,860	2,250	1,730	1,090	110	—	—	1,980
Multiple lower extremities locations	48	8,350	100	860	880	1,920	1,390	1,370	720	140	50	—	910
Multiple lower extremities locations, unspecified	480	190	—	60	50	—	—	—	—	—	—	—	50
Foot(foot) and leg(s)	481	940	—	180	40	130	210	180	50	—	—	—	120
Foot(foot) and ankle(s)	482	2,630	40	330	180	680	390	530	160	40	—	—	260
Foot(foot) and toe(s)	483	1,260	—	40	80	340	150	210	270	40	—	—	140
Multiple lower extremities locations, n.e.c.	489	3,330	50	260	530	780	610	440	230	50	—	—	350
Lower extremities, n.e.c.	49	50	—	—	—	40	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R79. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and hours on the job before event occurred, 2004 — Continued

Part of body	Part of body code ²	Private industry ³	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
Body systems	5	14,300	—	970	1,140	2,790	2,220	1,680	750	190	60	—	4,450
Multiple body parts	8	126,530	1,440	11,650	12,480	28,750	19,790	19,210	10,820	3,430	1,210	100	17,660
Other body parts	9	110	—	—	—	40	—	—	—	—	—	—	—
Prosthetic devices	91	80	—	—	—	—	—	—	—	—	—	—	—
Nonclassifiable	9999	8,640	—	670	680	1,280	1,080	760	580	200	—	—	3,360

¹ Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

² Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies