

TABLE R15. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected events or exposures leading to injury or illness, 2005

Nature	Nature code ²	Private industry ³	Event or exposure leading to injury or illness ⁴						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Total		1,234,680	338,080	167,730	85,500	54,970	79,310	167,180	36,150
Traumatic injuries and disorders	0	1,145,900	333,910	166,260	83,950	54,810	78,690	165,220	35,760
Traumatic injuries and disorders, unspecified	00	38,480	11,890	6,270	2,710	1,640	4,390	8,010	1,230
Traumatic injuries to bones, nerves, spinal cord	01	107,620	39,550	21,870	7,250	9,580	19,920	31,700	600
Traumatic injuries to bones, nerves, spinal cord, unspecified ...	010	750	240	80	70	50	80	90	-
Dislocations	011	10,050	1,840	630	850	210	1,090	2,720	160
Fractures	012	95,830	37,330	21,070	6,320	9,280	18,700	28,680	440
Traumatic injuries to nerves, except the spinal cord	014	570	90	60	-	20	-	30	-
Multiple traumatic injuries to bones nerves, spinal cord	018	250	20	-	-	-	-	90	-
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	019	160	40	20	-	-	30	90	-
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	02	508,760	33,910	14,460	12,820	4,170	25,490	53,430	30,170
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	020	4,220	690	320	190	80	490	660	220
Sprains, strains, tears	021	503,530	32,980	14,110	12,440	4,090	24,980	52,550	29,940
Injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	029	1,020	240	30	180	-	30	230	-
Open wounds	03	135,540	120,250	56,570	36,090	18,930	1,900	4,470	-
Open wounds, unspecified	030	1,100	920	360	230	210	-	60	-
Amputations	031	8,450	8,200	1,290	1,030	5,690	20	20	-
Amputations, fingertip	0311	5,780	5,720	840	750	4,000	-	-	-
Amputations, except fingertip	0319	2,660	2,480	450	280	1,690	20	-	-
Animal or insect bites	032	4,530	-	-	-	-	-	-	-
Avulsions	033	1,630	1,550	310	180	1,030	-	-	-
Cuts, lacerations	034	101,660	92,980	45,160	28,840	11,530	1,520	4,050	-
Gunshot wounds	036	480	260	260	-	-	-	-	-
Punctures, except bites	037	17,210	15,950	9,030	5,710	350	330	290	-
Multiple open wounds	038	90	60	20	-	30	-	-	-
Open wounds, n.e.c.	039	400	330	130	90	100	30	20	-
Surface wounds and bruises	04	132,490	79,030	41,850	15,960	7,300	10,260	30,220	60
Surface wounds and bruises, unspecified	040	390	240	110	20	30	30	90	-
Abrasions, scratches	041	9,750	7,940	3,930	1,050	280	350	810	-
Blisters	042	480	390	180	120	-	50	30	-
Bruises, contusions	043	107,770	56,940	34,230	14,680	6,860	9,720	29,080	60

See footnotes at end of table.

TABLE R15. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected events or exposures leading to injury or illness, 2005 — Continued

Nature	Event or exposure leading to injury or illness ⁴									
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			All other events ⁵
	Total	In lifting					Total	By person	All other assaults	
Total	298,130	159,970	43,790	51,860	61,170	2,600	21,470	14,560	6,910	134,940
Traumatic injuries and disorders	275,900	146,340	16,800	35,130	60,570	2,560	20,660	13,830	6,830	120,730
Traumatic injuries and disorders, unspecified	3,400	1,880	480	600	3,730	110	730	670	60	3,910
Traumatic injuries to bones, nerves, spinal cord	3,000	1,550	60	—	7,510	100	1,540	1,100	430	3,660
Traumatic injuries to bones, nerves, spinal cord, unspecified ...	20	20	30	—	280	—	—	—	—	20
Dislocations	2,350	1,350	30	—	590	—	90	70	20	1,190
Fractures	580	180	—	—	6,220	100	1,350	1,030	310	2,440
Traumatic injuries to nerves, except the spinal cord	50	—	—	—	290	—	110	—	—	20
Multiple traumatic injuries to bones nerves, spinal cord	—	—	—	—	130	—	—	—	—	—
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	—	—	—	—	—	—	—	—	—	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	235,080	124,670	11,540	—	20,630	40	4,760	4,410	350	93,720
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	960	470	200	—	190	—	50	50	—	760
Sprains, strains, tears	233,860	124,120	11,270	—	20,420	30	4,670	4,320	350	92,830
Injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	260	80	70	—	20	—	40	40	—	130
Open wounds	—	—	—	140	1,750	140	5,820	1,410	4,420	1,050
Open wounds, unspecified	—	—	—	—	60	—	20	20	—	30
Amputations	—	—	—	—	170	—	—	—	—	30
Amputations, fingertip	—	—	—	—	40	—	—	—	—	20
Amputations, except fingertip	—	—	—	—	130	—	—	—	—	20
Animal or insect bites	—	—	—	—	—	—	4,530	450	4,080	—
Avulsions	—	—	—	—	30	—	—	—	—	40
Cuts, lacerations	—	—	—	50	1,440	140	590	450	140	890
Gunshot wounds	—	—	—	—	—	—	220	220	—	—
Punctures, except bites	—	—	—	90	50	—	450	260	190	50
Multiple open wounds	—	—	—	—	—	—	—	—	—	—
Open wounds, n.e.c.	—	—	—	—	—	—	—	—	—	—
Surface wounds and bruises	50	20	—	—	7,820	110	3,030	2,670	360	1,910
Surface wounds and bruises, unspecified	—	—	—	—	30	—	—	—	—	—
Abrasions, scratches	—	—	—	—	160	—	300	240	70	160
Blisters	—	—	—	—	—	—	—	—	—	—
Bruises, contusions	50	20	—	—	7,460	80	2,710	2,410	290	1,670

See footnotes at end of table.

TABLE R15. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected events or exposures leading to injury or illness, 2005 — Continued

Nature	Nature code ²	Private industry ³	Event or exposure leading to injury or illness ⁴						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Foreign bodies (superficial splinters, chips)	044	13,120	13,090	3,200	50	70	—	—	—
Friction burns	045	90	80	—	—	—	—	—	—
Multiple surface wounds and bruises	048	580	250	150	—	30	60	80	—
Surface wounds and bruises, n.e.c.	049	320	110	40	30	20	40	120	—
Burns	05	24,890	—	—	—	—	—	—	—
Burns, unspecified	050	40	—	—	—	—	—	—	—
Chemical burns	051	6,360	—	—	—	—	—	—	—
Electrical burns	052	1,280	—	—	—	—	—	—	—
Heat burns, scalds	053	17,150	—	—	—	—	—	—	—
Burns, n.e.c.	059	60	—	—	—	—	—	—	—
Intracranial injuries	06	6,870	2,780	1,710	960	—	980	1,680	—
Intracranial injuries, unspecified	060	110	50	30	20	—	—	20	—
Cerebral hemorrhages	061	70	50	30	20	—	—	—	—
Concussions	062	6,590	2,660	1,650	910	—	930	1,630	—
Multiple intracranial injuries	068	20	—	—	—	—	—	—	—
Intracranial injuries, n.e.c.	069	80	—	—	—	—	40	30	—
Effects of environmental conditions ...	07	2,560	—	—	—	—	—	—	—
Effects of reduced temperature	071	170	—	—	—	—	—	—	—
Frostbite	0711	110	—	—	—	—	—	—	—
Effects of reduced temperature, n.e.c.	0719	30	—	—	—	—	—	—	—
Effects of heat and light	072	2,280	—	—	—	—	—	—	—
Effects of heat and light, unspecified	0720	70	—	—	—	—	—	—	—
Heat stroke	0721	320	—	—	—	—	—	—	—
Heat syncope	0722	70	—	—	—	—	—	—	—
Heat fatigue	0723	550	—	—	—	—	—	—	—
Heat edema	0724	20	—	—	—	—	—	—	—
Multiple effects of heat and light	0728	30	—	—	—	—	—	—	—
Effects of heat and light, n.e.c. ...	0729	1,220	—	—	—	—	—	—	—
Effects of air pressure	073	90	—	—	—	—	—	—	—
Effects of air pressure, unspecified	0730	40	—	—	—	—	—	—	—
Aero-otitis media	0731	30	—	—	—	—	—	—	—
Effects of air pressure, n.e.c.	0739	20	—	—	—	—	—	—	—
Multiple traumatic injuries and disorders	08	50,090	15,160	8,520	2,900	3,390	8,350	15,890	20
Multiple traumatic injuries and disorders, unspecified	080	1,460	360	230	80	50	140	410	—

See footnotes at end of table.

TABLE R15. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected events or exposures leading to injury or illness, 2005 — Continued

Nature	Event or exposure leading to injury or illness ⁴									
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			All other events ⁵
	Total	In lifting					Total	By person	All other assaults	
Foreign bodies (superficial splinters, chips)	-	-	-	-	-	-	-	-	-	30
Friction burns	-	-	-	-	-	-	-	-	-	-
Multiple surface wounds and bruises	-	-	-	-	120	-	-	-	-	40
Surface wounds and bruises, n.e.c.	-	-	-	-	40	-	-	-	-	-
Burns	-	-	-	23,080	170	1,640	20	20	-	-
Burns, unspecified	-	-	-	-	-	30	-	-	-	-
Chemical burns	-	-	-	6,030	-	320	-	-	-	-
Electrical burns	-	-	-	1,250	-	20	-	-	-	-
Heat burns, scalds	-	-	-	15,760	150	1,220	-	-	-	-
Burns, n.e.c.	-	-	-	20	-	40	-	-	-	-
Intracranial injuries	-	-	-	-	1,030	-	280	250	30	110
Intracranial injuries, unspecified	-	-	-	-	30	-	-	-	-	-
Cerebral hemorrhages	-	-	-	-	-	-	-	-	-	-
Concussions	-	-	-	-	990	-	270	240	30	110
Multiple intracranial injuries	-	-	-	-	-	-	-	-	-	-
Intracranial injuries, n.e.c.	-	-	-	-	-	-	-	-	-	-
Effects of environmental conditions	-	-	-	2,550	-	-	-	-	-	-
Effects of reduced temperature	-	-	-	160	-	-	-	-	-	-
Frostbite	-	-	-	110	-	-	-	-	-	-
Effects of reduced temperature, n.e.c.	-	-	-	30	-	-	-	-	-	-
Effects of heat and light	-	-	-	2,280	-	-	-	-	-	-
Effects of heat and light, unspecified	-	-	-	70	-	-	-	-	-	-
Heat stroke	-	-	-	320	-	-	-	-	-	-
Heat syncope	-	-	-	70	-	-	-	-	-	-
Heat fatigue	-	-	-	550	-	-	-	-	-	-
Heat edema	-	-	-	20	-	-	-	-	-	-
Multiple effects of heat and light	-	-	-	30	-	-	-	-	-	-
Effects of heat and light, n.e.c. ..	-	-	-	1,220	-	-	-	-	-	-
Effects of air pressure	-	-	-	80	-	-	-	-	-	-
Effects of air pressure, unspecified	-	-	-	-	-	-	-	-	-	-
Aero-otitis media	-	-	-	30	-	-	-	-	-	-
Effects of air pressure, n.e.c.	-	-	-	20	-	-	-	-	-	-
Multiple traumatic injuries and disorders	60	30	-	-	7,910	220	1,470	1,280	190	1,000
Multiple traumatic injuries and disorders, unspecified	-	-	-	-	410	-	60	60	-	60

See footnotes at end of table.

TABLE R15. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected events or exposures leading to injury or illness, 2005 — Continued

Nature	Nature code ²	Private industry ³	Event or exposure leading to injury or illness ⁴						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Cuts, abrasions, bruises	081	8,040	3,940	2,230	710	870	880	1,790	—
Sprains and bruises	082	21,240	5,070	3,120	1,260	650	3,920	8,360	—
Fractures and burns	083	100	—	—	—	—	—	20	—
Fractures and other injuries	084	9,660	3,340	1,780	330	1,130	1,980	2,520	—
Burns and other injuries	085	310	200	90	—	100	—	30	—
Intracranial injuries and injuries to internal organs	086	30	—	—	—	—	—	—	—
Other combinations of traumatic injuries and disorders, n.e.c.	089	9,250	2,240	1,070	510	570	1,430	2,740	—
Other traumatic injuries and disorders	09	138,590	31,340	15,020	5,260	9,780	7,400	19,830	3,680
Other traumatic injuries and disorders, unspecified	090	440	130	100	—	20	40	30	—
Asphyxiations/strangulations, suffocations	091	250	—	—	—	—	—	—	—
Electrocutions, electric shocks	093	1,700	—	—	—	—	—	—	—
Internal injuries to organs and blood vessels of the trunk	094	160	40	20	20	—	—	100	—
Other poisonings and toxic effects	095	6,710	—	—	—	—	—	—	—
Other poisonings and toxic effects, unspecified	0950	360	—	—	—	—	—	—	—
Animal or insect bites, venomous	0951	3,990	—	—	—	—	—	—	—
Other poisonings and toxic effects, n.e.c.	0959	2,360	—	—	—	—	—	—	—
Traumatic complications	096	100	—	—	—	—	—	—	—
Multiple traumatic complications	0968	20	—	—	—	—	—	—	—
Traumatic complications, n.e.c.	0969	70	—	—	—	—	—	—	—
Nonspecified injuries and disorders	097	127,960	30,850	14,730	5,160	9,700	7,210	19,530	3,670
Crushing injuries	0971	14,430	12,720	4,790	430	7,430	130	280	—
Back pain, hurt back	0972	35,650	1,120	470	240	180	1,480	4,380	1,100
Soreness, pain, hurt, except the back	0973	65,160	14,750	8,310	3,950	1,750	4,180	12,360	2,320
Multiple nonspecified injuries and disorders	0978	5,110	380	170	90	40	700	1,310	70
Nonspecified injuries and disorders, n.e.c.	0979	7,610	1,870	990	460	290	720	1,190	190
Other traumatic injuries and disorders, n.e.c.	099	1,260	310	160	70	60	150	170	—

See footnotes at end of table.

TABLE R15. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected events or exposures leading to injury or illness, 2005 — Continued

Nature	Event or exposure leading to injury or illness ⁴									All other events ⁵
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			
	Total	In lifting					Total	By person	All other assaults	
Cuts, abrasions, bruises	—	—	—	—	880	30	370	330	40	160
Sprains and bruises	—	—	—	—	3,110	20	500	480	—	240
Fractures and burns	—	—	—	—	60	—	—	—	—	—
Fractures and other injuries	30	20	—	—	1,500	50	160	120	40	80
Burns and other injuries	—	—	—	—	40	20	—	—	—	20
Intracranial injuries and injuries to internal organs	—	—	—	—	—	—	—	—	—	—
Other combinations of traumatic injuries and disorders, n.e.c.	20	—	—	—	1,910	80	390	300	90	430
Other traumatic injuries and disorders	34,300	18,190	4,700	8,760	10,010	200	3,000	2,020	980	15,370
Other traumatic injuries and disorders, unspecified	60	30	—	—	90	—	50	50	—	—
Asphyxiations/strangulations, suffocations	—	—	—	200	—	—	—	—	—	40
Electrocutions, electric shocks	—	—	—	1,700	—	—	—	—	—	—
Internal injuries to organs and blood vessels of the trunk	—	—	—	—	—	—	—	—	—	—
Other poisonings and toxic effects	—	—	—	6,380	—	160	170	—	170	—
Other poisonings and toxic effects, unspecified	—	—	—	360	—	—	—	—	—	—
Animal or insect bites, venomous	—	—	—	3,820	—	—	170	—	170	—
Other poisonings and toxic effects, n.e.c.	—	—	—	2,200	—	160	—	—	—	—
Traumatic complications	—	—	—	60	20	—	—	—	—	—
Multiple traumatic complications	—	—	—	—	20	—	—	—	—	—
Traumatic complications, n.e.c.	—	—	—	50	—	—	—	—	—	—
Nonspecified injuries and disorders	34,030	18,040	4,680	370	9,810	30	2,760	1,950	810	15,030
Crushing injuries	200	160	30	—	980	—	20	—	—	60
Back pain, hurt back	18,150	10,710	640	—	1,970	—	250	210	40	6,540
Soreness, pain, hurt, except the back	13,890	6,190	3,800	200	4,890	30	1,800	1,510	290	6,940
Multiple nonspecified injuries and disorders	910	390	80	—	1,080	—	120	120	—	460
Nonspecified injuries and disorders, n.e.c.	870	590	130	170	880	—	560	90	470	1,030
Other traumatic injuries and disorders, n.e.c.	210	120	—	50	70	—	—	—	—	290

See footnotes at end of table.

TABLE R15. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected events or exposures leading to injury or illness, 2005 — Continued

Nature	Nature code ²	Private industry ³	Event or exposure leading to injury or illness ⁴						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Systemic diseases and disorders	1	64,740	2,610	730	940	80	310	820	300
Systemic diseases and disorders, unspecified	10	380	—	—	—	—	—	—	—
Diseases of the blood and blood forming organs	11	20	—	—	—	—	—	—	—
Nervous system and sense organs diseases	12	21,990	800	280	50	—	—	30	—
Nervous system and sense organs diseases, unspecified	120	30	—	—	—	—	—	—	—
Inflammatory diseases of the central nervous system	121	30	—	—	—	—	—	—	—
Inflammatory diseases of the central nervous system, unspecified	1210	20	—	—	—	—	—	—	—
Degenerative diseases of the central nervous system	122	20	—	—	—	—	—	—	—
Degenerative diseases of the central nervous system, unspecified	1220	20	—	—	—	—	—	—	—
Other disorders of the central nervous system	123	70	30	—	—	—	—	—	—
Migraine	1232	60	30	—	—	—	—	—	—
Disorders of the peripheral nervous system	124	17,140	20	—	—	—	—	20	—
Disorders of the peripheral nervous system, unspecified	1240	190	—	—	—	—	—	—	—
Carpal tunnel syndrome	1241	16,460	—	—	—	—	—	—	—
Inflammatory and toxic neuropathy, toxic polyneuropathy	1242	110	—	—	—	—	—	—	—
Other disorders of the peripheral nervous system, n.e.c.	1249	370	20	—	—	—	—	—	—
Disorders of the eye, adnexa, vision	125	4,270	710	270	—	—	—	—	—
Disorders of the eye, adnexa, vision, unspecified	1250	280	100	—	—	—	—	—	—
Conjunctivitis non-viral	1252	870	310	90	—	—	—	—	—
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	1253	350	100	30	—	—	—	—	—
Blindness, low vision	1255	430	—	—	—	—	—	—	—
Welder's flash	1256	1,940	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R15. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected events or exposures leading to injury or illness, 2005 — Continued

Nature	Event or exposure leading to injury or illness ⁴									All other events ⁵
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			
	Total	In lifting					Total	By person	All other assaults	
Systemic diseases and disorders	21,580	13,250	25,000	9,010	80	20	80	50	30	4,910
Systemic diseases and disorders, unspecified	—	—	330	20	—	—	—	—	—	30
Diseases of the blood and blood forming organs	—	—	—	—	—	—	—	—	—	—
Nervous system and sense organs diseases	500	440	17,210	3,190	—	20	—	—	—	210
Nervous system and sense organs diseases, unspecified	—	—	—	—	—	—	—	—	—	—
Inflammatory diseases of the central nervous system	—	—	—	—	—	—	—	—	—	20
Inflammatory diseases of the central nervous system, unspecified	—	—	—	—	—	—	—	—	—	20
Degenerative diseases of the central nervous system	—	—	—	—	—	—	—	—	—	—
Degenerative diseases of the central nervous system, unspecified	—	—	—	—	—	—	—	—	—	—
Other disorders of the central nervous system	—	—	—	—	—	—	—	—	—	—
Migraine	—	—	—	—	—	—	—	—	—	—
Disorders of the peripheral nervous system	60	20	16,970	—	—	—	—	—	—	60
Disorders of the peripheral nervous system, unspecified	20	—	170	—	—	—	—	—	—	—
Carpal tunnel syndrome	—	—	16,440	—	—	—	—	—	—	—
Inflammatory and toxic neuropathy, toxic polyneuropathy	—	—	100	—	—	—	—	—	—	—
Other disorders of the peripheral nervous system, n.e.c.	30	20	260	—	—	—	—	—	—	50
Disorders of the eye, adnexa, vision	—	—	—	3,040	—	—	—	—	—	80
Disorders of the eye, adnexa, vision, unspecified	—	—	—	170	—	—	—	—	—	—
Conjunctivitis non-viral	—	—	—	490	—	—	—	—	—	50
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	—	—	—	240	—	—	—	—	—	—
Blindness, low vision	—	—	—	—	—	—	—	—	—	—
Welder's flash	—	—	—	1,940	—	—	—	—	—	—

See footnotes at end of table.

TABLE R15. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected events or exposures leading to injury or illness, 2005 — Continued

Nature	Nature code ²	Private industry ³	Event or exposure leading to injury or illness ⁴						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Visual disturbances	1258	120	90	80	—	—	—	—	—
Disorders of the eye, adnexa, vision, n.e.c.	1259	280	90	60	—	—	—	—	—
Disorders of the ear, mastoid process, hearing	126	210	30	—	—	—	—	—	—
Disorders of the ear, mastoid process, hearing, unspecified ..	1260	20	—	—	—	—	—	—	—
Deafness, hearing loss or impairment	1261	100	—	—	—	—	—	—	—
Tinnitus	1262	30	—	—	—	—	—	—	—
Disorders of the ear, mastoid process, and hearing, n.e.c.	1269	50	—	—	—	—	—	—	—
Nervous system and sense organs diseases, n.e.c.	129	220	—	—	—	—	—	—	—
Circulatory system diseases	13	540	20	—	—	—	—	—	—
Hypertensive disease	132	40	—	—	—	—	—	—	—
Ischemic heart disease, including heart attack	133	330	—	—	—	—	—	—	—
Myocardial infarction (heart attack)	1331	320	—	—	—	—	—	—	—
Cerebrovascular disease	136	30	—	—	—	—	—	—	—
Stroke	1361	30	—	—	—	—	—	—	—
Diseases of the veins, lymphatics ..	138	100	—	—	—	—	—	—	—
Hemorrhoids	1382	60	—	—	—	—	—	—	—
Respiratory system diseases	14	1,830	—	—	—	—	—	—	—
Respiratory system diseases, unspecified	140	180	—	—	—	—	—	—	—
Acute respiratory infections (including common cold)	141	50	—	—	—	—	—	—	—
Other diseases of upper respiratory tract	142	130	—	—	—	—	—	—	—
Other diseases of upper respiratory tract, unspecified	1420	30	—	—	—	—	—	—	—
Allergic rhinitis	1421	40	—	—	—	—	—	—	—
Other diseases of upper respiratory tract, n.e.c.	1429	50	—	—	—	—	—	—	—
Pneumonia, influenza	143	300	—	—	—	—	—	—	—
Pneumonia	1431	220	—	—	—	—	—	—	—
Influenza	1432	60	—	—	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions	144	1,020	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R15. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected events or exposures leading to injury or illness, 2005 — Continued

Nature	Event or exposure leading to injury or illness ⁴									All other events ⁵
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			
	Total	In lifting					Total	By person	All other assaults	
Visual disturbances	-	-	-	20	-	-	-	-	-	-
Disorders of the eye, adnexa, vision, n.e.c.	-	-	-	180	-	-	-	-	-	-
Disorders of the ear, mastoid process, hearing	-	-	-	130	-	-	-	-	-	30
Disorders of the ear, mastoid process, hearing, unspecified ..	-	-	-	-	-	-	-	-	-	-
Deafness, hearing loss or impairment	-	-	-	70	-	-	-	-	-	20
Tinnitus	-	-	-	-	-	-	-	-	-	-
Disorders of the ear, mastoid process, and hearing, n.e.c.	-	-	-	30	-	-	-	-	-	-
Nervous system and sense organs diseases, n.e.c.	-	-	210	-	-	-	-	-	-	-
Circulatory system diseases	110	50	20	-	-	-	-	-	-	380
Hypertensive disease	-	-	-	-	-	-	-	-	-	40
Ischemic heart disease, including heart attack	50	-	-	-	-	-	-	-	-	280
Myocardial infarction (heart attack)	50	-	-	-	-	-	-	-	-	280
Cerebrovascular disease	-	-	-	-	-	-	-	-	-	20
Stroke	-	-	-	-	-	-	-	-	-	20
Diseases of the veins, lymphatics ..	60	50	-	-	-	-	-	-	-	20
Hemorrhoids	60	40	-	-	-	-	-	-	-	-
Respiratory system diseases	-	-	-	1,790	-	-	-	-	-	30
Respiratory system diseases, unspecified	-	-	-	180	-	-	-	-	-	-
Acute respiratory infections (including common cold)	-	-	-	50	-	-	-	-	-	-
Other diseases of upper respiratory tract	-	-	-	130	-	-	-	-	-	-
Other diseases of upper respiratory tract, unspecified	-	-	-	30	-	-	-	-	-	-
Allergic rhinitis	-	-	-	40	-	-	-	-	-	-
Other diseases of upper respiratory tract, n.e.c.	-	-	-	50	-	-	-	-	-	-
Pneumonia, influenza	-	-	-	300	-	-	-	-	-	-
Pneumonia	-	-	-	220	-	-	-	-	-	-
Influenza	-	-	-	60	-	-	-	-	-	-
Chronic obstructive pulmonary disease and allied conditions	-	-	-	990	-	-	-	-	-	30

See footnotes at end of table.

TABLE R15. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected events or exposures leading to injury or illness, 2005 — Continued

Nature	Nature code ²	Private industry ³	Event or exposure leading to injury or illness ⁴						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Chronic obstructive pulmonary disease and allied conditions, unspecified	1440	40	—	—	—	—	—	—	—
Bronchitis	1441	20	—	—	—	—	—	—	—
Extrinsic asthma	1443	580	—	—	—	—	—	—	—
Extrinsic allergic alveolitis and pneumonitis (including farmer's lung, bagassosis)	1444	300	—	—	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions, n.e.c.	1449	70	—	—	—	—	—	—	—
Pneumonopathy	146	30	—	—	—	—	—	—	—
Other respiratory system diseases	149	100	—	—	—	—	—	—	—
Other respiratory system diseases, unspecified	1490	40	—	—	—	—	—	—	—
Other respiratory system diseases, n.e.c.	1499	40	—	—	—	—	—	—	—
Digestive system diseases and disorders	15	20,480	280	70	190	—	220	90	210
Hernia	153	20,480	280	70	190	—	220	90	210
Hernia, unspecified	1530	9,280	100	50	50	—	190	—	130
Inguinal hernia	1531	7,820	150	—	130	—	30	60	70
Hiatal hernia	1532	340	—	—	—	—	—	—	—
Ventral hernia	1533	1,550	—	—	—	—	—	—	—
Hernia, n.e.c.	1539	1,490	—	—	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders	17	14,280	830	240	450	50	60	540	90
Musculoskeletal system and connective tissue diseases and disorders, unspecified	170	170	20	—	—	—	—	—	—
Arthropathies and related disorders (arthritis)	171	170	—	—	—	—	—	—	20
Dorsopathies	172	1,390	70	30	20	—	—	40	30
Dorsopathies, unspecified	1720	50	—	—	—	—	—	—	—
Sciatica	1721	420	20	—	—	—	—	—	20
Lumbago	1722	30	—	—	—	—	—	—	—
Disc disorders, except dislocation	1723	230	—	—	—	—	—	—	—
Dorsopathies, n.e.c.	1729	660	30	—	—	—	—	20	—
Rheumatism, except the back	173	12,400	720	200	420	50	50	480	40

See footnotes at end of table.

TABLE R15. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected events or exposures leading to injury or illness, 2005 — Continued

Nature	Event or exposure leading to injury or illness ⁴									All other events ⁵
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			
	Total	In lifting					Total	By person	All other assaults	
Chronic obstructive pulmonary disease and allied conditions, unspecified	-	-	-	40	-	-	-	-	-	-
Bronchitis	-	-	-	20	-	-	-	-	-	-
Extrinsic asthma	-	-	-	580	-	-	-	-	-	-
Extrinsic allergic alveolitis and pneumonitis (including farmer's lung, bagassosis)	-	-	-	290	-	-	-	-	-	-
Chronic obstructive pulmonary disease and allied conditions, n.e.c.	-	-	-	60	-	-	-	-	-	-
Pneumonopathy	-	-	-	30	-	-	-	-	-	-
Other respiratory system diseases	-	-	-	90	-	-	-	-	-	-
Other respiratory system diseases, unspecified	-	-	-	40	-	-	-	-	-	-
Other respiratory system diseases, n.e.c.	-	-	-	40	-	-	-	-	-	-
Digestive system diseases and disorders	17,300	11,350	350	-	20	-	-	-	-	1,990
Hernia	17,300	11,340	350	-	20	-	-	-	-	1,990
Hernia, unspecified	7,310	4,710	200	-	-	-	-	-	-	1,340
Inguinal hernia	6,900	4,620	90	-	20	-	-	-	-	480
Hiatal hernia	310	270	-	-	-	-	-	-	-	20
Ventral hernia	1,410	910	30	-	-	-	-	-	-	70
Hernia, n.e.c.	1,360	830	20	-	-	-	-	-	-	90
Musculoskeletal system and connective tissue diseases and disorders	3,620	1,400	7,010	120	20	-	40	30	-	1,960
Musculoskeletal system and connective tissue diseases and disorders, unspecified	80	-	50	-	-	-	-	-	-	20
Arthropathies and related disorders (arthritis)	-	-	50	-	-	-	-	-	-	20
Dorsopathies	640	330	170	-	-	-	-	-	-	400
Dorsopathies, unspecified	-	-	-	-	-	-	-	-	-	-
Sciatica	260	130	30	-	-	-	-	-	-	90
Lumbago	20	20	-	-	-	-	-	-	-	-
Disc disorders, except dislocation	120	40	50	-	-	-	-	-	-	40
Dorsopathies, n.e.c.	240	140	100	-	-	-	-	-	-	240
Rheumatism, except the back	2,870	1,050	6,660	60	-	-	40	30	-	1,480

See footnotes at end of table.

TABLE R15. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected events or exposures leading to injury or illness, 2005 — Continued

Nature	Nature code ²	Private industry ³	Event or exposure leading to injury or illness ⁴						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Rheumatism, except the back, unspecified	1730	880	220	60	130	—	—	90	—
Bursitis	1731	880	120	20	70	—	—	190	—
Synovitis	1732	50	—	—	—	—	—	—	—
Tendonitis	1733	5,720	190	60	120	—	—	30	—
Tenosynovitis	1734	640	30	20	—	—	—	—	—
Ganglion/cystic tumor	1735	760	80	—	60	—	—	—	—
Rheumatism, except the back, n.e.c.	1739	3,490	90	40	40	—	30	170	30
Osteopathies, chondropathies, acquired deformities	174	70	—	—	—	—	—	—	—
Osteopathies, chondropathies, acquired deformities, unspecified	1740	30	—	—	—	—	—	—	—
Osteopathies, chondropathies, acquired deformities, n.e.c.	1749	40	—	—	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders, n.e.c.	179	80	—	—	—	—	—	—	—
Disorders of the skin and subcutaneous tissue	18	5,000	650	130	210	20	—	140	—
Disorders of the skin and subcutaneous tissue, unspecified	180	250	20	—	—	—	—	—	—
Infections of the skin and subcutaneous tissue	181	1,090	540	120	210	20	—	50	—
Infections of the skin and subcutaneous tissue, unspecified	1810	290	180	40	30	—	—	—	—
Cellulitis and abscess	1812	580	290	80	130	—	—	50	—
Pilonidal cyst	1815	80	40	—	—	—	—	—	—
Infections of the skin and subcutaneous tissue, n.e.c.	1819	110	30	—	—	—	—	—	—
Dermatitis	182	3,100	—	—	—	—	—	—	—
Dermatitis, unspecified	1820	470	—	—	—	—	—	—	—
Atopic dermatitis and related conditions	1821	20	—	—	—	—	—	—	—
Contact dermatitis and other eczema	1822	810	—	—	—	—	—	—	—
Allergic dermatitis	1823	980	—	—	—	—	—	—	—
Irritant dermatitis	1824	710	—	—	—	—	—	—	—
Other contact dermatitis	1825	30	—	—	—	—	—	—	—
Dermatitis, n.e.c.	1829	70	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R15. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected events or exposures leading to injury or illness, 2005 — Continued

Nature	Event or exposure leading to injury or illness ⁴									All other events ⁵
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			
	Total	In lifting					Total	By person	All other assaults	
Rheumatism, except the back, unspecified	180	140	190	60	-	-	-	-	-	130
Bursitis	110	30	230	-	-	-	-	-	-	190
Synovitis	-	-	40	-	-	-	-	-	-	-
Tendonitis	1,510	460	3,430	-	-	-	-	-	-	540
Tenosynovitis	110	70	380	-	-	-	-	-	-	120
Ganglion/cystic tumor	70	40	540	-	-	-	-	-	-	70
Rheumatism, except the back, n.e.c.	890	320	1,860	-	-	-	-	-	-	430
Osteopathies, chondropathies, acquired deformities	20	-	20	-	-	-	-	-	-	20
Osteopathies, chondropathies, acquired deformities, unspecified	-	-	-	-	-	-	-	-	-	-
Osteopathies, chondropathies, acquired deformities, n.e.c.	20	-	-	-	-	-	-	-	-	-
Musculoskeletal system and connective tissue diseases and disorders, n.e.c.	-	-	60	-	-	-	-	-	-	20
Disorders of the skin and subcutaneous tissue	30	-	30	3,880	-	-	30	-	20	220
Disorders of the skin and subcutaneous tissue, unspecified	-	-	-	210	-	-	-	-	-	20
Infections of the skin and subcutaneous tissue	20	-	-	290	-	-	20	-	20	150
Infections of the skin and subcutaneous tissue, unspecified	-	-	-	90	-	-	-	-	-	20
Cellulitis and abscess	-	-	-	120	-	-	-	-	-	90
Pilonidal cyst	20	-	-	-	-	-	-	-	-	30
Infections of the skin and subcutaneous tissue, n.e.c.	-	-	-	60	-	-	-	-	-	-
Dermatitis	-	-	-	3,090	-	-	-	-	-	-
Dermatitis, unspecified	-	-	-	460	-	-	-	-	-	-
Atopic dermatitis and related conditions	-	-	-	20	-	-	-	-	-	-
Contact dermatitis and other eczema	-	-	-	810	-	-	-	-	-	-
Allergic dermatitis	-	-	-	980	-	-	-	-	-	-
Irritant dermatitis	-	-	-	710	-	-	-	-	-	-
Other contact dermatitis	-	-	-	30	-	-	-	-	-	-
Dermatitis, n.e.c.	-	-	-	70	-	-	-	-	-	-

See footnotes at end of table.

TABLE R15. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected events or exposures leading to injury or illness, 2005 — Continued

Nature	Nature code ²	Private industry ³	Event or exposure leading to injury or illness ⁴						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Other inflammatory conditions of the skin	183	190	—	—	—	—	—	—	—
Other inflammatory conditions of the skin, unspecified	1830	150	—	—	—	—	—	—	—
Other inflammatory conditions, n.e.c.	1839	20	—	—	—	—	—	—	—
Diseases of sebaceous glands	184	90	—	—	—	—	—	—	—
Sebaceous cyst	1842	90	—	—	—	—	—	—	—
Other diseases and disorders of the skin and subcutaneous tissue	189	280	—	—	—	—	—	—	—
Chronic skin ulcers	1897	30	—	—	—	—	—	—	—
Urticaria, hives	1898	210	—	—	—	—	—	—	—
Other diseases and disorders of the skin and subcutaneous tissue, n.e.c.	1899	40	—	—	—	—	—	—	—
Other systemic diseases and disorders	19	210	40	—	—	—	—	—	—
Endocrine, nutritional, metabolic, and immunity disorder	191	110	40	—	—	—	—	—	—
Diseases and disorders of other endocrine glands	1912	100	—	—	—	—	—	—	—
Systemic diseases and disorders, n.e.c.	199	100	—	—	—	—	—	—	—
Infectious and parasitic diseases	2	1,770	—	—	—	—	—	—	—
Infectious and parasitic diseases, unspecified	20	20	—	—	—	—	—	—	—
Bacterial diseases	21	550	—	—	—	—	—	—	—
Tuberculosis	211	20	—	—	—	—	—	—	—
Tuberculosis, unspecified	2110	20	—	—	—	—	—	—	—
Other bacterial diseases	219	520	—	—	—	—	—	—	—
Diphtheria, whooping cough	2192	60	—	—	—	—	—	—	—
Septicemia	2197	80	—	—	—	—	—	—	—
Other bacterial diseases, n.e.c. ..	2199	360	—	—	—	—	—	—	—
Viral diseases	22	390	—	—	—	—	—	—	—
Non-arthropod-borne viral diseases of the central nervous system	222	50	—	—	—	—	—	—	—
Viral diseases accompanied by exanthem (eruptive fever)	223	170	—	—	—	—	—	—	—
Chickenpox	2233	130	—	—	—	—	—	—	—
Herpes zoster	2234	30	—	—	—	—	—	—	—
Viral hepatitis	225	20	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R15. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected events or exposures leading to injury or illness, 2005 — Continued

Nature	Event or exposure leading to injury or illness ⁴									All other events ⁵
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			
	Total	In lifting					Total	By person	All other assaults	
Other inflammatory conditions of the skin	-	-	-	80	-	-	-	-	-	-
Other inflammatory conditions of the skin, unspecified	-	-	-	40	-	-	-	-	-	-
Other inflammatory conditions, n.e.c.	-	-	-	20	-	-	-	-	-	-
Diseases of sebaceous glands	-	-	-	-	-	-	-	-	-	-
Sebaceous cyst	-	-	-	-	-	-	-	-	-	-
Other diseases and disorders of the skin and subcutaneous tissue	-	-	-	220	-	-	-	-	-	50
Chronic skin ulcers	-	-	-	-	-	-	-	-	-	20
Urticaria, hives	-	-	-	190	-	-	-	-	-	-
Other diseases and disorders of the skin and subcutaneous tissue, n.e.c.	-	-	-	-	-	-	-	-	-	-
Other systemic diseases and disorders	-	-	50	-	-	-	-	-	-	110
Endocrine, nutritional, metabolic, and immunity disorder	-	-	-	-	-	-	-	-	-	70
Diseases and disorders of other endocrine glands	-	-	-	-	-	-	-	-	-	60
Systemic diseases and disorders, n.e.c.	-	-	50	-	-	-	-	-	-	40
Infectious and parasitic diseases	-	-	-	1,770	-	-	-	-	-	-
Infectious and parasitic diseases, unspecified	-	-	-	20	-	-	-	-	-	-
Bacterial diseases	-	-	-	550	-	-	-	-	-	-
Tuberculoses	-	-	-	20	-	-	-	-	-	-
Tuberculoses, unspecified	-	-	-	20	-	-	-	-	-	-
Other bacterial diseases	-	-	-	520	-	-	-	-	-	-
Diphtheria, whooping cough	-	-	-	60	-	-	-	-	-	-
Septicemia	-	-	-	80	-	-	-	-	-	-
Other bacterial diseases, n.e.c. ..	-	-	-	360	-	-	-	-	-	-
Viral diseases	-	-	-	390	-	-	-	-	-	-
Non-arthropod-borne viral diseases of the central nervous system	-	-	-	50	-	-	-	-	-	-
Viral diseases accompanied by exanthem (eruptive fever)	-	-	-	170	-	-	-	-	-	-
Chickenpox	-	-	-	130	-	-	-	-	-	-
Herpes zoster	-	-	-	30	-	-	-	-	-	-
Viral hepatitis	-	-	-	20	-	-	-	-	-	-

See footnotes at end of table.

TABLE R15. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected events or exposures leading to injury or illness, 2005 — Continued

Nature	Nature code ²	Private industry ³	Event or exposure leading to injury or illness ⁴						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Type A viral hepatitis (infectious hepatitis)	2251	20	-	-	-	-	-	-	-
Viral diseases of the conjunctiva	226	130	-	-	-	-	-	-	-
Viral conjunctivitis (ophthalmia) ..	2262	110	-	-	-	-	-	-	-
Other diseases due to viruses and Chlamydiae	229	20	-	-	-	-	-	-	-
Other arthropod-borne diseases	23	50	-	-	-	-	-	-	-
Lyme disease	237	40	-	-	-	-	-	-	-
Mycoses	24	100	-	-	-	-	-	-	-
Dermatophytosis (including athlete's foot, tinea)	241	90	-	-	-	-	-	-	-
Infectious diseases peculiar to the intestines	26	200	-	-	-	-	-	-	-
Other salmonella infections	263	20	-	-	-	-	-	-	-
Shigellosis	264	20	-	-	-	-	-	-	-
Other bacterial food poisoning (including botulism and staphylococcal food poisoning)	265	90	-	-	-	-	-	-	-
Infectious diseases peculiar to the intestines, n.e.c.	269	60	-	-	-	-	-	-	-
Other infectious and parasitic diseases	29	480	-	-	-	-	-	-	-
Other infectious and parasitic diseases, unspecified	290	20	-	-	-	-	-	-	-
Pediculosis and phthirus infestation (lice)	293	30	-	-	-	-	-	-	-
Acariasis (including scabies, chiggers, mites)	294	430	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions	4	12,920	1,260	590	550	30	90	540	40
Symptoms, signs, and ill-defined conditions, unspecified	40	100	-	-	-	-	-	-	-
Symptoms	41	12,670	1,240	580	550	30	70	540	40
Symptoms, unspecified	410	440	-	-	-	-	-	-	-
General symptoms	411	4,540	360	230	100	-	40	410	-
General symptoms, unspecified	4110	140	-	-	-	-	-	-	-
Loss of consciousness not heat related	4111	950	60	20	30	-	20	230	-
Convulsions, seizures	4112	250	-	-	-	-	-	130	-
Dizziness	4114	1,270	190	160	30	-	-	20	-
Non-specified allergic reaction ...	4115	560	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE R15. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected events or exposures leading to injury or illness, 2005 — Continued

Nature	Event or exposure leading to injury or illness ⁴									All other events ⁵
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			
	Total	In lifting					Total	By person	All other assaults	
Type A viral hepatitis (infectious hepatitis)	-	-	-	20	-	-	-	-	-	-
Viral diseases of the conjunctiva	-	-	-	130	-	-	-	-	-	-
Viral conjunctivitis (ophthalmia) ..	-	-	-	110	-	-	-	-	-	-
Other diseases due to viruses and Chlamydiae	-	-	-	20	-	-	-	-	-	-
Other arthropod-borne diseases	-	-	-	50	-	-	-	-	-	-
Lyme disease	-	-	-	40	-	-	-	-	-	-
Mycoses	-	-	-	100	-	-	-	-	-	-
Dermatophytosis (including athlete's foot, tinea)	-	-	-	90	-	-	-	-	-	-
Infectious diseases peculiar to the intestines	-	-	-	200	-	-	-	-	-	-
Other salmonella infections	-	-	-	20	-	-	-	-	-	-
Shigellosis	-	-	-	20	-	-	-	-	-	-
Other bacterial food poisoning (including botulism and staphylococcal food poisoning)	-	-	-	90	-	-	-	-	-	-
Infectious diseases peculiar to the intestines, n.e.c.	-	-	-	60	-	-	-	-	-	-
Other infectious and parasitic diseases	-	-	-	480	-	-	-	-	-	-
Other infectious and parasitic diseases, unspecified	-	-	-	20	-	-	-	-	-	-
Pediculosis and phthirus infestation (lice)	-	-	-	30	-	-	-	-	-	-
Acariasis (including scabies, chiggers, mites)	-	-	-	430	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions	360	210	1,840	4,620	230	-	270	220	50	3,670
Symptoms, signs, and ill-defined conditions, unspecified	-	-	-	30	-	-	-	-	-	50
Symptoms	360	210	1,830	4,480	230	-	270	220	50	3,590
Symptoms, unspecified	-	-	170	20	-	-	-	-	-	230
General symptoms	160	70	380	1,580	90	-	50	-	30	1,460
General symptoms, unspecified	-	-	-	90	-	-	-	-	-	20
Loss of consciousness not heat related	20	20	-	150	60	-	-	-	-	400
Convulsions, seizures	-	-	-	30	-	-	-	-	-	90
Dizziness	-	-	-	530	-	-	-	-	-	510
Non-specified allergic reaction ...	-	-	-	540	-	-	20	-	20	-

See footnotes at end of table.

TABLE R15. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected events or exposures leading to injury or illness, 2005 — Continued

Nature	Nature code ²	Private industry ³	Event or exposure leading to injury or illness ⁴						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Multiple general symptoms	4118	150	30	—	—	—	—	—	—
General symptoms, n.e.c.	4119	1,200	70	20	20	—	20	30	—
Symptoms involving nervous and musculoskeletal systems	412	2,850	200	90	100	—	—	30	—
Symptoms involving nervous and musculoskeletal systems, unspecified	4120	240	—	—	—	—	—	—	—
Spasms or tremors, n.e.c.	4121	40	—	—	—	—	—	—	—
Earache	4122	90	—	—	—	—	—	—	—
Eye strain	4123	40	—	—	—	—	—	—	—
Multiple symptoms involving nervous and musculoskeletal systems	4128	170	—	—	—	—	—	—	—
Symptoms involving nervous and musculoskeletal systems, n.e.c.	4129	2,270	180	90	80	—	—	30	—
Symptoms involving skin and other integumentary tissue	413	1,050	340	100	200	20	—	70	30
Symptoms involving skin and other integumentary tissue, unspecified	4130	150	—	—	—	—	—	—	—
Edema (including dropsy)	4131	750	320	100	190	—	—	70	30
Symptoms involving skin and other integumentary tissue, n.e.c.	4139	130	—	—	—	—	—	—	—
Symptoms involving head and neck	414	610	290	150	130	—	—	30	—
Symptoms involving head and neck, unspecified	4140	20	—	—	—	—	—	—	—
Headache, except migraine	4141	490	250	110	130	—	—	20	—
Multiple symptoms involving head and neck	4148	20	—	—	—	—	—	—	—
Symptoms involving head and neck, n.e.c.	4149	60	30	30	—	—	—	—	—
Symptoms involving cardiovascular system	415	30	—	—	—	—	—	—	—
Symptoms involving cardiovascular system, unspecified	4150	20	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest	416	2,080	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R15. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected events or exposures leading to injury or illness, 2005 — Continued

Nature	Event or exposure leading to injury or illness ⁴									All other events ⁵
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			
	Total	In lifting					Total	By person	All other assaults	
Multiple general symptoms	-	-	-	60	-	-	-	-	-	50
General symptoms, n.e.c.	110	40	360	180	-	-	-	-	-	380
Symptoms involving nervous and musculoskeletal systems	50	30	1,230	110	50	-	-	-	-	1,180
Symptoms involving nervous and musculoskeletal systems, unspecified	20	-	190	-	-	-	-	-	-	-
Spasms or tremors, n.e.c.	-	-	-	-	40	-	-	-	-	-
Earache	-	-	-	80	-	-	-	-	-	-
Eye strain	-	-	-	-	-	-	-	-	-	-
Multiple symptoms involving nervous and musculoskeletal systems	-	-	160	-	-	-	-	-	-	-
Symptoms involving nervous and musculoskeletal systems, n.e.c.	30	20	880	20	-	-	-	-	-	1,130
Symptoms involving skin and other integumentary tissue	90	60	40	200	20	-	70	70	-	170
Symptoms involving skin and other integumentary tissue, unspecified	-	-	20	120	-	-	-	-	-	-
Edema (including dropsy)	90	60	-	-	20	-	70	70	-	120
Symptoms involving skin and other integumentary tissue, n.e.c.	-	-	-	70	-	-	-	-	-	40
Symptoms involving head and neck	-	-	-	110	60	-	90	80	-	20
Symptoms involving head and neck, unspecified	-	-	-	-	-	-	-	-	-	-
Headache, except migraine	-	-	-	50	60	-	90	80	-	-
Multiple symptoms involving head and neck	-	-	-	20	-	-	-	-	-	-
Symptoms involving head and neck, n.e.c.	-	-	-	30	-	-	-	-	-	-
Symptoms involving cardiovascular system	-	-	-	20	-	-	-	-	-	-
Symptoms involving cardiovascular system, unspecified	-	-	-	-	-	-	-	-	-	-
Symptoms involving respiratory system and chest	40	40	-	1,740	-	-	-	-	-	250

See footnotes at end of table.

TABLE R15. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected events or exposures leading to injury or illness, 2005 — Continued

Nature	Nature code ²	Private industry ³	Event or exposure leading to injury or illness ⁴						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Symptoms involving respiratory system and chest, unspecified	4160	1,100	—	—	—	—	—	—	—
Hyperventilation	4161	40	—	—	—	—	—	—	—
Chest pain	4164	250	—	—	—	—	—	—	—
Multiple symptoms involving respiratory system and chest ...	4168	50	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest, n.e.c.	4169	640	—	—	—	—	—	—	—
Symptoms involving digestive and urinary system	417	310	—	—	—	—	—	—	—
Nausea and vomiting	4171	110	—	—	—	—	—	—	—
Abdominal pain, unspecified	4175	110	—	—	—	—	—	—	—
Multiple symptoms involving digestive or urinary system	4178	70	—	—	—	—	—	—	—
Multiple symptoms	418	730	30	—	20	—	—	—	—
Other symptoms, n.e.c.	419	50	—	—	—	—	—	—	—
Abnormal findings	42	80	—	—	—	—	—	—	—
Abnormal findings from histological and immunological studies	426	60	—	—	—	—	—	—	—
Other abnormal findings	429	20	—	—	—	—	—	—	—
Multiple symptoms, signs, and ill-defined conditions	48	60	—	—	—	—	—	—	—
Multiple chemical sensitivity	481	20	—	—	—	—	—	—	—
Multiple symptoms, signs, and ill-defined conditions, n.e.c.	489	30	—	—	—	—	—	—	—
Other diseases, conditions, and disorders	5	2,750	20	—	—	—	—	—	—
Mental disorders or syndromes	52	2,710	—	—	—	—	—	—	—
Mental disorder or syndrome, unspecified	520	120	—	—	—	—	—	—	—
Anxiety, stress, neurotic disorders	521	2,540	—	—	—	—	—	—	—
Anxiety, stress, neurotic disorders, unspecified	5210	1,160	—	—	—	—	—	—	—
Post-traumatic anxiety acute	5211	210	—	—	—	—	—	—	—
Post-traumatic anxiety chronic	5212	50	—	—	—	—	—	—	—
Panic disorder	5213	30	—	—	—	—	—	—	—
Neurotic reaction to stress	5214	940	—	—	—	—	—	—	—
Multiple anxiety, stress, neurotic disorders	5218	140	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R15. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected events or exposures leading to injury or illness, 2005 — Continued

Nature	Event or exposure leading to injury or illness ⁴									All other events ⁵
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			
	Total	In lifting					Total	By person	All other assaults	
Symptoms involving respiratory system and chest, unspecified	-	-	-	1,100	-	-	-	-	-	-
Hyperventilation	-	-	-	-	-	-	-	-	-	-
Chest pain	20	-	-	60	-	-	-	-	-	160
Multiple symptoms involving respiratory system and chest ...	-	-	-	50	-	-	-	-	-	-
Symptoms involving respiratory system and chest, n.e.c.	30	20	-	530	-	-	-	-	-	50
Symptoms involving digestive and urinary system	-	-	-	140	-	-	-	-	-	160
Nausea and vomiting	-	-	-	80	-	-	-	-	-	30
Abdominal pain, unspecified	-	-	-	-	-	-	-	-	-	100
Multiple symptoms involving digestive or urinary system	-	-	-	40	-	-	-	-	-	-
Multiple symptoms	-	-	-	500	-	-	60	60	-	110
Other symptoms, n.e.c.	-	-	-	50	-	-	-	-	-	-
Abnormal findings	-	-	-	60	-	-	-	-	-	-
Abnormal findings from histological and immunological studies	-	-	-	60	-	-	-	-	-	-
Other abnormal findings	-	-	-	-	-	-	-	-	-	-
Multiple symptoms, signs, and ill-defined conditions	-	-	-	40	-	-	-	-	-	-
Multiple chemical sensitivity	-	-	-	20	-	-	-	-	-	-
Multiple symptoms, signs, and ill-defined conditions, n.e.c.	-	-	-	20	-	-	-	-	-	-
Other diseases, conditions, and disorders	-	-	-	1,050	80	20	400	400	-	1,150
Mental disorders or syndromes	-	-	-	1,050	80	20	400	400	-	1,150
Mental disorder or syndrome, unspecified	-	-	-	-	30	-	-	-	-	70
Anxiety, stress, neurotic disorders	-	-	-	1,040	60	20	390	390	-	1,020
Anxiety, stress, neurotic disorders, unspecified	-	-	-	730	30	-	130	130	-	260
Post-traumatic anxiety acute	-	-	-	80	30	-	90	90	-	-
Post-traumatic anxiety chronic	-	-	-	-	-	-	40	40	-	-
Panic disorder	-	-	-	-	-	-	-	-	-	30
Neurotic reaction to stress	-	-	-	220	-	-	130	130	-	580
Multiple anxiety, stress, neurotic disorders	-	-	-	-	-	-	-	-	-	120

See footnotes at end of table.

TABLE R15. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected events or exposures leading to injury or illness, 2005 — Continued

Nature	Nature code ²	Private industry ³	Event or exposure leading to injury or illness ⁴						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Mental disorders or syndromes, n.e.c.	529	50	—	—	—	—	—	—	—
Other diseases, conditions, and disorders, n.e.c.	59	30	—	—	—	—	—	—	—
Multiple diseases, conditions, and disorders	8	300	70	20	—	—	70	30	—
Nonclassifiable	9999	6,290	210	120	50	30	140	580	40

See footnotes at end of table.

TABLE R15. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected events or exposures leading to injury or illness, 2005 — Continued

Nature	Event or exposure leading to injury or illness ⁴									All other events ⁵
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			
	Total	In lifting					Total	By person	All other assaults	
Mental disorders or syndromes, n.e.c.	-	-	-	-	-	-	-	-	-	50
Other diseases, conditions, and disorders, n.e.c.	-	-	-	-	-	-	-	-	-	-
Multiple diseases, conditions, and disorders	20	20	30	30	20	-	-	-	-	30
Nonclassifiable	250	150	120	230	200	-	50	50	-	4,450

¹ Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

² Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Data shown in columns correspond to the following Event codes: Contact with objects, Total = 00-09; Struck by object = 020-029; Struck against object = 010-019; Caught in or compressed or crushed = 030-049; Fall to lower level = 110-119; Fall on same level = 130-139; Slips or trips without fall = 215; Overexertion, Total = 220-229; In lifting = 221; Repetitive motion = 230-239; Exposure to harmful substance or environment = 30-39; Transportation accidents = 40-49; Fires and explosions = 50-52; Assaults and violent acts, Total = 60-63; By person = 61; All other assaults = 60, 62,

and 63; All other events = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁵ Includes nonclassifiable responses.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies