

[This table was reissued in March 2009. See note at end of table]

Table 2a. Number and incidence rate¹ of nonfatal occupational injuries and illnesses involving days away from work² by selected case characteristics and occupation, All United States, private industry, 2007

Characteristic	Private industry ^{3,4,5}		Laborers and freight, stock, and material movers, hand		Truck drivers, heavy and tractor-trailer		Nursing aides, orderlies, and attendants	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total:	1,158,870	122.2	79,000	434.3	57,050	348.5	44,930	465.3
Nature of injury, illness:								
Sprains, strains ⁶	448,380	47.3	30,710	168.8	27,730	169.4	27,120	280.8
Fractures	94,950	10.0	6,710	36.9	5,630	34.4	950	9.9
Cuts, lacerations, punctures	107,000	11.3	7,310	40.2	2,390	14.6	510	5.3
Cuts, lacerations	91,270	9.6	6,110	33.6	2,200	13.4	420	4.4
Punctures	15,730	1.7	1,210	6.6	190	1.2	90	0.9
Bruises, contusions	101,340	10.7	8,860	48.7	4,530	27.7	3,620	37.4
Heat burns	17,490	1.8	320	1.7	180	1.1	120	1.2
Chemical burns	6,130	0.6	320	1.8	120	0.7	30	0.4
Amputations	7,320	0.8	710	3.9	120	0.7	--	--
Carpal tunnel syndrome	11,940	1.3	470	2.6	160	1.0	50	0.5
Tendonitis	4,380	0.5	290	1.6	160	1.0	70	0.7
Multiple traumatic injuries	46,820	4.9	2,370	13.0	3,220	19.7	1,080	11.2
With fractures	11,100	1.2	690	3.8	610	3.8	110	1.1
With sprains	15,570	1.6	640	3.5	1,100	6.7	640	6.6
Soreness, Pain	115,540	12.2	8,200	45.1	4,890	29.8	6,990	72.4
Back pain	37,130	3.9	2,710	14.9	2,020	12.4	2,940	30.5
All other ⁶	197,580	20.8	12,720	70.0	7,920	48.4	4,380	45.4
Part of body affected:								
Head	78,370	8.3	5,120	28.1	2,960	18.1	1,360	14.1
Eye	33,010	3.5	2,130	11.7	810	4.9	370	3.8
Neck	17,050	1.8	790	4.3	1,140	7.0	820	8.5
Trunk	384,650	40.6	28,800	158.4	22,180	135.5	24,120	249.7
Back	235,960	24.9	16,960	93.3	12,820	78.3	17,880	185.2
Shoulder	75,580	8.0	5,870	32.3	5,430	33.2	3,470	35.9
Upper extremities	269,240	28.4	17,460	96.0	8,100	49.5	5,480	56.8
Arm	54,260	5.7	3,630	19.9	2,660	16.3	1,410	14.6
Finger	101,650	10.7	7,120	39.2	1,810	11.1	1,290	13.4
Hand, except finger	47,920	5.1	3,310	18.2	1,190	7.3	620	6.4
Wrist	51,620	5.4	2,730	15.0	1,840	11.2	1,790	18.5
Lower extremities	260,580	27.5	20,080	110.4	14,500	88.5	7,370	76.3
Knee	94,500	10.0	5,290	29.1	5,060	30.9	3,690	38.2
Ankle	62,660	6.6	4,180	23.0	3,900	23.8	1,400	14.5
Foot, toe	55,600	5.9	6,240	34.3	2,610	16.0	1,080	11.1
Body systems	17,710	1.9	520	2.9	320	2.0	440	4.6
Multiple	120,950	12.8	5,670	31.2	7,560	46.2	5,090	52.7
All other	10,330	1.1	550	3.0	290	1.8	260	2.7
Source of injury, illness:								
Chemicals, chemical products	17,340	1.8	800	4.4	280	1.7	260	2.7
Containers	136,750	14.4	20,090	110.5	6,580	40.2	550	5.7
Furniture, fixtures	46,220	4.9	3,770	20.7	690	4.2	1,830	18.9
Machinery	69,160	7.3	4,840	26.6	1,370	8.4	540	5.6
Parts and materials	116,570	12.3	10,660	58.6	7,160	43.7	200	2.1
Person, injured or ill worker ^o	169,920	17.9	9,720	53.5	8,160	49.8	4,020	41.7
Worker motion or position ^o	165,110	17.4	9,420	51.8	7,990	48.8	3,930	40.7
Floor, ground surfaces ^o	230,550	24.3	9,830	54.0	13,130	80.2	7,300	75.6
Handtools	54,490	5.7	2,650	14.6	890	5.4	100	1.0
Vehicles	97,920	10.3	7,750	42.6	13,710	83.7	610	6.3
Person, other than worker	64,290	6.8	200	1.1	70	0.4	25,350	262.5
Health care patient	50,810	5.4	--	--	--	--	24,920	258.0
All other ^o	155,660	16.4	8,700	47.8	5,030	30.7	4,170	43.2

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table]

Table 2a. Number and incidence rate¹ of nonfatal occupational injuries and illnesses involving days away from work² by selected case characteristics and occupation, All United States, private industry, 2007

Characteristic	Private industry ^{3,4,5}		Laborers and freight, stock, and material movers, hand		Truck drivers, heavy and tractor-trailer		Nursing aides, orderlies, and attendants	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Event or exposure:								
Contact with object, equipment	317,550	33.5	28,140	154.7	11,370	69.5	4,770	49.4
Struck by object	162,840	17.2	15,870	87.3	5,360	32.7	2,660	27.6
Struck against object	75,730	8.0	5,270	29.0	3,040	18.6	1,310	13.6
Caught in object, equipment, material	54,100	5.7	5,630	30.9	2,020	12.4	570	5.9
Fall to lower level	77,300	8.1	4,150	22.8	5,920	36.2	600	6.2
Fall on same level	166,560	17.6	6,690	36.8	7,410	45.3	6,860	71.1
Slips, trips ⁶	37,780	4.0	1,940	10.7	2,340	14.3	1,270	13.2
Overexertion	264,930	27.9	22,630	124.4	13,940	85.2	23,620	244.5
Overexertion in lifting	140,330	14.8	13,560	74.6	5,280	32.2	9,650	99.9
Repetitive motion	36,700	3.9	2,290	12.6	600	3.7	350	3.7
Exposed to harmful substance	52,950	5.6	1,970	10.8	660	4.1	1,070	11.1
Transportation accidents	53,320	5.6	3,130	17.2	7,260	44.3	260	2.7
Highway accident	33,360	3.5	540	3.0	5,540	33.9	210	2.2
Fires, explosions	1,870	0.2	30	0.2	90	0.5	60	0.6
Assault, violent act	24,230	2.6	320	1.8	310	1.9	2,720	28.1
by person	16,840	1.8	180	1.0	120	0.7	2,640	27.3
by other	7,400	0.8	140	0.7	190	1.2	80	0.8
by animal	7,280	0.8	120	0.7	190	1.2	70	0.8
All other ⁶	125,680	13.3	7,700	42.3	7,140	43.6	3,350	34.7

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table]

Table 2a. Number and incidence rate¹ of nonfatal occupational injuries and illnesses involving days away from work² by selected case characteristics and occupation, All United States, private industry, 2007

Characteristic	Private industry ^{3,4,5}		Construction laborers		Truck drivers, light or delivery services		Retail salespersons	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total:	1,158,870	122.2	34,180	394.0	32,930	369.5	32,920	103.1
Nature of injury, illness:								
Sprains, strains ⁶	448,380	46.9	10,230	117.9	14,050	157.6	13,240	41.5
Fractures	94,950	10.0	4,230	48.8	3,170	35.6	2,390	7.5
Cuts, lacerations, punctures	107,000	11.3	4,920	56.7	1,000	11.2	2,650	8.3
Cuts, lacerations	91,270	9.6	4,010	46.2	910	10.2	2,440	7.6
Punctures	15,730	1.7	910	10.5	100	1.1	210	0.7
Bruises, contusions	101,340	10.7	3,110	35.9	2,140	24.0	3,550	11.1
Heat burns	17,490	1.8	330	3.8	170	1.9	640	2.0
Chemical burns	6,130	0.6	250	2.8	60	0.7	40	0.1
Amputations	7,320	0.8	170	1.9	20	0.2	70	0.2
Carpal tunnel syndrome	11,940	1.3	50	0.6	170	1.9	130	0.4
Tendonitis	4,380	0.5	140	1.6	40	0.5	80	0.3
Multiple traumatic injuries	46,820	4.9	1,640	18.9	1,350	15.2	1,220	3.8
With fractures	11,100	1.2	450	5.2	240	2.7	230	0.7
With sprains	15,570	1.6	240	2.8	580	6.5	430	1.3
Soreness, Pain	115,540	12.2	3,020	34.8	5,160	57.9	4,120	12.9
Back pain	37,130	3.9	920	10.6	1,810	20.3	1,220	3.8
All other ⁶	197,580	21.2	6,100	70.3	5,600	62.8	4,800	15.0
Part of body affected:								
Head	78,370	8.3	2,560	29.5	1,390	15.6	2,760	8.6
Eye	33,010	3.5	770	8.9	270	3.0	440	1.4
Neck	17,050	1.8	340	3.9	530	5.9	530	1.6
Trunk	384,650	40.6	10,730	123.6	12,620	141.6	11,060	34.6
Back	235,960	24.9	5,630	64.9	7,340	82.4	7,130	22.3
Shoulder	75,580	8.0	1,790	20.7	2,710	30.4	2,200	6.9
Upper extremities	269,240	28.4	7,520	86.7	4,530	50.8	6,440	20.2
Arm	54,260	5.7	920	10.6	1,650	18.5	1,500	4.7
Finger	101,650	10.7	3,430	39.6	1,240	13.9	2,000	6.3
Hand, except finger	47,920	5.1	1,890	21.8	550	6.1	950	3.0
Wrist	51,620	5.4	710	8.2	960	10.8	1,790	5.6
Lower extremities	260,580	27.5	9,360	107.9	9,660	108.4	7,510	23.5
Knee	94,500	10.0	2,960	34.1	3,080	34.6	3,050	9.5
Ankle	62,660	6.6	2,110	24.3	2,900	32.5	1,410	4.4
Foot, toe	55,600	5.9	2,520	29.0	1,700	19.1	1,910	6.0
Body systems	17,710	1.9	310	3.6	180	2.0	830	2.6
Multiple	120,950	12.8	2,990	34.5	3,930	44.1	3,470	10.9
All other	10,330	1.1	360	4.2	100	1.1	320	1.0
Source of injury, illness:								
Chemicals, chemical products	17,340	1.8	460	5.3	110	1.3	330	1.0
Containers	136,750	14.4	1,300	15.0	6,670	74.8	6,240	19.6
Furniture, fixtures	46,220	4.9	1,030	11.9	950	10.6	3,750	11.7
Machinery	69,160	7.3	2,360	27.2	790	8.9	1,680	5.3
Parts and materials	116,570	12.3	8,300	95.6	2,390	26.9	1,690	5.3
Person, injured or ill worker ^o	169,920	17.9	3,720	42.9	5,770	64.7	4,410	13.8
Worker motion or position ^o	165,110	17.4	3,540	40.8	5,640	63.3	3,970	12.4
Floor, ground surfaces ^o	230,550	24.3	6,820	78.6	6,750	75.8	8,130	25.4
Handtools	54,490	5.7	3,620	41.7	90	1.0	900	2.8
Vehicles	97,920	10.3	2,000	23.0	6,900	77.4	1,690	5.3
Person, other than worker	64,290	6.8	20	0.3	60	0.7	270	0.9
Health care patient	50,810	5.4	--	--	--	--	--	--
All other ^o	155,660	16.4	4,550	52.5	2,440	27.4	3,830	12.0

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table]

Table 2a. Number and incidence rate¹ of nonfatal occupational injuries and illnesses involving days away from work² by selected case characteristics and occupation, All United States, private industry, 2007

Characteristic	Private industry ^{3,4,5}		Construction laborers		Truck drivers, light or delivery services		Retail salespersons	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Event or exposure:								
Contact with object, equipment	317,550	33.5	13,990	161.2	5,750	64.5	7,630	23.9
Struck by object	162,840	17.2	8,990	103.6	2,740	30.8	4,660	14.6
Struck against object	75,730	8.0	2,180	25.2	1,780	20.0	2,050	6.4
Caught in object, equipment, material	54,100	5.7	2,150	24.8	880	9.9	720	2.3
Fall to lower level	77,300	8.1	4,190	48.3	2,480	27.8	2,010	6.3
Fall on same level	166,560	17.6	2,810	32.4	4,390	49.3	7,020	22.0
Slips, trips ⁶	37,780	4.0	810	9.3	1,410	15.8	1,230	3.9
Overexertion	264,930	27.9	5,800	66.8	9,250	103.8	8,620	27.0
Overexertion in lifting	140,330	14.8	2,840	32.8	4,750	53.2	5,370	16.8
Repetitive motion	36,700	3.9	270	3.1	620	6.9	630	2.0
Exposed to harmful substance	52,950	5.6	1,240	14.3	830	9.3	1,310	4.1
Transportation accidents	53,320	5.6	1,410	16.3	3,570	40.0	540	1.7
Highway accident	33,360	3.5	730	8.5	2,760	31.0	350	1.1
Fires, explosions	1,870	0.2	60	0.6	--	--	--	--
Assault, violent act	24,230	2.6	100	1.2	330	3.7	450	1.4
by person	16,840	1.8	80	0.9	60	0.7	370	1.2
by other	7,400	0.8	20	0.2	270	3.1	80	0.2
by animal	7,280	0.8	20	0.2	270	3.1	80	0.2
All other ⁶	125,680	13.3	3,500	40.4	4,300	48.3	3,380	10.6

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table]

Table 2a. Number and incidence rate¹ of nonfatal occupational injuries and illnesses involving days away from work² by selected case characteristics and occupation, All United States, private industry, 2007

Characteristic	Private industry ^{3,4,5}		Janitors and cleaners, except maids and housekeeping cleaners		Carpenters		Maintenance and repair workers, general	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total:	1,158,870	122.2	30,060	262.2	23,800	286.2	23,460	238.2
Nature of injury, illness:								
Sprains, strains ⁶	448,380	46.9	12,360	107.8	7,030	84.6	8,620	87.6
Fractures	94,950	10.0	1,990	17.4	2,950	35.5	2,140	21.8
Cuts, lacerations, punctures	107,000	11.3	2,240	19.6	5,620	67.6	2,690	27.3
Cuts, lacerations	91,270	9.6	1,940	16.9	3,700	44.5	2,510	25.5
Punctures	15,730	1.7	310	2.7	1,930	23.2	180	1.8
Bruises, contusions	101,340	10.7	2,980	26.0	900	10.9	1,300	13.2
Heat burns	17,490	1.8	330	2.9	40	0.4	380	3.9
Chemical burns	6,130	0.6	310	2.7	70	0.9	410	4.2
Amputations	7,320	0.8	130	1.1	280	3.4	200	2.0
Carpal tunnel syndrome	11,940	1.3	100	0.9	50	0.6	110	1.1
Tendonitis	4,380	0.5	60	0.5	40	0.4	30	0.3
Multiple traumatic injuries	46,820	4.9	900	7.9	750	9.0	990	10.1
With fractures	11,100	1.2	90	0.8	190	2.3	220	2.3
With sprains	15,570	1.6	460	4.0	240	2.9	290	2.9
Soreness, Pain	115,540	12.2	3,240	28.3	1,960	23.6	2,230	22.7
Back pain	37,130	3.9	980	8.6	900	10.8	610	6.2
All other ⁶	197,580	21.2	5,410	47.5	4,100	49.3	4,340	44.1
Part of body affected:								
Head	78,370	8.3	1,640	14.3	2,000	24.1	1,900	19.3
Eye	33,010	3.5	690	6.0	980	11.7	1,210	12.3
Neck	17,050	1.8	280	2.5	200	2.4	510	5.1
Trunk	384,650	40.6	11,700	102.0	6,800	81.7	6,760	68.6
Back	235,960	24.9	7,000	61.1	3,880	46.7	3,920	39.8
Shoulder	75,580	8.0	2,250	19.6	1,130	13.6	1,140	11.6
Upper extremities	269,240	28.4	7,020	61.2	7,420	89.2	5,850	59.4
Arm	54,260	5.7	1,730	15.1	1,320	15.9	900	9.2
Finger	101,650	10.7	2,480	21.6	3,440	41.4	2,420	24.6
Hand, except finger	47,920	5.1	1,280	11.2	1,690	20.3	1,190	12.1
Wrist	51,620	5.4	1,200	10.4	770	9.2	1,110	11.3
Lower extremities	260,580	27.5	6,050	52.8	5,290	63.6	5,670	57.6
Knee	94,500	10.0	2,210	19.3	1,720	20.7	1,820	18.4
Ankle	62,660	6.6	1,390	12.1	1,080	13.0	900	9.1
Foot, toe	55,600	5.9	1,390	12.1	1,550	18.7	1,780	18.1
Body systems	17,710	1.9	520	4.6	110	1.3	450	4.5
Multiple	120,950	12.8	2,710	23.6	1,890	22.7	2,280	23.2
All other	10,330	1.1	140	1.2	90	1.1	40	0.4
Source of injury, illness:								
Chemicals, chemical products	17,340	1.8	910	7.9	150	1.8	640	6.5
Containers	136,750	14.4	4,420	38.6	990	11.9	1,670	17.0
Furniture, fixtures	46,220	4.9	2,430	21.2	920	11.0	960	9.7
Machinery	69,160	7.3	2,040	17.8	1,240	14.9	2,110	21.5
Parts and materials	116,570	12.3	1,160	10.1	6,600	79.3	3,360	34.1
Person, injured or ill worker ⁶	169,920	17.9	4,250	37.1	2,420	29.1	3,310	33.6
Worker motion or position ⁶	165,110	17.4	4,210	36.7	2,400	28.9	3,270	33.2
Floor, ground surfaces ⁶	230,550	24.3	6,930	60.5	4,440	53.3	4,200	42.7
Handtools	54,490	5.7	1,330	11.6	2,860	34.4	1,850	18.8
Vehicles	97,920	10.3	1,230	10.7	530	6.3	1,430	14.6
Person, other than worker	64,290	6.8	100	0.9	40	0.5	60	0.6
Health care patient	50,810	5.4	30	0.3	--	--	--	--
All other ⁶	155,660	16.4	5,260	45.9	3,630	43.7	3,860	39.2

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table]

Table 2a. Number and incidence rate¹ of nonfatal occupational injuries and illnesses involving days away from work² by selected case characteristics and occupation, All United States, private industry, 2007

Characteristic	Private industry ^{3,4,5}		Janitors and cleaners, except maids and housekeeping cleaners		Carpenters		Maintenance and repair workers, general	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Event or exposure:								
Contact with object, equipment	317,550	33.5	7,220	63.0	10,540	126.8	7,460	75.7
Struck by object	162,840	17.2	3,450	30.1	5,230	62.9	4,040	41.0
Struck against object	75,730	8.0	2,270	19.8	3,020	36.3	1,480	15.0
Caught in object, equipment, material	54,100	5.7	1,080	9.4	1,020	12.3	1,310	13.3
Fall to lower level	77,300	8.1	2,260	19.7	3,250	39.1	1,780	18.1
Fall on same level	166,560	17.6	5,380	46.9	1,800	21.6	2,400	24.4
Slips, trips ⁶	37,780	4.0	1,070	9.4	390	4.7	580	5.9
Overexertion	264,930	27.9	7,310	63.7	4,790	57.6	5,250	53.3
Overexertion in lifting	140,330	14.8	3,980	34.7	3,110	37.4	3,220	32.7
Repetitive motion	36,700	3.9	690	6.0	290	3.5	370	3.8
Exposed to harmful substance	52,950	5.6	2,180	19.0	290	3.4	1,530	15.5
Transportation accidents	53,320	5.6	600	5.3	200	2.4	1,010	10.3
Highway accident	33,360	3.5	320	2.8	110	1.3	700	7.1
Fires, explosions	1,870	0.2	20	0.2	--	--	140	1.4
Assault, violent act	24,230	2.6	200	1.8	30	0.4	70	0.8
by person	16,840	1.8	70	0.6	30	0.3	40	0.4
by other	7,400	0.8	130	1.1	--	--	40	0.4
by animal	7,280	0.8	120	1.0	--	--	40	0.4
All other ⁶	125,680	13.3	3,130	27.3	2,210	26.6	2,860	29.0

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table]

Table 2a. Number and incidence rate¹ of nonfatal occupational injuries and illnesses involving days away from work² by selected case characteristics and occupation, All United States, private industry, 2007

Characteristic	Private industry ^{3,4,5}		Registered nurses	
	Number	Rate	Number	Rate
Total:	1,158,870	122.2	20,020	124.6
Nature of injury, illness:				
Sprains, strains ⁶	448,380	46.9	11,550	71.9
Fractures	94,950	10.0	1,160	7.2
Cuts, lacerations, punctures	107,000	11.3	410	2.6
Cuts, lacerations	91,270	9.6	230	1.4
Punctures	15,730	1.7	180	1.1
Bruises, contusions	101,340	10.7	1,900	11.8
Heat burns	17,490	1.8	20	0.1
Chemical burns	6,130	0.6	20	0.1
Amputations	7,320	0.8	--	--
Carpal tunnel syndrome	11,940	1.3	40	0.3
Tendonitis	4,380	0.5	90	0.6
Multiple traumatic injuries	46,820	4.9	870	5.4
With fractures	11,100	1.2	220	1.4
With sprains	15,570	1.6	350	2.2
Soreness, Pain	115,540	12.2	1,710	10.6
Back pain	37,130	3.9	670	4.2
All other ⁶	197,580	21.2	2,250	14.0
Part of body affected:				
Head	78,370	8.3	840	5.2
Eye	33,010	3.5	220	1.4
Neck	17,050	1.8	530	3.3
Trunk	384,650	40.6	9,000	56.0
Back	235,960	24.9	6,720	41.8
Shoulder	75,580	8.0	1,400	8.7
Upper extremities	269,240	28.4	2,370	14.7
Arm	54,260	5.7	540	3.4
Finger	101,650	10.7	710	4.4
Hand, except finger	47,920	5.1	330	2.0
Wrist	51,620	5.4	630	3.9
Lower extremities	260,580	27.5	3,820	23.8
Knee	94,500	10.0	1,940	12.1
Ankle	62,660	6.6	820	5.1
Foot, toe	55,600	5.9	640	4.0
Body systems	17,710	1.9	340	2.1
Multiple	120,950	12.8	2,940	18.3
All other	10,330	1.1	170	1.1
Source of injury, illness:				
Chemicals, chemical products	17,340	1.8	250	1.5
Containers	136,750	14.4	310	1.9
Furniture, fixtures	46,220	4.9	1,070	6.7
Machinery	69,160	7.3	270	1.7
Parts and materials	116,570	12.3	130	0.8
Person, injured or ill worker ^o	169,920	17.9	2,640	16.4
Worker motion or position ^o	165,110	17.4	2,590	16.1
Floor, ground surfaces ^o	230,550	24.3	4,830	30.0
Handtools	54,490	5.7	30	0.2
Vehicles	97,920	10.3	760	4.7
Person, other than worker	64,290	6.8	7,930	49.3
Health care patient	50,810	5.4	7,670	47.7
All other ^o	155,660	16.4	1,810	11.3

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table]

Table 2a. Number and incidence rate¹ of nonfatal occupational injuries and illnesses involving days away from work² by selected case characteristics and occupation, All United States, private industry, 2007

Characteristic	Private industry ^{3,4,5}		Registered nurses	
	Number	Rate	Number	Rate
Event or exposure:				
Contact with object, equipment	317,550	33.5	1,990	12.4
Struck by object	162,840	17.2	860	5.4
Struck against object	75,730	8.0	740	4.6
Caught in object, equipment, material	54,100	5.7	240	1.5
Fall to lower level	77,300	8.1	460	2.9
Fall on same level	166,560	17.6	4,380	27.3
Slips, trips ⁶	37,780	4.0	770	4.8
Overexertion	264,930	27.9	7,850	48.9
Overexertion in lifting	140,330	14.8	2,910	18.1
Repetitive motion	36,700	3.9	170	1.0
Exposed to harmful substance	52,950	5.6	740	4.6
Transportation accidents	53,320	5.6	550	3.4
Highway accident	33,360	3.5	510	3.2
Fires, explosions	1,870	0.2	--	--
Assault, violent act	24,230	2.6	1,050	6.5
by person	16,840	1.8	1,000	6.2
by other	7,400	0.8	50	0.3
by animal	7,280	0.8	40	0.3
All other ⁶	125,680	13.3	2,060	12.8

¹ Incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as:

$(N / EH) \times 20,000,000$ where,

N = number of injuries and illnesses,

EH = total hours worked by all employees during the calendar year,

20,000,000 = base for 10,000 full-time equivalent workers (working 40 hours per week, 50 weeks per year).

² Days-away-from-work include those that result in days-away-from-work with or without job transfer or restriction.

³ Excludes farms with fewer than 11 employees.

⁴ Data for mining (Sector 21 in the *North American Industry Classification System* -- United States, 2002) include establishments not governed by the Mine Safety and Health Administration (MSHA) rules and reporting, such as those in oil and gas extraction and related support activities. Data for mining operators in coal, metal, and nonmetal mining are provided to BLS by the Mine Safety and Health Administration, U.S. Department of Labor. Independent mining contractors are excluded from the coal, metal, and nonmetal mining industries. These data do not reflect the changes the Occupational Safety and Health Administration made to its recordkeeping requirements effective January 1, 2002; therefore estimates for these industries are not comparable to estimates in other industries.

⁵ Data for employers in railroad transportation are provided to BLS by the Federal Railroad Administration, U.S. Department of Transportation.

⁶ **Selected estimates for this category were affected by the March 2009 revision, see note below.**

NOTE: Dashes indicate data that do not meet publication guidelines or data for incidence rates less than 0.05 per 10,000 full-time workers.

The scientifically selected probability sample used in each year was one of many possible samples, each of which could have produced different estimates. A measure of sampling variability for each estimate is available upon request.

This table was reissued March 2009 to revise selected estimates within the Mining (NAICS 21) and Railroad Transportation (NAICS 482) industries, and in their respective higher level industry sectors. Characteristic categories affected by the revisions, that appear in this table, are footnoted.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, March, 2009