

TABLE R52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, gender, and length of service with employer, 2007

Part of body	Part of body code ²	Private industry ³	Gender			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Total		1,158,870	744,860	409,040	4,970	142,660	248,620	403,180	349,940	14,470
Head	0	78,370	55,190	22,880	300	12,360	17,750	28,020	19,380	860
Head, unspecified	00	16,310	9,390	6,870	50	2,240	3,700	5,690	4,520	170
Cranial region, including skull	01	10,120	6,680	3,370	70	1,390	2,170	3,740	2,650	180
Cranial region, unspecified	010	180	150	40	-	-	30	100	40	-
Brain	011	6,420	4,070	2,320	30	1,030	1,290	2,450	1,580	60
Scalp	012	2,820	2,060	730	30	280	700	870	860	100
Skull	013	540	300	240	-	30	130	270	110	20
Multiple cranial region locations	018	90	80	20	-	-	20	-	30	-
Cranial region, n.e.c.	019	70	40	30	-	-	-	30	20	-
Ear(s)	02	910	620	280	-	130	150	220	390	20
Face	03	50,140	37,970	12,010	160	8,480	11,600	18,000	11,580	490
Face, unspecified	030	3,490	2,430	1,060	-	610	660	1,330	850	30
Forehead	031	3,160	2,150	1,000	-	560	560	1,130	890	20
Eye(s)	032	33,010	26,200	6,710	90	5,420	8,100	11,880	7,350	260
Nose, nasal cavity	033	2,790	1,610	1,160	-	310	600	1,100	690	90
Nose, except internal location of diseases or disorders	0330	2,690	1,600	1,080	-	310	530	1,090	670	90
Internal nasal location, unspecified	0331	20	-	20	-	-	-	-	20	-
Nasal passages	0333	60	-	60	-	-	60	-	-	-
Cheek(s)	034	830	690	130	-	140	230	300	150	-
Jaw/chin	035	930	520	410	-	140	160	440	190	20
Mouth	036	2,350	1,860	470	20	520	510	840	460	30
Mouth, unspecified	0360	300	230	60	-	70	60	130	40	-
Lip(s)	0361	540	360	170	-	90	50	230	160	-
Tooth(teeth)	0363	1,290	1,070	210	-	320	350	410	200	-
Multiple mouth locations	0368	190	160	30	-	30	30	70	60	-
Mouth, n.e.c.	0369	20	20	-	-	-	-	-	-	-
Multiple face locations	038	3,240	2,230	1,010	-	680	700	930	910	20
Face, n.e.c.	039	350	280	60	-	100	80	70	90	-
Multiple head locations	08	740	480	250	-	50	140	310	240	-
Head, n.e.c.	09	150	50	100	-	70	-	70	-	-
Neck, including throat	1	17,050	9,730	7,120	190	1,470	3,660	6,830	4,850	250
Neck, except internal location of diseases or disorders ...	10	16,980	9,700	7,080	190	1,460	3,640	6,810	4,820	250
Internal neck location, unspecified	11	40	30	-	-	-	-	-	20	-
Pharynx	15	20	-	20	-	-	-	-	-	-
Trunk	2	384,650	251,500	131,600	1,550	40,420	82,840	133,410	123,730	4,250
Trunk, unspecified	20	2,000	1,210	750	40	250	500	720	490	50
Shoulder, including clavicle, scapula	21	75,580	50,390	24,790	400	7,060	13,840	24,090	29,600	990
Chest, including ribs, internal organs	22	18,580	13,630	4,880	80	2,590	4,080	6,100	5,610	200
Chest, except internal location of diseases or disorders	220	16,590	12,400	4,120	80	2,380	3,650	5,400	4,980	180
Internal chest location, unspecified	221	180	140	40	-	70	50	30	30	-

See footnotes at end of table.

TABLE R52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, gender, and length of service with employer, 2007 — Continued

Part of body	Part of body code ²	Private industry ³	Gender			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Heart	223	400	380	20	—	—	70	100	220	—
Bronchus	224	160	130	20	—	40	90	20	—	—
Lung(s), pleura	225	1,190	510	670	—	90	190	540	350	—
Multiple internal chest locations	228	40	40	—	—	—	40	—	—	—
Internal chest location, n.e.c.	229	20	20	—	—	—	—	—	20	—
Back, including spine, spinal cord	23	235,960	146,000	89,060	890	24,800	54,410	84,580	69,580	2,580
Back, including spine, spinal cord, unspecified	230	96,130	61,260	34,830	30	10,640	23,580	33,310	28,090	510
Lumbar region	231	119,350	74,420	44,230	700	11,810	25,740	43,610	36,460	1,720
Thoracic region	232	9,710	5,290	4,270	150	920	2,540	3,540	2,430	280
Sacral region	233	590	270	320	—	70	160	150	210	—
Coccygeal region	234	2,490	750	1,730	—	200	790	1,080	410	—
Multiple back regions	238	7,190	3,640	3,540	—	1,130	1,480	2,600	1,910	60
Back, including spine, spinal cord, n.e.c.	239	500	360	140	—	30	120	280	80	—
Abdomen	24	24,720	21,530	3,140	60	1,830	4,630	8,630	9,490	150
Abdomen, except internal location of diseases or disorders	240	6,890	4,690	2,180	20	660	1,750	2,600	1,820	60
Internal abdominal location, unspecified	241	8,570	8,080	450	30	520	1,390	3,080	3,520	60
Stomach organ	242	650	520	130	—	110	90	170	280	—
Spleen	243	70	70	—	—	—	—	—	60	—
Urinary organs	244	20	—	—	—	—	—	—	—	—
Intestines, peritoneum	245	8,420	8,100	320	—	540	1,370	2,750	3,730	30
Intestines, peritoneum, unspecified	2450	7,760	7,470	290	—	500	1,220	2,570	3,440	30
Peritoneum	2451	450	430	20	—	40	130	140	150	—
Large intestine/colon, rectum	2453	180	170	—	—	—	20	20	130	—
Intestines, n.e.c.	2459	20	20	—	—	—	—	—	—	—
Internal abdominal location, n.e.c.	249	90	50	40	—	—	20	—	60	—
Pelvic region	25	19,250	13,780	5,380	90	2,690	3,740	6,120	6,490	200
Pelvic region, unspecified	250	240	180	60	—	20	30	140	40	—
Hip(s)	251	9,240	5,540	3,650	50	1,560	1,650	2,620	3,320	80
Pelvis	252	830	570	260	—	110	160	310	240	—
Buttock(s)	253	1,090	480	600	—	170	190	450	270	20
Groin	254	7,310	6,600	700	—	780	1,630	2,460	2,380	60
External reproductive tract structures	255	180	150	—	20	30	40	50	30	20
External reproductive tract structures, unspecified ..	2550	30	—	—	20	—	—	—	—	20
Scrotum	2551	120	120	—	—	20	30	40	20	—
Internal reproductive tract structures	256	60	30	30	—	—	20	20	—	—
Testis(testes)	2562	20	20	—	—	—	—	—	—	—
Multiple pelvic region locations	258	280	230	60	—	—	20	60	190	—
Pelvic region, n.e.c.	259	30	—	30	—	—	—	20	—	—
Multiple trunk locations	28	8,350	4,770	3,580	—	1,200	1,550	3,100	2,420	80
Trunk, n.e.c.	29	210	190	20	—	—	90	80	30	—
Upper extremities	3	269,240	176,620	91,890	730	37,440	60,060	93,010	75,930	2,810
Upper extremities, unspecified	30	520	270	240	—	100	170	100	130	—
Arm(s)	31	54,260	36,000	18,060	200	6,440	10,810	18,480	17,970	570
Arm(s), unspecified	310	18,170	11,570	6,590	—	2,450	3,750	6,060	5,760	150
Upper arm(s)	311	4,230	3,040	1,130	60	390	690	1,260	1,810	80
Elbow(s)	312	18,830	12,640	6,110	90	1,890	3,640	6,300	6,770	240

See footnotes at end of table.

TABLE R52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, gender, and length of service with employer, 2007 — Continued

Part of body	Part of body code ²	Private industry ³	Gender			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Forearm(s)	313	10,540	7,340	3,150	50	1,470	2,270	4,130	2,580	90
Multiple arm(s) locations	318	2,090	1,160	930	-	200	350	620	920	-
Arm(s), n.e.c.	319	410	250	150	-	60	110	100	140	-
Wrist(s)	32	51,620	23,440	28,070	100	5,350	9,890	18,110	17,710	560
Hand(s), except finger(s)	33	47,920	34,160	13,620	130	8,320	11,690	16,220	11,230	450
Finger(s), fingernail(s)	34	101,650	75,320	26,060	270	15,610	24,800	35,460	24,620	1,150
Multiple upper extremities locations	38	13,060	7,340	5,700	20	1,620	2,670	4,540	4,170	70
Multiple upper extremities locations, unspecified	380	220	130	90	-	40	20	100	50	-
Hand(s) and finger(s)	381	4,070	2,730	1,330	-	560	980	1,500	1,020	-
Hand(s) and wrist(s)	382	3,050	1,300	1,730	-	380	650	990	1,010	20
Hand(s) and arm(s)	383	1,560	1,000	550	-	150	310	600	490	-
Multiple upper extremities locations, n.e.c.	389	4,170	2,170	2,000	-	490	700	1,350	1,600	30
Upper extremities, n.e.c.	39	210	80	130	-	-	20	90	90	-
Lower extremities	4	260,580	173,280	86,180	1,120	34,590	54,550	89,540	78,650	3,240
Lower extremities, unspecified	40	790	590	200	-	40	170	480	80	-
Leg(s)	41	132,280	88,620	43,040	620	16,460	25,670	43,280	45,000	1,880
Leg(s), unspecified	410	17,310	12,720	4,570	20	2,300	3,600	5,320	5,890	200
Thigh(s)	411	4,610	3,340	1,210	60	700	1,020	1,550	1,260	90
Knee(s)	412	94,500	60,810	33,260	420	11,600	18,540	30,830	32,310	1,210
Lower leg(s)	413	11,930	9,220	2,600	110	1,360	1,700	4,070	4,460	330
Multiple leg(s) locations	418	3,420	2,140	1,280	-	460	730	1,320	870	40
Leg(s), n.e.c.	419	520	390	140	-	40	80	190	210	-
Ankle(s)	42	62,660	38,960	23,340	360	9,100	13,700	22,950	16,220	690
Foot(feet), except toe(s)	43	43,970	30,840	13,010	120	6,030	10,590	15,530	11,390	430
Foot(feet), except toe(s), unspecified	430	38,870	26,720	12,040	110	5,400	9,560	13,460	10,080	380
Instep(s)	431	180	130	50	-	90	20	50	30	-
Sole	432	3,680	3,070	610	-	410	800	1,390	1,060	30
Sole(s), unspecified	4320	470	450	20	-	120	100	220	30	-
Ball(s) of foot	4321	30	30	-	-	-	-	-	-	-
Arch(es)	4322	40	30	-	-	-	-	20	-	-
Heel(s)	4323	3,090	2,520	570	-	280	690	1,110	990	30
Multiple sole(s) locations	4328	40	40	-	-	-	-	40	-	-
Multiple foot(feet) locations	438	210	140	70	-	20	50	90	50	-
Foot(feet), n.e.c.	439	1,010	770	250	-	110	160	540	180	20
Toe(s), toenail(s)	44	11,630	8,350	3,260	30	1,920	2,310	3,870	3,360	170
Multiple lower extremities locations	48	9,020	5,790	3,230	-	1,030	2,100	3,290	2,550	60
Multiple lower extremities locations, unspecified	480	200	110	80	-	80	30	60	30	-
Foot(feet) and leg(s)	481	1,670	1,430	240	-	190	720	350	390	20
Foot(feet) and ankle(s)	482	2,410	1,470	940	-	330	520	910	640	-
Foot(feet) and toe(s)	483	970	760	210	-	80	230	390	270	-
Multiple lower extremities locations, n.e.c.	489	3,780	2,010	1,760	-	350	590	1,570	1,220	30
Lower extremities, n.e.c.	49	220	130	90	-	-	20	140	50	-
Body systems	5	17,710	8,960	8,700	50	1,880	4,630	6,110	4,900	180
Multiple body parts	8	120,950	64,410	56,430	110	13,540	22,910	43,270	40,110	1,120
Other body parts	9	50	50	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE R52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, gender, and length of service with employer, 2007 — Continued

Part of body	Part of body code ²	Private industry ³	Gender			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Prosthetic devices	91	40	—	—	—	—	—	—	—	—
Other body parts, n.e.c.	98	20	20	—	—	—	—	—	—	—
Nonclassifiable	9999	10,280	5,110	4,240	930	930	2,220	2,980	2,380	1,770

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies