

TABLE R53. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness and summary occupational groups, 2007

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Summary occupational groups										
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	Military specific occupations
<b>Total</b> .....		1,158,870	29,600	79,260	251,490	78,070	85,190	13,950	134,010	98,390	160,350	225,780	–
<b>Head</b> .....	0	78,370	2,240	4,660	14,520	5,280	4,630	1,450	10,330	9,240	13,020	12,970	–
Head, unspecified .....	00	16,310	500	1,260	3,250	2,210	1,510	150	1,600	1,100	1,540	3,180	–
Cranial region, including skull .....	01	10,120	480	800	1,760	910	680	180	1,360	700	950	2,330	–
Cranial region, unspecified .....	010	180	–	–	60	–	20	–	20	–	–	60	–
Brain .....	011	6,420	330	630	1,140	580	530	110	910	340	540	1,290	–
Scalp .....	012	2,820	140	100	430	210	100	40	290	300	330	870	–
Skull .....	013	540	–	40	110	90	20	–	90	50	50	80	–
Multiple cranial region locations .....	018	90	–	–	–	–	–	–	40	–	–	20	–
Cranial region, n.e.c. ....	019	70	–	–	–	–	–	–	–	–	–	–	–
Ear(s) .....	02	910	30	30	200	40	70	–	80	130	170	160	–
Face .....	03	50,140	1,220	2,520	9,110	2,000	2,330	1,110	7,200	7,260	10,230	7,130	–
Face, unspecified .....	030	3,490	30	340	940	190	170	40	330	290	460	670	–
Forehead .....	031	3,160	100	130	750	360	110	170	170	390	390	620	–
Eye(s) .....	032	33,010	860	950	5,070	970	1,420	720	5,040	5,370	8,260	4,330	–
Nose, nasal cavity .....	033	2,790	130	510	630	220	130	20	300	270	230	350	–
Nose, except internal location of diseases or disorders .....	0330	2,690	130	440	620	210	120	20	290	270	230	350	–
Internal nasal location, unspecified .....	0331	20	–	–	–	–	–	–	–	–	–	–	–
Nasal passages .....	0333	60	–	50	–	–	–	–	–	–	–	–	–
Cheek(s) .....	034	830	–	130	60	20	30	90	90	60	220	130	–
Jaw/chin .....	035	930	–	110	250	30	40	–	220	90	70	110	–
Mouth .....	036	2,350	50	110	340	90	90	30	570	480	270	330	–
Mouth, unspecified .....	0360	300	–	30	30	–	20	–	100	40	20	40	–
Lip(s) .....	0361	540	–	20	70	40	20	–	90	100	50	140	–
Tooth(teeth) .....	0363	1,290	40	50	190	40	50	–	360	300	150	120	–
Multiple mouth locations .....	0368	190	–	–	40	–	–	–	20	30	50	30	–
Mouth, n.e.c. ....	0369	20	–	–	–	–	–	–	–	–	–	–	–
Multiple face locations .....	038	3,240	50	210	990	130	320	60	430	250	310	490	–
Face, n.e.c. ....	039	350	–	20	80	–	–	–	40	70	20	100	–
Multiple head locations .....	08	740	–	40	140	120	40	–	90	50	110	130	–
Head, n.e.c. ....	09	150	–	–	50	–	–	–	–	–	20	60	–
<b>Neck, including throat</b> .....	1	17,050	450	1,780	3,330	1,710	1,270	100	1,330	1,760	1,370	3,950	–
Neck, except internal location of diseases or disorders .....	10	16,980	440	1,760	3,310	1,700	1,270	100	1,330	1,760	1,350	3,940	–
Internal neck location, unspecified .....	11	40	–	–	–	–	–	–	–	–	–	–	–
Pharynx .....	15	20	–	–	–	–	–	–	–	–	–	–	–
<b>Trunk</b> .....	2	384,650	8,060	29,590	85,400	26,250	27,920	4,400	41,850	30,220	46,960	83,640	–
Trunk, unspecified .....	20	2,000	20	180	490	150	230	30	260	160	250	250	–
Shoulder, including clavicle, scapula .....	21	75,580	1,780	4,950	14,700	5,330	5,090	790	8,110	5,500	11,160	18,160	–

See footnotes at end of table.

TABLE R53. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness and summary occupational groups, 2007 — Continued

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Summary occupational groups										
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	Military specific occupations
Chest, including ribs, internal organs .....	22	18,580	290	1,060	3,270	770	1,340	320	3,450	1,770	1,920	4,380	—
Chest, except internal location of diseases or disorders .....	220	16,590	240	840	2,980	700	1,010	310	3,210	1,650	1,650	3,980	—
Internal chest location, unspecified .....	221	180	—	—	40	—	20	—	60	—	30	20	—
Heart .....	223	400	—	—	30	—	30	—	70	30	—	200	—
Bronchus .....	224	160	—	40	—	—	—	—	—	—	—	90	—
Lung(s), pleura .....	225	1,190	40	150	210	50	270	—	90	80	200	90	—
Multiple internal chest locations .....	228	40	—	—	—	—	—	—	20	—	—	—	—
Internal chest location, n.e.c. ....	229	20	—	—	—	—	—	—	—	—	—	—	—
Back, including spine, spinal cord ..	23	235,960	5,100	20,410	56,890	17,030	17,130	2,360	23,240	18,460	25,700	49,340	—
Back, including spine, spinal cord, unspecified .....	230	96,130	1,750	7,860	23,230	7,170	6,450	730	11,010	8,500	10,200	19,160	—
Lumbar region .....	231	119,350	3,010	10,540	27,940	8,270	9,300	1,310	10,190	9,090	13,120	26,370	—
Thoracic region .....	232	9,710	120	990	2,400	870	460	150	570	390	1,530	2,210	—
Sacral region .....	233	590	—	90	140	30	110	—	—	20	60	120	—
Coccygeal region .....	234	2,490	100	120	960	160	100	60	490	60	210	230	—
Multiple back regions .....	238	7,190	120	790	2,090	530	690	100	830	350	530	1,150	—
Back, including spine, spinal cord, n.e.c. ....	239	500	—	30	120	—	—	—	140	50	50	100	—
Abdomen .....	24	24,720	280	1,190	4,010	1,180	1,490	350	3,490	2,470	4,830	5,410	—
Abdomen, except internal location of diseases or disorders .....	240	6,890	70	630	1,920	220	510	110	600	500	1,010	1,310	—
Internal abdominal location, unspecified .....	241	8,570	60	340	1,000	390	430	160	1,490	730	1,640	2,310	—
Stomach organ .....	242	650	—	20	100	40	30	—	50	90	120	180	—
Spleen .....	243	70	—	—	—	—	—	—	—	—	—	—	—
Urinary organs .....	244	20	—	—	—	—	—	—	—	—	—	—	—
Intestines, peritoneum .....	245	8,420	140	200	970	500	480	70	1,330	1,130	1,980	1,610	—
Intestines, peritoneum, unspecified .....	2450	7,760	130	180	900	480	400	60	1,160	1,090	1,870	1,480	—
Peritoneum .....	2451	450	—	—	40	—	80	—	90	40	80	90	—
Large intestine/colon, rectum .....	2453	180	—	—	—	—	—	—	—	—	30	30	—
Intestines, n.e.c. ....	2459	20	—	—	—	—	—	—	—	—	—	—	—
Internal abdominal location, n.e.c. ....	249	90	—	—	—	—	—	—	20	—	20	—	—
Pelvic region .....	25	19,250	340	1,290	4,000	1,290	1,690	370	2,340	1,400	2,420	4,110	—
Pelvic region, unspecified .....	250	240	—	—	50	—	—	—	90	20	—	30	—
Hip(s) .....	251	9,240	180	740	2,410	620	800	260	1,270	490	990	1,470	—
Pelvis .....	252	830	80	90	60	30	30	—	70	200	80	180	—
Buttock(s) .....	253	1,090	—	90	320	160	140	—	20	50	80	210	—
Groin .....	254	7,310	70	330	1,060	440	610	90	780	610	1,200	2,110	—

See footnotes at end of table.

TABLE R53. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness and summary occupational groups, 2007 — Continued

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Summary occupational groups											
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	Military specific occupations	
External reproductive tract structures .....	255	180	—	—	20	—	—	—	—	20	30	30	60	—
External reproductive tract structures, unspecified .....	2550	30	—	—	—	—	—	—	—	—	—	—	—	—
Scrotum .....	2551	120	—	—	—	—	—	—	—	—	20	20	50	—
Internal reproductive tract structures .....	256	60	—	—	30	—	—	—	—	—	—	—	—	—
Testis(testes) .....	2562	20	—	—	—	—	—	—	—	—	—	—	—	—
Multiple pelvic region locations ..	258	280	—	—	30	20	90	—	80	—	20	40	—	—
Pelvic region, n.e.c. ....	259	30	—	—	—	—	—	—	—	—	—	—	—	—
Multiple trunk locations .....	28	8,350	250	500	2,040	500	950	160	880	450	670	1,960	—	—
Trunk, n.e.c. ....	29	210	—	—	—	—	—	30	80	—	20	50	—	—
<b>Upper extremities</b> .....	3	269,240	5,530	12,090	60,940	14,690	17,340	2,920	31,940	25,910	56,750	40,480	—	—
Upper extremities, unspecified .....	30	520	—	50	210	50	20	—	40	30	40	60	—	—
Arm(s) .....	31	54,260	1,400	2,410	11,670	3,510	3,840	560	6,510	5,600	8,350	10,400	—	—
Arm(s), unspecified .....	310	18,170	290	960	4,390	1,280	1,510	240	1,930	1,580	2,680	3,320	—	—
Upper arm(s) .....	311	4,230	210	250	740	160	240	20	590	480	620	920	—	—
Elbow(s) .....	312	18,830	710	690	3,890	1,380	1,010	150	2,360	2,120	2,750	3,770	—	—
Forearm(s) .....	313	10,540	100	370	1,990	590	820	140	1,330	1,240	1,930	2,020	—	—
Multiple arm(s) locations .....	318	2,090	70	110	500	90	240	—	260	150	330	330	—	—
Arm(s), n.e.c. ....	319	410	20	30	160	—	20	—	40	20	60	50	—	—
Wrist(s) .....	32	51,620	1,830	2,960	11,190	3,920	6,960	240	4,050	3,440	9,370	7,640	—	—
Hand(s), except finger(s) .....	33	47,920	870	1,850	11,810	2,020	2,210	640	6,740	5,660	9,210	6,860	—	—
Finger(s), fingernail(s) .....	34	101,650	1,180	3,660	22,680	4,680	3,150	1,320	13,210	10,240	27,280	13,690	—	—
Multiple upper extremities locations .....	38	13,060	250	1,110	3,310	510	1,150	150	1,390	920	2,460	1,800	—	—
Multiple upper extremities locations, unspecified .....	380	220	—	20	30	20	—	—	50	—	50	40	—	—
Hand(s) and finger(s) .....	381	4,070	90	350	860	110	240	60	440	440	980	510	—	—
Hand(s) and wrist(s) .....	382	3,050	20	280	940	90	300	60	270	90	570	410	—	—
Hand(s) and arm(s) .....	383	1,560	—	110	450	90	110	20	150	170	280	180	—	—
Multiple upper extremities locations, n.e.c. ....	389	4,170	140	360	1,030	200	490	20	470	210	590	660	—	—
Upper extremities, n.e.c. ....	39	210	—	50	70	—	—	—	—	20	40	30	—	—
<b>Lower extremities</b> .....	4	260,580	6,900	17,710	52,770	17,230	20,910	3,490	33,820	20,980	28,770	57,560	—	—
Lower extremities, unspecified .....	40	790	—	130	500	—	20	—	40	—	50	50	—	—
Leg(s) .....	41	132,280	3,150	9,750	28,070	8,800	9,050	1,790	17,290	12,590	14,380	27,140	—	—
Leg(s), unspecified .....	410	17,310	350	1,010	3,740	920	1,000	330	2,200	1,660	2,010	4,040	—	—
Thigh(s) .....	411	4,610	60	230	740	260	230	70	600	630	610	1,150	—	—
Knee(s) .....	412	94,500	2,420	7,540	21,260	6,780	6,510	1,150	11,850	8,880	9,810	18,120	—	—
Lower leg(s) .....	413	11,930	230	770	1,510	580	930	220	2,010	1,170	1,500	3,010	—	—
Multiple leg(s) locations .....	418	3,420	80	150	730	240	340	30	560	120	420	730	—	—
Leg(s), n.e.c. ....	419	520	—	50	110	—	30	—	70	120	40	90	—	—
Ankle(s) .....	42	62,660	1,870	4,440	13,080	3,620	6,570	730	7,840	3,590	6,450	14,380	—	—

See footnotes at end of table.

TABLE R53. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness and summary occupational groups, 2007 — Continued

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Summary occupational groups										
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	Military specific occupations
Foot(feet), except toe(s) .....	43	43,970	1,210	2,480	7,430	3,130	3,190	770	6,340	3,570	5,730	10,030	—
Foot(feet), except toe(s), unspecified .....	430	38,870	1,070	2,220	6,440	2,890	2,920	640	5,590	3,030	5,220	8,780	—
Instep(s) .....	431	180	—	—	—	—	—	—	—	—	70	50	—
Sole .....	432	3,680	130	170	540	160	110	120	610	470	340	1,040	—
Sole(s), unspecified .....	4320	470	—	—	40	—	—	90	110	50	70	100	—
Ball(s) of foot .....	4321	30	—	—	—	—	—	—	—	—	—	—	—
Arch(es) .....	4322	40	—	—	—	—	—	—	—	—	—	—	—
Heel(s) .....	4323	3,090	130	150	490	150	100	20	460	410	270	920	—
Multiple sole(s) locations .....	4328	40	—	—	—	—	—	—	—	—	—	—	—
Multiple foot(feet) locations .....	438	210	—	—	30	20	—	—	20	40	20	50	—
Foot(feet), n.e.c. ....	439	1,010	—	70	400	40	140	—	120	40	70	110	—
Toe(s), toenail(s) .....	44	11,630	460	420	1,510	1,100	1,130	110	1,550	840	1,380	3,120	—
Multiple lower extremities locations	48	9,020	210	490	2,150	580	900	80	770	380	760	2,720	—
Multiple lower extremities locations, unspecified .....	480	200	—	—	—	—	20	—	30	50	—	50	—
Foot(feet) and leg(s) .....	481	1,670	20	30	550	40	100	30	150	20	140	600	—
Foot(feet) and ankle(s) .....	482	2,410	40	70	500	140	390	—	230	120	230	680	—
Foot(feet) and toe(s) .....	483	970	—	—	170	110	70	—	140	30	90	340	—
Multiple lower extremities locations, n.e.c. ....	489	3,780	130	360	920	270	330	30	220	170	300	1,050	—
Lower extremities, n.e.c. ....	49	220	—	—	20	—	50	—	—	—	20	100	—
<b>Body systems</b> .....	<b>5</b>	<b>17,710</b>	<b>1,200</b>	<b>1,670</b>	<b>3,900</b>	<b>1,790</b>	<b>2,550</b>	<b>170</b>	<b>1,350</b>	<b>1,230</b>	<b>2,080</b>	<b>1,750</b>	<b>—</b>
<b>Multiple body parts</b> .....	<b>8</b>	<b>120,950</b>	<b>4,930</b>	<b>11,160</b>	<b>28,490</b>	<b>10,110</b>	<b>9,590</b>	<b>1,220</b>	<b>12,440</b>	<b>8,220</b>	<b>10,620</b>	<b>24,100</b>	<b>—</b>
<b>Other body parts</b> .....	<b>9</b>	<b>50</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>
Prosthetic devices .....	91	40	—	—	—	—	—	—	—	—	—	—	—
Other body parts, n.e.c. ....	98	20	—	—	—	—	—	—	—	—	—	—	—
<b>Nonclassifiable</b> .....	<b>9999</b>	<b>10,280</b>	<b>280</b>	<b>600</b>	<b>2,150</b>	<b>1,010</b>	<b>1,000</b>	<b>200</b>	<b>950</b>	<b>800</b>	<b>780</b>	<b>1,320</b>	<b>—</b>

<sup>1</sup> Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

<sup>2</sup> Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

<sup>3</sup> Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies