

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2007

Part of body	Part of body code ²	Private industry ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Total		1,158,870	171,170	14.8	131,830	11.4	212,020	18.3
Head	0	78,370	26,670	34.0	13,860	17.7	16,080	20.5
Head, unspecified	00	16,310	4,480	27.5	2,830	17.4	3,410	20.9
Cranial region, including skull	01	10,120	2,520	24.9	1,120	11.1	1,880	18.6
Cranial region, unspecified	010	180	20	11.1	20	11.1	100	55.6
Brain	011	6,420	1,100	17.1	650	10.1	1,220	19.0
Scalp	012	2,820	1,280	45.4	380	13.5	450	16.0
Skull	013	540	80	14.8	50	9.3	90	16.7
Multiple cranial region locations	018	90	-	-	-	-	-	-
Cranial region, n.e.c.	019	70	20	28.6	-	-	-	-
Ear(s)	02	910	250	27.5	220	24.2	270	29.7
Face	03	50,140	19,270	38.4	9,540	19.0	10,330	20.6
Face, unspecified	030	3,490	840	24.1	540	15.5	770	22.1
Forehead	031	3,160	1,080	34.2	530	16.8	810	25.6
Eye(s)	032	33,010	14,610	44.3	6,850	20.8	6,540	19.8
Nose, nasal cavity	033	2,790	560	20.1	540	19.4	680	24.4
Nose, except internal location of diseases or disorders	0330	2,690	540	20.1	540	20.1	610	22.7
Internal nasal location, unspecified	0331	20	-	-	-	-	-	-
Nasal passages	0333	60	-	-	-	-	50	83.3
Cheek(s)	034	830	250	30.1	70	8.4	120	14.5
Jaw/chin	035	930	170	18.3	110	11.8	260	28.0
Mouth	036	2,350	810	34.5	220	9.4	660	28.1
Mouth, unspecified	0360	300	110	36.7	20	6.7	110	36.7
Lip(s)	0361	540	240	44.4	50	9.3	120	22.2
Tooth(teeth)	0363	1,290	410	31.8	140	10.9	390	30.2
Multiple mouth locations	0368	190	40	21.1	-	-	30	15.8
Mouth, n.e.c.	0369	20	-	-	-	-	-	-
Multiple face locations	038	3,240	850	26.2	630	19.4	390	12.0
Face, n.e.c.	039	350	100	28.6	40	11.4	110	31.4
Multiple head locations	08	740	80	10.8	120	16.2	150	20.3
Head, n.e.c.	09	150	70	46.7	20	13.3	50	33.3
Neck, including throat	1	17,050	2,480	14.5	2,570	15.1	3,130	18.4
Neck, except internal location of diseases or disorders ...	10	16,980	2,480	14.6	2,550	15.0	3,100	18.3
Internal neck location, unspecified	11	40	-	-	20	50.0	20	50.0
Pharynx	15	20	-	-	-	-	-	-
Trunk	2	384,650	44,310	11.5	41,410	10.8	72,380	18.8
Trunk, unspecified	20	2,000	360	18.0	220	11.0	300	15.0
Shoulder, including clavicle, scapula	21	75,580	6,700	8.9	5,270	7.0	10,000	13.2
Chest, including ribs, internal organs	22	18,580	2,800	15.1	2,130	11.5	4,600	24.8
Chest, except internal location of diseases or disorders	220	16,590	2,420	14.6	1,920	11.6	4,150	25.0
Internal chest location, unspecified	221	180	40	22.2	-	-	20	11.1
Heart	223	400	30	7.5	-	-	-	-

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2007 — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Total	143,040	12.3	128,650	11.1	74,980	6.5	297,180	25.6	7
Head	8,450	10.8	4,740	6.0	2,010	2.6	6,570	8.4	2
Head, unspecified	1,820	11.2	1,140	7.0	790	4.8	1,840	11.3	3
Cranial region, including skull	1,690	16.7	680	6.7	350	3.5	1,890	18.7	5
Cranial region, unspecified	—	—	—	—	—	—	20	11.1	3
Brain	1,260	19.6	540	8.4	250	3.9	1,400	21.8	6
Scalp	350	12.4	100	3.5	40	1.4	210	7.4	2
Skull	40	7.4	20	3.7	40	7.4	220	40.7	15
Multiple cranial region locations	40	44.4	—	—	—	—	—	—	10
Cranial region, n.e.c.	—	—	—	—	—	—	20	28.6	3
Ear(s)	60	6.6	40	4.4	—	—	50	5.5	2
Face	4,760	9.5	2,810	5.6	820	1.6	2,610	5.2	2
Face, unspecified	630	18.1	300	8.6	70	2.0	350	10.0	4
Forehead	270	8.5	220	7.0	60	1.9	190	6.0	2
Eye(s)	2,630	8.0	970	2.9	350	1.1	1,060	3.2	2
Nose, nasal cavity	440	15.8	220	7.9	120	4.3	240	8.6	3
Nose, except internal location of diseases or disorders	430	16.0	220	8.2	120	4.5	240	8.9	3
Internal nasal location, unspecified	—	—	—	—	—	—	—	—	3
Nasal passages	—	—	—	—	—	—	—	—	5
Cheek(s)	110	13.3	200	24.1	30	3.6	50	6.0	5
Jaw/chin	70	7.5	140	15.1	60	6.5	120	12.9	5
Mouth	250	10.6	220	9.4	60	2.6	140	6.0	3
Mouth, unspecified	20	6.7	30	10.0	—	—	20	6.7	3
Lip(s)	50	9.3	—	—	50	9.3	20	3.7	2
Tooth(teeth)	120	9.3	130	10.1	—	—	90	7.0	3
Multiple mouth locations	50	26.3	50	26.3	—	—	—	—	6
Mouth, n.e.c.	—	—	—	—	—	—	—	—	1
Multiple face locations	350	10.8	530	16.4	70	2.2	420	13.0	3
Face, n.e.c.	20	5.7	—	—	—	—	50	14.3	3
Multiple head locations	110	14.9	80	10.8	30	4.1	170	23.0	6
Head, n.e.c.	—	—	—	—	—	—	—	—	2
Neck, including throat	2,250	13.2	1,350	7.9	660	3.9	4,610	27.0	6
Neck, except internal location of diseases or disorders ...	2,240	13.2	1,350	8.0	660	3.9	4,600	27.1	6
Internal neck location, unspecified	—	—	—	—	—	—	—	—	2
Pharynx	—	—	—	—	—	—	—	—	3
Trunk	50,230	13.1	44,850	11.7	25,800	6.7	105,670	27.5	8
Trunk, unspecified	260	13.0	310	15.5	160	8.0	410	20.5	7
Shoulder, including clavicle, scapula	8,060	10.7	8,980	11.9	5,240	6.9	31,330	41.5	18
Chest, including ribs, internal organs	2,770	14.9	2,040	11.0	1,240	6.7	3,010	16.2	5
Chest, except internal location of diseases or disorders	2,550	15.4	1,940	11.7	980	5.9	2,640	15.9	5
Internal chest location, unspecified	—	—	30	16.7	50	27.8	20	11.1	14
Heart	40	10.0	—	—	110	27.5	180	45.0	29

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2007 — Continued

Part of body	Part of body code ²	Private industry ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Bronchus	224	160	—	—	—	—	90	56.2
Lung(s), pleura	225	1,190	300	25.2	170	14.3	280	23.5
Multiple internal chest locations	228	40	—	—	—	—	40	100.0
Internal chest location, n.e.c.	229	20	—	—	—	—	—	—
Back, including spine, spinal cord	23	235,960	29,440	12.5	29,480	12.5	50,230	21.3
Back, including spine, spinal cord, unspecified	230	96,130	11,980	12.5	12,250	12.7	20,720	21.6
Lumbar region	231	119,350	14,360	12.0	14,900	12.5	25,410	21.3
Thoracic region	232	9,710	1,810	18.6	1,180	12.2	2,100	21.6
Sacral region	233	590	120	20.3	60	10.2	110	18.6
Coccygeal region	234	2,490	150	6.0	400	16.1	280	11.2
Multiple back regions	238	7,190	960	13.4	640	8.9	1,490	20.7
Back, including spine, spinal cord, n.e.c.	239	500	60	12.0	60	12.0	110	22.0
Abdomen	24	24,720	1,530	6.2	1,600	6.5	2,590	10.5
Abdomen, except internal location of diseases or disorders	240	6,890	1,120	16.3	1,150	16.7	1,180	17.1
Internal abdominal location, unspecified	241	8,570	150	1.8	100	1.2	620	7.2
Stomach organ	242	650	100	15.4	110	16.9	120	18.5
Spleen	243	70	—	—	—	—	—	—
Urinary organs	244	20	—	—	—	—	—	—
Intestines, peritoneum	245	8,420	120	1.4	230	2.7	600	7.1
Intestines, peritoneum, unspecified	2450	7,760	110	1.4	120	1.5	580	7.5
Peritoneum	2451	450	—	—	40	8.9	—	—
Large intestine/colon, rectum	2453	180	—	—	—	—	—	—
Intestines, n.e.c.	2459	20	—	—	—	—	—	—
Internal abdominal location, n.e.c.	249	90	—	—	—	—	—	—
Pelvic region	25	19,250	2,720	14.1	1,680	8.7	3,260	16.9
Pelvic region, unspecified	250	240	40	16.7	20	8.3	—	—
Hip(s)	251	9,240	1,510	16.3	660	7.1	1,520	16.5
Pelvis	252	830	80	9.6	70	8.4	40	4.8
Buttock(s)	253	1,090	110	10.1	160	14.7	320	29.4
Groin	254	7,310	930	12.7	570	7.8	1,270	17.4
External reproductive tract structures	255	180	—	—	—	—	40	22.2
External reproductive tract structures, unspecified ..	2550	30	—	—	—	—	—	—
Scrotum	2551	120	—	—	—	—	30	25.0
Internal reproductive tract structures	256	60	—	—	—	—	20	33.3
Testis(testes)	2562	20	—	—	—	—	—	—
Multiple pelvic region locations	258	280	20	7.1	160	57.1	20	7.1
Pelvic region, n.e.c.	259	30	—	—	—	—	—	—
Multiple trunk locations	28	8,350	760	9.1	1,030	12.3	1,300	15.6
Trunk, n.e.c.	29	210	—	—	—	—	100	47.6
Upper extremities	3	269,240	44,630	16.6	32,240	12.0	47,640	17.7
Upper extremities, unspecified	30	520	40	7.7	—	—	110	21.2
Arm(s)	31	54,260	8,230	15.2	5,630	10.4	9,200	17.0
Arm(s), unspecified	310	18,170	2,980	16.4	2,370	13.0	2,950	16.2
Upper arm(s)	311	4,230	370	8.7	350	8.3	630	14.9
Elbow(s)	312	18,830	2,280	12.1	1,530	8.1	3,300	17.5
Forearm(s)	313	10,540	2,290	21.7	1,190	11.3	1,870	17.7
Multiple arm(s) locations	318	2,090	280	13.4	160	7.7	400	19.1

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2007 — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Bronchus	40	25.0	—	—	—	—	—	—	3
Lung(s), pleura	130	10.9	40	3.4	100	8.4	150	12.6	4
Multiple internal chest locations	—	—	—	—	—	—	—	—	5
Internal chest location, n.e.c.	—	—	—	—	—	—	—	—	24
Back, including spine, spinal cord	32,600	13.8	25,510	10.8	14,000	5.9	54,700	23.2	7
Back, including spine, spinal cord, unspecified	13,350	13.9	9,570	10.0	5,120	5.3	23,140	24.1	7
Lumbar region	16,610	13.9	13,700	11.5	7,750	6.5	26,620	22.3	7
Thoracic region	1,370	14.1	990	10.2	590	6.1	1,670	17.2	5
Sacral region	80	13.6	60	10.2	50	8.5	120	20.3	6
Coccygeal region	220	8.8	530	21.3	120	4.8	790	31.7	16
Multiple back regions	930	12.9	610	8.5	360	5.0	2,210	30.7	8
Back, including spine, spinal cord, n.e.c.	50	10.0	60	12.0	20	4.0	150	30.0	10
Abdomen	2,660	10.8	4,960	20.1	3,120	12.6	8,260	33.4	19
Abdomen, except internal location of diseases or disorders	890	12.9	890	12.9	420	6.1	1,230	17.9	5
Internal abdominal location, unspecified	610	7.1	2,020	23.6	1,370	16.0	3,700	43.2	27
Stomach organ	20	3.1	100	15.4	70	10.8	130	20.0	5
Spleen	—	—	—	—	—	—	—	—	4
Urinary organs	—	—	—	—	—	—	20	100.0	41
Intestines, peritoneum	1,130	13.4	1,920	22.8	1,260	15.0	3,160	37.5	21
Intestines, peritoneum, unspecified	1,030	13.3	1,800	23.2	1,170	15.1	2,950	38.0	22
Peritoneum	70	15.6	110	24.4	60	13.3	160	35.6	20
Large intestine/colon, rectum	30	16.7	—	—	20	11.1	40	22.2	6
Intestines, n.e.c.	—	—	—	—	—	—	—	—	12
Internal abdominal location, n.e.c.	—	—	40	44.4	—	—	—	—	11
Pelvic region	2,680	13.9	2,050	10.6	1,500	7.8	5,360	27.8	9
Pelvic region, unspecified	20	8.3	20	8.3	—	—	110	45.8	21
Hip(s)	1,240	13.4	750	8.1	530	5.7	3,010	32.6	8
Pelvis	50	6.0	70	8.4	140	16.9	380	45.8	27
Buttock(s)	120	11.0	90	8.3	60	5.5	210	19.3	5
Groin	1,170	16.0	1,060	14.5	730	10.0	1,570	21.5	9
External reproductive tract structures	50	27.8	—	—	20	11.1	30	16.7	8
External reproductive tract structures, unspecified ..	—	—	—	—	—	—	—	—	17
Scrotum	40	33.3	—	—	—	—	20	16.7	8
Internal reproductive tract structures	—	—	—	—	—	—	—	—	3
Testis(testes)	—	—	—	—	—	—	—	—	3
Multiple pelvic region locations	—	—	30	10.7	—	—	40	14.3	2
Pelvic region, n.e.c.	—	—	—	—	—	—	—	—	12
Multiple trunk locations	1,190	14.3	960	11.5	530	6.3	2,570	30.8	10
Trunk, n.e.c.	—	—	50	23.8	—	—	30	14.3	5
Upper extremities	32,910	12.2	32,500	12.1	18,610	6.9	60,720	22.6	7
Upper extremities, unspecified	60	11.5	50	9.6	130	25.0	120	23.1	19
Arm(s)	6,070	11.2	6,520	12.0	3,650	6.7	14,980	27.6	9
Arm(s), unspecified	2,030	11.2	1,810	10.0	1,160	6.4	4,880	26.9	7
Upper arm(s)	440	10.4	470	11.1	310	7.3	1,650	39.0	17
Elbow(s)	1,940	10.3	2,740	14.6	1,540	8.2	5,490	29.2	12
Forearm(s)	1,460	13.9	1,110	10.5	490	4.6	2,130	20.2	5
Multiple arm(s) locations	150	7.2	340	16.3	130	6.2	630	30.1	12

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2007 — Continued

Part of body	Part of body code ²	Private industry ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Arm(s), n.e.c.	319	410	20	4.9	30	7.3	40	9.8
Wrist(s)	32	51,620	4,520	8.8	4,800	9.3	7,790	15.1
Hand(s), except finger(s)	33	47,920	9,510	19.8	7,480	15.6	9,310	19.4
Finger(s), fingernail(s)	34	101,650	20,630	20.3	13,130	12.9	18,870	18.6
Multiple upper extremities locations	38	13,060	1,680	12.9	1,160	8.9	2,340	17.9
Multiple upper extremities locations, unspecified	380	220	—	—	40	18.2	30	13.6
Hand(s) and finger(s)	381	4,070	700	17.2	500	12.3	730	17.9
Hand(s) and wrist(s)	382	3,050	310	10.2	170	5.6	520	17.0
Hand(s) and arm(s)	383	1,560	230	14.7	110	7.1	420	26.9
Multiple upper extremities locations, n.e.c.	389	4,170	440	10.6	340	8.2	640	15.3
Upper extremities, n.e.c.	39	210	20	9.5	20	9.5	—	—
Lower extremities	4	260,580	30,580	11.7	24,930	9.6	46,120	17.7
Lower extremities, unspecified	40	790	30	3.8	30	3.8	390	49.4
Leg(s)	41	132,280	14,240	10.8	10,760	8.1	21,010	15.9
Leg(s), unspecified	410	17,310	2,160	12.5	1,710	9.9	3,180	18.4
Thigh(s)	411	4,610	720	15.6	550	11.9	910	19.7
Knee(s)	412	94,500	8,960	9.5	7,210	7.6	13,790	14.6
Lower leg(s)	413	11,930	1,930	16.2	970	8.1	2,630	22.0
Multiple leg(s) locations	418	3,420	370	10.8	210	6.1	430	12.6
Leg(s), n.e.c.	419	520	100	19.2	110	21.2	60	11.5
Ankle(s)	42	62,660	7,040	11.2	7,140	11.4	12,790	20.4
Foot(feet), except toe(s)	43	43,970	6,390	14.5	4,390	10.0	8,110	18.4
Foot(feet), except toe(s), unspecified	430	38,870	5,770	14.8	3,990	10.3	7,210	18.5
Instep(s)	431	180	—	—	—	—	20	11.1
Sole	432	3,680	420	11.4	270	7.3	490	13.3
Sole(s), unspecified	4320	470	150	31.9	70	14.9	130	27.7
Ball(s) of foot	4321	30	—	—	—	—	20	66.7
Arch(es)	4322	40	—	—	—	—	20	50.0
Heel(s)	4323	3,090	260	8.4	180	5.8	320	10.4
Multiple sole(s) locations	4328	40	—	—	—	—	—	—
Multiple foot(feet) locations	438	210	—	—	20	9.5	50	23.8
Foot(feet), n.e.c.	439	1,010	180	17.8	100	9.9	340	33.7
Toe(s), toenail(s)	44	11,630	1,830	15.7	1,700	14.6	2,050	17.6
Multiple lower extremities locations	48	9,020	1,010	11.2	910	10.1	1,780	19.7
Multiple lower extremities locations, unspecified	480	200	—	—	—	—	20	10.0
Foot(feet) and leg(s)	481	1,670	130	7.8	40	2.4	350	21.0
Foot(feet) and ankle(s)	482	2,410	270	11.2	310	12.9	310	12.9
Foot(feet) and toe(s)	483	970	170	17.5	90	9.3	160	16.5
Multiple lower extremities locations, n.e.c.	489	3,780	430	11.4	470	12.4	940	24.9
Lower extremities, n.e.c.	49	220	50	22.7	—	—	—	—
Body systems	5	17,710	3,800	21.5	3,190	18.0	3,830	21.6
Multiple body parts	8	120,950	16,630	13.7	12,430	10.3	21,040	17.4
Other body parts	9	50	40	80.0	—	—	—	—
Prosthetic devices	91	40	40	100.0	—	—	—	—
Other body parts, n.e.c.	98	20	—	—	—	—	—	—

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2007 — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Arm(s), n.e.c.	40	9.8	60	14.6	20	4.9	200	48.8	28
Wrist(s)	5,720	11.1	7,150	13.9	4,480	8.7	17,140	33.2	14
Hand(s), except finger(s)	5,980	12.5	5,090	10.6	2,650	5.5	7,890	16.5	5
Finger(s), fingernail(s)	13,240	13.0	12,130	11.9	6,690	6.6	16,950	16.7	5
Multiple upper extremities locations	1,820	13.9	1,520	11.6	990	7.6	3,550	27.2	9
Multiple upper extremities locations, unspecified	30	13.6	30	13.6	—	—	60	27.3	10
Hand(s) and finger(s)	670	16.5	500	12.3	290	7.1	680	16.7	7
Hand(s) and wrist(s)	460	15.1	440	14.4	250	8.2	900	29.5	12
Hand(s) and arm(s)	120	7.7	150	9.6	90	5.8	430	27.6	6
Multiple upper extremities locations, n.e.c.	530	12.7	400	9.6	350	8.4	1,470	35.3	14
Upper extremities, n.e.c.	—	—	40	19.0	—	—	90	42.9	15
Lower extremities	32,150	12.3	30,400	11.7	19,130	7.3	77,270	29.7	10
Lower extremities, unspecified	—	—	160	20.3	30	3.8	160	20.3	3
Leg(s)	15,830	12.0	16,300	12.3	10,330	7.8	43,820	33.1	13
Leg(s), unspecified	2,090	12.1	2,090	12.1	1,130	6.5	4,950	28.6	9
Thigh(s)	660	14.3	500	10.8	280	6.1	1,000	21.7	6
Knee(s)	11,140	11.8	11,860	12.6	7,890	8.3	33,650	35.6	15
Lower leg(s)	1,390	11.7	1,390	11.7	750	6.3	2,860	24.0	7
Multiple leg(s) locations	510	14.9	410	12.0	260	7.6	1,230	36.0	16
Leg(s), n.e.c.	40	7.7	40	7.7	20	3.8	140	26.9	4
Ankle(s)	8,440	13.5	7,540	12.0	4,300	6.9	15,410	24.6	8
Foot(feet), except toe(s)	5,160	11.7	4,430	10.1	2,780	6.3	12,710	28.9	8
Foot(feet), except toe(s), unspecified	4,830	12.4	4,060	10.4	2,500	6.4	10,510	27.0	7
Instep(s)	20	11.1	40	22.2	30	16.7	60	33.3	15
Sole	230	6.2	240	6.5	130	3.5	1,910	51.9	34
Sole(s), unspecified	60	12.8	—	—	—	—	50	10.6	3
Ball(s) of foot	—	—	—	—	—	—	—	—	4
Arch(es)	—	—	—	—	—	—	—	—	4
Heel(s)	160	5.2	220	7.1	120	3.9	1,830	59.2	54
Multiple sole(s) locations	—	—	—	—	—	—	30	75.0	62
Multiple foot(feet) locations	—	—	40	19.0	20	9.5	70	33.3	15
Foot(feet), n.e.c.	80	7.9	50	5.0	100	9.9	170	16.8	3
Toe(s), toenail(s)	1,450	12.5	1,100	9.5	1,090	9.4	2,420	20.8	6
Multiple lower extremities locations	1,190	13.2	860	9.5	580	6.4	2,690	29.8	9
Multiple lower extremities locations, unspecified	—	—	—	—	—	—	150	75.0	70
Foot(feet) and leg(s)	150	9.0	60	3.6	60	3.6	880	52.7	43
Foot(feet) and ankle(s)	390	16.2	300	12.4	220	9.1	610	25.3	9
Foot(feet) and toe(s)	170	17.5	140	14.4	100	10.3	130	13.4	7
Multiple lower extremities locations, n.e.c.	470	12.4	340	9.0	190	5.0	940	24.9	6
Lower extremities, n.e.c.	70	31.8	20	9.1	20	9.1	60	27.3	6
Body systems	1,700	9.6	2,150	12.1	460	2.6	2,570	14.5	4
Multiple body parts	14,110	11.7	11,640	9.6	7,760	6.4	37,350	30.9	9
Other body parts	—	—	—	—	—	—	—	—	1
Prosthetic devices	—	—	—	—	—	—	—	—	1
Other body parts, n.e.c.	—	—	—	—	—	—	—	—	38

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2007 — Continued

Part of body	Part of body code ²	Private industry ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Nonclassifiable	9999	10,280	2,030	19.7	1,200	11.7	1,810	17.6

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2007 — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Nonclassifiable	1,250	12.2	1,010	9.8	570	5.5	2,410	23.4	6

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies