

Table R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, 1993

Part of body	Part of body code ²	Total cases	Source of injury or illness				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Private industry		2,252,591	43,411	330,285	88,813	154,083	249,077
Head	0	155,504	15,638	6,879	6,141	5,736	15,869
Head, unspecified	00	22,364	143	2,214	2,749	1,444	3,119
Cranial region, including skull	01	14,037	588	1,012	1,608	910	1,734
Cranial region, unspecified	010	592	—	106	53	28	111
Brain	011	7,951	568	504	829	386	699
Scalp	012	4,350	17	361	615	425	782
Skull	013	803	—	23	59	48	103
Multiple cranial region locations	018	65	—	—	—	—	13
Cranial region, n.e.c.	019	276	—	13	53	19	27
Ear(s)	02	3,184	70	106	65	191	313
Face	03	113,580	14,733	3,477	1,644	3,060	10,422
Face, unspecified	030	5,073	589	256	216	187	646
Forehead	031	5,222	166	409	460	498	1,013
Eye(s)	032	88,329	13,143	1,770	536	1,421	5,708
Nose, nasal cavity	033	4,221	242	336	122	177	1,023
Nose, except internal location of diseases or disorders	0330	3,929	53	327	122	176	1,022
Internal nasal location, unspecified	0331	45	16	9	—	—	—
Nasal passages	0333	56	49	—	—	—	—
Sinuses	0334	138	71	—	—	—	—
Multiple internal nasal locations	0338	12	12	—	—	—	—
Internal nasal location, n.e.c.	0339	39	38	—	—	—	—
Cheek(s)	034	1,568	17	74	48	181	340
Jaw/chin	035	1,660	—	120	20	135	375
Mouth	036	3,787	84	264	145	226	690
Mouth, unspecified	0360	649	22	25	85	24	106
Lip(s)	0361	1,309	18	55	9	60	253
Tongue	0362	32	—	—	—	—	—
Tooth(teeth)	0363	1,282	—	138	43	114	195
Gum	0364	19	—	—	—	—	—
Multiple mouth locations	0368	429	21	41	9	24	128
Mouth, n.e.c.	0369	67	17	—	—	—	—
Multiple face locations	038	3,119	443	220	82	199	520
Face, n.e.c.	039	601	45	27	15	37	106
Multiple head locations	08	2,026	98	50	61	94	221
Head, n.e.c.	09	314	—	21	14	37	60
Neck, including throat	1	40,704	312	6,073	1,819	1,379	3,554
Neck, except internal location of diseases or disorders	10	40,260	117	6,073	1,817	1,379	3,554
Internal neck location, unspecified	11	232	88	—	—	—	—
Vocal cord(s)	12	65	—	—	—	—	—
Larynx	13	30	—	—	—	—	—
Pharynx	15	14	13	—	—	—	—
Trachea	16	12	11	—	—	—	—
Multiple internal neck locations	18	12	10	—	—	—	—
Internal neck location, n.e.c.	19	79	66	—	—	—	—
Trunk	2	869,447	3,513	214,825	40,540	39,329	99,730
Trunk, unspecified	20	12,284	14	3,314	524	763	2,580
Shoulder, including clavicle, scapula	21	105,881	68	23,255	4,444	5,366	11,450
Chest, including ribs, internal organs	22	38,462	2,705	5,192	1,852	2,225	3,837
Chest, except internal location of diseases or disorders	220	33,473	144	5,145	1,810	2,218	3,779
Internal chest location, unspecified	221	533	276	12	24	—	—
Esophagus	222	133	—	—	—	—	—
Heart	223	878	15	18	—	—	—
Bronchus	224	722	480	—	—	—	—
Lung(s), pleura	225	2,563	1,668	11	15	—	38
Breast(s)--internal	226	11	—	—	—	—	—
Multiple internal chest locations	228	97	87	—	—	—	—
Internal chest location, n.e.c.	229	52	28	—	—	—	—
Back, including spine, spinal cord	23	615,010	272	159,549	29,226	26,538	68,540
Back, including spine, spinal cord, unspecified	230	310,365	166	80,369	15,113	13,641	34,864
Lumbar region	231	257,309	99	69,259	11,259	11,024	29,187
Thoracic region	232	21,131	—	4,980	1,081	760	2,479
Sacral region	233	3,386	—	813	68	90	267

See footnotes at end of table.

Table R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, 1993 — Continued

Part of body	Source of injury or illness					
	Worker motion or position	Floors, walkways or ground surfaces	Handtools	Vehicles	Health care patient	All other sources ³
Private industry	331,994	340,158	105,478	157,360	99,390	352,542
Head	316	10,612	8,722	8,304	1,978	75,309
Head, unspecified	73	4,602	414	2,995	260	4,352
Cranial region, including skull	17	3,101	361	2,050	132	2,522
Cranial region, unspecified	—	83	12	68	18	110
Brain	15	2,138	144	1,233	75	1,359
Scalp	—	608	173	598	—	766
Skull	—	242	23	122	28	156
Multiple cranial region locations	—	15	—	—	—	19
Cranial region, n.e.c.	—	15	8	26	—	113
Ear(s)	21	61	60	276	39	1,983
Face	181	2,429	7,799	2,705	1,519	65,612
Face, unspecified	—	328	353	370	216	1,909
Forehead	9	405	519	726	23	993
Eye(s)	145	185	5,603	390	473	58,954
Nose, nasal cavity	—	278	251	359	340	1,092
Nose, except internal location of diseases or disorders	—	278	251	359	340	1,000
Internal nasal location, unspecified	—	—	—	—	—	20
Nasal passages	—	—	—	—	—	—
Sinuses	—	—	—	—	—	64
Multiple internal nasal locations	—	—	—	—	—	—
Internal nasal location, n.e.c.	—	—	—	—	—	—
Cheek(s)	—	86	248	66	19	485
Jaw/chin	—	248	73	113	207	364
Mouth	13	532	567	455	82	729
Mouth, unspecified	—	46	41	114	30	153
Lip(s)	—	255	211	133	21	290
Tongue	—	15	—	—	—	—
Tooth(teeth)	—	150	289	153	11	189
Gum	—	—	—	—	—	—
Multiple mouth locations	—	60	15	49	17	65
Mouth, n.e.c.	—	—	—	—	—	23
Multiple face locations	—	278	112	197	140	926
Face, n.e.c.	—	90	72	29	18	159
Multiple head locations	24	338	78	248	28	786
Head, n.e.c.	—	81	10	29	—	55
Neck, including throat	7,288	2,975	893	7,891	3,468	5,051
Neck, except internal location of diseases or disorders	7,229	2,975	888	7,888	3,466	4,874
Internal neck location, unspecified	22	—	—	—	—	120
Vocal cord(s)	32	—	—	—	—	29
Larynx	—	—	—	—	—	18
Pharynx	—	—	—	—	—	—
Trachea	—	—	—	—	—	—
Multiple internal neck locations	—	—	—	—	—	—
Internal neck location, n.e.c.	—	—	—	—	—	—
Trunk	127,458	103,233	18,820	50,454	73,427	98,118
Trunk, unspecified	770	719	208	738	280	2,374
Shoulder, including clavicle, scapula	15,538	13,794	2,791	6,763	9,169	13,240
Chest, including ribs, internal organs	2,018	5,842	1,197	4,016	1,828	7,749
Chest, except internal location of diseases or disorders	1,926	5,835	1,188	3,983	1,799	5,644
Internal chest location, unspecified	9	—	—	—	—	197
Esophagus	—	—	—	—	—	109
Heart	77	—	—	9	—	744
Bronchus	—	—	—	—	—	237
Lung(s), pleura	—	—	—	20	16	786
Breast(s)—internal	—	—	—	—	—	—
Multiple internal chest locations	—	—	—	—	—	8
Internal chest location, n.e.c.	—	—	—	—	—	24
Back, including spine, spinal cord	100,634	66,003	12,410	32,671	57,422	61,746
Back, including spine, spinal cord, unspecified	49,912	34,073	6,084	17,557	23,715	34,873
Lumbar region	43,717	24,331	5,432	12,504	27,631	22,864
Thoracic region	3,426	1,738	462	1,122	3,026	2,054
Sacral region	371	448	88	161	669	406

See footnotes at end of table.

Table R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, 1993 — Continued

Part of body	Part of body code ²	Total cases	Source of injury or illness				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Coccygeal region	234	4,031	—	110	137	54	78
Multiple back regions	238	16,920	—	3,734	1,481	752	1,484
Back, including spine, spinal cord, n.e.c.	239	1,869	—	284	87	217	180
Abdomen	24	20,396	284	5,497	820	927	3,149
Abdomen, except internal location of diseases or disorders	240	15,130	73	4,507	720	788	2,573
Internal abdominal location, unspecified	241	1,213	44	469	19	28	177
Stomach organ	242	2,140	134	39	9	—	26
Spleen	243	16	—	—	—	—	—
Urinary organs	244	101	—	—	—	—	—
Kidney(s)	2442	92	—	—	—	—	—
Intestines, peritoneum	245	1,446	—	431	70	107	305
Intestines, peritoneum, unspecified	2450	780	—	236	39	73	186
Small intestine	2452	27	—	12	—	—	8
Large intestine/colon, rectum	2453	609	—	177	26	32	104
Intestines, n.e.c.	2459	23	—	—	—	—	—
Other digestive structures	246	138	16	—	—	—	—
Liver	2461	138	16	—	—	—	—
Multiple internal abdominal locations	248	44	9	—	—	—	—
Internal abdominal location, n.e.c.	249	166	—	49	—	—	66
Pelvic region	25	59,401	115	15,244	2,708	2,784	9,124
Pelvic region, unspecified	250	1,545	26	305	28	132	238
Hip(s)	251	14,784	12	1,384	544	448	607
Pelvis	252	1,428	—	89	14	59	68
Buttock(s)	253	2,411	47	170	53	44	164
Groin	254	36,993	20	12,891	1,922	1,994	7,732
External reproductive tract structures	255	1,074	—	247	45	66	237
External reproductive tract structures, unspecified	2550	110	—	—	—	—	37
Scrotum	2551	724	—	199	34	51	168
Penis	2552	128	—	24	—	—	14
External female genital region	2553	24	—	—	—	—	—
Multiple external reproductive tract structures	2558	14	—	—	—	—	10
External reproductive tract structures, n.e.c.	2559	74	—	19	—	—	9
Internal reproductive tract structures	256	213	—	28	63	11	31
Internal reproductive tract structures, unspecified	2560	14	—	—	—	—	—
Testis(testes)	2562	140	—	19	60	11	28
Uterus	2564	36	—	—	—	—	—
Female genitals, n.e.c.	2565	13	—	—	—	—	—
Internal reproductive tract structures, n.e.c.	2569	11	—	—	—	—	—
Multiple pelvic region locations	258	519	—	46	23	22	—
Pelvic region, n.e.c.	259	436	—	84	18	—	40
Multiple trunk locations	28	17,247	46	2,620	931	686	969
Trunk, n.e.c.	29	766	10	153	34	38	81
Upper extremities	3	518,703	7,280	48,521	17,057	80,664	68,437
Upper extremities, unspecified	30	728	32	40	—	22	94
Arm(s)	31	92,209	1,205	11,218	3,884	7,834	11,071
Arm(s), unspecified	310	33,843	663	4,380	1,386	3,075	3,912
Upper arm(s)	311	4,183	38	629	201	373	609
Elbow(s)	312	34,131	19	3,962	1,710	2,390	3,421
Forearm(s)	313	15,846	420	1,736	476	1,611	2,621
Multiple arm(s) locations	318	2,605	44	312	80	158	284
Arm(s), n.e.c.	319	1,601	21	199	31	228	225
Wrist(s)	32	114,540	164	10,683	2,299	3,562	6,151
Hand(s), except finger(s)	33	92,405	3,702	8,742	3,526	13,761	15,618
Finger(s), fingernail(s)	34	192,634	1,209	15,580	6,460	52,104	33,021
Multiple upper extremities locations	38	25,805	957	2,242	882	3,359	2,440
Multiple upper extremities locations, unspecified	380	605	29	72	56	52	36
Hand(s) and finger(s)	381	6,907	335	551	312	1,699	947
Hand(s) and wrist(s)	382	5,325	142	485	156	511	433
Hand(s) and arm(s)	383	3,821	353	226	44	382	460
Multiple upper extremities locations, n.e.c.	389	9,146	97	909	315	715	564
Upper extremities, n.e.c.	39	382	10	16	—	22	41

See footnotes at end of table.

Table R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, 1993 — Continued

Part of body	Source of injury or illness					
	Worker motion or position	Floors, walkways or ground surfaces	Handtools	Vehicles	Health care patient	All other sources ³
Coccygeal region	108	3,118	11	205	54	156
Multiple back regions	2,881	2,038	263	1,027	2,025	1,234
Back, including spine, spinal cord, n.e.c.	218	256	70	95	301	160
Abdomen	1,071	609	624	982	1,526	4,908
Abdomen, except internal location of diseases or disorders	985	466	565	785	1,506	2,162
Internal abdominal location, unspecified	18	—	8	24	—	416
Stomach organ	—	—	11	—	—	1,911
Spleen	—	12	—	—	—	—
Urinary organs	—	88	—	—	—	9
Kidney(s)	—	88	—	—	—	—
Intestines, peritoneum	56	37	38	168	9	219
Intestines, peritoneum, unspecified	28	—	26	59	—	116
Small intestine	—	—	—	—	—	—
Large intestine/colon, rectum	28	31	9	105	—	91
Intestines, n.e.c.	—	—	—	—	—	11
Other digestive structures	—	—	—	—	—	122
Liver	—	—	—	—	—	122
Multiple internal abdominal locations	—	—	—	—	—	34
Internal abdominal location, n.e.c.	12	—	—	—	—	30
Pelvic region	5,650	11,137	1,403	3,243	1,630	6,363
Pelvic region, unspecified	72	178	52	136	34	341
Hip(s)	1,847	7,255	115	933	568	1,071
Pelvis	40	822	58	189	12	77
Buttock(s)	66	1,337	37	168	87	238
Groin	3,459	1,129	1,058	1,627	854	4,308
External reproductive tract structures	46	35	67	115	20	190
External reproductive tract structures, unspecified	12	—	—	21	—	23
Scrotum	19	20	56	83	10	84
Penis	—	—	—	—	—	68
External female genital region	—	10	—	—	—	—
Multiple external reproductive tract structures	—	—	—	—	—	—
External reproductive tract structures, n.e.c.	15	—	8	—	—	12
Internal reproductive tract structures	12	—	—	—	22	33
Internal reproductive tract structures, unspecified	—	—	—	—	—	—
Testis(testes)	—	—	—	—	—	10
Uterus	—	—	—	—	—	16
Female genitals, n.e.c.	—	—	—	—	13	—
Internal reproductive tract structures, n.e.c.	—	—	—	—	—	—
Multiple pelvic region locations	35	255	13	36	—	75
Pelvic region, n.e.c.	72	119	—	34	31	30
Multiple trunk locations	1,701	4,950	183	1,954	1,537	1,670
Trunk, n.e.c.	75	178	—	89	36	67
Upper extremities	82,329	43,131	65,537	23,130	8,858	73,759
Upper extremities, unspecified	347	46	15	23	—	98
Arm(s)	12,062	16,624	4,625	5,014	2,856	15,814
Arm(s), unspecified	3,734	5,630	1,566	1,871	1,421	6,204
Upper arm(s)	595	354	278	201	165	740
Elbow(s)	5,464	8,872	1,086	2,244	643	4,320
Forearm(s)	1,480	1,156	1,503	490	444	3,909
Multiple arm(s) locations	580	452	99	150	89	356
Arm(s), n.e.c.	209	160	92	58	94	285
Wrist(s)	55,451	16,610	4,486	3,340	3,343	8,450
Hand(s), except finger(s)	4,784	4,054	13,197	4,601	667	19,752
Finger(s), fingernail(s)	3,968	3,238	41,376	9,170	1,266	25,242
Multiple upper extremities locations	5,661	2,375	1,834	978	715	4,361
Multiple upper extremities locations, unspecified	82	61	60	32	—	126
Hand(s) and finger(s)	484	220	697	337	90	1,235
Hand(s) and wrist(s)	1,494	458	329	146	164	1,008
Hand(s) and arm(s)	681	318	417	78	74	789
Multiple upper extremities locations, n.e.c.	2,920	1,319	331	385	387	1,203
Upper extremities, n.e.c.	56	183	—	—	—	42

See footnotes at end of table.

Table R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, 1993 — Continued

Part of body	Part of body code ²	Total cases	Source of injury or illness				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Lower extremities	4	440,016	2,830	37,936	18,152	19,709	49,734
Lower extremities, unspecified	40	629	—	78	37	34	51
Leg(s)	41	204,586	1,115	14,341	8,221	8,515	15,262
Leg(s), unspecified	410	31,651	542	2,760	1,120	1,892	3,725
Thigh(s)	411	9,255	190	758	264	576	1,110
Knee(s)	412	144,693	207	9,281	5,828	4,842	7,913
Lower leg(s)	413	13,771	95	1,119	806	899	1,946
Multiple leg(s) locations	418	3,252	27	182	134	170	351
Leg(s), n.e.c.	419	1,964	54	241	68	136	217
Ankle(s)	42	104,488	202	5,913	1,995	2,152	5,083
Foot(feet), except toe(s)	43	85,180	1,296	10,351	4,460	5,156	20,442
Foot(feet), except toe(s), unspecified	430	75,373	1,243	9,651	4,148	4,708	18,340
Instep(s)	431	567	11	163	16	14	111
Sole	432	6,753	21	271	165	262	1,565
Sole(s), unspecified	4320	1,132	—	—	—	—	973
Ball(s)	4321	152	—	—	—	—	88
Arch(es)	4322	179	—	13	10	9	37
Heel(s)	4323	5,222	11	245	150	241	445
Multiple sole(s) locations	4328	37	—	—	—	—	—
Sole(s), n.e.c.	4329	33	—	—	—	—	21
Multiple foot(feet) locations	438	386	—	19	—	21	89
Foot(feet), n.e.c.	439	2,100	16	247	128	151	337
Toe(s), toenail(s)	44	29,634	42	5,803	2,888	2,940	7,570
Multiple lower extremities locations	48	15,070	169	1,408	533	898	1,308
Multiple lower extremities locations, unspecified	480	452	21	60	16	17	16
Foot(feet) and leg(s)	481	1,729	25	135	41	94	179
Foot(feet) and ankle(s)	482	4,888	39	366	175	285	257
Foot(feet) and toe(s)	483	2,129	36	502	106	225	489
Multiple lower extremities locations, n.e.c.	489	5,873	48	344	195	276	368
Lower extremities, n.e.c.	49	429	—	43	18	14	18
Body systems	5	32,005	9,536	124	166	1,323	1,540
Multiple body parts	8	177,205	3,871	14,981	4,737	5,450	9,164
Other body parts	9	153	6	12	6	10	8
Prosthetic devices	91	70	—	—	—	—	—
Other body parts, n.e.c.	98	83	—	—	—	—	—
Nonclassifiable	9999	18,854	426	933	195	484	1,041

See footnotes at end of table.

Table R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, 1993 — Continued

Part of body	Source of injury or illness					
	Worker motion or position	Floors, walkways or ground surfaces	Handtools	Vehicles	Health care patient	All other sources ³
Lower extremities	98,368	116,612	9,313	35,920	3,402	48,041
Lower extremities, unspecified	69	160	—	75	—	111
Leg(s)	48,352	62,904	5,378	15,899	2,574	22,025
Leg(s), unspecified	3,880	7,495	1,243	3,412	432	5,151
Thigh(s)	1,112	1,508	1,057	667	218	1,795
Knee(s)	41,283	49,633	2,271	9,802	1,748	11,886
Lower leg(s)	1,520	2,644	648	1,413	111	2,570
Multiple leg(s) locations	319	1,220	48	404	25	372
Leg(s), n.e.c.	239	404	110	202	42	251
Ankle(s)	39,144	36,332	561	4,976	363	7,766
Foot(feet), except toe(s)	8,214	11,458	1,774	9,579	367	12,081
Foot(feet), except toe(s), unspecified	7,280	8,936	1,643	8,183	304	10,936
Instep(s)	34	31	30	36	—	118
Sole	646	1,915	39	1,164	22	685
Sole(s), unspecified	47	26	—	—	—	61
Ball(s)	11	36	—	—	—	—
Arch(es)	37	21	14	—	—	30
Heel(s)	548	1,814	15	1,142	22	589
Multiple sole(s) locations	—	12	—	11	—	—
Sole(s), n.e.c.	—	—	—	—	—	—
Multiple foot(feet) locations	42	140	10	25	—	31
Foot(feet), n.e.c.	213	436	52	172	36	311
Toe(s), toenail(s)	588	1,056	1,310	3,665	22	3,753
Multiple lower extremities locations	1,958	4,562	207	1,695	70	2,262
Multiple lower extremities locations, unspecified	80	137	—	35	—	67
Foot(feet) and leg(s)	97	452	14	180	10	502
Foot(feet) and ankle(s)	774	1,375	76	581	—	954
Foot(feet) and toe(s)	38	126	69	320	—	210
Multiple lower extremities locations, n.e.c.	970	2,472	46	579	48	529
Lower extremities, n.e.c.	42	141	79	30	—	44
Body systems	363	184	155	220	258	18,136
Multiple body parts	14,225	61,343	1,682	30,184	7,612	23,957
Other body parts	14	37	21	6	19	15
Prosthetic devices	—	14	16	—	19	—
Other body parts, n.e.c.	11	23	—	—	—	14
Nonclassifiable	1,633	2,032	335	1,252	367	10,157

¹ Days-away-from-work cases include those which result in days away from work with or without restricted work activity.

² Based on the 1992 occupational injury and illness classification structure developed by the Bureau of Labor Statistics.

³ Includes nonclassifiable responses.

NOTE: Dashes indicate data that are not available or data that do not meet publication guidelines. Because of rounding, data may not sum to the totals. Major classifications may include detailed classifications not shown separately. n.e.c. = not elsewhere classified.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor