

TABLE R24. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, 2004

Part of body	Part of body code ³	Private industry ⁴	Event or exposure leading to injury or illness ⁵						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Total [1,259,320 cases]		141.3	37.6	19.1	9.4	6.2	9.0	18.7	4.2
Head	0	9.1	5.6	3.0	1.0	(7)	.3	1.0	-
Head, unspecified	00	1.8	1.0	.6	.4	(7)	.1	.5	-
Cranial region, including skull	01	1.1	.6	.3	.2	(7)	.1	.2	-
Cranial region, unspecified	010	(7)	(7)	(7)	(7)	-	-	(7)	-
Brain	011	.7	.3	.2	.1	-	.1	.1	-
Scalp	012	.3	.2	.1	.1	-	(7)	(7)	-
Skull	013	.1	(7)	(7)	(7)	-	(7)	(7)	-
Multiple cranial region locations	018	(7)	(7)	-	-	-	-	-	-
Cranial region, n.e.c.	019	(7)	(7)	(7)	(7)	-	-	(7)	-
Ear(s)	02	.1	(7)	(7)	-	-	-	-	-
Face	03	5.9	4.0	2.0	.4	(7)	.1	.3	-
Face, unspecified	030	.5	.2	.1	(7)	(7)	(7)	(7)	-
Forehead	031	.4	.3	.2	.1	-	(7)	.1	-
Eye(s)	032	4.1	3.0	1.3	.2	-	-	(7)	-
Nose, nasal cavity	033	.3	.2	.1	(7)	(7)	(7)	(7)	-
Nose, except internal location of diseases or disorders	0330	.3	.2	.1	(7)	(7)	(7)	(7)	-
Cheek(s)	034	.1	.1	(7)	-	(7)	(7)	(7)	-
Jaw/chin	035	.1	.1	(7)	-	(7)	(7)	(7)	-
Mouth	036	.2	.1	.1	(7)	(7)	(7)	(7)	-
Mouth, unspecified	0360	(7)	(7)	(7)	-	-	-	(7)	-
Lip(s)	0361	.1	(7)	(7)	(7)	-	-	(7)	-
Tooth(teeth)	0363	.1	.1	.1	(7)	-	-	(7)	-
Multiple mouth locations	0368	(7)	(7)	(7)	-	-	-	-	-
Mouth, n.e.c.	0369	(7)	-	-	-	-	-	-	-
Multiple face locations	038	.3	.1	.1	(7)	-	-	(7)	-
Face, n.e.c.	039	(7)	(7)	(7)	-	-	-	-	-
Multiple head locations	08	.2	(7)	(7)	(7)	(7)	(7)	(7)	-
Head, n.e.c.	09	(7)	(7)	-	(7)	-	(7)	-	-
Neck, including throat	1	2.4	.5	.3	.1	(7)	(7)	.2	(7)
Neck, except internal location of diseases or disorders	10	2.4	.5	.3	.1	(7)	(7)	.2	(7)
Multiple internal neck locations	18	(7)	-	-	-	-	-	-	-
Trunk	2	50.2	2.7	1.6	.7	.2	2.4	5.2	1.2
Trunk, unspecified	20	.2	(7)	(7)	(7)	(7)	(7)	.1	(7)
Shoulder, including clavicle, scapula	21	9.2	.8	.5	.2	(7)	.4	1.2	.2
Chest, including ribs, internal organs	22	2.3	.4	.2	.1	(7)	.2	.5	(7)

See footnotes at end of table.

TABLE R24. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, 2004 — Continued

Part of body	Event or exposure leading to injury or illness ⁵									All other events ⁶
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			
	Total	In lifting					Total	By person	All other assaults	
Total [1,259,320 cases]	35.5	19.5	5.5	5.9	7.1	0.3	2.8	2.0	0.8	14.8
Head	(7)	(7)	(7)	1.3	.4	.1	.5	.4	.1	.1
Head, unspecified	(7)	—	—	(7)	.1	—	.1	.1	(7)	(7)
Cranial region, including skull	—	—	—	—	.1	—	(7)	(7)	—	(7)
Cranial region, unspecified	—	—	—	—	—	—	—	—	—	—
Brain	—	—	—	—	.1	—	(7)	(7)	—	(7)
Scalp	—	—	—	—	(7)	—	(7)	(7)	—	—
Skull	—	—	—	—	(7)	—	—	—	—	—
Multiple cranial region locations	—	—	—	—	—	—	—	—	—	—
Cranial region, n.e.c.	—	—	—	—	—	—	—	—	—	—
Ear(s)	—	—	—	.1	—	—	(7)	—	(7)	(7)
Face	(7)	(7)	(7)	1.2	.1	.1	.2	.2	(7)	(7)
Face, unspecified	—	—	—	.1	(7)	(7)	.1	.1	(7)	—
Forehead	—	—	—	(7)	(7)	(7)	(7)	—	—	—
Eye(s)	(7)	(7)	—	1.0	(7)	(7)	(7)	(7)	—	(7)
Nose, nasal cavity	—	—	—	(7)	—	—	(7)	(7)	—	(7)
Nose, except internal location of diseases or disorders	—	—	—	—	—	—	(7)	(7)	—	(7)
Cheek(s)	—	—	—	—	(7)	—	—	—	—	—
Jaw/chin	—	—	—	—	—	—	(7)	(7)	—	—
Mouth	—	—	—	(7)	(7)	—	(7)	(7)	(7)	(7)
Mouth, unspecified	—	—	—	—	—	—	(7)	(7)	—	—
Lip(s)	—	—	—	—	—	—	(7)	—	—	—
Tooth(teeth)	—	—	—	—	—	—	(7)	(7)	—	—
Multiple mouth locations	—	—	—	—	—	—	—	—	—	—
Mouth, n.e.c.	—	—	—	—	—	—	—	—	—	—
Multiple face locations	—	—	—	(7)	(7)	(7)	(7)	(7)	(7)	—
Face, n.e.c.	—	—	—	(7)	—	—	—	—	—	—
Multiple head locations	—	—	—	—	(7)	(7)	.1	(7)	(7)	—
Head, n.e.c.	—	—	—	—	—	—	—	—	—	—
Neck, including throat7	.4	.1	(7)	.5	—	.1	.1	(7)	.3
Neck, except internal location of diseases or disorders7	.4	.1	(7)	.5	—	.1	.1	(7)	.3
Multiple internal neck locations	—	—	—	(7)	—	—	—	—	—	—
Trunk	28.1	16.2	1.1	.4	1.8	(7)	.6	.5	.1	6.7
Trunk, unspecified1	(7)	(7)	(7)	(7)	—	(7)	(7)	(7)	(7)
Shoulder, including clavicle, scapula	4.8	2.3	.5	(7)	.3	—	.1	.1	(7)	.9
Chest, including ribs, internal organs5	.2	(7)	.2	.2	—	.1	.1	(7)	.3

See footnotes at end of table.

TABLE R24. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, 2004 — Continued

Part of body	Part of body code ³	Private industry ⁴	Event or exposure leading to injury or illness ⁵						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Chest, except internal location of diseases or disorders	220	2.0	0.4	0.2	0.1	(⁷)	0.2	0.5	(⁷)
Internal chest location, unspecified	221	(⁷)	—	—	—	—	—	—	—
Heart	223	.1	—	—	—	—	—	—	—
Bronchus	224	(⁷)	—	—	—	—	—	—	—
Lung(s), pleura	225	.2	—	—	—	—	—	—	—
Internal chest location, n.e.c.	229	(⁷)	—	—	—	—	—	—	—
Back, including spine, spinal cord	23	31.7	1.1	.6	.3	.1	1.3	2.6	.9
Back, including spine, spinal cord, unspecified	230	13.8	.6	.3	.1	(⁷)	.6	1.1	.4
Lumbar region	231	15.4	.4	.2	.1	(⁷)	.6	1.2	.4
Thoracic region	232	1.2	.1	(⁷)	(⁷)	—	(⁷)	(⁷)	(⁷)
Sacral region	233	.1	—	—	—	—	(⁷)	(⁷)	—
Coccygeal region	234	.2	(⁷)	—	(⁷)	—	(⁷)	.2	—
Multiple back regions	238	.9	(⁷)	(⁷)	(⁷)	—	.1	.1	(⁷)
Back, including spine, spinal cord, n.e.c.	239	.1	(⁷)	(⁷)	—	—	—	(⁷)	—
Abdomen	24	3.3	.2	.1	(⁷)	(⁷)	(⁷)	.1	(⁷)
Abdomen, except internal location of diseases or disorders	240	.8	.1	.1	(⁷)	(⁷)	(⁷)	(⁷)	(⁷)
Internal abdominal location, unspecified	241	1.1	(⁷)	(⁷)	(⁷)	—	(⁷)	(⁷)	(⁷)
Stomach organ	242	.1	—	—	—	—	—	—	—
Urinary organs	244	(⁷)	—	—	—	—	—	—	—
Intestines, peritoneum	245	1.2	(⁷)	(⁷)	—	—	(⁷)	(⁷)	(⁷)
Intestines, peritoneum, unspecified	2450	1.1	(⁷)	(⁷)	—	—	(⁷)	(⁷)	(⁷)
Peritoneum	2451	.1	—	—	—	—	—	—	—
Small intestine	2452	(⁷)	—	—	—	—	—	—	—
Large intestine/colon, rectum	2453	(⁷)	—	—	—	—	—	—	—
Multiple intestinal locations	2458	(⁷)	—	—	—	—	—	—	—
Intestines, n.e.c.	2459	(⁷)	—	—	—	—	—	—	—
Internal abdominal location, n.e.c.	249	(⁷)	—	—	—	—	—	—	—
Pelvic region	25	2.5	.2	.1	.1	(⁷)	.2	.6	.1
Pelvic region, unspecified	250	(⁷)	(⁷)	—	—	—	(⁷)	(⁷)	—
Hip(s)	251	1.1	.1	(⁷)	(⁷)	(⁷)	.1	.4	(⁷)
Pelvis	252	.1	(⁷)	—	—	(⁷)	(⁷)	(⁷)	—
Buttock(s)	253	.1	(⁷)	(⁷)	—	—	(⁷)	.1	—
Groin	254	1.1	.1	(⁷)	(⁷)	—	(⁷)	(⁷)	.1
External reproductive tract structures	255	(⁷)	(⁷)	(⁷)	—	—	—	(⁷)	—

See footnotes at end of table.

TABLE R24. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, 2004 — Continued

Part of body	Event or exposure leading to injury or illness ⁵									All other events ⁶
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			
	Total	In lifting					Total	By person	All other assaults	
Chest, except internal location of diseases or disorders	0.5	0.2	(7)	(7)	0.2	—	0.1	0.1	(7)	0.2
Internal chest location, unspecified	(7)	—	—	—	—	—	—	—	—	(7)
Heart	—	—	—	—	—	—	—	—	—	(7)
Bronchus	—	—	—	(7)	—	—	—	—	—	—
Lung(s), pleura	(7)	—	—	.2	—	(7)	—	—	—	(7)
Internal chest location, n.e.c.	—	—	—	—	—	—	—	—	—	(7)
Back, including spine, spinal cord	19.0	11.3	.5	(7)	1.1	(7)	.2	.2	(7)	4.9
Back, including spine, spinal cord, unspecified	8.0	5.0	.2	(7)	.6	—	.1	.1	—	2.2
Lumbar region	9.7	5.6	.3	—	.3	—	.1	.1	—	2.5
Thoracic region8	.4	(7)	—	(7)	—	(7)	(7)	—	.1
Sacral region1	(7)	—	—	—	—	—	—	—	(7)
Coccygeal region	(7)	(7)	—	—	(7)	—	—	—	—	(7)
Multiple back regions4	.2	(7)	—	.1	—	(7)	(7)	—	.1
Back, including spine, spinal cord, n.e.c.	(7)	(7)	—	—	(7)	—	—	—	—	(7)
Abdomen	2.5	1.6	.1	.1	(7)	(7)	(7)	(7)	—	.2
Abdomen, except internal location of diseases or disorders5	.3	(7)	(7)	(7)	(7)	(7)	(7)	(7)	.1
Internal abdominal location, unspecified9	.6	(7)	—	—	—	—	—	—	.1
Stomach organ1	(7)	—	(7)	—	—	—	—	—	(7)
Urinary organs	—	—	—	—	—	—	—	—	—	—
Intestines, peritoneum	1.1	.7	(7)	(7)	—	—	—	—	—	.1
Intestines, peritoneum, unspecified9	.6	(7)	(7)	—	—	—	—	—	.1
Peritoneum1	.1	—	—	—	—	—	—	—	(7)
Small intestine	(7)	(7)	—	—	—	—	—	—	—	—
Large intestine/colon, rectum	(7)	(7)	—	—	—	—	—	—	—	—
Multiple intestinal locations	—	—	—	—	—	—	—	—	—	—
Intestines, n.e.c.	(7)	—	—	—	—	—	—	—	—	—
Internal abdominal location, n.e.c.	(7)	(7)	—	—	—	—	—	—	—	—
Pelvic region9	.5	(7)	(7)	.1	—	(7)	(7)	(7)	.3
Pelvic region, unspecified	(7)	—	—	—	—	—	—	—	—	—
Hip(s)2	.1	(7)	—	.1	—	(7)	(7)	—	.1
Pelvis	(7)	(7)	—	—	(7)	—	—	—	—	(7)
Buttock(s)	(7)	(7)	—	—	—	—	—	—	—	(7)
Groin7	.4	(7)	(7)	—	—	(7)	—	—	.1
External reproductive tract structures	(7)	—	—	—	—	—	(7)	(7)	—	—

See footnotes at end of table.

TABLE R24. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, 2004 — Continued

Part of body	Part of body code ³	Private industry ⁴	Event or exposure leading to injury or illness ⁵						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
External reproductive tract structures, unspecified	2550	(7)	(7)	(7)	—	—	—	—	—
Scrotum	2551	(7)	—	—	—	—	—	(7)	—
Multiple pelvic region locations	258	(7)	—	—	—	—	—	(7)	—
Pelvic region, n.e.c.	259	(7)	—	—	—	—	—	(7)	—
Multiple trunk locations	28	1.0	.1	.1	(7)	(7)	0.1	.2	(7)
Trunk, n.e.c.	29	(7)	(7)	—	—	—	—	(7)	—
Upper extremities	3	32.6	17.7	8.1	3.9	5.0	1.1	2.8	.1
Upper extremities, unspecified	30	.1	(7)	—	—	—	—	—	—
Arm(s)	31	6.5	1.8	.9	.7	.2	.4	1.1	(7)
Arm(s), unspecified	310	2.4	.7	.4	.2	.1	.2	.3	(7)
Upper arm(s)	311	.5	.1	(7)	(7)	—	(7)	.1	—
Elbow(s)	312	2.1	.5	.1	.4	(7)	.2	.5	(7)
Forearm(s)	313	1.1	.5	.3	.1	.1	(7)	.1	(7)
Multiple arm(s) locations	318	.3	.1	(7)	(7)	(7)	(7)	(7)	—
Arm(s), n.e.c.	319	.1	(7)	(7)	(7)	(7)	(7)	(7)	—
Wrist(s)	32	6.6	.9	.5	.2	.1	.5	.9	(7)
Hand(s), except finger(s)	33	5.6	3.7	1.8	.9	.8	.1	.4	(7)
Finger(s), fingernail(s)	34	12.1	10.7	4.5	2.0	3.7	.1	.2	(7)
Multiple upper extremities locations ..	38	1.7	.7	.3	.1	.2	.1	.1	(7)
Multiple upper extremities locations, unspecified	380	(7)	(7)	—	—	(7)	—	—	—
Hand(s) and finger(s)	381	.6	.4	.2	.1	.1	—	(7)	—
Hand(s) and wrist(s)	382	.4	.1	(7)	(7)	(7)	(7)	(7)	—
Hand(s) and arm(s)	383	.2	(7)	(7)	(7)	(7)	(7)	(7)	—
Multiple upper extremities locations, n.e.c.	389	.5	.1	.1	(7)	(7)	(7)	.1	—
Upper extremities, n.e.c.	39	(7)	(7)	—	—	—	—	—	—
Lower extremities	4	30.2	9.5	5.1	3.3	.8	3.1	5.7	2.6
Lower extremities, unspecified	40	(7)	(7)	(7)	—	—	—	(7)	(7)
Leg(s)	41	15.5	3.7	1.6	1.6	.2	1.4	3.6	1.1
Leg(s), unspecified	410	2.1	.8	.4	.2	.1	.2	.3	.1
Thigh(s)	411	.5	.2	.1	(7)	(7)	(7)	.1	(7)
Knee(s)	412	11.2	2.1	.7	1.1	.1	.9	2.9	1.0
Lower leg(s)	413	1.2	.5	.3	.2	(7)	.1	.2	(7)
Multiple leg(s) locations	418	.4	.1	(7)	(7)	(7)	.1	.1	(7)
Leg(s), n.e.c.	419	.1	(7)	(7)	—	—	(7)	(7)	(7)
Ankle(s)	42	7.2	1.4	.4	.8	.2	1.1	1.4	1.2
Foot(feet), except toe(s)	43	5.1	2.9	1.9	.7	.3	.4	.4	.2
Foot(feet), except toe(s), unspecified	430	4.4	2.5	1.7	.5	.3	.3	.3	.2

See footnotes at end of table.

TABLE R24. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, 2004 — Continued

Part of body	Event or exposure leading to injury or illness ⁵									All other events ⁶
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			
	Total	In lifting					Total	By person	All other assaults	
External reproductive tract structures, unspecified	—	—	—	—	—	—	(7)	(7)	—	—
Scrotum	—	—	—	—	—	—	(7)	(7)	—	—
Multiple pelvic region locations	(7)	—	—	—	—	—	—	—	—	—
Pelvic region, n.e.c.	—	—	—	—	—	—	—	—	—	—
Multiple trunk locations3	0.1	(7)	(7)	0.1	—	(7)	(7)	—	0.1
Trunk, n.e.c.	(7)	—	—	—	—	—	—	—	—	—
Upper extremities	3.2	1.4	3.8	1.7	.4	0.1	.8	.4	0.4	.9
Upper extremities, unspecified	—	—	(7)	(7)	—	—	—	—	—	—
Arm(s)	1.5	.7	.4	.5	.2	(7)	.2	.1	.1	.3
Arm(s), unspecified5	.2	.1	.3	.1	(7)	.1	.1	(7)	.1
Upper arm(s)2	.1	(7)	(7)	(7)	—	(7)	(7)	—	(7)
Elbow(s)5	.2	.2	(7)	.1	—	(7)	(7)	(7)	.1
Forearm(s)2	.1	(7)	.2	(7)	(7)	.1	(7)	(7)	(7)
Multiple arm(s) locations1	.1	(7)	(7)	(7)	—	—	—	—	(7)
Arm(s), n.e.c.	(7)	(7)	(7)	—	—	—	(7)	(7)	—	—
Wrist(s)	1.1	.5	2.7	(7)	(7)	(7)	.1	.1	(7)	.2
Hand(s), except finger(s)2	.1	.2	.7	.1	(7)	.2	(7)	.2	.1
Finger(s), fingernail(s)2	.1	.2	.2	(7)	—	.3	.1	.1	.2
Multiple upper extremities locations2	.1	.2	.2	(7)	(7)	(7)	(7)	(7)	.1
Multiple upper extremities locations, unspecified	(7)	—	(7)	(7)	—	—	—	—	—	—
Hand(s) and finger(s)	(7)	(7)	(7)	(7)	—	(7)	(7)	—	—	(7)
Hand(s) and wrist(s)1	(7)	.1	.1	—	—	(7)	(7)	—	(7)
Hand(s) and arm(s)	(7)	(7)	(7)	.1	(7)	—	(7)	—	(7)	(7)
Multiple upper extremities locations, n.e.c.1	(7)	.1	(7)	(7)	—	(7)	(7)	(7)	(7)
Upper extremities, n.e.c.	—	—	—	—	—	—	—	—	—	—
Lower extremities	1.5	.5	.2	.6	1.3	(7)	.3	.2	.1	5.5
Lower extremities, unspecified	—	—	—	—	—	—	—	—	—	—
Leg(s)	1.3	.4	.1	.3	.5	(7)	.3	.2	.1	3.2
Leg(s), unspecified1	.1	(7)	.2	.2	(7)	.1	(7)	(7)	.2
Thigh(s)1	(7)	—	(7)	(7)	—	(7)	(7)	(7)	.1
Knee(s)	1.0	.3	.1	(7)	.2	(7)	.1	.1	(7)	2.7
Lower leg(s)1	(7)	(7)	.1	.1	—	(7)	(7)	(7)	.2
Multiple leg(s) locations	(7)	(7)	—	(7)	(7)	—	—	—	—	(7)
Leg(s), n.e.c.	—	—	—	—	—	—	—	—	—	(7)
Ankle(s)1	(7)	(7)	(7)	.3	(7)	(7)	(7)	(7)	1.6
Foot(feet), except toe(s)	(7)	(7)	(7)	.2	.4	—	(7)	(7)	(7)	.5
Foot(feet), except toe(s), unspecified	(7)	(7)	(7)	.2	.4	—	(7)	(7)	(7)	.4

See footnotes at end of table.

TABLE R24. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, 2004 — Continued

Part of body	Part of body code ³	Private industry ⁴	Event or exposure leading to injury or illness ⁵						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Instep(s)	431	0.1	0.1	0.1	—	(⁷)	(⁷)	(⁷)	—
Sole	432	.4	.2	.1	0.1	(⁷)	.1	(⁷)	(⁷)
Sole(s), unspecified	4320	.1	.1	—	.1	—	—	—	—
Arch(es)	4322	(⁷)	(⁷)	(⁷)	—	—	—	—	—
Heel(s)	4323	.3	.1	(⁷)	.1	(⁷)	.1	(⁷)	(⁷)
Multiple foot(feet) locations	438	(⁷)	(⁷)	(⁷)	(⁷)	—	—	—	—
Foot(feet), n.e.c.	439	.1	.1	(⁷)	(⁷)	—	(⁷)	—	—
Toe(s), toenail(s)	44	1.4	1.2	1.0	.1	.1	(⁷)	.1	(⁷)
Multiple lower extremities locations	48	.9	.3	.2	.1	.1	.1	.2	.1
Multiple lower extremities locations, unspecified	480	(⁷)	(⁷)	—	—	—	—	(⁷)	—
Foot(feet) and leg(s)	481	.1	(⁷)	(⁷)	—	(⁷)	(⁷)	(⁷)	(⁷)
Foot(feet) and ankle(s)	482	.3	.1	(⁷)	(⁷)	(⁷)	(⁷)	.1	(⁷)
Foot(feet) and toe(s)	483	.1	.1	.1	(⁷)	(⁷)	—	—	(⁷)
Multiple lower extremities locations, n.e.c.	489	.4	.1	(⁷)	(⁷)	(⁷)	.1	.1	(⁷)
Lower extremities, n.e.c.	49	(⁷)	—	—	—	—	—	—	—
Body systems	5	1.6	(⁷)	(⁷)	(⁷)	—	(⁷)	(⁷)	—
Multiple body parts	8	14.2	1.5	1.0	.2	.2	1.9	3.9	.3
Other body parts	9	(⁷)	—	—	—	—	—	—	—
Prosthetic devices	91	(⁷)	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R24. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, 2004 — Continued

Part of body	Event or exposure leading to injury or illness ⁵									All other events ⁶
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			
	Total	In lifting					Total	By person	All other assaults	
Instep(s)	-	-	-	(7)	(7)	-	-	-	-	-
Sole	(7)	-	-	-	(7)	-	-	-	-	0.1
Sole(s), unspecified	-	-	-	-	-	-	-	-	-	(7)
Arch(es)	-	-	-	-	-	-	-	-	-	(7)
Heel(s)	(7)	-	-	-	(7)	-	-	-	-	.1
Multiple foot(feet) locations	-	-	-	-	-	-	-	-	-	-
Foot(feet), n.e.c.	-	-	-	(7)	-	-	-	-	-	(7)
Toe(s), toenail(s)	(7)	(7)	-	(7)	(7)	-	(7)	(7)	(7)	(7)
Multiple lower extremities locations	(7)	-	-	(7)	(7)	-	(7)	(7)	-	.1
Multiple lower extremities locations, unspecified	-	-	-	-	-	-	-	-	-	-
Foot(feet) and leg(s)	-	-	-	(7)	(7)	-	-	-	-	-
Foot(feet) and ankle(s)	-	-	-	(7)	(7)	-	-	-	-	(7)
Foot(feet) and toe(s)	(7)	-	-	-	(7)	-	-	-	-	-
Multiple lower extremities locations, n.e.c.	(7)	-	-	(7)	(7)	-	(7)	-	-	.1
Lower extremities, n.e.c.	-	-	-	-	-	-	-	-	-	-
Body systems	(7)	(7)	-	1.2	(7)	-	.1	.1	(7)	.3
Multiple body parts	1.8	.9	0.3	.7	2.6	0.1	.4	.4	.1	.7
Other body parts	-	-	-	-	-	-	-	-	-	-
Prosthetic devices	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE R24. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, 2004 — Continued

Part of body	Part of body code ³	Private industry ⁴	Event or exposure leading to injury or illness ⁵						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Nonclassifiable	9999	1.0	0.1	(⁷)	(⁷)	—	0.1	0.1	(⁷)

See footnotes at end of table.

TABLE R24. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, 2004 — Continued

Part of body	Event or exposure leading to injury or illness ⁵									
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			All other events ⁶
	Total	In lifting					Total	By person	All other assaults	
Nonclassifiable	0.1	0.1	(⁷)	0.1	0.1	(⁷)	(⁷)	(⁷)	(⁷)	0.4

¹ Incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as: (N/EH) x 20,000,000 where

N = number of injuries and illnesses
 EH = total hours worked by all employees during the calendar year
 20,000,000 = base for 10,000 equivalent full-time workers (working 40 hours per week, 50 weeks per year)

² Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

³ Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

⁵ Data shown in columns correspond to the following Event codes: Contact with objects, Total = 00-09; Struck by object = 020-029; Struck against object = 010-019; Caught in or compressed or crushed = 030-049;

Fall to lower level = 110-119; Fall on same level = 130-139; Slips or trips without fall = 215; Overexertion, Total = 220-229; In lifting = 221; Repetitive motion = 230-239; Exposure to harmful substance or environment = 30-39; Transportation accidents = 40-49; Fires and explosions = 50-52; Assaults and violent acts, Total = 60-63; By person = 61; All other assaults = 60, 62, and 63; All other events = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁶ Includes nonclassifiable responses.

⁷ Less than 0.05 cases per 10,000 full-time workers.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies