

Table 2. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and occupation, All United States, private industry, 2005

Characteristic	All occupations		Laborers and freight, stock, and material movers, hand		Truck drivers, heavy and tractor-trailer		Nursing aides, orderlies, and attendants	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Total:	1,234,680	100.0	92,240	100.0	65,930	100.0	52,150	100.0
Sex:								
Men	814,250	65.9	77,110	83.6	62,790	95.2	5,820	11.2
Women	415,880	33.7	15,070	16.3	3,130	4.7	46,320	88.8
Age:								
Under 14	--	--	--	--	--	--	--	--
14 to 15	90	--	30	--	--	--	--	--
16 to 19	41,530	3.4	5,290	5.7	130	0.2	1,620	3.1
20 to 24	133,760	10.8	15,180	16.5	1,860	2.8	7,770	14.9
25 to 34	290,500	23.5	23,740	25.7	11,930	18.1	13,820	26.5
35 to 44 *	311,830	25.3	22,540	24.4	19,330	29.3	13,650	26.2
45 to 54	282,310	22.9	16,630	18.0	19,400	29.4	10,190	19.5
55 to 64	135,290	11.0	6,760	7.3	10,340	15.7	4,280	8.2
65 and over	27,050	2.2	1,320	1.4	2,360	3.6	530	1.0
Length of service with employer:								
Less than 3 months	166,870	13.5	18,980	20.6	6,880	10.4	7,240	13.9
3 months to 11 months	262,040	21.2	23,510	25.5	16,760	25.4	13,130	25.2
1 year to 5 years	417,570	33.8	28,030	30.4	21,690	32.9	21,140	40.5
More than 5 years	377,890	30.6	21,180	23.0	20,300	30.8	10,450	20.0
Race or ethnic origin:								
White	567,790	46.0	35,660	38.7	36,090	54.7	21,960	42.1
Black or African American	101,170	8.2	7,880	8.5	5,000	7.6	12,330	23.6
Hispanic or Latino	163,440	13.2	13,010	14.1	4,600	7.0	3,360	6.4
Asian	13,190	1.1	590	0.6	150	0.2	830	1.6
Native Hawaiian or other Pacific Islander	4,760	0.4	320	0.3	130	0.2	160	0.3
American Indian or Alaska Native	5,830	0.5	320	0.3	200	0.3	250	0.5
Hispanic and other	1,160	0.1	80	0.1	110	0.2	50	0.1
Multi-race	930	0.1	50	0.1	140	0.2	40	0.1
Not reported	376,550	30.5	34,330	37.2	19,620	29.8	13,170	25.3
Number of days away from work:								
Cases involving 1 day	176,530	14.3	13,060	14.2	5,670	8.6	8,200	15.7
Cases involving 2 days	143,790	11.6	10,830	11.7	5,130	7.8	7,920	15.2
Cases involving 3-5 days	234,780	19.0	17,600	19.1	10,880	16.5	12,020	23.0
Cases involving 6-10 days	157,390	12.7	12,180	13.2	8,560	13.0	7,640	14.7
Cases involving 11-20 days	142,450	11.5	9,610	10.4	8,280	12.6	5,330	10.2
Cases involving 21-30 days	80,730	6.5	6,180	6.7	5,230	7.9	2,710	5.2
Cases involving 31 or more days	299,000	24.2	22,760	24.7	22,190	33.7	8,320	16.0
Median days away from work ⁵	7		7		14		5	

See footnotes at end of table.

Table 2. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and occupation, All United States, private industry, 2005

Characteristic	All occupations		Laborers and freight, stock, and material movers, hand		Truck drivers, heavy and tractor-trailer		Nursing aides, orderlies, and attendants	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Industry sector:								
Goods producing industries ²	394,090	31.9	19,120	20.7	12,090	18.3	--	--
Natural resources and mining ^{2,3}	27,890	2.3	290	0.3	1,560	2.4	--	--
Agriculture, Forestry, Fishing and Hunting ²	18,870	1.5	120	0.1	810	1.2	--	--
Mining ³	9,020	0.7	170	0.2	750	1.1	--	--
Construction	157,070	12.7	200	0.2	3,980	6.0	--	--
Manufacturing	209,130	16.9	18,630	20.2	6,540	9.9	--	--
Service providing industries	840,580	68.1	73,120	79.3	53,840	81.7	52,150	100.0
Trade, Transportation and Utilities ⁴	380,720	30.8	60,200	65.3	46,570	70.6	--	--
Wholesale Trade	80,170	6.5	20,170	21.9	9,060	13.7	--	--
Retail Trade	175,880	14.2	21,120	22.9	4,460	6.8	--	--
Transportation and Warehousing ⁴	117,440	9.5	18,760	20.3	32,930	49.9	--	--
Utilities	7,230	0.6	140	0.2	120	0.2	--	--
Information	20,690	1.7	730	0.8	130	0.2	--	--
Financial activities	38,250	3.1	1,620	1.8	810	1.2	160	0.3
Finance and Insurance	14,090	1.1	120	0.1	--	--	30	0.1
Real Estate and Rental and Leasing	24,150	2.0	1,490	1.6	810	1.2	130	0.2
Professional and business services	91,840	7.4	6,590	7.1	5,240	7.9	230	0.4
Professional, Scientific, and Technical Services	24,810	2.0	960	1.0	320	0.5	--	--
Management of Companies and Enterprises	9,710	0.8	800	0.9	270	0.4	90	0.2
Administrative and Support and Waste Management and Remediation Services	57,320	4.6	4,840	5.2	4,650	7.1	150	0.3
Education and health services	186,400	15.1	1,210	1.3	190	0.3	51,630	99.0
Educational Services	10,500	0.9	90	0.1	20	--	30	0.1
Health Care and Social Assistance	175,900	14.2	1,110	1.2	170	0.3	51,600	98.9
Leisure and hospitality	93,900	7.6	1,810	2.0	180	0.3	--	--
Arts, Entertainment, and Recreation	18,230	1.5	1,500	1.6	20	--	--	--
Accommodation and Food Services	75,670	6.1	310	0.3	160	0.2	--	--
Other services	28,790	2.3	950	1.0	720	1.1	100	0.2
Other Services, except Public Administration	28,790	2.3	950	1.0	720	1.1	100	0.2
Nature of injury, illness:								
Sprains, strains	503,530	40.8	38,140	41.3	31,380	47.6	31,810	61.0
Fractures	95,830	7.8	7,130	7.7	5,780	8.8	1,780	3.4
Cuts, lacerations, punctures	118,870	9.6	8,600	9.3	3,100	4.7	420	0.8
Bruises, contusions	107,770	8.7	9,690	10.5	5,220	7.9	4,320	8.3
Heat burns	17,150	1.4	470	0.5	260	0.4	100	0.2
Chemical burns	6,360	0.5	630	0.7	230	0.3	70	0.1
Amputations	8,450	0.7	760	0.8	130	0.2	--	--
Carpal tunnel syndrome	16,460	1.3	670	0.7	230	0.3	60	0.1
Tendonitis	5,720	0.5	270	0.3	130	0.2	60	0.1
Multiple injuries	50,090	4.1	3,300	3.6	3,620	5.5	1,290	2.5
With fractures	9,770	0.8	520	0.6	870	1.3	130	0.2
With sprains	21,240	1.7	1,430	1.6	1,250	1.9	850	1.6
Soreness, Pain	100,800	8.2	8,230	8.9	6,530	9.9	7,310	14.0
Back pain	35,650	2.9	3,070	3.3	2,510	3.8	3,000	5.8
All other	203,660	16.5	14,350	15.6	9,330	14.2	4,900	9.4

See footnotes at end of table.

Table 2. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and occupation, All United States, private industry, 2005

Characteristic	All occupations		Laborers and freight, stock, and material movers, hand		Truck drivers, heavy and tractor-trailer		Nursing aides, orderlies, and attendants	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Part of body affected:								
Head	81,090	6.6	5,630	6.1	3,730	5.7	1,830	3.5
Eye	34,740	2.8	2,650	2.9	1,090	1.7	330	0.6
Neck	18,470	1.5	830	0.9	1,190	1.8	790	1.5
Trunk	428,500	34.7	34,940	37.9	27,420	41.6	28,170	54.0
Back	270,890	21.9	21,600	23.4	15,870	24.1	20,850	40.0
Shoulder	77,800	6.3	6,480	7.0	6,140	9.3	3,690	7.1
Upper extremities	284,750	23.1	20,270	22.0	9,020	13.7	6,190	11.9
Finger	111,090	9.0	8,260	9.0	2,630	4.0	1,260	2.4
Hand, except finger	47,020	3.8	3,830	4.2	1,370	2.1	770	1.5
Wrist	56,250	4.6	3,560	3.9	1,770	2.7	2,150	4.1
Lower extremities	271,740	22.0	24,060	26.1	14,980	22.7	7,600	14.6
Knee	100,560	8.1	6,470	7.0	6,070	9.2	3,580	6.9
Foot, toe	56,730	4.6	7,740	8.4	2,100	3.2	1,250	2.4
Body systems	17,950	1.5	630	0.7	600	0.9	810	1.6
Multiple	120,960	9.8	5,570	6.0	8,600	13.0	6,280	12.0
All other	11,220	0.9	310	0.3	390	0.6	470	0.9
Source of injury, illness:								
Chemicals, chemical products	18,440	1.5	1,120	1.2	510	0.8	390	0.7
Containers	151,710	12.3	23,460	25.4	8,390	12.7	710	1.4
Furniture, fixtures	46,780	3.8	4,130	4.5	1,140	1.7	1,930	3.7
Machinery	80,460	6.5	5,830	6.3	1,770	2.7	440	0.8
Parts and materials	128,700	10.4	13,560	14.7	6,420	9.7	270	0.5
Worker motion or position	181,820	14.7	10,680	11.6	9,670	14.7	3,660	7.0
Floor, ground surfaces	234,430	19.0	10,750	11.7	13,300	20.2	7,940	15.2
Handtools	56,970	4.6	3,250	3.5	890	1.3	110	0.2
Vehicles	109,630	8.9	10,580	11.5	18,210	27.6	1,310	2.5
Health care patient	54,520	4.4	--	--	--	--	30,480	58.4
All other	171,210	13.9	8,880	9.6	5,640	8.6	4,900	9.4
Event or exposure:								
Contact with object, equipment	338,080	27.4	32,080	34.8	12,510	19.0	5,420	10.4
Struck by object	167,730	13.6	16,890	18.3	6,470	9.8	3,220	6.2
Struck against object	85,500	6.9	7,330	7.9	3,170	4.8	1,190	2.3
Caught in object, equipment, material	54,970	4.5	5,830	6.3	1,840	2.8	740	1.4
Fall to lower level	79,310	6.4	3,990	4.3	6,980	10.6	640	1.2
Fall on same level	167,180	13.5	8,130	8.8	6,990	10.6	7,570	14.5
Slips, trips	36,150	2.9	2,040	2.2	2,950	4.5	1,180	2.3
Overexertion	298,130	24.1	28,600	31.0	15,940	24.2	28,280	54.2
Overexertion in lifting	159,970	13.0	17,940	19.4	6,080	9.2	12,150	23.3
Repetitive motion	43,790	3.5	2,340	2.5	750	1.1	270	0.5
Exposed to harmful substance	51,860	4.2	1,930	2.1	1,090	1.7	1,280	2.5
Transportation accidents	61,170	5.0	4,010	4.3	9,840	14.9	850	1.6
Fires, explosions	2,600	0.2	380	0.4	180	0.3	60	0.1
Assault, violent act	21,470	1.7	340	0.4	510	0.8	3,630	7.0
by person	14,560	1.2	160	0.2	190	0.3	3,530	6.8
by other	6,910	0.6	180	0.2	330	0.5	100	0.2
All other	134,940	10.9	8,400	9.1	8,180	12.4	2,960	5.7

See footnotes at end of table.

Table 2. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and occupation, All United States, private industry, 2005

Characteristic	All occupations		Laborers and freight, stock, and material movers, hand		Truck drivers, heavy and tractor-trailer		Nursing aides, orderlies, and attendants	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Day of Week:								
Sunday	64,230	5.2	3,540	3.8	2,160	3.3	5,610	10.8
Monday	232,240	18.8	19,160	20.8	12,450	18.9	9,140	17.5
Tuesday	227,230	18.4	17,030	18.5	12,910	19.6	7,280	14.0
Wednesday	212,480	17.2	17,170	18.6	12,820	19.4	8,520	16.3
Thursday	211,180	17.1	16,280	17.6	11,210	17.0	7,000	13.4
Friday	190,410	15.4	13,810	15.0	10,720	16.3	7,350	14.1
Saturday	96,910	7.8	5,240	5.7	3,650	5.5	7,240	13.9
Time of Day:								
12:01 AM - 4:00 AM	40,500	3.3	5,020	5.4	2,600	3.9	3,070	5.9
4:01 AM - 8:00 AM	122,780	9.9	9,650	10.5	9,840	14.9	8,110	15.6
8:01 AM - 12:00 PM	370,960	30.0	25,850	28.0	19,570	29.7	11,160	21.4
12:01 PM - 4:00 PM	286,720	23.2	19,300	20.9	14,490	22.0	9,190	17.6
4:01 PM - 8:00 PM	132,870	10.8	10,310	11.2	6,190	9.4	9,390	18.0
8:01 PM - 12:00 AM	71,760	5.8	7,630	8.3	2,890	4.4	5,500	10.5
Not reported	209,080	16.9	14,480	15.7	10,350	15.7	5,720	11.0
Hours Worked:								
Occurred before shift began	7,410	0.6	180	0.2	180	0.3	330	0.6
Less than 1 hour	100,970	8.2	7,550	8.2	5,390	8.2	5,330	10.2
1 - 2 hours	119,340	9.7	10,890	11.8	5,420	8.2	5,470	10.5
2 - 4 hours	268,900	21.8	21,300	23.1	11,710	17.8	12,260	23.5
4 - 6 hours	203,750	16.5	14,370	15.6	10,560	16.0	9,820	18.8
6 - 8 hours	181,300	14.7	13,180	14.3	7,760	11.8	9,820	18.8
8 - 10 hours	91,370	7.4	6,500	7.0	7,080	10.7	2,060	4.0
10 - 12 hours	24,810	2.0	1,900	2.1	3,090	4.7	690	1.3
12 - 16 hours	8,770	0.7	570	0.6	1,060	1.6	330	0.6
More than 16 hours	850	0.1	20	--	480	0.7	50	0.1
Not reported	227,210	18.4	15,770	17.1	13,210	20.0	5,970	11.4

See footnotes at end of table.

Table 2. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and occupation, All United States, private industry, 2005

Characteristic	All occupations		Construction laborers		Truck drivers, light or delivery services		Retail salespersons	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Total:	1,234,680	100.0	39,270	100.0	32,740	100.0	32,300	100.0
Sex:								
Men	814,250	65.9	38,240	97.4	29,570	90.3	12,730	39.4
Women	415,880	33.7	800	2.0	3,140	9.6	19,570	60.6
Age:								
Under 14	--	--	--	--	--	--	--	--
14 to 15	90	--	--	--	--	--	--	--
16 to 19	41,530	3.4	2,160	5.5	250	0.8	2,740	8.5
20 to 24	133,760	10.8	6,650	16.9	1,710	5.2	4,360	13.5
25 to 34	290,500	23.5	12,940	33.0	9,010	27.5	5,850	18.1
35 to 44 *	311,830	25.3	9,700	24.7	9,310	28.4	6,180	19.1
45 to 54	282,310	22.9	5,880	15.0	7,640	23.3	6,530	20.2
55 to 64	135,290	11.0	1,530	3.9	2,790	8.5	4,510	14.0
65 and over	27,050	2.2	180	0.5	960	2.9	1,890	5.9
Length of service with employer:								
Less than 3 months	166,870	13.5	10,130	25.8	3,430	10.5	5,090	15.8
3 months to 11 months	262,040	21.2	10,320	26.3	6,460	19.7	7,750	24.0
1 year to 5 years	417,570	33.8	13,240	33.7	10,360	31.6	12,110	37.5
More than 5 years	377,890	30.6	5,230	13.3	11,670	35.6	7,270	22.5
Race or ethnic origin:								
White	567,790	46.0	19,960	50.8	13,200	40.3	12,670	39.2
Black or African American	101,170	8.2	2,500	6.4	2,390	7.3	1,290	4.0
Hispanic or Latino	163,440	13.2	10,130	25.8	2,850	8.7	2,160	6.7
Asian	13,190	1.1	90	0.2	60	0.2	200	0.6
Native Hawaiian or other Pacific Islander	4,760	0.4	200	0.5	110	0.3	50	0.2
American Indian or Alaska Native	5,830	0.5	330	0.8	170	0.5	40	0.1
Hispanic and other	1,160	0.1	--	--	80	0.2	--	--
Multi-race	930	0.1	20	0.1	70	0.2	--	--
Not reported	376,550	30.5	6,020	15.3	13,820	42.2	15,880	49.2
Number of days away from work:								
Cases involving 1 day	176,530	14.3	4,930	12.6	3,230	9.9	4,750	14.7
Cases involving 2 days	143,790	11.6	4,530	11.5	3,480	10.6	3,480	10.8
Cases involving 3-5 days	234,780	19.0	8,000	20.4	5,460	16.7	6,300	19.5
Cases involving 6-10 days	157,390	12.7	4,810	12.2	4,850	14.8	4,480	13.9
Cases involving 11-20 days	142,450	11.5	4,500	11.5	3,820	11.7	4,080	12.6
Cases involving 21-30 days	80,730	6.5	2,650	6.7	2,390	7.3	1,810	5.6
Cases involving 31 or more days	299,000	24.2	9,840	25.1	9,510	29.0	7,410	22.9
Median days away from work ⁵	7		8		10		7	

See footnotes at end of table.

Table 2. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and occupation, All United States, private industry, 2005

Characteristic	All occupations		Construction laborers		Truck drivers, light or delivery services		Retail salespersons	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Industry sector:								
Goods producing industries ²	394,090	31.9	36,700	93.5	1,900	5.8	450	1.4
Natural resources and mining ^{2,3}	27,890	2.3	40	0.1	160	0.5	20	0.1
Agriculture, Forestry, Fishing and Hunting ²	18,870	1.5	20	0.1	100	0.3	20	0.1
Mining ³	9,020	0.7	--	--	60	0.2	--	--
Construction	157,070	12.7	35,800	91.2	380	1.2	110	0.3
Manufacturing	209,130	16.9	870	2.2	1,360	4.2	320	1.0
Service providing industries	840,580	68.1	2,560	6.5	30,840	94.2	31,860	98.6
Trade, Transportation and Utilities ⁴	380,720	30.8	1,150	2.9	25,660	78.4	31,030	96.1
Wholesale Trade	80,170	6.5	250	0.6	7,430	22.7	320	1.0
Retail Trade	175,880	14.2	350	0.9	6,660	20.3	30,600	94.7
Transportation and Warehousing ⁴	117,440	9.5	340	0.9	11,540	35.2	50	0.2
Utilities	7,230	0.6	210	0.5	30	0.1	--	--
Information	20,690	1.7	140	0.4	290	0.9	110	0.3
Financial activities	38,250	3.1	370	0.9	400	1.2	230	0.7
Finance and Insurance	14,090	1.1	--	--	--	--	60	0.2
Real Estate and Rental and Leasing	24,150	2.0	370	0.9	400	1.2	170	0.5
Professional and business services	91,840	7.4	700	1.8	2,700	8.2	140	0.4
Professional, Scientific, and Technical Services	24,810	2.0	60	0.2	450	1.4	--	--
Management of Companies and Enterprises	9,710	0.8	60	0.2	760	2.3	30	0.1
Administrative and Support and Waste Management and Remediation Services	57,320	4.6	570	1.5	1,480	4.5	100	0.3
Education and health services	186,400	15.1	70	0.2	440	1.3	140	0.4
Educational Services	10,500	0.9	20	0.1	20	0.1	--	--
Health Care and Social Assistance	175,900	14.2	50	0.1	410	1.3	130	0.4
Leisure and hospitality	93,900	7.6	70	0.2	750	2.3	110	0.3
Arts, Entertainment, and Recreation	18,230	1.5	40	0.1	--	--	50	0.2
Accommodation and Food Services	75,670	6.1	--	--	740	2.3	60	0.2
Other services	28,790	2.3	70	0.2	600	1.8	100	0.3
Other Services, except Public Administration	28,790	2.3	70	0.2	600	1.8	100	0.3
Nature of injury, illness:								
Sprains, strains	503,530	40.8	12,990	33.1	16,010	48.9	14,620	45.3
Fractures	95,830	7.8	4,260	10.8	2,190	6.7	2,240	6.9
Cuts, lacerations, punctures	118,870	9.6	5,610	14.3	1,130	3.5	2,390	7.4
Bruises, contusions	107,770	8.7	3,260	8.3	2,520	7.7	3,380	10.5
Heat burns	17,150	1.4	470	1.2	70	0.2	150	0.5
Chemical burns	6,360	0.5	260	0.7	--	--	130	0.4
Amputations	8,450	0.7	240	0.6	30	0.1	120	0.4
Carpal tunnel syndrome	16,460	1.3	80	0.2	90	0.3	140	0.4
Tendonitis	5,720	0.5	100	0.3	50	0.2	140	0.4
Multiple injuries	50,090	4.1	1,560	4.0	1,750	5.3	1,440	4.5
With fractures	9,770	0.8	500	1.3	160	0.5	280	0.9
With sprains	21,240	1.7	590	1.5	710	2.2	600	1.9
Soreness, Pain	100,800	8.2	2,990	7.6	3,830	11.7	2,680	8.3
Back pain	35,650	2.9	1,110	2.8	1,680	5.1	710	2.2
All other	203,660	16.5	7,460	19.0	5,060	15.5	4,870	15.1

See footnotes at end of table.

Table 2. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and occupation, All United States, private industry, 2005

Characteristic	All occupations		Construction laborers		Truck drivers, light or delivery services		Retail salespersons	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Part of body affected:								
Head	81,090	6.6	3,340	8.5	1,080	3.3	2,440	7.6
Eye	34,740	2.8	1,470	3.7	130	0.4	450	1.4
Neck	18,470	1.5	510	1.3	780	2.4	620	1.9
Trunk	428,500	34.7	12,390	31.6	14,010	42.8	11,130	34.5
Back	270,890	21.9	7,670	19.5	8,600	26.3	6,760	20.9
Shoulder	77,800	6.3	2,350	6.0	2,400	7.3	1,970	6.1
Upper extremities	284,750	23.1	9,020	23.0	3,360	10.3	5,710	17.7
Finger	111,090	9.0	4,090	10.4	1,250	3.8	1,890	5.9
Hand, except finger	47,020	3.8	1,980	5.0	410	1.3	1,020	3.2
Wrist	56,250	4.6	970	2.5	730	2.2	1,480	4.6
Lower extremities	271,740	22.0	10,450	26.6	8,470	25.9	8,280	25.6
Knee	100,560	8.1	3,020	7.7	3,270	10.0	3,340	10.3
Foot, toe	56,730	4.6	2,560	6.5	1,210	3.7	1,750	5.4
Body systems	17,950	1.5	370	0.9	180	0.5	390	1.2
Multiple	120,960	9.8	2,880	7.3	4,430	13.5	3,530	10.9
All other	11,220	0.9	300	0.8	430	1.3	200	0.6
Source of injury, illness:								
Chemicals, chemical products	18,440	1.5	520	1.3	110	0.3	610	1.9
Containers	151,710	12.3	2,010	5.1	6,780	20.7	6,160	19.1
Furniture, fixtures	46,780	3.8	320	0.8	1,500	4.6	3,500	10.8
Machinery	80,460	6.5	2,630	6.7	1,270	3.9	1,290	4.0
Parts and materials	128,700	10.4	9,550	24.3	1,530	4.7	1,480	4.6
Worker motion or position	181,820	14.7	4,290	10.9	5,760	17.6	4,630	14.3
Floor, ground surfaces	234,430	19.0	6,430	16.4	5,530	16.9	8,020	24.8
Handtools	56,970	4.6	4,350	11.1	200	0.6	890	2.8
Vehicles	109,630	8.9	2,420	6.2	7,380	22.5	1,740	5.4
Health care patient	54,520	4.4	20	0.1	--	--	--	--
All other	171,210	13.9	6,720	17.1	2,680	8.2	3,980	12.3
Event or exposure:								
Contact with object, equipment	338,080	27.4	15,560	39.6	4,910	15.0	8,210	25.4
Struck by object	167,730	13.6	9,360	23.8	2,700	8.2	4,970	15.4
Struck against object	85,500	6.9	2,990	7.6	1,320	4.0	2,370	7.3
Caught in object, equipment, material	54,970	4.5	1,820	4.6	530	1.6	640	2.0
Fall to lower level	79,310	6.4	3,790	9.7	2,090	6.4	2,680	8.3
Fall on same level	167,180	13.5	3,080	7.8	3,640	11.1	6,130	19.0
Slips, trips	36,150	2.9	1,080	2.8	1,110	3.4	960	3.0
Overexertion	298,130	24.1	7,490	19.1	10,450	31.9	7,900	24.5
Overexertion in lifting	159,970	13.0	3,850	9.8	5,260	16.1	5,230	16.2
Repetitive motion	43,790	3.5	600	1.5	360	1.1	540	1.7
Exposed to harmful substance	51,860	4.2	1,710	4.4	390	1.2	860	2.7
Transportation accidents	61,170	5.0	1,780	4.5	4,330	13.2	870	2.7
Fires, explosions	2,600	0.2	70	0.2	--	--	--	--
Assault, violent act	21,470	1.7	90	0.2	340	1.0	470	1.5
by person	14,560	1.2	40	0.1	170	0.5	300	0.9
by other	6,910	0.6	50	0.1	170	0.5	160	0.5
All other	134,940	10.9	4,020	10.2	5,120	15.6	3,700	11.5

See footnotes at end of table.

Table 2. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and occupation, All United States, private industry, 2005

Characteristic	All occupations		Construction laborers		Truck drivers, light or delivery services		Retail salespersons	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Day of Week:								
Sunday	64,230	5.2	890	2.3	610	1.9	3,460	10.7
Monday	232,240	18.8	8,080	20.6	6,400	19.5	5,140	15.9
Tuesday	227,230	18.4	8,160	20.8	6,820	20.8	4,710	14.6
Wednesday	212,480	17.2	7,570	19.3	6,400	19.5	4,450	13.8
Thursday	211,180	17.1	6,910	17.6	5,440	16.6	5,170	16.0
Friday	190,410	15.4	6,050	15.4	5,540	16.9	4,680	14.5
Saturday	96,910	7.8	1,610	4.1	1,540	4.7	4,710	14.6
Time of Day:								
12:01 AM - 4:00 AM	40,500	3.3	180	0.5	630	1.9	680	2.1
4:01 AM - 8:00 AM	122,780	9.9	3,490	8.9	3,300	10.1	1,560	4.8
8:01 AM - 12:00 PM	370,960	30.0	15,900	40.5	11,380	34.8	9,310	28.8
12:01 PM - 4:00 PM	286,720	23.2	9,750	24.8	7,350	22.4	8,480	26.3
4:01 PM - 8:00 PM	132,870	10.8	1,560	4.0	3,150	9.6	5,170	16.0
8:01 PM - 12:00 AM	71,760	5.8	190	0.5	880	2.7	3,090	9.6
Not reported	209,080	16.9	8,210	20.9	6,050	18.5	4,020	12.4
Hours Worked:								
Occurred before shift began	7,410	0.6	--	--	60	0.2	150	0.5
Less than 1 hour	100,970	8.2	2,380	6.1	3,340	10.2	3,140	9.7
1 - 2 hours	119,340	9.7	3,270	8.3	3,010	9.2	3,530	10.9
2 - 4 hours	268,900	21.8	8,900	22.7	7,230	22.1	7,460	23.1
4 - 6 hours	203,750	16.5	6,170	15.7	4,990	15.2	6,720	20.8
6 - 8 hours	181,300	14.7	5,400	13.8	4,140	12.6	4,320	13.4
8 - 10 hours	91,370	7.4	3,550	9.0	2,560	7.8	2,070	6.4
10 - 12 hours	24,810	2.0	1,030	2.6	870	2.7	330	1.0
12 - 16 hours	8,770	0.7	100	0.3	380	1.2	200	0.6
More than 16 hours	850	0.1	--	--	--	--	--	--
Not reported	227,210	18.4	8,480	21.6	6,160	18.8	4,380	13.6

See footnotes at end of table.

Table 2. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and occupation, All United States, private industry, 2005

Characteristic	All occupations		Janitors and cleaners, except maids and housekeeping		Carpenters		Maintenance and repair workers, general	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Total:	1,234,680	100.0	31,440	100.0	31,270	100.0	23,170	100.0
Sex:								
Men	814,250	65.9	21,850	69.5	30,910	98.8	22,660	97.8
Women	415,880	33.7	9,480	30.2	320	1.0	510	2.2
Age:								
Under 14	--	--	--	--	--	--	--	--
14 to 15	90	--	--	--	--	--	--	--
16 to 19	41,530	3.4	600	1.9	1,050	3.4	710	3.1
20 to 24	133,760	10.8	2,480	7.9	4,590	14.7	1,060	4.6
25 to 34	290,500	23.5	4,870	15.5	9,700	31.0	5,040	21.8
35 to 44 *	311,830	25.3	7,660	24.4	8,250	26.4	5,780	24.9
45 to 54	282,310	22.9	9,150	29.1	5,500	17.6	6,350	27.4
55 to 64	135,290	11.0	5,020	16.0	1,700	5.4	3,470	15.0
65 and over	27,050	2.2	1,510	4.8	140	0.4	430	1.9
Length of service with employer:								
Less than 3 months	166,870	13.5	3,840	12.2	7,310	23.4	2,280	9.8
3 months to 11 months	262,040	21.2	5,680	18.1	8,310	26.6	4,450	19.2
1 year to 5 years	417,570	33.8	12,020	38.2	9,520	30.4	7,720	33.3
More than 5 years	377,890	30.6	9,760	31.0	6,010	19.2	8,590	37.1
Race or ethnic origin:								
White	567,790	46.0	11,560	36.8	16,510	52.8	13,640	58.9
Black or African American	101,170	8.2	3,190	10.1	680	2.2	1,440	6.2
Hispanic or Latino	163,440	13.2	6,840	21.8	7,280	23.3	2,740	11.8
Asian	13,190	1.1	400	1.3	90	0.3	180	0.8
Native Hawaiian or other Pacific Islander	4,760	0.4	80	0.3	40	0.1	90	0.4
American Indian or Alaska Native	5,830	0.5	140	0.4	350	1.1	170	0.7
Hispanic and other	1,160	0.1	--	--	50	0.2	--	--
Multi-race	930	0.1	--	--	--	--	--	--
Not reported	376,550	30.5	9,210	29.3	6,260	20.0	4,910	21.2
Number of days away from work:								
Cases involving 1 day	176,530	14.3	3,740	11.9	3,930	12.6	2,890	12.5
Cases involving 2 days	143,790	11.6	3,910	12.4	3,290	10.5	3,270	14.1
Cases involving 3-5 days	234,780	19.0	6,130	19.5	6,690	21.4	4,860	21.0
Cases involving 6-10 days	157,390	12.7	4,290	13.6	4,320	13.8	2,940	12.7
Cases involving 11-20 days	142,450	11.5	3,780	12.0	3,270	10.5	2,550	11.0
Cases involving 21-30 days	80,730	6.5	2,440	7.8	2,260	7.2	1,670	7.2
Cases involving 31 or more days	299,000	24.2	7,150	22.7	7,510	24.0	4,990	21.5
Median days away from work ⁵	7		7		7		7	

See footnotes at end of table.

Table 2. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and occupation, All United States, private industry, 2005

Characteristic	All occupations		Janitors and cleaners, except maids and housekeeping		Carpenters		Maintenance and repair workers, general	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Industry sector:								
Goods producing industries ²	394,090	31.9	3,830	12.2	28,980	92.7	5,560	24.0
Natural resources and mining ^{2,3}	27,890	2.3	90	0.3	20	0.1	390	1.7
Agriculture, Forestry, Fishing and Hunting ²	18,870	1.5	90	0.3	--	--	310	1.3
Mining ³	9,020	0.7	--	--	20	0.1	70	0.3
Construction	157,070	12.7	640	2.0	26,760	85.6	1,110	4.8
Manufacturing	209,130	16.9	3,100	9.9	2,200	7.0	4,060	17.5
Service providing industries	840,580	68.1	27,600	87.8	2,280	7.3	17,610	76.0
Trade, Transportation and Utilities ⁴	380,720	30.8	3,430	10.9	1,040	3.3	7,220	31.2
Wholesale Trade	80,170	6.5	900	2.9	260	0.8	2,510	10.8
Retail Trade	175,880	14.2	1,910	6.1	670	2.1	2,010	8.7
Transportation and Warehousing ⁴	117,440	9.5	570	1.8	110	0.4	2,510	10.8
Utilities	7,230	0.6	60	0.2	--	--	190	0.8
Information	20,690	1.7	200	0.6	50	0.2	260	1.1
Financial activities	38,250	3.1	4,210	13.4	430	1.4	2,470	10.7
Finance and Insurance	14,090	1.1	160	0.5	--	--	170	0.7
Real Estate and Rental and Leasing	24,150	2.0	4,050	12.9	420	1.3	2,300	9.9
Professional and business services	91,840	7.4	8,980	28.6	280	0.9	2,490	10.7
Professional, Scientific, and Technical Services	24,810	2.0	890	2.8	80	0.3	930	4.0
Management of Companies and Enterprises	9,710	0.8	180	0.6	20	0.1	350	1.5
Administrative and Support and Waste Management and Remediation Services	57,320	4.6	7,910	25.2	180	0.6	1,210	5.2
Education and health services	186,400	15.1	6,070	19.3	260	0.8	2,210	9.5
Educational Services	10,500	0.9	1,730	5.5	140	0.4	300	1.3
Health Care and Social Assistance	175,900	14.2	4,340	13.8	120	0.4	1,910	8.2
Leisure and hospitality	93,900	7.6	4,100	13.0	190	0.6	1,670	7.2
Arts, Entertainment, and Recreation	18,230	1.5	1,300	4.1	150	0.5	760	3.3
Accommodation and Food Services	75,670	6.1	2,800	8.9	40	0.1	910	3.9
Other services	28,790	2.3	620	2.0	30	0.1	1,280	5.5
Other Services, except Public Administration	28,790	2.3	620	2.0	30	0.1	1,280	5.5
Nature of injury, illness:								
Sprains, strains	503,530	40.8	12,880	41.0	9,750	31.2	8,730	37.7
Fractures	95,830	7.8	2,360	7.5	3,470	11.1	1,970	8.5
Cuts, lacerations, punctures	118,870	9.6	2,930	9.3	7,760	24.8	2,620	11.3
Bruises, contusions	107,770	8.7	2,720	8.7	1,670	5.3	1,980	8.5
Heat burns	17,150	1.4	340	1.1	20	0.1	410	1.8
Chemical burns	6,360	0.5	340	1.1	20	0.1	190	0.8
Amputations	8,450	0.7	80	0.3	570	1.8	280	1.2
Carpal tunnel syndrome	16,460	1.3	460	1.5	70	0.2	90	0.4
Tendonitis	5,720	0.5	100	0.3	120	0.4	60	0.3
Multiple injuries	50,090	4.1	1,320	4.2	1,000	3.2	1,070	4.6
With fractures	9,770	0.8	80	0.3	290	0.9	470	2.0
With sprains	21,240	1.7	710	2.3	380	1.2	330	1.4
Soreness, Pain	100,800	8.2	3,030	9.6	1,640	5.2	1,870	8.1
Back pain	35,650	2.9	1,110	3.5	590	1.9	790	3.4
All other	203,660	16.5	4,870	15.5	5,190	16.6	3,920	16.9

See footnotes at end of table.

Table 2. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and occupation, All United States, private industry, 2005

Characteristic	All occupations		Janitors and cleaners, except maids and housekeeping		Carpenters		Maintenance and repair workers, general	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Part of body affected:								
Head	81,090	6.6	1,660	5.3	2,690	8.6	2,160	9.3
Eye	34,740	2.8	650	2.1	1,080	3.5	1,420	6.1
Neck	18,470	1.5	640	2.0	290	0.9	250	1.1
Trunk	428,500	34.7	12,220	38.9	8,930	28.6	8,540	36.9
Back	270,890	21.9	8,170	26.0	6,140	19.6	5,960	25.7
Shoulder	77,800	6.3	2,240	7.1	1,050	3.4	990	4.3
Upper extremities	284,750	23.1	6,010	19.1	8,850	28.3	5,130	22.1
Finger	111,090	9.0	1,850	5.9	4,710	15.1	2,250	9.7
Hand, except finger	47,020	3.8	1,080	3.4	1,480	4.7	970	4.2
Wrist	56,250	4.6	1,720	5.5	1,010	3.2	470	2.0
Lower extremities	271,740	22.0	7,050	22.4	8,330	26.6	4,820	20.8
Knee	100,560	8.1	2,360	7.5	2,260	7.2	1,730	7.5
Foot, toe	56,730	4.6	1,590	5.1	1,940	6.2	940	4.1
Body systems	17,950	1.5	810	2.6	250	0.8	390	1.7
Multiple	120,960	9.8	2,860	9.1	1,740	5.6	1,820	7.9
All other	11,220	0.9	190	0.6	190	0.6	60	0.3
Source of injury, illness:								
Chemicals, chemical products	18,440	1.5	1,000	3.2	160	0.5	460	2.0
Containers	151,710	12.3	5,290	16.8	660	2.1	1,170	5.0
Furniture, fixtures	46,780	3.8	2,140	6.8	900	2.9	1,620	7.0
Machinery	80,460	6.5	2,330	7.4	1,760	5.6	2,330	10.1
Parts and materials	128,700	10.4	2,160	6.9	8,610	27.5	3,920	16.9
Worker motion or position	181,820	14.7	3,730	11.9	3,680	11.8	3,200	13.8
Floor, ground surfaces	234,430	19.0	7,440	23.7	6,040	19.3	3,600	15.5
Handtools	56,970	4.6	1,140	3.6	3,390	10.8	1,460	6.3
Vehicles	109,630	8.9	1,630	5.2	660	2.1	1,630	7.0
Health care patient	54,520	4.4	--	--	--	--	--	--
All other	171,210	13.9	4,580	14.6	5,400	17.3	3,780	16.3
Event or exposure:								
Contact with object, equipment	338,080	27.4	7,200	22.9	13,750	44.0	7,840	33.8
Struck by object	167,730	13.6	3,530	11.2	8,490	27.2	3,860	16.7
Struck against object	85,500	6.9	2,450	7.8	2,850	9.1	1,530	6.6
Caught in object, equipment, material	54,970	4.5	830	2.6	1,250	4.0	1,170	5.0
Fall to lower level	79,310	6.4	2,480	7.9	4,640	14.8	2,150	9.3
Fall on same level	167,180	13.5	5,900	18.8	1,940	6.2	2,010	8.7
Slips, trips	36,150	2.9	990	3.1	900	2.9	550	2.4
Overexertion	298,130	24.1	8,650	27.5	5,630	18.0	5,420	23.4
Overexertion in lifting	159,970	13.0	5,030	16.0	3,350	10.7	3,300	14.2
Repetitive motion	43,790	3.5	910	2.9	390	1.2	250	1.1
Exposed to harmful substance	51,860	4.2	1,890	6.0	450	1.4	1,020	4.4
Transportation accidents	61,170	5.0	920	2.9	310	1.0	820	3.5
Fires, explosions	2,600	0.2	30	0.1	--	--	240	1.0
Assault, violent act	21,470	1.7	150	0.5	80	0.3	50	0.2
by person	14,560	1.2	50	0.2	20	0.1	20	0.1
by other	6,910	0.6	100	0.3	70	0.2	40	0.2
All other	134,940	10.9	2,320	7.4	3,160	10.1	2,810	12.1

See footnotes at end of table.

Table 2. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and occupation, All United States, private industry, 2005

Characteristic	All occupations		Janitors and cleaners, except maids and housekeeping		Carpenters		Maintenance and repair workers, general	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Day of Week:								
Sunday	64,230	5.2	1,410	4.5	390	1.2	820	3.5
Monday	232,240	18.8	5,740	18.3	6,620	21.2	4,410	19.0
Tuesday	227,230	18.4	5,800	18.4	5,060	16.2	4,750	20.5
Wednesday	212,480	17.2	5,330	17.0	6,050	19.3	4,130	17.8
Thursday	211,180	17.1	5,500	17.5	6,180	19.8	4,220	18.2
Friday	190,410	15.4	5,180	16.5	5,410	17.3	3,330	14.4
Saturday	96,910	7.8	2,480	7.9	1,560	5.0	1,500	6.5
Time of Day:								
12:01 AM - 4:00 AM	40,500	3.3	2,510	8.0	40	0.1	480	2.1
4:01 AM - 8:00 AM	122,780	9.9	2,420	7.7	3,020	9.7	1,510	6.5
8:01 AM - 12:00 PM	370,960	30.0	9,240	29.4	12,700	40.6	8,780	37.9
12:01 PM - 4:00 PM	286,720	23.2	5,650	18.0	8,450	27.0	6,190	26.7
4:01 PM - 8:00 PM	132,870	10.8	3,310	10.5	730	2.3	2,020	8.7
8:01 PM - 12:00 AM	71,760	5.8	2,900	9.2	100	0.3	560	2.4
Not reported	209,080	16.9	5,400	17.2	6,220	19.9	3,620	15.6
Hours Worked:								
Occurred before shift began	7,410	0.6	140	0.4	20	0.1	50	0.2
Less than 1 hour	100,970	8.2	2,260	7.2	1,990	6.4	1,510	6.5
1 - 2 hours	119,340	9.7	4,120	13.1	2,800	9.0	2,310	10.0
2 - 4 hours	268,900	21.8	7,140	22.7	7,120	22.8	5,560	24.0
4 - 6 hours	203,750	16.5	5,990	19.1	4,930	15.8	3,570	15.4
6 - 8 hours	181,300	14.7	4,410	14.0	5,180	16.6	4,030	17.4
8 - 10 hours	91,370	7.4	1,420	4.5	2,600	8.3	1,750	7.6
10 - 12 hours	24,810	2.0	190	0.6	280	0.9	490	2.1
12 - 16 hours	8,770	0.7	100	0.3	60	0.2	200	0.9
More than 16 hours	850	0.1	20	0.1	--	--	--	--
Not reported	227,210	18.4	5,630	17.9	6,290	20.1	3,690	15.9

See footnotes at end of table.

Table 2. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and occupation, All United States, private industry, 2005

Characteristic	All occupations		Stock clerks and order fillers	
	Number	Percent	Number	Percent
Total:	1,234,680	100.0	23,060	100.0
Sex:				
Men	814,250	65.9	14,800	64.2
Women	415,880	33.7	8,230	35.7
Age:				
Under 14	--	--	--	--
14 to 15	90	--	--	--
16 to 19	41,530	3.4	1,930	8.4
20 to 24	133,760	10.8	3,590	15.6
25 to 34	290,500	23.5	5,360	23.2
35 to 44 *	311,830	25.3	4,990	21.6
45 to 54	282,310	22.9	4,150	18.0
55 to 64	135,290	11.0	2,240	9.7
65 and over	27,050	2.2	530	2.3
Length of service with employer:				
Less than 3 months	166,870	13.5	3,600	15.6
3 months to 11 months	262,040	21.2	5,160	22.4
1 year to 5 years	417,570	33.8	7,760	33.7
More than 5 years	377,890	30.6	6,360	27.6
Race or ethnic origin:				
White	567,790	46.0	8,370	36.3
Black or African American	101,170	8.2	1,670	7.2
Hispanic or Latino	163,440	13.2	2,160	9.4
Asian	13,190	1.1	170	0.7
Native Hawaiian or other Pacific Islander	4,760	0.4	50	0.2
American Indian or Alaska Native	5,830	0.5	30	0.1
Hispanic and other	1,160	0.1	--	--
Multi-race	930	0.1	--	--
Not reported	376,550	30.5	10,570	45.8
Number of days away from work:				
Cases involving 1 day	176,530	14.3	3,500	15.2
Cases involving 2 days	143,790	11.6	3,200	13.9
Cases involving 3-5 days	234,780	19.0	4,420	19.2
Cases involving 6-10 days	157,390	12.7	2,630	11.4
Cases involving 11-20 days	142,450	11.5	2,330	10.1
Cases involving 21-30 days	80,730	6.5	1,430	6.2
Cases involving 31 or more days	299,000	24.2	5,560	24.1
Median days away from work ⁵	7		6	

See footnotes at end of table.

Table 2. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and occupation, All United States, private industry, 2005

Characteristic	All occupations		Stock clerks and order fillers	
	Number	Percent	Number	Percent
Industry sector:				
Goods producing industries ²	394,090	31.9	1,470	6.4
Natural resources and mining ^{2,3}	27,890	2.3	40	0.2
Agriculture, Forestry, Fishing and Hunting ²	18,870	1.5	40	0.2
Mining ³	9,020	0.7	--	--
Construction	157,070	12.7	60	0.3
Manufacturing	209,130	16.9	1,370	5.9
Service providing industries	840,580	68.1	21,590	93.6
Trade, Transportation and Utilities ⁴	380,720	30.8	20,290	88.0
Wholesale Trade	80,170	6.5	3,270	14.2
Retail Trade	175,880	14.2	15,010	65.1
Transportation and Warehousing ⁴	117,440	9.5	1,990	8.6
Utilities	7,230	0.6	20	0.1
Information	20,690	1.7	70	0.3
Financial activities	38,250	3.1	30	0.1
Finance and Insurance	14,090	1.1	--	--
Real Estate and Rental and Leasing	24,150	2.0	30	0.1
Professional and business services	91,840	7.4	470	2.0
Professional, Scientific, and Technical Services	24,810	2.0	60	0.3
Management of Companies and Enterprises	9,710	0.8	170	0.7
Administrative and Support and Waste Management and Remediation Services	57,320	4.6	240	1.0
Education and health services	186,400	15.1	560	2.4
Educational Services	10,500	0.9	30	0.1
Health Care and Social Assistance	175,900	14.2	520	2.3
Leisure and hospitality	93,900	7.6	90	0.4
Arts, Entertainment, and Recreation	18,230	1.5	60	0.3
Accommodation and Food Services	75,670	6.1	--	--
Other services	28,790	2.3	80	0.3
Other Services, except Public Administration	28,790	2.3	80	0.3
Nature of injury, illness:				
Sprains, strains	503,530	40.8	10,690	46.4
Fractures	95,830	7.8	1,380	6.0
Cuts, lacerations, punctures	118,870	9.6	1,530	6.6
Bruises, contusions	107,770	8.7	3,070	13.3
Heat burns	17,150	1.4	60	0.3
Chemical burns	6,360	0.5	60	0.3
Amputations	8,450	0.7	30	0.1
Carpal tunnel syndrome	16,460	1.3	160	0.7
Tendonitis	5,720	0.5	70	0.3
Multiple injuries	50,090	4.1	700	3.0
With fractures	9,770	0.8	130	0.6
With sprains	21,240	1.7	250	1.1
Soreness, Pain	100,800	8.2	1,830	7.9
Back pain	35,650	2.9	720	3.1
All other	203,660	16.5	3,480	15.1

See footnotes at end of table.

Table 2. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and occupation, All United States, private industry, 2005

Characteristic	All occupations		Stock clerks and order fillers	
	Number	Percent	Number	Percent
Part of body affected:				
Head	81,090	6.6	1,720	7.5
Eye	34,740	2.8	640	2.8
Neck	18,470	1.5	200	0.9
Trunk	428,500	34.7	9,730	42.2
Back	270,890	21.9	6,000	26.0
Shoulder	77,800	6.3	1,880	8.2
Upper extremities	284,750	23.1	4,390	19.0
Finger	111,090	9.0	1,530	6.6
Hand, except finger	47,020	3.8	700	3.0
Wrist	56,250	4.6	970	4.2
Lower extremities	271,740	22.0	5,110	22.2
Knee	100,560	8.1	1,570	6.8
Foot, toe	56,730	4.6	1,500	6.5
Body systems	17,950	1.5	180	0.8
Multiple	120,960	9.8	1,530	6.6
All other	11,220	0.9	200	0.9
Source of injury, illness:				
Chemicals, chemical products	18,440	1.5	180	0.8
Containers	151,710	12.3	8,380	36.3
Furniture, fixtures	46,780	3.8	1,020	4.4
Machinery	80,460	6.5	1,400	6.1
Parts and materials	128,700	10.4	890	3.9
Worker motion or position	181,820	14.7	3,150	13.7
Floor, ground surfaces	234,430	19.0	2,930	12.7
Handtools	56,970	4.6	890	3.9
Vehicles	109,630	8.9	1,780	7.7
Health care patient	54,520	4.4	--	--
All other	171,210	13.9	2,430	10.5
Event or exposure:				
Contact with object, equipment	338,080	27.4	6,970	30.2
Struck by object	167,730	13.6	3,860	16.7
Struck against object	85,500	6.9	1,320	5.7
Caught in object, equipment, material	54,970	4.5	1,140	4.9
Fall to lower level	79,310	6.4	1,070	4.6
Fall on same level	167,180	13.5	2,160	9.4
Slips, trips	36,150	2.9	370	1.6
Overexertion	298,130	24.1	8,000	34.7
Overexertion in lifting	159,970	13.0	5,180	22.5
Repetitive motion	43,790	3.5	610	2.6
Exposed to harmful substance	51,860	4.2	470	2.0
Transportation accidents	61,170	5.0	490	2.1
Fires, explosions	2,600	0.2	20	0.1
Assault, violent act	21,470	1.7	100	0.4
by person	14,560	1.2	90	0.4
by other	6,910	0.6	--	--
All other	134,940	10.9	2,800	12.1

See footnotes at end of table.

Table 2. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and occupation, All United States, private industry, 2005

Characteristic	All occupations		Stock clerks and order fillers	
	Number	Percent	Number	Percent
Day of Week:				
Sunday	64,230	5.2	1,520	6.6
Monday	232,240	18.8	4,470	19.4
Tuesday	227,230	18.4	4,130	17.9
Wednesday	212,480	17.2	4,110	17.8
Thursday	211,180	17.1	3,330	14.4
Friday	190,410	15.4	3,490	15.1
Saturday	96,910	7.8	2,020	8.8
Time of Day:				
12:01 AM - 4:00 AM	40,500	3.3	2,520	10.9
4:01 AM - 8:00 AM	122,780	9.9	2,470	10.7
8:01 AM - 12:00 PM	370,960	30.0	5,180	22.5
12:01 PM - 4:00 PM	286,720	23.2	4,230	18.3
4:01 PM - 8:00 PM	132,870	10.8	3,170	13.7
8:01 PM - 12:00 AM	71,760	5.8	2,670	11.6
Not reported	209,080	16.9	2,830	12.3
Hours Worked:				
Occurred before shift began	7,410	0.6	170	0.7
Less than 1 hour	100,970	8.2	1,890	8.2
1 - 2 hours	119,340	9.7	2,830	12.3
2 - 4 hours	268,900	21.8	6,010	26.1
4 - 6 hours	203,750	16.5	4,210	18.3
6 - 8 hours	181,300	14.7	2,920	12.7
8 - 10 hours	91,370	7.4	1,420	6.2
10 - 12 hours	24,810	2.0	230	1.0
12 - 16 hours	8,770	0.7	240	1.0
More than 16 hours	850	0.1	20	0.1
Not reported	227,210	18.4	3,140	13.6

¹ Days away from work include those that result in days away from work with or without job transfer or restriction.

² Excludes farms with fewer than 11 employees.

³ Data for mining (Sector 21 in the *North American Industry Classification System* -- United States, 2002) include establishments not governed by the Mine Safety and Health Administration (MSHA) rules and reporting, such as those in oil and gas extraction and related support activities. Data for mining operators in coal, metal, and nonmetal mining are provided to BLS by the Mine Safety and Health Administration, U.S. Department of Labor. Independent mining contractors are excluded from the coal, metal, and nonmetal mining industries. These data do not reflect the changes the Occupational Safety and Health Administration made to its recordkeeping requirements effective January 1, 2002; therefore estimates for these industries are not comparable to estimates in other industries.

⁴ Data for employers in railroad transportation are provided to BLS by the Federal Railroad Administration, U.S. Department of Transportation.

⁵ Median days away from work is the measure used to summarize the varying lengths of absences from work among the cases with days away from work. Half the cases involved more days and half involved less days than a specified median. Median days away from work are represented in actual values.

* This table was replaced on 11/1/2007. The 35 to 44 years old age group estimates in the previous version of this table, which was posted on 11/17/2006, were revised in industries included in NAICS 212, Mining (except Oil and Gas). These revised estimates also affect the age group estimates for these higher level industry sectors: Mining (NAICS code 22); Natural Resources and Mining; Goods-producing industries; and total private industry.

NOTE: Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals. Dashes indicate data that do not meet publication guidelines. The scientifically selected probability sample used was one of many possible samples, each of which could have produced different estimates. A measure of sampling variability for each estimate is available upon request.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, November, 2006