

TABLE R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, 2005

Part of body	Part of body code ²	Private industry ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Total		1,234,680	18,440	151,710	46,780	80,460	128,700
Head	0	81,090	5,890	4,550	4,150	3,670	9,900
Head, unspecified	00	15,640	30	1,430	1,670	1,160	1,720
Cranial region, including skull	01	10,680	20	490	900	790	1,620
Cranial region, unspecified	010	310	—	20	—	60	20
Brain	011	6,980	—	310	520	440	700
Scalp	012	2,680	—	140	330	270	700
Skull	013	490	—	20	—	20	80
Multiple cranial region locations	018	70	—	—	20	—	20
Cranial region, n.e.c.	019	160	—	—	—	—	100
Ear(s)	02	1,340	60	50	20	40	270
Face	03	51,990	5,760	2,500	1,510	1,630	6,160
Face, unspecified	030	3,870	340	320	230	210	530
Forehead	031	3,540	—	270	430	220	900
Eye(s)	032	34,740	4,850	1,300	410	730	2,870
Nose, nasal cavity	033	2,490	190	190	100	90	460
Nose, except internal location of diseases or disorders	0330	2,430	130	190	100	90	460
Cheek(s)	034	1,010	—	20	30	80	100
Jaw/chin	035	1,260	20	60	90	60	350
Mouth	036	2,230	30	100	110	120	420
Mouth, unspecified	0360	320	20	—	—	70	40
Lip(s)	0361	500	—	30	50	20	160
Tongue	0362	120	—	—	—	—	—
Tooth(teeth)	0363	1,080	—	50	50	—	210
Multiple mouth locations	0368	160	—	—	—	20	—
Mouth, n.e.c.	0369	40	—	—	—	—	—
Multiple face locations	038	2,580	310	240	110	110	440
Face, n.e.c.	039	270	—	—	—	—	90
Multiple head locations	08	1,270	—	80	40	50	120
Head, n.e.c.	09	170	—	—	—	—	—
Neck, including throat	1	18,470	90	2,460	510	1,070	1,630
Neck, except internal location of diseases or disorders	10	18,410	70	2,450	510	1,070	1,630
Internal neck location, unspecified	11	40	20	—	—	—	—
Internal neck location, n.e.c.	19	20	—	—	—	—	—
Trunk	2	428,500	1,650	94,130	19,220	17,060	44,880
Trunk, unspecified	20	2,650	—	320	120	70	190
Shoulder, including clavicle, scapula	21	77,800	70	16,700	3,790	2,930	8,520
Chest, including ribs, internal organs	22	18,400	1,120	2,600	900	730	1,530
Chest, except internal location of diseases or disorders	220	16,320	40	2,590	900	730	1,530

See footnotes at end of table.

TABLE R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, 2005 — Continued

Part of body	Source of injury or illness ⁴					
	Worker motion or position	Floors, walkways, or ground surfaces	Handtools	Vehicles	Health care patient	All other sources ⁵
Total	181,820	234,430	56,970	109,630	54,520	171,210
Head	100	9,270	4,170	6,630	1,670	31,090
Head, unspecified	20	3,570	330	2,300	340	3,090
Cranial region, including skull	—	3,190	120	1,810	200	1,530
Cranial region, unspecified	—	110	—	30	—	60
Brain	—	2,460	60	1,370	190	910
Scalp	—	430	50	330	—	430
Skull	—	170	—	40	—	130
Multiple cranial region locations	—	—	—	—	—	—
Cranial region, n.e.c.	—	—	—	40	—	—
Ear(s)	—	—	40	180	—	660
Face	80	2,060	3,630	2,240	1,110	25,310
Face, unspecified	—	380	170	410	220	1,060
Forehead	70	270	200	500	30	660
Eye(s)	—	110	2,170	560	340	21,410
Nose, nasal cavity	—	310	90	310	120	630
Nose, except internal location of diseases or disorders	—	310	90	310	120	630
Cheek(s)	—	150	370	40	—	200
Jaw/chin	—	90	140	30	180	240
Mouth	—	310	340	240	70	500
Mouth, unspecified	—	20	40	20	—	100
Lip(s)	—	40	70	30	—	80
Tongue	—	—	—	—	—	120
Tooth(teeth)	—	220	190	110	50	170
Multiple mouth locations	—	—	30	70	—	20
Mouth, n.e.c.	—	20	—	—	—	—
Multiple face locations	—	430	130	110	150	540
Face, n.e.c.	—	20	20	60	—	70
Multiple head locations	—	430	40	80	—	420
Head, n.e.c.	—	—	—	20	—	80
Neck, including throat	2,410	1,410	350	4,840	1,240	2,460
Neck, except internal location of diseases or disorders	2,400	1,410	350	4,840	1,240	2,450
Internal neck location, unspecified	—	—	—	—	—	—
Internal neck location, n.e.c.	—	—	—	—	—	—
Trunk	69,980	60,670	8,390	32,820	37,200	42,480
Trunk, unspecified	290	520	40	500	170	410
Shoulder, including clavicle, scapula	10,990	13,140	2,100	6,140	5,200	8,210
Chest, including ribs, internal organs	810	3,430	550	2,990	700	3,030
Chest, except internal location of diseases or disorders	760	3,410	550	2,980	690	2,140

See footnotes at end of table.

TABLE R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, 2005 — Continued

Part of body	Part of body code ²	Private industry ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Internal chest location, unspecified	221	210	70	—	—	—	—
Heart	223	340	—	—	—	—	—
Bronchus	224	100	90	—	—	—	—
Lung(s), pleura	225	1,420	920	—	—	—	—
Back, including spine, spinal cord	23	270,890	190	60,940	11,910	10,630	26,460
Back, including spine, spinal cord, unspecified	230	116,160	80	23,670	5,080	4,480	12,160
Lumbar region	231	132,660	90	32,780	5,840	5,370	12,790
Thoracic region	232	10,670	—	2,560	630	480	840
Sacral region	233	1,330	—	320	50	30	140
Coccygeal region	234	2,270	—	60	70	80	20
Multiple back regions	238	7,500	—	1,500	220	190	480
Back, including spine, spinal cord, n.e.c.	239	290	—	50	20	—	40
Abdomen	24	28,350	120	8,630	1,290	1,560	6,030
Abdomen, except internal location of diseases or disorders	240	7,540	40	1,960	360	440	1,140
Internal abdominal location, unspecified	241	10,010	—	3,120	450	560	2,120
Stomach organ	242	550	80	210	—	50	50
Intestines, peritoneum	245	10,080	—	3,310	450	500	2,710
Intestines, peritoneum, unspecified	2450	8,600	—	2,830	360	410	2,340
Peritoneum	2451	710	—	230	60	50	130
Small intestine	2452	180	—	90	—	—	30
Large intestine/colon, rectum	2453	460	—	90	30	40	180
Intestines, n.e.c.	2459	130	—	70	—	—	30
Other digestive structures	246	20	—	—	—	—	—
Liver	2461	20	—	—	—	—	—
Multiple internal abdominal locations	248	40	—	—	—	—	—
Internal abdominal location, n.e.c.	249	110	—	40	—	—	—
Pelvic region	25	20,850	80	3,850	1,030	870	1,650
Pelvic region, unspecified	250	450	—	—	—	30	20
Hip(s)	251	8,520	—	590	430	180	310
Pelvis	252	1,050	—	170	—	50	50
Buttock(s)	253	1,200	30	70	20	30	50
Groin	254	8,900	40	2,900	480	560	1,070
External reproductive tract structures	255	390	—	30	100	—	120
External reproductive tract structures, unspecified	2550	40	—	—	—	—	—
Scrotum	2551	310	—	30	90	—	120
Penis	2552	30	—	—	—	—	—
Multiple pelvic region locations	258	240	—	70	—	—	—

See footnotes at end of table.

TABLE R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, 2005 — Continued

Part of body	Source of injury or illness ⁴					
	Worker motion or position	Floors, walkways, or ground surfaces	Handtools	Vehicles	Health care patient	All other sources ⁵
Internal chest location, unspecified	—	—	—	—	—	110
Heart	30	—	—	—	—	300
Bronchus	—	—	—	—	—	—
Lung(s), pleura	—	20	—	—	—	470
Back, including spine, spinal cord	51,780	33,630	4,440	18,690	28,390	23,840
Back, including spine, spinal cord, unspecified	22,960	15,970	2,120	8,470	10,490	10,680
Lumbar region	25,710	13,780	2,080	8,220	14,830	11,180
Thoracic region	1,590	690	160	800	1,880	1,030
Sacral region	180	210	30	110	130	140
Coccygeal region	—	1,650	—	180	30	160
Multiple back regions	1,310	1,290	50	900	930	630
Back, including spine, spinal cord, n.e.c.	20	20	—	—	100	—
Abdomen	2,380	750	800	1,420	1,220	4,140
Abdomen, except internal location of diseases or disorders	460	410	280	690	770	980
Internal abdominal location, unspecified	1,290	180	190	250	170	1,660
Stomach organ	—	—	20	—	—	110
Intestines, peritoneum	620	150	310	480	270	1,270
Intestines, peritoneum, unspecified	550	140	300	390	200	1,070
Peritoneum	40	—	—	50	30	100
Small intestine	20	—	—	—	—	30
Large intestine/colon, rectum	—	—	—	—	30	60
Intestines, n.e.c.	—	—	—	—	—	—
Other digestive structures	—	—	—	—	—	20
Liver	—	—	—	—	—	20
Multiple internal abdominal locations	—	—	—	—	—	40
Internal abdominal location, n.e.c.	—	—	—	—	—	50
Pelvic region	2,700	5,880	380	1,730	900	1,790
Pelvic region, unspecified	—	180	—	50	20	120
Hip(s)	1,280	3,960	50	730	550	440
Pelvis	—	380	—	200	—	170
Buttock(s)	50	580	30	170	70	120
Groin	1,310	600	260	560	240	890
External reproductive tract structures	—	30	—	—	20	50
External reproductive tract structures, unspecified	—	—	—	—	—	20
Scrotum	—	—	—	—	—	20
Penis	—	—	—	—	—	—
Multiple pelvic region locations	20	100	—	—	—	—

See footnotes at end of table.

TABLE R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, 2005 — Continued

Part of body	Part of body code ²	Private industry ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Pelvic region, n.e.c.	259	90	—	—	—	—	—
Multiple trunk locations	28	9,400	60	1,080	170	260	490
Trunk, n.e.c.	29	150	—	—	—	—	—
Upper extremities	3	284,750	2,760	23,980	9,610	44,190	39,410
Upper extremities, unspecified	30	330	—	30	—	20	—
Arm(s)	31	55,440	520	6,660	2,450	4,140	6,220
Arm(s), unspecified	310	19,550	250	2,020	600	1,660	2,030
Upper arm(s)	311	5,210	150	1,260	350	290	820
Elbow(s)	312	17,870	—	1,960	870	860	1,700
Forearm(s)	313	9,380	90	990	460	1,130	1,400
Multiple arm(s) locations	318	2,980	—	380	160	100	180
Arm(s), n.e.c.	319	460	—	50	20	90	90
Wrist(s)	32	56,250	40	4,800	1,660	1,480	3,150
Hand(s), except finger(s)	33	47,020	1,390	3,860	1,820	6,750	8,630
Finger(s), fingernail(s)	34	111,090	440	7,310	3,490	29,950	19,750
Multiple upper extremities locations ...	38	14,440	350	1,190	190	1,840	1,650
Multiple upper extremities locations, unspecified	380	250	—	20	20	—	—
Hand(s) and finger(s)	381	4,600	50	520	70	920	830
Hand(s) and wrist(s)	382	3,100	60	260	30	380	200
Hand(s) and arm(s)	383	1,830	190	80	—	230	250
Multiple upper extremities locations, n.e.c.	389	4,650	40	320	70	290	380
Upper extremities, n.e.c.	39	180	—	130	—	—	—
Lower extremities	4	271,740	1,330	18,980	9,550	10,980	26,500
Lower extremities, unspecified	40	300	—	50	—	—	30
Leg(s)	41	141,060	630	8,680	5,450	4,750	10,580
Leg(s), unspecified	410	19,700	290	1,280	970	970	2,560
Thigh(s)	411	5,510	80	330	200	250	620
Knee(s)	412	100,560	90	5,330	3,320	2,860	5,450
Lower leg(s)	413	12,030	120	1,390	710	590	1,630
Multiple leg(s) locations	418	2,780	20	270	240	50	250
Leg(s), n.e.c.	419	470	50	80	—	30	80
Ankle(s)	42	65,000	120	2,780	930	1,440	2,590
Foot(foot), except toe(s)	43	43,840	390	4,770	1,940	3,210	9,540
Foot(foot), except toe(s), unspecified	430	38,340	380	4,480	1,720	2,760	8,490
Instep(s)	431	640	—	40	100	40	150
Sole	432	3,880	—	140	90	110	790
Sole(s), unspecified	4320	640	—	—	—	—	540
Ball(s)	4321	80	—	—	—	—	40
Arch(es)	4322	30	—	—	—	—	—
Heel(s)	4323	3,120	—	130	80	110	200
Multiple foot(foot) locations	438	290	—	60	20	—	40
Foot(foot), n.e.c.	439	690	—	60	—	300	70

See footnotes at end of table.

TABLE R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, 2005 — Continued

Part of body	Source of injury or illness ⁴					
	Worker motion or position	Floors, walkways, or ground surfaces	Handtools	Vehicles	Health care patient	All other sources ⁵
Pelvic region, n.e.c.	—	50	—	—	—	—
Multiple trunk locations	990	3,270	70	1,310	630	1,060
Trunk, n.e.c.	40	30	—	40	—	—
Upper extremities	36,000	31,540	38,290	13,520	5,640	39,820
Upper extremities, unspecified	170	30	—	20	—	30
Arm(s)	5,820	12,090	2,770	3,550	1,830	9,410
Arm(s), unspecified	1,540	4,440	850	1,450	730	3,980
Upper arm(s)	470	540	390	240	240	460
Elbow(s)	2,910	5,230	470	1,400	440	2,020
Forearm(s)	490	1,070	1,000	320	340	2,070
Multiple arm(s) locations	390	740	50	100	80	790
Arm(s), n.e.c.	20	50	—	40	—	90
Wrist(s)	22,370	12,770	2,350	1,840	1,940	3,840
Hand(s), except finger(s)	2,240	2,540	7,380	2,210	430	9,770
Finger(s), fingernail(s)	2,490	2,240	24,970	5,030	970	14,460
Multiple upper extremities locations ...	2,890	1,880	830	860	440	2,310
Multiple upper extremities locations, unspecified	70	40	—	—	20	70
Hand(s) and finger(s)	280	170	610	430	20	700
Hand(s) and wrist(s)	910	640	100	110	90	330
Hand(s) and arm(s)	330	180	50	40	100	380
Multiple upper extremities locations, n.e.c.	1,300	860	70	280	210	830
Upper extremities, n.e.c.	20	—	—	—	—	—
Lower extremities	63,800	82,310	4,600	24,300	2,520	26,870
Lower extremities, unspecified	—	110	—	20	—	80
Leg(s)	36,810	44,830	2,770	11,210	2,070	13,280
Leg(s), unspecified	1,820	5,430	580	2,380	240	3,180
Thigh(s)	580	1,190	660	640	100	870
Knee(s)	32,650	34,710	860	6,710	1,630	6,970
Lower leg(s)	1,220	2,540	600	1,190	100	1,940
Multiple leg(s) locations	500	890	30	260	—	260
Leg(s), n.e.c.	40	60	50	30	—	60
Ankle(s)	22,550	25,370	390	3,750	200	4,880
Foot(feet), except toe(s)	3,090	7,820	970	6,360	180	5,570
Foot(feet), except toe(s), unspecified	2,490	6,150	920	5,790	180	4,990
Instep(s)	80	60	—	40	—	140
Sole	390	1,520	20	450	—	380
Sole(s), unspecified	20	20	—	—	—	40
Ball(s)	20	—	—	—	—	—
Arch(es)	—	—	—	—	—	—
Heel(s)	340	1,480	—	450	—	330
Multiple foot(feet) locations	40	50	—	20	—	20
Foot(feet), n.e.c.	90	40	—	80	—	40

See footnotes at end of table.

TABLE R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, 2005 — Continued

Part of body	Part of body code ²	Private industry ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Toe(s), toenail(s)	44	12,880	—	2,130	970	1,320	3,120
Multiple lower extremities locations	48	8,530	160	560	250	260	610
Multiple lower extremities locations, unspecified	480	70	—	—	—	—	—
Foot(feet) and leg(s)	481	840	30	30	50	30	80
Foot(feet) and ankle(s)	482	2,780	30	240	80	70	170
Foot(feet) and toe(s)	483	1,030	70	120	50	70	150
Multiple lower extremities locations, n.e.c.	489	3,800	—	170	70	80	210
Lower extremities, n.e.c.	49	130	—	—	—	—	—
Body systems	5	17,950	5,060	110	180	510	1,090
Multiple body parts	8	120,960	1,420	7,200	3,500	2,660	5,110
Other body parts	9	20	—	—	—	—	—
Nonclassifiable	9999	11,200	240	300	60	320	190

See footnotes at end of table.

TABLE R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, 2005 — Continued

Part of body	Source of injury or illness ⁴					
	Worker motion or position	Floors, walkways, or ground surfaces	Handtools	Vehicles	Health care patient	All other sources ⁵
Toe(s), toenail(s)	130	920	420	1,770	40	2,050
Multiple lower extremities locations	1,220	3,190	50	1,180	40	1,010
Multiple lower extremities locations, unspecified	—	30	—	—	—	—
Foot(feet) and leg(s)	110	210	—	120	—	150
Foot(feet) and ankle(s)	370	760	—	500	—	560
Foot(feet) and toe(s)	30	230	20	210	—	80
Multiple lower extremities locations, n.e.c.	700	1,970	—	340	30	210
Lower extremities, n.e.c.	—	70	—	—	—	—
Body systems	340	330	40	220	390	9,690
Multiple body parts	8,380	47,560	920	26,450	5,700	12,060
Other body parts	—	—	—	—	—	—
Nonclassifiable	810	1,340	220	860	140	6,720

¹ Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

² Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Data shown in columns correspond to the following Source codes: Chemicals and chemical products = 00-09; Containers = 10-19; Furniture and fixtures = 20-29; Machinery = 30-39; Parts and materials = 40-49; Worker motion or position = 562; Floors, walkways or ground surfaces = 62; Handtools = 71-73; Vehicles = 80-89; Health care patient = 573; All other sources = all remaining codes, including 9999 (Nonclassifiable).

These codes are based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁵ Includes nonclassifiable responses.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies