

TABLE R50. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness and age of worker, 2005

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44*	45 - 54	55 - 64	65 and over	Not reported*
Total .....		1,234,680	—	90	41,530	133,760	290,500	311,830	282,310	135,290	27,050	12,310
<b>Head</b> .....	0	81,090	—	—	3,500	11,300	21,620	20,070	14,830	7,530	1,560	680
Head, unspecified .....	00	15,640	—	—	820	1,580	4,190	3,530	3,010	1,820	560	120
Cranial region, including skull .....	01	10,680	—	—	310	1,490	2,330	2,960	1,950	1,160	410	90
Cranial region, unspecified .....	010	310	—	—	—	40	20	90	130	—	—	—
Brain .....	011	6,980	—	—	170	1,090	1,550	1,750	1,290	740	330	60
Scalp .....	012	2,680	—	—	110	240	600	950	400	320	50	20
Skull .....	013	490	—	—	30	30	140	130	90	60	—	—
Multiple cranial region locations .....	018	70	—	—	—	—	—	30	20	—	—	—
Cranial region, n.e.c. ....	019	160	—	—	—	—	—	—	20	20	—	—
Ear(s) .....	02	1,340	—	—	20	140	460	380	250	60	—	30
Face .....	03	51,990	—	—	2,300	8,020	13,920	13,070	9,370	4,320	560	430
Face, unspecified .....	030	3,870	—	—	90	350	850	990	1,050	370	110	60
Forehead .....	031	3,540	—	—	70	420	1,230	820	690	230	50	20
Eye(s) .....	032	34,740	—	—	1,680	5,780	9,200	9,180	6,050	2,280	270	280
Nose, nasal cavity .....	033	2,490	—	—	190	340	600	610	360	320	60	—
Nose, except internal location of diseases or disorders .....	0330	2,430	—	—	190	330	600	570	350	320	60	—
Cheek(s) .....	034	1,010	—	—	40	100	370	320	110	70	—	—
Jaw/chin .....	035	1,260	—	—	30	310	400	230	170	60	20	—
Mouth .....	036	2,230	—	—	70	410	550	430	470	300	—	—
Mouth, unspecified .....	0360	320	—	—	—	60	60	80	50	60	—	—
Lip(s) .....	0361	500	—	—	50	90	90	110	120	30	—	—
Tongue .....	0362	120	—	—	—	—	—	—	—	—	—	—
Tooth(teeth) .....	0363	1,080	—	—	—	200	370	210	210	80	—	—
Multiple mouth locations .....	0368	160	—	—	—	40	30	20	70	—	—	—
Mouth, n.e.c. ....	0369	40	—	—	—	—	—	—	20	—	—	—
Multiple face locations .....	038	2,580	—	—	120	300	660	380	410	640	30	20
Face, n.e.c. ....	039	270	—	—	—	—	50	100	40	60	—	—
Multiple head locations .....	08	1,270	—	—	40	70	600	130	230	160	20	20
Head, n.e.c. ....	09	170	—	—	—	20	110	—	20	—	—	—
<b>Neck, including throat</b> .....	1	18,470	—	—	210	1,280	4,140	5,980	4,690	1,630	470	70
Neck, except internal location of diseases or disorders .....	10	18,410	—	—	210	1,270	4,120	5,980	4,670	1,630	470	70
Internal neck location, unspecified .....	11	40	—	—	—	—	—	—	—	—	—	—
Internal neck location, n.e.c. ....	19	20	—	—	—	—	—	—	—	—	—	—
<b>Trunk</b> .....	2	428,500	—	—	9,440	40,670	102,170	117,640	100,050	45,770	9,460	3,280
Trunk, unspecified .....	20	2,650	—	—	50	180	520	740	630	330	100	100
Shoulder, including clavicle, scapula .....	21	77,800	—	—	1,360	6,230	15,810	19,540	20,760	11,280	2,360	470
Chest, including ribs, internal organs .....	22	18,400	—	—	760	1,470	3,520	3,780	4,840	2,960	970	100
Chest, except internal location of diseases or disorders .....	220	16,320	—	—	750	1,350	3,250	3,230	4,140	2,580	950	80

See footnotes at end of table.

TABLE R50. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness and age of worker, 2005 — Continued

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44*	45 - 54	55 - 64	65 and over	Not reported*
Internal chest location, unspecified .....	221	210	—	—	—	—	80	70	40	—	—	—
Heart .....	223	340	—	—	—	—	—	20	260	40	—	—
Bronchus .....	224	100	—	—	—	40	30	—	—	—	—	—
Lung(s), pleura .....	225	1,420	—	—	—	70	160	440	400	320	20	—
Back, including spine, spinal cord .....	23	270,890	—	—	6,130	28,010	70,850	78,420	58,570	23,190	3,580	2,140
Back, including spine, spinal cord, unspecified .....	230	116,160	—	—	2,920	12,140	30,650	33,080	24,610	10,290	1,560	910
Lumbar region .....	231	132,660	—	—	2,590	12,620	34,410	39,300	29,780	11,140	1,800	1,010
Thoracic region .....	232	10,670	—	—	350	1,840	3,100	2,750	1,690	770	130	40
Sacral region .....	233	1,330	—	—	20	290	260	330	320	70	—	30
Coccygeal region .....	234	2,270	—	—	50	280	670	550	440	180	20	80
Multiple back regions .....	238	7,500	—	—	180	830	1,690	2,330	1,660	680	60	80
Back, including spine, spinal cord, n.e.c. ....	239	290	—	—	—	—	80	70	70	60	—	—
Abdomen .....	24	28,350	—	—	470	2,110	5,530	7,890	7,550	3,550	930	320
Abdomen, except internal location of diseases or disorders .....	240	7,540	—	—	280	930	2,010	1,680	1,510	820	220	100
Internal abdominal location, unspecified .....	241	10,010	—	—	140	440	1,770	3,290	2,960	1,090	190	110
Stomach organ .....	242	550	—	—	—	40	130	140	160	70	—	—
Intestines, peritoneum .....	245	10,080	—	—	50	700	1,610	2,720	2,850	1,530	510	110
Intestines, peritoneum, unspecified .....	2450	8,600	—	—	40	580	1,360	2,310	2,530	1,220	450	110
Peritoneum .....	2451	710	—	—	—	30	160	170	170	130	50	—
Small intestine .....	2452	180	—	—	—	—	—	40	50	70	—	—
Large intestine/colon, rectum .....	2453	460	—	—	—	100	70	120	80	70	—	—
Intestines, n.e.c. ....	2459	130	—	—	—	—	—	80	—	40	—	—
Other digestive structures .....	246	20	—	—	—	—	—	—	—	—	—	—
Liver .....	2461	20	—	—	—	—	—	—	—	—	—	—
Multiple internal abdominal locations .....	248	40	—	—	—	—	—	—	—	—	—	—
Internal abdominal location, n.e.c. ....	249	110	—	—	—	—	—	30	50	30	—	—
Pelvic region .....	25	20,850	—	—	580	2,050	3,820	4,740	5,050	3,260	1,250	110
Pelvic region, unspecified .....	250	450	—	—	—	60	130	70	40	80	50	—
Hip(s) .....	251	8,520	—	—	110	580	1,300	1,620	2,380	1,750	730	40
Pelvis .....	252	1,050	—	—	70	80	200	300	130	140	120	—
Buttock(s) .....	253	1,200	—	—	80	70	250	380	200	70	150	—
Groin .....	254	8,900	—	—	270	1,210	1,630	2,280	2,170	1,150	130	60
External reproductive tract structures .....	255	390	—	—	—	—	250	30	70	20	—	—
External reproductive tract structures, unspecified .....	2550	40	—	—	—	—	—	—	—	—	—	—
Scrotum .....	2551	310	—	—	—	—	210	—	50	—	—	—
Penis .....	2552	30	—	—	—	—	20	—	—	—	—	—

See footnotes at end of table.

TABLE R50. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness and age of worker, 2005 — Continued

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Age										Not reported <sup>4</sup>
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44*	45 - 54	55 - 64	65 and over		
Multiple pelvic region locations .....	258	240	—	—	—	—	40	40	40	20	70	—	
Pelvic region, n.e.c. ....	259	90	—	—	—	—	20	30	—	—	—	—	
Multiple trunk locations .....	28	9,400	—	—	90	600	2,100	2,530	2,590	1,190	260	40	
Trunk, n.e.c. ....	29	150	—	—	—	20	30	—	60	—	—	—	
<b>Upper extremities</b> .....	<b>3</b>	<b>284,750</b>	<b>—</b>	<b>50</b>	<b>14,530</b>	<b>37,610</b>	<b>67,900</b>	<b>66,030</b>	<b>62,420</b>	<b>29,170</b>	<b>4,620</b>	<b>2,410</b>	
Upper extremities, unspecified ....	30	330	—	—	—	—	140	50	90	—	—	30	
Arm(s) .....	31	55,440	—	—	2,650	5,220	11,910	13,880	13,870	6,320	1,230	380	
Arm(s), unspecified .....	310	19,550	—	—	1,040	2,470	4,390	4,440	4,370	2,330	430	80	
Upper arm(s) .....	311	5,210	—	—	80	280	880	1,250	1,850	560	240	60	
Elbow(s) .....	312	17,870	—	—	770	1,220	3,410	4,960	4,780	2,210	370	150	
Forearm(s) .....	313	9,380	—	—	510	960	2,580	2,210	2,110	770	170	60	
Multiple arm(s) locations .....	318	2,980	—	—	250	190	560	920	610	410	20	30	
Arm(s), n.e.c. ....	319	460	—	—	—	100	80	90	140	40	—	—	
Wrist(s) .....	32	56,250	—	—	1,600	5,470	11,070	14,130	15,080	7,460	1,060	380	
Hand(s), except finger(s) .....	33	47,020	—	—	2,460	8,410	13,300	9,860	8,330	3,610	630	400	
Finger(s), fingernail(s) .....	34	111,090	—	30	7,340	16,870	28,520	24,450	21,820	9,440	1,490	1,120	
Multiple upper extremities locations .....	38	14,440	—	—	490	1,630	2,950	3,660	3,200	2,210	210	90	
Multiple upper extremities locations, unspecified .....	380	250	—	—	—	—	40	70	100	40	—	—	
Hand(s) and finger(s) .....	381	4,600	—	—	220	480	1,030	930	1,090	800	40	—	
Hand(s) and wrist(s) .....	382	3,100	—	—	80	320	530	1,160	590	350	50	20	
Hand(s) and arm(s) .....	383	1,830	—	—	160	310	340	400	430	170	—	—	
Multiple upper extremities locations, n.e.c. ....	389	4,650	—	—	20	520	1,020	1,100	1,000	850	110	50	
Upper extremities, n.e.c. ....	39	180	—	—	—	—	20	—	30	120	—	—	
<b>Lower extremities</b> .....	<b>4</b>	<b>271,740</b>	<b>—</b>	<b>20</b>	<b>10,430</b>	<b>29,930</b>	<b>63,680</b>	<b>62,810</b>	<b>63,810</b>	<b>31,540</b>	<b>6,580</b>	<b>2,950</b>	
Lower extremities, unspecified ....	40	300	—	—	—	—	60	160	20	—	—	—	
Leg(s) .....	41	141,060	—	—	4,100	11,990	30,950	32,940	36,040	19,520	3,940	1,560	
Leg(s), unspecified .....	410	19,700	—	—	680	1,740	4,420	4,480	4,860	2,800	620	90	
Thigh(s) .....	411	5,510	—	—	230	480	1,290	1,190	1,470	710	100	30	
Knee(s) .....	412	100,560	—	—	2,450	8,450	21,530	23,750	25,990	14,370	2,760	1,260	
Lower leg(s) .....	413	12,030	—	—	720	1,100	3,100	2,810	2,620	1,240	390	50	
Multiple leg(s) locations .....	418	2,780	—	—	20	200	530	560	910	370	60	130	
Leg(s), n.e.c. ....	419	470	—	—	—	20	70	150	190	30	—	—	
Ankle(s) .....	42	65,000	—	—	2,800	9,240	17,040	15,430	12,750	6,030	1,080	620	
Foot(feet), except toe(s) .....	43	43,840	—	—	2,310	5,960	10,600	9,910	9,860	3,710	970	520	
Foot(feet), except toe(s), unspecified .....	430	38,340	—	—	2,170	5,290	9,580	8,380	8,410	3,280	750	470	
Instep(s) .....	431	640	—	—	—	80	210	70	130	40	100	—	
Sole .....	432	3,880	—	—	130	470	660	1,240	940	290	110	40	
Sole(s), unspecified .....	4320	640	—	—	—	120	200	190	40	80	—	—	
Ball(s) .....	4321	80	—	—	—	—	—	—	50	—	—	—	
Arch(es) .....	4322	30	—	—	—	—	—	—	—	—	—	—	
Heel(s) .....	4323	3,120	—	—	110	340	440	1,030	840	210	110	40	
Multiple foot(feet) locations .....	438	290	—	—	—	50	30	110	50	40	—	—	
Foot(feet), n.e.c. ....	439	690	—	—	—	60	120	110	330	60	—	—	

See footnotes at end of table.

TABLE R50. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness and age of worker, 2005 — Continued

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44*	45 - 54	55 - 64	65 and over	Not reported*
Toe(s), toenail(s) .....	44	12,880	—	—	840	1,910	3,180	2,400	2,860	1,270	350	80
Multiple lower extremities locations .....	48	8,530	—	—	370	820	1,820	1,950	2,280	940	220	130
Multiple lower extremities locations, unspecified .....	480	70	—	—	—	—	—	20	30	—	—	—
Foot(feet) and leg(s) .....	481	840	—	—	50	60	230	160	230	80	30	—
Foot(feet) and ankle(s) .....	482	2,780	—	—	230	330	550	680	520	390	80	—
Foot(feet) and toe(s) .....	483	1,030	—	—	30	120	290	230	310	30	—	—
Multiple lower extremities locations, n.e.c. ....	489	3,800	—	—	50	300	740	860	1,200	440	100	120
Lower extremities, n.e.c. ....	49	130	—	—	—	—	40	—	—	50	—	—
<b>Body systems</b> .....	5	17,950	—	—	650	2,350	3,660	4,520	4,400	1,510	710	140
<b>Multiple body parts</b> .....	8	120,960	—	—	1,990	9,240	25,530	31,930	30,550	17,080	3,470	1,170
<b>Other body parts</b> .....	9	20	—	—	—	—	—	—	—	—	—	—
<b>Nonclassifiable</b> .....	9999	11,200	—	—	770	1,390	1,790	2,850	1,550	1,070	180	1,610

<sup>1</sup> Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

<sup>2</sup> Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

<sup>3</sup> Excludes farms with fewer than 11 employees.

\* This table was replaced on 11/1/2007. The 35 to 44 years old and age not reported age group estimates in the previous version of this table, which was posted on 11/17/2006, were revised in industries included in NAICS 212, Mining (except Oil and Gas). These revised estimates also affect the age group estimates for these

higher level industry sectors: Mining (NAICS code 22); Natural Resources and Mining; Goods-producing industries; and total private industry.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies