

TABLE R79. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and hours on the job before event occurred, 2005

Part of body	Part of body code ²	Private industry ³	Hours on the job before event occurred										
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported
Total		1,234,680	7,410	100,970	119,340	268,900	203,750	181,300	91,370	24,810	8,770	850	227,210
Head	0	81,090	360	5,670	7,920	17,030	13,800	13,440	7,220	1,900	750	50	12,950
Head, unspecified	00	15,640	90	1,450	1,750	3,310	2,630	2,190	1,290	380	70	—	2,490
Cranial region, including skull	01	10,680	80	990	1,080	2,360	1,870	1,780	990	250	70	—	1,200
Cranial region, unspecified	010	310	—	20	50	30	40	70	40	—	—	—	50
Brain	011	6,980	50	650	740	1,530	1,200	960	690	190	40	—	920
Scalp	012	2,680	20	160	250	710	440	590	240	40	20	—	200
Skull	013	490	—	60	20	70	130	150	—	—	—	—	30
Multiple cranial region locations	018	70	—	—	—	30	—	—	—	—	—	—	—
Cranial region, n.e.c.	019	160	—	100	—	20	30	—	—	—	—	—	—
Ear(s)	02	1,340	—	20	70	330	310	240	80	30	—	—	240
Face	03	51,990	170	3,170	4,860	10,650	8,800	8,880	4,740	1,170	570	40	8,930
Face, unspecified	030	3,870	40	490	410	860	600	460	430	140	30	—	430
Forehead	031	3,540	—	410	310	700	620	480	360	100	210	—	330
Eye(s)	032	34,740	—	1,570	2,910	7,130	6,130	5,770	3,210	810	100	40	7,050
Nose, nasal cavity	033	2,490	20	150	310	530	460	500	140	20	20	—	330
Nose, except internal location of diseases or disorders	0330	2,430	20	150	310	530	410	500	140	20	20	—	320
Cheek(s)	034	1,010	—	110	170	80	120	260	90	—	—	—	160
Jaw/chin	035	1,260	—	50	170	260	240	220	180	30	—	—	100
Mouth	036	2,230	80	100	150	480	230	530	170	40	170	—	280
Mouth, unspecified	0360	320	—	—	—	100	30	30	20	—	—	—	120
Lip(s)	0361	500	—	30	60	90	90	90	30	—	—	—	40
Tongue	0362	120	—	—	—	—	—	—	—	—	—	—	—
Tooth(teeth)	0363	1,080	70	40	70	250	90	290	100	20	100	—	50
Multiple mouth locations	0368	160	—	—	—	30	—	—	20	—	—	—	70
Mouth, n.e.c.	0369	40	—	—	—	—	—	—	—	—	—	—	—
Multiple face locations	038	2,580	—	290	410	530	340	610	140	20	20	—	220
Face, n.e.c.	039	270	—	—	30	80	60	60	20	—	—	—	20
Multiple head locations	08	1,270	20	50	140	290	180	340	120	60	—	—	60
Head, n.e.c.	09	170	—	—	20	80	—	—	—	—	—	—	30
Neck, including throat	1	18,470	40	980	1,820	3,590	3,200	2,940	1,520	400	240	—	3,730
Neck, except internal location of diseases or disorders	10	18,410	40	980	1,810	3,590	3,200	2,930	1,510	400	230	—	3,710
Internal neck location, unspecified	11	40	—	—	—	—	—	—	—	—	—	—	20
Internal neck location, n.e.c.	19	20	—	—	—	—	—	—	—	—	—	—	—
Trunk	2	428,500	1,800	36,050	43,640	95,590	66,930	59,400	27,980	7,820	3,440	490	85,360
Trunk, unspecified	20	2,650	20	220	90	500	370	480	230	30	60	—	650
Shoulder, including clavicle, scapula	21	77,800	460	6,640	7,120	16,490	12,900	10,750	4,970	1,370	610	310	16,180
Chest, including ribs, internal organs	22	18,400	130	1,720	1,740	3,680	3,070	2,970	1,150	340	200	—	3,360
Chest, except internal location of diseases or disorders	220	16,320	120	1,640	1,540	3,300	2,920	2,770	1,050	320	200	—	2,450
Internal chest location, unspecified	221	210	—	—	—	130	30	—	—	—	—	—	20
Heart	223	340	—	20	70	40	—	20	40	—	—	—	140

See footnotes at end of table.

TABLE R79. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and hours on the job before event occurred, 2005 — Continued

Part of body	Part of body code ²	Private industry ³	Hours on the job before event occurred										
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported
Bronchus	224	100	—	—	—	—	30	40	—	—	—	—	—
Lung(s), pleura	225	1,420	—	40	120	200	90	140	50	20	—	—	740
Back, including spine, spinal cord	23	270,890	870	23,240	29,510	62,560	41,150	36,310	17,460	5,140	2,210	110	52,330
Back, including spine, spinal cord, unspecified	230	116,160	260	9,730	12,210	25,950	16,610	14,590	7,070	2,260	850	60	26,580
Lumbar region	231	132,660	510	11,620	14,800	31,450	20,740	18,480	8,830	2,250	1,240	50	22,670
Thoracic region	232	10,670	50	960	1,230	2,370	1,920	1,520	660	310	60	—	1,600
Sacral region	233	1,330	—	120	170	210	310	180	50	20	—	—	270
Coccygeal region	234	2,270	—	160	200	730	310	210	230	60	—	—	350
Multiple back regions	238	7,500	30	640	890	1,790	1,190	1,300	570	230	50	—	820
Back, including spine, spinal cord, n.e.c.	239	290	—	—	—	60	60	20	50	—	—	—	50
Abdomen	24	28,350	40	1,880	2,270	5,470	4,890	3,870	1,790	440	220	—	7,470
Abdomen, except internal location of diseases or disorders	240	7,540	30	570	790	1,780	1,650	1,000	410	160	80	—	1,070
Internal abdominal location, unspecified	241	10,010	—	640	640	1,800	1,380	1,350	660	120	50	—	3,360
Stomach organ	242	550	—	70	80	100	90	40	30	30	—	—	110
Intestines, peritoneum	245	10,080	—	600	740	1,770	1,750	1,440	690	120	80	—	2,860
Intestines, peritoneum, unspecified	2450	8,600	—	490	620	1,530	1,470	1,270	520	120	80	—	2,490
Peritoneum	2451	710	—	50	70	120	120	120	40	—	—	—	180
Small intestine	2452	180	—	—	—	30	50	—	20	—	—	—	50
Large intestine/colon, rectum	2453	460	—	20	50	70	90	40	110	—	—	—	70
Intestines, n.e.c.	2459	130	—	30	—	—	—	—	—	—	—	—	60
Other digestive structures	246	20	—	—	—	—	—	—	—	—	—	—	—
Liver	2461	20	—	—	—	—	—	—	—	—	—	—	—
Multiple internal abdominal locations ..	248	40	—	—	—	—	—	—	—	—	—	—	40
Internal abdominal location, n.e.c.	249	110	—	—	—	20	—	40	—	—	—	—	20
Pelvic region	25	20,850	200	1,430	2,150	4,960	3,260	3,400	1,460	380	100	20	3,490
Pelvic region, unspecified	250	450	—	20	—	40	50	60	110	—	—	—	150
Hip(s)	251	8,520	180	630	1,010	2,360	1,170	1,340	620	110	30	20	1,060
Pelvis	252	1,050	—	120	140	180	210	200	60	30	—	—	100
Buttock(s)	253	1,200	—	140	120	220	130	230	100	40	—	—	190
Groin	254	8,900	—	490	830	2,040	1,540	1,410	520	190	60	—	1,820
External reproductive tract structures ..	255	390	—	—	20	50	130	90	40	—	—	—	60
External reproductive tract structures, unspecified	2550	40	—	—	—	—	—	—	—	—	—	—	30
Scrotum	2551	310	—	—	—	30	120	90	30	—	—	—	30
Penis	2552	30	—	—	—	—	—	—	—	—	—	—	—
Multiple pelvic region locations	258	240	—	20	30	40	20	30	—	—	—	—	90
Pelvic region, n.e.c.	259	90	—	—	—	40	—	30	—	—	—	—	—
Multiple trunk locations	28	9,400	80	890	750	1,880	1,280	1,570	910	120	40	30	1,850
Trunk, n.e.c.	29	150	—	20	—	40	—	40	—	—	—	—	30
Upper extremities	3	284,750	960	20,640	26,500	63,230	47,760	41,930	20,130	4,970	1,280	130	57,220
Upper extremities, unspecified	30	330	—	—	—	50	20	130	20	—	—	—	100

See footnotes at end of table.

TABLE R79. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and hours on the job before event occurred, 2005 — Continued

Part of body	Part of body code ²	Private industry ³	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
Arm(s)	31	55,440	280	3,560	5,680	11,320	9,360	8,640	4,290	980	280	—	11,040
Arm(s), unspecified	310	19,550	60	1,280	1,470	4,230	3,320	3,290	1,400	370	140	—	3,970
Upper arm(s)	311	5,210	20	300	540	940	1,020	610	550	70	20	—	1,140
Elbow(s)	312	17,870	160	1,080	1,620	3,610	2,760	2,640	1,320	400	80	—	4,170
Forearm(s)	313	9,380	—	720	1,540	1,870	1,850	1,230	830	100	40	—	1,210
Multiple arm(s) locations	318	2,980	30	150	390	590	390	780	190	30	—	—	430
Arm(s), n.e.c.	319	460	—	40	110	60	20	90	—	—	—	—	120
Wrist(s)	32	56,250	400	4,070	4,100	9,350	6,790	6,240	3,680	640	240	60	20,670
Hand(s), except finger(s)	33	47,020	70	3,600	4,090	11,640	8,280	6,910	3,140	700	350	—	8,230
Finger(s), fingernail(s)	34	111,090	110	8,200	11,440	27,710	21,010	17,600	7,970	2,220	340	60	14,420
Multiple upper extremities locations	38	14,440	90	1,190	1,180	3,150	2,310	2,290	1,010	410	50	—	2,750
Multiple upper extremities locations, unspecified	380	250	—	—	30	20	70	40	—	—	—	—	80
Hand(s) and finger(s)	381	4,600	30	210	490	960	1,040	630	530	110	20	—	580
Hand(s) and wrist(s)	382	3,100	30	270	120	710	320	770	130	40	—	—	690
Hand(s) and arm(s)	383	1,830	—	130	190	390	400	290	70	40	—	—	300
Multiple upper extremities locations, n.e.c.	389	4,650	30	580	350	1,070	470	550	280	210	—	—	1,100
Upper extremities, n.e.c.	39	180	—	—	—	—	—	120	—	—	—	—	—
Lower extremities	4	271,740	2,300	23,580	25,860	58,490	46,160	41,740	22,580	6,390	1,990	60	42,600
Lower extremities, unspecified	40	300	—	—	—	70	80	60	40	—	—	—	20
Leg(s)	41	141,060	1,160	12,220	13,480	31,500	23,510	20,220	10,770	3,000	1,080	30	24,080
Leg(s), unspecified	410	19,700	100	2,050	1,740	4,240	2,920	3,060	1,830	500	140	—	3,120
Thigh(s)	411	5,510	60	490	490	1,260	820	1,040	440	120	30	—	760
Knee(s)	412	100,560	910	8,280	9,290	22,630	17,230	14,160	7,270	1,970	770	—	18,030
Lower leg(s)	413	12,030	90	870	1,560	2,550	2,170	1,620	930	330	130	—	1,790
Multiple leg(s) locations	418	2,780	—	480	380	710	250	300	280	80	20	—	270
Leg(s), n.e.c.	419	470	—	50	20	110	110	40	30	—	—	—	110
Ankle(s)	42	65,000	930	5,990	5,970	12,790	10,760	10,680	5,790	1,800	420	20	9,840
Foot(feet), except toe(s)	43	43,840	70	3,210	4,290	9,380	8,100	7,270	3,940	1,230	280	—	6,060
Foot(feet), except toe(s), unspecified ..	430	38,340	70	2,910	3,680	8,460	6,970	6,310	3,280	1,140	270	—	5,250
Instep(s)	431	640	—	30	120	150	130	50	100	—	—	—	60
Sole	432	3,880	—	240	380	630	650	780	520	70	—	—	610
Sole(s), unspecified	4320	640	—	40	90	120	20	80	110	—	—	—	160
Ball(s)	4321	80	—	—	—	—	—	40	20	—	—	—	—
Arch(es)	4322	30	—	—	—	—	—	—	—	—	—	—	—
Heel(s)	4323	3,120	—	200	280	500	620	660	380	50	—	—	410
Multiple foot(feet) locations	438	290	—	—	60	90	30	20	—	—	—	—	60
Foot(feet), n.e.c.	439	690	—	20	50	60	320	110	20	—	—	—	100
Toe(s), toenail(s)	44	12,880	20	1,250	1,080	2,810	2,090	2,340	1,360	200	80	—	1,660
Multiple lower extremities locations	48	8,530	110	890	1,020	1,920	1,630	1,100	680	160	120	—	910
Multiple lower extremities locations, unspecified	480	70	—	—	—	—	—	—	—	—	—	—	40
Foot(feet) and leg(s)	481	840	30	170	70	140	120	150	60	50	—	—	60
Foot(feet) and ankle(s)	482	2,780	20	250	140	800	590	360	220	40	—	—	350
Foot(feet) and toe(s)	483	1,030	—	30	140	200	270	140	120	20	—	—	90

See footnotes at end of table.

TABLE R79. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and hours on the job before event occurred, 2005 — Continued

Part of body	Part of body code ²	Private industry ³	Hours on the job before event occurred										
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported
Multiple lower extremities locations, n.e.c.	489	3,800	60	440	660	780	640	430	280	40	110	—	370
Lower extremities, n.e.c.	49	130	—	—	30	20	—	70	—	—	—	—	—
Body systems	5	17,950	30	1,100	1,190	2,980	3,050	2,450	1,520	360	120	30	5,130
Multiple body parts	8	120,960	1,840	11,890	11,380	26,240	21,360	18,370	9,990	2,790	940	90	16,070
Other body parts	9	20	—	—	—	—	—	—	—	—	—	—	—
Nonclassifiable	9999	11,200	90	1,070	1,030	1,730	1,480	1,030	420	180	—	—	4,140

¹ Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

² Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies