

TABLE R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, 2006

Part of body	Part of body code ²	Private industry ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Total		1,183,500	19,480	147,320	45,330	77,500	124,640
Head	0	82,420	7,320	4,740	4,220	3,130	9,660
Head, unspecified	00	17,250	80	1,560	2,210	930	2,150
Cranial region, including skull	01	9,940	–	810	880	570	1,250
Cranial region, unspecified	010	170	–	–	20	–	30
Brain	011	6,300	–	540	540	280	650
Scalp	012	2,610	–	220	270	240	320
Skull	013	690	–	20	30	30	220
Multiple cranial region locations	018	80	–	–	–	–	–
Cranial region, n.e.c.	019	90	–	–	–	–	20
Ear(s)	02	1,890	20	40	–	50	110
Face	03	52,060	7,170	1,980	1,080	1,550	5,950
Face, unspecified	030	3,810	250	180	130	100	640
Forehead	031	2,930	20	210	280	160	620
Eye(s)	032	35,970	6,640	1,070	450	600	2,420
Nose, nasal cavity	033	2,310	60	180	60	80	670
Nose, except internal location of diseases or disorders	0330	2,240	–	180	60	80	670
Internal nasal location, unspecified	0331	40	20	–	–	–	–
Multiple internal nasal locations	0338	20	20	–	–	–	–
Cheek(s)	034	810	20	30	20	40	190
Jaw/chin	035	790	–	30	–	40	270
Mouth	036	2,940	–	170	40	200	780
Mouth, unspecified	0360	410	–	40	–	–	100
Lip(s)	0361	1,030	–	20	–	40	430
Tongue	0362	20	–	–	–	–	–
Tooth(teeth)	0363	1,210	–	100	30	140	180
Multiple mouth locations	0368	190	–	–	–	–	70
Mouth, n.e.c.	0369	70	–	–	–	–	–
Multiple face locations	038	2,170	160	90	80	320	310
Face, n.e.c.	039	330	–	20	–	–	60
Multiple head locations	08	1,120	40	350	30	–	190
Head, n.e.c.	09	170	–	–	–	20	–
Neck, including throat	1	17,840	180	2,010	550	610	1,720
Neck, except internal location of diseases or disorders	10	17,660	130	2,010	550	610	1,720
Internal neck location, unspecified	11	120	–	–	–	–	–
Vocal cord(s)	12	20	–	–	–	–	–
Trunk	2	401,900	1,320	89,430	18,360	16,350	42,550
Trunk, unspecified	20	2,260	–	180	70	90	80
Shoulder, including clavicle, scapula	21	75,810	30	16,170	3,540	3,220	8,120

See footnotes at end of table.

TABLE R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, 2006 — Continued

Part of body	Source of injury or illness ⁴					
	Worker motion or position	Floors, walkways, or ground surfaces	Handtools	Vehicles	Health care patient	All other sources ⁵
Total	163,430	214,580	56,790	101,320	52,660	180,440
Head	120	8,850	4,290	5,080	1,570	33,440
Head, unspecified	30	4,110	280	2,280	270	3,340
Cranial region, including skull	—	2,360	290	1,500	160	2,120
Cranial region, unspecified	—	40	—	20	—	30
Brain	—	1,850	80	1,030	140	1,180
Scalp	—	260	110	340	20	810
Skull	—	170	90	60	—	70
Multiple cranial region locations	—	30	—	30	—	—
Cranial region, n.e.c.	—	—	—	—	—	20
Ear(s)	—	—	20	90	30	1,500
Face	70	2,200	3,680	1,140	1,060	26,170
Face, unspecified	—	310	160	220	190	1,620
Forehead	—	350	360	340	30	550
Eye(s)	20	160	2,250	120	410	21,840
Nose, nasal cavity	—	220	210	150	130	520
Nose, except internal location of diseases or disorders	—	220	210	150	130	510
Internal nasal location, unspecified	—	—	—	—	—	—
Multiple internal nasal locations	—	—	—	—	—	—
Cheek(s)	—	200	110	—	30	160
Jaw/chin	—	70	70	50	90	160
Mouth	—	430	410	120	60	710
Mouth, unspecified	—	30	40	—	20	150
Lip(s)	—	40	110	—	20	350
Tongue	—	—	—	—	—	—
Tooth(teeth)	—	350	170	50	—	190
Multiple mouth locations	—	—	30	40	—	—
Mouth, n.e.c.	—	—	40	—	—	—
Multiple face locations	—	380	80	120	80	530
Face, n.e.c.	—	80	—	20	40	70
Multiple head locations	—	100	20	60	40	280
Head, n.e.c.	—	60	—	20	—	40
Neck, including throat	2,800	1,750	250	4,520	1,350	2,110
Neck, except internal location of diseases or disorders	2,790	1,750	250	4,520	1,350	2,000
Internal neck location, unspecified	—	—	—	—	—	110
Vocal cord(s)	—	—	—	—	—	—
Trunk	62,810	51,880	9,120	29,620	35,840	44,610
Trunk, unspecified	180	740	—	350	100	450
Shoulder, including clavicle, scapula	10,690	11,840	2,380	5,800	5,650	8,350

See footnotes at end of table.

TABLE R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, 2006 — Continued

Part of body	Part of body code ²	Private industry ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Chest, including ribs, internal organs	22	18,170	950	2,190	780	820	1,730
Chest, except internal location of diseases or disorders	220	16,260	60	2,170	780	820	1,700
Internal chest location, unspecified	221	190	40	—	—	—	—
Heart	223	430	—	—	—	—	—
Bronchus	224	140	100	—	—	—	—
Lung(s), pleura	225	1,150	730	—	—	—	30
Back, including spine, spinal cord	23	250,870	150	58,250	11,490	9,630	24,110
Back, including spine, spinal cord, unspecified	230	105,380	90	22,670	4,830	4,400	10,120
Lumbar region	231	122,830	40	31,710	5,710	4,550	12,570
Thoracic region	232	9,940	—	2,060	380	380	830
Sacral region	233	1,190	—	210	40	40	50
Coccygeal region	234	1,390	—	50	40	20	40
Multiple back regions	238	9,030	—	1,260	460	180	440
Back, including spine, spinal cord, n.e.c.	239	1,110	—	310	30	60	60
Abdomen	24	27,040	130	7,870	1,260	1,500	5,690
Abdomen, except internal location of diseases or disorders	240	7,820	70	2,000	250	480	1,070
Internal abdominal location, unspecified	241	8,360	—	2,550	410	410	2,070
Stomach organ	242	700	60	120	20	20	80
Urinary organs	244	20	—	—	—	—	—
Kidney(s)	2442	20	—	—	—	—	—
Intestines, peritoneum	245	9,990	—	3,160	570	600	2,460
Intestines, peritoneum, unspecified	2450	9,330	—	2,910	510	570	2,310
Peritoneum	2451	450	—	190	50	20	80
Large intestine/colon, rectum	2453	160	—	50	—	—	50
Intestines, n.e.c.	2459	30	—	—	—	—	—
Multiple internal abdominal locations	248	60	—	—	—	—	—
Internal abdominal location, n.e.c.	249	80	—	40	—	—	20
Pelvic region	25	20,630	30	3,720	920	850	2,400
Pelvic region, unspecified	250	220	—	30	—	—	—
Hip(s)	251	7,680	—	600	310	170	290
Pelvis	252	1,200	—	40	—	160	70
Buttock(s)	253	1,940	20	100	20	20	100
Groin	254	8,760	—	2,840	540	410	1,770
External reproductive tract structures	255	560	—	80	40	80	140
External reproductive tract structures, unspecified	2550	80	—	—	—	—	30
Scrotum	2551	370	—	20	—	70	100

See footnotes at end of table.

TABLE R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, 2006 — Continued

Part of body	Source of injury or illness ⁴					
	Worker motion or position	Floors, walkways, or ground surfaces	Handtools	Vehicles	Health care patient	All other sources ⁵
Chest, including ribs, internal organs	820	3,080	470	2,330	810	4,210
Chest, except internal location of diseases or disorders	770	3,080	470	2,320	800	3,290
Internal chest location, unspecified	20	—	—	—	—	120
Heart	30	—	—	—	—	380
Bronchus	—	—	—	—	—	40
Lung(s), pleura	—	—	—	—	—	380
Back, including spine, spinal cord	45,490	28,040	5,160	17,190	27,160	24,200
Back, including spine, spinal cord, unspecified	20,070	13,230	2,120	7,590	10,530	9,710
Lumbar region	22,250	10,990	2,830	6,660	13,780	11,740
Thoracic region	1,560	690	90	1,150	1,330	1,460
Sacral region	200	230	—	70	290	60
Coccygeal region	20	1,070	—	100	—	40
Multiple back regions	1,250	1,680	100	1,550	1,150	950
Back, including spine, spinal cord, n.e.c.	130	160	—	60	60	230
Abdomen	2,600	590	860	1,760	840	3,930
Abdomen, except internal location of diseases or disorders	640	310	230	980	600	1,190
Internal abdominal location, unspecified	910	140	170	270	120	1,310
Stomach organ	40	50	50	30	—	230
Urinary organs	—	—	—	—	—	—
Kidney(s)	—	—	—	—	—	—
Intestines, peritoneum	1,010	90	400	460	120	1,130
Intestines, peritoneum, unspecified	960	90	370	450	100	1,060
Peritoneum	30	—	20	—	—	40
Large intestine/colon, rectum	—	—	—	—	—	—
Intestines, n.e.c.	—	—	—	—	—	—
Multiple internal abdominal locations	—	—	—	—	—	60
Internal abdominal location, n.e.c.	—	—	—	—	—	—
Pelvic region	2,480	5,480	160	1,300	600	2,670
Pelvic region, unspecified	—	60	—	40	—	50
Hip(s)	1,130	3,490	30	490	270	890
Pelvis	40	570	—	180	20	110
Buttock(s)	110	880	—	40	—	640
Groin	1,130	340	110	500	280	820
External reproductive tract structures	—	20	20	30	—	140
External reproductive tract structures, unspecified	—	—	—	—	—	40
Scrotum	—	20	—	20	—	90

See footnotes at end of table.

TABLE R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, 2006 — Continued

Part of body	Part of body code ²	Private industry ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Penis	2552	90	—	—	—	—	—
Multiple pelvic region locations	258	150	—	—	—	—	—
Pelvic region, n.e.c.	259	130	—	20	—	—	—
Multiple trunk locations	28	7,010	30	1,050	280	230	410
Trunk, n.e.c.	29	110	—	—	—	—	—
Upper extremities	3	274,180	2,370	24,120	8,820	43,610	39,820
Upper extremities, unspecified	30	740	—	30	—	20	20
Arm(s)	31	54,860	600	5,800	1,920	4,060	6,830
Arm(s), unspecified	310	18,510	340	2,060	590	1,320	1,980
Upper arm(s)	311	4,310	30	690	160	220	470
Elbow(s)	312	18,020	—	1,800	730	1,070	2,190
Forearm(s)	313	10,860	180	870	320	1,270	1,910
Multiple arm(s) locations	318	2,510	40	210	110	160	160
Arm(s), n.e.c.	319	650	—	160	—	30	120
Wrist(s)	32	48,810	60	4,700	1,110	1,550	2,540
Hand(s), except finger(s)	33	49,480	1,120	3,800	2,090	7,660	9,070
Finger(s), fingernail(s)	34	106,050	350	8,050	3,430	28,560	19,840
Multiple upper extremities locations ...	38	14,160	240	1,750	270	1,750	1,490
Multiple upper extremities locations, unspecified	380	240	—	20	—	—	80
Hand(s) and finger(s)	381	4,620	130	590	60	1,110	600
Hand(s) and wrist(s)	382	3,370	—	340	80	240	230
Hand(s) and arm(s)	383	1,550	70	70	—	190	230
Multiple upper extremities locations, n.e.c.	389	4,370	30	730	90	200	350
Upper extremities, n.e.c.	39	80	—	—	—	—	30
Lower extremities	4	262,180	1,060	19,440	9,880	10,270	24,760
Lower extremities, unspecified	40	200	—	20	—	—	—
Leg(s)	41	134,550	320	8,640	4,760	4,000	9,670
Leg(s), unspecified	410	18,270	130	1,520	850	880	2,180
Thigh(s)	411	5,820	20	440	190	270	900
Knee(s)	412	95,520	70	5,310	3,140	2,210	4,900
Lower leg(s)	413	10,660	60	1,140	440	550	1,520
Multiple leg(s) locations	418	3,440	30	130	90	50	130
Leg(s), n.e.c.	419	850	20	110	40	40	40
Ankle(s)	42	61,770	110	2,660	770	1,370	2,570
Foot(feet), except toe(s)	43	43,840	490	5,430	2,620	3,260	8,620
Foot(feet), except toe(s), unspecified	430	39,300	470	5,090	2,490	3,010	7,820
Instep(s)	431	310	—	40	—	20	80
Sole	432	3,110	—	170	70	180	530
Sole(s), unspecified	4320	420	—	—	—	—	330
Ball(s)	4321	40	—	—	—	—	20
Arch(es)	4322	100	—	—	—	—	30
Heel(s)	4323	2,510	—	140	50	170	140
Multiple sole(s) locations	4328	30	—	—	—	—	—

See footnotes at end of table.

TABLE R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, 2006 — Continued

Part of body	Source of injury or illness ⁴					
	Worker motion or position	Floors, walkways, or ground surfaces	Handtools	Vehicles	Health care patient	All other sources ⁵
Penis	—	—	—	—	—	20
Multiple pelvic region locations	20	80	—	20	—	—
Pelvic region, n.e.c.	40	30	—	—	—	—
Multiple trunk locations	550	2,070	80	880	660	760
Trunk, n.e.c.	—	30	—	—	—	30
Upper extremities	30,590	28,470	37,540	13,590	5,520	39,710
Upper extremities, unspecified	80	370	20	30	—	150
Arm(s)	5,400	11,710	2,760	3,740	1,750	10,270
Arm(s), unspecified	1,920	4,170	650	1,240	900	3,340
Upper arm(s)	500	680	210	290	160	910
Elbow(s)	2,020	5,280	580	1,380	350	2,620
Forearm(s)	520	880	1,200	530	220	2,950
Multiple arm(s) locations	380	640	80	280	90	350
Arm(s), n.e.c.	60	60	50	20	20	110
Wrist(s)	18,330	10,110	2,500	2,090	2,000	3,830
Hand(s), except finger(s)	2,380	2,460	8,460	2,430	530	9,480
Finger(s), fingernail(s)	1,870	2,020	23,210	4,220	810	13,680
Multiple upper extremities locations ...	2,520	1,790	590	1,060	410	2,280
Multiple upper extremities locations, unspecified	30	40	—	30	—	30
Hand(s) and finger(s)	290	190	370	450	80	750
Hand(s) and wrist(s)	890	730	90	150	90	510
Hand(s) and arm(s)	240	180	20	100	50	380
Multiple upper extremities locations, n.e.c.	1,070	660	100	330	190	620
Upper extremities, n.e.c.	—	—	—	—	—	—
Lower extremities	59,120	77,300	4,720	23,920	2,810	28,900
Lower extremities, unspecified	30	40	—	50	—	30
Leg(s)	33,950	42,490	2,680	11,150	2,340	14,540
Leg(s), unspecified	1,610	4,140	650	2,560	200	3,550
Thigh(s)	680	960	870	450	120	930
Knee(s)	29,470	33,480	780	6,240	1,890	8,040
Lower leg(s)	1,520	2,150	360	1,260	90	1,580
Multiple leg(s) locations	520	1,580	—	540	30	320
Leg(s), n.e.c.	150	190	—	110	20	130
Ankle(s)	20,100	23,620	480	3,860	260	5,970
Foot(feet), except toe(s)	3,870	6,740	1,110	6,070	110	5,530
Foot(feet), except toe(s), unspecified	3,430	5,370	1,080	5,460	110	4,970
Instep(s)	30	60	—	50	—	20
Sole	320	990	—	440	—	410
Sole(s), unspecified	40	—	—	—	—	40
Ball(s)	—	—	—	—	—	—
Arch(es)	20	30	—	—	—	—
Heel(s)	250	940	—	440	—	370
Multiple sole(s) locations	—	—	—	—	—	—

See footnotes at end of table.

TABLE R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, 2006 — Continued

Part of body	Part of body code ²	Private industry ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Sole(s), n.e.c.	4329	20	—	—	—	—	20
Multiple foot(feet) locations	438	380	—	20	20	—	30
Foot(feet), n.e.c.	439	750	—	120	40	40	160
Toe(s), toenail(s)	44	13,610	20	2,160	1,390	1,380	3,200
Multiple lower extremities locations	48	8,120	110	520	330	260	690
Multiple lower extremities locations, unspecified	480	180	—	—	—	—	—
Foot(feet) and leg(s)	481	820	40	120	30	20	100
Foot(feet) and ankle(s)	482	2,750	—	140	150	90	190
Foot(feet) and toe(s)	483	930	—	110	100	50	240
Multiple lower extremities locations, n.e.c.	489	3,440	60	150	60	80	140
Lower extremities, n.e.c.	49	90	—	—	—	—	—
Body systems	5	18,220	5,030	50	140	390	1,080
Multiple body parts	8	115,930	1,840	7,220	3,130	3,040	4,710
Other body parts	9	60	—	—	—	—	—
Other body parts, n.e.c.	98	60	—	—	—	—	—
Nonclassifiable	9999	10,780	360	300	230	100	350

See footnotes at end of table.

TABLE R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, 2006 — Continued

Part of body	Source of injury or illness ⁴					
	Worker motion or position	Floors, walkways, or ground surfaces	Handtools	Vehicles	Health care patient	All other sources ⁵
Sole(s), n.e.c.	—	—	—	—	—	—
Multiple foot(feet) locations	40	180	—	50	—	30
Foot(feet), n.e.c.	60	130	—	70	—	100
Toe(s), toenail(s)	240	1,270	400	1,780	30	1,750
Multiple lower extremities locations	920	3,120	60	1,010	70	1,030
Multiple lower extremities locations, unspecified	—	70	—	40	—	20
Foot(feet) and leg(s)	60	270	—	130	—	70
Foot(feet) and ankle(s)	390	980	—	370	50	390
Foot(feet) and toe(s)	20	50	—	100	—	230
Multiple lower extremities locations, n.e.c.	460	1,750	30	380	—	330
Lower extremities, n.e.c.	—	40	—	—	—	30
Body systems	160	170	30	130	90	10,960
Multiple body parts	7,060	44,610	740	23,720	5,360	14,480
Other body parts	—	—	—	—	—	40
Other body parts, n.e.c.	—	—	—	—	—	40
Nonclassifiable	750	1,540	100	750	120	6,180

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Data shown in columns correspond to the following Source codes: Chemicals and chemical products = 00-09; Containers = 10-19; Furniture and fixtures = 20-29; Machinery = 30-39; Parts and materials = 40-49; Worker motion or position = 562; Floors, walkways or ground surfaces = 62; Handtools = 71-73; Vehicles = 80-89; Health care patient = 573; All other sources = all remaining codes, including 9999 (Nonclassifiable).

These codes are based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁵ Includes nonclassifiable responses.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies