

[This table was reissued in March 2009. See note at end of table.]

TABLE R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, 2007

Part of body	Part of body code ²	Private industry ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Total		1,158,870	17,340	136,750	46,220	69,160	116,570
Head	0	78,370	5,930	3,570	3,840	2,780	9,930
Head, unspecified	00	16,310	50	1,050	2,030	960	2,010
Cranial region, including skull	01	10,120	20	620	700	520	1,550
Cranial region, unspecified	010	180	-	-	-	-	30
Brain	011	6,420	-	340	370	270	990
Scalp	012	2,820	-	150	300	210	440
Skull	013	540	-	110	20	30	50
Multiple cranial region locations	018	90	-	-	-	-	-
Cranial region, n.e.c.	019	70	-	-	-	-	20
Ear(s)	02	910	-	30	30	30	200
Face	03	50,140	5,820	1,780	1,060	1,210	6,070
Face, unspecified	030	3,490	210	160	130	170	410
Forehead	031	3,160	-	200	320	150	580
Eye(s)	032	33,010	5,260	890	280	430	2,570
Nose, nasal cavity	033	2,790	40	200	140	100	620
Nose, except internal location of diseases or disorders	0330	2,690	-	200	140	100	620
Internal nasal location, unspecified	0331	20	20	-	-	-	-
Nasal passages	0333	60	-	-	-	-	-
Cheek(s)	034	830	20	30	-	100	190
Jaw/chin	035	930	-	70	-	30	210
Mouth	036	2,350	-	150	40	100	760
Mouth, unspecified	0360	300	-	30	-	-	110
Lip(s)	0361	540	-	60	-	-	110
Tooth(teeth)	0363	1,290	-	50	-	30	500
Multiple mouth locations	0368	190	-	-	-	50	40
Mouth, n.e.c.	0369	20	-	-	-	-	-
Multiple face locations	038	3,240	230	80	130	130	640
Face, n.e.c.	039	350	40	-	-	-	100
Multiple head locations	08	740	30	60	20	50	90
Head, n.e.c.	09	150	-	30	-	-	-
Neck, including throat	1	17,050	60	2,120	530	540	1,190
Neck, except internal location of diseases or disorders ...	10	16,980	20	2,120	530	540	1,190
Internal neck location, unspecified	11	40	20	-	-	-	-
Pharynx	15	20	-	-	-	-	-
Trunk	2	384,650	1,710	80,640	17,570	15,960	38,600
Trunk, unspecified	20	2,000	20	220	290	90	210
Shoulder, including clavicle, scapula	21	75,580	50	14,880	2,820	2,750	8,670
Chest, including ribs, internal organs	22	18,580	1,080	1,950	680	1,130	1,510

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, 2007
— Continued

Part of body	Source of injury or illness ⁴							
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person, injured or ill worker ⁵		Person, other than injured or ill worker		All other sources ^{5,6}
				Total ⁵	Worker motion or position ⁵	Total	Health care patient	
Total	230,550	54,490	97,920	169,920	165,110	64,290	50,810	155,660
Head	9,310	4,040	5,590	370	200	3,420	1,610	29,600
Head, unspecified	4,370	210	2,230	190	110	520	260	2,690
Cranial region, including skull	2,470	210	1,630	60	—	420	200	1,950
Cranial region, unspecified	60	—	—	—	—	—	—	60
Brain	1,850	90	1,170	60	—	290	150	980
Scalp	370	90	350	—	—	70	50	830
Skull	120	20	90	—	—	30	—	60
Multiple cranial region locations	60	—	—	—	—	—	—	—
Cranial region, n.e.c.	—	—	—	—	—	—	—	—
Ear(s)	—	50	50	—	—	—	—	480
Face	2,330	3,550	1,560	110	70	2,380	1,100	24,270
Face, unspecified	380	200	230	—	—	580	220	1,010
Forehead	520	310	300	—	—	80	20	700
Eye(s)	80	1,940	530	90	70	610	300	20,330
Nose, nasal cavity	280	180	110	—	—	540	250	600
Nose, except internal location of diseases or disorders	280	180	110	—	—	530	250	530
Internal nasal location, unspecified	—	—	—	—	—	—	—	—
Nasal passages	—	—	—	—	—	—	—	60
Cheek(s)	120	160	20	—	—	40	30	130
Jaw/chin	190	90	40	—	—	190	100	100
Mouth	310	460	140	—	—	100	40	280
Mouth, unspecified	40	70	—	—	—	—	—	30
Lip(s)	40	120	70	—	—	30	—	80
Tooth(teeth)	210	240	50	—	—	40	—	150
Multiple mouth locations	20	20	20	—	—	—	—	—
Mouth, n.e.c.	—	—	—	—	—	—	—	—
Multiple face locations	420	200	170	—	—	210	100	1,020
Face, n.e.c.	20	20	20	—	—	40	20	100
Multiple head locations	120	—	60	—	—	90	40	190
Head, n.e.c.	20	—	60	—	—	—	—	20
Neck, including throat	1,390	550	4,800	1,980	1,960	1,800	1,530	2,110
Neck, except internal location of diseases or disorders ...	1,390	550	4,800	1,960	1,950	1,800	1,530	2,090
Internal neck location, unspecified	—	—	—	—	—	—	—	20
Pharynx	—	—	—	—	—	—	—	—
Trunk	57,470	8,890	26,160	64,100	62,640	38,300	34,000	35,250
Trunk, unspecified	540	50	140	130	130	100	90	210
Shoulder, including clavicle, scapula	13,980	2,660	5,280	11,260	11,150	6,290	5,520	6,940
Chest, including ribs, internal organs	3,860	560	2,140	1,380	830	1,340	820	2,950

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, 2007 — Continued

Part of body	Part of body code ²	Private industry ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Chest, except internal location of diseases or disorders	220	16,590	40	1,940	680	1,130	1,470
Internal chest location, unspecified	221	180	80	—	—	—	—
Heart	223	400	—	—	—	—	20
Bronchus	224	160	30	—	—	—	—
Lung(s), pleura	225	1,190	880	—	—	—	20
Multiple internal chest locations	228	40	40	—	—	—	—
Internal chest location, n.e.c.	229	20	—	—	—	—	—
Back, including spine, spinal cord	23	235,960	120	52,860	11,440	9,860	21,340
Back, including spine, spinal cord, unspecified	230	96,130	60	19,680	4,540	4,080	9,570
Lumbar region	231	119,350	50	29,330	6,100	5,050	10,510
Thoracic region	232	9,710	—	2,360	380	320	810
Sacral region	233	590	—	60	60	20	20
Coccygeal region	234	2,490	—	30	90	30	50
Multiple back regions	238	7,190	—	1,300	250	330	340
Back, including spine, spinal cord, n.e.c.	239	500	—	90	20	20	40
Abdomen	24	24,720	250	6,930	1,280	1,250	4,750
Abdomen, except internal location of diseases or disorders	240	6,890	30	1,290	280	360	1,000
Internal abdominal location, unspecified	241	8,570	20	2,780	510	550	1,670
Stomach organ	242	650	200	90	20	20	120
Spleen	243	70	—	—	—	—	—
Urinary organs	244	20	—	—	—	—	—
Intestines, peritoneum	245	8,420	—	2,740	470	340	1,940
Intestines, peritoneum, unspecified	2450	7,760	—	2,530	450	310	1,830
Peritoneum	2451	450	—	160	20	30	100
Large intestine/colon, rectum	2453	180	—	40	—	—	—
Intestines, n.e.c.	2459	20	—	—	—	—	—
Internal abdominal location, n.e.c.	249	90	—	20	—	—	—
Pelvic region	25	19,250	50	3,010	730	550	1,700
Pelvic region, unspecified	250	240	—	70	30	20	20
Hip(s)	251	9,240	—	620	190	120	300
Pelvis	252	830	—	60	40	30	50
Buttock(s)	253	1,090	30	50	50	20	20
Groin	254	7,310	—	2,100	400	360	1,260
External reproductive tract structures	255	180	—	20	20	—	40
External reproductive tract structures, unspecified ..	2550	30	—	—	—	—	—
Scrotum	2551	120	—	20	—	—	30
Internal reproductive tract structures	256	60	—	—	—	—	—
Testis(testes)	2562	20	—	—	—	—	—
Multiple pelvic region locations	258	280	—	90	—	—	—
Pelvic region, n.e.c.	259	30	—	—	—	—	—
Multiple trunk locations	28	8,350	90	770	330	330	410

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, 2007
— Continued

Part of body	Source of injury or illness ⁴							
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person, injured or ill worker ⁵		Person, other than injured or ill worker		All other sources ^{5,6}
				Total ⁵	Worker motion or position ⁵	Total	Health care patient	
Chest, except internal location of diseases or disorders	3,850	560	2,110	910	800	1,330	820	2,550
Internal chest location, unspecified	—	—	—	50	—	—	—	40
Heart	—	—	—	320	—	—	—	40
Bronchus	—	—	—	80	—	—	—	50
Lung(s), pleura	—	—	—	20	—	—	—	260
Multiple internal chest locations	—	—	—	—	—	—	—	—
Internal chest location, n.e.c.	—	—	—	—	—	—	—	—
Back, including spine, spinal cord	28,620	4,110	15,030	45,490	44,920	27,880	25,160	19,220
Back, including spine, spinal cord, unspecified	12,490	1,910	6,530	18,170	18,040	9,990	8,820	9,110
Lumbar region	11,470	1,970	7,010	24,200	23,800	14,870	13,510	8,780
Thoracic region	1,260	160	840	1,210	1,200	1,570	1,440	790
Sacral region	160	—	50	60	60	140	140	30
Coccygeal region	1,840	—	40	320	320	—	—	70
Multiple back regions	1,290	60	550	1,390	1,390	1,240	1,190	410
Back, including spine, spinal cord, n.e.c.	110	—	—	150	120	50	50	20
Abdomen	870	770	1,290	2,460	2,260	1,260	1,090	3,610
Abdomen, except internal location of diseases or disorders	480	150	520	620	580	960	800	1,210
Internal abdominal location, unspecified	240	180	330	1,040	1,010	120	110	1,130
Stomach organ	—	30	—	80	70	—	—	90
Spleen	—	—	—	—	—	—	—	—
Urinary organs	—	—	—	—	—	—	—	—
Intestines, peritoneum	150	410	360	710	600	170	160	1,120
Intestines, peritoneum, unspecified	150	410	330	570	550	160	150	1,030
Peritoneum	—	—	30	30	30	20	20	70
Large intestine/colon, rectum	—	—	—	100	20	—	—	—
Intestines, n.e.c.	—	—	—	—	—	—	—	—
Internal abdominal location, n.e.c.	—	—	—	—	—	—	—	40
Pelvic region	6,530	560	1,280	2,390	2,370	710	610	1,740
Pelvic region, unspecified	30	—	20	—	—	—	—	30
Hip(s)	5,010	330	660	1,080	1,060	350	290	580
Pelvis	410	—	100	20	20	—	—	110
Buttock(s)	710	—	40	40	40	20	20	120
Groin	230	220	420	1,190	1,190	260	240	860
External reproductive tract structures	—	—	30	—	—	—	—	30
External reproductive tract structures, unspecified ..	—	—	—	—	—	—	—	—
Scrotum	—	—	30	—	—	—	—	—
Internal reproductive tract structures	—	—	—	—	—	20	20	—
Testis(testes)	—	—	—	—	—	—	—	—
Multiple pelvic region locations	100	—	—	40	40	—	—	20
Pelvic region, n.e.c.	—	—	—	—	—	—	—	—
Multiple trunk locations	3,020	170	990	960	950	720	700	570

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, 2007 — Continued

Part of body	Part of body code ²	Private industry ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Trunk, n.e.c.	29	210	40	30	—	—	—
Upper extremities	3	269,240	2,200	24,820	10,270	37,350	38,060
Upper extremities, unspecified	30	520	—	20	50	—	40
Arm(s)	31	54,260	490	6,460	3,070	3,470	7,670
Arm(s), unspecified	310	18,170	280	2,300	1,140	1,500	2,400
Upper arm(s)	311	4,230	20	900	160	230	740
Elbow(s)	312	18,830	—	1,900	1,260	800	1,830
Forearm(s)	313	10,540	190	1,060	470	820	2,470
Multiple arm(s) locations	318	2,090	—	290	50	100	180
Arm(s), n.e.c.	319	410	—	—	—	30	40
Wrist(s)	32	51,620	50	5,120	1,560	1,450	2,580
Hand(s), except finger(s)	33	47,920	1,080	4,420	2,000	6,220	8,440
Finger(s), fingernail(s)	34	101,650	290	7,560	3,090	24,870	17,900
Multiple upper extremities locations	38	13,060	280	1,240	490	1,330	1,430
Multiple upper extremities locations, unspecified	380	220	—	—	—	20	—
Hand(s) and finger(s)	381	4,070	100	300	140	870	650
Hand(s) and wrist(s)	382	3,050	—	310	140	130	240
Hand(s) and arm(s)	383	1,560	140	80	70	170	200
Multiple upper extremities locations, n.e.c.	389	4,170	20	530	140	150	340
Upper extremities, n.e.c.	39	210	—	—	—	—	—
Lower extremities	4	260,580	960	18,300	10,030	8,750	22,680
Lower extremities, unspecified	40	790	20	140	—	—	40
Leg(s)	41	132,280	480	7,590	5,410	3,980	8,570
Leg(s), unspecified	410	17,310	250	1,030	450	770	2,060
Thigh(s)	411	4,610	30	350	160	240	680
Knee(s)	412	94,500	80	4,820	4,170	1,900	4,050
Lower leg(s)	413	11,930	90	1,040	490	710	1,540
Multiple leg(s) locations	418	3,420	—	310	110	330	140
Leg(s), n.e.c.	419	520	20	50	30	20	80
Ankle(s)	42	62,660	60	2,870	1,110	1,070	2,190
Foot(feet), except toe(s)	43	43,970	290	4,990	1,860	2,570	8,130
Foot(feet), except toe(s), unspecified	430	38,870	290	4,460	1,750	2,490	7,320
Instep(s)	431	180	—	30	—	—	20
Sole	432	3,680	—	290	80	40	410
Sole(s), unspecified	4320	470	—	—	—	—	320
Ball(s) of foot	4321	30	—	—	—	—	—
Arch(es)	4322	40	—	—	—	—	—
Heel(s)	4323	3,090	—	280	80	40	60
Multiple sole(s) locations	4328	40	—	—	—	—	—
Multiple foot(feet) locations	438	210	—	30	—	—	30
Foot(feet), n.e.c.	439	1,010	—	190	20	30	360
Toe(s), toenail(s)	44	11,630	20	2,060	1,100	830	3,200
Multiple lower extremities locations	48	9,020	90	640	550	300	550

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, 2007
— Continued

Part of body	Source of injury or illness ⁴							
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person, injured or ill worker ⁵		Person, other than injured or ill worker		All other sources ^{5,6}
				Total ⁵	Worker motion or position ⁵	Total	Health care patient	
Trunk, n.e.c.	60	—	—	30	30	—	—	20
Upper extremities	30,130	35,130	13,430	30,720	30,470	7,010	5,340	40,120
Upper extremities, unspecified	—	60	—	120	120	20	20	170
Arm(s)	10,990	2,150	3,630	4,980	4,920	2,010	1,700	9,350
Arm(s), unspecified	3,120	500	1,190	1,220	1,210	910	730	3,630
Upper arm(s)	660	180	160	300	260	230	210	650
Elbow(s)	5,910	520	1,680	2,370	2,360	440	400	2,110
Forearm(s)	710	900	490	640	640	270	220	2,530
Multiple arm(s) locations	490	40	90	430	430	100	90	310
Arm(s), n.e.c.	90	—	20	30	30	60	60	110
Wrist(s)	12,410	2,090	1,540	18,960	18,930	2,200	1,660	3,670
Hand(s), except finger(s)	3,110	7,240	2,390	1,970	1,940	790	460	10,260
Finger(s), fingernail(s)	1,780	22,960	5,070	2,130	2,030	1,220	880	14,770
Multiple upper extremities locations	1,800	630	760	2,510	2,490	730	590	1,860
Multiple upper extremities locations, unspecified	20	—	30	80	80	—	—	40
Hand(s) and finger(s)	140	370	290	270	260	130	80	830
Hand(s) and wrist(s)	600	150	80	830	820	250	210	290
Hand(s) and arm(s)	200	—	50	220	220	50	40	370
Multiple upper extremities locations, n.e.c.	830	90	320	1,120	1,100	300	260	330
Upper extremities, n.e.c.	30	—	30	40	40	40	30	40
Lower extremities	82,060	4,890	22,890	61,080	60,860	4,490	2,890	24,430
Lower extremities, unspecified	50	—	40	470	470	—	—	30
Leg(s)	44,390	3,070	10,430	33,230	33,080	3,240	2,370	11,920
Leg(s), unspecified	4,280	770	2,510	1,590	1,580	330	250	3,270
Thigh(s)	770	370	500	590	590	130	130	790
Knee(s)	35,800	1,300	5,450	28,690	28,580	2,430	1,720	5,810
Lower leg(s)	2,110	600	1,530	1,870	1,860	160	120	1,790
Multiple leg(s) locations	1,330	—	410	400	400	170	140	200
Leg(s), n.e.c.	110	—	30	80	80	—	—	70
Ankle(s)	24,460	300	3,960	21,310	21,280	520	280	4,790
Foot(feet), except toe(s)	8,390	1,180	5,870	4,740	4,700	630	180	5,300
Foot(feet), except toe(s), unspecified	6,730	1,140	4,920	4,330	4,300	600	160	4,850
Instep(s)	20	—	70	—	—	—	—	—
Sole	1,380	30	770	330	330	—	—	330
Sole(s), unspecified	—	—	—	20	20	—	—	90
Ball(s) of foot	—	—	—	—	—	—	—	—
Arch(es)	—	—	—	20	20	—	—	—
Heel(s)	1,360	—	760	260	260	—	—	240
Multiple sole(s) locations	—	—	—	30	30	—	—	—
Multiple foot(feet) locations	50	—	40	20	20	—	—	40
Foot(feet), n.e.c.	210	—	80	60	50	—	—	70
Toe(s), toenail(s)	910	310	1,530	180	170	40	—	1,440
Multiple lower extremities locations	3,730	40	990	1,130	1,130	50	40	960

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, 2007 — Continued

Part of body	Part of body code ²	Private industry ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Multiple lower extremities locations, unspecified	480	200	—	—	—	—	—
Foot(foot) and leg(s)	481	1,670	50	200	60	40	130
Foot(foot) and ankle(s)	482	2,410	—	140	60	60	90
Foot(foot) and toe(s)	483	970	—	120	170	120	160
Multiple lower extremities locations, n.e.c.	489	3,780	30	170	250	70	150
Lower extremities, n.e.c.	49	220	—	—	—	—	—
Body systems	5	17,710	4,290	90	220	410	890
Multiple body parts	8	120,950	1,790	6,870	3,550	3,290	4,950
Other body parts	9	50	—	—	—	—	—
Prosthetic devices	91	40	—	—	—	—	—
Other body parts, n.e.c.	98	20	—	—	—	—	—
Nonclassifiable	9999	10,280	400	350	210	90	280

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, 2007
— Continued

Part of body	Source of injury or illness ⁴							
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person, injured or ill worker ⁵		Person, other than injured or ill worker		All other sources ^{5,6}
				Total ⁵	Worker motion or position ⁵	Total	Health care patient	
Multiple lower extremities locations, unspecified	60	—	—	40	40	—	—	50
Foot(foot) and leg(s)	700	—	150	90	90	—	—	240
Foot(foot) and ankle(s)	840	—	460	510	510	30	30	190
Foot(foot) and toe(s)	80	20	80	20	20	—	—	190
Multiple lower extremities locations, n.e.c.	2,050	—	290	470	470	20	—	290
Lower extremities, n.e.c.	120	—	60	30	30	—	—	—
Body systems	170	60	230	2,660	170	1,410	60	7,300
Multiple body parts	48,990	830	23,990	8,190	7,990	7,460	5,170	11,040
Other body parts	—	—	—	—	—	—	—	—
Prosthetic devices	—	—	—	—	—	—	—	—
Other body parts, n.e.c.	—	—	—	—	—	—	—	—
Nonclassifiable	1,030	80	840	820	810	390	210	5,790

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Data shown in columns correspond to the following Source codes: Chemicals and chemical products = 00-09; Containers = 10-19; Furniture and fixtures = 20-29; Machinery = 30-39; Parts and materials = 40-49; Person, injured or ill worker = 56; Worker motion or position = 562; Person, other than injured or ill worker = 57; Health care patient = 573; Floors, walkways, or ground surfaces = 62; Handtools = 71-73; Vehicles = 80-89; All other sources = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁵ Selected estimates for this category were affected by the March 2009 revision, see

note below.

⁶ Includes nonclassifiable responses.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

This table was reissued in March 2009 to revise selected estimates within the Mining (NAICS 21) and Railroad Transportation (NAICS 482) industries, and in their respective higher level industry sectors. Characteristic categories affected by the revisions, that appear in this table, are footnoted.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies