

TABLE R93. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and time of day event occurred, 2007

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Total .....		1,158,870	35,830	113,160	343,960	260,580	123,830	64,010	217,480
<b>Head</b> .....	0	78,370	2,440	7,150	22,410	20,440	7,690	4,750	13,500
Head, unspecified .....	00	16,310	580	1,890	4,300	4,130	1,830	1,200	2,380
Cranial region, including skull .....	01	10,120	480	1,040	2,890	2,850	1,300	590	980
Cranial region, unspecified .....	010	180	—	—	60	80	—	—	20
Brain .....	011	6,420	310	490	1,660	1,990	870	430	660
Scalp .....	012	2,820	140	460	980	630	270	100	240
Skull .....	013	540	—	60	100	140	120	50	60
Multiple cranial region locations .....	018	90	—	20	60	—	—	—	—
Cranial region, n.e.c. ....	019	70	—	—	20	—	30	—	—
Ear(s) .....	02	910	40	50	300	270	50	70	130
Face .....	03	50,140	1,330	4,090	14,680	12,940	4,340	2,840	9,920
Face, unspecified .....	030	3,490	190	440	1,050	700	400	160	550
Forehead .....	031	3,160	110	180	750	1,170	410	130	410
Eye(s) .....	032	33,010	810	2,730	9,680	8,100	2,400	1,680	7,600
Nose, nasal cavity .....	033	2,790	70	180	1,080	520	330	100	520
Nose, except internal location of diseases or disorders .....	0330	2,690	70	180	1,050	520	330	100	450
Internal nasal location, unspecified ..	0331	20	—	—	20	—	—	—	—
Nasal passages .....	0333	60	—	—	—	—	—	—	60
Cheek(s) .....	034	830	20	60	220	420	70	—	30
Jaw/chin .....	035	930	—	60	170	230	130	70	270
Mouth .....	036	2,350	50	190	880	560	270	140	270
Mouth, unspecified .....	0360	300	—	40	150	40	—	20	40
Lip(s) .....	0361	540	—	30	120	150	60	50	120
Tooth(teeth) .....	0363	1,290	20	100	520	320	170	50	110
Multiple mouth locations .....	0368	190	—	—	90	40	20	20	—
Mouth, n.e.c. ....	0369	20	—	—	—	—	—	—	—
Multiple face locations .....	038	3,240	60	230	760	1,170	240	540	240
Face, n.e.c. ....	039	350	—	20	90	70	110	20	40
Multiple head locations .....	08	740	20	70	200	190	150	40	80
Head, n.e.c. ....	09	150	—	—	50	60	30	—	—
<b>Neck, including throat</b> .....	1	17,050	520	1,470	5,270	3,470	1,660	880	3,770
Neck, except internal location of diseases or disorders .....	10	16,980	520	1,470	5,250	3,460	1,660	880	3,750
Internal neck location, unspecified .....	11	40	—	—	—	—	—	—	20
Pharynx .....	15	20	—	—	—	—	—	—	—
<b>Trunk</b> .....	2	384,650	13,000	41,390	112,710	79,250	38,070	20,460	79,770
Trunk, unspecified .....	20	2,000	30	140	510	680	250	70	340
Shoulder, including clavicle, scapula .....	21	75,580	2,540	8,190	21,000	15,790	8,260	3,950	15,840
Chest, including ribs, internal organs .....	22	18,580	560	1,620	5,450	4,690	2,120	870	3,250
Chest, except internal location of diseases or disorders .....	220	16,590	500	1,500	4,810	4,430	1,970	820	2,570
Internal chest location, unspecified .....	221	180	—	—	100	20	—	—	40
Heart .....	223	400	20	30	50	110	20	—	150
Bronchus .....	224	160	—	—	50	20	—	—	90
Lung(s), pleura .....	225	1,190	40	70	430	130	120	40	360

See footnotes at end of table.

TABLE R93. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and time of day event occurred, 2007 — Continued

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Multiple internal chest locations .....	228	40	—	—	—	—	—	—	40
Internal chest location, n.e.c. ....	229	20	—	—	—	—	—	—	20
Back, including spine, spinal cord .....	23	235,960	8,380	26,370	70,180	47,750	22,710	12,500	48,070
Back, including spine, spinal cord, unspecified .....	230	96,130	2,520	9,520	29,710	18,710	7,950	3,960	23,760
Lumbar region .....	231	119,350	4,700	14,090	34,580	25,200	12,240	7,230	21,310
Thoracic region .....	232	9,710	400	1,090	3,190	1,790	1,130	750	1,360
Sacral region .....	233	590	60	70	130	140	110	50	30
Coccygeal region .....	234	2,490	90	520	560	530	540	90	170
Multiple back regions .....	238	7,190	610	970	1,850	1,270	710	390	1,380
Back, including spine, spinal cord, n.e.c. ....	239	500	—	110	140	110	40	20	60
Abdomen .....	24	24,720	790	2,080	6,520	4,710	1,720	1,140	7,760
Abdomen, except internal location of diseases or disorders .....	240	6,890	210	730	1,940	1,330	600	400	1,700
Internal abdominal location, unspecified .....	241	8,570	280	530	2,320	1,450	490	290	3,210
Stomach organ .....	242	650	60	40	270	90	80	20	90
Spleen .....	243	70	—	—	—	—	—	—	—
Urinary organs .....	244	20	—	—	—	—	—	—	—
Intestines, peritoneum .....	245	8,420	220	750	1,930	1,820	540	430	2,720
Intestines, peritoneum, unspecified .....	2450	7,760	190	700	1,780	1,690	480	410	2,500
Peritoneum .....	2451	450	—	40	120	110	50	—	120
Large intestine/colon, rectum .....	2453	180	20	—	30	—	—	—	90
Intestines, n.e.c. ....	2459	20	—	—	—	—	—	—	—
Internal abdominal location, n.e.c. ....	249	90	—	20	—	—	—	—	40
Pelvic region .....	25	19,250	510	2,070	6,230	3,970	1,830	1,430	3,210
Pelvic region, unspecified .....	250	240	—	50	60	40	20	30	30
Hip(s) .....	251	9,240	190	960	3,240	1,890	990	820	1,150
Pelvis .....	252	830	—	80	270	290	50	40	90
Buttock(s) .....	253	1,090	50	170	230	230	90	70	260
Groin .....	254	7,310	230	780	2,350	1,260	620	430	1,640
External reproductive tract structures ..	255	180	—	20	40	60	20	—	30
External reproductive tract structures, unspecified .....	2550	30	—	—	—	—	—	—	—
Scrotum .....	2551	120	—	—	30	40	—	—	20
Internal reproductive tract structures ..	256	60	—	—	—	—	30	—	—
Testis(testes) .....	2562	20	—	—	—	—	—	—	—
Multiple pelvic region locations .....	258	280	—	—	50	180	—	—	—
Pelvic region, n.e.c. ....	259	30	—	—	—	—	—	—	—
Multiple trunk locations .....	28	8,350	180	910	2,760	1,650	1,150	490	1,220
Trunk, n.e.c. ....	29	210	—	—	60	—	30	—	80
<b>Upper extremities .....</b>	<b>3</b>	<b>269,240</b>	<b>7,150</b>	<b>24,000</b>	<b>80,670</b>	<b>60,490</b>	<b>29,100</b>	<b>15,170</b>	<b>52,660</b>
Upper extremities, unspecified .....	30	520	—	30	170	190	30	20	80
Arm(s) .....	31	54,260	1,420	5,780	16,330	12,030	5,300	3,000	10,400
Arm(s), unspecified .....	310	18,170	540	1,860	5,580	3,880	2,080	1,050	3,190
Upper arm(s) .....	311	4,230	110	500	1,440	860	450	170	680
Elbow(s) .....	312	18,830	520	2,260	5,360	3,790	1,640	950	4,310
Forearm(s) .....	313	10,540	200	810	3,330	2,880	830	730	1,760

See footnotes at end of table.

TABLE R93. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and time of day event occurred, 2007 — Continued

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Multiple arm(s) locations .....	318	2,090	30	300	520	490	250	80	410
Arm(s), n.e.c. ....	319	410	—	60	100	130	50	20	40
Wrist(s) .....	32	51,620	1,100	4,370	12,020	8,760	4,960	3,080	17,330
Hand(s), except finger(s) .....	33	47,920	1,410	3,900	15,380	10,230	5,790	2,950	8,250
Finger(s), fingernail(s) .....	34	101,650	2,810	8,620	33,260	26,290	11,350	5,410	13,920
Multiple upper extremities locations .....	38	13,060	400	1,270	3,430	2,950	1,640	710	2,650
Multiple upper extremities locations, unspecified .....	380	220	—	—	50	70	30	—	40
Hand(s) and finger(s) .....	381	4,070	90	400	1,180	960	740	230	470
Hand(s) and wrist(s) .....	382	3,050	70	310	660	670	450	220	650
Hand(s) and arm(s) .....	383	1,560	90	130	390	350	80	120	400
Multiple upper extremities locations, n.e.c. ....	389	4,170	150	420	1,150	900	340	130	1,080
Upper extremities, n.e.c. ....	39	210	—	30	80	40	30	—	30
<b>Lower extremities</b> .....	<b>4</b>	<b>260,580</b>	<b>8,140</b>	<b>24,440</b>	<b>80,050</b>	<b>63,310</b>	<b>29,140</b>	<b>14,960</b>	<b>40,530</b>
Lower extremities, unspecified .....	40	790	—	—	540	60	120	20	40
Leg(s) .....	41	132,280	4,040	13,200	39,990	31,670	14,800	7,620	20,960
Leg(s), unspecified .....	410	17,310	550	1,730	4,920	4,910	1,640	870	2,690
Thigh(s) .....	411	4,610	130	420	1,530	1,240	500	270	520
Knee(s) .....	412	94,500	2,910	9,140	28,120	21,600	11,100	5,650	15,980
Lower leg(s) .....	413	11,930	310	1,560	4,300	2,720	1,150	600	1,290
Multiple leg(s) locations .....	418	3,420	140	290	910	1,080	350	210	450
Leg(s), n.e.c. ....	419	520	—	60	210	120	70	20	30
Ankle(s) .....	42	62,660	1,680	5,640	18,670	15,840	7,320	3,530	9,980
Foot(feet), except toe(s) .....	43	43,970	1,730	3,920	13,840	10,820	4,620	2,590	6,430
Foot(feet), except toe(s), unspecified ..	430	38,870	1,550	3,430	12,210	9,390	4,120	2,390	5,780
Instep(s) .....	431	180	40	—	40	60	—	20	—
Sole .....	432	3,680	120	330	1,070	1,180	380	120	490
Sole(s), unspecified .....	4320	470	—	50	190	70	20	20	120
Ball(s) of foot .....	4321	30	—	—	—	—	—	—	—
Arch(es) .....	4322	40	—	—	—	—	—	—	—
Heel(s) .....	4323	3,090	110	240	850	1,090	350	100	360
Multiple sole(s) locations .....	4328	40	—	30	—	—	—	—	—
Multiple foot(feet) locations .....	438	210	—	30	40	50	20	30	30
Foot(feet), n.e.c. ....	439	1,010	—	120	490	140	90	50	120
Toe(s), toenail(s) .....	44	11,630	430	1,060	3,810	2,510	1,220	630	1,970
Multiple lower extremities locations .....	48	9,020	250	610	3,150	2,370	1,000	550	1,080
Multiple lower extremities locations, unspecified .....	480	200	—	—	20	30	60	—	60
Foot(feet) and leg(s) .....	481	1,670	30	30	990	210	190	80	140
Foot(feet) and ankle(s) .....	482	2,410	100	180	720	620	220	200	370
Foot(feet) and toe(s) .....	483	970	20	70	350	230	120	60	110
Multiple lower extremities locations, n.e.c. ....	489	3,780	90	310	1,060	1,290	410	200	400
Lower extremities, n.e.c. ....	49	220	—	—	50	40	70	—	60
<b>Body systems</b> .....	<b>5</b>	<b>17,710</b>	<b>470</b>	<b>870</b>	<b>4,540</b>	<b>3,620</b>	<b>2,290</b>	<b>880</b>	<b>5,040</b>
<b>Multiple body parts</b> .....	<b>8</b>	<b>120,950</b>	<b>3,930</b>	<b>13,240</b>	<b>36,280</b>	<b>28,880</b>	<b>15,210</b>	<b>6,620</b>	<b>16,800</b>

See footnotes at end of table.

TABLE R93. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and time of day event occurred, 2007 — Continued

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
<b>Other body parts</b> .....	9	50	—	—	—	—	—	—	30
Prosthetic devices .....	91	40	—	—	—	—	—	—	—
Other body parts, n.e.c. ....	98	20	—	—	—	—	—	—	—
<b>Nonclassifiable</b> .....	9999	10,280	180	600	2,040	1,120	650	300	5,390

<sup>1</sup> Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

<sup>2</sup> Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

<sup>3</sup> Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies