

AERONAUTICAL DATA SHEET
 NATIONAL GEODETIC SURVEY

DATE GENERATED: 12/24/2002

PROJECT NUMBER: 351
 ARPT IDENTIFIER: ROC
 ARPT NAME: GREATER ROCHESTER INTERNATIONAL AIRPORT
 CITY: ROCHESTER
 STATE: NEW YORK
 ARPT ELEVATION: 558.9
 AIRPORT REFERENCE POINT

SITE NUMBER: 16034.A
 SURVEY DATE: 08/04/2001
 HORIZONTAL DATUM: NAD83
 VERTICAL DATUM: NAVD88
 ATCT FLOOR ELEV: 663.0
 DECLINATION: 11.7W

DISTANCE FROM RWY END: 22+0
 LATITUDE: 430707.9
 LONGITUDE: -774020.6

RUNWAY INFORMATION

RUNWAY: 4/22 LENGTH: 8001 WIDTH: 150 SURFACE TYPE: SPECIALLY PREPARED HARD SURFACE - PAVED

RUNWAY END DATA
 GEODETIC

DISPLACED THRESHOLD DATA

| RWY | LATITUDE | LONGITUDE | ELEV | AZ (N) | TDZE | LENGTH | LATITUDE | LONGITUDE | ELEV |
|-----|-------------|--------------|-------|---------|-------|--------|----------|-----------|------|
| 4 | 430624.7624 | -774115.7585 | 527.3 | 313823 | 535.1 | | | | |
| 22 | 430732.0384 | -774019.1627 | 558.9 | 2113902 | 558.9 | | | | |

PROFILE DATA

DISTANCES FROM APPROACH END 4

DISTANCES FROM APPROACH END 22

| DISTANCE | ELEV |
|----------|-------|
| 0 | 527.3 |
| 3947 | 537.6 |
| 6851 | 554.6 |
| 8001 | 558.9 |

| DISTANCE | ELEV |
|----------|-------|
| 0 | 558.9 |
| 1150 | 554.6 |
| 4054 | 537.6 |
| 8001 | 527.3 |

RUNWAY: 7/25 LENGTH: 4400 WIDTH: 140 SURFACE TYPE: SPECIALLY PREPARED HARD SURFACE - PAVED

RUNWAY END DATA
 GEODETIC

DISPLACED THRESHOLD DATA

| RWY | LATITUDE | LONGITUDE | ELEV | AZ (N) | TDZE | LENGTH | LATITUDE | LONGITUDE | ELEV |
|-----|-------------|--------------|-------|---------|-------|--------|----------|-----------|------|
| 7 | 430656.4650 | -774026.1573 | 534.4 | 634955 | 549.1 | | | | |
| 25 | 430715.6274 | -773932.9108 | 535.7 | 2435031 | 549.1 | | | | |

DISTANCES FROM APPROACH END 7

DISTANCES FROM APPROACH END 25

| DISTANCE | ELEV |
|----------|-------|
| 0 | 534.4 |
| 716 | 543.7 |
| 1531 | 549.1 |
| 3190 | 534.7 |
| 3996 | 536.6 |
| 4400 | 535.7 |

| DISTANCE | ELEV |
|----------|-------|
| 0 | 535.7 |
| 404 | 536.6 |
| 1210 | 534.7 |
| 2869 | 549.1 |
| 3684 | 543.7 |
| 4400 | 534.4 |

RUNWAY: 10/28 LENGTH: 5500 WIDTH: 150 SURFACE TYPE: SPECIALLY PREPARED HARD SURFACE - PAVED

RUNWAY END DATA
GEODETIC

DISPLACED THRESHOLD DATA

| RWY | LATITUDE | LONGITUDE | ELEV | AZ (N) | TDZE | LENGTH | LATITUDE | LONGITUDE | ELEV |
|-----|-------------|--------------|-------|---------|-------|--------|----------|-----------|------|
| 10 | 430722.1247 | -774035.3929 | 554.3 | 873941 | 556.3 | | | | |
| 28 | 430724.3347 | -773921.2967 | 541.3 | 2674031 | 548.2 | | | | |

PROFILE DATA

DISTANCES FROM APPROACH END 10

DISTANCES FROM APPROACH END 28

| DISTANCE | ELEV |
|----------|-------|
| 0 | 554.3 |
| 601 | 554.6 |
| 1531 | 556.0 |
| 3180 | 542.4 |
| 3654 | 540.2 |
| 5500 | 541.3 |

| DISTANCE | ELEV |
|----------|-------|
| 0 | 541.3 |
| 1846 | 540.2 |
| 2320 | 542.4 |
| 3969 | 556.0 |
| 4899 | 554.6 |
| 5500 | 554.3 |

DATE GENERATED: 12/24/2002

PROJECT NUMBER: 351
ARPT IDENTIFIER: ROC
ARPT NAME: GREATER ROCHESTER INTERNATIONAL AIRPORT
CITY: ROCHESTER
STATE: NEW YORK

SITE NUMBER: 16034.A
SURVEY DATE: 08/04/2001
HORIZONTAL DATUM: NAD83
VERTICAL DATUM: NAVD88

NAVIGATIONAL AID INFORMATION

| ELECTRONIC | | LATITUDE | LONGITUDE | ELEV | OFFSET DISTANCE | ALONG CNTRLN DISTANCE |
|------------|---------|-------------|--------------|-------|--------------------|--------------------------|
| ASR | (ROC) | 430714.4343 | -773954.1367 | 544.4 | | |
| GS | (4) | 430635.3788 | -774113.1609 | 525.1 | | |
| GS | (4) PP | 430633.3073 | -774108.5724 | 529.9 | 400L | 1016 |
| GS | (22) | 430725.6773 | -774031.6369 | 547.9 | | |
| GS | (22) PP | 430723.3473 | -774026.4764 | 555.0 | 450R | 1034 |
| GS | (28) | 430720.4429 | -773935.9219 | 538.2 | | |
| GS | (28) PP | 430723.8939 | -773936.1134 | 540.4 | 350L | 1100 |
| IM | (4) | 430616.5633 | -774122.6427 | | | 975 |
| LOC | (4) | 430740.7223 | -774011.8499 | 556.5 | | 1033 |
| LOC | (22) | 430619.0543 | -774120.5618 | 521.2 | | 679 |
| LOC | (28) | 430721.8200 | -774045.5752 | 549.8 | | 756 |
| LOM | (28) | 430735.5374 | -773314.1553 | | | 27252 |
| MM | (4) | 430604.0399 | -774132.3056 | | | 2431 |
| MM | (22) | 430756.1803 | -773958.4919 | | | 2885 |
| NDB | (AVN) | 430035.7069 | -774609.3785 | | | |
| OM | (4) | 430305.2610 | -774406.5000 | | | 23845 |
| OM | (22) | 431219.7959 | -773619.4782 | | | 34124 |
| VORTAC | (ROC) | 430714.6678 | -774024.9656 | 549.4 | | |

| VISUAL | | LATITUDE | LONGITUDE |
|--------|------|-------------|--------------|
| ALS | (4) | | |
| ALS | (22) | | |
| ALS | (28) | | |
| APBN | | 430709.0334 | -774057.5937 |
| REIL | (7) | | |
| REIL | (10) | | |
| VASI | (10) | | |
| VASI | (22) | | |

DATE GENERATED: 12/24/2002

PROJECT NUMBER: 351
ARPT IDENTIFIER: ROC
ARPT NAME: GREATER ROCHESTER INTERNATIONAL AIRPORT
CITY: ROCHESTER
STATE: NEW YORK

SITE NUMBER: 16034.A
SURVEY DATE: 08/04/2001
HORIZONTAL DATUM: NAD83
VERTICAL DATUM: NAVD88

OBSTRUCTION INFORMATION

4 PIR

| OBJECT | LATITUDE | LONGITUDE | A | ELEV | AGL | HAR | HAT | HAA | DEND | DTHR | DCLN | PNTR |
|--------------|-----------|------------|----|------|-----|-----|-----|-----|-------|------|-------|------|
| ROD ON OL GS | 430725.68 | -774031.64 | 1A | 589 | | 62 | 54 | 30 | -6968 | | 450L | 34 |
| OL POLE | 430715.14 | -774025.38 | 1A | 589 | | 62 | 54 | 30 | -6303 | | *505R | 38 |
| BUSH | 430711.23 | -774044.02 | 1A | 553 | | 26 | 18 | -6 | -5240 | | 464L | 8 |
| BUSH | 430705.21 | -774033.66 | 1A | 548 | | 21 | 13 | -11 | -5125 | | *510R | 3 |
| BUSH | 430702.24 | -774049.71 | 1A | 552 | | 25 | 17 | -7 | -4244 | | 346L | 13 |
| OL ON VENT | 430650.88 | -774048.94 | 1A | 537 | | 10 | 2 | -22 | -3295 | | 307R | 2 |
| ROD ON OL GS | 430635.38 | -774113.16 | 1A | 573 | | 46 | 38 | 14 | -1016 | | 400L | 43 |
| TREE | 430623.48 | -774124.03 | 1A | 533 | | 6 | -2 | -26 | 433 | | 454L | 1 |
| TREE | 430618.87 | -774114.52 | 1A | 536 | | 9 | 1 | -23 | 460 | | 391R | 4 |
| OL ON LOC | 430619.05 | -774120.56 | 1A | 529 | | 2 | -6 | -30 | 679 | | 0R | -7 |
| TREE | 430611.61 | -774116.83 | 1A | 578 | | 51 | 43 | 19 | 1176 | | 631R | 31 |
| TREE | 430610.71 | -774138.90 | 1A | 576 | | 49 | 41 | 17 | 2112 | | 715L | 11 |
| TREE | 430559.85 | -774132.10 | 1A | 599 | | 72 | 64 | 40 | 2783 | | 290R | 20 |
| TREE | 430554.47 | -774126.43 | 1A | 621 | | 94 | 86 | 62 | 3026 | | *935R | 37 |
| TREE | 430554.69 | -774128.89 | 1A | 616 | | 89 | 81 | 57 | 3103 | | 767R | 30 |
| TREE | 430555.63 | -774138.05 | 1A | 606 | | 79 | 71 | 47 | 3379 | | 139R | 15 |
| TREE | 430551.00 | -774143.73 | 1A | 615 | | 88 | 80 | 56 | 3998 | | 26R | 12 |
| TREE | 430551.89 | -774154.45 | 1A | 624 | | 97 | 89 | 65 | 4340 | | 698L | 14 |
| TREE | 430547.07 | -774151.15 | 1A | 631 | | 104 | 96 | 72 | 4627 | | 234L | 15 |
| TREE | 430546.99 | -774155.43 | 1A | 626 | | 99 | 91 | 67 | 4800 | | 500L | 7 |

22 PIR

| OBJECT | LATITUDE | LONGITUDE | A | ELEV | AGL | HAR | HAT | HAA | DEND | DTHR | DCLN | PNTR |
|--------------|-----------|------------|----|------|-----|-----|-----|-----|-------|------|-------|------|
| ROD ON OL GS | 430635.38 | -774113.16 | 1A | 573 | | 14 | 14 | 14 | -6985 | | 400R | 43 |
| OL ON VENT | 430650.88 | -774048.94 | 1A | 537 | | -22 | -22 | -22 | -4706 | | 307L | 2 |
| BUSH | 430702.24 | -774049.71 | 1A | 552 | | -7 | -7 | -7 | -3757 | | 346R | 13 |
| BUSH | 430705.21 | -774033.66 | 1A | 548 | | -11 | -11 | -11 | -2876 | | *510L | 3 |

22 PIR (CONTINUED)

| OBJECT | LATITUDE | LONGITUDE | A | ELEV | AGL | HAR | HAT | HAA | DEND | DTHR | DCLN | PNTR |
|--------------|-----------|------------|----|------|-----|-----|-----|-----|-------|------|-------|------|
| BUSH | 430711.23 | -774044.02 | 1A | 553 | | -6 | -6 | -6 | -2761 | | 464R | 8 |
| OL POLE | 430715.14 | -774025.38 | 1A | 589 | | 30 | 30 | 30 | -1698 | | *505L | 38 |
| ROD ON OL GS | 430725.68 | -774031.64 | 1A | 589 | | 30 | 30 | 30 | -1034 | | 450R | 34 |
| OL ON LOC | 430740.72 | -774011.85 | 1A | 563 | | 4 | 4 | 4 | 1033 | | 0R | -12 |
| SIGN | 430744.42 | -774015.14 | 1A | 581 | | 22 | 22 | 22 | 1224 | | 404R | 2 |
| SIGN | 430742.02 | -774007.52 | 1A | 580 | | 21 | 21 | 21 | 1314 | | 205L | -1 |
| LT POLE | 430740.86 | -774001.26 | 1A | 582 | | 23 | 23 | 23 | 1457 | | 661L | -2 |
| LT | 430749.20 | -774008.90 | 1A | 594 | | 35 | 35 | 35 | 1879 | | 264R | 2 |
| TREE | 430752.30 | -774010.54 | 1A | 612 | | 53 | 53 | 53 | 2082 | | 532R | 15 |
| TREE | 430751.28 | -773952.71 | 1A | 602 | | 43 | 43 | 43 | 2688 | | 647L | -6 |
| TREE | 430758.37 | -773947.78 | 1A | 622 | | 63 | 63 | 63 | 3491 | | 582L | -2 |
| SIGN | 430803.81 | -773951.39 | 1A | 622 | | 63 | 63 | 63 | 3819 | | 65L | -9 |
| TK | 430816.52 | -773945.57 | 1A | 640 | | 81 | 81 | 81 | 5141 | | 243R | -17 |

7 BV

| OBJECT | LATITUDE | LONGITUDE | A | ELEV | AGL | HAR | HAT | HAA | DEND | DTHR | DCLN | PNTR |
|----------------|-----------|------------|----|------|-----|-----|-----|-----|------|------|-------|------|
| BUSH | 430655.10 | -774034.75 | 1A | 545 | | 11 | -4 | -14 | 633 | | 157L | -11 |
| ROD ON OL POLE | 430647.65 | -774040.56 | 1A | 592 | | 58 | 43 | 33 | 1352 | | 330R | 0 |
| POLE | 430646.46 | -774042.39 | 1A | 600 | | 66 | 51 | 41 | 1528 | | 378R | -1 |
| OL ON VENT | 430650.88 | -774048.94 | 1A | 537 | | 3 | -12 | -22 | 1766 | | 238L | -75 |
| TREE | 430643.99 | -774113.65 | 1A | 595 | | 61 | 46 | 36 | 3718 | | 421L | -115 |
| ROD ON OL GS | 430635.38 | -774113.16 | 1A | 573 | | 39 | 24 | 14 | 4071 | | 378R | -154 |
| TREE | 430639.03 | -774117.90 | 1A | 611 | | 77 | 62 | 52 | 4223 | | 109L | -124 |
| TREE | 430631.66 | -774122.36 | 1A | 570 | | 36 | 21 | 11 | 4850 | | 415R | -197 |
| POLE | 430627.97 | -774125.24 | 1A | 566 | | 32 | 17 | 7 | 5206 | | *656R | -218 |

25 BV

| OBJECT | LATITUDE | LONGITUDE | A | ELEV | AGL | HAR | HAT | HAA | DEND | DTHR | DCLN | PNTR |
|--------|-----------|------------|----|------|-----|-----|-----|-----|------|------|-------|------|
| TREE | 430728.14 | -773911.51 | 1A | 565 | | 29 | 16 | 6 | 1983 | | *437R | -59 |
| TREE | 430729.26 | -773903.43 | 1A | 597 | | 61 | 48 | 38 | 2571 | | 275R | -57 |
| TREE | 430731.31 | -773902.38 | 1A | 617 | | 81 | 68 | 58 | 2732 | | 427R | -45 |

25 BV (CONTINUED)

| OBJECT | LATITUDE | LONGITUDE | A | ELEV | AGL | HAR | HAT | HAA | DEND | DTHR | DCLN | PNTR |
|--------|-----------|------------|----|------|-----|-----|-----|-----|------|------|------|------|
| TREE | 430732.08 | -773858.19 | 1A | 620 | | 84 | 71 | 61 | 3046 | | 361R | -58 |
| TREE | 430729.97 | -773853.71 | 1A | 598 | | 62 | 49 | 39 | 3250 | | 22R | -90 |
| TREE | 430727.73 | -773850.18 | 1A | 617 | | 81 | 68 | 58 | 3385 | | 297L | -78 |
| TREE | 430733.13 | -773838.39 | 1A | 619 | | 83 | 70 | 60 | 4411 | | 192L | -127 |

10 C

| OBJECT | LATITUDE | LONGITUDE | A | ELEV | AGL | HAR | HAT | HAA | DEND | DTHR | DCLN | PNTR |
|--------------|-----------|------------|----|------|-----|-----|-----|-----|-------|------|-------|------|
| FENCE | 430729.78 | -773920.07 | 1A | 553 | | -1 | -3 | -6 | -5613 | | *548L | 11 |
| OL ON GS | 430720.44 | -773935.92 | 1A | 582 | | 28 | 26 | 23 | -4400 | | 350R | 42 |
| ROD ON OL GS | 430725.68 | -774031.64 | 1A | 589 | | 35 | 33 | 30 | -293 | | 348L | 35 |
| RR | 430727.19 | -774044.14 | 1A | 574 | | 20 | 18 | 15 | 628 | | 539L | 8 |
| TREE | 430716.79 | -774050.06 | 1A | 578 | | 24 | 22 | 19 | 1109 | | 495R | -3 |
| TREE | 430727.86 | -774051.75 | 1A | 614 | | 60 | 58 | 55 | 1188 | | *630L | 31 |
| TREE | 430724.53 | -774052.72 | 1A | 602 | | 48 | 46 | 43 | 1274 | | 296L | 16 |
| TREE | 430726.16 | -774053.70 | 1A | 616 | | 62 | 60 | 57 | 1340 | | 463L | 28 |
| TREE | 430722.66 | -774054.70 | 1A | 609 | | 55 | 53 | 50 | 1429 | | 113L | 19 |
| TREE | 430720.00 | -774057.27 | 1A | 626 | | 72 | 70 | 67 | 1630 | | 148R | 29 |
| TREE | 430718.03 | -774058.69 | 1A | 616 | | 62 | 60 | 57 | 1743 | | 344R | 17 |
| TREE | 430726.01 | -774100.06 | 1A | 632 | | 78 | 76 | 73 | 1812 | | 468L | 30 |
| TREE | 430716.11 | -774100.33 | 1A | 621 | | 67 | 65 | 62 | 1873 | | 533R | 17 |

28 PIR

| OBJECT | LATITUDE | LONGITUDE | A | ELEV | AGL | HAR | HAT | HAA | DEND | DTHR | DCLN | PNTR |
|--------------|-----------|------------|----|------|-----|-----|-----|-----|-------|------|-------|------|
| ROD ON OL GS | 430725.68 | -774031.64 | 1A | 589 | | 48 | 41 | 30 | -5207 | | 348R | 35 |
| OL ON GS | 430720.44 | -773935.92 | 1A | 582 | | 41 | 34 | 23 | -1100 | | 350L | 42 |
| FENCE | 430729.78 | -773920.07 | 1A | 553 | | 12 | 5 | -6 | 113 | | *548R | 11 |
| FENCE | 430728.48 | -773917.30 | 1A | 552 | | 11 | 4 | -7 | 313 | | 407R | 9 |
| TREE | 430728.14 | -773911.51 | 1A | 565 | | 24 | 17 | 6 | 741 | | 355R | 13 |
| FENCE | 430719.44 | -773906.83 | 1A | 550 | | 9 | 2 | -9 | 1052 | | 539L | -9 |
| TREE | 430729.26 | -773903.43 | 1A | 597 | | 56 | 49 | 38 | 1344 | | 445R | 33 |
| TREE | 430731.31 | -773902.38 | 1A | 617 | | 76 | 69 | 58 | 1430 | | 649R | 51 |

28 PIR (CONTINUED)

| OBJECT | LATITUDE | LONGITUDE | A | ELEV | AGL | HAR | HAT | HAA | DEND | DTHR | DCLN | PNTR |
|------------------|-----------|------------|----|------|-----|-----|-----|-----|-------|------|-------|------|
| POLE | 430718.51 | -773900.04 | 1A | 570 | | 29 | 22 | 11 | 1551 | | 653L | 2 |
| TREE | 430732.08 | -773858.19 | 1A | 620 | | 79 | 72 | 61 | 1744 | | 714R | 48 |
| TREE | 430729.97 | -773853.71 | 1A | 598 | | 57 | 50 | 39 | 2067 | | 487R | 20 |
| TREE | 430727.73 | -773850.18 | 1A | 617 | | 76 | 69 | 58 | 2320 | | 250R | 34 |
| TREE | 430733.13 | -773838.39 | 1A | 619 | | 78 | 71 | 60 | 3216 | | 761R | 18 |
| TREE | 430724.56 | -773837.09 | 1A | 616 | | 75 | 68 | 57 | 3277 | | 110L | 13 |
| TREE | 430736.15 | -773823.54 | 1A | 636 | | 95 | 88 | 77 | 4328 | | 1022R | 13 |
| ROD ON BLDG | 430732.07 | -773748.93 | 1A | 675 | | 134 | 127 | 116 | 6877 | | 506R | 1 |
| ANT ON OL STK | 430726.81 | -773743.44 | 1A | 679 | | 138 | 131 | 120 | 7261 | | 43L | -3 |
| FLGPL ON OL DOME | 430742.56 | -773742.45 | 1A | 756 | 213 | 215 | 208 | 197 | 7400 | | 1548R | 71 |
| ANT ON BLDG | 430722.53 | -773714.23 | 1A | 728 | | 187 | 180 | 169 | 9409 | | 562L | 3 |
| ANT ON BLDG | 430724.88 | -773623.53 | 1A | 758 | 237 | 217 | 210 | 199 | 13176 | | 476L | -57 |

ARP HCT

| OBJECT | LATITUDE | LONGITUDE | A | ELEV | AGL | HAA | MAG | BEARING | DISTANCE | PNTR |
|----------------|-----------|------------|----|------|-----|-----|-----|---------|----------|------|
| ANT ON OL BLDG | 430704.20 | -774025.18 | 1A | 577 | | 18 | | 23354 | 506 | -23 |
| VORTAC | 430714.67 | -774024.97 | 1A | 590 | | 31 | | 34624 | 758 | 30 |
| OL POLE | 430715.14 | -774025.38 | 1A | 589 | | 30 | | 34553 | 814 | 37 |
| ANT ON OL POLE | 430702.13 | -774031.47 | 1A | 580 | | 21 | | 24545 | 995 | -8 |
| BUSH | 430705.21 | -774033.66 | 1A | 548 | | -11 | | 26601 | 1006 | 2 |
| ANT ON OL ATCT | 430651.31 | -774012.03 | 1A | 696 | | 137 | | 17058 | 1796 | 56 |
| ROD ON OL ASR | 430714.43 | -773954.14 | 1A | 646 | | 87 | | 8304 | 2071 | 62 |
| OL POLE | 430646.31 | -774038.20 | 1A | 617 | | 58 | | 22232 | 2546 | 5 |
| TREE | 430728.41 | -774041.43 | 1A | 590 | | 31 | | 33503 | 2588 | 11 |
| TREE | 430728.99 | -774040.76 | 1A | 592 | | 33 | | 33641 | 2607 | 5 |
| POLE | 430646.46 | -774042.39 | 1A | 600 | | 41 | | 22822 | 2707 | 0 |
| OL ANT | 430710.05 | -774057.07 | 1A | 631 | | 72 | | 28618 | 2714 | -14 |
| ROD ON LT | 430733.86 | -774001.96 | 1A | 625 | | 66 | | 3926 | 2970 | -2 |
| TREE | 430727.86 | -774051.75 | 1A | 614 | | 55 | | 32253 | 3069 | 30 |
| TREE | 430700.46 | -774102.25 | 1A | 615 | | 56 | | 26760 | 3180 | 1 |
| TREE | 430653.74 | -774104.37 | 1A | 603 | | 44 | | 25753 | 3549 | 23 |
| ANT ON BLDG | 430744.35 | -774023.64 | 1A | 615 | | 56 | | 812 | 3697 | -5 |
| ANT ON BLDG | 430739.50 | -773955.14 | 1A | 643 | | 84 | | 4215 | 3715 | -2 |
| OL HGR | 430709.69 | -773928.92 | 1A | 583 | | 24 | | 9859 | 3837 | -13 |

| ARP | HCT | (CONTINUED) | | | | | | | | | |
|---------------|-----|-------------|------------|----|------|-----|-----|-----|---------|----------|------|
| OBJECT | | LATITUDE | LONGITUDE | A | ELEV | AGL | HAA | MAG | BEARING | DISTANCE | PNTR |
| TREE | | 430643.99 | -774113.65 | 1A | 595 | | 36 | | 25006 | 4620 | 8 |
| FENCE | | 430729.78 | -773920.07 | 1A | 553 | | -6 | | 7525 | 5006 | 5 |
| ROD ON OL GS | | 430635.38 | -774113.16 | 1A | 573 | | 14 | | 24131 | 5103 | -135 |
| TREE | | 430626.18 | -774059.90 | 1A | 595 | | 36 | | 22618 | 5133 | 4 |
| TREE | | 430639.03 | -774117.90 | 1A | 611 | | 52 | | 24711 | 5159 | 25 |
| TREE | | 430737.15 | -773922.90 | 1A | 642 | | 83 | | 6700 | 5204 | -14 |
| TK | | 430735.47 | -773920.63 | 1A | 618 | | 59 | | 6934 | 5251 | -12 |
| VENT ON BLDG | | 430717.94 | -773910.17 | 1A | 560 | | 1 | | 9040 | 5322 | -6 |
| TREE | | 430623.11 | -774102.31 | 1A | 601 | | 42 | | 22600 | 5490 | 11 |
| OL ON BLDG | | 430621.37 | -774105.58 | 1A | 569 | | 10 | | 22700 | 5773 | -5 |
| TREE | | 430631.66 | -774122.36 | 1A | 570 | | 11 | | 24300 | 5870 | 1 |
| POLE | | 430627.97 | -774125.24 | 1A | 566 | | 7 | | 24134 | 6272 | 1 |
| TREE | | 430734.11 | -773901.06 | 1A | 622 | | 63 | | 7728 | 6468 | 22 |
| TREE | | 430609.87 | -774111.57 | 1A | 594 | | 35 | | 22428 | 6987 | -11 |
| TREE | | 430733.13 | -773838.39 | 1A | 619 | | 60 | | 8304 | 8000 | -89 |
| TREE | | 430612.28 | -774139.44 | 1A | 587 | | 28 | | 23747 | 8119 | 15 |
| TREE | | 430554.47 | -774126.43 | 1A | 621 | | 62 | | 22500 | 8895 | 36 |
| OL TK | | 430556.21 | -773841.73 | 2C | 676 | | 117 | | 14623 | 10319 | -32 |
| ANT ON BLDG | | 430510.56 | -774004.73 | 2C | 683 | | 124 | | 18602 | 11939 | -25 |
| ANT ON BLDG | | 430503.68 | -774030.27 | 2C | 674 | | 115 | | 19458 | 12597 | -34 |
| ANT ON BLDG | | 430722.53 | -773714.23 | 1A | 728 | | 169 | | 9533 | 13902 | 20 |
| ANT ON BLDG | | 430650.16 | -773714.69 | 2C | 753 | | 194 | | 10906 | 13906 | 45 |
| ANT OL ON STK | | 430643.55 | -773654.90 | 2A | 779 | 224 | 220 | | 11051 | 15455 | -1 |
| OL TWR | | 430451.94 | -774330.00 | 2A | 934 | 412 | 375 | | 23718 | 19671 | 51 |
| OL TWR | | 430807.35 | -773502.00 | 2A | 1029 | 352 | 470 | | 8722 | 24382 | 30 |
| OL TWR | | 430808.36 | -773501.20 | 2A | 1023 | 353 | 464 | | 8710 | 24465 | 9 |

ADDITIONAL INFORMATION:

AERONAUTICAL DATA IS AVAILABLE ON THE INTERNET AT [HTTP://WWW.NGS.NOAA.GOV](http://www.ngs.noaa.gov).

ADDITIONAL INFORMATION ON DATA STANDARDS CAN BE FOUND IN FAA NO. 405, "STANDARDS FOR AERONAUTICAL SURVEYS AND RELATED PRODUCTS".

AN ASTERISK "*" INDICATES THAT THIS OBJECT IS OUTSIDE, BUT WITHIN 50 FEET, OF THE OBSTRUCTION IDENTIFICATION SURFACE.