

FEDERAL AND STATE ENDANGERED AND THREATENED SPECIES EXPENDITURES

Fiscal Years 2005-2006




TABLE OF CONTENTS

EXECUTIVE SUMMARY	ii
ENDANGERED SPECIES EXPENDITURES FISCAL YEARS 2005-2006	
PURPOSE	1
BACKGROUND.....	1
SECTION 18(1), FEDERAL EXPENDITURES	2
SECTION 18(2), STATE EXPENDITURES	3
SUMMARY OF DATA.....	3
COMPARISON TO PREVIOUS REPORTS	3
Table 1. FY 2005 Reported Expenditures for Endangered and Threatened Species.....	6
FY 2006 Reported Expenditures for Endangered and Threatened Species.....	60
Table 2. Species Ranked in Descending Order of Total FY 2005 Reported Expenditures.....	115
Species Ranked in Descending Order of Total FY 2006 Reported Expenditures.....	148
Table 3. FY 2005 Reported Land Acquisition Expenditures for Endangered and Threatened Species.....	182
FY 2006 Reported Land Acquisition Expenditures for Endangered and Threatened Species.....	188
Table 4. FY 2005 Expenditures Reported by Individual Federal Agencies and the States.....	197
FY 2006 Expenditures Reported by Individual Federal Agencies and the States.....	198
Appendix A. Supplemental Guidance for Reporting Expenditures for the Conservation of Endangered and Threatened Species.....	206
Appendix B. Reports Provided by Other Federal Agencies.....	209
Appendix C. Expenditures Reported by the States for FY 2005.....	378
Expenditures Reported by the States for FY 2006.....	396
Appendix D. Comments from Reporting Agencies on Species Expenditures.....	415
Appendix E. Comments from Reporting Agencies on Other ESA Expenses.....	420

EXECUTIVE SUMMARY

Purpose of the Report

Section 18 of the Endangered Species Act (ESA) of 1973 requires the Secretary of the Interior (working through the Fish and Wildlife Service) to annually report certain expenditures for the conservation of threatened and endangered species. This report presents the reported expenditures for fiscal year 2005 (October 2004 – September 2005) and fiscal year 2006 (October 2005 - September 2006).

Reported Expenditures

All Federal agencies, the States, and U.S. Territories receiving section 6 grant-in-aid funds pursuant to the Act are asked to report expenditures that are reasonably identifiable for specific listed species. Expenditures are identified by listed entity, which may be a species, subspecies, Distinct Population Segment, or Evolutionarily Significant Unit as identified in 50 CFR 17.11 and 17.12. They are reported separately for the Fish and Wildlife Service, the States (including Territories), and in aggregate for all other reporting Federal agencies. The Service and 30 other Federal agencies identified expenditures for the conservation of individual threatened and endangered species. Two additional Federal agencies responded that their expenditures were not reasonably identifiable, and they could not provide data. The data from all Federal agencies are included in Appendix B. Data from the States are included in Appendix C.

In addition, since a significant portion of threatened and endangered species conservation activities are not recorded to specific individual species, we have sought to identify other ESA-related expenditures that cannot be identified to specific individual species. These activities include law enforcement, consultation, recovery coordination, activities benefiting multiple species, and other actions that are not easily identifiable to specific individual species. Accounting procedures by all agencies for most staff salaries, operations, maintenance, and other support services are also included. These costs are compiled as "Other ESA Expenses." Since only a few foreign species are receiving funds from U.S. governmental agencies, expenditures for foreign species also are tabulated as "Other ESA Expenses."

Expenditures Reported for FY 2005 and FY 2006

Total expenditures reported for **FY 2005** were **\$1,462,076,941**, of which **\$1,406,200,840** was reported by Federal agencies and **\$55,876,101** was reported by the States.

Total expenditures reported for **FY 2006** were **\$1,701,555,843**, of which **\$1,647,783,646** was reported by Federal agencies and **\$53,772,197** was reported by the States.

Table 1 reports activity-related expenditures (all expenditures except for land acquisition) that are reasonably identifiable to specific individual species by the Service, other Federal agencies collectively, and the States collectively. "Other ESA Expenses" in each of these categories are shown at the end of this table.

Table 2 displays species-specific activity-related expenditures by species expenditure rank, in descending order.

Table 3 displays land acquisition expenditures, reasonably identifiable to specific individual species by the Service, other Federal agencies collectively, and the States collectively. "Other ESA Expenses" in each category are shown at the end of the table.

Tables 4A - E show total expenditures for species and land acquisition by reporting Federal agency, the Service, and the States collectively. Expenditures for foreign species and “Other ESA Expenses” are included.

Comparing the FY 2005/FY2006 Expenditures Reports to Previous Reports

Due to differences in reporting methods, these reports cannot easily be compared to prior expenditures reports. The year-to-year differences include changes in the number of Federal and State agencies reporting data, changes in how expenditures are calculated, changes in the agencies’ abilities to track expenditures, and changes in the number of listed species. Therefore, real dollar increases or decreases cannot accurately be calculated or inferred from the overall or individual totals.

ENDANGERED SPECIES EXPENDITURES FISCAL YEARS 2005 - 2006

PURPOSE

The Endangered Species Act of 1973 (16 U.S.C. 1531 *et seq.*) was reauthorized and amended on October 7, 1988, under Public Law 100-478. A new section 18 was added to the Act that requires the Fish and Wildlife Service (Service) on behalf of the Secretary of the Interior to report on certain expenditures on a species-by-species basis. The section reads:

SEC. 18. On or before January 15, 1990, and each January 15 thereafter, the Secretary of the Interior, acting through the Fish and Wildlife Service, shall submit to the Congress an annual report covering the preceding fiscal year which shall contain

- (1) the accounting on a species-by-species basis of all reasonably identifiable Federal expenditures made primarily for the conservation of endangered or threatened species pursuant to this Act; and
- (2) an accounting on a species-by-species basis of all reasonably identifiable expenditures made primarily for the conservation of endangered or threatened species pursuant to this Act by States receiving grants under section 6.

This document constitutes the 17th report by the Service pursuant to the requirements of section 18 of the Act. The report covers fiscal years 2005 and 2006 (October 2004 - September 2006), although some States may be reporting for a different fiscal year period (without duplicating a previous year's reported data).

The term "State" as used in this report is defined in section 3(17) of the Act to mean any of the several States, the District of Columbia, the Commonwealth of Puerto Rico, American Samoa, the Virgin Islands, Guam, and the Trust Territory of the Pacific Islands.

The term "conservation," as defined in section 3(3) of the Act, means the use of all methods and procedures necessary to bring any endangered or threatened species to the point where the measures provided for by the Act are no longer necessary--including, but not limited to, research, census, law enforcement, habitat acquisition and maintenance, propagation, live trapping, and transplantation. For the purposes of this report, the definition of conservation is further expanded to include any and all actions taken by Federal and State agencies on behalf of threatened or endangered species listed pursuant to the Act.

BACKGROUND

At the time the reporting requirement was enacted by Congress, the Service determined that a good faith effort was expected to develop methods to track and obtain data that are "reasonably identifiable." No extensive or extraordinary measures to develop exceptionally precise data were sought, nor were the reporting agencies expected to prorate staff salaries and other normal operational and maintenance costs not directed toward a particular species. The expenditures reported in this and the preceding reports do not necessarily constitute all expenditures made for each species.

This report represents a compilation of reasonably identifiable expenditures for the conservation of listed species reported independently by the various Federal and State agencies. Expenditures for FY 2005 are reported for 1,317 threatened and endangered species of the 1,342 species that were listed under United States jurisdiction in 50 CFR Part 17 as of September 30, 2005; expenditures for FY 2006 are reported for 1,321 threatened and endangered species of the 1,359 species that were listed as of September 30, 2006 (Tables 1 and 3). Expenditures are identified by listed entity, which may be a

species¹, subspecies², Distinct Population Segment (DPS)³, or Evolutionarily Significant Unit (ESU)⁴, as identified in 50 CFR 17.11 and 17.12. They are reported separately for the Service and in aggregate for all other Federal agencies and the States (Tables 1 and 3).

Beginning with the FY 2001 report, we sought to more fully identify expenditures related to the conservation of listed species. We did this by reporting for the Service, and asking other Federal agencies and States to report expenditures that can be reasonably identified to a specific listed species (as in the past) as well as those expenditures that can be reasonably assigned to other Act-related work, but not to individual species. We believe this provides a more accurate report of expenditures related to the Act.

Also beginning with the FY 2001 report, the Service requested that all reporting agencies submit their data directly into a Web-based data entry system to ensure accuracy, consistency, and efficiency. At the time of submission, the reporting agencies certify that their information is accurate and has been approved by the head of their agency. The information provided in this report pursuant to section 18 of the Endangered Species Act is presented as it was submitted by these agencies.

Expenditures for candidate species or other species not listed in 50 CFR Part 17 as of the end of each fiscal year are not included in this report. In addition, other types of expenses, such as those for litigation, generally are not reported and are not included.

SECTION 18(1), FEDERAL EXPENDITURES

Expenditures Reported by the Fish and Wildlife Service

The Service's operational categories of expenditures include fisheries, refuges, land acquisition, law enforcement, research, and regional and field office operations for listing, recovery, consultation, migratory birds, and grants. All reasonably identifiable expenditures that could be attributed to individual species within these activities have been included.

The Federal assistance portion under section 6 of the Act for each species is included in the FWS Total in Table 1. The State share for each species for which a Federal contribution was made is included in the States Total column of Table 1.

A significant portion of the Service's funds for consultations, listing, and recovery are incorporated into salaries, operations, and maintenance costs. As a result, they are not reasonably identifiable to specific species. Previously, only salary, operation, and maintenance costs toward individual species coordinators (e.g., whooping crane, red wolf, grizzly bear, sea turtle) were included in the reports. With the addition of the "Other ESA Expenses" category, salaries, operations, and maintenance costs are included if they contributed to the conservation of listed species, but cannot be attributed to an individual species.

Expenditures Reported by other Federal Agencies

The Director of the Service sends a request to other Federal agencies identified as likely to have species-specific expenditures under the Act to report for each fiscal year. The Service provides guidance identifying what constitutes reasonably identifiable expenditures and how these are to be reported

¹ **Species** For purposes of the Endangered Species Act, this term includes any species or subspecies of fish or wildlife or plants, and any Distinct Population Segment of any species of vertebrate fish or wildlife that interbreeds when mature.

² **Subspecies** A taxonomic rank below that of species, usually recognizing individuals that have certain heritable characteristics distinct from other subspecies of a species.

³ **Distinct Population Segment** A subdivision of a vertebrate species that is treated as a species for purposes of listing under the Endangered Species Act.

⁴ **Evolutionarily Significant Unit** A Pacific salmonid stock that is substantially reproductively isolated from other stocks of the same species and which represents an important part of the evolutionary legacy of the species; functionally equivalent to DPS for the purpose of listing under ESA.

(Appendix A). Results from all responding Federal agencies are included in Appendix B. The data identified by those responding Federal agencies for individual species have been tabulated in the "Other Fed" columns of this report (Tables 1 and 3). Agency expenses that could not be reasonably assigned to a specific species are summarized in Appendix E.

SECTION 18(2), STATE EXPENDITURES

The assistance of the Association of Fish and Wildlife Agencies is sought by the Service to help coordinate the reporting of reasonably identifiable expenditures made by the States. States report their data by species directly to the Service. Collective results from all responding State agencies are included in Appendix C.

SUMMARY OF DATA

Table 1 reports the activity-related expenditures that are reasonably identifiable to specific individual species as well as "Other ESA Expenses" by the Service, other Federal agencies collectively, and the States collectively. Expenditures for land acquisitions are not included in this tabulation or used in the ranking. Species are grouped in the same general order as they appear in 50 CFR Part 17. Table 1 also provides the rank for each species from Table 2.

Table 2 ranks each species in descending order by the species total from Table 1. A cumulative total of the activity-related, species-specific expenditures is also provided.

Table 3 displays land acquisition expenditures, reasonably identifiable to specific individual species, by the Service, other Federal agencies collectively, and the States collectively. "Other ESA Expenses" in each category are shown at the end of the table. Table 3 also provides the rank for land expenditures by species.

Tables 4A - E show total expenditures for species and land acquisition by reporting Federal agency, the Service, and the States collectively. Expenditures for foreign species and "Other ESA Expenses" are included.

Total expenditures reported for **FY 2005** were **\$1,462,076,941**, of which **\$1,406,200,840** was reported by Federal agencies and **\$55,876,101** was reported by the States.

Total expenditures reported for **FY 2006** were **\$1,701,555,843**, of which **\$1,647,783,646** was reported by Federal agencies and **\$53,772,197** was reported by the States.

COMPARISON TO PREVIOUS REPORTS

A good faith effort is made to develop species-by-species expenditures for these reports, but as the Service, States, and other Federal agencies carry out actions and planning efforts that benefit multi-species, dividing costs by the particular species benefiting from these conservation activities becomes more difficult. In FY 2001, we began collecting data on costs that could not be attributed to a particular species. This category of "Other ESA Expenses" includes expenditures for projects that conserved many species and costs associated with general listed species issues, law enforcement, consultations, recovery coordination, operations, maintenance, or other support services. This category also includes forgone revenues reported by the Bonneville Power Administration, which are tracked with respect to water flows and electrical power generation costs. The total for this category is higher than for any costs reported for an individual species.

Over the years, these reports have been refined as our experience in planning and coordinating with the reporting agencies to track such expenditures has improved. Therefore, due to differences in reporting methods, this report cannot be easily compared to prior expenditures reports. These year-to-year differences include changes in reporting methods, changes in how expenditures are calculated, and changes in the Federal and State agencies' abilities to track expenditures. Thus, real dollar increases or decreases cannot accurately be calculated or inferred from the overall or individual totals.

TABLE 1. FY 2005 and FY2006 REPORTED EXPENDITURES FOR ENDANGERED AND THREATENED SPECIES

The list of species in Table 1 essentially follows the taxonomic and nomenclatural conventions used in 50 CFR Part 17 for the identification and sequence of species' names. For ease of reference, the alphabetized, inverted common name is provided within each group (usually Class) of animals and plants. Thus, the gray bat is found with other bats under "Bat, gray" within mammals, and Tar River spiny mussel is found under "Spiny mussel, Tar River" within the clams. Groups of animals follow the sequence: Mammals, Birds, Reptiles, Amphibians, Fishes, and Invertebrates, which include Clams, Snails, Insects, Arachnids, and Crustaceans. Groups of plants follow the sequence: Flowering Plants, Conifers, Ferns, and Lichens.

For additional information about the names, historical range, or status of an endangered or threatened species, the species can be found in 50 CFR 17.11 (wildlife) or 17.12 (plants), or through our Web site at <http://www.fws.gov/endangered>. The STATUS column indicates whether the species is endangered (E), threatened (T), experimental (EXPN), or threatened by similarity of appearance (SAT).

Service activity-related expenditures (FWS Total) and other Federal agency activity-related expenditures (Other Fed) are totaled in the "Fed Total" column. The States Total is the amount reported to the Service directly by the States. None of these reported totals includes costs for land acquisition. (See Table 3 for reported land acquisition expenditures.)

The RANK is from Table 2 and indicates each species' rank by identifiable expenditures, where #1 is the highest expenditure.

Activity-related expenditures that are not attributable to a species are tabulated at the end of Table 1 under "Other ESA Expenses."

TABLE 1. FY 2005 REPORTED EXPENDITURES FOR ENDANGERED AND THREATENED SPECIES, NOT INCLUDING LAND ACQUISITION COSTS

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	Mammals						
89	Bat, gray (<i>Myotis grisescens</i>)	E	\$226,510	\$1,256,297	\$1,482,807	\$37,060	\$1,519,867
146	Bat, Hawaiian hoary (<i>Lasiurus cinereus semotus</i>)	E	\$233,139	\$324,958	\$558,097	\$0	\$558,097
14	Bat, Indiana (<i>Myotis sodalis</i>)	E	\$1,266,216	\$12,637,615	\$13,903,831	\$203,291	\$14,107,122
163	Bat, lesser long-nosed (<i>Leptonycteris curasoae yerbabuena</i>)	E	\$50,000	\$409,700	\$459,700	\$16,000	\$475,700
1030	Bat, little Mariana fruit (<i>Pteropus tokudae</i>)	E	\$964	\$0	\$964	\$0	\$964
85	Bat, Mariana fruit (=Mariana flying fox) (<i>Pteropus mariannus mariannus</i>) entire	T	\$94,744	\$1,635,000	\$1,729,744	\$0	\$1,729,744
355	Bat, Mexican long-nosed (<i>Leptonycteris nivalis</i>)	E	\$7,500	\$84,800	\$92,300	\$5,195	\$97,495
384	Bat, Ozark big-eared (<i>Corynorhinus (=Plecotus) townsendii ingens</i>)	E	\$69,500	\$3,800	\$73,300	\$11,400	\$84,700
220	Bat, Virginia big-eared (<i>Corynorhinus (=Plecotus) townsendii virginianus</i>)	E	\$35,500	\$234,090	\$269,590	\$7,751	\$277,341
397	Bear, American black (<i>Ursus americanus</i>) County range of LA b.bear	SAT	\$21,500	\$35,000	\$56,500	\$22,655	\$79,155
42	Bear, grizzly (<i>Ursus arctos horribilis</i>) lower 48 States, except where listed as an experimental population or delisted	T	\$522,329	\$3,422,075	\$3,944,404	\$1,265,027	\$5,209,431
298	Bear, grizzly (<i>Ursus arctos horribilis</i>) experimental, non-essential, portions of ID and MT	EXPN	\$74,113	\$66,300	\$140,413	\$0	\$140,413
77	Bear, Louisiana black (<i>Ursus americanus luteolus</i>)	T	\$440,500	\$1,556,627	\$1,997,127	\$30,113	\$2,027,240
323	Caribou, woodland (<i>Rangifer tarandus caribou</i>) Selkirk Mountain population	E	\$93,103	\$22,515	\$115,618	\$5,000	\$120,618
148	Deer, Columbian white-tailed (<i>Odocoileus virginianus leucurus</i>) Columbia River DPS	E	\$352,372	\$180,947	\$533,319	\$7,050	\$540,369
264	Deer, key (<i>Odocoileus virginianus clavium</i>)	E	\$162,000	\$7,500	\$169,500	\$0	\$169,500
93	Ferret, black-footed (<i>Mustela nigripes</i>) entire population, except where EXPN	E	\$9,000	\$791,246	\$800,246	\$620,552	\$1,420,798
70	Ferret, black-footed (<i>Mustela nigripes</i>) U.S.A. (specific portions of AZ, CO, MT, SD, UT, and WY)	EXPN	\$591,961	\$1,748,787	\$2,340,748	\$112,441	\$2,453,189

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
78	Fox, San Joaquin kit (<i>Vulpes macrotis mutica</i>)	E	\$275,477	\$1,680,500	\$1,955,977	\$12,000	\$1,967,977
170	Fox, San Miguel Island (<i>Urocyon littoralis littoralis</i>)	E	\$61,413	\$375,000	\$436,413	\$0	\$436,413
450	Fox, Santa Catalina Island (<i>Urocyon littoralis catalinae</i>)	E	\$61,413	\$0	\$61,413	\$0	\$61,413
268	Fox, Santa Cruz Island (<i>Urocyon littoralis santacruzae</i>)	E	\$61,413	\$100,000	\$161,413	\$4,000	\$165,413
171	Fox, Santa Rosa Island (<i>Urocyon littoralis santarosae</i>)	E	\$59,313	\$375,000	\$434,313	\$0	\$434,313
420	Jaguar (<i>Panthera onca</i>)	E	\$15,000	\$46,394	\$61,394	\$10,000	\$71,394
376	Jaguarundi, Gulf Coast (<i>Herpailurus (=Felis) yagouaroundi cacomitli</i>)	E	\$45,100	\$37,440	\$82,540	\$4,300	\$86,840
263	Kangaroo rat, Fresno (<i>Dipodomys nitratoides exilis</i>)	E	\$8,720	\$160,300	\$169,020	\$1,000	\$170,020
281	Kangaroo rat, giant (<i>Dipodomys ingens</i>)	E	\$26,756	\$108,700	\$135,456	\$12,000	\$147,456
938	Kangaroo rat, Morro Bay (<i>Dipodomys heermanni morroensis</i>)	E	\$1,675	\$2,500	\$4,175	\$500	\$4,675
229	Kangaroo rat, San Bernardino Merriam's (<i>Dipodomys merriami parvus</i>)	E	\$17,400	\$217,000	\$234,400	\$2,000	\$236,400
367	Kangaroo rat, Stephens' (<i>Dipodomys stephensi (incl. D. cascus)</i>)	E	\$20,615	\$66,442	\$87,057	\$4,000	\$91,057
235	Kangaroo rat, Tipton (<i>Dipodomys nitratoides nitratoides</i>)	E	\$50,822	\$138,800	\$189,622	\$30,000	\$219,622
64	Lynx, Canada (<i>Lynx canadensis</i>) lower 48 States DPS	T	\$657,592	\$1,311,490	\$1,969,082	\$826,939	\$2,796,021
45	Manatee, West Indian (<i>Trichechus manatus</i>)	E	\$2,098,000	\$2,451,646	\$4,549,646	\$4,570	\$4,554,216
273	Mountain beaver, Point Arena (<i>Aplodontia rufa nigra</i>)	E	\$97,739	\$54,000	\$151,739	\$7,500	\$159,239
106	Mouse, Alabama beach (<i>Peromyscus polionotus ammobates</i>)	E	\$1,078,500	\$10,800	\$1,089,300	\$0	\$1,089,300
518	Mouse, Anastasia Island beach (<i>Peromyscus polionotus phasma</i>)	E	\$38,100	\$4,246	\$42,346	\$0	\$42,346
272	Mouse, Choctawhatchee beach (<i>Peromyscus polionotus allophrys</i>)	E	\$139,000	\$20,546	\$159,546	\$0	\$159,546
758	Mouse, Key Largo cotton (<i>Peromyscus gossypinus allapaticola</i>)	E	\$11,500	\$2,100	\$13,600	\$0	\$13,600
181	Mouse, Pacific pocket (<i>Perognathus longimembris pacificus</i>)	E	\$362,260	\$31,846	\$394,106	\$2,000	\$396,106
215	Mouse, Perdido Key beach (<i>Peromyscus polionotus trissyllepsis</i>)	E	\$254,500	\$36,646	\$291,146	\$0	\$291,146
123	Mouse, Preble's meadow jumping (<i>Zapus hudsonius preblei</i>)	T	\$351,770	\$424,424	\$776,194	\$10,317	\$786,511

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	Colorado						
218	Mouse, salt marsh harvest (<i>Reithrodontomys raviventris</i>)	E	\$86,154	\$150,904	\$237,058	\$45,000	\$282,058
439	Mouse, southeastern beach (<i>Peromyscus polionotus niveiventris</i>)	T	\$58,000	\$7,548	\$65,548	\$0	\$65,548
217	Mouse, St. Andrew beach (<i>Peromyscus polionotus peninsularis</i>)	E	\$265,500	\$17,000	\$282,500	\$0	\$282,500
289	Ocelot (<i>Leopardus (=Felis) pardalis</i>)	E	\$92,500	\$42,840	\$135,340	\$8,195	\$143,535
124	Otter, Northern Sea (<i>Enhydra lutris kenyonii</i>) southwest Alaska DPS	T	\$783,711	\$0	\$783,711	\$0	\$783,711
372	Otter, southern sea (<i>Enhydra lutris nereis</i>) south of Pt. Conception, CA	EXPN	\$13,699	\$300	\$13,999	\$75,000	\$88,999
116	Otter, southern sea (<i>Enhydra lutris nereis</i>) except where EXPN	T	\$347,265	\$566,960	\$914,225	\$0	\$914,225
97	Panther, Florida (<i>Puma (=Felis) concolor coryi</i>)	E	\$444,000	\$916,106	\$1,360,106	\$0	\$1,360,106
183	Prairie dog, Utah (<i>Cynomys parvidens</i>)	T	\$85,000	\$295,000	\$380,000	\$0	\$380,000
104	Pronghorn, Sonoran (<i>Antilocapra americana sonoriensis</i>)	E	\$78,000	\$851,215	\$929,215	\$207,000	\$1,136,215
573	Puma (=cougar), eastern (<i>Puma (=Felis) concolor cougar</i>)	E	\$1,375	\$30,284	\$31,659	\$1,690	\$33,349
1052	Puma (=mountain lion) (<i>Puma (=Felis) concolor (all subsp. except coryi)</i>) FL	SAT	\$0	\$100	\$100	\$0	\$100
431	Rabbit, Lower Keys marsh (<i>Sylvilagus palustris hefneri</i>)	E	\$65,000	\$2,850	\$67,850	\$0	\$67,850
117	Rabbit, pygmy (<i>Brachylagus idahoensis</i>) Columbia Basin DPS	E	\$314,894	\$496,822	\$811,716	\$86,000	\$897,716
142	Rabbit, riparian brush (<i>Sylvilagus bachmani riparius</i>)	E	\$27,805	\$538,000	\$565,805	\$10,000	\$575,805
746	Rice rat (<i>Oryzomys palustris natator</i>) lower FL Keys	E	\$12,400	\$2,100	\$14,500	\$0	\$14,500
31	Sea-lion, Steller (<i>Eumetopias jubatus</i>) eastern pop.	T	\$0	\$7,488,259	\$7,488,259	\$35,700	\$7,523,959
9	Sea-lion, Steller (<i>Eumetopias jubatus</i>) western pop.	E	\$0	\$25,255,709	\$25,255,709	\$560	\$25,256,269
1041	Seal, Guadalupe fur (<i>Arctocephalus townsendi</i>)	T	\$0	\$566	\$566	\$0	\$566
71	Seal, Hawaiian monk (<i>Monachus schauinslandi</i>)	E	\$140	\$2,265,914	\$2,266,054	\$0	\$2,266,054
136	Sheep, bighorn (<i>Ovis canadensis</i>) Peninsular CA pop.	E	\$200,020	\$329,174	\$529,194	\$100,000	\$629,194

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
167	Sheep, Sierra Nevada bighorn (<i>Ovis canadensis sierrae</i>) Sierra Nevada	E	\$371,056	\$5,700	\$376,756	\$75,000	\$451,756
297	Shrew, Buena Vista Lake ornate (<i>Sorex ornatus relictus</i>)	E	\$54,209	\$86,000	\$140,209	\$500	\$140,709
357	Squirrel, Carolina northern flying (<i>Glaucomys sabrinus coloratus</i>)	E	\$4,500	\$86,500	\$91,000	\$4,200	\$95,200
1016	Squirrel, Delmarva Peninsula fox (<i>Sciurus niger cinereus</i>) U.S.A. (DE, Sussex Co.)	EXPN	\$0	\$1,500	\$1,500	\$0	\$1,500
186	Squirrel, Delmarva Peninsula fox (<i>Sciurus niger cinereus</i>) Entire, except Sussex Co., DE	E	\$165,549	\$172,522	\$338,071	\$34,750	\$372,821
216	Squirrel, Mount Graham red (<i>Tamiasciurus hudsonicus grahamensis</i>)	E	\$89,000	\$184,000	\$273,000	\$12,000	\$285,000
232	Squirrel, northern Idaho ground (<i>Spermophilus brunneus brunneus</i>)	T	\$210,610	\$6,470	\$217,080	\$14,800	\$231,880
346	Squirrel, Virginia northern flying (<i>Glaucomys sabrinus fuscus</i>)	E	\$82,000	\$0	\$82,000	\$20,042	\$102,042
517	Vole, Amargosa (<i>Microtus californicus scirpensis</i>)	E	\$39,425	\$3,000	\$42,425	\$0	\$42,425
566	Vole, Florida salt marsh (<i>Microtus pennsylvanicus dukecampbelli</i>)	E	\$30,000	\$4,200	\$34,200	\$0	\$34,200
754	Vole, Hualapai Mexican (<i>Microtus mexicanus hualpaiensis</i>)	E	\$7,000	\$7,000	\$14,000	\$0	\$14,000
379	Whale, blue (<i>Balaenoptera musculus</i>)	E	\$0	\$47,356	\$47,356	\$37,917	\$85,273
98	Whale, bowhead (<i>Balaena mysticetus</i>)	E	\$0	\$1,356,735	\$1,356,735	\$0	\$1,356,735
370	Whale, finback (<i>Balaenoptera physalus</i>)	E	\$200	\$51,698	\$51,898	\$38,417	\$90,315
66	Whale, humpback (<i>Megaptera novaeangliae</i>)	E	\$0	\$2,602,889	\$2,602,889	\$40,417	\$2,643,306
17	Whale, right (<i>Balaena glacialis</i> (incl. <i>australis</i>))	E	\$200	\$12,770,151	\$12,770,351	\$46,417	\$12,816,768
378	Whale, Sei (<i>Balaenoptera borealis</i>)	E	\$0	\$47,956	\$47,956	\$37,917	\$85,873
69	Whale, sperm (<i>Physeter catodon</i> (=macrocephalus))	E	\$5,200	\$2,434,756	\$2,439,956	\$37,917	\$2,477,873
63	Wolf, gray (<i>Canis lupus</i>) Lower 48 States, except where delisted and where EXPN. Mexico.	E	\$332,030	\$2,010,314	\$2,342,344	\$469,886	\$2,812,230
84	Wolf, gray (<i>Canis lupus</i>) WY, ID, MT	EXPN	\$1,363,031	\$303,927	\$1,666,958	\$126,572	\$1,793,530
213	Wolf, gray (<i>Canis lupus</i>) MN	T	\$124,900	\$163,875	\$288,775	\$7,473	\$296,248
91	Wolf, gray (<i>Canis lupus</i>) Mexican gray wolf, EXPN population	EXPN	\$1,315,600	\$15,100	\$1,330,700	\$143,611	\$1,474,311
165	Wolf, red (<i>Canis rufus</i>) except where EXPN	E	\$458,800	\$2,400	\$461,200	\$645	\$461,845

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
141	Wolf, red (<i>Canis rufus</i>) U.S.A. (portions of NC and TN)	EXPN	\$593,000	\$1,100	\$594,100	\$0	\$594,100
280	Woodrat, Key Largo (<i>Neotoma floridana smalli</i>)	E	\$128,000	\$19,800	\$147,800	\$0	\$147,800
380	Woodrat, riparian (=San Joaquin Valley) (<i>Neotoma fuscipes riparia</i>)	E	\$12,045	\$72,000	\$84,045	\$1,000	\$85,045
	Mammals Subtotal		\$18,306,847	\$93,787,677	\$112,094,524	\$4,993,287	\$117,087,811
	Birds						
94	Akepa, Hawaii (honeycreeper) (<i>Loxops coccineus coccineus</i>)	E	\$241,429	\$1,177,602	\$1,419,031	\$0	\$1,419,031
428	Akepa, Maui (honeycreeper) (<i>Loxops coccineus ochraceus</i>)	E	\$66,836	\$2,000	\$68,836	\$0	\$68,836
1010	Akialoa, Kauai (honeycreeper) (<i>Hemignathus procerus</i>)	E	\$1,750	\$0	\$1,750	\$0	\$1,750
189	Akiapola`au (honeycreeper) (<i>Hemignathus munroi</i>)	E	\$238,450	\$127,500	\$365,950	\$0	\$365,950
109	Albatross, short-tailed (<i>Phoebastria (=Diomedea) albatrus</i>)	E	\$997,965	\$9,240	\$1,007,205	\$0	\$1,007,205
238	Blackbird, yellow-shouldered (<i>Agelaius xanthomus</i>)	E	\$169,000	\$0	\$169,000	\$48,800	\$217,800
730	Bobwhite, masked (quail) (<i>Colinus virginianus ridgwayi</i>)	E	\$16,000	\$0	\$16,000	\$500	\$16,500
231	Caracara, Audubon's crested (<i>Polyborus plancus audubonii</i>) FL pop.	T	\$41,500	\$191,800	\$233,300	\$0	\$233,300
331	Condor, California (<i>Gymnogyps californianus</i>) U.S.A. (specific portions of Arizona, Nevada, and Utah)	EXPN	\$67,260	\$45,150	\$112,410	\$0	\$112,410
126	Condor, California (<i>Gymnogyps californianus</i>) U.S.A. only	E	\$68,771	\$442,218	\$510,989	\$222,000	\$732,989
164	Coot, Hawaiian (<i>Fulica americana alai</i>)	E	\$43,495	\$431,258	\$474,753	\$0	\$474,753
150	Crane, Mississippi sandhill (<i>Grus canadensis pulla</i>)	E	\$472,000	\$64,962	\$536,962	\$0	\$536,962
169	Crane, whooping (<i>Grus americana</i>) U.S.A.(AL, AR, GA, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, OH, SC, TN, VA, WI, WV)	EXPN	\$434,900	\$2,400	\$437,300	\$1,345	\$438,645
88	Crane, whooping (<i>Grus americana</i>) except where EXPN	E	\$61,500	\$1,517,687	\$1,579,187	\$18,298	\$1,597,485
233	Crane, whooping (<i>Grus americana</i>) U.S.A. (CO, ID, FL, NM, UT, and the western half of Wyoming)	EXPN	\$229,776	\$1,279	\$231,055	\$0	\$231,055
188	Creepers, Hawaii (<i>Oreomystis mana</i>)	E	\$229,416	\$137,184	\$366,600	\$0	\$366,600

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
1010	Creeper, Molokai (<i>Paroreomyza flammea</i>)	E	\$1,750	\$0	\$1,750	\$0	\$1,750
328	Creeper, Oahu (<i>Paroreomyza maculata</i>)	E	\$118,140	\$0	\$118,140	\$0	\$118,140
143	Crow, Hawaiian (=alala) (<i>Corvus hawaiiensis</i>)	E	\$561,772	\$9,808	\$571,580	\$0	\$571,580
73	Crow, Mariana (=aga) (<i>Corvus kubaryi</i>)	E	\$301,716	\$1,852,476	\$2,154,192	\$0	\$2,154,192
1044	Crow, white-necked (<i>Corvus leucognaphalus</i>)	E	\$500	\$0	\$500	\$0	\$500
916	Curlew, Eskimo (<i>Numenius borealis</i>)	E	\$0	\$1,100	\$1,100	\$4,300	\$5,400
173	Duck, Hawaiian (=koloa) (<i>Anas wyvilliana</i>)	E	\$40,041	\$389,976	\$430,017	\$0	\$430,017
255	Duck, Laysan (<i>Anas laysanensis</i>)	E	\$77,903	\$107,017	\$184,920	\$0	\$184,920
15	Eagle, bald (<i>Haliaeetus leucocephalus</i>) lower 48 States	T	\$3,771,556	\$8,605,926	\$12,377,482	\$1,084,846	\$13,462,328
103	Eider, spectacled (<i>Somateria fischeri</i>)	T	\$733,041	\$427,691	\$1,160,732	\$0	\$1,160,732
99	Eider, Steller's (<i>Polysticta stelleri</i>) AK breeding pop.	T	\$1,047,635	\$266,105	\$1,313,740	\$0	\$1,313,740
279	Elepaio, Oahu (<i>Chasiempis sandwichensis ibidis</i>)	E	\$131,790	\$19,000	\$150,790	\$0	\$150,790
161	Falcon, northern aplomado (<i>Falco femoralis septentrionalis</i>)	E	\$38,500	\$451,038	\$489,538	\$5,790	\$495,328
1015	Finch, Laysan (honeycreeper) (<i>Telespyza cantans</i>)	E	\$1,400	\$200	\$1,600	\$0	\$1,600
1018	Finch, Nihoa (honeycreeper) (<i>Telespyza ultima</i>)	E	\$1,400	\$0	\$1,400	\$0	\$1,400
16	Flycatcher, southwestern willow (<i>Empidonax traillii extimus</i>)	E	\$979,787	\$11,929,206	\$12,908,993	\$71,507	\$12,980,500
86	Gnatcatcher, coastal California (<i>Polioptila californica californica</i>)	T	\$1,356,305	\$334,742	\$1,691,047	\$4,000	\$1,695,047
153	Goose, Hawaiian (<i>Branta (=Nesochen) sandvicensis</i>)	E	\$166,419	\$364,305	\$530,724	\$0	\$530,724
201	Hawk, Hawaiian (=lo) (<i>Buteo solitarius</i>)	E	\$247,441	\$74,280	\$321,721	\$0	\$321,721
592	Hawk, Puerto Rican broad-winged (<i>Buteo platypterus brunnescens</i>)	E	\$30,500	\$0	\$30,500	\$0	\$30,500
626	Hawk, Puerto Rican sharp-shinned (<i>Accipiter striatus venator</i>)	E	\$26,500	\$0	\$26,500	\$0	\$26,500
403	Honeycreeper, crested (<i>Palmeria dolei</i>)	E	\$74,995	\$2,000	\$76,995	\$0	\$76,995
96	Jay, Florida scrub (<i>Aphelocoma coerulescens</i>)	T	\$716,500	\$652,856	\$1,369,356	\$0	\$1,369,356
259	Kingfisher, Guam Micronesian (<i>Halcyon cinnamomina cinnamomina</i>)	E	\$78,779	\$95,900	\$174,679	\$0	\$174,679
156	Kite, Everglade snail (<i>Rostrhamus sociabilis plumbeus</i>), FL pop.	E	\$135,500	\$386,409	\$521,909	\$0	\$521,909

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
959	Megapode, Micronesian (<i>Megapodius laperouse</i>)	E	\$3,990	\$0	\$3,990	\$0	\$3,990
1018	Millerbird, Nihoa (old world warbler) (<i>Acrocephalus familiaris kingi</i>)	E	\$1,400	\$0	\$1,400	\$0	\$1,400
184	Moorhen, Hawaiian common (<i>Gallinula chloropus sandvicensis</i>)	E	\$23,488	\$352,591	\$376,079	\$0	\$376,079
651	Moorhen, Mariana common (<i>Gallinula chloropus guami</i>)	E	\$3,929	\$20,000	\$23,929	\$0	\$23,929
50	Murrelet, marbled (<i>Brachyramphus marmoratus</i>) CA, OR, WA	T	\$851,351	\$2,530,510	\$3,381,861	\$596,930	\$3,978,791
630	Nightjar, Puerto Rican (<i>Caprimulgus noctitherus</i>)	E	\$26,000	\$0	\$26,000	\$0	\$26,000
428	Nukupu`u (honeycreeper) (<i>Hemignathus lucidus</i>)	E	\$66,836	\$2,000	\$68,836	\$0	\$68,836
41	Owl, Mexican spotted (<i>Strix occidentalis lucida</i>)	T	\$248,071	\$4,972,534	\$5,220,605	\$7,396	\$5,228,001
33	Owl, northern spotted (<i>Strix occidentalis caurina</i>)	T	\$2,310,130	\$4,358,638	\$6,668,768	\$358,560	\$7,027,328
53	Palila (honeycreeper) (<i>Loxioides bailleui</i>)	E	\$92,558	\$3,701,606	\$3,794,164	\$0	\$3,794,164
80	Parrot, Puerto Rican (<i>Amazona vittata</i>)	E	\$1,126,900	\$557,000	\$1,683,900	\$187,200	\$1,871,100
260	Parrotbill, Maui (honeycreeper) (<i>Pseudonestor xanthophrys</i>)	E	\$84,879	\$89,000	\$173,879	\$0	\$173,879
144	Pelican, brown (<i>Pelecanus occidentalis</i>) except U.S. Atlantic coast, FL, AL	E	\$297,479	\$254,766	\$552,245	\$10,745	\$562,990
157	Petrel, Hawaiian dark-rumped (<i>Pterodroma phaeopygia sandwichensis</i>)	E	\$231,141	\$285,622	\$516,763	\$0	\$516,763
542	Pigeon, Puerto Rican plain (<i>Columba inornata wetmorei</i>)	E	\$38,500	\$0	\$38,500	\$0	\$38,500
168	Plover, piping (<i>Charadrius melodus</i>) Great Lakes watershed	E	\$171,700	\$221,646	\$393,346	\$50,790	\$444,136
35	Plover, piping (<i>Charadrius melodus</i>) except Great Lakes watershed	T	\$895,182	\$5,804,930	\$6,700,112	\$234,130	\$6,934,242
52	Plover, western snowy (<i>Charadrius alexandrinus nivosus</i>) Pacific coastal pop.	T	\$1,074,768	\$2,755,677	\$3,830,445	\$16,133	\$3,846,578
382	Po`ouli (honeycreeper) (<i>Melamprosops phaeosoma</i>)	E	\$82,871	\$2,000	\$84,871	\$0	\$84,871
364	Prairie-chicken, Attwater's greater (<i>Tympanuchus cupido attwateri</i>)	E	\$43,500	\$21,540	\$65,040	\$28,258	\$93,298
178	Pygmy-owl, cactus ferruginous (<i>Glaucidium brasilianum cactorum</i>) AZ pop.	E	\$183,270	\$120,800	\$304,070	\$102,000	\$406,070

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
223	Rail, California clapper (<i>Rallus longirostris obsoletus</i>)	E	\$71,461	\$171,822	\$243,283	\$16,000	\$259,283
147	Rail, Guam (<i>Rallus owstoni</i>) except Rota	E	\$271,326	\$273,600	\$544,926	\$0	\$544,926
230	Rail, light-footed clapper (<i>Rallus longirostris levipes</i>) U.S.A. only	E	\$74,967	\$139,682	\$214,649	\$20,000	\$234,649
243	Rail, Yuma clapper (<i>Rallus longirostris yumanensis</i>) U.S.A. only	E	\$46,310	\$149,600	\$195,910	\$16,000	\$211,910
236	Shearwater, Newell's Townsend's (<i>Puffinus auricularis newelli</i>)	T	\$215,226	\$4,000	\$219,226	\$0	\$219,226
82	Shrike, San Clemente loggerhead (<i>Lanius ludovicianus mearnsi</i>)	E	\$21,000	\$1,786,708	\$1,807,708	\$500	\$1,808,208
145	Sparrow, Cape Sable seaside (<i>Ammodramus maritimus mirabilis</i>)	E	\$51,500	\$511,123	\$562,623	\$0	\$562,623
200	Sparrow, Florida grasshopper (<i>Ammodramus savannarum floridanus</i>)	E	\$151,000	\$171,100	\$322,100	\$0	\$322,100
274	Sparrow, San Clemente sage (<i>Amphispiza belli clementeae</i>)	T	\$0	\$156,388	\$156,388	\$500	\$156,888
135	Stilt, Hawaiian (<i>Himantopus mexicanus knudseni</i>)	E	\$92,801	\$539,168	\$631,969	\$0	\$631,969
107	Stork, wood (<i>Mycteria americana</i>) AL, FL, GA, SC	E	\$405,500	\$639,890	\$1,045,390	\$3,780	\$1,049,170
81	Swiftlet, Mariana gray (<i>Aerodramus vanikorensis bartschi</i>)	E	\$6,685	\$1,821,000	\$1,827,685	\$0	\$1,827,685
76	Tern, California least (<i>Sterna antillarum browni</i>)	E	\$213,315	\$1,839,972	\$2,053,287	\$20,000	\$2,073,287
43	Tern, least (<i>Sterna antillarum</i>) interior pop.	E	\$311,450	\$4,729,508	\$5,040,958	\$68,270	\$5,109,228
247	Tern, roseate (<i>Sterna dougallii dougallii</i>) Western Hemisphere except NE U.S.	T	\$2,500	\$201,265	\$203,765	\$200	\$203,965
226	Tern, roseate (<i>Sterna dougallii dougallii</i>) northeast U.S. nesting pop.	E	\$20,180	\$191,563	\$211,743	\$36,670	\$248,413
1010	Thrush, large Kauai (=kamao) (<i>Myadestes myadestinus</i>)	E	\$1,750	\$0	\$1,750	\$0	\$1,750
914	Thrush, Molokai (<i>Myadestes lanaiensis rutha</i>)	E	\$2,450	\$3,000	\$5,450	\$0	\$5,450
393	Thrush, small Kauai (=puaiohi) (<i>Myadestes palmeri</i>)	E	\$80,598	\$0	\$80,598	\$0	\$80,598
882	Towhee, Inyo California (<i>Pipilo crissalis eremophilus</i>)	T	\$3,850	\$2,000	\$5,850	\$1,000	\$6,850
95	Vireo, black-capped (<i>Vireo atricapilla</i>)	E	\$258,000	\$1,082,560	\$1,340,560	\$56,300	\$1,396,860
102	Vireo, least Bell's (<i>Vireo bellii pusillus</i>)	E	\$593,252	\$571,062	\$1,164,314	\$3,000	\$1,167,314
313	Warbler (=wood), Bachman's (<i>Vermivora bachmanii</i>)	E	\$1,300	\$129,400	\$130,700	\$750	\$131,450

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
100	Warbler (=wood), golden-cheeked (<i>Dendroica chrysoparia</i>)	E	\$252,000	\$953,839	\$1,205,839	\$4,300	\$1,210,139
121	Warbler (=wood), Kirtland's (<i>Dendroica kirtlandii</i>)	E	\$107,800	\$533,570	\$641,370	\$175,800	\$817,170
277	Warbler, nightingale reed (old world warbler) (<i>Acrocephalus luscini</i> a)	E	\$152,530	\$0	\$152,530	\$0	\$152,530
1030	White-eye, bridled (<i>Zosterops conspicillatus conspicillatus</i>)	E	\$964	\$0	\$964	\$0	\$964
249	White-eye, Rota bridled (<i>Zosterops rotensis</i>)	E	\$170,195	\$31,200	\$201,395	\$0	\$201,395
75	Woodpecker, ivory-billed (<i>Campephilus principalis</i>)	E	\$1,183,000	\$879,655	\$2,062,655	\$28,100	\$2,090,755
18	Woodpecker, red-cockaded (<i>Picoides borealis</i>)	E	\$2,543,828	\$9,942,757	\$12,486,585	\$242,806	\$12,729,391
782	`O`o, Kauai (honeyeater) (<i>Moho braccatus</i>)	E	\$11,315	\$0	\$11,315	\$0	\$11,315
1010	`O`u (honeycreeper) (<i>Psittirostra psittacea</i>)	E	\$1,750	\$0	\$1,750	\$0	\$1,750
	Birds Subtotal		\$29,197,664	\$83,626,607	\$112,824,271	\$3,747,504	\$116,571,775
	Reptiles						
105	Alligator, American (<i>Alligator mississippiensis</i>)	SAT	\$1,066,202	\$29,674	\$1,095,876	\$4,100	\$1,099,976
900	Boa, Mona (<i>Epicrates monensis monensis</i>)	T	\$6,000	\$0	\$6,000	\$0	\$6,000
494	Boa, Puerto Rican (<i>Epicrates inornatus</i>)	E	\$48,000	\$0	\$48,000	\$0	\$48,000
874	Boa, Virgin Islands tree (<i>Epicrates monensis granti</i>)	E	\$3,500	\$3,600	\$7,100	\$0	\$7,100
176	Crocodile, American (<i>Crocodylus acutus</i>) FL pop.	E	\$133,500	\$282,409	\$415,909	\$0	\$415,909
1018	Gecko, Monito (<i>Sphaerodactylus micropithecus</i>)	E	\$1,400	\$0	\$1,400	\$0	\$1,400
413	Iguana, Mona ground (<i>Cyclura cornuta stejnegeri</i>)	T	\$37,000	\$0	\$37,000	\$35,700	\$72,700
191	Lizard, blunt-nosed leopard (<i>Gambelia silus</i>)	E	\$78,962	\$271,800	\$350,762	\$9,000	\$359,762
927	Lizard, Coachella Valley fringe-toed (<i>Uma inornata</i>)	T	\$2,000	\$3,000	\$5,000	\$0	\$5,000
491	Lizard, Island night (<i>Xantusia riversiana</i>)	T	\$11,110	\$37,366	\$48,476	\$0	\$48,476
811	Lizard, St. Croix ground (<i>Ameiva polops</i>)	E	\$9,800	\$0	\$9,800	\$0	\$9,800
796	Plymouth Red-Bellied Turtle (<i>Pseudemys rubriventris bangsi</i>)	E	\$4,652	\$2,821	\$7,473	\$3,000	\$10,473
441	Rattlesnake, New Mexican ridge-nosed (<i>Crotalus willardi obscurus</i>)	T	\$16,000	\$48,000	\$64,000	\$0	\$64,000
48	Sea turtle, green (<i>Chelonia</i>)	T	\$151,468	\$3,931,784	\$4,083,252	\$1,125	\$4,084,377

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	<i>mydas</i>) except where endangered						
92	Sea turtle, green (<i>Chelonia mydas</i>) FL, Mexico nesting pops.	E	\$211,500	\$1,241,661	\$1,453,161	\$0	\$1,453,161
58	Sea turtle, hawksbill (<i>Eretmochelys imbricata</i>)	E	\$229,223	\$3,143,528	\$3,372,751	\$23,360	\$3,396,111
40	Sea turtle, Kemp's ridley (<i>Lepidochelys kempii</i>)	E	\$369,000	\$5,302,913	\$5,671,913	\$9,553	\$5,681,466
25	Sea turtle, leatherback (<i>Dermochelys coriacea</i>)	E	\$281,000	\$8,735,761	\$9,016,761	\$13,225	\$9,029,986
23	Sea turtle, loggerhead (<i>Caretta caretta</i>)	T	\$1,057,000	\$9,188,489	\$10,245,489	\$58,000	\$10,303,489
68	Sea turtle, olive ridley (<i>Lepidochelys olivacea</i>) except where endangered	T	\$2,500	\$2,528,184	\$2,530,684	\$0	\$2,530,684
726	Skink, bluetail mole (<i>Eumeces egregius lividus</i>)	T	\$16,500	\$400	\$16,900	\$0	\$16,900
417	Skink, sand (<i>Neoseps reynoldsi</i>)	T	\$32,500	\$39,200	\$71,700	\$0	\$71,700
980	Snake, Atlantic salt marsh (<i>Nerodia clarkii taeniata</i>)	T	\$700	\$2,100	\$2,800	\$0	\$2,800
214	Snake, Concho water (<i>Nerodia paucimaculata</i>)	T	\$282,000	\$5,410	\$287,410	\$5,642	\$293,052
361	Snake, copperbelly water (<i>Nerodia erythrogaster neglecta</i>) MI, OH, IN N of 400 N. Lat.	T	\$68,500	\$7,988	\$76,488	\$17,800	\$94,288
134	Snake, eastern indigo (<i>Drymarchon corais couperi</i>)	T	\$193,000	\$448,840	\$641,840	\$480	\$642,320
90	Snake, giant garter (<i>Thamnophis gigas</i>)	T	\$341,037	\$1,142,754	\$1,483,791	\$6,000	\$1,489,791
505	Snake, Lake Erie water (<i>Nerodia sipedon insularum</i>) subspecies range clarified	T	\$18,800	\$7,953	\$26,753	\$18,000	\$44,753
228	Snake, San Francisco garter (<i>Thamnophis sirtalis tetrataenia</i>)	E	\$143,100	\$96,500	\$239,600	\$0	\$239,600
5	Tortoise, desert (<i>Gopherus agassizii</i>) U.S.A., except in Sonoran Desert	T	\$1,941,878	\$26,360,318	\$28,302,196	\$6,500	\$28,308,696
114	Tortoise, desert (<i>Gopherus agassizii</i>) outside/taken from Sonoran Desert	SAT	\$0	\$931,469	\$931,469	\$0	\$931,469
74	Tortoise, gopher (<i>Gopherus polyphemus</i>) W of of Mobile/Tombigbee Rs.	T	\$157,500	\$1,974,600	\$2,132,100	\$0	\$2,132,100
857	Turtle, Alabama red-belly (<i>Pseudemys alabamensis</i>)	E	\$2,900	\$4,900	\$7,800	\$0	\$7,800
342	Turtle, bog (=Muhlenberg) (<i>Clemmys muhlenbergii</i>) southern	SAT	\$5,500	\$61,294	\$66,794	\$39,550	\$106,344
113	Turtle, bog (=Muhlenberg) (<i>Clemmys muhlenbergii</i>) northern	T	\$270,271	\$557,795	\$828,066	\$122,595	\$950,661
874	Turtle, flattened musk	T	\$2,900	\$4,200	\$7,100	\$0	\$7,100

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	(<i>Sternotherus depressus</i>) species range clarified						
939	Turtle, ringed map (<i>Graptemys oculifera</i>)	T	\$0	\$4,650	\$4,650	\$0	\$4,650
528	Turtle, yellow-blotched map (<i>Graptemys flavimaculata</i>)	T	\$30,500	\$10,300	\$40,800	\$0	\$40,800
276	Whipsnake (=striped racer), Alameda (<i>Masticophis lateralis euryxanthus</i>)	T	\$153,687	\$1,800	\$155,487	\$0	\$155,487
	Reptiles Subtotal		\$7,381,090	\$66,413,461	\$73,794,551	\$373,630	\$74,168,181
	Amphibians						
1016	Coqui, golden (<i>Eleutherodactylus jasperii</i>)	T	\$1,500	\$0	\$1,500	\$0	\$1,500
72	Frog, California red-legged (<i>Rana aurora draytonii</i>) subspecies range clarified	T	\$1,438,906	\$719,496	\$2,158,402	\$8,000	\$2,166,402
172	Frog, Chiricahua leopard (<i>Rana chiricahuensis</i>)	T	\$213,680	\$191,200	\$404,880	\$26,523	\$431,403
115	Frog, Mississippi gopher (<i>Rana capito sevosa</i>) Wherever found west of Mobile and Tombigbee Rivers in AL, MS, and LA	E	\$61,500	\$857,100	\$918,600	\$0	\$918,600
137	Frog, mountain yellow-legged (<i>Rana muscosa</i>) southern California DPS	E	\$277,035	\$337,809	\$614,844	\$5,000	\$619,844
769	Guajon (<i>Eleutherodactylus cookii</i>)	T	\$12,500	\$0	\$12,500	\$0	\$12,500
242	Salamander, Barton Springs (<i>Eurycea sosorum</i>)	E	\$77,371	\$127,840	\$205,211	\$7,283	\$212,494
119	Salamander, California tiger (<i>Ambystoma californiense</i>) U.S.A. (Central CA DPS)	T	\$544,770	\$318,800	\$863,570	\$0	\$863,570
234	Salamander, California tiger (<i>Ambystoma californiense</i>) U.S.A. (CA - Sonoma County)	E	\$221,931	\$0	\$221,931	\$1,000	\$222,931
224	Salamander, California tiger (<i>Ambystoma californiense</i>) U.S.A. (CA - Santa Barbara County)	E	\$247,806	\$11,000	\$258,806	\$0	\$258,806
375	Salamander, Cheat Mountain (<i>Plethodon nettingi</i>)	T	\$8,000	\$70,000	\$78,000	\$9,859	\$87,859
1054	Salamander, desert slender (<i>Batrachoseps aridus</i>)	E	\$90	\$0	\$90	\$0	\$90
199	Salamander, flatwoods (<i>Ambystoma cingulatum</i>)	T	\$110,500	\$206,005	\$316,505	\$7,100	\$323,605
918	Salamander, Red Hills (<i>Phaeognathus hubrichti</i>)	T	\$2,900	\$2,400	\$5,300	\$0	\$5,300
801	Salamander, San Marcos (<i>Eurycea nana</i>)	T	\$0	\$4,660	\$4,660	\$5,493	\$10,153
348	Salamander, Santa Cruz long-toed (<i>Ambystoma macrodactylum</i>)	E	\$60,722	\$37,000	\$97,722	\$2,000	\$99,722

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	<i>croceum</i>)						
1031	Salamander, Shenandoah (<i>Plethodon shenandoah</i>)	E	\$0	\$100	\$100	\$800	\$900
562	Salamander, Sonora tiger (<i>Ambystoma tigrinum stebbinsi</i>)	E	\$19,000	\$6,100	\$25,100	\$10,000	\$35,100
426	Salamander, Texas blind (<i>Typhlomolge rathbuni</i>)	E	\$61,494	\$1,740	\$63,234	\$5,790	\$69,024
67	Toad, arroyo (=arroyo southwestern) (<i>Bufo californicus</i> (=microscaphus))	E	\$1,172,917	\$1,388,472	\$2,561,389	\$1,000	\$2,562,389
261	Toad, Houston (<i>Bufo houstonensis</i>)	E	\$111,000	\$46,050	\$157,050	\$16,430	\$173,480
612	Toad, Puerto Rican crested (<i>Peltophryne lemur</i>)	T	\$16,000	\$0	\$16,000	\$12,000	\$28,000
316	Toad, Wyoming (<i>Bufo baxteri</i> (=hemiophys))	E	\$108,791	\$15,438	\$124,229	\$702	\$124,931
	Amphibians Subtotal		\$4,768,413	\$4,341,210	\$9,109,623	\$118,980	\$9,228,603
	Fishes						
765	Catfish, Yaqui (<i>Ictalurus pricei</i>)	T	\$10,000	\$0	\$10,000	\$3,000	\$13,000
699	Cavefish, Alabama (<i>Speoplatyrhinus poulsoni</i>)	E	\$12,400	\$2,100	\$14,500	\$5,307	\$19,807
294	Cavefish, Ozark (<i>Amblyopsis rosae</i>)	T	\$61,000	\$8,100	\$69,100	\$72,500	\$141,600
36	Chub, bonytail (<i>Gila elegans</i>) entire	E	\$493,305	\$6,061,307	\$6,554,612	\$145,761	\$6,700,373
484	Chub, Borax Lake (<i>Gila boraxobius</i>)	E	\$29,510	\$21,000	\$50,510	\$600	\$51,110
870	Chub, Chihuahua (<i>Gila nigrescens</i>)	T	\$4,000	\$0	\$4,000	\$3,250	\$7,250
27	Chub, humpback (<i>Gila cypha</i>) entire	E	\$271,296	\$7,898,999	\$8,170,295	\$128,761	\$8,299,056
638	Chub, Hutton tui (<i>Gila bicolor</i> ssp.) Hutton	T	\$17,705	\$0	\$17,705	\$7,500	\$25,205
334	Chub, Mohave tui (<i>Gila bicolor mohavensis</i>)	E	\$20,720	\$89,000	\$109,720	\$0	\$109,720
251	Chub, Oregon (<i>Oregonichthys cramer</i>)	E	\$167,828	\$24,000	\$191,828	\$5,500	\$197,328
502	Chub, Owens tui (<i>Gila bicolor snyderi</i>)	E	\$5,320	\$40,500	\$45,820	\$0	\$45,820
594	Chub, Pahrnagat roundtail (<i>Gila robusta jordani</i>)	E	\$30,352	\$0	\$30,352	\$0	\$30,352
738	Chub, slender (<i>Erimystax cahni</i>)	T	\$13,281	\$1,952	\$15,233	\$500	\$15,733
622	Chub, Sonora (<i>Gila ditaenia</i>)	T	\$3,000	\$20,000	\$23,000	\$4,000	\$27,000
1029	Chub, spotfin (<i>Erimonax monachus</i>) Shoal Creek	EXPN	\$1,000	\$0	\$1,000	\$0	\$1,000
374	Chub, spotfin (<i>Erimonax monachus</i>) Entire	T	\$71,254	\$10,942	\$82,196	\$5,703	\$87,899

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
740	Chub, spotfin (<i>Erimonax monachus</i>), Tellico River, TN	EXPN	\$14,000	\$1,500	\$15,500	\$0	\$15,500
155	Chub, Virgin River (<i>Gila seminuda</i> (=robusta))	E	\$503,662	\$16,100	\$519,762	\$4,000	\$523,762
673	Chub, Yaqui (<i>Gila purpurea</i>)	E	\$11,000	\$8,000	\$19,000	\$3,000	\$22,000
110	Cui-ui (<i>Chasmistes cujus</i>)	E	\$338,480	\$649,484	\$987,964	\$0	\$987,964
555	Dace, Ash Meadows speckled (<i>Rhinichthys osculus nevadensis</i>)	E	\$17,780	\$18,816	\$36,596	\$0	\$36,596
310	Dace, blackside (<i>Phoxinus cumberlandensis</i>)	T	\$92,281	\$42,800	\$135,081	\$0	\$135,081
565	Dace, Clover Valley speckled (<i>Rhinichthys osculus oligoporus</i>)	E	\$16,680	\$18,000	\$34,680	\$0	\$34,680
453	Dace, desert (<i>Eremichthys acros</i>)	T	\$15,000	\$46,000	\$61,000	\$0	\$61,000
596	Dace, Foskett speckled (<i>Rhinichthys osculus ssp.</i>) Foskett	T	\$17,705	\$5,000	\$22,705	\$7,510	\$30,215
819	Dace, Independence Valley speckled (<i>Rhinichthys osculus lethoporus</i>)	E	\$9,580	\$0	\$9,580	\$0	\$9,580
798	Dace, Kendall Warm Springs (<i>Rhinichthys osculus thermalis</i>)	E	\$2,787	\$7,528	\$10,315	\$0	\$10,315
257	Dace, Moapa (<i>Moapa coriacea</i>)	E	\$178,180	\$2,600	\$180,780	\$0	\$180,780
311	Darter, amber (<i>Percina antesella</i>)	E	\$57,700	\$67,800	\$125,500	\$8,000	\$133,500
1022	Darter, bayou (<i>Etheostoma rubrum</i>)	T	\$0	\$1,250	\$1,250	\$0	\$1,250
719	Darter, bluemask (=jewel) (<i>Etheostoma sp.</i>)	E	\$7,000	\$1,900	\$8,900	\$8,969	\$17,869
839	Darter, boulder (<i>Etheostoma wapiti</i>) Shoal Creek	EXPN	\$6,500	\$1,000	\$7,500	\$1,133	\$8,633
497	Darter, boulder (<i>Etheostoma wapiti</i>)	E	\$37,300	\$7,987	\$45,287	\$1,781	\$47,068
244	Darter, Cherokee (<i>Etheostoma scotti</i>)	T	\$51,500	\$150,667	\$202,167	\$4,500	\$206,667
466	Darter, duskytail (<i>Etheostoma percnum</i>) Entire	E	\$37,754	\$18,310	\$56,064	\$1,133	\$57,197
673	Darter, duskytail (<i>Etheostoma percnum</i>) Tellico River, TN	EXPN	\$22,000	\$0	\$22,000	\$0	\$22,000
300	Darter, Etowah (<i>Etheostoma etowahae</i>)	E	\$45,500	\$81,600	\$127,100	\$12,250	\$139,350
222	Darter, fountain (<i>Etheostoma fonticola</i>)	E	\$252,063	\$4,140	\$256,203	\$4,300	\$260,503
654	Darter, goldline (<i>Percina aurolineata</i>)	T	\$7,000	\$16,700	\$23,700	\$0	\$23,700
533	Darter, leopard (<i>Percina pantherina</i>)	T	\$32,300	\$8,000	\$40,300	\$0	\$40,300
369	Darter, Niangua (<i>Etheostoma</i>)	T	\$33,500	\$7,440	\$40,940	\$50,000	\$90,940

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	<i>nianguae</i>)						
108	Darter, Okaloosa (<i>Etheostoma okaloosae</i>)	E	\$24,800	\$993,752	\$1,018,552	\$0	\$1,018,552
455	Darter, relict (<i>Etheostoma chienense</i>)	E	\$46,500	\$14,100	\$60,600	\$0	\$60,600
287	Darter, slackwater (<i>Etheostoma boschungii</i>)	T	\$10,500	\$134,237	\$144,737	\$0	\$144,737
579	Darter, snail (<i>Percina tanasi</i>)	T	\$17,000	\$14,800	\$31,800	\$0	\$31,800
832	Darter, vermilion (<i>Etheostoma chermocki</i>)	E	\$2,900	\$2,100	\$5,000	\$4,100	\$9,100
776	Darter, watercress (<i>Etheostoma nuchale</i>)	E	\$3,900	\$8,100	\$12,000	\$0	\$12,000
437	Gambusia, Big Bend (<i>Gambusia gaigei</i>)	E	\$20,972	\$40,500	\$61,472	\$4,300	\$65,772
892	Gambusia, Clear Creek (<i>Gambusia heterochir</i>)	E	\$2,000	\$0	\$2,000	\$4,300	\$6,300
557	Gambusia, Pecos (<i>Gambusia nobilis</i>)	E	\$16,582	\$13,500	\$30,082	\$5,865	\$35,947
931	Gambusia, San Marcos (<i>Gambusia georgei</i>)	E	\$0	\$580	\$580	\$4,300	\$4,880
138	Goby, tidewater (<i>Eucyclogobius newberryi</i>) Entire	E	\$261,797	\$340,459	\$602,256	\$5,000	\$607,256
554	Logperch, Conasauga (<i>Percina jenkinsi</i>)	E	\$17,900	\$7,400	\$25,300	\$11,347	\$36,647
175	Logperch, Roanoke (<i>Percina rex</i>)	E	\$34,143	\$366,340	\$400,483	\$17,000	\$417,483
240	Madtom, Neosho (<i>Noturus placidus</i>)	T	\$42,684	\$167,909	\$210,593	\$4,700	\$215,293
911	Madtom, pygmy (<i>Noturus stanauli</i>)	E	\$2,400	\$2,000	\$4,400	\$1,133	\$5,533
1049	Madtom, Scioto (<i>Noturus trautmani</i>)	E	\$300	\$0	\$300	\$0	\$300
664	Madtom, smoky (<i>Noturus baileyi</i>) Entire	E	\$16,700	\$4,800	\$21,500	\$1,133	\$22,633
865	Madtom, smoky (<i>Noturus baileyi</i>) Tellico River, TN	EXPN	\$7,500	\$0	\$7,500	\$0	\$7,500
827	Madtom, yellowfin (<i>Noturus flavipinnis</i>) Holston River, VA, TN	EXPN	\$1,000	\$5,327	\$6,327	\$3,000	\$9,327
849	Madtom, yellowfin (<i>Noturus flavipinnis</i>) Tellico River, TN	EXPN	\$7,500	\$800	\$8,300	\$0	\$8,300
564	Madtom, yellowfin (<i>Noturus flavipinnis</i>) except where EXPN	T	\$25,825	\$1,000	\$26,825	\$8,119	\$34,944
607	Minnow, Devils River (<i>Dionda diaboli</i>)	T	\$20,000	\$0	\$20,000	\$8,476	\$28,476
185	Minnow, loach (<i>Tiaroga cobitis</i>)	T	\$105,000	\$264,000	\$369,000	\$5,000	\$374,000
28	Minnow, Rio Grande silvery (<i>Hybognathus amarus</i>)	E	\$365,090	\$7,863,475	\$8,228,565	\$12,291	\$8,240,856
26	Pikeminnow (=squawfish), Colorado (<i>Ptychocheilus lucius</i>)	E	\$440,442	\$7,988,428	\$8,428,870	\$129,761	\$8,558,631

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	except Salt and Verde R. drainages, AZ						
685	Pikeminnow (=squawfish), Colorado (<i>Ptychocheilus lucius</i>) Salt and Verde R. drainages, AZ	EXPN	\$0	\$0	\$0	\$21,000	\$21,000
727	Poolfish, Pahrump (<i>Empetrichthys latos</i>)	E	\$16,890	\$0	\$16,890	\$0	\$16,890
522	Pupfish, Ash Meadows Amargosa (<i>Cyprinodon nevadensis mionectes</i>)	E	\$33,380	\$8,000	\$41,380	\$0	\$41,380
329	Pupfish, Comanche Springs (<i>Cyprinodon elegans</i>)	E	\$97,347	\$11,000	\$108,347	\$5,790	\$114,137
262	Pupfish, desert (<i>Cyprinodon macularius</i>)	E	\$64,062	\$90,000	\$154,062	\$17,000	\$171,062
258	Pupfish, Devils Hole (<i>Cyprinodon diabolis</i>)	E	\$44,880	\$132,525	\$177,405	\$0	\$177,405
671	Pupfish, Leon Springs (<i>Cyprinodon bovinus</i>)	E	\$17,972	\$0	\$17,972	\$4,300	\$22,272
821	Pupfish, Owens (<i>Cyprinodon radiosus</i>)	E	\$1,045	\$8,500	\$9,545	\$0	\$9,545
473	Pupfish, Warm Springs (<i>Cyprinodon nevadensis pectoralis</i>)	E	\$47,800	\$8,000	\$55,800	\$0	\$55,800
34	Salmon, Atlantic (<i>Salmo salar</i>) Gulf of Maine Atlantic Salmon DPS	E	\$87,828	\$6,895,697	\$6,983,525	\$0	\$6,983,525
7	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) fall Snake R.	T	\$1,021,079	\$25,685,668	\$26,706,747	\$1,113,925	\$27,820,672
59	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) CA coastal	T	\$59,853	\$3,288,978	\$3,348,831	\$5,000	\$3,353,831
32	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) winter Sacramento R.	E	\$44,696	\$7,297,074	\$7,341,770	\$75,000	\$7,416,770
37	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) CA Central Valley spring-run	T	\$24,743	\$6,472,283	\$6,497,026	\$5,000	\$6,502,026
1	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) spring/summer Snake R.	T	\$11,066,220	\$35,769,843	\$46,836,063	\$2,282,625	\$49,118,688
10	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) Puget Sound	T	\$712,396	\$19,709,478	\$20,421,874	\$3,652,325	\$24,074,199
6	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) spring upper Columbia R.	E	\$1,436,550	\$24,717,853	\$26,154,403	\$2,002,025	\$28,156,428
19	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) lower Columbia R.	T	\$2,108,373	\$9,005,863	\$11,114,236	\$1,269,353	\$12,383,589
21	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) upper Willamette R.	T	\$39,350	\$11,246,575	\$11,285,925	\$114,000	\$11,399,925
39	Salmon, chum (<i>Oncorhynchus</i> (=Salmo) <i>keta</i>)	T	\$150,930	\$4,687,923	\$4,838,853	\$864,825	\$5,703,678

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	summer-run Hood Canal						
24	Salmon, chum (<i>Oncorhynchus</i> (=Salmo) keta) Columbia R.	T	\$201,687	\$8,448,681	\$8,650,368	\$789,725	\$9,440,093
13	Salmon, coho (<i>Oncorhynchus</i> (=Salmo) kisutch) OR, CA pop.	T	\$416,057	\$18,310,103	\$18,726,160	\$1,100,000	\$19,826,160
38	Salmon, coho (<i>Oncorhynchus</i> (=Salmo) kisutch) Lower Columbia River	T	\$20,000	\$5,729,381	\$5,749,381	\$391,478	\$6,140,859
54	Salmon, coho (<i>Oncorhynchus</i> (=Salmo) kisutch) central CA coast	E	\$0	\$3,776,998	\$3,776,998	\$0	\$3,776,998
44	Salmon, sockeye (<i>Oncorhynchus</i> (=Salmo) nerka) U.S.A. (Ozette Lake, WA)	T	\$7,000	\$4,422,628	\$4,429,628	\$351,625	\$4,781,253
11	Salmon, sockeye (<i>Oncorhynchus</i> (=Salmo) nerka) U.S.A. (Snake River, ID stock wherever found.)	E	\$0	\$23,004,871	\$23,004,871	\$774,200	\$23,779,071
139	Sawfish, smalltooth (<i>Pristis pectinata</i>)	E	\$0	\$606,715	\$606,715	\$0	\$606,715
913	Sculpin, pygmy (<i>Cottus paulus</i> (=pygmaeus))	T	\$2,900	\$2,600	\$5,500	\$0	\$5,500
227	Shiner, Arkansas River (<i>Notropis girardi</i>) Arkansas R. Basin	T	\$188,710	\$47,624	\$236,334	\$8,488	\$244,822
747	Shiner, beautiful (<i>Cyprinella formosa</i>)	T	\$10,000	\$1,400	\$11,400	\$3,000	\$14,400
192	Shiner, blue (<i>Cyprinella caerulea</i>)	T	\$21,200	\$334,176	\$355,376	\$0	\$355,376
862	Shiner, Cahaba (<i>Notropis cahabae</i>)	E	\$2,900	\$4,700	\$7,600	\$0	\$7,600
608	Shiner, Cape Fear (<i>Notropis mekistocholas</i>)	E	\$21,000	\$4,850	\$25,850	\$2,545	\$28,395
560	Shiner, palezone (<i>Notropis albizonatus</i>)	E	\$27,000	\$8,200	\$35,200	\$0	\$35,200
133	Shiner, Pecos bluntnose (<i>Notropis simus pecosensis</i>)	T	\$0	\$660,000	\$660,000	\$0	\$660,000
166	Shiner, Topeka (<i>Notropis topeka</i> (=tristis))	E	\$145,250	\$206,713	\$351,963	\$102,220	\$454,183
794	Silverside, Waccamaw (<i>Menidia extensa</i>)	T	\$7,000	\$3,519	\$10,519	\$0	\$10,519
83	Smelt, delta (<i>Hypomesus transpacificus</i>)	T	\$233,103	\$1,572,545	\$1,805,648	\$0	\$1,805,648
159	Spikedace (<i>Meda fulgida</i>)	T	\$118,000	\$368,500	\$486,500	\$12,000	\$498,500
634	Spinedace, Big Spring (<i>Lepidomeda mollispinis pratensis</i>)	T	\$25,590	\$0	\$25,590	\$0	\$25,590
204	Spinedace, Little Colorado (<i>Lepidomeda vittata</i>)	T	\$77,000	\$227,000	\$304,000	\$10,000	\$314,000
593	Spinedace, White River (<i>Lepidomeda albivallis</i>)	E	\$30,480	\$0	\$30,480	\$0	\$30,480

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
728	Springfish, Hiko White River (<i>Crenichthys baileyi grandis</i>)	E	\$11,480	\$5,250	\$16,730	\$0	\$16,730
368	Springfish, Railroad Valley (<i>Crenichthys nevadae</i>)	T	\$62,990	\$28,000	\$90,990	\$0	\$90,990
812	Springfish, White River (<i>Crenichthys baileyi baileyi</i>)	E	\$9,790	\$0	\$9,790	\$0	\$9,790
51	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) central CA coast	T	\$19,743	\$3,859,586	\$3,879,329	\$0	\$3,879,329
61	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) south central CA coast	T	\$32,000	\$2,927,191	\$2,959,191	\$0	\$2,959,191
49	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) Central Valley CA	T	\$53,817	\$4,014,070	\$4,067,887	\$5,000	\$4,072,887
4	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) middle Columbia R.	T	\$535,670	\$37,247,158	\$37,782,828	\$684,248	\$38,467,076
30	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) upper Willamette R.	T	\$31,395	\$7,483,619	\$7,515,014	\$160,725	\$7,675,739
8	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) upper Columbia R. Basin	E	\$435,818	\$23,990,358	\$24,426,176	\$1,939,425	\$26,365,601
60	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) southern CA coast	E	\$0	\$3,018,952	\$3,018,952	\$0	\$3,018,952
56	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) northern CA	T	\$15,110	\$3,658,155	\$3,673,265	\$0	\$3,673,265
20	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) lower Columbia R.	T	\$220,381	\$10,687,927	\$10,908,308	\$1,086,673	\$11,994,981
2	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) Snake R. Basin	T	\$9,445,279	\$33,824,405	\$43,269,684	\$2,388,825	\$45,658,509
389	Stickleback, unarmored threespine (<i>Gasterosteus aculeatus williamsoni</i>)	E	\$63,584	\$3,200	\$66,784	\$15,000	\$81,784
646	Sturgeon, Alabama (<i>Scaphirhynchus suttkusi</i>)	E	\$18,500	\$5,900	\$24,400	\$0	\$24,400
101	Sturgeon, gulf (<i>Acipenser oxyrinchus desotoi</i>)	T	\$357,500	\$839,189	\$1,196,689	\$1,771	\$1,198,460
12	Sturgeon, pallid (<i>Scaphirhynchus albus</i>)	E	\$2,712,543	\$19,693,594	\$22,406,137	\$273,173	\$22,679,310
79	Sturgeon, shortnose (<i>Acipenser brevirostrum</i>)	E	\$352,500	\$1,536,939	\$1,889,439	\$76,102	\$1,965,541
29	Sturgeon, white (<i>Acipenser transmontanus</i>) U.S.A. (ID, MT), Canada (B.C.), Kootenai R. system	E	\$77,690	\$7,976,945	\$8,054,635	\$144,700	\$8,199,335
198	Sucker, June (<i>Chasmistes liorus</i>)	E	\$47,000	\$282,694	\$329,694	\$0	\$329,694
46	Sucker, Lost River (<i>Deltistes luxatus</i>)	E	\$332,328	\$4,164,734	\$4,497,062	\$29,000	\$4,526,062

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
508	Sucker, Modoc (<i>Catostomus microps</i>)	E	\$32,861	\$1,000	\$33,861	\$10,510	\$44,371
22	Sucker, razorback (<i>Xyrauchen texanus</i>) entire	E	\$636,862	\$10,270,513	\$10,907,375	\$233,761	\$11,141,136
530	Sucker, Santa Ana (<i>Catostomus santaanae</i>) 3 CA river basins	T	\$11,350	\$9,400	\$20,750	\$20,000	\$40,750
47	Sucker, shortnose (<i>Chasmistes brevirostris</i>)	E	\$331,328	\$4,164,734	\$4,496,062	\$28,000	\$4,524,062
296	Sucker, Warner (<i>Catostomus warnerensis</i>)	T	\$81,709	\$51,717	\$133,426	\$7,510	\$140,936
162	Topminnow, Gila (incl. Yaqui) (<i>Poeciliopsis occidentalis</i>) U.S.A. only	E	\$97,972	\$339,000	\$436,972	\$54,000	\$490,972
118	Trout, Apache (<i>Oncorhynchus apache</i>)	T	\$19,000	\$612,000	\$631,000	\$240,000	\$871,000
3	Trout, bull (<i>Salvelinus confluentus</i>) U.S.A., conterminous, lower 48 states	T	\$6,446,304	\$31,439,810	\$37,886,114	\$1,696,833	\$39,582,947
129	Trout, Gila (<i>Oncorhynchus gilae</i>)	E	\$584,950	\$53,000	\$637,950	\$59,725	\$697,675
132	Trout, greenback cutthroat (<i>Oncorhynchus clarki stomias</i>)	T	\$345,682	\$125,828	\$471,510	\$197,449	\$668,959
55	Trout, Lahontan cutthroat (<i>Oncorhynchus clarki henshawi</i>)	T	\$2,624,268	\$1,066,928	\$3,691,196	\$18,500	\$3,709,696
933	Trout, Little Kern golden (<i>Oncorhynchus aguabonita whitei</i>)	T	\$2,817	\$0	\$2,817	\$2,000	\$4,817
196	Trout, Paiute cutthroat (<i>Oncorhynchus clarki seleniris</i>)	T	\$75,775	\$265,000	\$340,775	\$2,500	\$343,275
154	Woundfin (<i>Plagopterus argentissimus</i>) except Gila R. drainage, AZ, NM	E	\$512,801	\$13,100	\$525,901	\$0	\$525,901
927	Woundfin (<i>Plagopterus argentissimus</i>) Gila R. drainage, AZ, NM	EXPN	\$0	\$2,000	\$2,000	\$3,000	\$5,000
	Fishes Subtotal		\$49,781,726	\$470,032,489	\$519,814,215	\$25,074,662	\$544,888,877
	Clams						
739	Acornshell, southern (<i>Epioblasma othcaloogensis</i>)	E	\$8,700	\$7,000	\$15,700	\$0	\$15,700
304	Bankclimber, purple (mussel) (<i>Elliptoideus sloatianus</i>)	T	\$79,000	\$58,405	\$137,405	\$1,000	\$138,405
267	Bean, Cumberland (pearlymussel) (<i>Villosa trabalis</i>) Entire Range; Except where listed as Experimental Populations	E	\$82,708	\$56,558	\$139,266	\$26,429	\$165,695
613	Bean, Cumberland (pearlymussel) (<i>Villosa trabalis</i>) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and	EXPN	\$1,000	\$22,973	\$23,973	\$4,000	\$27,973

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	Lauderdale Counties, AL						
388	Bean, purple (<i>Villosa perpurpurea</i>)	E	\$69,719	\$10,632	\$80,351	\$1,581	\$81,932
867	Blossom, green (pearlymussel) (<i>Epioblasma torulosa gubernaculum</i>)	E	\$2,900	\$4,000	\$6,900	\$500	\$7,400
1049	Blossom, tubercled (pearlymussel) (<i>Epioblasma torulosa torulosa</i>) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$300	\$0	\$300	\$0	\$300
770	Blossom, tubercled (pearlymussel) (<i>Epioblasma torulosa torulosa</i>) Entire Range; Except where listed as Experimental Populations	E	\$4,500	\$7,852	\$12,352	\$0	\$12,352
816	Blossom, turgid (pearlymussel) (<i>Epioblasma turgidula</i>) Entire Range; Except where listed as Experimental Populations	E	\$3,900	\$5,752	\$9,652	\$0	\$9,652
816	Blossom, yellow (pearlymussel) (<i>Epioblasma florentina florentina</i>) Entire Range; Except where listed as Experimental Populations	E	\$3,900	\$5,752	\$9,652	\$0	\$9,652
803	Catspaw (=purple cat's paw pearlymussel) (<i>Epioblasma obliquata obliquata</i>) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$0	\$10,000	\$10,000	\$100	\$10,100
467	Catspaw (=purple cat's paw pearlymussel) (<i>Epioblasma obliquata obliquata</i>) Entire Range; Except where listed as Experimental Populations	E	\$18,500	\$38,276	\$56,776	\$0	\$56,776
610	Catspaw, white (pearlymussel) (<i>Epioblasma obliquata perobliqua</i>)	E	\$27,900	\$388	\$28,288	\$0	\$28,288
197	Clubshell (<i>Pleurobema clava</i>) Entire Range; Except where listed as Experimental Populations	E	\$77,042	\$194,652	\$271,694	\$65,604	\$337,298
521	Clubshell (<i>Pleurobema clava</i>) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$0	\$42,000	\$42,000	\$0	\$42,000
771	Clubshell, black (<i>Pleurobema curtum</i>)	E	\$8,400	\$3,852	\$12,252	\$0	\$12,252
464	Clubshell, ovate (<i>Pleurobema perovatum</i>)	E	\$4,800	\$49,352	\$54,152	\$3,734	\$57,886
332	Clubshell, southern (<i>Pleurobema decisum</i>)	E	\$10,000	\$99,887	\$109,887	\$1,936	\$111,823
571	Combshell, Cumberlandian (<i>Epioblasma brevidens</i>), AL	EXPN	\$19,208	\$11,000	\$30,208	\$3,493	\$33,701

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL						
425	Combshell, Cumberlandian (<i>Epioblasma brevidens</i>) Entire Range; Except where listed as Experimental Populations	E	\$43,500	\$16,738	\$60,238	\$8,927	\$69,165
885	Combshell, southern (<i>Epioblasma penita</i>)	E	\$2,900	\$3,852	\$6,752	\$0	\$6,752
721	Combshell, upland (<i>Epioblasma metastrata</i>)	E	\$10,800	\$6,900	\$17,700	\$0	\$17,700
195	Elktoe, Appalachian (<i>Alasmidonta raveneliana</i>)	E	\$76,000	\$223,400	\$299,400	\$47,579	\$346,979
421	Elktoe, Cumberland (<i>Alasmidonta atropurpurea</i>)	E	\$48,500	\$22,410	\$70,910	\$0	\$70,910
210	Fanshell (<i>Cyprogenia stegaria</i>)	E	\$107,408	\$181,927	\$289,335	\$13,127	\$302,462
692	Fatmucket, Arkansas (<i>Lampsilis powelli</i>)	T	\$14,000	\$5,400	\$19,400	\$800	\$20,200
697	Heelsplitter, Alabama (=inflated) (<i>Potamilus inflatus</i>)	T	\$6,400	\$13,500	\$19,900	\$0	\$19,900
127	Heelsplitter, Carolina (<i>Lasmigona decorata</i>)	E	\$177,500	\$146,500	\$324,000	\$408,449	\$732,449
122	Higgins eye (pearlymussel) (<i>Lampsilis higginsii</i>)	E	\$291,400	\$474,899	\$766,299	\$38,500	\$804,799
731	Kidneyshell, triangular (<i>Ptychobranthus greenii</i>)	E	\$5,300	\$9,152	\$14,452	\$1,936	\$16,388
551	Lampmussel, Alabama (<i>Lampsilis virescens</i>) Entire Range; Except where listed as Experimental Populations	E	\$32,400	\$4,852	\$37,252	\$0	\$37,252
716	Lilliput, pale (pearlymussel) (<i>Toxolasma cylindrellus</i>)	E	\$4,500	\$6,402	\$10,902	\$7,046	\$17,948
209	Mapleleaf, winged (<i>Quadrula fragosa</i>) Entire; except where listed as experimental populations	E	\$176,800	\$123,600	\$300,400	\$5,300	\$305,700
665	Moccasinshell, Alabama (<i>Medionidus acutissimus</i>)	T	\$4,500	\$17,600	\$22,100	\$500	\$22,600
764	Moccasinshell, Coosa (<i>Medionidus parvulus</i>)	E	\$5,700	\$7,000	\$12,700	\$500	\$13,200
347	Moccasinshell, Gulf (<i>Medionidus penicillatus</i>)	E	\$25,500	\$74,155	\$99,655	\$1,000	\$100,655
726	Moccasinshell, Ochlockonee (<i>Medionidus simpsonianus</i>)	E	\$8,900	\$8,000	\$16,900	\$0	\$16,900
690	Monkeyface, Appalachian (pearlymussel) (<i>Quadrula sparsa</i>)	E	\$17,408	\$2,052	\$19,460	\$800	\$20,260
527	Monkeyface, Cumberland (pearlymussel) (<i>Quadrula intermedia</i>) Entire Range; Except where listed as Experimental Populations	E	\$18,108	\$14,578	\$32,686	\$8,167	\$40,853
706	Mucket, orangenacre (<i>Lampsilis perovalis</i>)	T	\$3,400	\$15,802	\$19,202	\$0	\$19,202

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
180	Mucket, pink (pearlymussel) (<i>Lampsilis abrupta</i>)	E	\$130,208	\$224,450	\$354,658	\$44,011	\$398,669
325	Mussel, oyster (<i>Epioblasma capsaeformis</i>) Entire Range; Except where listed as Experimental Populations	E	\$80,865	\$7,034	\$87,899	\$31,668	\$119,567
733	Mussel, oyster (<i>Epioblasma capsaeformis</i>) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$2,300	\$13,900	\$16,200	\$0	\$16,200
241	Mussel, scaleshell (<i>Leptodea leptodon</i>)	E	\$140,519	\$46,764	\$187,283	\$28,000	\$215,283
586	Pearlshell, Louisiana (<i>Margaritifera hembeli</i>)	T	\$22,000	\$9,077	\$31,077	\$0	\$31,077
1027	Pearlymussel, birdwing (<i>Conradilla caelata</i>) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert, and Lauderdale Counties, AL	EXPN	\$300	\$0	\$300	\$800	\$1,100
597	Pearlymussel, birdwing (<i>Conradilla caelata</i>) Entire Range; Except where listed as Experimental Populations	E	\$23,708	\$6,354	\$30,062	\$0	\$30,062
454	Pearlymussel, cracking (<i>Hemistena lata</i>) Entire Range; Except where listed as Experimental Populations	E	\$27,708	\$31,878	\$59,586	\$1,181	\$60,767
582	Pearlymussel, Curtis (<i>Epioblasma florentina curtisii</i>)	E	\$8,600	\$22,100	\$30,700	\$1,000	\$31,700
499	Pearlymussel, dromedary (<i>Dromus dromas</i>) Entire Range; Except where listed as Experimental Populations	E	\$29,408	\$16,022	\$45,430	\$911	\$46,341
961	Pearlymussel, dromedary (<i>Dromus dromas</i>) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$3,800	\$0	\$3,800	\$0	\$3,800
288	Pearlymussel, littlewing (<i>Pegias fabula</i>)	E	\$92,450	\$29,802	\$122,252	\$22,370	\$144,622
737	Pigtoe, Cumberland (<i>Pleurobema gibberum</i>)	E	\$11,200	\$4,600	\$15,800	\$0	\$15,800
927	Pigtoe, dark (<i>Pleurobema furvum</i>)	E	\$2,900	\$2,100	\$5,000	\$0	\$5,000
485	Pigtoe, finerayed (<i>Fusconaia cuneolus</i>) Entire Range; Except where listed as Experimental Populations	E	\$44,908	\$4,382	\$49,290	\$1,500	\$50,790
1009	Pigtoe, finerayed (<i>Fusconaia cuneolus</i>) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$0	\$1,752	\$1,752	\$0	\$1,752

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
913	Pigtoe, flat (<i>Pleurobema marshalli</i>)	E	\$2,900	\$2,600	\$5,500	\$0	\$5,500
790	Pigtoe, heavy (<i>Pleurobema taitianum</i>)	E	\$6,400	\$4,352	\$10,752	\$0	\$10,752
423	Pigtoe, oval (<i>Pleurobema pyriforme</i>)	E	\$54,000	\$14,655	\$68,655	\$1,000	\$69,655
266	Pigtoe, rough (<i>Pleurobema plenum</i>)	E	\$39,208	\$121,267	\$160,475	\$5,411	\$165,886
1002	Pigtoe, shiny (<i>Fusconaia cor</i>) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$0	\$1,900	\$1,900	\$0	\$1,900
581	Pigtoe, shiny (<i>Fusconaia cor</i>) Entire Range; Except where listed as Experimental Populations	E	\$23,108	\$7,802	\$30,910	\$800	\$31,710
811	Pigtoe, southern (<i>Pleurobema georgianum</i>)	E	\$4,800	\$4,500	\$9,300	\$500	\$9,800
385	Pimpleback, orangefoot (pearlymussel) (<i>Plethobasus cooperianus</i>)	E	\$28,500	\$46,622	\$75,122	\$7,367	\$82,489
179	Pocketbook, fat (<i>Potamilus capax</i>)	E	\$109,000	\$266,743	\$375,743	\$28,600	\$404,343
636	Pocketbook, finelined (<i>Lampsilis atilis</i>)	T	\$10,000	\$9,600	\$19,600	\$5,699	\$25,299
546	Pocketbook, Ouachita rock (<i>Arkansia wheeleri</i>)	E	\$27,800	\$0	\$27,800	\$10,167	\$37,967
309	Pocketbook, shinyrayed (<i>Lampsilis subangulata</i>)	E	\$54,500	\$79,655	\$134,155	\$1,000	\$135,155
521	Pocketbook, speckled (<i>Lampsilis streckeri</i>)	E	\$12,800	\$29,200	\$42,000	\$0	\$42,000
597	Rabbitsfoot, rough (<i>Quadrula cylindrica strigillata</i>)	E	\$20,208	\$7,973	\$28,181	\$1,881	\$30,062
221	Riffleshell, northern (<i>Epioblasma torulosa rangiana</i>)	E	\$41,342	\$190,625	\$231,967	\$41,887	\$273,854
282	Riffleshell, tan (<i>Epioblasma florentina walkeri</i> (=E. walkeri))	E	\$94,927	\$41,245	\$136,172	\$10,427	\$146,599
327	Ring pink (mussel) (<i>Obovaria retusa</i>)	E	\$32,500	\$81,372	\$113,872	\$4,500	\$118,372
751	Slabshell, Chipola (<i>Elliptio chipolaensis</i>)	T	\$11,900	\$2,255	\$14,155	\$0	\$14,155
349	Spinymussel, James (<i>Pleurobema collina</i>)	E	\$3,000	\$55,027	\$58,027	\$41,200	\$99,227
465	Spinymussel, Tar River (<i>Elliptio steinstansana</i>)	E	\$18,500	\$2,575	\$21,075	\$36,780	\$57,855
927	Stirrupshell (<i>Quadrula stapes</i>)	E	\$2,900	\$2,100	\$5,000	\$0	\$5,000
489	Three-ridge, fat (mussel) (<i>Amblema neislerii</i>)	E	\$16,400	\$33,005	\$49,405	\$0	\$49,405
529	Wartyback, white (pearlymussel) (<i>Plethobasus cicatricosus</i>)	E	\$4,400	\$36,284	\$40,684	\$111	\$40,795
208	Wedgemussel, dwarf (<i>Alasmidonta heterodon</i>)	E	\$50,616	\$161,186	\$211,802	\$97,613	\$309,415

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	Clams Subtotal		\$2,793,984	\$3,629,808	\$6,423,792	\$1,077,392	\$7,501,184
	Snails						
202	Abalone, White (<i>Haliotis sorenseni</i>) North America (West Coast from Point Conception, CA, U.S.A., to Punta Abreojos, Baja California, Mexico)	E	\$0	\$300,500	\$300,500	\$21,000	\$321,500
248	Ambersnail, Kanab (<i>Oxyloma haydeni kanabensis</i>)	E	\$7,599	\$184,185	\$191,784	\$12,000	\$203,784
894	Campeloma, slender (<i>Campeloma decampi</i>)	E	\$2,900	\$3,387	\$6,287	\$0	\$6,287
670	Cavesnail, Tumbling Creek (<i>Antrobia culveri</i>)	E	\$14,500	\$2,775	\$17,275	\$5,000	\$22,275
913	Elimia, lacy (snail) (<i>Elimia crenatella</i>)	T	\$2,900	\$2,600	\$5,500	\$0	\$5,500
905	Limpet, Banbury Springs (<i>Lanx</i> sp.)	E	\$65	\$5,800	\$5,865	\$0	\$5,865
742	Lioplax, cylindrical (snail) (<i>Lioplax cyclostomaformis</i>)	E	\$3,300	\$10,100	\$13,400	\$1,798	\$15,198
907	Marstonia, royal (snail) (<i>Pyrgulopsis ogmorhappe</i>)	E	\$2,500	\$3,100	\$5,600	\$0	\$5,600
884	Pebblesnail, flat (<i>Lepyrium showalteri</i>)	E	\$2,900	\$2,100	\$5,000	\$1,798	\$6,798
963	Riversnail, Anthony's (<i>Athearnia anthonyi</i>) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$500	\$3,037	\$3,537	\$111	\$3,648
800	Riversnail, Anthony's (<i>Athearnia anthonyi</i>) Entire Range; Except where listed as Experimental Populations	E	\$6,800	\$3,400	\$10,200	\$0	\$10,200
913	Rocksnaail, painted (<i>Leptoxis taeniata</i>)	T	\$2,900	\$2,600	\$5,500	\$0	\$5,500
927	Rocksnaail, plicate (<i>Leptoxis plicata</i>)	E	\$2,900	\$2,100	\$5,000	\$0	\$5,000
869	Rocksnaail, round (<i>Leptoxis ampla</i>)	T	\$2,900	\$2,600	\$5,500	\$1,798	\$7,298
845	Shagreen, Magazine Mountain (<i>Mesodon magazinensis</i>)	T	\$8,500	\$0	\$8,500	\$0	\$8,500
947	Snail, armored (<i>Pyrgulopsis (=Marstonia) pachyta</i>)	E	\$2,900	\$1,687	\$4,587	\$0	\$4,587
187	Snail, Bliss Rapids (<i>Taylorconcha serpenticola</i>)	T	\$136,895	\$230,131	\$367,026	\$0	\$367,026
754	Snail, Chittenango ovate amber (<i>Succinea chittenangoensis</i>)	T	\$10,000	\$0	\$10,000	\$4,000	\$14,000
460	Snail, flat-spined three-toothed (<i>Triodopsis platysayoides</i>)	T	\$50,000	\$0	\$50,000	\$9,692	\$59,692
409	Snail, Iowa Pleistocene (<i>Discus macclintocki</i>)	E	\$68,500	\$3,426	\$71,926	\$2,120	\$74,046

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
278	Snail, Morro shoulderband (=Banded dune) (<i>Helminthoglypta walkeriana</i>)	E	\$146,035	\$6,000	\$152,035	\$0	\$152,035
873	Snail, Newcomb's (<i>Erinna newcombi</i>)	T	\$7,175	\$0	\$7,175	\$0	\$7,175
886	Snail, noonday (<i>Mesodon clarki nantahala</i>)	T	\$800	\$5,900	\$6,700	\$0	\$6,700
703	Snail, painted snake coiled forest (<i>Anguispira picta</i>)	T	\$18,000	\$1,400	\$19,400	\$0	\$19,400
714	Snail, Pecos assiminea (<i>Assiminea pecos</i>)	E	\$16,000	\$2,000	\$18,000	\$0	\$18,000
182	Snail, Snake River physa (<i>Physa natricina</i>)	E	\$150,553	\$239,584	\$390,137	\$0	\$390,137
781	Snail, Stock Island tree (<i>Orthalicus reses (not incl. nesodryas)</i>)	T	\$11,000	\$400	\$11,400	\$0	\$11,400
961	Snail, tulotoma (<i>Tulotoma magnifica</i>)	E	\$2,900	\$900	\$3,800	\$0	\$3,800
160	Snail, Utah valvata (<i>Valvata utahensis</i>)	E	\$136,495	\$360,605	\$497,100	\$0	\$497,100
1018	Snail, Virginia fringed mountain (<i>Polygyriscus virginianus</i>)	E	\$0	\$0	\$0	\$1,400	\$1,400
158	Snails, Oahu tree (<i>Achatinella spp.</i>)	E	\$312,950	\$191,000	\$503,950	\$0	\$503,950
923	Springsnail, Alamosa (<i>Tryonia alamosae</i>)	E	\$5,000	\$0	\$5,000	\$60	\$5,060
447	Springsnail, Bruneau Hot (<i>Pyrgulopsis bruneauensis</i>)	E	\$42,136	\$20,000	\$62,136	\$0	\$62,136
252	Springsnail, Idaho (<i>Pyrgulopsis idahoensis</i>)	E	\$164,095	\$28,681	\$192,776	\$0	\$192,776
776	Springsnail, Koster's (<i>Juturnia kosteri</i>)	E	\$12,000	\$0	\$12,000	\$0	\$12,000
754	Springsnail, Roswell (<i>Pyrgulopsis roswellensis</i>)	E	\$12,000	\$2,000	\$14,000	\$0	\$14,000
923	Springsnail, Socorro (<i>Pyrgulopsis neomexicana</i>)	E	\$5,000	\$0	\$5,000	\$60	\$5,060
	Snails Subtotal		\$1,371,598	\$1,621,998	\$2,993,596	\$60,837	\$3,054,433
	Insects						
140	Beetle, American burying (<i>Nicrophorus americanus</i>)	E	\$243,370	\$327,316	\$570,686	\$32,087	\$602,773
553	Beetle, Coffin Cave mold (<i>Batrisodes texanus</i>)	E	\$0	\$32,240	\$32,240	\$4,752	\$36,992
676	Beetle, Comal Springs dryopid (<i>Stygoparnus comalensis</i>)	E	\$16,151	\$240	\$16,391	\$5,348	\$21,739
495	Beetle, Comal Springs riffle (<i>Heterelmis comalensis</i>)	E	\$41,256	\$1,240	\$42,496	\$5,348	\$47,844
793	Beetle, delta green ground (<i>Elaphrus viridis</i>)	T	\$10,640	\$0	\$10,640	\$0	\$10,640
817	Beetle, Helotes mold (<i>Batrisodes</i>	E	\$4,500	\$240	\$4,740	\$4,900	\$9,640

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	<i>venyivi</i>)						
620	Beetle, Hungerford's crawling water (<i>Brychius hungerfordi</i>)	E	\$27,000	\$0	\$27,000	\$200	\$27,200
928	Beetle, Kretschmarr Cave mold (<i>Texamaurops reddelli</i>)	E	\$0	\$240	\$240	\$4,752	\$4,992
480	Beetle, Mount Hermon June (<i>Polyphylla barbata</i>)	E	\$53,150	\$0	\$53,150	\$0	\$53,150
928	Beetle, Tooth Cave ground (<i>Rhadine persephone</i>)	E	\$0	\$240	\$240	\$4,752	\$4,992
65	Beetle, valley elderberry longhorn (<i>Desmocerus californicus dimorphus</i>)	T	\$585,720	\$2,077,755	\$2,663,475	\$0	\$2,663,475
468	Butterfly, bay checkerspot (<i>Euphydryas editha bayensis</i>)	T	\$55,175	\$1,500	\$56,675	\$0	\$56,675
590	Butterfly, Behren's silverspot (<i>Speyeria zerene behrensi</i>)	E	\$30,810	\$0	\$30,810	\$0	\$30,810
825	Butterfly, callippe silverspot (<i>Speyeria callippe callippe</i>)	E	\$9,061	\$300	\$9,361	\$0	\$9,361
131	Butterfly, El Segundo blue (<i>Euphilotes battoides allyni</i>)	E	\$671,750	\$0	\$671,750	\$0	\$671,750
225	Butterfly, Fender's blue (<i>Icaricia icarioides fenderi</i>)	E	\$167,914	\$85,240	\$253,154	\$0	\$253,154
120	Butterfly, Karner blue (<i>Lycaeides melissa samuelis</i>)	E	\$290,073	\$336,759	\$626,832	\$230,655	\$857,487
1029	Butterfly, Lange's metalmark (<i>Apodemia mormo langei</i>)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
950	Butterfly, lotis blue (<i>Lycaeides argyrognomon lotis</i>)	E	\$4,480	\$0	\$4,480	\$0	\$4,480
679	Butterfly, mission blue (<i>Icaricia icarioides missionensis</i>)	E	\$4,635	\$17,000	\$21,635	\$0	\$21,635
498	Butterfly, Mitchell's satyr (<i>Neonympha mitchellii mitchellii</i>)	E	\$24,500	\$5,263	\$29,763	\$17,200	\$46,963
927	Butterfly, Myrtle's silverspot (<i>Speyeria zerene myrtleae</i>)	E	\$0	\$5,000	\$5,000	\$0	\$5,000
190	Butterfly, Oregon silverspot (<i>Speyeria zerene hippolyta</i>)	T	\$276,278	\$85,522	\$361,800	\$3,000	\$364,800
111	Butterfly, Palos Verdes blue (<i>Glaucopsyche lygdamus palosverdesensis</i>)	E	\$670,750	\$310,000	\$980,750	\$0	\$980,750
149	Butterfly, Quino checkerspot (<i>Euphydryas editha quino</i> (=E. e. <i>wrightii</i>))	E	\$362,160	\$176,000	\$538,160	\$0	\$538,160
291	Butterfly, Saint Francis' satyr (<i>Neonympha mitchellii francisci</i>)	E	\$1,000	\$140,195	\$141,195	\$1,400	\$142,595
759	Butterfly, Schaus swallowtail (<i>Heraclides aristodemus ponceanus</i>)	E	\$10,500	\$3,050	\$13,550	\$0	\$13,550
434	Butterfly, Smith's blue (<i>Euphilotes enoptes smithi</i>)	E	\$65,340	\$1,000	\$66,340	\$0	\$66,340
948	Butterfly, Uncompahgre fritillary (<i>Boloria acrocneuma</i>)	E	\$1,015	\$3,530	\$4,545	\$0	\$4,545
250	Dragonfly, Hine's emerald (<i>Somatochlora hineana</i>)	E	\$113,200	\$39,568	\$152,768	\$46,960	\$199,728

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
352	Fly, Delhi Sands flower-loving (<i>Rhaphiomidas terminatus abdominalis</i>)	E	\$98,480	\$0	\$98,480	\$0	\$98,480
585	Grasshopper, Zayante band-winged (<i>Trimerotropis infantilis</i>)	E	\$31,205	\$0	\$31,205	\$0	\$31,205
336	Ground beetle, [unnamed] (<i>Rhadine exilis</i>)	E	\$4,500	\$100,160	\$104,660	\$4,752	\$109,412
337	Ground beetle, [unnamed] (<i>Rhadine infernalis</i>)	E	\$4,500	\$100,000	\$104,500	\$4,752	\$109,252
341	Moth, Blackburn's sphinx (<i>Manduca blackburni</i>)	E	\$68,916	\$38,000	\$106,916	\$0	\$106,916
547	Moth, Kern primrose sphinx (<i>Euproserpinus euterpe</i>)	T	\$22,626	\$15,000	\$37,626	\$0	\$37,626
736	Naucorid, Ash Meadows (<i>Ambrysus amargosus</i>)	T	\$7,980	\$8,000	\$15,980	\$0	\$15,980
308	Skipper, Carson wandering (<i>Pseudocopaedeodes eunus obscurus</i>)	E	\$75,455	\$50,200	\$125,655	\$10,000	\$135,655
271	Skipper, Laguna Mountains (<i>Pyrgus ruralis lagunae</i>)	E	\$135,474	\$26,000	\$161,474	\$0	\$161,474
444	Skipper, Pawnee montane (<i>Hesperia leonardus montana</i>)	T	\$3,796	\$59,000	\$62,796	\$0	\$62,796
339	Tiger beetle, northeastern beach (<i>Cicindela dorsalis dorsalis</i>)	T	\$38,157	\$42,249	\$80,406	\$28,000	\$108,406
584	Tiger beetle, Ohlone (<i>Cicindela ohlone</i>)	E	\$31,240	\$0	\$31,240	\$0	\$31,240
493	Tiger beetle, Puritan (<i>Cicindela puritana</i>)	T	\$43,959	\$200	\$44,159	\$4,097	\$48,256
	Insects Subtotal		\$4,307,716	\$4,088,247	\$8,395,963	\$412,955	\$8,808,918
	Arachnids						
920	Harvestman, Bee Creek Cave (<i>Texella reddelli</i>)	E	\$0	\$240	\$240	\$4,900	\$5,140
831	Harvestman, Bone Cave (<i>Texella reyesi</i>)	E	\$4,000	\$240	\$4,240	\$4,900	\$9,140
809	Harvestman, Cokendolpher Cave (<i>Texella cokendolpheri</i>)	E	\$4,500	\$0	\$4,500	\$5,438	\$9,938
820	Meshweaver, Braken Bat Cave (<i>Cicurina venii</i>)	E	\$4,500	\$160	\$4,660	\$4,900	\$9,560
820	Meshweaver, Government Canyon Bat Cave (<i>Cicurina vespera</i>)	E	\$4,500	\$160	\$4,660	\$4,900	\$9,560
335	Meshweaver, Madla's Cave (<i>Cicurina madla</i>)	E	\$4,500	\$100,160	\$104,660	\$5,050	\$109,710
804	Meshweaver, Robber Baron Cave (<i>Cicurina baronia</i>)	E	\$4,500	\$160	\$4,660	\$5,438	\$10,098
908	Pseudoscorpion, Tooth Cave (<i>Tartarocreagris texana</i>)	E	\$0	\$160	\$160	\$5,438	\$5,598
813	Spider, Government Canyon Bat Cave (<i>Neoleptoneta microps</i>)	E	\$4,500	\$160	\$4,660	\$5,050	\$9,710
509	Spider, Kauai cave wolf or pe'e	E	\$44,325	\$0	\$44,325	\$0	\$44,325

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	pe'e maka 'ole (<i>Adelocosa anops</i>)						
980	Spider, spruce-fir moss (<i>Microhexura montivaga</i>)	E	\$900	\$1,900	\$2,800	\$0	\$2,800
908	Spider, Tooth Cave (<i>Leptoneta myopica</i>)	E	\$0	\$160	\$160	\$5,438	\$5,598
	Arachnids Subtotal		\$76,225	\$103,500	\$179,725	\$51,452	\$231,177
	Crustaceans						
968	Amphipod, Illinois cave (<i>Gammarus acherondytes</i>)	E	\$2,500	\$857	\$3,357	\$135	\$3,492
509	Amphipod, Kauai cave (<i>Spelaeorchestia koloana</i>)	E	\$44,325	\$0	\$44,325	\$0	\$44,325
445	Amphipod, Noel's (<i>Gammarus desperatus</i>)	E	\$54,000	\$2,000	\$56,000	\$6,688	\$62,688
680	Amphipod, Peck's cave (<i>Stygobromus (=Stygonectes) pecki</i>)	E	\$16,151	\$160	\$16,311	\$5,050	\$21,361
630	Crayfish, cave (<i>Cambarus aculabrum</i>)	E	\$23,900	\$2,100	\$26,000	\$0	\$26,000
713	Crayfish, cave (<i>Cambarus zophonastes</i>)	E	\$16,000	\$2,100	\$18,100	\$300	\$18,400
589	Crayfish, Nashville (<i>Orconectes shoupi</i>)	E	\$15,500	\$15,350	\$30,850	\$0	\$30,850
472	Crayfish, Shasta (<i>Pacifastacus fortis</i>)	E	\$45,000	\$1,000	\$46,000	\$10,000	\$56,000
324	Fairy shrimp, Conservancy (<i>Branchinecta conservatio</i>)	E	\$85,793	\$34,000	\$119,793	\$0	\$119,793
526	Fairy shrimp, longhorn (<i>Branchinecta longiantenna</i>)	E	\$38,858	\$2,000	\$40,858	\$0	\$40,858
125	Fairy shrimp, Riverside (<i>Streptocephalus woottoni</i>)	E	\$366,248	\$370,733	\$736,981	\$0	\$736,981
152	Fairy shrimp, San Diego (<i>Branchinecta sandiegonensis</i>)	E	\$366,193	\$166,542	\$532,735	\$0	\$532,735
57	Fairy shrimp, vernal pool (<i>Branchinecta lynchi</i>)	T	\$718,570	\$2,917,300	\$3,635,870	\$0	\$3,635,870
841	Isopod, Lee County cave (<i>Lirceus usdagalun</i>)	E	\$7,854	\$0	\$7,854	\$750	\$8,604
1036	Isopod, Madison Cave (<i>Antrolana lira</i>)	T	\$0	\$100	\$100	\$528	\$628
899	Isopod, Socorro (<i>Thermosphaeroma thermophilus</i>)	E	\$6,000	\$0	\$6,000	\$60	\$6,060
469	Shrimp, Alabama cave (<i>Palaemonias alabamae</i>)	E	\$2,900	\$53,487	\$56,387	\$0	\$56,387
345	Shrimp, California freshwater (<i>Syncaris pacifica</i>)	E	\$20,555	\$82,800	\$103,355	\$0	\$103,355
503	Shrimp, Kentucky cave (<i>Palaemonias ganteri</i>)	E	\$7,000	\$38,100	\$45,100	\$0	\$45,100
999	Shrimp, Squirrel Chimney Cave (<i>Palaemonetes cummingsi</i>)	T	\$0	\$2,100	\$2,100	\$0	\$2,100

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
62	Tadpole shrimp, vernal pool (<i>Lepidurus packardii</i>)	E	\$631,472	\$2,315,950	\$2,947,422	\$0	\$2,947,422
	Crustaceans Subtotal		\$2,468,819	\$6,006,679	\$8,475,498	\$23,511	\$8,499,009
	Flowering Plants						
754	Agave, Arizona (<i>Agave arizonica</i>)	E	\$13,300	\$200	\$13,500	\$500	\$14,000
623	Alani (<i>Melicope adscendens</i>)	E	\$12,389	\$14,374	\$26,763	\$107	\$26,870
956	Alani (<i>Melicope balloui</i>)	E	\$4,184	\$0	\$4,184	\$68	\$4,252
1043	Alani (<i>Melicope haupuensis</i>)	E	\$433	\$0	\$433	\$68	\$501
708	Alani (<i>Melicope knudsenii</i>)	E	\$4,580	\$14,374	\$18,954	\$68	\$19,022
681	Alani (<i>Melicope lydgatei</i>)	E	\$871	\$19,100	\$19,971	\$1,370	\$21,341
937	Alani (<i>Melicope mucronulata</i>)	E	\$4,580	\$0	\$4,580	\$107	\$4,687
1048	Alani (<i>Melicope munroi</i>)	E	\$293	\$0	\$293	\$68	\$361
1048	Alani (<i>Melicope ovalis</i>)	E	\$293	\$0	\$293	\$68	\$361
983	Alani (<i>Melicope pallida</i>)	E	\$383	\$0	\$383	\$2,221	\$2,604
1048	Alani (<i>Melicope quadrangularis</i>)	E	\$293	\$0	\$293	\$68	\$361
1048	Alani (<i>Melicope reflexa</i>)	E	\$293	\$0	\$293	\$68	\$361
1037	Alani (<i>Melicope saint-johnii</i>)	E	\$383	\$0	\$383	\$236	\$619
791	Alani (<i>Melicope zahlbruckneri</i>)	E	\$293	\$10,060	\$10,353	\$326	\$10,679
1019	Allocarya, Calistoga (<i>Plagiobothrys strictus</i>)	E	\$1,362	\$0	\$1,362	\$0	\$1,362
616	Alopecurus, Sonoma (<i>Alopecurus aequalis</i> var. <i>sonomensis</i>)	E	\$25,362	\$2,400	\$27,762	\$0	\$27,762
219	Amaranth, seabeach (<i>Amaranthus pumilus</i>)	T	\$33,999	\$245,950	\$279,949	\$500	\$280,449
673	Ambrosia, San Diego (<i>Ambrosia pumila</i>)	E	\$16,000	\$6,000	\$22,000	\$0	\$22,000
627	Ambrosia, south Texas (<i>Ambrosia cheiranthifolia</i>)	E	\$16,000	\$1,100	\$17,100	\$9,383	\$26,483
306	Amole, purple (<i>Chlorogalum purpureum</i>)	T	\$22,460	\$114,247	\$136,707	\$0	\$136,707
840	Amphianthus, little (<i>Amphianthus pusillus</i>)	T	\$3,500	\$2,600	\$6,100	\$2,520	\$8,620
886	Arrowhead, bunched (<i>Sagittaria fasciculata</i>)	E	\$4,600	\$2,100	\$6,700	\$0	\$6,700
407	Aster, decurrent false (<i>Boltonia decurrens</i>)	T	\$23,300	\$41,433	\$64,733	\$9,600	\$74,333
765	Aster, Florida golden (<i>Chrysopsis floridana</i>)	E	\$12,600	\$400	\$13,000	\$0	\$13,000
779	Aster, Ruth's golden (<i>Pityopsis ruthii</i>)	E	\$4,600	\$6,900	\$11,500	\$0	\$11,500
1005	Aupaka (<i>Isodendron hosakae</i>)	E	\$1,474	\$0	\$1,474	\$326	\$1,800
981	Aupaka (<i>Isodendron laurifolium</i>)	E	\$293	\$0	\$293	\$2,389	\$2,682
675	Aupaka (<i>Isodendron longifolium</i>)	T	\$433	\$19,100	\$19,533	\$2,221	\$21,754
753	Avens, spreading (<i>Geum radiatum</i>)	E	\$9,500	\$4,560	\$14,060	\$0	\$14,060
343	Awiwi (<i>Centaureum sebaeoides</i>)	E	\$12,044	\$91,667	\$103,711	\$922	\$104,633

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
1037	Awiiwi (<i>Hedyotis cookiana</i>)	E	\$293	\$0	\$293	\$326	\$619
456	Ayenia, Texas (<i>Ayenia limitaris</i>)	E	\$53,000	\$0	\$53,000	\$7,295	\$60,295
1037	A`e (<i>Zanthoxylum dipetalum</i> var. <i>tomentosum</i>)	E	\$293	\$0	\$293	\$326	\$619
354	A`e (<i>Zanthoxylum hawaiiense</i>)	E	\$13,189	\$83,534	\$96,723	\$978	\$97,701
735	Baccharis, Encinitas (<i>Baccharis vanessae</i>)	T	\$16,000	\$0	\$16,000	\$0	\$16,000
877	Barberry, island (<i>Berberis pinnata</i> ssp. <i>insularis</i>)	E	\$90	\$6,940	\$7,030	\$0	\$7,030
1014	Barberry, Nevin's (<i>Berberis nevinii</i>)	E	\$1,660	\$0	\$1,660	\$0	\$1,660
1018	Bariaco (<i>Trichilia triacantha</i>)	E	\$1,000	\$400	\$1,400	\$0	\$1,400
783	Beaked-rush, Knieskern's (<i>Rhynchospora knieskernii</i>)	T	\$8,040	\$2,700	\$10,740	\$520	\$11,260
519	Bear-poppy, dwarf (<i>Arctomecon humilis</i>)	E	\$16,000	\$26,300	\$42,300	\$0	\$42,300
990	Beardtongue, Penland (<i>Penstemon penlandii</i>)	E	\$1,421	\$1,000	\$2,421	\$0	\$2,421
889	Beargrass, Britton's (<i>Nolina brittoniana</i>)	E	\$6,200	\$250	\$6,450	\$0	\$6,450
663	Beauty, Harper's (<i>Harperocallis flava</i>)	E	\$300	\$22,400	\$22,700	\$0	\$22,700
973	Bedstraw, El Dorado (<i>Galium californicum</i> ssp. <i>sierrae</i>)	E	\$1,000	\$2,200	\$3,200	\$0	\$3,200
855	Bedstraw, island (<i>Galium buxifolium</i>)	E	\$1,090	\$6,840	\$7,930	\$0	\$7,930
1051	Bellflower, Brooksville (<i>Campanula robinsiae</i>)	E	\$200	\$0	\$200	\$0	\$200
921	Birch, Virginia round-leaf (<i>Betula uber</i>)	T	\$5,121	\$0	\$5,121	\$0	\$5,121
246	Bird's beak, palmate-bracted (<i>Cordylanthus palmatus</i>)	E	\$108,407	\$96,500	\$204,907	\$0	\$204,907
512	Bird's-beak, salt marsh (<i>Cordylanthus maritimus</i> ssp. <i>maritimus</i>)	E	\$34,862	\$9,000	\$43,862	\$0	\$43,862
461	Bird's-beak, soft (<i>Cordylanthus mollis</i> ssp. <i>mollis</i>)	E	\$59,045	\$0	\$59,045	\$0	\$59,045
891	Birds-in-a-nest, white (<i>Macbridea alba</i>)	T	\$0	\$6,400	\$6,400	\$0	\$6,400
932	Bittercress, small-anthered (<i>Cardamine micranthera</i>)	E	\$3,500	\$850	\$4,350	\$500	\$4,850
879	Bladderpod, Dudley Bluffs (<i>Lesquerella congesta</i>)	T	\$5,193	\$1,700	\$6,893	\$0	\$6,893
997	Bladderpod, kodachrome (<i>Lesquerella tumulosa</i>)	E	\$1,000	\$1,200	\$2,200	\$0	\$2,200
875	Bladderpod, lyrate (<i>Lesquerella lyrata</i>)	T	\$5,400	\$1,687	\$7,087	\$0	\$7,087
451	Bladderpod, Missouri (<i>Lesquerella filiformis</i>)	T	\$11,100	\$44,150	\$55,250	\$6,100	\$61,350
462	Bladderpod, San Bernardino Mountains (<i>Lesquerella kingii</i> ssp. <i>bernardina</i>)	E	\$5,000	\$54,000	\$59,000	\$0	\$59,000

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
669	Bladderpod, Spring Creek (<i>Lesquerella perforata</i>)	E	\$8,900	\$13,500	\$22,400	\$0	\$22,400
863	Bladderpod, white (<i>Lesquerella pallida</i>)	E	\$0	\$0	\$0	\$7,593	\$7,593
748	Bladderpod, Zapata (<i>Lesquerella thamnophila</i>)	E	\$3,500	\$0	\$3,500	\$10,875	\$14,375
701	Blazingstar, Ash Meadows (<i>Mentzelia leucophylla</i>)	T	\$19,700	\$0	\$19,700	\$0	\$19,700
808	Blazingstar, Heller's (<i>Liatris helleri</i>)	T	\$6,900	\$3,060	\$9,960	\$0	\$9,960
543	Blazingstar, scrub (<i>Liatris ohlingerae</i>)	E	\$38,000	\$400	\$38,400	\$0	\$38,400
1016	Blue-star, Kearney's (<i>Amsonia kearneyana</i>)	E	\$0	\$1,000	\$1,000	\$500	\$1,500
1029	Bluecurls, Hidden Lake (<i>Trichostema austromontanum ssp. compactum</i>)	T	\$1,000	\$0	\$1,000	\$0	\$1,000
1048	Bluegrass, Hawaiian (<i>Poa sandvicensis</i>)	E	\$293	\$0	\$293	\$68	\$361
1048	Bluegrass, Mann's (<i>Poa mannii</i>)	E	\$293	\$0	\$293	\$68	\$361
994	Bluegrass, Napa (<i>Poa napensis</i>)	E	\$2,362	\$0	\$2,362	\$0	\$2,362
475	Bluegrass, San Bernardino (<i>Poa atropurpurea</i>)	E	\$1,000	\$54,000	\$55,000	\$0	\$55,000
919	Bluet, Roan Mountain (<i>Hedyotis purpurea var. montana</i>)	E	\$4,200	\$1,000	\$5,200	\$0	\$5,200
707	Bonamia, Florida (<i>Bonamia grandiflora</i>)	T	\$14,900	\$4,250	\$19,150	\$0	\$19,150
1001	Boxwood, Vahl's (<i>Buxus vahlii</i>)	E	\$2,000	\$0	\$2,000	\$0	\$2,000
946	Brodiaea, Chinese Camp (<i>Brodiaea pallida</i>)	T	\$4,590	\$0	\$4,590	\$0	\$4,590
312	Brodiaea, thread-leaved (<i>Brodiaea filifolia</i>)	T	\$99,550	\$32,846	\$132,396	\$0	\$132,396
702	Broom, San Clemente Island (<i>Lotus dendroideus ssp. traskiae</i>)	E	\$1,090	\$18,500	\$19,590	\$0	\$19,590
1029	Buckwheat, cushenbury (<i>Eriogonum ovalifolium var. vineum</i>)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
744	Buckwheat, lone (incl. Irish Hill) (<i>Eriogonum apricum (incl. var. prostratum)</i>)	E	\$10,870	\$4,000	\$14,870	\$0	\$14,870
563	Buckwheat, scrub (<i>Eriogonum longifolium var. gnaphalifolium</i>)	T	\$31,000	\$4,000	\$35,000	\$0	\$35,000
315	Buckwheat, steamboat (<i>Eriogonum ovalifolium var. williamsiae</i>)	E	\$120,200	\$5,000	\$125,200	\$0	\$125,200
897	Bulrush, Northeastern (<i>Scirpus ancistrochaetus</i>)	E	\$1,886	\$1,031	\$2,917	\$3,218	\$6,135
513	Bush-clover, prairie (<i>Lespedeza leptostachya</i>)	T	\$30,200	\$4,378	\$34,578	\$9,040	\$43,618
702	Bush-mallow, San Clemente Island (<i>Malacothamnus clementinus</i>)	E	\$1,090	\$18,500	\$19,590	\$0	\$19,590

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
852	Bush-mallow, Santa Cruz Island (<i>Malacothamnus fasciculatus</i> var. <i>nesioticus</i>)	E	\$1,090	\$6,940	\$8,030	\$0	\$8,030
1016	Buttercup, autumn (<i>Ranunculus aestivalis</i> (= <i>acriformis</i>))	E	\$1,000	\$500	\$1,500	\$0	\$1,500
371	Butterfly plant, Colorado (<i>Gaura neomexicana</i> var. <i>coloradensis</i>)	T	\$38,007	\$51,150	\$89,157	\$0	\$89,157
915	Butterweed, Layne's (<i>Senecio layneae</i>)	T	\$3,635	\$1,800	\$5,435	\$0	\$5,435
916	Butterwort, Godfrey's (<i>Pinguicula ionantha</i>)	T	\$1,000	\$4,400	\$5,400	\$0	\$5,400
961	Button, Mohr's Barbara (<i>Marshallia mohrii</i>)	T	\$2,900	\$900	\$3,800	\$0	\$3,800
330	Button-celery, San Diego (<i>Eryngium aristulatum</i> var. <i>parishii</i>)	E	\$16,000	\$96,412	\$112,412	\$0	\$112,412
1044	Cactus, Arizona hedgehog (<i>Echinocereus triglochidiatus</i> var. <i>arizonicus</i>)	E	\$0	\$0	\$0	\$500	\$500
1012	Cactus, Bakersfield (<i>Opuntia treleasei</i>)	E	\$1,140	\$600	\$1,740	\$0	\$1,740
829	Cactus, black lace (<i>Echinocereus reichenbachii</i> var. <i>albertii</i>)	E	\$2,000	\$0	\$2,000	\$7,295	\$9,295
478	Cactus, Brady pincushion (<i>Pediocactus bradyi</i>)	E	\$14,000	\$39,500	\$53,500	\$500	\$54,000
922	Cactus, Chisos Mountain hedgehog (<i>Echinocereus chisoensis</i> var. <i>chisoensis</i>)	T	\$0	\$3,000	\$3,000	\$2,100	\$5,100
1016	Cactus, Cochise pincushion (<i>Coryphantha robbinsorum</i>)	T	\$0	\$1,000	\$1,000	\$500	\$1,500
709	Cactus, Key tree (<i>Pilosocereus robinii</i>)	E	\$18,700	\$0	\$18,700	\$0	\$18,700
762	Cactus, Knowlton (<i>Pediocactus knowltonii</i>)	E	\$9,686	\$3,600	\$13,286	\$0	\$13,286
419	Cactus, Kuenzler hedgehog (<i>Echinocereus fendleri</i> var. <i>kuenzleri</i>)	E	\$5,000	\$66,500	\$71,500	\$0	\$71,500
786	Cactus, Lee pincushion (<i>Coryphantha sneedii</i> var. <i>leei</i>)	T	\$0	\$11,000	\$11,000	\$0	\$11,000
835	Cactus, Lloyd's Mariposa (<i>Echinomastus mariposensis</i>)	T	\$0	\$1,000	\$1,000	\$7,892	\$8,892
698	Cactus, Mesa Verde (<i>Sclerocactus mesae-verdae</i>)	T	\$7,686	\$12,200	\$19,886	\$0	\$19,886
999	Cactus, Nellie cory (<i>Coryphantha minima</i>)	E	\$0	\$0	\$0	\$2,100	\$2,100
740	Cactus, Nichol's Turk's head (<i>Echinocactus horizontalonius</i> var. <i>nicholii</i>)	E	\$0	\$15,000	\$15,000	\$500	\$15,500
746	Cactus, Peebles Navajo (<i>Pediocactus peeblesianus</i> var. <i>peeblesianus</i>)	E	\$10,000	\$4,000	\$14,000	\$500	\$14,500
270	Cactus, Pima pineapple (<i>Coryphantha scheeri</i> var. <i>robustispina</i>)	E	\$131,000	\$24,000	\$155,000	\$7,000	\$162,000

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
611	Cactus, San Rafael (<i>Pediocactus despainii</i>)	E	\$10,000	\$18,028	\$28,028	\$0	\$28,028
761	Cactus, Siler pincushion (<i>Pediocactus</i> (=Echinocactus,=Utahia) <i>sileri</i>)	T	\$13,000	\$0	\$13,000	\$500	\$13,500
424	Cactus, Sneed pincushion (<i>Coryphantha sneedii</i> var. <i>sneedii</i>)	E	\$0	\$62,500	\$62,500	\$6,698	\$69,198
390	Cactus, star (<i>Astrophytum asterias</i>)	E	\$66,000	\$0	\$66,000	\$15,350	\$81,350
544	Cactus, Tobusch fishhook (<i>Ancistrocactus tobuschii</i>)	E	\$6,000	\$0	\$6,000	\$32,386	\$38,386
482	Cactus, Uinta Basin hookless (<i>Sclerocactus glaucus</i>)	T	\$24,851	\$27,612	\$52,463	\$0	\$52,463
807	Cactus, Winkler (<i>Pediocactus winkleri</i>)	T	\$0	\$10,028	\$10,028	\$0	\$10,028
496	Cactus, Wright fishhook (<i>Sclerocactus wrightiae</i>)	E	\$10,000	\$37,528	\$47,528	\$0	\$47,528
826	Campion, fringed (<i>Silene polypetala</i>)	E	\$3,800	\$3,555	\$7,355	\$2,000	\$9,355
1018	Capa rosa (<i>Callicarpa ampla</i>)	E	\$1,000	\$400	\$1,400	\$0	\$1,400
856	Cat's-eye, Terlingua Creek (<i>Cryptantha crassipes</i>)	E	\$0	\$0	\$0	\$7,892	\$7,892
237	Catchfly, Spalding's (<i>Silene spaldingii</i>)	T	\$48,988	\$169,589	\$218,577	\$0	\$218,577
575	Ceanothus, coyote (<i>Ceanothus ferrisae</i>)	E	\$33,000	\$0	\$33,000	\$0	\$33,000
797	Ceanothus, Pine Hill (<i>Ceanothus roderickii</i>)	E	\$8,270	\$2,200	\$10,470	\$0	\$10,470
1029	Ceanothus, Vail Lake (<i>Ceanothus ophiochilus</i>)	T	\$1,000	\$0	\$1,000	\$0	\$1,000
832	Centauray, spring-loving (<i>Centaurium namophilum</i>)	T	\$9,100	\$0	\$9,100	\$0	\$9,100
1007	Chaff-flower, round-leaved (<i>Achyranthes splendens</i> var. <i>rotundata</i>)	E	\$740	\$100	\$840	\$922	\$1,762
151	Chaffseed, American (<i>Schwalbea americana</i>)	E	\$22,864	\$509,879	\$532,743	\$3,620	\$536,363
935	Checker-mallow, Keck's (<i>Sidalcea keckii</i>)	E	\$4,792	\$0	\$4,792	\$0	\$4,792
1019	Checker-mallow, Kenwood Marsh (<i>Sidalcea oregana</i> ssp. <i>valida</i>)	E	\$1,362	\$0	\$1,362	\$0	\$1,362
292	Checker-mallow, Nelson's (<i>Sidalcea nelsoniana</i>)	T	\$121,980	\$20,509	\$142,489	\$0	\$142,489
478	Checker-mallow, pedate (<i>Sidalcea pedata</i>)	E	\$0	\$54,000	\$54,000	\$0	\$54,000
477	Checkermallow, Wenatchee Mountains (<i>Sidalcea oregana</i> var. <i>calva</i>)	E	\$38,285	\$15,829	\$54,114	\$0	\$54,114
900	Chumbo, Higo (<i>Harrisia portoricensis</i>)	T	\$6,000	\$0	\$6,000	\$0	\$6,000
989	Chupacallos (<i>Pleodendron macranthum</i>)	E	\$2,500	\$0	\$2,500	\$0	\$2,500

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
978	Clarkia, Pismo (<i>Clarkia speciosa</i> ssp. <i>immaculata</i>)	E	\$2,895	\$0	\$2,895	\$0	\$2,895
774	Clarkia, Presidio (<i>Clarkia franciscana</i>)	E	\$2,817	\$9,250	\$12,067	\$0	\$12,067
763	Clarkia, Springville (<i>Clarkia springvillensis</i>)	T	\$8,225	\$5,000	\$13,225	\$0	\$13,225
972	Clarkia, Vine Hill (<i>Clarkia imbricata</i>)	E	\$2,362	\$900	\$3,262	\$0	\$3,262
845	Cliff-rose, Arizona (<i>Purshia</i> (=Cowania) <i>subintegra</i>)	E	\$4,000	\$4,000	\$8,000	\$500	\$8,500
1023	Clover, Monterey (<i>Trifolium trichocalyx</i>)	E	\$1,039	\$200	\$1,239	\$0	\$1,239
293	Clover, running buffalo (<i>Trifolium stoloniferum</i>)	E	\$95,600	\$41,600	\$137,200	\$4,778	\$141,978
386	Clover, showy Indian (<i>Trifolium amoenum</i>)	E	\$82,486	\$0	\$82,486	\$0	\$82,486
853	Cobana negra (<i>Stahlia monosperma</i>)	T	\$8,000	\$0	\$8,000	\$0	\$8,000
360	Coneflower, smooth (<i>Echinacea laevigata</i>)	E	\$32,500	\$61,054	\$93,554	\$1,000	\$94,554
635	Coneflower, Tennessee purple (<i>Echinacea tennesseensis</i>)	E	\$21,200	\$4,347	\$25,547	\$0	\$25,547
984	Cory cactus, bunched (<i>Coryphantha ramillosa</i>)	T	\$0	\$500	\$500	\$2,100	\$2,600
617	Crownscale, San Jacinto Valley (<i>Atriplex coronata</i> var. <i>notatior</i>)	E	\$27,550	\$0	\$27,550	\$0	\$27,550
912	Cycladenia, Jones (<i>Cycladenia jonesii</i> (=humilis))	T	\$5,000	\$28	\$5,028	\$500	\$5,528
796	Daisy, lakeside (<i>Hymenoxys herbacea</i>)	T	\$4,600	\$5,673	\$10,273	\$200	\$10,473
745	Daisy, Maguire (<i>Erigeron maguirei</i>)	T	\$1,500	\$13,128	\$14,628	\$0	\$14,628
446	Daisy, Parish's (<i>Erigeron parishii</i>)	T	\$7,790	\$54,500	\$62,290	\$0	\$62,290
254	Daisy, Willamette (<i>Erigeron decumbens</i> var. <i>decumbens</i>)	E	\$145,747	\$39,490	\$185,237	\$0	\$185,237
422	Dawn-flower, Texas prairie (<i>Hymenoxys texana</i>)	E	\$50,000	\$9,700	\$59,700	\$10,875	\$70,575
299	Desert-parsley, Bradshaw's (<i>Lomatium bradshawii</i>)	E	\$110,992	\$28,375	\$139,367	\$0	\$139,367
780	Dogweed, ashy (<i>Thymophylla tephroleuca</i>)	E	\$4,500	\$0	\$4,500	\$6,997	\$11,497
541	Dropwort, Canby's (<i>Oxypolis canbyi</i>)	E	\$20,500	\$17,054	\$37,554	\$1,020	\$38,574
996	Dudleya, Conejo (<i>Dudleya abramsii</i> ssp. <i>parva</i>)	T	\$850	\$1,400	\$2,250	\$0	\$2,250
1004	Dudleya, marcescent (<i>Dudleya cymosa</i> ssp. <i>marcescens</i>)	T	\$850	\$1,000	\$1,850	\$0	\$1,850
570	Dudleya, Santa Clara Valley (<i>Dudleya setchellii</i>)	E	\$33,817	\$0	\$33,817	\$0	\$33,817
864	Dudleya, Santa Cruz Island (<i>Dudleya nesiotica</i>)	T	\$565	\$6,940	\$7,505	\$0	\$7,505
996	Dudleya, Verity's (<i>Dudleya verityi</i>)	T	\$850	\$1,400	\$2,250	\$0	\$2,250

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
203	Dudleyea, Santa Monica Mountains (<i>Dudleya cymosa</i> ssp. <i>ovatifolia</i>)	T	\$318,075	\$1,000	\$319,075	\$0	\$319,075
967	Dwarf-flax, Marin (<i>Hesperolinon congestum</i>)	T	\$1,000	\$2,500	\$3,500	\$0	\$3,500
1016	Erubia (<i>Solanum drymophilum</i>)	E	\$1,500	\$0	\$1,500	\$0	\$1,500
1029	Evening-primrose, Antioch Dunes (<i>Oenothera deltoides</i> ssp. <i>howellii</i>)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
893	Evening-primrose, Eureka Valley (<i>Oenothera avita</i> ssp. <i>eurekensis</i>)	E	\$5,795	\$500	\$6,295	\$0	\$6,295
414	Evening-primrose, San Benito (<i>Camissonia benitensis</i>)	T	\$49,565	\$23,000	\$72,565	\$0	\$72,565
1029	Fiddleneck, large-flowered (<i>Amsinckia grandiflora</i>)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
1024	Flannelbush, Mexican (<i>Fremontodendron mexicanum</i>)	E	\$1,000	\$200	\$1,200	\$0	\$1,200
977	Flannelbush, Pine Hill (<i>Fremontodendron californicum</i> ssp. <i>decumbens</i>)	E	\$1,000	\$1,900	\$2,900	\$0	\$2,900
977	Fleabane, Zuni (<i>Erigeron rhizomatus</i>)	T	\$2,000	\$400	\$2,400	\$500	\$2,900
303	Four-o'clock, MacFarlane's (<i>Mirabilis macfarlanei</i>)	T	\$91,025	\$47,821	\$138,846	\$0	\$138,846
715	Frankenia, Johnston's (<i>Frankenia johnstonii</i>)	E	\$11,000	\$0	\$11,000	\$6,997	\$17,997
630	Fringe-tree, pygmy (<i>Chionanthus pygmaeus</i>)	E	\$26,000	\$0	\$26,000	\$0	\$26,000
852	Fringepod, Santa Cruz Island (<i>Thysanocarpus conchuliferus</i>)	E	\$1,090	\$6,940	\$8,030	\$0	\$8,030
193	Fritillary, Gentner's (<i>Fritillaria gentneri</i>)	E	\$30,713	\$322,670	\$353,383	\$0	\$353,383
712	Gardenia (=Na`u), Hawaiian (<i>Gardenia brighamii</i>)	E	\$14,479	\$0	\$14,479	\$4,094	\$18,573
818	Geranium, Hawaiian red-flowered (<i>Geranium ararboreum</i>)	E	\$8,802	\$0	\$8,802	\$810	\$9,612
476	Gerardia, sandplain (<i>Agalinis acuta</i>)	E	\$1,886	\$42,500	\$44,386	\$9,843	\$54,229
1028	Gilia, Hoffmann's slender-flowered (<i>Gilia tenuiflora</i> ssp. <i>hoffmannii</i>)	E	\$90	\$1,000	\$1,090	\$0	\$1,090
649	Gilia, Monterey (<i>Gilia tenuiflora</i> ssp. <i>arenaria</i>)	E	\$20,855	\$3,500	\$24,355	\$0	\$24,355
976	Goetzea, beautiful (<i>Goetzea elegans</i>)	E	\$3,000	\$0	\$3,000	\$0	\$3,000
892	Goldenrod, Blue Ridge (<i>Solidago spithamea</i>)	T	\$4,300	\$2,000	\$6,300	\$0	\$6,300
868	Goldenrod, Houghton's (<i>Solidago houghtonii</i>)	T	\$3,000	\$4,000	\$7,000	\$300	\$7,300
574	Goldenrod, Short's (<i>Solidago shortii</i>)	E	\$22,300	\$11,000	\$33,300	\$0	\$33,300
723	Goldenrod, white-haired	T	\$5,500	\$12,000	\$17,500	\$0	\$17,500

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	(<i>Solidago albopilosa</i>)						
943	Goldfields, Burke's (<i>Lasthenia burkei</i>)	E	\$4,635	\$0	\$4,635	\$0	\$4,635
212	Goldfields, Contra Costa (<i>Lasthenia conjugens</i>)	E	\$281,257	\$17,000	\$298,257	\$0	\$298,257
1047	Gooseberry, Miccosukee (<i>Ribes echinellum</i>)	T	\$0	\$400	\$400	\$0	\$400
729	Gourd, Okeechobee (<i>Cucurbita okeechobeensis</i> ssp. <i>okeechobeensis</i>)	E	\$2,700	\$14,029	\$16,729	\$0	\$16,729
400	Grass, Colusa (<i>Neostapfia colusana</i>)	T	\$76,345	\$1,200	\$77,545	\$0	\$77,545
1016	Grass, Eureka Dune (<i>Swallenia alexandrae</i>)	E	\$1,000	\$500	\$1,500	\$0	\$1,500
415	Grass, Solano (<i>Tuctoria mucronata</i>)	E	\$70,892	\$1,200	\$72,092	\$0	\$72,092
822	Grass, Tennessee yellow-eyed (<i>Xyris tennesseensis</i>)	E	\$4,500	\$5,037	\$9,537	\$0	\$9,537
805	Ground-plum, Guthrie's (=Pyne's) (<i>Astragalus bibullatus</i>)	E	\$6,600	\$3,492	\$10,092	\$0	\$10,092
967	Groundsel, San Francisco Peaks (<i>Senecio franciscanus</i>)	T	\$3,000	\$0	\$3,000	\$500	\$3,500
786	Gumplant, Ash Meadows (<i>Grindelia fraxino-pratensis</i>)	T	\$11,000	\$0	\$11,000	\$0	\$11,000
285	Haha (<i>Cyanea acuminata</i>)	E	\$125,944	\$19,100	\$145,044	\$236	\$145,280
1048	Haha (<i>Cyanea asarifolia</i>)	E	\$293	\$0	\$293	\$68	\$361
1037	Haha (<i>Cyanea copelandii</i> ssp. <i>copelandii</i>)	E	\$293	\$0	\$293	\$326	\$619
970	Haha (<i>Cyanea copelandii</i> ssp. <i>haleakalaensis</i>)	E	\$293	\$3,000	\$3,293	\$68	\$3,361
937	Haha (<i>Cyanea dunbarii</i>)	E	\$4,580	\$0	\$4,580	\$107	\$4,687
768	Haha (<i>Cyanea glabra</i>)	E	\$8,486	\$4,000	\$12,486	\$68	\$12,554
773	Haha (<i>Cyanea grimesiana</i> ssp. <i>grimesiana</i>)	E	\$10,736	\$0	\$10,736	\$1,409	\$12,145
501	Haha (<i>Cyanea grimesiana</i> ssp. <i>obatae</i>)	E	\$6,526	\$38,100	\$44,626	\$1,202	\$45,828
788	Haha (<i>Cyanea hamatiflora</i> ssp. <i>carlsonii</i>)	E	\$293	\$0	\$293	\$10,516	\$10,809
768	Haha (<i>Cyanea hamatiflora</i> ssp. <i>hamatiflora</i>)	E	\$8,486	\$4,000	\$12,486	\$68	\$12,554
307	Haha (<i>Cyanea humboldtiana</i>)	E	\$117,033	\$19,100	\$136,133	\$236	\$136,369
275	Haha (<i>Cyanea koolauensis</i>)	E	\$117,611	\$38,100	\$155,711	\$236	\$155,947
647	Haha (<i>Cyanea lobata</i>)	E	\$24,278	\$0	\$24,278	\$107	\$24,385
656	Haha (<i>Cyanea longiflora</i>)	E	\$4,337	\$19,100	\$23,437	\$236	\$23,673
1046	Haha (<i>Cyanea macrostegia</i> ssp. <i>gibsonii</i>)	E	\$344	\$0	\$344	\$68	\$412
1048	Haha (<i>Cyanea manni</i>)	E	\$293	\$0	\$293	\$68	\$361
955	Haha (<i>Cyanea mceldowneyi</i>)	E	\$4,199	\$0	\$4,199	\$68	\$4,267
1017	Haha (<i>Cyanea pinnatifida</i>)	E	\$293	\$0	\$293	\$1,202	\$1,495
1037	Haha (<i>Cyanea platyphylla</i>)	E	\$293	\$0	\$293	\$326	\$619

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
942	Haha (<i>Cyanea procera</i>)	E	\$4,529	\$0	\$4,529	\$107	\$4,636
1048	Haha (<i>Cyanea recta</i>)	T	\$293	\$0	\$293	\$68	\$361
1048	Haha (<i>Cyanea remyi</i>)	E	\$293	\$0	\$293	\$68	\$361
717	Haha (<i>Cyanea shipmannii</i>)	E	\$11,608	\$6,000	\$17,608	\$326	\$17,934
558	Haha (<i>Cyanea st-johnii</i>)	E	\$15,039	\$19,100	\$34,139	\$1,370	\$35,509
633	Haha (<i>Cyanea stictophylla</i>)	E	\$16,450	\$5,842	\$22,292	\$3,338	\$25,630
602	Haha (<i>Cyanea superba</i>)	E	\$8,999	\$19,100	\$28,099	\$1,202	\$29,301
854	Haha (<i>Cyanea truncata</i>)	E	\$6,597	\$0	\$6,597	\$1,370	\$7,967
1048	Haha (<i>Cyanea undulata</i>)	E	\$293	\$0	\$293	\$68	\$361
283	Hala pepe (<i>Pleomele hawaiiensis</i>)	E	\$43,468	\$99,056	\$142,524	\$3,461	\$145,985
511	Harebells, Avon Park (<i>Crotalaria avonensis</i>)	E	\$44,000	\$0	\$44,000	\$0	\$44,000
580	Harperella (<i>Ptilimnium nodosum</i>)	E	\$8,500	\$18,085	\$26,585	\$5,139	\$31,724
815	Hau kuahiwi (<i>Hibiscadelphus giffardianus</i>)	E	\$293	\$9,060	\$9,353	\$326	\$9,679
878	Hau kuahiwi (<i>Hibiscadelphus hualalaiensis</i>)	E	\$293	\$5,000	\$5,293	\$1,720	\$7,013
1038	Hau kuahiwi (<i>Hibiscadelphus woodii</i>)	E	\$544	\$0	\$544	\$68	\$612
1017	Ha`iwale (<i>Cyrtandra crenata</i>)	E	\$293	\$0	\$293	\$1,202	\$1,495
652	Ha`iwale (<i>Cyrtandra dentata</i>)	E	\$4,588	\$19,100	\$23,688	\$236	\$23,924
687	Ha`iwale (<i>Cyrtandra giffardii</i>)	E	\$11,567	\$7,060	\$18,627	\$2,067	\$20,694
1048	Ha`iwale (<i>Cyrtandra limahuliensis</i>)	T	\$293	\$0	\$293	\$68	\$361
693	Ha`iwale (<i>Cyrtandra munroi</i>)	E	\$19,991	\$0	\$19,991	\$68	\$20,059
1013	Ha`iwale (<i>Cyrtandra polyantha</i>)	E	\$293	\$0	\$293	\$1,370	\$1,663
691	Ha`iwale (<i>Cyrtandra subumbellata</i>)	E	\$871	\$19,100	\$19,971	\$236	\$20,207
860	Ha`iwale (<i>Cyrtandra tintinnabula</i>)	E	\$293	\$7,060	\$7,353	\$326	\$7,679
624	Ha`iwale (<i>Cyrtandra viridiflora</i>)	E	\$7,335	\$19,100	\$26,435	\$236	\$26,671
435	Heartleaf, dwarf-flowered (<i>Hexastylis naniflora</i>)	T	\$24,000	\$42,000	\$66,000	\$0	\$66,000
814	Heather, mountain golden (<i>Hudsonia montana</i>)	T	\$9,200	\$500	\$9,700	\$0	\$9,700
988	Heau (<i>Exocarpos luteolus</i>)	E	\$293	\$0	\$293	\$2,221	\$2,514
1048	Hedyotis, Na Pali beach (<i>Hedyotis st.-johnii</i>)	E	\$293	\$0	\$293	\$68	\$361
988	Hibiscus, Clay's (<i>Hibiscus clayi</i>)	E	\$293	\$0	\$293	\$2,221	\$2,514
1044	Higuero de sierra (<i>Crescentia portoricensis</i>)	E	\$500	\$0	\$500	\$0	\$500
1037	Holei (<i>Ochrosia kilaeensis</i>)	E	\$293	\$0	\$293	\$326	\$619
1029	Holly, Cook's (<i>Ilex cookii</i>)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
362	Honohono (<i>Haplostachys haplostachya</i>)	E	\$23,974	\$69,160	\$93,134	\$326	\$93,460
253	Howellia, water (<i>Howellia aquatilis</i>)	T	\$17,762	\$169,471	\$187,233	\$0	\$187,233
662	Hypericum, highlands scrub (<i>Hypericum cumulicola</i>)	E	\$22,800	\$0	\$22,800	\$0	\$22,800

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
1021	lagu, Hayun (=Guam), Tronkon guafi (Rota) (<i>Serianthes nelsonii</i>)	E	\$1,300	\$0	\$1,300	\$0	\$1,300
988	Iliau, dwarf (<i>Wilkesia hobbdi</i>)	E	\$293	\$0	\$293	\$2,221	\$2,514
702	Indian paintbrush, San Clemente Island (<i>Castilleja grisea</i>)	E	\$1,090	\$18,500	\$19,590	\$0	\$19,590
588	Ipomopsis, Holy Ghost (<i>Ipomopsis sancti-spiritus</i>)	E	\$23,000	\$8,000	\$31,000	\$0	\$31,000
615	Iris, dwarf lake (<i>Iris lacustris</i>)	T	\$16,200	\$11,533	\$27,733	\$200	\$27,933
686	Irisette, white (<i>Sisyrinchium dichotomum</i>)	E	\$20,400	\$400	\$20,800	\$0	\$20,800
906	Ischaemum, Hilo (<i>Ischaemum byrone</i>)	E	\$293	\$5,000	\$5,293	\$326	\$5,619
832	Ivesia, Ash Meadows (<i>Ivesia kingii</i> var. <i>eremica</i>)	T	\$9,100	\$0	\$9,100	\$0	\$9,100
967	Jacquemontia, beach (<i>Jacquemontia reclinata</i>)	E	\$3,500	\$0	\$3,500	\$0	\$3,500
452	Jewelflower, California (<i>Caulanthus californicus</i>)	E	\$4,865	\$56,200	\$61,065	\$0	\$61,065
570	Jewelflower, Metcalf Canyon (<i>Streptanthus albidus</i> ssp. <i>albidus</i>)	E	\$33,817	\$0	\$33,817	\$0	\$33,817
1029	Jewelflower, Tiburon (<i>Streptanthus niger</i>)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
743	Joint-vetch, sensitive (<i>Aeschynomene virginica</i>)	T	\$6,364	\$7,351	\$13,715	\$1,320	\$15,035
614	Kamakahala (<i>Labordia cyrtandrae</i>)	E	\$7,467	\$19,100	\$26,567	\$1,370	\$27,937
682	Kamakahala (<i>Labordia lydgatei</i>)	E	\$21,168	\$0	\$21,168	\$68	\$21,236
1048	Kamakahala (<i>Labordia tinifolia</i> var. <i>lanaiensis</i>)	E	\$293	\$0	\$293	\$68	\$361
1048	Kamakahala (<i>Labordia tinifolia</i> var. <i>wahiawaensis</i>)	E	\$293	\$0	\$293	\$68	\$361
937	Kamakahala (<i>Labordia triflora</i>)	E	\$4,580	\$0	\$4,580	\$107	\$4,687
648	Kamanomano (<i>Cenchrus agrimonioides</i>)	E	\$4,337	\$19,100	\$23,437	\$922	\$24,359
655	Kauai hau kuahiwi (<i>Hibiscadelphus distans</i>)	E	\$293	\$19,913	\$20,206	\$3,485	\$23,691
391	Kauila (<i>Colubrina oppositifolia</i>)	E	\$29,155	\$40,000	\$69,155	\$12,145	\$81,300
982	Kaulu (<i>Pteralyxia kauaiensis</i>)	E	\$433	\$0	\$433	\$2,221	\$2,654
408	Kio`ele (<i>Hedyotis coriacea</i>)	E	\$9,661	\$64,300	\$73,961	\$365	\$74,326
661	Kiponapona (<i>Phyllostegia racemosa</i>)	E	\$11,608	\$9,000	\$20,608	\$2,686	\$23,294
925	Kohe malama malama o kanaloa (<i>Kanaloa kahoowawensis</i>)	E	\$5,033	\$0	\$5,033	\$0	\$5,033
488	Koki`o (<i>Kokia drynarioides</i>)	E	\$417	\$40,000	\$40,417	\$9,550	\$49,967
988	Koki`o (<i>Kokia kauaiensis</i>)	E	\$293	\$0	\$293	\$2,221	\$2,514
1020	Koki`o ke`oke`o (<i>Hibiscus arnottianus</i> ssp. <i>immaculatus</i>)	E	\$293	\$1,000	\$1,293	\$68	\$1,361
988	Koki`o ke`oke`o (<i>Hibiscus waimeae</i> ssp. <i>hannerae</i>)	E	\$293	\$0	\$293	\$2,221	\$2,514

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
896	Koki`o, Cooke's (<i>Kokia cookei</i>)	E	\$5,293	\$0	\$5,293	\$849	\$6,142
624	Kolea (<i>Myrsine juddii</i>)	E	\$7,335	\$19,100	\$26,435	\$236	\$26,671
506	Kolea (<i>Myrsine linearifolia</i>)	T	\$433	\$42,000	\$42,433	\$2,221	\$44,654
937	Kopa (<i>Hedyotis schlechtendahlana</i> var. <i>remyi</i>)	E	\$4,580	\$0	\$4,580	\$107	\$4,687
755	Ko`oko`olau (<i>Bidens micrantha</i> ssp. <i>kalealaha</i>)	E	\$8,102	\$5,627	\$13,729	\$68	\$13,797
1048	Ko`oko`olau (<i>Bidens wiebkei</i>)	E	\$293	\$0	\$293	\$68	\$361
317	Ko`oloa`ula (<i>Abutilon menziesii</i>)	E	\$17,611	\$5,000	\$22,611	\$101,683	\$124,294
725	Kuahiwi laukahi (<i>Plantago hawaiiensis</i>)	E	\$11,675	\$3,842	\$15,517	\$1,597	\$17,114
561	Kuahiwi laukahi (<i>Plantago princeps</i>)	E	\$8,404	\$24,100	\$32,504	\$2,647	\$35,151
988	Kuawawaenohu (<i>Alsinidendron lychnooides</i>)	E	\$293	\$0	\$293	\$2,221	\$2,514
1026	Kula wahine noho (<i>Isodendron pyriformium</i>)	E	\$796	\$0	\$796	\$326	\$1,122
449	Kulu`i (<i>Nototrichium humile</i>)	E	\$19,987	\$41,889	\$61,876	\$68	\$61,944
967	Ladies'-tresses, Canelo Hills (<i>Spiranthes delitescens</i>)	E	\$0	\$3,000	\$3,000	\$500	\$3,500
433	Ladies'-tresses, Navasota (<i>Spiranthes parksii</i>)	E	\$54,000	\$3,200	\$57,200	\$9,383	\$66,583
194	Ladies'-tresses, Ute (<i>Spiranthes diluvialis</i>)	T	\$59,268	\$283,646	\$342,914	\$5,745	\$348,659
598	Larkspur, Baker's (<i>Delphinium bakeri</i>)	E	\$29,765	\$0	\$29,765	\$0	\$29,765
702	Larkspur, San Clemente Island (<i>Delphinium variegatum</i> ssp. <i>kinkiense</i>)	E	\$1,090	\$18,500	\$19,590	\$0	\$19,590
994	Larkspur, yellow (<i>Delphinium luteum</i>)	E	\$2,362	\$0	\$2,362	\$0	\$2,362
962	Lau`ehu (<i>Panicum niihauense</i>)	E	\$1,693	\$2,000	\$3,693	\$68	\$3,761
1048	Lauhilihi (<i>Schiedea stellarioides</i>)	E	\$293	\$0	\$293	\$68	\$361
326	Layia, beach (<i>Layia carnosa</i>)	E	\$34,015	\$84,920	\$118,935	\$0	\$118,935
977	Lead-plant, Crenulate (<i>Amorpha crenulata</i>)	E	\$2,100	\$800	\$2,900	\$0	\$2,900
789	Leather flower, Alabama (<i>Clematis socialis</i>)	E	\$2,900	\$6,400	\$9,300	\$1,500	\$10,800
883	Leather flower, Morefield's (<i>Clematis morefieldii</i>)	E	\$6,400	\$400	\$6,800	\$0	\$6,800
722	Lessingia, San Francisco (<i>Lessingia germanorum</i> (=L.g. var. <i>germanorum</i>))	E	\$2,620	\$15,000	\$17,620	\$0	\$17,620
951	Liliwai (<i>Acaena exigua</i>)	E	\$4,293	\$0	\$4,293	\$107	\$4,400
667	Lily, Minnesota dwarf trout (<i>Erythronium propullans</i>)	E	\$9,900	\$8,160	\$18,060	\$4,500	\$22,560
1019	Lily, Pitkin Marsh (<i>Lilium pardalinum</i> ssp. <i>pitkinense</i>)	E	\$1,362	\$0	\$1,362	\$0	\$1,362
322	Lily, Western (<i>Lilium occidentale</i>)	E	\$101,014	\$10,000	\$111,014	\$10,000	\$121,014
206	Liveforever, Laguna Beach	T	\$313,000	\$0	\$313,000	\$0	\$313,000

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	<i>(Dudleya stolonifera)</i>						
954	Liveforever, Santa Barbara Island (<i>Dudleya traskiae</i>)	E	\$2,325	\$2,000	\$4,325	\$0	\$4,325
1039	Locoweed, Fassett's (<i>Oxytropis campestris</i> var. <i>chartacea</i>)	T	\$600	\$0	\$600	\$0	\$600
363	Lomatium, Cook's (<i>Lomatium cookii</i>)	E	\$61,855	\$31,449	\$93,304	\$0	\$93,304
377	Loosestrife, rough-leaved (<i>Lysimachia asperulaefolia</i>)	E	\$10,500	\$76,213	\$86,713	\$0	\$86,713
880	Lousewort, Furbish (<i>Pedicularis furbishiae</i>)	E	\$6,882	\$0	\$6,882	\$0	\$6,882
1048	Love grass, Fosberg's (<i>Eragrostis fosbergii</i>)	E	\$293	\$0	\$293	\$68	\$361
985	Lo`ulu (<i>Pritchardia affinis</i>)	E	\$293	\$1,212	\$1,505	\$1,068	\$2,573
659	Lo`ulu (<i>Pritchardia kaalae</i>)	E	\$4,337	\$19,100	\$23,437	\$68	\$23,505
937	Lo`ulu (<i>Pritchardia munroi</i>)	E	\$4,580	\$0	\$4,580	\$107	\$4,687
1032	Lo`ulu (<i>Pritchardia napaliensis</i>)	E	\$293	\$0	\$293	\$590	\$883
940	Lo`ulu (<i>Pritchardia remota</i>)	E	\$4,581	\$0	\$4,581	\$68	\$4,649
734	Lo`ulu (<i>Pritchardia schattaueri</i>)	E	\$13,468	\$0	\$13,468	\$2,686	\$16,154
988	Lo`ulu (<i>Pritchardia viscosa</i>)	E	\$293	\$0	\$293	\$2,221	\$2,514
595	Lupine, clover (<i>Lupinus tidestromii</i>)	E	\$0	\$30,250	\$30,250	\$0	\$30,250
207	Lupine, Kincaid's (<i>Lupinus sulphureus</i> (=oreganus) ssp. <i>kincaidii</i> (=var. <i>kincaidii</i>))	T	\$165,917	\$146,328	\$312,245	\$0	\$312,245
993	Lupine, Nipomo Mesa (<i>Lupinus nipomensis</i>)	E	\$2,370	\$0	\$2,370	\$0	\$2,370
724	Lupine, scrub (<i>Lupinus aridorum</i>)	E	\$3,000	\$14,374	\$17,374	\$0	\$17,374
534	Mahoe (<i>Alectryon macrococcus</i>)	E	\$21,066	\$19,100	\$40,166	\$107	\$40,273
901	Makou (<i>Peucedanum sandwicense</i>)	T	\$433	\$3,300	\$3,733	\$2,221	\$5,954
877	Malacothrix, island (<i>Malacothrix squalida</i>)	E	\$90	\$6,940	\$7,030	\$0	\$7,030
877	Malacothrix, Santa Cruz Island (<i>Malacothrix indecora</i>)	E	\$90	\$6,940	\$7,030	\$0	\$7,030
772	Mallow, Kern (<i>Eremalche kernensis</i>)	E	\$2,242	\$10,000	\$12,242	\$0	\$12,242
1001	Mallow, Peter's Mountain (<i>Iliamna corei</i>)	E	\$0	\$0	\$0	\$2,000	\$2,000
1016	Manaca, palma de (<i>Calyptronoma rivalis</i>)	T	\$1,500	\$0	\$1,500	\$0	\$1,500
784	Manioc, Walker's (<i>Manihot walkerae</i>)	E	\$3,000	\$0	\$3,000	\$8,190	\$11,190
436	Manzanita, Del Mar (<i>Arctostaphylos glandulosa</i> ssp. <i>crassifolia</i>)	E	\$16,000	\$49,999	\$65,999	\$0	\$65,999
741	Manzanita, lone (<i>Arctostaphylos myrtifolia</i>)	T	\$10,870	\$4,600	\$15,470	\$0	\$15,470
802	Manzanita, Morro (<i>Arctostaphylos morroensis</i>)	T	\$6,130	\$4,000	\$10,130	\$0	\$10,130

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
637	Manzanita, pallid (<i>Arctostaphylos pallida</i>)	T	\$25,298	\$0	\$25,298	\$0	\$25,298
866	Manzanita, Presidio (<i>Arctostaphylos hookeri</i> var. <i>ravenii</i>)	E	\$5,452	\$2,000	\$7,452	\$0	\$7,452
861	Manzanita, Santa Rosa Island (<i>Arctostaphylos confertiflora</i>)	E	\$1,665	\$6,000	\$7,665	\$0	\$7,665
958	Mapele (<i>Cyrtandra cyaneoides</i>)	E	\$3,928	\$0	\$3,928	\$68	\$3,996
1029	Mariposa lily, Tiburon (<i>Calochortus tiburonensis</i>)	T	\$1,000	\$0	\$1,000	\$0	\$1,000
458	Ma`o hau hele, (=native yellow hibiscus) (<i>Hibiscus brackenridgei</i>)	E	\$30,160	\$24,350	\$54,510	\$5,449	\$59,959
1048	Ma`oli`oli (<i>Schiedea apokremnos</i>)	E	\$293	\$0	\$293	\$68	\$361
535	Ma`oli`oli (<i>Schiedea kealiae</i>)	E	\$1,935	\$38,100	\$40,035	\$68	\$40,103
177	Meadowfoam, Butte County (<i>Limnanthes floccosa</i> ssp. <i>californica</i>)	E	\$28,694	\$385,000	\$413,694	\$0	\$413,694
556	Meadowfoam, large-flowered woolly (<i>Limnanthes floccosa</i> ssp. <i>grandiflora</i>)	E	\$36,013	\$350	\$36,363	\$0	\$36,363
943	Meadowfoam, Sebastopol (<i>Limnanthes vinculans</i>)	E	\$4,635	\$0	\$4,635	\$0	\$4,635
833	Meadowrue, Cooley's (<i>Thalictrum cooleyi</i>)	E	\$7,000	\$2,000	\$9,000	\$0	\$9,000
406	Mehamehame (<i>Flueggea neowawraea</i>)	E	\$45,268	\$22,889	\$68,157	\$6,827	\$74,984
1029	Mesa-mint, Otay (<i>Pogogyne nudiuscula</i>)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
438	Mesa-mint, San Diego (<i>Pogogyne abramsii</i>)	E	\$1,000	\$64,566	\$65,566	\$0	\$65,566
760	Milk-vetch, Applegate's (<i>Astragalus applegatei</i>)	E	\$13,502	\$0	\$13,502	\$0	\$13,502
974	Milk-vetch, Ash meadows (<i>Astragalus phoenix</i>)	T	\$3,100	\$0	\$3,100	\$0	\$3,100
416	Milk-vetch, Braunton's (<i>Astragalus brauntonii</i>)	E	\$70,398	\$1,400	\$71,798	\$0	\$71,798
994	Milk-vetch, Clara Hunt's (<i>Astragalus clarianus</i>)	E	\$2,362	\$0	\$2,362	\$0	\$2,362
394	Milk-vetch, Coachella Valley (<i>Astragalus lentiginosus</i> var. <i>cochellae</i>)	E	\$79,000	\$1,000	\$80,000	\$0	\$80,000
1056	Milk-vetch, coastal dunes (<i>Astragalus tener</i> var. <i>titi</i>)	E	\$39	\$0	\$39	\$0	\$39
459	Milk-vetch, Cushenbury (<i>Astragalus albens</i>)	E	\$5,890	\$54,000	\$59,890	\$0	\$59,890
1055	Milk-vetch, Deseret (<i>Astragalus desereticus</i>)	T	\$0	\$83	\$83	\$0	\$83
398	Milk-vetch, Fish Slough (<i>Astragalus lentiginosus</i> var. <i>piscinensis</i>)	T	\$72,923	\$5,000	\$77,923	\$0	\$77,923
457	Milk-vetch, Holmgren (<i>Astragalus holmgreniorum</i>)	E	\$28,531	\$31,000	\$59,531	\$500	\$60,031

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
969	Milk-vetch, Jesup's (<i>Astragalus robbinsii</i> var. <i>jesupi</i>)	E	\$1,886	\$0	\$1,886	\$1,500	\$3,386
205	Milk-vetch, Lane Mountain (<i>Astragalus jaegerianus</i>)	E	\$155,152	\$158,716	\$313,868	\$0	\$313,868
1025	Milk-vetch, Mancos (<i>Astragalus humillimus</i>)	E	\$137	\$1,000	\$1,137	\$0	\$1,137
775	Milk-vetch, Osterhout (<i>Astragalus osterhoutii</i>)	E	\$2,106	\$9,900	\$12,006	\$0	\$12,006
112	Milk-vetch, Peirson's (<i>Astragalus magdalenae</i> var. <i>peirsonii</i>)	T	\$42,190	\$930,000	\$972,190	\$500	\$972,690
668	Milk-vetch, Sentry (<i>Astragalus cremnophylax</i> var. <i>cremnophylax</i>)	E	\$13,000	\$9,000	\$22,000	\$500	\$22,500
448	Milk-vetch, Shivwits (<i>Astragalus ampullarioides</i>)	E	\$28,530	\$33,500	\$62,030	\$0	\$62,030
1029	Milk-vetch, triple-ribbed (<i>Astragalus tricarinatus</i>)	E	\$0	\$1,000	\$1,000	\$0	\$1,000
944	Milk-vetch, Ventura Marsh (<i>Astragalus pycnostachyus</i> var. <i>lanosissimus</i>)	E	\$4,605	\$0	\$4,605	\$0	\$4,605
1035	Milkpea, Small's (<i>Galactia smallii</i>)	E	\$700	\$0	\$700	\$0	\$700
430	Milkweed, Mead's (<i>Asclepias meadii</i>)	T	\$42,270	\$22,090	\$64,360	\$3,665	\$68,025
1044	Milkweed, Welsh's (<i>Asclepias welshii</i>)	T	\$0	\$0	\$0	\$500	\$500
754	Mint, Garrett's (<i>Dicerandra christmanii</i>)	E	\$14,000	\$0	\$14,000	\$0	\$14,000
539	Mint, Lakela's (<i>Dicerandra immaculata</i>)	E	\$38,900	\$0	\$38,900	\$0	\$38,900
967	Mint, longspurred (<i>Dicerandra cornutissima</i>)	E	\$3,500	\$0	\$3,500	\$0	\$3,500
766	Mint, scrub (<i>Dicerandra frutescens</i>)	E	\$12,700	\$0	\$12,700	\$0	\$12,700
351	Monardella, willow (<i>Monardella linoidea</i> ssp. <i>viminea</i>)	E	\$87,000	\$11,561	\$98,561	\$0	\$98,561
887	Monkey-flower, Michigan (<i>Mimulus glabratus</i> var. <i>michiganensis</i>)	E	\$2,500	\$4,032	\$6,532	\$100	\$6,632
486	Monkshood, northern wild (<i>Aconitum noveboracense</i>)	T	\$49,000	\$700	\$49,700	\$1,000	\$50,700
997	Morning-glory, Stebbins' (<i>Calystegia stebbinsii</i>)	E	\$1,000	\$1,200	\$2,200	\$0	\$2,200
992	Mountain balm, Indian Knob (<i>Eriodictyon altissimum</i>)	E	\$1,895	\$500	\$2,395	\$0	\$2,395
1029	Mountain-mahogany, Catalina Island (<i>Cercocarpus traskiae</i>)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
900	Mustard, Carter's (<i>Warea carteri</i>)	E	\$6,000	\$0	\$6,000	\$0	\$6,000
1040	Mustard, Penland alpine fen (<i>Eutrema penlandii</i>)	T	\$564	\$34	\$598	\$0	\$598
1048	Nani wai'ale'ale (<i>Viola kauaiensis</i> var. <i>wahiawaensis</i>)	E	\$293	\$0	\$293	\$68	\$361
305	Nanu (<i>Gardenia manni</i>)	E	\$117,611	\$19,100	\$136,711	\$1,370	\$138,081
474	Naupaka, dwarf (<i>Scaevola</i>	E	\$20,263	\$34,000	\$54,263	\$922	\$55,185

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	<i>coriacea</i>)						
777	Navarretia, few-flowered (<i>Navarretia leucocephala</i> ssp. <i>pauciflora</i> (=N. <i>pauciflora</i>))	E	\$11,915	\$0	\$11,915	\$0	\$11,915
777	Navarretia, many-flowered (<i>Navarretia leucocephala</i> ssp. <i>plieantha</i>)	E	\$11,915	\$0	\$11,915	\$0	\$11,915
265	Navarretia, spreading (<i>Navarretia fossalis</i>)	T	\$72,785	\$96,412	\$169,197	\$0	\$169,197
659	Na`ena`e (<i>Dubautia herbstobatae</i>)	E	\$4,337	\$19,100	\$23,437	\$68	\$23,505
988	Na`ena`e (<i>Dubautia latifolia</i>)	E	\$293	\$0	\$293	\$2,221	\$2,514
958	Na`ena`e (<i>Dubautia pauciflorula</i>)	E	\$3,928	\$0	\$3,928	\$68	\$3,996
1048	Na`ena`e (<i>Dubautia plantaginea</i> ssp. <i>humilis</i>)	E	\$293	\$0	\$293	\$68	\$361
988	Nehe (<i>Lipochaeta fauriei</i>)	E	\$293	\$0	\$293	\$2,221	\$2,514
1048	Nehe (<i>Lipochaeta kamolensis</i>)	E	\$293	\$0	\$293	\$68	\$361
700	Nehe (<i>Lipochaeta lobata</i> var. <i>leptophylla</i>)	E	\$15,943	\$3,789	\$19,732	\$68	\$19,800
982	Nehe (<i>Lipochaeta micrantha</i>)	E	\$433	\$0	\$433	\$2,221	\$2,654
658	Nehe (<i>Lipochaeta tenuifolia</i>)	E	\$4,427	\$19,100	\$23,527	\$68	\$23,595
988	Nehe (<i>Lipochaeta waimeaensis</i>)	E	\$293	\$0	\$293	\$2,221	\$2,514
688	Nioi (<i>Eugenia koolauensis</i>)	E	\$293	\$19,100	\$19,393	\$1,202	\$20,595
481	Niterwort, Amargosa (<i>Nitrophila mohavensis</i>)	E	\$52,975	\$0	\$52,975	\$0	\$52,975
830	Abutilon eremitopetalum (=Sci name)	E	\$8,426	\$0	\$8,426	\$810	\$9,236
411	Abutilon sandwicense (=Sci name)	E	\$16,521	\$55,857	\$72,378	\$1,202	\$73,580
998	Achyranthes mutica (=Sci name)	E	\$293	\$0	\$293	\$1,809	\$2,102
601	Alsinidendron obovatum (=Sci name)	E	\$9,010	\$19,100	\$28,110	\$1,202	\$29,312
684	Alsinidendron trinerve (=Sci name)	E	\$871	\$19,100	\$19,971	\$1,202	\$21,173
975	Alsinidendron viscosum (=Sci name)	E	\$293	\$0	\$293	\$2,743	\$3,036
1038	Amaranthus brownii (=Sci name)	E	\$544	\$0	\$544	\$68	\$612
967	Aristida chaseae (=Sci name)	E	\$3,500	\$0	\$3,500	\$0	\$3,500
1044	Auerodendron pauciflorum (=Sci name)	E	\$500	\$0	\$500	\$0	\$500
383	Bonamia menziesii (=Sci name)	E	\$57,597	\$24,100	\$81,697	\$3,131	\$84,828
756	Calyptranthes thomasiana (=Sci name)	E	\$1,000	\$12,770	\$13,770	\$0	\$13,770
650	Catesbaea melanocarpa (=Sci name)	E	\$24,000	\$0	\$24,000	\$0	\$24,000
1044	Chamaecrista glandulosa var. <i>mirabilis</i> (=Sci name)	E	\$500	\$0	\$500	\$0	\$500
988	Chamaesyce halemanui (=Sci name)	E	\$293	\$0	\$293	\$2,221	\$2,514
913	Cordia bellonis (=Sci name)	E	\$5,500	\$0	\$5,500	\$0	\$5,500

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
1044	<i>Cranichis ricartii</i> (=Sci name)	E	\$500	\$0	\$500	\$0	\$500
301	<i>Cyanea</i> (=Rollandia) <i>crispa</i> (=Sci name)	E	\$119,011	\$19,100	\$138,111	\$1,202	\$139,313
1029	<i>Daphnopsis hellerana</i> (=Sci name)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
960	<i>Delissea rhytidosperra</i> (=Sci name)	E	\$433	\$0	\$433	\$3,485	\$3,918
569	<i>Delissea undulata</i> (=Sci name)	E	\$33,626	\$0	\$33,626	\$326	\$33,952
1029	<i>Eugenia woodburyana</i> (=Sci name)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
957	<i>Gahnia lanaiensis</i> (=Sci name)	E	\$4,139	\$0	\$4,139	\$68	\$4,207
705	<i>Geocarpon minimum</i> (=Sci name)	T	\$4,000	\$1,820	\$5,820	\$13,392	\$19,212
1044	<i>Gesneria pauciflora</i> (=Sci name)	T	\$500	\$0	\$500	\$0	\$500
998	<i>Gouania hillebrandii</i> (=Sci name)	E	\$293	\$0	\$293	\$1,809	\$2,102
988	<i>Gouania meyenii</i> (=Sci name)	E	\$293	\$0	\$293	\$2,221	\$2,514
605	<i>Gouania vitifolia</i> (=Sci name)	E	\$27,048	\$0	\$27,048	\$2,079	\$29,127
606	<i>Hedyotis degeneri</i> (=Sci name)	E	\$4,588	\$23,960	\$28,548	\$68	\$28,616
639	<i>Hedyotis parvula</i> (=Sci name)	E	\$4,427	\$20,660	\$25,087	\$68	\$25,155
895	<i>Hesperomannia arborescens</i> (=Sci name)	E	\$4,871	\$0	\$4,871	\$1,370	\$6,241
479	<i>Hesperomannia arbuscula</i> (=Sci name)	E	\$14,677	\$38,100	\$52,777	\$1,202	\$53,979
945	<i>Hesperomannia lydgatei</i> (=Sci name)	E	\$4,533	\$0	\$4,533	\$68	\$4,601
1018	<i>Ilex sintenisii</i> (=Sci name)	E	\$1,000	\$400	\$1,400	\$0	\$1,400
1044	<i>Lepanthes eltoroensis</i> (=Sci name)	E	\$500	\$0	\$500	\$0	\$500
1029	<i>Leptocereus grantianus</i> (=Sci name)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
1005	<i>Lipochaeta venosa</i> (=Sci name)	E	\$1,474	\$0	\$1,474	\$326	\$1,800
691	<i>Lobelia gaudichaudii</i> ssp. <i>koolauensis</i> (=Sci name)	E	\$871	\$19,100	\$19,971	\$236	\$20,207
859	<i>Lobelia monostachya</i> (=Sci name)	E	\$6,346	\$0	\$6,346	\$1,370	\$7,716
672	<i>Lobelia niihauensis</i> (=Sci name)	E	\$383	\$20,660	\$21,043	\$1,202	\$22,245
302	<i>Lobelia oahuensis</i> (=Sci name)	E	\$118,433	\$19,100	\$137,533	\$1,370	\$138,903
1044	<i>Lyonia truncata</i> var. <i>proctorii</i> (=Sci name)	E	\$500	\$0	\$500	\$0	\$500
1048	<i>Lysimachia filifolia</i> (=Sci name)	E	\$293	\$0	\$293	\$68	\$361
952	<i>Lysimachia lydgatei</i> (=Sci name)	E	\$4,297	\$0	\$4,297	\$68	\$4,365
1045	<i>Lysimachia maxima</i> (=Sci name)	E	\$344	\$0	\$344	\$107	\$451
1037	<i>Mariscus fauriei</i> (=Sci name)	E	\$293	\$0	\$293	\$326	\$619
929	<i>Mariscus pennatiformis</i> (=Sci name)	E	\$4,624	\$0	\$4,624	\$326	\$4,950
1029	<i>Mitracarpus maxwelliae</i> (=Sci name)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
1029	<i>Mitracarpus polycladus</i> (=Sci name)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
666	<i>Munroidendron racemosum</i>	E	\$433	\$19,913	\$20,346	\$2,221	\$22,567

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	(=Sci name)						
1016	<i>Myrcia paganii</i> (=Sci name)	E	\$1,500	\$0	\$1,500	\$0	\$1,500
631	<i>Neraudia angulata</i> (=Sci name)	E	\$4,970	\$20,660	\$25,630	\$68	\$25,698
295	<i>Neraudia ovata</i> (=Sci name)	E	\$64,683	\$74,160	\$138,843	\$2,686	\$141,529
1048	<i>Neraudia sericea</i> (=Sci name)	E	\$293	\$0	\$293	\$68	\$361
536	<i>Nesogenes rotensis</i> (=Sci name)	E	\$40,000	\$0	\$40,000	\$0	\$40,000
536	<i>Osmoxylon mariannense</i> (=Sci name)	E	\$40,000	\$0	\$40,000	\$0	\$40,000
1048	<i>Phyllostegia glabra</i> var. <i>lanaiensis</i> (=Sci name)	E	\$293	\$0	\$293	\$68	\$361
691	<i>Phyllostegia hirsuta</i> (=Sci name)	E	\$871	\$19,100	\$19,971	\$236	\$20,207
604	<i>Phyllostegia kaalaensis</i> (=Sci name)	E	\$8,718	\$19,100	\$27,818	\$1,370	\$29,188
1048	<i>Phyllostegia knudsenii</i> (=Sci name)	E	\$293	\$0	\$293	\$68	\$361
843	<i>Phyllostegia mannii</i> (=Sci name)	E	\$8,486	\$0	\$8,486	\$107	\$8,593
567	<i>Phyllostegia mollis</i> (=Sci name)	E	\$13,819	\$19,100	\$32,919	\$1,202	\$34,121
550	<i>Phyllostegia parviflora</i> (=Sci name)	E	\$9,555	\$26,160	\$35,715	\$1,628	\$37,343
749	<i>Phyllostegia velutina</i> (=Sci name)	E	\$11,608	\$0	\$11,608	\$2,686	\$14,294
1048	<i>Phyllostegia waimeae</i> (=Sci name)	E	\$293	\$0	\$293	\$68	\$361
995	<i>Phyllostegia warshaueri</i> (=Sci name)	E	\$293	\$0	\$293	\$2,067	\$2,360
1048	<i>Phyllostegia wawrana</i> (=Sci name)	E	\$293	\$0	\$293	\$68	\$361
941	<i>Platanthera holochila</i> (=Sci name)	E	\$4,580	\$0	\$4,580	\$68	\$4,648
1048	<i>Poa siphonoglossa</i> (=Sci name)	E	\$293	\$0	\$293	\$68	\$361
988	<i>Remya kauaiensis</i> (=Sci name)	E	\$293	\$0	\$293	\$2,221	\$2,514
988	<i>Remya montgomeryi</i> (=Sci name)	E	\$293	\$0	\$293	\$2,221	\$2,514
321	<i>Sanicula mariversa</i> (=Sci name)	E	\$121,077	\$0	\$121,077	\$68	\$121,145
516	<i>Sanicula purpurea</i> (=Sci name)	E	\$21,970	\$19,100	\$41,070	\$1,370	\$42,440
970	<i>Schiedea haleakalensis</i> (=Sci name)	E	\$293	\$3,000	\$3,293	\$68	\$3,361
1048	<i>Schiedea helleri</i> (=Sci name)	E	\$293	\$0	\$293	\$68	\$361
678	<i>Schiedea hookeri</i> (=Sci name)	E	\$926	\$20,660	\$21,586	\$68	\$21,654
792	<i>Schiedea kaalae</i> (=Sci name)	E	\$9,291	\$0	\$9,291	\$1,370	\$10,661
988	<i>Schiedea kauaiensis</i> (=Sci name)	E	\$293	\$0	\$293	\$2,221	\$2,514
1048	<i>Schiedea lydgatei</i> (=Sci name)	E	\$293	\$0	\$293	\$68	\$361
988	<i>Schiedea membranacea</i> (=Sci name)	E	\$293	\$0	\$293	\$2,221	\$2,514
619	<i>Schiedea nuttallii</i> (=Sci name)	E	\$4,772	\$19,100	\$23,872	\$3,355	\$27,227
1048	<i>Schiedea sarmentosa</i> (=Sci name)	E	\$293	\$0	\$293	\$68	\$361
1048	<i>Schiedea spergulina</i> var. <i>leiopoda</i> (=Sci name)	E	\$293	\$0	\$293	\$68	\$361
689	<i>Schiedea spergulina</i> var. <i>spergulina</i> (=Sci name)	T	\$293	\$19,914	\$20,207	\$68	\$20,275

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
1048	<i>Schiedea verticillata</i> (=Sci name)	E	\$293	\$0	\$293	\$68	\$361
1044	<i>Schoepfia arenaria</i> (=Sci name)	T	\$500	\$0	\$500	\$0	\$500
937	<i>Silene alexandri</i> (=Sci name)	E	\$4,580	\$0	\$4,580	\$107	\$4,687
319	<i>Silene hawaiiensis</i> (=Sci name)	T	\$34,807	\$86,583	\$121,390	\$326	\$121,716
366	<i>Silene lanceolata</i> (=Sci name)	E	\$1,474	\$89,371	\$90,845	\$326	\$91,171
903	<i>Silene perlmanii</i> (=Sci name)	E	\$4,704	\$0	\$4,704	\$1,202	\$5,906
353	<i>Spermolepis hawaiiensis</i> (=Sci name)	E	\$5,320	\$92,820	\$98,140	\$326	\$98,466
410	<i>Stenogyne angustifolia</i> var. <i>angustifolia</i> (=Sci name)	E	\$1,474	\$72,160	\$73,634	\$326	\$73,960
941	<i>Stenogyne bifida</i> (=Sci name)	E	\$4,580	\$0	\$4,580	\$68	\$4,648
1048	<i>Stenogyne campanulata</i> (=Sci name)	E	\$293	\$0	\$293	\$68	\$361
629	<i>Stenogyne kanehoana</i> (=Sci name)	E	\$5,825	\$19,100	\$24,925	\$1,202	\$26,127
1029	<i>Ternstroemia subsessilis</i> (=Sci name)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
418	<i>Tetramolopium arenarium</i> (=Sci name)	E	\$1,474	\$69,160	\$70,634	\$978	\$71,612
640	<i>Tetramolopium filiforme</i> (=Sci name)	E	\$4,337	\$20,660	\$24,997	\$68	\$25,065
600	<i>Tetramolopium lepidotum</i> ssp. <i>lepidotum</i> (=Sci name)	E	\$9,081	\$19,100	\$28,181	\$1,202	\$29,383
844	<i>Tetramolopium remyi</i> (=Sci name)	E	\$8,426	\$0	\$8,426	\$107	\$8,533
979	<i>Tetramolopium rockii</i> (=Sci name)	T	\$293	\$2,500	\$2,793	\$68	\$2,861
318	<i>Trematolobelia singularis</i> (=Sci name)	E	\$122,844	\$0	\$122,844	\$236	\$123,080
1029	<i>Vernonia proctorii</i> (=Sci name)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
694	<i>Vigna o-wahuensis</i> (=Sci name)	E	\$5,320	\$14,374	\$19,694	\$326	\$20,020
1048	<i>Viola helenae</i> (=Sci name)	E	\$293	\$0	\$293	\$68	\$361
846	<i>Viola lanaiensis</i> (=Sci name)	E	\$8,426	\$0	\$8,426	\$68	\$8,494
286	<i>Viola oahuensis</i> (=Sci name)	E	\$125,475	\$19,100	\$144,575	\$236	\$144,811
1032	<i>Xylosma crenatum</i> (=Sci name)	E	\$293	\$0	\$293	\$590	\$883
1020	Nohoanu (<i>Geranium multiflorum</i>)	E	\$293	\$1,000	\$1,293	\$68	\$1,361
891	Oak, Hinckley (<i>Quercus hinckleyi</i>)	T	\$0	\$0	\$0	\$6,400	\$6,400
1048	Oha (<i>Delissea rivularis</i>)	E	\$293	\$0	\$293	\$68	\$361
618	Oha (<i>Delissea subcordata</i>)	E	\$6,818	\$19,100	\$25,918	\$1,370	\$27,288
540	Ohai (<i>Sesbania tomentosa</i>)	E	\$24,248	\$12,625	\$36,873	\$1,922	\$38,795
1043	Olulu (<i>Brighamia insignis</i>)	E	\$433	\$0	\$433	\$68	\$501
853	Onion, Munz's (<i>Allium munzii</i>)	E	\$8,000	\$0	\$8,000	\$0	\$8,000
641	Opuhe (<i>Urera kaalae</i>)	E	\$4,704	\$19,100	\$23,804	\$1,202	\$25,006
314	Orchid, eastern prairie fringed (<i>Platanthera leucophaea</i>)	T	\$69,517	\$48,612	\$118,129	\$8,180	\$126,309
211	Orchid, western prairie fringed (<i>Platanthera praeclara</i>)	T	\$145,997	\$138,880	\$284,877	\$17,400	\$302,277
429	Orcutt grass, California (<i>Orcuttia californica</i>)	E	\$3,085	\$64,966	\$68,051	\$0	\$68,051

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
628	Orcutt grass, hairy (<i>Orcuttia pilosa</i>)	E	\$26,345	\$0	\$26,345	\$0	\$26,345
525	Orcutt grass, Sacramento (<i>Orcuttia viscida</i>)	E	\$40,885	\$0	\$40,885	\$0	\$40,885
695	Orcutt grass, San Joaquin (<i>Orcuttia inaequalis</i>)	T	\$19,892	\$100	\$19,992	\$0	\$19,992
402	Orcutt grass, slender (<i>Orcuttia tenuis</i>)	T	\$58,457	\$18,750	\$77,207	\$0	\$77,207
576	Owl's-clover, fleshy (<i>Castilleja campestris</i> ssp. <i>succulenta</i>)	T	\$31,797	\$1,000	\$32,797	\$0	\$32,797
462	Oxytheca, cushenbury (<i>Oxytheca parishii</i> var. <i>goodmaniana</i>)	E	\$5,000	\$54,000	\$59,000	\$0	\$59,000
475	Paintbrush, ash-grey (<i>Castilleja cinerea</i>)	T	\$0	\$55,000	\$55,000	\$0	\$55,000
320	Paintbrush, golden (<i>Castilleja levisecta</i>)	T	\$112,692	\$8,712	\$121,404	\$0	\$121,404
850	Paintbrush, soft-leaved (<i>Castilleja mollis</i>)	E	\$1,040	\$7,240	\$8,280	\$0	\$8,280
578	Paintbrush, Tiburon (<i>Castilleja affinis</i> ssp. <i>neglecta</i>)	E	\$32,000	\$0	\$32,000	\$0	\$32,000
1029	Palo colorado (<i>Ternstroemia luquillensis</i>)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
1029	Palo de jazmin (<i>Styrax portoricensis</i>)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
1029	Palo de nigua (<i>Cornutia obovata</i>)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
1016	Palo de ramon (<i>Banara vanderbiltii</i>)	E	\$1,500	\$0	\$1,500	\$0	\$1,500
888	Palo de rosa (<i>Ottoschulzia rhodoxylon</i>)	E	\$6,500	\$0	\$6,500	\$0	\$6,500
1050	Pamakani (<i>Tetramolopium capillare</i>)	E	\$293	\$0	\$293	\$0	\$293
639	Pamakani (<i>Viola chamissoniana</i> ssp. <i>chamissoniana</i>)	E	\$4,427	\$20,660	\$25,087	\$68	\$25,155
991	Panicgrass, Carter's (<i>Panicum fauriei</i> var. <i>carteri</i>)	E	\$344	\$2,000	\$2,344	\$68	\$2,412
1018	Pawpaw, beautiful (<i>Deeringothamnus pulchellus</i>)	E	\$1,400	\$0	\$1,400	\$0	\$1,400
934	Pawpaw, four-petal (<i>Asimina tetramera</i>)	E	\$2,700	\$2,100	\$4,800	\$0	\$4,800
1016	Pelos del diablo (<i>Aristida portoricensis</i>)	E	\$1,500	\$0	\$1,500	\$0	\$1,500
811	Penny-cress, Kneeland Prairie (<i>Thlaspi californicum</i>)	E	\$9,800	\$0	\$9,800	\$0	\$9,800
642	Pennyroyal, Todsens's (<i>Hedeoma todsenii</i>)	E	\$0	\$25,000	\$25,000	\$0	\$25,000
531	Penstemon, blowout (<i>Penstemon haydenii</i>)	E	\$32,908	\$7,808	\$40,716	\$0	\$40,716
350	Pentachaeta, Lyon's (<i>Pentachaeta lyonii</i>)	E	\$73,763	\$25,400	\$99,163	\$0	\$99,163
1044	Peperomia, Wheeler's (<i>Peperomia wheeleri</i>)	E	\$500	\$0	\$500	\$0	\$500
1034	Phacelia, clay (<i>Phacelia</i>	E	\$0	\$783	\$783	\$0	\$783

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	<i>argillacea</i>)						
1001	Phacelia, island (<i>Phacelia insularis</i> ssp. <i>insularis</i>)	E	\$1,000	\$1,000	\$2,000	\$0	\$2,000
909	Phacelia, North Park (<i>Phacelia formosula</i>)	E	\$564	\$5,006	\$5,570	\$0	\$5,570
356	Phlox, Texas trailing (<i>Phlox nivalis</i> ssp. <i>texensis</i>)	E	\$45,000	\$43,000	\$88,000	\$7,892	\$95,892
395	Phlox, Yreka (<i>Phlox hirsuta</i>)	E	\$79,389	\$0	\$79,389	\$0	\$79,389
443	Pigeon wings (<i>Clitoria fragrans</i>)	T	\$13,900	\$49,250	\$63,150	\$0	\$63,150
838	Pilo (<i>Hedyotis manni</i>)	E	\$8,580	\$0	\$8,580	\$68	\$8,648
365	Pink, swamp (<i>Helonias bullata</i>)	T	\$76,008	\$14,554	\$90,562	\$1,020	\$91,582
851	Pinkroot, gentian (<i>Spigelia gentianoides</i>)	E	\$6,500	\$1,555	\$8,055	\$0	\$8,055
487	Piperia, Yadon's (<i>Piperia yadonii</i>)	E	\$50,149	\$0	\$50,149	\$0	\$50,149
824	Pitaya, Davis' green (<i>Echinocereus viridiflorus</i> var. <i>davisii</i>)	E	\$3,000	\$0	\$3,000	\$6,400	\$9,400
828	Pitcher-plant, Alabama canebrake (<i>Sarracenia rubra alabamensis</i>)	E	\$8,900	\$400	\$9,300	\$0	\$9,300
500	Pitcher-plant, green (<i>Sarracenia oreophila</i>)	E	\$26,000	\$20,282	\$46,282	\$0	\$46,282
871	Pitcher-plant, mountain sweet (<i>Sarracenia rubra</i> ssp. <i>jonesii</i>)	E	\$6,800	\$400	\$7,200	\$0	\$7,200
568	Plum, scrub (<i>Prunus geniculata</i>)	E	\$34,100	\$0	\$34,100	\$0	\$34,100
284	Pogonia, small whorled (<i>Isotria medeoloides</i>)	T	\$29,588	\$109,925	\$139,513	\$6,020	\$145,533
660	Polygala, Lewton's (<i>Polygala lewtonii</i>)	E	\$23,500	\$0	\$23,500	\$0	\$23,500
883	Polygala, tiny (<i>Polygala smallii</i>)	E	\$6,700	\$100	\$6,800	\$0	\$6,800
1029	Polygonum, Scotts Valley (<i>Polygonum hickmanii</i>)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
87	Pondberry (<i>Lindera melissifolia</i>)	E	\$26,500	\$1,621,148	\$1,647,648	\$3,300	\$1,650,948
891	Pondweed, Little Aguja (=Creek) (<i>Potamogeton clystocarpus</i>)	E	\$0	\$0	\$0	\$6,400	\$6,400
401	Popcornflower, rough (<i>Plagiobothrys hirtus</i>)	E	\$42,962	\$34,350	\$77,312	\$0	\$77,312
338	Popolo ku mai (<i>Solanum incompletum</i>)	E	\$39,043	\$69,160	\$108,203	\$365	\$108,568
645	Poppy, Sacramento prickly (<i>Argemone pleiacantha</i> ssp. <i>pinnatisecta</i>)	E	\$23,000	\$1,500	\$24,500	\$0	\$24,500
787	Poppy-mallow, Texas (<i>Callirhoe scabriuscula</i>)	E	\$0	\$80	\$80	\$10,875	\$10,955
373	Potato-bean, Price's (<i>Apios priceana</i>)	T	\$19,500	\$68,013	\$87,513	\$860	\$88,373
848	Potentilla, Hickman's (<i>Potentilla hickmanii</i>)	E	\$8,414	\$0	\$8,414	\$0	\$8,414
333	Po`e (<i>Portulaca sclerocarpa</i>)	E	\$34,807	\$76,220	\$111,027	\$0	\$111,027
483	Prairie-clover, leafy (<i>Dalea foliosa</i>)	E	\$39,900	\$11,197	\$51,097	\$160	\$51,257

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
650	Prickly-apple, fragrant (<i>Cereus eriophorus</i> var. <i>fragrans</i>)	E	\$24,000	\$0	\$24,000	\$0	\$24,000
1001	Prickly-ash, St. Thomas (<i>Zanthoxylum thomasianum</i>)	E	\$1,500	\$500	\$2,000	\$0	\$2,000
767	Pua`ala (<i>Brighamia rockii</i>)	E	\$5,033	\$7,500	\$12,533	\$68	\$12,601
966	Pussypaws, Mariposa (<i>Calyptridium pulchellum</i>)	T	\$3,590	\$0	\$3,590	\$0	\$3,590
986	Pu`uka`a (<i>Cyperus trachysanthos</i>)	E	\$2,200	\$100	\$2,300	\$236	\$2,536
704	Rattleweed, hairy (<i>Baptisia arachnifera</i>)	E	\$15,300	\$0	\$15,300	\$4,000	\$19,300
1006	Reed-mustard, Barneby (<i>Schoenocrambe barnebyi</i>)	E	\$0	\$1,778	\$1,778	\$0	\$1,778
786	Reed-mustard, clay (<i>Schoenocrambe argillacea</i>)	T	\$5,000	\$6,000	\$11,000	\$0	\$11,000
853	Reed-mustard, shrubby (<i>Schoenocrambe suffrutescens</i>)	E	\$5,000	\$3,000	\$8,000	\$0	\$8,000
837	Remya, Maui (<i>Remya mauiensis</i>)	E	\$8,580	\$0	\$8,580	\$107	\$8,687
1001	Rhododendron, Chapman (<i>Rhododendron chapmanii</i>)	E	\$2,000	\$0	\$2,000	\$0	\$2,000
1029	Ridge-cress, Barneby (<i>Lepidium barnebyanum</i>)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
532	Rock-cress, Braun's (<i>Arabis perstellata</i>)	E	\$31,000	\$9,582	\$40,582	\$0	\$40,582
603	Rock-cress, Hoffmann's (<i>Arabis hoffmannii</i>)	E	\$280	\$28,940	\$29,220	\$0	\$29,220
269	Rock-cress, McDonald's (<i>Arabis mcdonaldiana</i>)	E	\$12,031	\$153,000	\$165,031	\$0	\$165,031
1008	Rock-cress, shale barren (<i>Arabis serotina</i>)	E	\$0	\$100	\$100	\$1,654	\$1,754
711	Rock-cress, Santa Cruz Island (<i>Sibara filifolia</i>)	E	\$90	\$18,500	\$18,590	\$0	\$18,590
845	Rosemary, Apalachicola (<i>Conradina glabra</i>)	E	\$8,500	\$0	\$8,500	\$0	\$8,500
510	Rosemary, Cumberland (<i>Conradina verticillata</i>)	T	\$27,900	\$16,357	\$44,257	\$0	\$44,257
845	Rosemary, Etonia (<i>Conradina etonia</i>)	E	\$8,500	\$0	\$8,500	\$0	\$8,500
709	Rosemary, short-leaved (<i>Conradina brevifolia</i>)	E	\$18,700	\$0	\$18,700	\$0	\$18,700
778	Roseroot, Leedy's (<i>Sedum integrifolium</i> ssp. <i>leedyi</i>)	T	\$9,900	\$0	\$9,900	\$2,000	\$11,900
795	Rush-pea, slender (<i>Hoffmannseggia tenella</i>)	E	\$2,500	\$100	\$2,600	\$7,892	\$10,492
877	Rush-rose, island (<i>Helianthemum greenei</i>)	T	\$90	\$6,940	\$7,030	\$0	\$7,030
876	Sand-verbena, large-fruited (<i>Abronia macrocarpa</i>)	E	\$0	\$80	\$80	\$6,997	\$7,077
440	Sandalwood, Lanai (= `iliah) (<i>Santalum freycinetianum</i> var. <i>lanaiense</i>)	E	\$8,102	\$56,375	\$64,477	\$68	\$64,545
588	Sandlace (<i>Polygonella</i>)	E	\$31,000	\$0	\$31,000	\$0	\$31,000

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	<i>myriophylla</i>)						
478	Sandwort, Bear Valley (<i>Arenaria ursina</i>)	T	\$0	\$54,000	\$54,000	\$0	\$54,000
470	Sandwort, Cumberland (<i>Arenaria cumberlandensis</i>)	E	\$37,500	\$18,725	\$56,225	\$0	\$56,225
653	Sandwort, Marsh (<i>Arenaria paludicola</i>)	E	\$18,894	\$4,899	\$23,793	\$0	\$23,793
847	Schiedea, Diamond Head (<i>Schiedea adamantis</i>)	E	\$6,346	\$1,000	\$7,346	\$1,090	\$8,436
591	Seablite, California (<i>Suaeda californica</i>)	E	\$30,511	\$0	\$30,511	\$0	\$30,511
128	Seagrass, Johnson's (<i>Halophila johnsonii</i>)	T	\$0	\$730,864	\$730,864	\$0	\$730,864
834	Sedge, golden (<i>Carex lutea</i>)	E	\$5,500	\$3,495	\$8,995	\$0	\$8,995
949	Sedge, Navajo (<i>Carex specuicola</i>)	T	\$4,000	\$0	\$4,000	\$500	\$4,500
1019	Sedge, white (<i>Carex albida</i>)	E	\$1,362	\$0	\$1,362	\$0	\$1,362
427	Silversword, Mauna Loa (=Ka'u) (<i>Argyroxiphium kauense</i>)	E	\$30,345	\$30,362	\$60,707	\$8,156	\$68,863
934	Skullcap, Florida (<i>Scutellaria floridana</i>)	T	\$0	\$4,800	\$4,800	\$0	\$4,800
538	Skullcap, large-flowered (<i>Scutellaria montana</i>)	T	\$16,500	\$22,100	\$38,600	\$400	\$39,000
643	Snakeroot (<i>Eryngium cuneifolium</i>)	E	\$22,800	\$2,100	\$24,900	\$0	\$24,900
674	Sneezeweed, Virginia (<i>Helenium virginicum</i>)	T	\$8,700	\$8,100	\$16,800	\$5,000	\$21,800
515	Snowbells, Texas (<i>Styrax texanus</i>)	E	\$2,000	\$0	\$2,000	\$40,858	\$42,858
1053	Spineflower, Ben Lomond (<i>Chorizanthe pungens</i> var. <i>hartwegiana</i>)	E	\$95	\$0	\$95	\$0	\$95
785	Spineflower, Howell's (<i>Chorizanthe howellii</i>)	E	\$11,040	\$0	\$11,040	\$0	\$11,040
358	Spineflower, Monterey (<i>Chorizanthe pungens</i> var. <i>pungens</i>)	T	\$57,445	\$37,500	\$94,945	\$0	\$94,945
552	Spineflower, Orcutt's (<i>Chorizanthe orcuttiana</i>)	E	\$37,000	\$0	\$37,000	\$0	\$37,000
405	Spineflower, Robust (incl. Scotts Valley) (<i>Chorizanthe robusta</i> (incl. vars. <i>robusta</i> and <i>hartwegii</i>))	E	\$49,082	\$26,690	\$75,772	\$0	\$75,772
245	Spineflower, slender-horned (<i>Dodecahema leptoceras</i>)	E	\$1,235	\$203,800	\$205,035	\$0	\$205,035
902	Spineflower, Sonoma (<i>Chorizanthe valida</i>)	E	\$1,000	\$4,940	\$5,940	\$0	\$5,940
359	Spiraea, Virginia (<i>Spiraea virginiana</i>)	T	\$41,800	\$52,095	\$93,895	\$930	\$94,825
599	Spurge, deltoid (<i>Chamaesyce deltoidea</i> ssp. <i>deltoidea</i>)	E	\$29,700	\$0	\$29,700	\$0	\$29,700
811	Spurge, Garber's (<i>Chamaesyce garberi</i>)	T	\$9,500	\$300	\$9,800	\$0	\$9,800
399	Spurge, Hoover's (<i>Chamaesyce</i>	T	\$24,527	\$53,100	\$77,627	\$0	\$77,627

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	<i>hooveri</i>)						
765	Spurge, telephus (<i>Euphorbia telephioides</i>)	T	\$13,000	\$0	\$13,000	\$0	\$13,000
587	Stickseed, showy (<i>Hackelia venusta</i>)	E	\$26,385	\$4,685	\$31,070	\$0	\$31,070
858	Stonecrop, Lake County (<i>Parvisedum leiocarpum</i>)	E	\$7,732	\$0	\$7,732	\$0	\$7,732
432	Sumac, Michaux's (<i>Rhus michauxii</i>)	E	\$15,000	\$51,255	\$66,255	\$1,200	\$67,455
946	Sunburst, Hartweg's golden (<i>Pseudobahia bahiifolia</i>)	E	\$4,590	\$0	\$4,590	\$0	\$4,590
890	Sunburst, San Joaquin adobe (<i>Pseudobahia peirsonii</i>)	T	\$6,407	\$0	\$6,407	\$0	\$6,407
340	Sunflower, Eggert's (<i>Helianthus eggertii</i>)	T	\$32,500	\$68,301	\$100,801	\$7,046	\$107,847
412	Sunflower, Pecos (=puzzle, =paradox) (<i>Helianthus paradoxus</i>)	T	\$13,000	\$52,000	\$65,000	\$7,892	\$72,892
583	Sunflower, Schweinitz's (<i>Helianthus schweinitzii</i>)	E	\$30,000	\$1,500	\$31,500	\$0	\$31,500
803	Sunray, Ash Meadows (<i>Enceliopsis nudicaulis</i> var. <i>corrugata</i>)	T	\$10,100	\$0	\$10,100	\$0	\$10,100
964	Sunshine, Sonoma (<i>Blennosperma bakeri</i>)	E	\$3,635	\$0	\$3,635	\$0	\$3,635
475	Taraxacum, California (<i>Taraxacum californicum</i>)	E	\$1,000	\$54,000	\$55,000	\$0	\$55,000
392	Tarplant, Gaviota (<i>Deinandra increscens</i> ssp. <i>villosa</i>)	E	\$28,665	\$52,000	\$80,665	\$0	\$80,665
442	Tarplant, Otay (<i>Deinandra</i> (=Hemizonia) <i>conjugens</i>)	T	\$4,769	\$59,000	\$63,769	\$0	\$63,769
471	Tarplant, Santa Cruz (<i>Holocarpha macradenia</i>)	T	\$14,657	\$41,500	\$56,157	\$0	\$56,157
545	Thelypody, Howell's spectacular (<i>Thelypodium howellii spectabilis</i>)	T	\$37,807	\$500	\$38,307	\$0	\$38,307
971	Thistle, Chorro Creek bog (<i>Cirsium fontinale</i> var. <i>obispoense</i>)	E	\$3,320	\$0	\$3,320	\$0	\$3,320
559	Thistle, La Graciosa (<i>Cirsium loncholepis</i>)	E	\$35,435	\$0	\$35,435	\$0	\$35,435
930	Thistle, Loch Lomond coyote (<i>Eryngium constancei</i>)	E	\$4,915	\$0	\$4,915	\$0	\$4,915
463	Thistle, Pitcher's (<i>Cirsium pitcheri</i>)	T	\$26,200	\$31,765	\$57,965	\$300	\$58,265
381	Thistle, Sacramento Mountains (<i>Cirsium vinaceum</i>)	T	\$22,000	\$63,000	\$85,000	\$0	\$85,000
492	Thistle, Suisun (<i>Cirsium hydrophilum</i> var. <i>hydrophilum</i>)	E	\$48,349	\$0	\$48,349	\$0	\$48,349
453	Thornmint, San Diego (<i>Acanthomintha ilicifolia</i>)	T	\$61,000	\$0	\$61,000	\$0	\$61,000
621	Townsendia, Last Chance (<i>Townsendia aprica</i>)	T	\$0	\$27,128	\$27,128	\$0	\$27,128

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
891	Trillium, persistent (<i>Trillium persistens</i>)	E	\$2,000	\$3,400	\$5,400	\$1,000	\$6,400
549	Trillium, relict (<i>Trillium reliquum</i>)	E	\$8,500	\$24,059	\$32,559	\$5,000	\$37,559
625	Tuctoria, Greene's (<i>Tuctoria greenei</i>)	E	\$24,527	\$2,000	\$26,527	\$0	\$26,527
872	Twinpod, Dudley Bluffs (<i>Physaria obcordata</i>)	T	\$5,194	\$2,000	\$7,194	\$0	\$7,194
507	Uhiuhi (<i>Caesalpinia kawaiense</i>)	E	\$920	\$30,000	\$30,920	\$13,691	\$44,611
1044	Uvillo (<i>Eugenia haematocarpa</i>)	E	\$500	\$0	\$500	\$0	\$500
959	Vervain, Red Hills (<i>Verbena californica</i>)	T	\$3,590	\$400	\$3,990	\$0	\$3,990
752	Vetch, Hawaiian (<i>Vicia menziesii</i>)	E	\$11,608	\$0	\$11,608	\$2,461	\$14,069
988	Wahane (<i>Pritchardia aylmer-robinsonii</i>)	E	\$293	\$0	\$293	\$2,221	\$2,514
806	Wallflower, Ben Lomond (<i>Erysimum teretifolium</i>)	E	\$10,070	\$0	\$10,070	\$0	\$10,070
1029	Wallflower, Contra Costa (<i>Erysimum capitatum</i> var. <i>angustatum</i>)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
548	Wallflower, Menzies' (<i>Erysimum menziesii</i>)	E	\$37,585	\$0	\$37,585	\$0	\$37,585
1044	Walnut (=Nogal), West Indian (<i>Juglans jamaicensis</i>)	E	\$500	\$0	\$500	\$0	\$500
919	Warea, wide-leaf (<i>Warea amplexifolia</i>)	E	\$5,200	\$0	\$5,200	\$0	\$5,200
904	Water-plantain, Kral's (<i>Sagittaria secundifolia</i>)	T	\$3,300	\$2,600	\$5,900	\$0	\$5,900
174	Water-umbel, Huachuca (<i>Lilaeopsis schaffneriana</i> var. <i>recurva</i>)	E	\$40,438	\$384,200	\$424,638	\$500	\$425,138
965	Water-willow, Cooley's (<i>Justicia cooleyi</i>)	E	\$1,500	\$2,100	\$3,600	\$0	\$3,600
683	Watercress, Gambel's (<i>Rorippa gambellii</i>)	E	\$21,180	\$0	\$21,180	\$0	\$21,180
572	Whitlow-wort, papery (<i>Paronychia chartacea</i>)	T	\$33,000	\$555	\$33,555	\$0	\$33,555
898	Wild-buckwheat, clay-loving (<i>Eriogonum pelinophilum</i>)	E	\$2,106	\$4,000	\$6,106	\$0	\$6,106
504	Wild-buckwheat, gypsum (<i>Eriogonum gypsophilum</i>)	T	\$0	\$45,000	\$45,000	\$0	\$45,000
478	Wild-buckwheat, southern mountain (<i>Eriogonum kennedyi</i> var. <i>austromontanum</i>)	T	\$0	\$54,000	\$54,000	\$0	\$54,000
130	Wild-rice, Texas (<i>Zizania texana</i>)	E	\$648,726	\$1,320	\$650,046	\$24,300	\$674,346
750	Wire-lettuce, Malheur (<i>Stephanomeria malheurensis</i>)	E	\$6,221	\$8,000	\$14,221	\$0	\$14,221
396	Wireweed (<i>Polygonella basiramia</i>)	E	\$30,100	\$49,250	\$79,350	\$0	\$79,350
702	Woodland-star, San Clemente Island (<i>Lithophragma maximum</i>)	E	\$1,090	\$18,500	\$19,590	\$0	\$19,590
239	Woolly-star, Santa Ana River (<i>Eriastrum densifolium</i> ssp. <i>sanctorum</i>)	E	\$0	\$216,000	\$216,000	\$0	\$216,000

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
936	Wooly-threads, San Joaquin (<i>Monolopia (=Lembertia) congdonii</i>)	E	\$4,775	\$0	\$4,775	\$0	\$4,775
524	Yellowhead, desert (<i>Yermo xanthocephalus</i>)	T	\$18,885	\$22,028	\$40,913	\$0	\$40,913
617	Yerba santa, Lompoc (<i>Eriodictyon capitatum</i>)	E	\$27,550	\$0	\$27,550	\$0	\$27,550
344	Ziziphus, Florida (<i>Ziziphus celata</i>)	E	\$104,500	\$0	\$104,500	\$0	\$104,500
953	`Ahinahina (<i>Argyroxiphium sandwicense</i> ssp. <i>macrocephalum</i>)	T	\$293	\$4,000	\$4,293	\$68	\$4,361
732	`Ahinahina (<i>Argyroxiphium sandwicense</i> ssp. <i>sandwicense</i>)	E	\$8,068	\$0	\$8,068	\$8,156	\$16,224
799	`Aiakeakua, popolo (<i>Solanum sandwicense</i>)	E	\$6,346	\$0	\$6,346	\$3,877	\$10,223
490	`Aiea (<i>Nothocestrum breviflorum</i>)	E	\$417	\$45,000	\$45,417	\$3,461	\$48,878
1048	`Aiea (<i>Nothocestrum peltatum</i>)	E	\$293	\$0	\$293	\$68	\$361
644	`Akoko (<i>Chamaesyce celastroides</i> var. <i>kaenana</i>)	E	\$4,588	\$19,100	\$23,688	\$1,202	\$24,890
1011	`Akoko (<i>Chamaesyce deppeana</i>)	E	\$544	\$0	\$544	\$1,202	\$1,746
644	`Akoko (<i>Chamaesyce herbstii</i>)	E	\$4,588	\$19,100	\$23,688	\$1,202	\$24,890
1000	`Akoko (<i>Chamaesyce kuwaleana</i>)	E	\$383	\$1,560	\$1,943	\$68	\$2,011
290	`Akoko (<i>Chamaesyce rockii</i>)	E	\$124,075	\$19,100	\$143,175	\$236	\$143,411
657	`Akoko (<i>Euphorbia haeleleana</i>)	E	\$293	\$19,100	\$19,393	\$4,209	\$23,602
924	`Akoko, Ewa Plains (<i>Chamaesyce skottsbergii</i> var. <i>kalaeloana</i>)	E	\$4,134	\$0	\$4,134	\$922	\$5,056
523	`Anaunau (<i>Lepidium arbuscula</i>)	E	\$383	\$39,660	\$40,043	\$1,202	\$41,245
823	`Anunu (<i>Sicyos alba</i>)	E	\$293	\$7,060	\$7,353	\$2,067	\$9,420
970	`Awikiwiki (<i>Canavalia molokaiensis</i>)	E	\$293	\$3,000	\$3,293	\$68	\$3,361
810	`Oha wai (<i>Clermontia drepanomorpha</i>)	E	\$7,793	\$0	\$7,793	\$2,067	\$9,860
577	`Oha wai (<i>Clermontia lindseyana</i>)	E	\$19,417	\$10,000	\$29,417	\$2,686	\$32,103
926	`Oha wai (<i>Clermontia oblongifolia</i> ssp. <i>brevipes</i>)	E	\$4,924	\$0	\$4,924	\$107	\$5,031
609	`Oha wai (<i>Clermontia oblongifolia</i> ssp. <i>mauiensis</i>)	E	\$28,279	\$0	\$28,279	\$107	\$28,386
917	`Oha wai (<i>Clermontia peleana</i>)	E	\$293	\$3,000	\$3,293	\$2,067	\$5,360
881	`Oha wai (<i>Clermontia pyrularia</i>)	E	\$544	\$6,000	\$6,544	\$326	\$6,870
953	`Oha wai (<i>Clermontia samuelii</i>)	E	\$293	\$4,000	\$4,293	\$68	\$4,361
256	`Ohe`ohe (<i>Tetraplasandra gymnocarpa</i>)	E	\$118,433	\$61,101	\$179,534	\$1,370	\$180,904
	Flowering Plants Subtotal		\$11,886,709	\$14,212,567	\$26,099,276	\$862,612	\$26,961,888
	Conifers and Cycads						
1056	Cypress, Gowen (<i>Cupressus goveniana</i> ssp. <i>goveniana</i>)	T	\$39	\$0	\$39	\$0	\$39
987	Cypress, Santa Cruz (<i>Cupressus</i>	E	\$2,520	\$0	\$2,520	\$0	\$2,520

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	<i>abramsiana</i>)						
757	Torreya, Florida (<i>Torreya taxifolia</i>)	E	\$1,600	\$12,155	\$13,755	\$0	\$13,755
	Conifers and Cycads Subtotal		\$4,159	\$12,155	\$16,314	\$0	\$16,314
	Ferns and Allies						
718	Diellia, asplenium-leaved (<i>Diellia erecta</i>)	E	\$15,902	\$0	\$15,902	\$2,011	\$17,913
977	Fern, Alabama streak-sorus (<i>Thelypteris pilosa</i> var. <i>alabamensis</i>)	T	\$2,900	\$0	\$2,900	\$0	\$2,900
720	Fern, Aleutian shield (<i>Polystichum aleuticum</i>)	E	\$17,800	\$0	\$17,800	\$0	\$17,800
842	Fern, American hart's-tongue (<i>Asplenium scolopendrium</i> var. <i>americanum</i>)	T	\$2,900	\$5,697	\$8,597	\$0	\$8,597
1029	Fern, Elfin tree (<i>Cyathea dryopteroides</i>)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
1042	Fern, pendant kihi (<i>Adenophorus periens</i>)	E	\$293	\$0	\$293	\$258	\$551
710	Ihī`ihi (<i>Marsilea villosa</i>)	E	\$2,833	\$15,000	\$17,833	\$854	\$18,687
913	Adiantum vivesii (=Sci name)	E	\$5,500	\$0	\$5,500	\$0	\$5,500
387	Asplenium fragile var. insulare (=Sci name)	E	\$12,789	\$69,160	\$81,949	\$0	\$81,949
696	Diellia falcata (=Sci name)	E	\$836	\$19,100	\$19,936	\$0	\$19,936
1050	Diellia pallida (=Sci name)	E	\$293	\$0	\$293	\$0	\$293
1003	Diellia unisora (=Sci name)	E	\$293	\$1,560	\$1,853	\$0	\$1,853
836	Diplazium molokaiense (=Sci name)	E	\$8,486	\$0	\$8,486	\$258	\$8,744
1044	Elaphoglossum serpens (=Sci name)	E	\$500	\$0	\$500	\$0	\$500
660	Polystichum calderonense (=Sci name)	E	\$23,500	\$0	\$23,500	\$0	\$23,500
537	Pteris lidgatei (=Sci name)	E	\$20,570	\$19,100	\$39,670	\$168	\$39,838
1044	Tectaria estremerana (=Sci name)	E	\$500	\$0	\$500	\$0	\$500
1029	Thelypteris inabonensis (=Sci name)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
1029	Thelypteris verecunda (=Sci name)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
1044	Thelypteris yaucoensis (=Sci name)	E	\$500	\$0	\$500	\$0	\$500
514	Pauoa (<i>Ctenitis squamigera</i>)	E	\$23,838	\$19,100	\$42,938	\$0	\$42,938
1033	Quillwort, black spored (<i>Isoetes melanospora</i>)	E	\$0	\$800	\$800	\$0	\$800
404	Quillwort, Louisiana (<i>Isoetes louisianensis</i>)	E	\$2,900	\$73,900	\$76,800	\$0	\$76,800
1029	Quillwort, mat-forming (<i>Isoetes tegetiformans</i>)	E	\$600	\$400	\$1,000	\$0	\$1,000
910	Wawae`iole (<i>Huperzia mannii</i>)	E	\$293	\$5,000	\$5,293	\$258	\$5,551

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
632	Wawae`iole (<i>Lycopodium (=Phlegmariurus) nutans</i>)	E	\$5,282	\$19,100	\$24,382	\$1,302	\$25,684
	Ferns and Allies Subtotal		\$152,308	\$247,917	\$400,225	\$5,109	\$405,334
	Lichens						
520	Cladonia, Florida perforate (<i>Cladonia perforata</i>)	E	\$9,700	\$32,400	\$42,100	\$0	\$42,100
677	Lichen, rock gnome (<i>Gymnoderma lineare</i>)	E	\$17,700	\$4,000	\$21,700	\$0	\$21,700
	Lichens Subtotal		\$27,400	\$36,400	\$63,800	\$0	\$63,800
	Total Species Expenditures for FY2005		\$132,524,658	\$748,160,715	\$880,685,373	\$36,801,931	\$917,487,304
	Other ESA Expenses		\$41,849,497	\$380,308,028	\$422,157,525	\$647,319	\$422,804,844
	Total Species/Other ESA Species Expenditures for FY2005		\$174,374,155	\$1,128,468,743	\$1,302,842,898	\$37,449,250	\$1,340,292,148

TABLE 1. FY 2006 REPORTED EXPENDITURES FOR ENDANGERED AND THREATENED SPECIES, NOT INCLUDING LAND ACQUISITION COSTS

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	Mammals						
95	Bat, gray (<i>Myotis grisescens</i>)	E	\$230,225	\$761,984	\$992,209	\$27,914	\$1,020,123
170	Bat, Hawaiian hoary (<i>Lasiurus cinereus semotus</i>)	E	\$18,150	\$363,788	\$381,938	\$0	\$381,938
48	Bat, Indiana (<i>Myotis sodalis</i>)	E	\$1,255,537	\$2,799,167	\$4,054,704	\$124,780	\$4,179,484
163	Bat, lesser long-nosed (<i>Leptonycteris curasoae yerbabuena</i>)	E	\$159,000	\$233,700	\$392,700	\$16,000	\$408,700
200	Bat, little Mariana fruit (<i>Pteropus tokudae</i>)	E	\$1,600	\$300,000	\$301,600	\$0	\$301,600
289	Bat, Mariana fruit (=Mariana flying fox) (<i>Pteropus mariannus mariannus</i>) entire	T	\$115,150	\$69,953	\$185,103	\$0	\$185,103
524	Bat, Mexican long-nosed (<i>Leptonycteris nivalis</i>)	E	\$0	\$44,704	\$44,704	\$5,610	\$50,314
490	Bat, Ozark big-eared (<i>Corynorhinus (=Plecotus) townsendii ingens</i>)	E	\$27,000	\$28,600	\$55,600	\$4,100	\$59,700
279	Bat, Virginia big-eared (<i>Corynorhinus (=Plecotus) townsendii virginianus</i>)	E	\$36,010	\$149,759	\$185,769	\$7,042	\$192,811
686	Bear, American black (<i>Ursus americanus</i>) County range of LA b.bear	SAT	\$12,000	\$180	\$12,180	\$12,354	\$24,534
131	Bear, grizzly (<i>Ursus arctos horribilis</i>) Yellowstone DPS	PT	\$0	\$606,764	\$606,764	\$0	\$606,764
33	Bear, grizzly (<i>Ursus arctos horribilis</i>) lower 48 States, except where listed as an experimental population or delisted	T	\$2,213,768	\$3,106,020	\$5,319,788	\$1,531,298	\$6,851,086
785	Bear, grizzly (<i>Ursus arctos horribilis</i>) experimental, non-essential, portions of ID and MT	EXPN	\$0	\$15,100	\$15,100	\$0	\$15,100
118	Bear, Louisiana black (<i>Ursus americanus luteolus</i>)	T	\$405,700	\$285,096	\$690,796	\$26,544	\$717,340
337	Caribou, woodland (<i>Rangifer tarandus caribou</i>) Selkirk Mountain population	E	\$104,036	\$31,671	\$135,707	\$800	\$136,507
302	Deer, Columbian white-tailed (<i>Odocoileus virginianus leucurus</i>) Columbia River DPS	E	\$156,479	\$18,134	\$174,613	\$0	\$174,613
301	Deer, key (<i>Odocoileus virginianus clavium</i>)	E	\$168,000	\$7,500	\$175,500	\$0	\$175,500
82	Ferret, black-footed (<i>Mustela nigripes</i>) U.S.A. (specific portions of AZ, CO, MT, SD, UT, and WY)	EXPN	\$693,652	\$491,443	\$1,185,095	\$378,023	\$1,563,118
119	Ferret, black-footed (<i>Mustela</i>	E	\$0	\$604,344	\$604,344	\$110,336	\$714,680

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	<i>nigripes</i>) entire population, except where EXPN						
99	Fox, San Joaquin kit (<i>Vulpes macrotis mutica</i>)	E	\$373,151	\$545,616	\$918,767	\$28,000	\$946,767
144	Fox, San Miguel Island (<i>Urocyon littoralis littoralis</i>)	E	\$111,822	\$382,200	\$494,022	\$0	\$494,022
471	Fox, Santa Catalina Island (<i>Urocyon littoralis catalinae</i>)	E	\$63,589	\$0	\$63,589	\$0	\$63,589
146	Fox, Santa Cruz Island (<i>Urocyon littoralis santacruzae</i>)	E	\$111,962	\$370,000	\$481,962	\$3,000	\$484,962
286	Fox, Santa Rosa Island (<i>Urocyon littoralis santarosae</i>)	E	\$107,953	\$80,000	\$187,953	\$0	\$187,953
317	Jaguar (<i>Panthera onca</i>)	E	\$78,691	\$66,426	\$145,117	\$10,000	\$155,117
563	Jaguarundi, Gulf Coast (<i>Herpailurus (=Felis) yagouarundi cacomitli</i>)	E	\$28,600	\$10,230	\$38,830	\$4,650	\$43,480
1106	Jaguarundi, Sinaloa (<i>Herpailurus (=Felis) yagouarundi tolteca</i>)	E	\$0	\$150	\$150	\$0	\$150
404	Kangaroo rat, Fresno (<i>Dipodomys nitratoides exilis</i>)	E	\$34,734	\$58,000	\$92,734	\$0	\$92,734
203	Kangaroo rat, giant (<i>Dipodomys ingens</i>)	E	\$61,865	\$218,407	\$280,272	\$20,000	\$300,272
1007	Kangaroo rat, Morro Bay (<i>Dipodomys heermanni morroensis</i>)	E	\$3,727	\$500	\$4,227	\$0	\$4,227
339	Kangaroo rat, San Bernardino Merriam's (<i>Dipodomys merriami parvus</i>)	E	\$102,588	\$32,907	\$135,495	\$0	\$135,495
353	Kangaroo rat, Stephens' (<i>Dipodomys stephensi (incl. D. cascus)</i>)	E	\$18,412	\$244,975	\$263,387	\$2,000	\$265,387
354	Kangaroo rat, Tipton (<i>Dipodomys nitratoides nitratoides</i>)	E	\$21,275	\$55,000	\$76,275	\$45,000	\$121,275
49	Lynx, Canada (<i>Lynx canadensis</i>) lower 48 States DPS	T	\$1,580,813	\$1,799,389	\$3,380,202	\$676,960	\$4,057,162
24	Manatee, West Indian (<i>Trichechus manatus</i>)	E	\$1,981,950	\$2,381,535	\$4,363,485	\$5,374,284	\$9,737,769
405	Mountain beaver, Point Arena (<i>Aplodontia rufa nigra</i>)	E	\$34,904	\$50,000	\$84,904	\$7,500	\$92,404
127	Mouse, Alabama beach (<i>Peromyscus polionotus ammobates</i>)	E	\$609,000	\$10,830	\$619,830	\$0	\$619,830
651	Mouse, Anastasia Island beach (<i>Peromyscus polionotus phasma</i>)	E	\$17,500	\$12,230	\$29,730	\$0	\$29,730
320	Mouse, Choctawhatchee beach (<i>Peromyscus polionotus allophrys</i>)	E	\$86,000	\$65,711	\$151,711	\$0	\$151,711
583	Mouse, Key Largo cotton (<i>Peromyscus gossypinus allapaticola</i>)	E	\$25,000	\$16,278	\$41,278	\$0	\$41,278
662	Mouse, Pacific pocket (<i>Perognathus longimembris</i>)	E	\$12,188	\$131,306	\$143,494	\$2,000	\$145,494

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	<i>pacificus</i>)						
264	Mouse, Perdido Key beach (<i>Peromyscus polionotus trissyllepsis</i>)	E	\$76,000	\$130,434	\$206,434	\$0	\$206,434
180	Mouse, Preble's meadow jumping (<i>Zapus hudsonius preblei</i>) Colorado	T	\$148,090	\$179,213	\$327,303	\$18,129	\$345,432
177	Mouse, salt marsh harvest (<i>Reithrodontomys raviventris</i>)	E	\$149,163	\$164,233	\$313,396	\$45,000	\$358,396
395	Mouse, southeastern beach (<i>Peromyscus polionotus niveiventris</i>)	T	\$79,000	\$21,930	\$100,930	\$0	\$100,930
312	Mouse, St. Andrew beach (<i>Peromyscus polionotus peninsularis</i>)	E	\$103,600	\$61,061	\$164,661	\$0	\$164,661
345	Ocelot (<i>Leopardus (=Felis) pardalis</i>)	E	\$111,475	\$10,860	\$122,335	\$7,610	\$129,945
108	Otter, Northern Sea (<i>Enhydra lutris kenyonii</i>) southwest Alaska DPS	T	\$734,000	\$38,700	\$772,700	\$0	\$772,700
408	Otter, southern sea (<i>Enhydra lutris nereis</i>) south of Pt. Conception, CA	EXPN	\$90,910	\$0	\$90,910	\$0	\$90,910
98	Otter, southern sea (<i>Enhydra lutris nereis</i>) except where EXPN	T	\$191,404	\$760,546	\$951,950	\$0	\$951,950
63	Panther, Florida (<i>Puma (=Felis) concolor coryi</i>)	E	\$596,450	\$663,709	\$1,260,159	\$1,603,973	\$2,864,132
189	Prairie dog, Utah (<i>Cynomys parvidens</i>)	T	\$91,500	\$227,759	\$319,259	\$0	\$319,259
83	Pronghorn, Sonoran (<i>Antilocapra americana sonoriensis</i>)	E	\$369,000	\$980,432	\$1,349,432	\$250,000	\$1,599,432
730	Puma (=cougar), eastern (<i>Puma (=Felis) concolor cougar</i>)	E	\$6,068	\$11,701	\$17,769	\$1,200	\$18,969
251	Rabbit, Lower Keys marsh (<i>Sylvilagus palustris hefneri</i>)	E	\$51,500	\$178,827	\$230,327	\$0	\$230,327
215	Rabbit, pygmy (<i>Brachylagus idahoensis</i>) Columbia Basin DPS	E	\$234,890	\$36,571	\$271,461	\$0	\$271,461
201	Rabbit, riparian brush (<i>Sylvilagus bachmani riparius</i>)	E	\$217,945	\$73,468	\$291,413	\$10,000	\$301,413
709	Rice rat (<i>Oryzomys palustris natator</i>) lower FL Keys	E	\$15,500	\$5,277	\$20,777	\$0	\$20,777
43	Sea-lion, Steller (<i>Eumetopias jubatus</i>) eastern pop.	T	\$0	\$5,712,509	\$5,712,509	\$0	\$5,712,509
8	Sea-lion, Steller (<i>Eumetopias jubatus</i>) western pop.	E	\$0	\$24,791,913	\$24,791,913	\$0	\$24,791,913
1104	Seal, Guadalupe fur (<i>Arctocephalus townsendi</i>)	T	\$0	\$205	\$205	\$0	\$205
64	Seal, Hawaiian monk (<i>Monachus schauinslandi</i>)	E	\$27,617	\$2,812,100	\$2,839,717	\$0	\$2,839,717

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
155	Sheep, bighorn (<i>Ovis canadensis</i>) Peninsular CA pop.	E	\$104,774	\$272,985	\$377,759	\$65,000	\$442,759
166	Sheep, Sierra Nevada bighorn (<i>Ovis canadensis sierrae</i>) Sierra Nevada	E	\$273,647	\$53,883	\$327,530	\$75,000	\$402,530
757	Shrew, Buena Vista Lake ornate (<i>Sorex ornatus relictus</i>)	E	\$15,636	\$0	\$15,636	\$1,000	\$16,636
671	Squirrel, Carolina northern flying (<i>Glaucomys sabrinus coloratus</i>)	E	\$9,400	\$11,000	\$20,400	\$6,050	\$26,450
115	Squirrel, Delmarva Peninsula fox (<i>Sciurus niger cinereus</i>) Entire, except Sussex Co., DE	E	\$633,687	\$91,204	\$724,891	\$30,000	\$754,891
220	Squirrel, Mount Graham red (<i>Tamiasciurus hudsonicus grahamensis</i>)	E	\$169,000	\$84,150	\$253,150	\$12,000	\$265,150
212	Squirrel, northern Idaho ground (<i>Spermophilus brunneus brunneus</i>)	T	\$183,016	\$20,016	\$203,032	\$78,900	\$281,932
224	Squirrel, Virginia northern flying (<i>Glaucomys sabrinus fuscus</i>)	E	\$140,117	\$74,500	\$214,617	\$44,284	\$258,901
891	Vole, Amargosa (<i>Microtus californicus scirpensis</i>)	E	\$8,109	\$0	\$8,109	\$500	\$8,609
972	Vole, Florida salt marsh (<i>Microtus pennsylvanicus dukecampbelli</i>)	E	\$1,100	\$4,154	\$5,254	\$0	\$5,254
979	Vole, Hualapai Mexican (<i>Microtus mexicanus hualpaiensis</i>)	E	\$0	\$5,150	\$5,150	\$0	\$5,150
904	Whale, blue (<i>Balaenoptera musculus</i>)	E	\$0	\$7,846	\$7,846	\$333	\$8,179
52	Whale, bowhead (<i>Balaena mysticetus</i>)	E	\$0	\$4,020,096	\$4,020,096	\$0	\$4,020,096
813	Whale, finback (<i>Balaenoptera physalus</i>)	E	\$1,000	\$10,896	\$11,896	\$1,333	\$13,229
54	Whale, humpback (<i>Megaptera novaeangliae</i>)	E	\$3,225	\$3,916,340	\$3,919,565	\$2,953	\$3,922,518
28	Whale, right (<i>Balaena glacialis</i> (incl. <i>australis</i>))	E	\$1,000	\$8,750,293	\$8,751,293	\$598,582	\$9,349,875
852	Whale, Sei (<i>Balaenoptera borealis</i>)	E	\$0	\$10,185	\$10,185	\$333	\$10,518
121	Whale, sperm (<i>Physeter catodon</i> (= <i>macrocephalus</i>))	E	\$1,000	\$706,084	\$707,084	\$333	\$707,417
661	Wolf, gray (<i>Canis lupus</i>) Western Great Lakes DPS	PE	\$0	\$28,251	\$28,251	\$0	\$28,251
178	Wolf, gray (<i>Canis lupus</i>) MN	T	\$147,000	\$202,030	\$349,030	\$4,107	\$353,137
47	Wolf, gray (<i>Canis lupus</i>) Lower 48 States, except where delisted and where EXPN. Mexico.	E	\$1,514,299	\$2,528,350	\$4,042,649	\$265,626	\$4,308,275
75	Wolf, gray (<i>Canis lupus</i>) Mexican gray wolf, EXPN population	EXPN	\$1,657,000	\$31,810	\$1,688,810	\$167,523	\$1,856,333
78	Wolf, gray (<i>Canis lupus</i>) WY, ID, MT	EXPN	\$1,165,265	\$273,018	\$1,438,283	\$353,228	\$1,791,511
142	Wolf, red (<i>Canis rufus</i>)	E	\$511,800	\$415	\$512,215	\$0	\$512,215

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	except where EXPN						
123	Wolf, red (<i>Canis rufus</i>) U.S.A. (portions of NC and TN)	EXPN	\$646,200	\$600	\$646,800	\$25	\$646,825
308	Woodrat, Key Largo (<i>Neotoma floridana smalli</i>)	E	\$144,800	\$24,331	\$169,131	\$0	\$169,131
670	Woodrat, riparian (=San Joaquin Valley) (<i>Neotoma fuscipes riparia</i>)	E	\$20,000	\$5,500	\$25,500	\$1,000	\$26,500
	Mammals Subtotal		\$21,707,218	\$74,444,132	\$96,151,350	\$12,062,217	\$108,213,567
	Birds						
441	Akepa, Hawaii (honeycreeper) (<i>Loxops coccyneus coccyneus</i>)	E	\$59,573	\$5,000	\$64,573	\$8,818	\$73,391
653	Akepa, Maui (honeycreeper) (<i>Loxops coccyneus ochraceus</i>)	E	\$26,796	\$2,000	\$28,796	\$556	\$29,352
906	Akialoa, Kauai (honeycreeper) (<i>Hemignathus procerus</i>)	E	\$7,555	\$0	\$7,555	\$556	\$8,111
429	Akiapola`au (honeycreeper) (<i>Hemignathus munroi</i>)	E	\$61,445	\$5,000	\$66,445	\$10,556	\$77,001
197	Albatross, short-tailed (<i>Phoebastria (=Diomedea) albatrus</i>)	E	\$213,900	\$96,390	\$310,290	\$0	\$310,290
266	Blackbird, yellow-shouldered (<i>Agelaius xanthomus</i>)	E	\$150,300	\$0	\$150,300	\$53,800	\$204,100
213	Bobwhite, masked (quail) (<i>Colinus virginianus ridgwayi</i>)	E	\$277,000	\$2,700	\$279,700	\$750	\$280,450
1105	Cahow (<i>Pterodroma cahow</i>)	E	\$200	\$0	\$200	\$0	\$200
157	Caracara, Audubon's crested (<i>Polyborus plancus audubonii</i>) FL pop.	T	\$171,000	\$266,124	\$437,124	\$0	\$437,124
90	Condor, California (<i>Gymnogyps californianus</i>) U.S.A. only	E	\$561,230	\$346,044	\$907,274	\$329,000	\$1,236,274
793	Condor, California (<i>Gymnogyps californianus</i>) U.S.A. (specific portions of Arizona, Nevada, and Utah)	EXPN	\$8,950	\$5,880	\$14,830	\$0	\$14,830
332	Coot, Hawaiian (<i>Fulica americana alai</i>)	E	\$32,000	\$115,283	\$147,283	\$9,128	\$156,411
160	Crane, Mississippi sandhill (<i>Grus canadensis pulla</i>)	E	\$345,200	\$66,204	\$411,404	\$0	\$411,404
159	Crane, whooping (<i>Grus americana</i>) U.S.A. (CO, ID, FL, NM, UT, and the western half of Wyoming)	EXPN	\$265,765	\$1,540	\$267,305	\$149,445	\$416,750
168	Crane, whooping (<i>Grus americana</i>) U.S.A. (AL, AR, GA, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, OH, SC, TN, VA, WI, WV)	EXPN	\$382,700	\$6,671	\$389,371	\$3,064	\$392,435
40	Crane, whooping (<i>Grus americana</i>) except where EXPN	E	\$157,000	\$5,815,557	\$5,972,557	\$14,966	\$5,987,523

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
392	Creeper, Hawaii (<i>Oreomyza mana</i>)	E	\$79,032	\$23,000	\$102,032	\$556	\$102,588
906	Creeper, Molokai (<i>Paroreomyza flammea</i>)	E	\$7,555	\$0	\$7,555	\$556	\$8,111
946	Creeper, Oahu (<i>Paroreomyza maculata</i>)	E	\$6,055	\$0	\$6,055	\$556	\$6,611
104	Crow, Hawaiian (=ʻalala) (<i>Corvus hawaiiensis</i>)	E	\$747,794	\$3,660	\$751,454	\$94,645	\$846,099
107	Crow, Mariana (=aga) (<i>Corvus kubaryi</i>)	E	\$286,976	\$505,840	\$792,816	\$0	\$792,816
992	Curlew, Eskimo (<i>Numenius borealis</i>)	E	\$0	\$200	\$200	\$4,650	\$4,850
226	Duck, Hawaiian (=koloa) (<i>Anas wyvilliana</i>)	E	\$96,500	\$168,230	\$264,730	\$9,128	\$273,858
236	Duck, Laysan (<i>Anas laysanensis</i>)	E	\$121,350	\$121,420	\$242,770	\$0	\$242,770
20	Eagle, bald (<i>Haliaeetus leucocephalus</i>) lower 48 States	T	\$3,510,356	\$8,008,445	\$11,518,801	\$806,085	\$12,324,886
103	Eider, spectacled (<i>Somateria fischeri</i>)	T	\$765,500	\$82,600	\$848,100	\$0	\$848,100
81	Eider, Steller's (<i>Polysticta stelleri</i>) AK breeding pop.	T	\$1,091,500	\$488,890	\$1,580,390	\$0	\$1,580,390
238	Elepaio, Oahu (<i>Chasiempis sandwichensis ibidis</i>)	E	\$28,861	\$200,852	\$229,713	\$11,556	\$241,269
114	Falcon, northern aplomado (<i>Falco femoralis septentrionalis</i>)	E	\$265,000	\$469,330	\$734,330	\$0	\$734,330
207	Falcon, northern aplomado (<i>Falco femoralis septentrionalis</i>) Southwestern population	EXPN	\$0	\$279,960	\$279,960	\$12,004	\$291,964
848	Finch, Laysan (honeycreeper) (<i>Telespyza cantans</i>)	E	\$10,606	\$0	\$10,606	\$0	\$10,606
836	Finch, Nihoa (honeycreeper) (<i>Telespyza ultima</i>)	E	\$11,106	\$0	\$11,106	\$0	\$11,106
16	Flycatcher, southwestern willow (<i>Empidonax traillii extimus</i>)	E	\$1,191,467	\$13,806,329	\$14,997,796	\$37,385	\$15,035,181
132	Gnatcatcher, coastal California (<i>Polioptila californica californica</i>)	T	\$97,433	\$936,589	\$1,034,022	\$50,000	\$1,084,022
135	Goose, Hawaiian (<i>Branta (=Nesochen) sandvicensis</i>)	E	\$234,756	\$278,179	\$512,935	\$44,335	\$557,270
250	Hawk, Hawaiian (=ʻlo) (<i>Buteo solitarius</i>)	E	\$127,888	\$102,000	\$229,888	\$556	\$230,444
965	Hawk, Puerto Rican broad-winged (<i>Buteo platypterus brunnescens</i>)	E	\$6,000	\$0	\$6,000	\$0	\$6,000
965	Hawk, Puerto Rican sharp-shinned (<i>Accipiter striatus venator</i>)	E	\$6,000	\$0	\$6,000	\$0	\$6,000
498	Honeycreeper, crested (<i>Palmeria dolei</i>)	E	\$54,978	\$2,000	\$56,978	\$556	\$57,534
67	Jay, Florida scrub (<i>Aphelocoma coerulescens</i>)	T	\$919,000	\$1,592,709	\$2,511,709	\$75,353	\$2,587,062
322	Kingfisher, Guam Micronesian (<i>Halcyon cinnamomina cinnamomina</i>)	E	\$60,500	\$86,540	\$147,040	\$0	\$147,040

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
97	Kite, Everglade snail (<i>Rostrhamus sociabilis plumbeus</i>) FL pop.	E	\$733,300	\$218,845	\$952,145	\$2,894	\$955,039
415	Megapode, Micronesian (<i>Megapodius laperouse</i>)	E	\$87,950	\$0	\$87,950	\$0	\$87,950
778	Millerbird, Nihoa (old world warbler) (<i>Acrocephalus familiaris kingi</i>)	E	\$15,606	\$0	\$15,606	\$0	\$15,606
356	Moorhen, Hawaiian common (<i>Gallinula chloropus sandvicensis</i>)	E	\$22,000	\$91,994	\$113,994	\$9,128	\$123,122
598	Moorhen, Mariana common (<i>Gallinula chloropus guami</i>)	E	\$38,200	\$0	\$38,200	\$0	\$38,200
73	Murrelet, marbled (<i>Brachyramphus marmoratus</i>) CA, OR, WA	T	\$1,044,773	\$973,134	\$2,017,907	\$50,000	\$2,067,907
452	Nightjar, Puerto Rican (<i>Caprimulgus noctitherus</i>)	E	\$69,000	\$0	\$69,000	\$0	\$69,000
492	Nukupu`u (honeycreeper) (<i>Hemignathus lucidus</i>)	E	\$56,608	\$2,000	\$58,608	\$556	\$59,164
69	Owl, Mexican spotted (<i>Strix occidentalis lucida</i>)	T	\$338,112	\$2,028,544	\$2,366,656	\$6,526	\$2,373,182
39	Owl, northern spotted (<i>Strix occidentalis caurina</i>)	T	\$1,905,096	\$4,152,073	\$6,057,169	\$52,795	\$6,109,964
111	Paliila (honeycreeper) (<i>Loxioides bailleui</i>)	E	\$301,198	\$350,688	\$651,886	\$93,786	\$745,672
87	Parrot, Puerto Rican (<i>Amazona vittata</i>)	E	\$1,068,000	\$106,000	\$1,174,000	\$223,200	\$1,397,200
327	Parrotbill, Maui (honeycreeper) (<i>Pseudonestor xanthophrys</i>)	E	\$62,242	\$2,000	\$64,242	\$80,818	\$145,060
105	Pelican, brown (<i>Pelecanus occidentalis</i>) except U.S. Atlantic coast, FL, AL	E	\$343,608	\$482,253	\$825,861	\$11,360	\$837,221
199	Petrel, Hawaiian dark-rumped (<i>Pterodroma phaeopygia sandwichensis</i>)	E	\$142,308	\$151,744	\$294,052	\$13,000	\$307,052
804	Pigeon, Puerto Rican plain (<i>Columba inornata wetmorei</i>)	E	\$14,000	\$0	\$14,000	\$0	\$14,000
154	Plover, piping (<i>Charadrius melodus</i>) Great Lakes watershed	E	\$136,800	\$271,083	\$407,883	\$50,814	\$458,697
31	Plover, piping (<i>Charadrius melodus</i>) except Great Lakes watershed	T	\$994,601	\$6,621,950	\$7,616,551	\$273,046	\$7,889,597
61	Plover, western snowy (<i>Charadrius alexandrinus nivosus</i>) Pacific coastal pop.	T	\$1,018,723	\$2,078,371	\$3,097,094	\$19,263	\$3,116,357
466	Po`ouli (honeycreeper) (<i>Melamprosops phaeosoma</i>)	E	\$62,242	\$2,000	\$64,242	\$556	\$64,798
171	Prairie-chicken, Attwater's greater (<i>Tympanuchus cupido attwateri</i>)	E	\$336,000	\$6,580	\$342,580	\$33,543	\$376,123
271	Pygmy-owl, cactus ferruginous (<i>Glaucidium brasilianum</i>)	DO	\$85,312	\$17,400	\$102,712	\$100,000	\$202,712

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	<i>cactorum</i> AZ pop.						
152	Rail, California clapper (<i>Rallus longirostris obsoletus</i>)	E	\$290,458	\$154,938	\$445,396	\$15,000	\$460,396
985	Rail, Guam (<i>Rallus owstoni</i>) Rota	EXPN	\$5,049	\$0	\$5,049	\$0	\$5,049
140	Rail, Guam (<i>Rallus owstoni</i>) except Rota	E	\$184,000	\$349,600	\$533,600	\$0	\$533,600
204	Rail, light-footed clapper (<i>Rallus longirostris levipes</i>) U.S.A. only	E	\$39,571	\$298,807	\$338,378	\$15,000	\$353,378
102	Rail, Yuma clapper (<i>Rallus longirostris yumanensis</i>) U.S.A. only	E	\$33,654	\$738,900	\$772,554	\$76,000	\$848,554
288	Shearwater, Newell's Townsend's (<i>Puffinus auricularis newelli</i>)	T	\$183,836	\$2,000	\$185,836	\$0	\$185,836
79	Shrike, San Clemente loggerhead (<i>Lanius ludovicianus mearnsi</i>)	E	\$3,973	\$1,739,708	\$1,743,681	\$500	\$1,744,181
68	Sparrow, Cape Sable seaside (<i>Ammodramus maritimus mirabilis</i>)	E	\$336,500	\$2,249,512	\$2,586,012	\$0	\$2,586,012
147	Sparrow, Florida grasshopper (<i>Ammodramus savannarum floridanus</i>)	E	\$188,800	\$245,365	\$434,165	\$48,308	\$482,473
316	Sparrow, San Clemente sage (<i>Amphispiza belli clementeae</i>)	T	\$0	\$156,388	\$156,388	\$500	\$156,888
262	Stilt, Hawaiian (<i>Himantopus mexicanus knudseni</i>)	E	\$48,300	\$167,458	\$215,758	\$9,128	\$224,886
60	Stork, wood (<i>Mycteria americana</i>) AL, FL, GA, SC	E	\$1,519,500	\$1,355,561	\$2,875,061	\$130,577	\$3,005,638
313	Swiftlet, Mariana gray (<i>Aerodramus vanikorensis bartschi</i>)	E	\$38,000	\$123,300	\$161,300	\$0	\$161,300
92	Tern, California least (<i>Sterna antillarum browni</i>)	E	\$161,660	\$1,270,660	\$1,432,320	\$20,000	\$1,452,320
37	Tern, least (<i>Sterna antillarum</i>) interior pop.	E	\$376,459	\$6,117,512	\$6,493,971	\$83,854	\$6,577,825
957	Tern, roseate (<i>Sterna dougallii dougallii</i>) Western Hemisphere except NE U.S.	T	\$5,500	\$500	\$6,000	\$200	\$6,200
334	Tern, roseate (<i>Sterna dougallii dougallii</i>) northeast U.S. nesting pop.	E	\$45,837	\$49,164	\$95,001	\$43,240	\$138,241
906	Thrush, large Kauai (=kamao) (<i>Myadestes myadestinus</i>)	E	\$7,555	\$0	\$7,555	\$556	\$8,111
906	Thrush, Molokai (<i>Myadestes lanaiensis rutha</i>)	E	\$7,555	\$0	\$7,555	\$556	\$8,111
252	Thrush, small Kauai (=puaiohi) (<i>Myadestes palmeri</i>)	E	\$183,937	\$0	\$183,937	\$43,175	\$227,112
331	Towhee, Inyo California (<i>Pipilo crissalis eremophilus</i>)	T	\$94,187	\$45,000	\$139,187	\$1,000	\$140,187
86	Vireo, black-capped (<i>Vireo atricapilla</i>)	E	\$302,000	\$1,101,808	\$1,403,808	\$53,654	\$1,457,462

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
128	Vireo, least Bell's (<i>Vireo bellii pusillus</i>)	E	\$190,281	\$788,607	\$978,888	\$3,000	\$981,888
922	Warbler (=wood), Bachman's (<i>Vermivora bachmanii</i>)	E	\$6,100	\$590	\$6,690	\$750	\$7,440
91	Warbler (=wood), golden-cheeked (<i>Dendroica chrysoparia</i>)	E	\$269,000	\$932,199	\$1,201,199	\$4,650	\$1,205,849
100	Warbler (=wood), Kirtland's (<i>Dendroica kirtlandii</i>)	E	\$101,000	\$623,475	\$724,475	\$183,000	\$907,475
209	Warbler, nightingale reed (old world warbler) (<i>Acrocephalus luscina</i>)	E	\$287,963	\$0	\$287,963	\$0	\$287,963
1043	White-eye, bridled (<i>Zosterops conspicillatus conspicillatus</i>)	E	\$2,500	\$0	\$2,500	\$0	\$2,500
214	White-eye, Rota bridled (<i>Zosterops rotensis</i>)	E	\$254,327	\$18,440	\$272,767	\$0	\$272,767
77	Woodpecker, ivory-billed (<i>Campephilus principalis</i>)	E	\$1,306,000	\$398,885	\$1,704,885	\$104,985	\$1,809,870
17	Woodpecker, red-cockaded (<i>Picoides borealis</i>)	E	\$2,039,592	\$11,864,943	\$13,904,535	\$396,363	\$14,300,898
906	ʻOʻo, Kauai (honeyeater) (<i>Moho braccatus</i>)	E	\$7,555	\$0	\$7,555	\$556	\$8,111
906	ʻOʻu (honeycreeper) (<i>Psittirostra psittacea</i>)	E	\$7,555	\$0	\$7,555	\$556	\$8,111
	Birds Subtotal		\$29,850,710	\$82,241,145	\$112,091,855	\$3,984,953	\$116,076,808
	Reptiles						
101	Alligator, American (<i>Alligator mississippiensis</i>)	SAT	\$165,338	\$691,369	\$856,707	\$1,100	\$857,807
1061	Anole, Culebra Island giant (<i>Anolis roosevelti</i>)	E	\$1,900	\$0	\$1,900	\$0	\$1,900
1082	Boa, Mona (<i>Epicrates monensis monensis</i>)	T	\$1,200	\$0	\$1,200	\$0	\$1,200
428	Boa, Puerto Rican (<i>Epicrates inornatus</i>)	E	\$67,000	\$10,074	\$77,074	\$0	\$77,074
600	Boa, Virgin Islands tree (<i>Epicrates monensis granti</i>)	E	\$18,200	\$19,444	\$37,644	\$0	\$37,644
319	Crocodile, American (<i>Crocodylus acutus</i>) FL pop.	E	\$101,500	\$49,302	\$150,802	\$3,303	\$154,105
1088	Gecko, Monito (<i>Sphaerodactylus micropithecus</i>)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
577	Iguana, Mona ground (<i>Cyclura cornuta stejnegeri</i>)	T	\$6,200	\$0	\$6,200	\$35,700	\$41,900
391	Lizard, blunt-nosed leopard (<i>Gambelia silus</i>)	E	\$104	\$91,000	\$91,104	\$12,000	\$103,104
739	Lizard, Coachella Valley fringe-toed (<i>Uma inornata</i>)	T	\$1,100	\$13,907	\$15,007	\$3,000	\$18,007
703	Lizard, Island night (<i>Xantusia riversiana</i>)	T	\$4,104	\$17,200	\$21,304	\$0	\$21,304
942	Lizard, St. Croix ground (<i>Ameiva polops</i>)	E	\$6,700	\$0	\$6,700	\$0	\$6,700

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
581	Plymouth Red-Bellied Turtle (<i>Pseudemys rubriventris bangsi</i>)	E	\$32,400	\$3,008	\$35,408	\$6,000	\$41,408
431	Rattlesnake, New Mexican ridge-nosed (<i>Crotalus willardi obscurus</i>)	T	\$22,000	\$54,230	\$76,230	\$0	\$76,230
93	Sea turtle, green (<i>Chelonia mydas</i>) FL, Mexico nesting pops.	E	\$251,900	\$841,717	\$1,093,617	\$0	\$1,093,617
59	Sea turtle, green (<i>Chelonia mydas</i>) except where endangered	T	\$246,098	\$2,824,252	\$3,070,350	\$1,025	\$3,071,375
72	Sea turtle, hawksbill (<i>Eretmochelys imbricata</i>)	E	\$335,782	\$1,743,386	\$2,079,168	\$23,660	\$2,102,828
56	Sea turtle, Kemp's ridley (<i>Lepidochelys kempi</i>)	E	\$455,850	\$3,286,869	\$3,742,719	\$10,539	\$3,753,258
35	Sea turtle, leatherback (<i>Dermochelys coriacea</i>)	E	\$425,150	\$6,379,674	\$6,804,824	\$19,425	\$6,824,249
36	Sea turtle, loggerhead (<i>Caretta caretta</i>)	T	\$680,457	\$6,173,383	\$6,853,840	\$57,800	\$6,911,640
136	Sea turtle, olive ridley (<i>Lepidochelys olivacea</i>) Mexican nesting pop.	E	\$10,000	\$541,725	\$551,725	\$0	\$551,725
138	Sea turtle, olive ridley (<i>Lepidochelys olivacea</i>) except where endangered	T	\$50	\$544,787	\$544,837	\$0	\$544,837
657	Skink, bluetail mole (<i>Eumeces egregius lividus</i>)	T	\$26,500	\$2,291	\$28,791	\$0	\$28,791
172	Skink, sand (<i>Neoseps reynoldsi</i>)	T	\$84,500	\$291,291	\$375,791	\$0	\$375,791
919	Snake, Atlantic salt marsh (<i>Nerodia clarkii taeniata</i>)	T	\$5,500	\$2,077	\$7,577	\$0	\$7,577
610	Snake, Concho water (<i>Nerodia paucimaculata</i>)	T	\$25,000	\$4,020	\$29,020	\$5,992	\$35,012
437	Snake, copperbelly water (<i>Nerodia erythrogaster neglecta</i>) MI, OH, IN N of 400 N. Lat.	T	\$73,000	\$1,200	\$74,200	\$200	\$74,400
85	Snake, eastern indigo (<i>Drymarchon corais couperi</i>)	T	\$276,400	\$1,181,931	\$1,458,331	\$2,000	\$1,460,331
84	Snake, giant garter (<i>Thamnophis gigas</i>)	T	\$662,041	\$796,820	\$1,458,861	\$7,000	\$1,465,861
519	Snake, Lake Erie water (<i>Nerodia sipedon insularum</i>) subspecies range clarified	T	\$16,300	\$11,840	\$28,140	\$23,200	\$51,340
305	Snake, San Francisco garter (<i>Thamnophis sirtalis tetrataenia</i>)	E	\$162,546	\$5,175	\$167,721	\$3,000	\$170,721
22	Tortoise, desert (<i>Gopherus agassizii</i>) U.S.A., except in Sonoran Desert	T	\$1,622,270	\$8,955,896	\$10,578,166	\$20,000	\$10,598,166
181	Tortoise, desert (<i>Gopherus agassizii</i>) outside/taken from Sonoran Desert	SAT	\$0	\$342,142	\$342,142	\$0	\$342,142
18	Tortoise, gopher (<i>Gopherus polyphemus</i>) W of of Mobile/Tombigbee Rs.	T	\$56,500	\$13,291,959	\$13,348,459	\$0	\$13,348,459

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
396	Turtle, Alabama red-belly (<i>Pseudemys alabamensis</i>)	E	\$12,500	\$87,655	\$100,155	\$0	\$100,155
633	Turtle, bog (=Muhlenberg) (<i>Clemmys muhlenbergii</i>) southern	SAT	\$0	\$700	\$700	\$31,450	\$32,150
109	Turtle, bog (=Muhlenberg) (<i>Clemmys muhlenbergii</i>) northern	T	\$390,300	\$237,329	\$627,629	\$147,649	\$775,278
1010	Turtle, flattened musk (<i>Sternotherus depressus</i>) species range clarified	T	\$0	\$4,154	\$4,154	\$0	\$4,154
763	Turtle, ringed map (<i>Graptemys oculifera</i>)	T	\$0	\$16,260	\$16,260	\$0	\$16,260
586	Turtle, yellow-blotched map (<i>Graptemys flavimaculata</i>)	T	\$30,800	\$10,310	\$41,110	\$0	\$41,110
188	Whipsnake (=striped racer), Alameda (<i>Masticophis lateralis euryxanthus</i>)	T	\$309,258	\$10,025	\$319,283	\$0	\$319,283
	Reptiles Subtotal		\$6,587,448	\$48,538,402	\$55,125,850	\$414,043	\$55,539,893
	Amphibians						
1082	Coqui, golden (<i>Eleutherodactylus jasperii</i>)	T	\$1,200	\$0	\$1,200	\$0	\$1,200
71	Frog, California red-legged (<i>Rana aurora draytonii</i>) subspecies range clarified	T	\$1,103,230	\$1,123,058	\$2,226,288	\$10,000	\$2,236,288
116	Frog, Chiricahua leopard (<i>Rana chiricahuensis</i>)	T	\$459,000	\$254,813	\$713,813	\$10,000	\$723,813
406	Frog, Mississippi gopher (<i>Rana capito sevosa</i>) Wherever found west of Mobile and Tombigbee Rivers in AL, MS, and LA	E	\$75,500	\$16,577	\$92,077	\$0	\$92,077
130	Frog, mountain yellow-legged (<i>Rana muscosa</i>) southern California DPS	E	\$211,077	\$388,580	\$599,657	\$8,000	\$607,657
350	Guajon (<i>Eleutherodactylus cookii</i>)	T	\$123,500	\$750	\$124,250	\$0	\$124,250
433	Salamander, Barton Springs (<i>Eurycea sosorum</i>)	E	\$52,000	\$14,200	\$66,200	\$9,177	\$75,377
258	Salamander, California tiger (<i>Ambystoma californiense</i>) U.S.A. (CA - Sonoma County)	E	\$214,894	\$0	\$214,894	\$2,000	\$216,894
274	Salamander, California tiger (<i>Ambystoma californiense</i>) U.S.A. (CA - Santa Barbara County)	E	\$200,451	\$0	\$200,451	\$0	\$200,451
120	Salamander, California tiger (<i>Ambystoma californiense</i>) U.S.A. (Central CA DPS)	T	\$496,947	\$217,178	\$714,125	\$0	\$714,125
503	Salamander, Cheat Mountain (<i>Plethodon nettingi</i>)	T	\$32,500	\$5,000	\$37,500	\$17,980	\$55,480
1043	Salamander, desert slender (<i>Batrachoseps aridus</i>)	E	\$0	\$2,000	\$2,000	\$500	\$2,500

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
76	Salamander, flatwoods (<i>Ambystoma cingulatum</i>)	T	\$228,700	\$1,594,569	\$1,823,269	\$48,251	\$1,871,520
126	Salamander, Red Hills (<i>Phaeognathus hubrichti</i>)	T	\$564,400	\$1,916	\$566,316	\$57,941	\$624,257
393	Salamander, San Marcos (<i>Eurycea nana</i>)	T	\$95,000	\$1,380	\$96,380	\$6,177	\$102,557
374	Salamander, Santa Cruz long-toed (<i>Ambystoma macrodactylum croceum</i>)	E	\$110,690	\$175	\$110,865	\$2,000	\$112,865
1003	Salamander, Shenandoah (<i>Plethodon shenandoah</i>)	E	\$345	\$3,200	\$3,545	\$800	\$4,345
372	Salamander, Sonora tiger (<i>Ambystoma tigrinum stebbinsi</i>)	E	\$93,000	\$10,150	\$103,150	\$10,000	\$113,150
299	Salamander, Texas blind (<i>Typhlomolge rathbuni</i>)	E	\$169,000	\$1,980	\$170,980	\$6,536	\$177,516
179	Toad, arroyo (=arroyo southwestern) (<i>Bufo californicus (=microscaphus)</i>)	E	\$105,208	\$586,575	\$691,783	\$0	\$691,783
218	Toad, Houston (<i>Bufo houstonensis</i>)	E	\$246,000	\$2,360	\$248,360	\$17,655	\$266,015
666	Toad, Puerto Rican crested (<i>Peltophryne lemur</i>)	T	\$15,500	\$0	\$15,500	\$12,000	\$27,500
394	Toad, Wyoming (<i>Bufo baxteri (=hemiophrys)</i>)	E	\$98,700	\$1,660	\$100,360	\$1,135	\$101,495
	Amphibians Subtotal		\$4,696,842	\$4,226,121	\$8,922,963	\$220,152	\$9,143,115
	Fishes						
677	Catfish, Yaqui (<i>Ictalurus pricei</i>)	T	\$23,000	\$100	\$23,100	\$2,500	\$25,600
1064	Cavefish, Alabama (<i>Speoplatyrhinus poulsoni</i>)	E	\$0	\$1,731	\$1,731	\$0	\$1,731
342	Cavefish, Ozark (<i>Amblyopsis rosae</i>)	T	\$33,100	\$51,522	\$84,622	\$47,000	\$131,622
41	Chub, bonytail (<i>Gila elegans</i>) entire	E	\$657,913	\$4,867,477	\$5,525,390	\$208,592	\$5,733,982
388	Chub, Borax Lake (<i>Gila boraxobius</i>)	E	\$95,757	\$7,000	\$102,757	\$1,200	\$103,957
463	Chub, Chihuahua (<i>Gila nigrescens</i>)	T	\$58,997	\$0	\$58,997	\$6,353	\$65,350
601	Chub, Gila (<i>Gila intermedia</i>)	E	\$6,000	\$31,600	\$37,600	\$0	\$37,600
32	Chub, humpback (<i>Gila cypha</i>) entire	E	\$323,878	\$6,898,336	\$7,222,214	\$188,592	\$7,410,806
576	Chub, Hutton tui (<i>Gila bicolor</i> ssp.) Hutton	T	\$39,500	\$2,500	\$42,000	\$0	\$42,000
323	Chub, Mohave tui (<i>Gila bicolor mohavensis</i>)	E	\$5,895	\$139,000	\$144,895	\$1,000	\$145,895
297	Chub, Oregon (<i>Oregonichthys crameri</i>)	E	\$166,043	\$11,485	\$177,528	\$700	\$178,228
789	Chub, Owens tui (<i>Gila bicolor snyderi</i>)	E	\$6,016	\$9,000	\$15,016	\$0	\$15,016

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
566	Chub, Pahrnagat roundtail (<i>Gila robusta jordani</i>)	E	\$43,033	\$0	\$43,033	\$0	\$43,033
295	Chub, slender (<i>Erimystax cahni</i>)	T	\$13,418	\$165,322	\$178,740	\$500	\$179,240
565	Chub, Sonora (<i>Gila ditaenia</i>)	T	\$25,000	\$13,100	\$38,100	\$5,000	\$43,100
861	Chub, spotfin (<i>Erimonax monachus</i>) Shoal Creek	EXPN	\$10,000	\$0	\$10,000	\$0	\$10,000
819	Chub, spotfin (<i>Erimonax monachus</i>) Tellico River, TN	EXPN	\$12,500	\$0	\$12,500	\$0	\$12,500
314	Chub, spotfin (<i>Erimonax monachus</i>) Entire	T	\$138,809	\$9,119	\$147,928	\$11,130	\$159,058
143	Chub, Virgin River (<i>Gila seminuda (=robusta)</i>)	E	\$475,208	\$33,136	\$508,344	\$3,500	\$511,844
700	Chub, Yaqui (<i>Gila purpurea</i>)	E	\$13,000	\$6,100	\$19,100	\$3,000	\$22,100
230	Cui-ui (<i>Chasmistes cujus</i>)	E	\$181,821	\$66,000	\$247,821	\$0	\$247,821
352	Dace, Ash Meadows speckled (<i>Rhinichthys osculus nevadensis</i>)	E	\$89,833	\$33,000	\$122,833	\$0	\$122,833
272	Dace, blackside (<i>Phoxinus cumberlandensis</i>)	T	\$89,346	\$113,204	\$202,550	\$0	\$202,550
484	Dace, desert (<i>Eremichthys acros</i>)	T	\$60,994	\$0	\$60,994	\$0	\$60,994
597	Dace, Foscett speckled (<i>Rhinichthys osculus ssp.</i>) Foscett	T	\$35,379	\$3,000	\$38,379	\$0	\$38,379
546	Dace, Independence Valley speckled (<i>Rhinichthys osculus lethoporus</i>)	E	\$23,163	\$24,000	\$47,163	\$0	\$47,163
675	Dace, Kendall Warm Springs (<i>Rhinichthys osculus thermalis</i>)	E	\$16,315	\$9,660	\$25,975	\$0	\$25,975
263	Dace, Moapa (<i>Moapa coriacea</i>)	E	\$201,174	\$6,000	\$207,174	\$0	\$207,174
588	Darter, amber (<i>Percina antesella</i>)	E	\$19,900	\$17,751	\$37,651	\$3,000	\$40,651
1078	Darter, bayou (<i>Etheostoma rubrum</i>)	T	\$0	\$1,311	\$1,311	\$0	\$1,311
969	Darter, bluemask (=jewel) (<i>Etheostoma sp.</i>)	E	\$4,500	\$831	\$5,331	\$0	\$5,331
781	Darter, boulder (<i>Etheostoma wapiti</i>) Shoal Creek	EXPN	\$10,000	\$0	\$10,000	\$5,490	\$15,490
648	Darter, boulder (<i>Etheostoma wapiti</i>)	E	\$23,400	\$5,009	\$28,409	\$1,934	\$30,343
137	Darter, Cherokee (<i>Etheostoma scotti</i>)	T	\$533,500	\$13,077	\$546,577	\$2,500	\$549,077
507	Darter, duskytail (<i>Etheostoma percnum</i>) Entire	E	\$39,519	\$9,468	\$48,987	\$5,490	\$54,477
899	Darter, duskytail (<i>Etheostoma percnum</i>) Tellico River, TN	EXPN	\$7,500	\$831	\$8,331	\$0	\$8,331
134	Darter, Etowah (<i>Etheostoma etowahae</i>)	E	\$553,500	\$8,827	\$562,327	\$2,500	\$564,827
265	Darter, fountain (<i>Etheostoma</i>)	E	\$196,000	\$3,463	\$199,463	\$4,650	\$204,113

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	<i>fonticola</i>)						
445	Darter, goldline (<i>Percina aurolineata</i>)	T	\$66,800	\$4,154	\$70,954	\$500	\$71,454
184	Darter, leopard (<i>Percina pantherina</i>)	T	\$300,300	\$33,000	\$333,300	\$0	\$333,300
869	Darter, Maryland (<i>Etheostoma sellare</i>)	E	\$9,408	\$0	\$9,408	\$0	\$9,408
156	Darter, Niangua (<i>Etheostoma nianguae</i>)	T	\$95,500	\$711	\$96,211	\$341,300	\$437,511
208	Darter, Okaloosa (<i>Etheostoma okaloosae</i>)	E	\$89,400	\$199,516	\$288,916	\$0	\$288,916
645	Darter, relict (<i>Etheostoma chienense</i>)	E	\$28,500	\$2,077	\$30,577	\$0	\$30,577
554	Darter, slackwater (<i>Etheostoma boschungii</i>)	T	\$37,500	\$8,779	\$46,279	\$0	\$46,279
625	Darter, snail (<i>Percina tanasi</i>)	T	\$19,500	\$12,977	\$32,477	\$800	\$33,277
1057	Darter, vermilion (<i>Etheostoma chermocki</i>)	E	\$0	\$2,077	\$2,077	\$0	\$2,077
659	Darter, watercress (<i>Etheostoma nuchale</i>)	E	\$26,400	\$2,077	\$28,477	\$0	\$28,477
578	Gambusia, Big Bend (<i>Gambusia gaigei</i>)	E	\$32,000	\$5,000	\$37,000	\$4,650	\$41,650
996	Gambusia, Clear Creek (<i>Gambusia heterochir</i>)	E	\$0	\$0	\$0	\$4,650	\$4,650
508	Gambusia, Pecos (<i>Gambusia nobilis</i>)	E	\$31,000	\$18,200	\$49,200	\$4,650	\$53,850
929	Gambusia, San Marcos (<i>Gambusia georgei</i>)	E	\$0	\$2,584	\$2,584	\$4,650	\$7,234
139	Goby, tidewater (<i>Eucyclogobius newberryi</i>) Entire	E	\$485,621	\$174,782	\$660,403	\$3,000	\$663,403
639	Logperch, Conasauga (<i>Percina jenkinsi</i>)	E	\$8,700	\$21,951	\$30,651	\$800	\$31,451
149	Logperch, Roanoke (<i>Percina rex</i>)	E	\$51,533	\$408,088	\$459,621	\$17,000	\$476,621
658	Madtom, Neosho (<i>Noturus placidus</i>)	T	\$24,416	\$237	\$24,653	\$4,000	\$28,653
945	Madtom, pygmy (<i>Noturus stanauli</i>)	E	\$5,800	\$831	\$6,631	\$0	\$6,631
1096	Madtom, Scioto (<i>Noturus trautmani</i>)	E	\$500	\$20	\$520	\$0	\$520
921	Madtom, smoky (<i>Noturus baileyi</i>) Tellico River, TN	EXPN	\$7,500	\$0	\$7,500	\$0	\$7,500
692	Madtom, smoky (<i>Noturus baileyi</i>) Entire	E	\$9,900	\$8,461	\$18,361	\$5,490	\$23,851
294	Madtom, yellowfin (<i>Noturus flavipinnis</i>) Holston River, VA, TN	EXPN	\$8,690	\$167,922	\$176,612	\$3,000	\$179,612
676	Madtom, yellowfin (<i>Noturus flavipinnis</i>) except where EXPN	T	\$15,301	\$5,030	\$20,331	\$5,490	\$25,821
899	Madtom, yellowfin (<i>Noturus flavipinnis</i>)	EXPN	\$7,500	\$831	\$8,331	\$0	\$8,331

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	Tellico River, TN						
261	Minnow, Devils River (<i>Dionda diaboli</i>)	T	\$201,000	\$0	\$201,000	\$8,826	\$209,826
129	Minnow, loach (<i>Tiaroga cobitis</i>)	T	\$127,000	\$480,600	\$607,600	\$7,100	\$614,700
25	Minnow, Rio Grande silvery (<i>Hybognathus amarus</i>)	E	\$115,000	\$9,578,128	\$9,693,128	\$8,826	\$9,701,954
26	Pikeminnow (=squawfish), Colorado (<i>Ptychocheilus lucius</i>) except Salt and Verde R. drainages, AZ	E	\$927,393	\$8,732,767	\$9,660,160	\$10,000	\$9,670,160
330	Pikeminnow (=squawfish), Colorado (<i>Ptychocheilus lucius</i>) Salt and Verde R. drainages, AZ	EXPN	\$0	\$450	\$450	\$139,833	\$140,283
329	Poolfish, Pahrump (<i>Empetrichthys latos</i>)	E	\$140,531	\$0	\$140,531	\$0	\$140,531
409	Pupfish, Ash Meadows Amargosa (<i>Cyprinodon nevadensis mionectes</i>)	E	\$46,398	\$44,000	\$90,398	\$0	\$90,398
287	Pupfish, Comanche Springs (<i>Cyprinodon elegans</i>)	E	\$174,000	\$7,500	\$181,500	\$6,141	\$187,641
211	Pupfish, desert (<i>Cyprinodon macularius</i>)	E	\$120,813	\$124,340	\$245,153	\$37,000	\$282,153
148	Pupfish, Devils Hole (<i>Cyprinodon diabolis</i>)	E	\$197,550	\$281,000	\$478,550	\$0	\$478,550
530	Pupfish, Leon Springs (<i>Cyprinodon bovinus</i>)	E	\$45,000	\$0	\$45,000	\$4,650	\$49,650
309	Pupfish, Owens (<i>Cyprinodon radiosus</i>)	E	\$124,021	\$43,000	\$167,021	\$1,000	\$168,021
450	Pupfish, Warm Springs (<i>Cyprinodon nevadensis pectoralis</i>)	E	\$36,580	\$33,000	\$69,580	\$0	\$69,580
38	Salmon, Atlantic (<i>Salmo salar</i>) Gulf of Maine Atlantic Salmon DPS	E	\$1,262,477	\$4,915,098	\$6,177,575	\$0	\$6,177,575
15	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) lower Columbia R.	T	\$1,572,657	\$15,055,898	\$16,628,555	\$60,075	\$16,688,630
12	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) CA Central Valley spring-run	T	\$78,399	\$19,404,159	\$19,482,558	\$317,000	\$19,799,558
13	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) Puget Sound	T	\$615,052	\$17,336,280	\$17,951,332	\$0	\$17,951,332
6	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) spring upper Columbia R.	E	\$406,073	\$26,835,732	\$27,241,805	\$0	\$27,241,805
2	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) spring/summer Snake R.	T	\$858,146	\$37,407,752	\$38,265,898	\$275,000	\$38,540,898
46	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) CA coastal	T	\$34,780	\$3,048,876	\$3,083,656	\$1,641,000	\$4,724,656
3	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>)	T	\$301,363	\$31,702,827	\$32,004,190	\$2,184,700	\$34,188,890

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	fall Snake R.						
11	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) winter Sacramento R.	E	\$66,000	\$20,100,212	\$20,166,212	\$81,000	\$20,247,212
27	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) upper Willamette R.	T	\$89,008	\$9,491,268	\$9,580,276	\$36,000	\$9,616,276
34	Salmon, chum (<i>Oncorhynchus</i> (=Salmo) <i>keta</i>) Columbia R.	T	\$21,500	\$6,802,299	\$6,823,799	\$2,000	\$6,825,799
44	Salmon, chum (<i>Oncorhynchus</i> (=Salmo) <i>keta</i>) summer-run Hood Canal	T	\$151,056	\$4,736,236	\$4,887,292	\$0	\$4,887,292
57	Salmon, coho (<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>) central CA coast	E	\$0	\$3,374,670	\$3,374,670	\$240,000	\$3,614,670
21	Salmon, coho (<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>) Lower Columbia River	T	\$148,764	\$10,997,267	\$11,146,031	\$70,075	\$11,216,106
10	Salmon, coho (<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>) OR, CA pop.	T	\$565,400	\$17,025,335	\$17,590,735	\$2,720,000	\$20,310,735
14	Salmon, sockeye (<i>Oncorhynchus</i> (=Salmo) <i>nerka</i>) U.S.A. (Snake River, ID stock wherever found.)	E	\$81,508	\$16,232,639	\$16,314,147	\$1,430,000	\$17,744,147
45	Salmon, sockeye (<i>Oncorhynchus</i> (=Salmo) <i>nerka</i>) U.S.A. (Ozette Lake, WA)	T	\$81,508	\$4,659,965	\$4,741,473	\$0	\$4,741,473
125	Sawfish, smalltooth (<i>Pristis pectinata</i>)	E	\$100	\$638,644	\$638,744	\$0	\$638,744
1057	Sculpin, pygmy (<i>Cottus paulus</i> (=pygmaeus))	T	\$0	\$2,077	\$2,077	\$0	\$2,077
387	Shiner, Arkansas River (<i>Notropis girardi</i>) Arkansas R. Basin	T	\$19,899	\$72,974	\$92,873	\$11,238	\$104,111
704	Shiner, beautiful (<i>Cyprinella formosa</i>)	T	\$20,000	\$300	\$20,300	\$1,000	\$21,300
468	Shiner, blue (<i>Cyprinella caerulea</i>)	T	\$4,500	\$58,641	\$63,141	\$1,000	\$64,141
978	Shiner, Cahaba (<i>Notropis cahabae</i>)	E	\$1,000	\$4,154	\$5,154	\$0	\$5,154
510	Shiner, Cape Fear (<i>Notropis mekistocholas</i>)	E	\$45,200	\$4,804	\$50,004	\$3,800	\$53,804
525	Shiner, palezone (<i>Notropis albizonatus</i>)	E	\$48,200	\$2,077	\$50,277	\$0	\$50,277
110	Shiner, Pecos bluntnose (<i>Notropis simus pecosensis</i>)	T	\$0	\$744,950	\$744,950	\$1,217	\$746,167
151	Shiner, Topeka (<i>Notropis topeka</i> (=tristis))	E	\$267,950	\$84,033	\$351,983	\$115,700	\$467,683
820	Silverside, Waccamaw (<i>Menidia extensa</i>)	T	\$9,700	\$2,547	\$12,247	\$250	\$12,497
62	Smelt, delta (<i>Hypomesus transpacificus</i>)	T	\$437,907	\$2,443,807	\$2,881,714	\$0	\$2,881,714
122	Spikedace (<i>Meda fulgida</i>)	T	\$136,000	\$543,000	\$679,000	\$7,100	\$686,100

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
584	Spinedace, Big Spring (<i>Lepidomeda mollispinis pratensis</i>)	T	\$21,243	\$20,000	\$41,243	\$0	\$41,243
150	Spinedace, Little Colorado (<i>Lepidomeda vittata</i>)	T	\$451,000	\$13,080	\$464,080	\$10,000	\$474,080
444	Spinedace, White River (<i>Lepidomeda albivallis</i>)	E	\$72,582	\$0	\$72,582	\$0	\$72,582
668	Springfish, Hiko White River (<i>Crenichthys baileyi grandis</i>)	E	\$12,143	\$15,000	\$27,143	\$0	\$27,143
248	Springfish, Railroad Valley (<i>Crenichthys nevadae</i>)	T	\$176,688	\$56,038	\$232,726	\$0	\$232,726
930	Springfish, White River (<i>Crenichthys baileyi baileyi</i>)	E	\$7,179	\$0	\$7,179	\$0	\$7,179
51	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) northern CA	T	\$81,308	\$2,873,249	\$2,954,557	\$1,093,000	\$4,047,557
58	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) southern CA coast	E	\$0	\$2,930,322	\$2,930,322	\$233,113	\$3,163,435
65	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) south central CA coast	T	\$0	\$2,814,822	\$2,814,822	\$0	\$2,814,822
50	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) central CA coast	T	\$0	\$4,053,317	\$4,053,317	\$0	\$4,053,317
30	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) upper Willamette R.	T	\$87,008	\$8,502,749	\$8,589,757	\$80,648	\$8,670,405
7	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) upper Columbia R. Basin	T	\$402,766	\$25,437,374	\$25,840,140	\$0	\$25,840,140
4	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) middle Columbia R.	T	\$527,654	\$31,483,816	\$32,011,470	\$21,075	\$32,032,545
19	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) lower Columbia R.	T	\$325,370	\$12,700,964	\$13,026,334	\$70,075	\$13,096,409
42	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) Central Valley CA	T	\$153,041	\$5,520,192	\$5,673,233	\$45,000	\$5,718,233
5	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) Snake R. Basin	T	\$331,409	\$28,940,195	\$29,271,604	\$1,898,000	\$31,169,604
446	Stickleback, unarmored threespine (<i>Gasterosteus aculeatus williamsoni</i>)	E	\$35,317	\$3,400	\$38,717	\$32,500	\$71,217
674	Sturgeon, Alabama (<i>Scaphirhynchus suttkusi</i>)	E	\$4,500	\$21,654	\$26,154	\$0	\$26,154
88	Sturgeon, gulf (<i>Acipenser oxyrinchus desotoi</i>)	T	\$291,000	\$1,089,246	\$1,380,246	\$5,595	\$1,385,841
1	Sturgeon, pallid (<i>Scaphirhynchus albus</i>)	E	\$1,099,753	\$37,615,598	\$38,715,351	\$177,631	\$38,892,982
74	Sturgeon, shortnose (<i>Acipenser brevirostrum</i>)	E	\$1,442,200	\$546,382	\$1,988,582	\$79,324	\$2,067,906

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
29	Sturgeon, white (<i>Acipenser transmontanus</i>) U.S.A. (ID, MT), Canada (B.C.), Kootenai R. system	E	\$280,936	\$8,296,997	\$8,577,933	\$536,000	\$9,113,933
185	Sucker, June (<i>Chasmistes liorus</i>)	E	\$48,000	\$282,130	\$330,130	\$0	\$330,130
53	Sucker, Lost River (<i>Deltistes luxatus</i>)	E	\$369,514	\$3,583,500	\$3,953,014	\$5,500	\$3,958,514
483	Sucker, Modoc (<i>Catostomus microps</i>)	E	\$54,867	\$2,000	\$56,867	\$4,500	\$61,367
23	Sucker, razorback (<i>Xyrauchen texanus</i>) entire	E	\$599,701	\$9,650,302	\$10,250,003	\$290,592	\$10,540,595
400	Sucker, Santa Ana (<i>Catostomus santaanae</i>) 3 CA river basins	T	\$39,601	\$33,000	\$72,601	\$23,500	\$96,101
55	Sucker, shortnose (<i>Chasmistes brevirostris</i>)	E	\$367,514	\$3,383,500	\$3,751,014	\$4,000	\$3,755,014
290	Sucker, Warner (<i>Catostomus warnerensis</i>)	T	\$113,700	\$71,000	\$184,700	\$0	\$184,700
133	Topminnow, Gila (incl. Yaqui) (<i>Poeciliopsis occidentalis</i>) U.S.A. only	E	\$147,000	\$406,500	\$553,500	\$25,000	\$578,500
96	Trout, Apache (<i>Oncorhynchus apache</i>)	T	\$668,000	\$12,000	\$680,000	\$300,000	\$980,000
9	Trout, bull (<i>Salvelinus confluentus</i>) U.S.A., conterminous, lower 48 states	T	\$5,433,715	\$17,326,647	\$22,760,362	\$1,103,524	\$23,863,886
124	Trout, Gila (<i>Oncorhynchus gilae</i>)	T	\$515,000	\$49,400	\$564,400	\$76,800	\$641,200
158	Trout, greenback cutthroat (<i>Oncorhynchus clarki stomias</i>)	T	\$2,785	\$269,806	\$272,591	\$159,901	\$432,492
66	Trout, Lahontan cutthroat (<i>Oncorhynchus clarki henshawi</i>)	T	\$702,023	\$1,903,051	\$2,605,074	\$9,500	\$2,614,574
476	Trout, Little Kern golden (<i>Oncorhynchus aguabonita whitei</i>)	T	\$9,060	\$31,000	\$40,060	\$22,000	\$62,060
296	Trout, Paiute cutthroat (<i>Oncorhynchus clarki seleniris</i>)	T	\$52,719	\$123,000	\$175,719	\$3,000	\$178,719
141	Woundfin (<i>Plagopterus argentissimus</i>) except Gila R. drainage, AZ, NM	E	\$500,333	\$26,030	\$526,363	\$3,000	\$529,363
934	Woundfin (<i>Plagopterus argentissimus</i>) Gila R. drainage, AZ, NM	EXPN	\$0	\$7,006	\$7,006	\$0	\$7,006
	Fishes Subtotal		\$30,600,742	\$496,788,838	\$527,389,580	\$16,638,920	\$544,028,500
	Clams						
1014	Acornshell, southern (<i>Epioblasma othcaloogensis</i>)	E	\$1,700	\$2,077	\$3,777	\$0	\$3,777
424	Bankclimber, purple (mussel) (<i>Elliptioideus sloatianus</i>)	T	\$51,900	\$26,115	\$78,015	\$2,500	\$80,515
379	Bean, Cumberland (pearlymussel)	E	\$75,791	\$8,125	\$83,916	\$26,329	\$110,245

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	(<i>Villosa trabalis</i>) Entire Range; Except where listed as Experimental Populations						
831	Bean, Cumberland (pearlymussel) (<i>Villosa trabalis</i>) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$0	\$3,670	\$3,670	\$8,000	\$11,670
385	Bean, purple (<i>Villosa perpurpurea</i>)	E	\$100,549	\$1,903	\$102,452	\$4,079	\$106,531
849	Blossom, green (pearlymussel) (<i>Epioblasma torulosa gubernaculum</i>)	E	\$8,018	\$2,077	\$10,095	\$500	\$10,595
846	Blossom, tubercled (pearlymussel) (<i>Epioblasma torulosa torulosa</i>) Entire Range; Except where listed as Experimental Populations	E	\$8,400	\$2,282	\$10,682	\$0	\$10,682
989	Blossom, turgid (pearlymussel) (<i>Epioblasma turgidula</i>) Entire Range; Except where listed as Experimental Populations	E	\$2,700	\$2,282	\$4,982	\$0	\$4,982
994	Blossom, yellow (pearlymussel) (<i>Epioblasma florentina florentina</i>) Entire Range; Except where listed as Experimental Populations	E	\$2,500	\$2,282	\$4,782	\$0	\$4,782
607	Catspaw (=purple cat's paw pearlymussel) (<i>Epioblasma obliquata obliquata</i>) Entire Range; Except where listed as Experimental Populations	E	\$35,600	\$0	\$35,600	\$0	\$35,600
1062	Catspaw (=purple cat's paw pearlymussel) (<i>Epioblasma obliquata obliquata</i>) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$1,800	\$0	\$1,800	\$0	\$1,800
721	Catspaw, white (pearlymussel) (<i>Epioblasma obliquata perobliqua</i>)	E	\$17,600	\$2,077	\$19,677	\$100	\$19,777
1028	Clubshell (<i>Pleurobema clava</i>) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$0	\$300	\$300	\$3,000	\$3,300
257	Clubshell (<i>Pleurobema clava</i>) Entire Range; Except where listed as Experimental Populations	E	\$144,100	\$22,287	\$166,387	\$55,276	\$221,663
1049	Clubshell, black (<i>Pleurobema curtum</i>)	E	\$0	\$2,282	\$2,282	\$0	\$2,282
517	Clubshell, ovate (<i>Pleurobema perovatum</i>)	E	\$24,000	\$27,782	\$51,782	\$0	\$51,782
401	Clubshell, southern (<i>Pleurobema decisum</i>)	E	\$24,000	\$70,782	\$94,782	\$500	\$95,282
1016	Combshell, Cumberlandian	EXPN	\$0	\$3,700	\$3,700	\$0	\$3,700

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	(<i>Epioblasma brevidens</i>) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL						
223	Combshell, Cumberlandian (<i>Epioblasma brevidens</i>) Entire Range; Except where listed as Experimental Populations	E	\$79,646	\$174,643	\$254,289	\$4,879	\$259,168
1049	Combshell, southern (<i>Epioblasma penita</i>)	E	\$0	\$2,282	\$2,282	\$0	\$2,282
1014	Combshell, upland (<i>Epioblasma metastrata</i>)	E	\$1,700	\$2,077	\$3,777	\$0	\$3,777
362	Elktoe, Appalachian (<i>Alasmidonta raveneliana</i>)	E	\$63,400	\$8,577	\$71,977	\$46,479	\$118,456
427	Elktoe, Cumberland (<i>Alasmidonta atropurpurea</i>)	E	\$67,400	\$10,587	\$77,987	\$0	\$77,987
253	Fanshell (<i>Cyprogenia stegaria</i>)	E	\$200,306	\$10,882	\$211,188	\$14,333	\$225,521
840	Fatmucket, Arkansas (<i>Lampsilis powelli</i>)	T	\$8,500	\$2,477	\$10,977	\$0	\$10,977
681	Heelsplitter, Alabama (=inflated) (<i>Potamilus inflatus</i>)	T	\$23,000	\$2,107	\$25,107	\$0	\$25,107
176	Heelsplitter, Carolina (<i>Lasmigona decorata</i>)	E	\$115,200	\$9,077	\$124,277	\$236,699	\$360,976
94	Higgins eye (pearlymussel) (<i>Lampsilis higginsii</i>)	E	\$339,900	\$658,149	\$998,049	\$59,670	\$1,057,719
862	Kidneyshell, triangular (<i>Ptychobranthus greenii</i>)	E	\$3,800	\$6,077	\$9,877	\$0	\$9,877
518	Lampmussel, Alabama (<i>Lampsilis virescens</i>) Entire Range; Except where listed as Experimental Populations	E	\$49,500	\$2,077	\$51,577	\$0	\$51,577
1101	Lampmussel, Alabama (<i>Lampsilis virescens</i>) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$0	\$305	\$305	\$0	\$305
667	Lilliput, pale (pearlymussel) (<i>Toxolasma cylindrellus</i>)	E	\$24,400	\$2,832	\$27,232	\$0	\$27,232
162	Mapleleaf, winged (<i>Quadrula fragosa</i>) Entire; except where listed as experimental populations	E	\$176,500	\$230,997	\$407,497	\$1,400	\$408,897
733	Moccasinshell, Alabama (<i>Medionidus acutissimus</i>)	T	\$1,000	\$17,077	\$18,077	\$800	\$18,877
995	Moccasinshell, Coosa (<i>Medionidus parvulus</i>)	E	\$1,800	\$2,077	\$3,877	\$800	\$4,677
495	Moccasinshell, Gulf (<i>Medionidus penicillatus</i>)	E	\$54,900	\$2,502	\$57,402	\$1,000	\$58,402
499	Moccasinshell, Ochlockonee (<i>Medionidus simpsonianus</i>)	E	\$52,000	\$3,327	\$55,327	\$1,000	\$56,327
291	Monkeyface, Appalachian (pearlymussel) (<i>Quadrula sparsa</i>)	E	\$19,091	\$164,491	\$183,582	\$800	\$184,382

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
282	Monkeyface, Cumberland (pearlymussel) (<i>Quadrula intermedia</i>) Entire Range; Except where listed as Experimental Populations	E	\$23,791	\$166,773	\$190,564	\$800	\$191,364
587	Mucket, orangenacre (<i>Lampsilis perovalis</i>)	T	\$23,100	\$17,732	\$40,832	\$0	\$40,832
187	Mucket, pink (pearlymussel) (<i>Lampsilis abrupta</i>)	E	\$153,046	\$137,992	\$291,038	\$33,842	\$324,880
249	Mussel, oyster (<i>Epioblasma capsaeformis</i>) Entire Range; Except where listed as Experimental Populations	E	\$112,249	\$92,991	\$205,240	\$27,151	\$232,391
285	Mussel, scaleshell (<i>Leptodea leptodon</i>)	E	\$134,900	\$23,851	\$158,751	\$30,000	\$188,751
280	Pearlshell, Louisiana (<i>Margaritifera hembeli</i>)	T	\$112,200	\$79,921	\$192,121	\$0	\$192,121
270	Pearlymussel, birdwing (<i>Conradilla caelata</i>) Entire Range; Except where listed as Experimental Populations	E	\$27,891	\$171,373	\$199,264	\$3,679	\$202,943
1024	Pearlymussel, birdwing (<i>Conradilla caelata</i>) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert, and Lauderdale Counties, AL	EXPN	\$0	\$3,500	\$3,500	\$0	\$3,500
267	Pearlymussel, cracking (<i>Hemistena lata</i>) Entire Range; Except where listed as Experimental Populations	E	\$29,391	\$170,673	\$200,064	\$3,679	\$203,743
487	Pearlymussel, Curtis (<i>Epioblasma florentina curtisii</i>)	E	\$2,900	\$52,314	\$55,214	\$5,000	\$60,214
1104	Pearlymussel, dromedary (<i>Dromus dromas</i>) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$0	\$205	\$205	\$0	\$205
276	Pearlymussel, dromedary (<i>Dromus dromas</i>) Entire Range; Except where listed as Exp. Pops.	E	\$29,391	\$168,218	\$197,609	\$842	\$198,451
336	Pearlymussel, littlewing (<i>Pegias fabula</i>)	E	\$110,058	\$5,197	\$115,255	\$22,015	\$137,270
931	Pigtoe, Cumberland (<i>Pleurobema gibberum</i>)	E	\$5,100	\$2,077	\$7,177	\$0	\$7,177
958	Pigtoe, dark (<i>Pleurobema furvum</i>)	E	\$100	\$6,077	\$6,177	\$0	\$6,177
242	Pigtoe, finerayed (<i>Fusconaia cuneolus</i>) Entire Range; Except where listed as Experimental Populations	E	\$71,291	\$166,873	\$238,164	\$1,500	\$239,664
1057	Pigtoe, flat (<i>Pleurobema marshalli</i>)	E	\$0	\$2,077	\$2,077	\$0	\$2,077
679	Pigtoe, heavy (<i>Pleurobema taitianum</i>)	E	\$23,100	\$2,282	\$25,382	\$0	\$25,382

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
497	Pigtoe, oval (<i>Pleurobema pyriforme</i>)	E	\$53,200	\$4,002	\$57,202	\$1,000	\$58,202
432	Pigtoe, rough (<i>Pleurobema plenum</i>)	E	\$66,291	\$6,429	\$72,720	\$2,842	\$75,562
225	Pigtoe, shiny (<i>Fusconaia cor</i>) Entire Range; Except where listed as Experimental Populations	E	\$74,758	\$183,023	\$257,781	\$800	\$258,581
991	Pigtoe, southern (<i>Pleurobema georgianum</i>)	E	\$1,800	\$2,077	\$3,877	\$1,000	\$4,877
196	Pimpleback, orangefoot (pearlymussel) (<i>Plethobasus cooperianus</i>)	E	\$122,900	\$186,132	\$309,032	\$5,000	\$314,032
239	Pocketbook, fat (<i>Potamilus capax</i>)	E	\$131,500	\$97,511	\$229,011	\$12,000	\$241,011
903	Pocketbook, finelined (<i>Lampsilis altilis</i>)	T	\$1,000	\$2,077	\$3,077	\$5,112	\$8,189
470	Pocketbook, Ouachita rock (<i>Arkansia wheeleri</i>)	E	\$2,500	\$51,110	\$53,610	\$10,050	\$63,660
458	Pocketbook, shinyrayed (<i>Lampsilis subangulata</i>)	E	\$62,800	\$3,502	\$66,302	\$1,000	\$67,302
475	Pocketbook, speckled (<i>Lampsilis streckeri</i>)	E	\$10,000	\$52,077	\$62,077	\$0	\$62,077
255	Rabbitsfoot, rough (<i>Quadrula cylindrica strigillata</i>)	E	\$50,158	\$170,491	\$220,649	\$1,500	\$222,149
380	Riffleshell, northern (<i>Epioblasma torulosa rangiana</i>)	E	\$51,000	\$16,008	\$67,008	\$42,640	\$109,648
318	Riffleshell, tan (<i>Epioblasma florentina walkeri</i> (=E. walkeri))	E	\$123,832	\$27,650	\$151,482	\$3,200	\$154,682
454	Ring pink (mussel) (<i>Obovaria retusa</i>)	E	\$40,700	\$27,882	\$68,582	\$0	\$68,582
567	Slabshell, Chipola (<i>Elliptio chipolaensis</i>)	T	\$17,000	\$25,815	\$42,815	\$0	\$42,815
386	Spiny mussel, James (<i>Pleurobema collina</i>)	E	\$43,487	\$19,809	\$63,296	\$41,647	\$104,943
493	Spiny mussel, Tar River (<i>Elliptio steinstansana</i>)	E	\$18,800	\$2,657	\$21,457	\$37,200	\$58,657
745	Stirrupshell (<i>Quadrula stapes</i>)	E	\$0	\$17,577	\$17,577	\$0	\$17,577
376	Three-ridge, fat (mussel) (<i>Amblema neislerii</i>)	E	\$86,600	\$25,815	\$112,415	\$0	\$112,415
838	Wartyback, white (pearlymussel) (<i>Plethobasus cicatricosus</i>)	E	\$7,900	\$3,182	\$11,082	\$0	\$11,082
206	Wedgemussel, dwarf (<i>Alasmidonta heterodon</i>)	E	\$69,853	\$132,421	\$202,274	\$90,832	\$293,106
	Clams Subtotal		\$3,675,288	\$3,820,016	\$7,495,304	\$852,475	\$8,347,779
	Snails						
202	Abalone, White (<i>Haliotis sorenseni</i>) North America (West Coast from Point Conception, CA, U.S.A., to Punta Abreojos, Baja California,	E	\$0	\$300,501	\$300,501	\$0	\$300,501

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	Mexico)						
268	Ambersnail, Kanab (<i>Oxyloma haydeni kanabensis</i>)	E	\$5,000	\$186,715	\$191,715	\$12,000	\$203,715
1046	Campeloma, slender (<i>Campeloma decampi</i>)	E	\$100	\$2,282	\$2,382	\$0	\$2,382
569	Cavesnail, Tumbling Creek (<i>Antrobia culveri</i>)	E	\$18,100	\$0	\$18,100	\$24,500	\$42,600
1057	Elimia, lacy (snail) (<i>Elimia crenatella</i>)	T	\$0	\$2,077	\$2,077	\$0	\$2,077
359	Limpet, Banbury Springs (<i>Lanx sp.</i>)	E	\$112,840	\$6,244	\$119,084	\$0	\$119,084
1057	Lioplax, cylindrical (snail) (<i>Lioplax cyclostomaformis</i>)	E	\$0	\$2,077	\$2,077	\$0	\$2,077
983	Marstonia, royal (snail) (<i>Pyrgulopsis ogmorhapse</i>)	E	\$3,000	\$2,077	\$5,077	\$0	\$5,077
1057	Pebblesnail, flat (<i>Lepyrium showalteri</i>)	E	\$0	\$2,077	\$2,077	\$0	\$2,077
1107	Riversnail, Anthony's (<i>Athearnia anthonyi</i>) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$100	\$0	\$100	\$42	\$142
878	Riversnail, Anthony's (<i>Athearnia anthonyi</i>) Entire Range; Except where listed as Experimental Populations	E	\$5,800	\$3,182	\$8,982	\$0	\$8,982
1051	Rocksnaail, painted (<i>Leptoxis taeniata</i>)	T	\$0	\$2,252	\$2,252	\$0	\$2,252
1057	Rocksnaail, plicate (<i>Leptoxis plicata</i>)	E	\$0	\$2,077	\$2,077	\$0	\$2,077
1057	Rocksnaail, round (<i>Leptoxis ampla</i>)	T	\$0	\$2,077	\$2,077	\$0	\$2,077
520	Shagreen, Magazine Mountain (<i>Mesodon magazinensis</i>)	T	\$51,000	\$0	\$51,000	\$0	\$51,000
1093	Snail, armored (<i>Pyrgulopsis</i> (=Marstonia) <i>pachyta</i>)	E	\$0	\$621	\$621	\$0	\$621
186	Snail, Bliss Rapids (<i>Taylorconcha serpenticola</i>)	T	\$291,654	\$35,788	\$327,442	\$0	\$327,442
816	Snail, Chittenango ovate amber (<i>Succinea chittenangoensis</i>)	T	\$3,000	\$0	\$3,000	\$10,000	\$13,000
449	Snail, flat-spined three-toothed (<i>Triodopsis platysayoides</i>)	T	\$51,500	\$0	\$51,500	\$18,160	\$69,660
656	Snail, Iowa Pleistocene (<i>Discus macclintocki</i>)	E	\$26,000	\$525	\$26,525	\$2,500	\$29,025
369	Snail, Morro shoulderband (=Banded dune) (<i>Helminthoglypta walkeriana</i>)	E	\$114,138	\$1,000	\$115,138	\$500	\$115,638
616	Snail, Newcomb's (<i>Erinna newcombi</i>)	T	\$34,600	\$0	\$34,600	\$0	\$34,600
1052	Snail, noonday (<i>Mesodon clarki nantahala</i>)	T	\$1,700	\$416	\$2,116	\$0	\$2,116
857	Snail, painted snake coiled forest	T	\$9,900	\$416	\$10,316	\$0	\$10,316

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	<i>(Anguispira picta)</i>						
808	Snail, Pecos assiminea (<i>Assiminea pecos</i>)	E	\$0	\$9,000	\$9,000	\$4,650	\$13,650
373	Snail, Snake River physa (<i>Physa natricina</i>)	E	\$8,720	\$104,328	\$113,048	\$0	\$113,048
855	Snail, Stock Island tree (<i>Orthalicus reses (not incl. nesodryas)</i>)	T	\$10,000	\$416	\$10,416	\$0	\$10,416
759	Snail, tulotoma (<i>Tulotoma magnifica</i>)	E	\$14,200	\$2,252	\$16,452	\$0	\$16,452
175	Snail, Utah valvata (<i>Valvata utahensis</i>)	E	\$281,008	\$82,979	\$363,987	\$0	\$363,987
964	Snail, Virginia fringed mountain (<i>Polygyriscus virginianus</i>)	E	\$345	\$50	\$395	\$5,625	\$6,020
145	Snails, Oahu tree (<i>Achatinella spp.</i>)	E	\$41,104	\$444,024	\$485,128	\$0	\$485,128
1100	Springsnail, Alamosa (<i>Tryonia alamosae</i>)	E	\$0	\$0	\$0	\$350	\$350
506	Springsnail, Bruneau Hot (<i>Pyrgulopsis bruneauensis</i>)	E	\$49,079	\$5,444	\$54,523	\$0	\$54,523
183	Springsnail, Idaho (<i>Pyrgulopsis idahoensis</i>)	E	\$256,392	\$77,124	\$333,516	\$0	\$333,516
877	Springsnail, Koster's (<i>Juturnia kosteri</i>)	E	\$0	\$9,000	\$9,000	\$0	\$9,000
877	Springsnail, Roswell (<i>Pyrgulopsis roswellensis</i>)	E	\$0	\$9,000	\$9,000	\$0	\$9,000
1100	Springsnail, Socorro (<i>Pyrgulopsis neomexicana</i>)	E	\$0	\$0	\$0	\$350	\$350
	Snails Subtotal		\$1,389,280	\$1,296,021	\$2,685,301	\$78,677	\$2,763,978
	Insects						
174	Beetle, American burying (<i>Nicrophorus americanus</i>)	E	\$118,746	\$215,086	\$333,832	\$35,497	\$369,329
926	Beetle, Coffin Cave mold (<i>Batrisodes texanus</i>)	E	\$2,000	\$240	\$2,240	\$5,102	\$7,342
612	Beetle, Comal Springs dryopid (<i>Stygoparnus comalensis</i>)	E	\$29,000	\$240	\$29,240	\$5,734	\$34,974
549	Beetle, Comal Springs riffle (<i>Heterelmis comalensis</i>)	E	\$40,000	\$846	\$40,846	\$5,734	\$46,580
713	Beetle, delta green ground (<i>Elaphrus viridis</i>)	T	\$20,353	\$0	\$20,353	\$0	\$20,353
894	Beetle, Helotes mold (<i>Batrisodes venyivi</i>)	E	\$3,000	\$240	\$3,240	\$5,251	\$8,491
629	Beetle, Hungerford's crawling water (<i>Brychius hungerfordi</i>)	E	\$32,500	\$0	\$32,500	\$100	\$32,600
750	Beetle, Kretschmarr Cave mold (<i>Texamaurops reddelli</i>)	E	\$12,000	\$240	\$12,240	\$5,102	\$17,342
521	Beetle, Mount Hermon June (<i>Polyphylla barbata</i>)	E	\$50,789	\$175	\$50,964	\$0	\$50,964
605	Beetle, Tooth Cave ground	E	\$31,000	\$240	\$31,240	\$5,102	\$36,342

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	<i>(Rhadine persephone)</i>						
70	Beetle, valley elderberry longhorn <i>(Desmocerus californicus dimorphus)</i>	T	\$643,930	\$1,652,182	\$2,296,112	\$2,500	\$2,298,612
884	Butterfly, bay checkerspot <i>(Euphydryas editha bayensis)</i>	T	\$8,791	\$0	\$8,791	\$0	\$8,791
592	Butterfly, Behren's silverspot <i>(Speyeria zerene behrensii)</i>	E	\$36,361	\$3,300	\$39,661	\$0	\$39,661
976	Butterfly, callippe silverspot <i>(Speyeria callippe callippe)</i>	E	\$5,191	\$0	\$5,191	\$0	\$5,191
502	Butterfly, El Segundo blue <i>(Euphilotes battoides allyni)</i>	E	\$6,871	\$49,000	\$55,871	\$0	\$55,871
165	Butterfly, Fender's blue <i>(Icaricia icarioides fenderi)</i>	E	\$353,289	\$50,960	\$404,249	\$0	\$404,249
106	Butterfly, Karner blue <i>(Lycaeides melissa samuelis)</i>	E	\$240,000	\$334,434	\$574,434	\$247,064	\$821,498
619	Butterfly, Lange's metalmark <i>(Apodemia mormo langei)</i>	E	\$34,206	\$0	\$34,206	\$0	\$34,206
1039	Butterfly, lotis blue <i>(Lycaeides argyrognomon lotis)</i>	E	\$2,750	\$0	\$2,750	\$0	\$2,750
190	Butterfly, mission blue <i>(Icaricia icarioides missionensis)</i>	E	\$6,513	\$312,000	\$318,513	\$0	\$318,513
443	Butterfly, Mitchell's satyr <i>(Neonympha mitchellii mitchellii)</i>	E	\$36,045	\$11,038	\$47,083	\$25,500	\$72,583
1088	Butterfly, Myrtle's silverspot <i>(Speyeria zerene myrteae)</i>	E	\$0	\$1,000	\$1,000	\$0	\$1,000
198	Butterfly, Oregon silverspot <i>(Speyeria zerene hippolyta)</i>	T	\$252,516	\$57,301	\$309,817	\$0	\$309,817
269	Butterfly, Palos Verdes blue <i>(Glaucopsyche lygdamus palosverdesensis)</i>	E	\$43,663	\$160,000	\$203,663	\$0	\$203,663
430	Butterfly, Quino checkerspot <i>(Euphydryas editha quino (=E. e. wrightii))</i>	E	\$25,274	\$51,682	\$76,956	\$0	\$76,956
205	Butterfly, Saint Francis' satyr <i>(Neonympha mitchellii francisci)</i>	E	\$141,300	\$150,991	\$292,291	\$1,717	\$294,008
916	Butterfly, San Bruno elfin <i>(Callophrys mossii bayensis)</i>	E	\$7,737	\$0	\$7,737	\$0	\$7,737
153	Butterfly, Schaus swallowtail <i>(Heraclides aristodemus ponceanus)</i>	E	\$457,500	\$2,827	\$460,327	\$0	\$460,327
344	Butterfly, Smith's blue <i>(Euphilotes enoptes smithi)</i>	E	\$104,436	\$26,000	\$130,436	\$0	\$130,436
640	Butterfly, Uncompahgre fritillary <i>(Boloria acrocne)</i>	E	\$2,856	\$28,506	\$31,362	\$0	\$31,362
169	Dragonfly, Hine's emerald <i>(Somatochlora hineana)</i>	E	\$335,300	\$18,269	\$353,569	\$28,598	\$382,167
338	Fly, Delhi Sands flower-loving <i>(Rhaphiomidas terminatus abdominalis)</i>	E	\$135,497	\$0	\$135,497	\$0	\$135,497
841	Grasshopper, Zayante band-winged <i>(Trimerotropis infantilis)</i>	E	\$10,790	\$175	\$10,965	\$0	\$10,965
315	Ground beetle, [unnamed]	E	\$3,000	\$150,080	\$153,080	\$5,102	\$158,182

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	<i>(Rhadine exilis)</i>						
315	Ground beetle, [unnamed] <i>(Rhadine infernalis)</i>	E	\$3,000	\$150,080	\$153,080	\$5,102	\$158,182
765	Moth, Blackburn's sphinx <i>(Manduca blackburni)</i>	E	\$3,100	\$13,000	\$16,100	\$0	\$16,100
608	Moth, Kern primrose sphinx <i>(Euproserpinus euterpe)</i>	T	\$15,571	\$20,000	\$35,571	\$0	\$35,571
526	Naucorid, Ash Meadows <i>(Ambrysus amargosus)</i>	T	\$17,272	\$33,000	\$50,272	\$0	\$50,272
604	Pomace fly, [unnamed] <i>(Drosophila aglaia)</i>	E	\$36,365	\$0	\$36,365	\$0	\$36,365
604	Pomace fly, [unnamed] <i>(Drosophila differens)</i>	E	\$36,365	\$0	\$36,365	\$0	\$36,365
604	Pomace fly, [unnamed] <i>(Drosophila hemipeza)</i>	E	\$36,365	\$0	\$36,365	\$0	\$36,365
604	Pomace fly, [unnamed] <i>(Drosophila heteroneura)</i>	E	\$36,365	\$0	\$36,365	\$0	\$36,365
604	Pomace fly, [unnamed] <i>(Drosophila montgomeryi)</i>	E	\$36,365	\$0	\$36,365	\$0	\$36,365
604	Pomace fly, [unnamed] <i>(Drosophila mulli)</i>	T	\$36,365	\$0	\$36,365	\$0	\$36,365
604	Pomace fly, [unnamed] <i>(Drosophila musaphila)</i>	E	\$36,365	\$0	\$36,365	\$0	\$36,365
604	Pomace fly, [unnamed] <i>(Drosophila neoclavisetae)</i>	E	\$36,365	\$0	\$36,365	\$0	\$36,365
604	Pomace fly, [unnamed] <i>(Drosophila obatai)</i>	E	\$36,365	\$0	\$36,365	\$0	\$36,365
604	Pomace fly, [unnamed] <i>(Drosophila ochrobasis)</i>	E	\$36,365	\$0	\$36,365	\$0	\$36,365
604	Pomace fly, [unnamed] <i>(Drosophila substenoptera)</i>	E	\$36,365	\$0	\$36,365	\$0	\$36,365
604	Pomace fly, [unnamed] <i>(Drosophila tarphytrichia)</i>	E	\$36,365	\$0	\$36,365	\$0	\$36,365
260	Skipper, Carson wandering <i>(Pseudocopaodes eunus obscurus)</i>	E	\$88,255	\$108,600	\$196,855	\$15,000	\$211,855
273	Skipper, Laguna Mountains <i>(Pyrgus ruralis lagunae)</i>	E	\$201,464	\$0	\$201,464	\$0	\$201,464
719	Skipper, Pawnee montane <i>(Hesperia leonardus montana)</i>	T	\$1,018	\$19,011	\$20,029	\$0	\$20,029
311	Tiger beetle, northeastern beach <i>(Cicindela dorsalis dorsalis)</i>	T	\$160,524	\$3,200	\$163,724	\$3,500	\$167,224
854	Tiger beetle, Ohlone <i>(Cicindela ohlone)</i>	E	\$10,420	\$0	\$10,420	\$0	\$10,420
398	Tiger beetle, Puritan <i>(Cicindela puritana)</i>	T	\$92,541	\$2,233	\$94,774	\$4,147	\$98,921
704	Tiger beetle, Salt Creek <i>(Cicindela nevadica lincolniana)</i>	E	\$0	\$8,600	\$8,600	\$12,700	\$21,300
	Insects Subtotal		\$4,262,749	\$3,634,776	\$7,897,525	\$418,552	\$8,316,077

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	Arachnids						
968	Harvestman, Bee Creek Cave (<i>Texella reddelli</i>)	E	\$0	\$240	\$240	\$5,251	\$5,491
678	Harvestman, Bone Cave (<i>Texella reyesi</i>)	E	\$20,000	\$240	\$20,240	\$5,251	\$25,491
885	Harvestman, Cokendolpher Cave (<i>Texella cokendolpheri</i>)	E	\$3,000	\$0	\$3,000	\$5,788	\$8,788
897	Meshweaver, Braken Bat Cave (<i>Cicurina venii</i>)	E	\$3,000	\$160	\$3,160	\$5,251	\$8,411
858	Meshweaver, Government Canyon Bat Cave (<i>Cicurina vespera</i>)	E	\$3,000	\$160	\$3,160	\$6,925	\$10,085
254	Meshweaver, Madla's Cave (<i>Cicurina madla</i>)	E	\$3,000	\$215,160	\$218,160	\$5,400	\$223,560
880	Meshweaver, Robber Baron Cave (<i>Cicurina baronia</i>)	E	\$3,000	\$160	\$3,160	\$5,788	\$8,948
740	Pseudoscorpion, Tooth Cave (<i>Tartarocreagris texana</i>)	E	\$12,000	\$160	\$12,160	\$5,788	\$17,948
858	Spider, Government Canyon Bat Cave (<i>Neoleptoneta microps</i>)	E	\$3,000	\$160	\$3,160	\$6,925	\$10,085
593	Spider, Kauai cave wolf or pe'e pe'e maka 'ole (<i>Adelocosa anops</i>)	E	\$35,475	\$4,000	\$39,475	\$0	\$39,475
696	Spider, spruce-fir moss (<i>Microhexura montivaga</i>)	E	\$22,100	\$416	\$22,516	\$0	\$22,516
829	Spider, Tooth Cave (<i>Leptoneta myopica</i>)	E	\$6,000	\$160	\$6,160	\$5,788	\$11,948
	Arachnids Subtotal		\$113,575	\$221,016	\$334,591	\$58,155	\$392,746
	Crustaceans						
869	Amphipod, Hay's Spring (<i>Stygobromus hayi</i>)	E	\$9,408	\$0	\$9,408	\$0	\$9,408
1102	Amphipod, Illinois cave (<i>Gammarus acherondytes</i>)	E	\$0	\$0	\$0	\$270	\$270
611	Amphipod, Kauai cave (<i>Spelaeorchestia koloana</i>)	E	\$30,975	\$4,000	\$34,975	\$0	\$34,975
877	Amphipod, Noel's (<i>Gammarus desperatus</i>)	E	\$0	\$9,000	\$9,000	\$0	\$9,000
617	Amphipod, Peck's cave (<i>Stygobromus (=Stygonectes) pecki</i>)	E	\$29,000	\$160	\$29,160	\$5,400	\$34,560
660	Crayfish, cave (<i>Cambarus aculabrum</i>)	E	\$25,400	\$2,314	\$27,714	\$700	\$28,414
962	Crayfish, cave (<i>Cambarus zophonastes</i>)	E	\$3,500	\$2,077	\$5,577	\$500	\$6,077
464	Crayfish, Nashville (<i>Orconectes shoup</i>)	E	\$63,000	\$2,197	\$65,197	\$0	\$65,197
632	Crayfish, Shasta (<i>Pacifastacus fortis</i>)	E	\$8,204	\$1,000	\$9,204	\$23,000	\$32,204
397	Fairy shrimp, Conservancy (<i>Branchinecta conservatio</i>)	E	\$87,284	\$11,000	\$98,284	\$1,500	\$99,784

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
417	Fairy shrimp, longhorn (<i>Branchinecta longiantenna</i>)	E	\$78,553	\$9,000	\$87,553	\$0	\$87,553
760	Fairy shrimp, Riverside (<i>Streptocephalus woottoni</i>)	E	\$2,904	\$297,592	\$300,496	\$0	\$300,496
839	Fairy shrimp, San Diego (<i>Branchinecta sandiegonensis</i>)	E	\$1,009	\$299,605	\$300,614	\$0	\$300,614
89	Fairy shrimp, vernal pool (<i>Branchinecta lynchi</i>)	T	\$865,213	\$508,250	\$1,373,463	\$4,500	\$1,377,963
736	Isopod, Lee County cave (<i>Lirceus usdagalun</i>)	E	\$17,854	\$0	\$17,854	\$750	\$18,604
773	Isopod, Madison Cave (<i>Antrolana lira</i>)	T	\$15,190	\$0	\$15,190	\$533	\$15,723
1100	Isopod, Socorro (<i>Thermosphaeroma thermophilus</i>)	E	\$0	\$0	\$0	\$350	\$350
382	Shrimp, Alabama cave (<i>Palaemonias alabamiae</i>)	E	\$5,500	\$103,292	\$108,792	\$0	\$108,792
523	Shrimp, California freshwater (<i>Syncaris pacifica</i>)	E	\$45,422	\$5,000	\$50,422	\$0	\$50,422
742	Shrimp, Kentucky cave (<i>Palaemonias ganteri</i>)	E	\$5,400	\$12,542	\$17,942	\$0	\$17,942
1032	Shrimp, Squirrel Chimney Cave (<i>Palaemonetes cummingsi</i>)	T	\$1,100	\$2,077	\$3,177	\$0	\$3,177
112	Tadpole shrimp, vernal pool (<i>Lepidurus packardii</i>)	E	\$611,967	\$132,750	\$744,717	\$0	\$744,717
	Crustaceans Subtotal		\$1,906,883	\$1,401,856	\$3,308,739	\$37,503	\$3,346,242
	Flowering Plants						
1090	Agave, Arizona (<i>Agave arizonica</i>)	DO	\$0	\$100	\$100	\$750	\$850
932	Alani (<i>Melicope adscendens</i>)	E	\$7,000	\$0	\$7,000	\$79	\$7,079
943	Alani (<i>Melicope ballouii</i>)	E	\$6,493	\$123	\$6,616	\$79	\$6,695
1047	Alani (<i>Melicope haupuensis</i>)	E	\$2,300	\$0	\$2,300	\$79	\$2,379
982	Alani (<i>Melicope knudsenii</i>)	E	\$5,000	\$0	\$5,000	\$79	\$5,079
542	Alani (<i>Melicope lydgatei</i>)	E	\$600	\$45,862	\$46,462	\$987	\$47,449
918	Alani (<i>Melicope mucronulata</i>)	E	\$7,500	\$0	\$7,500	\$79	\$7,579
772	Alani (<i>Melicope munroi</i>)	E	\$11,152	\$4,500	\$15,652	\$79	\$15,731
912	Alani (<i>Melicope ovalis</i>)	E	\$500	\$7,257	\$7,757	\$79	\$7,836
1004	Alani (<i>Melicope pallida</i>)	E	\$500	\$0	\$500	\$3,825	\$4,325
1092	Alani (<i>Melicope quadrangularis</i>)	E	\$600	\$0	\$600	\$79	\$679
1006	Alani (<i>Melicope reflexa</i>)	E	\$4,167	\$0	\$4,167	\$79	\$4,246
1095	Alani (<i>Melicope saint-johnii</i>)	E	\$500	\$0	\$500	\$79	\$579
782	Alani (<i>Melicope zahlbruckneri</i>)	E	\$5,000	\$9,600	\$14,600	\$753	\$15,353
1020	Alopecurus, Sonoma (<i>Alopecurus aequalis</i> var. <i>sonomensis</i>)	E	\$0	\$3,594	\$3,594	\$0	\$3,594
278	Amaranth, seabeach (<i>Amaranthus pumilus</i>)	T	\$39,700	\$186,345	\$226,045	\$1,750	\$227,795
788	Ambrosia, San Diego (<i>Ambrosia pumila</i>)	E	\$0	\$56	\$56	\$15,000	\$15,056

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
590	Ambrosia, south Texas (<i>Ambrosia cheiranthifolia</i>)	E	\$22,000	\$8,498	\$30,498	\$10,033	\$40,531
259	Amole, purple (<i>Chlorogalum purpureum</i>)	T	\$10,373	\$201,813	\$212,186	\$2,000	\$214,186
933	Amphianthus, little (<i>Amphianthus pusillus</i>)	T	\$4,000	\$2,577	\$6,577	\$1,500	\$8,077
905	Arrowhead, bunched (<i>Sagittaria fasciculata</i>)	E	\$6,100	\$2,077	\$8,177	\$0	\$8,177
341	Aster, decurrent false (<i>Boltonia decurrens</i>)	T	\$91,000	\$26,324	\$117,324	\$16,904	\$134,228
986	Aster, Florida golden (<i>Chrysopsis floridana</i>)	E	\$4,600	\$416	\$5,016	\$0	\$5,016
794	Aster, Ruth's golden (<i>Pityopsis ruthii</i>)	E	\$8,900	\$5,916	\$14,816	\$0	\$14,816
247	Aupaka (<i>Isodendron hosakae</i>)	E	\$1,800	\$231,588	\$233,388	\$753	\$234,141
842	Aupaka (<i>Isodendron laurifolium</i>)	E	\$7,100	\$0	\$7,100	\$3,825	\$10,925
1004	Aupaka (<i>Isodendron longifolium</i>)	T	\$500	\$0	\$500	\$3,825	\$4,325
718	Avens, spreading (<i>Geum radiatum</i>)	E	\$5,500	\$14,576	\$20,076	\$0	\$20,076
756	Awiwi (<i>Centaureum sebaeoides</i>)	E	\$7,000	\$9,164	\$16,164	\$554	\$16,718
954	Awiwi (<i>Hedyotis cookiana</i>)	E	\$5,500	\$0	\$5,500	\$753	\$6,253
537	Ayenia, Texas (<i>Ayenia limitaris</i>)	E	\$40,000	\$0	\$40,000	\$7,965	\$47,965
743	A`e (<i>Zanthoxylum dipetalum</i> var. <i>tomentosum</i>)	E	\$3,500	\$8,600	\$12,100	\$5,518	\$17,618
233	A`e (<i>Zanthoxylum hawaiiense</i>)	E	\$7,793	\$236,986	\$244,779	\$2,570	\$247,349
938	Barberry, island (<i>Berberis pinnata</i> ssp. <i>insularis</i>)	E	\$0	\$6,833	\$6,833	\$0	\$6,833
347	Barberry, Nevin's (<i>Berberis nevinii</i>)	E	\$128,187	\$56	\$128,243	\$0	\$128,243
1052	Bariaco (<i>Trichilia triacantha</i>)	E	\$1,700	\$416	\$2,116	\$0	\$2,116
837	Beaked-rush, Knieskern's (<i>Rhynchospora knieskernii</i>)	T	\$9,400	\$1,705	\$11,105	\$1,000	\$12,105
573	Bear-poppy, dwarf (<i>Arctomecon humilis</i>)	E	\$16,000	\$26,250	\$42,250	\$0	\$42,250
1073	Beardtongue, Penland (<i>Penstemon penlandii</i>)	E	\$207	\$1,300	\$1,507	\$0	\$1,507
1084	Beargrass, Britton's (<i>Nolina brittoniana</i>)	E	\$1,100	\$0	\$1,100	\$0	\$1,100
416	Beauty, Harper's (<i>Harperocallis flava</i>)	E	\$15,200	\$72,416	\$87,616	\$0	\$87,616
784	Bedstraw, El Dorado (<i>Galium californicum</i> ssp. <i>sierrae</i>)	E	\$9,665	\$5,500	\$15,165	\$0	\$15,165
927	Bedstraw, island (<i>Galium buxifolium</i>)	E	\$0	\$7,333	\$7,333	\$0	\$7,333
870	Birch, Virginia round-leaf (<i>Betula uber</i>)	T	\$8,339	\$1,000	\$9,339	\$0	\$9,339
306	Bird's beak, palmate-bracted (<i>Cordylanthus palmatus</i>)	E	\$10,132	\$158,500	\$168,632	\$2,000	\$170,632
589	Bird's-beak, salt marsh (<i>Cordylanthus maritimus</i> ssp. <i>maritimus</i>)	E	\$16,470	\$24,070	\$40,540	\$0	\$40,540

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
390	Bird's-beak, soft (<i>Cordylanthus mollis</i> ssp. <i>mollis</i>)	E	\$103,588	\$0	\$103,588	\$0	\$103,588
456	Birds-in-a-nest, white (<i>Macbridea alba</i>)	T	\$6,400	\$61,416	\$67,816	\$0	\$67,816
1050	Bittercress, small-anthered (<i>Cardamine micranthera</i>)	E	\$890	\$866	\$1,756	\$500	\$2,256
726	Bladderpod, Dudley Bluffs (<i>Lesquerella congesta</i>)	T	\$9,921	\$9,230	\$19,151	\$0	\$19,151
1088	Bladderpod, kodachrome (<i>Lesquerella tumulosa</i>)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
1069	Bladderpod, lyrate (<i>Lesquerella lyrata</i>)	T	\$1,000	\$621	\$1,621	\$0	\$1,621
455	Bladderpod, Missouri (<i>Lesquerella filiformis</i>)	T	\$41,700	\$21,737	\$63,437	\$5,000	\$68,437
720	Bladderpod, San Bernardino Mountains (<i>Lesquerella kingii</i> ssp. <i>bernardina</i>)	E	\$19,929	\$0	\$19,929	\$0	\$19,929
555	Bladderpod, Spring Creek (<i>Lesquerella perforata</i>)	E	\$42,100	\$2,977	\$45,077	\$0	\$45,077
485	Bladderpod, white (<i>Lesquerella pallida</i>)	E	\$46,000	\$7,000	\$53,000	\$7,943	\$60,943
527	Bladderpod, Zapata (<i>Lesquerella thamnophila</i>)	E	\$27,000	\$11,498	\$38,498	\$11,735	\$50,233
603	Blazingstar, Ash Meadows (<i>Mentzelia leucophylla</i>)	T	\$3,654	\$33,000	\$36,654	\$0	\$36,654
1022	Blazingstar, Heller's (<i>Liatris helleri</i>)	T	\$600	\$2,976	\$3,576	\$0	\$3,576
822	Blazingstar, scrub (<i>Liatris ohlingerae</i>)	E	\$12,000	\$416	\$12,416	\$0	\$12,416
1013	Blue-star, Kearney's (<i>Amsonia kearneyana</i>)	E	\$2,000	\$1,050	\$3,050	\$750	\$3,800
246	Bluecurls, Hidden Lake (<i>Trichostema austromontanum</i> ssp. <i>compactum</i>)	T	\$236,321	\$0	\$236,321	\$0	\$236,321
1095	Bluegrass, Hawaiian (<i>Poa sandvicensis</i>)	E	\$500	\$0	\$500	\$79	\$579
1095	Bluegrass, Mann's (<i>Poa mannii</i>)	E	\$500	\$0	\$500	\$79	\$579
916	Bluegrass, San Bernardino (<i>Poa atropurpurea</i>)	E	\$7,737	\$0	\$7,737	\$0	\$7,737
780	Bluet, Roan Mountain (<i>Hedyotis purpurea</i> var. <i>montana</i>)	E	\$4,500	\$11,000	\$15,500	\$0	\$15,500
191	Bonamia, Florida (<i>Bonamia grandiflora</i>)	T	\$10,100	\$307,000	\$317,100	\$0	\$317,100
1082	Boxwood, Vahl's (<i>Buxus vahlii</i>)	E	\$1,200	\$0	\$1,200	\$0	\$1,200
699	Brodiaea, Chinese Camp (<i>Brodiaea pallida</i>)	T	\$22,138	\$0	\$22,138	\$0	\$22,138
375	Brodiaea, thread-leaved (<i>Brodiaea filifolia</i>)	T	\$81,194	\$87,345	\$168,539	\$17,300	\$185,839
762	Broom, San Clemente Island (<i>Lotus dendroideus</i> ssp. <i>traskiae</i>)	E	\$6,680	\$9,655	\$16,335	\$0	\$16,335
720	Buckwheat, cushenbury (<i>Eriogonum ovalifolium</i> var. <i>cushenburyi</i>)	E	\$19,929	\$0	\$19,929	\$0	\$19,929

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	<i>vineum</i>)						
948	Buckwheat, lone (incl. Irish Hill) (<i>Eriogonum apricum</i> (incl. var. <i>prostratum</i>))	E	\$0	\$0	\$0	\$6,500	\$6,500
192	Buckwheat, scrub (<i>Eriogonum longifolium</i> var. <i>gnaphalifolium</i>)	T	\$13,500	\$303,080	\$316,580	\$0	\$316,580
654	Buckwheat, steamboat (<i>Eriogonum ovalifolium</i> var. <i>williamsiae</i>)	E	\$18,199	\$11,000	\$29,199	\$0	\$29,199
644	Bulrush, Northeastern (<i>Scirpus ancistrochaetus</i>)	E	\$24,527	\$3,107	\$27,634	\$3,030	\$30,664
509	Bush-clover, prairie (<i>Lespedeza leptostachya</i>)	T	\$42,300	\$525	\$42,825	\$11,002	\$53,827
865	Bush-mallow, San Clemente Island (<i>Malacothamnus clementinus</i>)	E	\$0	\$9,655	\$9,655	\$0	\$9,655
792	Bush-mallow, Santa Cruz Island (<i>Malacothamnus fasciculatus</i> var. <i>nesioticus</i>)	E	\$8,074	\$6,833	\$14,907	\$0	\$14,907
1086	Buttercup, autumn (<i>Ranunculus aestivalis</i> (= <i>acriiformis</i>))	E	\$1,000	\$60	\$1,060	\$0	\$1,060
377	Butterfly plant, Colorado (<i>Gaura neomexicana</i> var. <i>coloradensis</i>)	T	\$39,254	\$72,964	\$112,218	\$0	\$112,218
473	Butterweed, Layne's (<i>Senecio layneae</i>)	T	\$25,236	\$38,000	\$63,236	\$0	\$63,236
496	Butterwort, Godfrey's (<i>Pinguicula ionantha</i>)	T	\$17,900	\$40,416	\$58,316	\$0	\$58,316
1087	Button, Mohr's Barbara (<i>Marshallia mohrii</i>)	T	\$0	\$416	\$416	\$600	\$1,016
1005	Button-celery, San Diego (<i>Eryngium aristulatum</i> var. <i>parishii</i>)	E	\$4,219	\$91,703	\$95,922	\$0	\$95,922
701	Cactus, Arizona hedgehog (<i>Echinocereus triglochidiatus</i> var. <i>arizonicus</i>)	E	\$20,000	\$920	\$20,920	\$750	\$21,670
940	Cactus, Bakersfield (<i>Opuntia treleasei</i>)	E	\$1,263	\$500	\$1,763	\$5,000	\$6,763
800	Cactus, black lace (<i>Echinocereus reichenbachii</i> var. <i>albertii</i>)	E	\$5,000	\$1,600	\$6,600	\$7,745	\$14,345
961	Cactus, Brady pincushion (<i>Pediocactus bradyi</i>)	E	\$0	\$6,100	\$6,100	\$0	\$6,100
944	Cactus, Chisos Mountain hedgehog (<i>Echinocereus chisoensis</i> var. <i>chisoensis</i>)	T	\$0	\$3,450	\$3,450	\$3,200	\$6,650
606	Cactus, Cochise pincushion (<i>Coryphantha robbinsorum</i>)	T	\$36,000	\$180	\$36,180	\$0	\$36,180
802	Cactus, Key tree (<i>Pilosocereus robinii</i>)	E	\$14,100	\$0	\$14,100	\$0	\$14,100
714	Cactus, Knowlton (<i>Pediocactus knowltonii</i>)	E	\$6,344	\$14,000	\$20,344	\$0	\$20,344
326	Cactus, Kuenzler hedgehog (<i>Echinocereus fendleri</i> var. <i>kuenzleri</i>)	E	\$2,000	\$143,380	\$145,380	\$0	\$145,380

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
888	Cactus, Lee pincushion (<i>Coryphantha sneedii</i> var. <i>leei</i>)	T	\$0	\$8,720	\$8,720	\$0	\$8,720
886	Cactus, Lloyd's Mariposa (<i>Echinomastus mariposensis</i>)	T	\$0	\$0	\$0	\$8,752	\$8,752
685	Cactus, Mesa Verde (<i>Sclerocactus mesae-verdae</i>)	T	\$69	\$24,500	\$24,569	\$0	\$24,569
1044	Cactus, Nellie cory (<i>Coryphantha minima</i>)	E	\$0	\$0	\$0	\$2,450	\$2,450
528	Cactus, Nichol's Turk's head (<i>Echinocactus horizontalonius</i> var. <i>nicholii</i>)	E	\$45,000	\$4,220	\$49,220	\$750	\$49,970
642	Cactus, Peebles Navajo (<i>Pediocactus peeblesianus</i> <i>peeblesianus</i>)	E	\$28,000	\$2,100	\$30,100	\$750	\$30,850
467	Cactus, Pima pineapple (<i>Coryphantha scheeri</i> var. <i>robustispina</i>)	E	\$4,000	\$60,000	\$64,000	\$750	\$64,750
826	Cactus, San Rafael (<i>Pediocactus despainii</i>)	E	\$5,000	\$7,006	\$12,006	\$0	\$12,006
636	Cactus, Siler pincushion (<i>Pediocactus</i> (=Echinocactus,=Utahia) <i>sileri</i>)	T	\$17,000	\$14,106	\$31,106	\$750	\$31,856
381	Cactus, Sneed pincushion (<i>Coryphantha sneedii</i> var. <i>sneedii</i>)	E	\$0	\$102,080	\$102,080	\$7,048	\$109,128
194	Cactus, star (<i>Astrophytum asterias</i>)	E	\$280,000	\$8,498	\$288,498	\$26,546	\$315,044
575	Cactus, Tobusch fishhook (<i>Ancistrocactus tobuschii</i>)	E	\$0	\$7,500	\$7,500	\$34,564	\$42,064
568	Cactus, Uinta Basin hookless (<i>Sclerocactus glaucus</i>)	T	\$15,621	\$27,101	\$42,722	\$0	\$42,722
1058	Cactus, Winkler (<i>Pediocactus winkleri</i>)	T	\$0	\$2,066	\$2,066	\$0	\$2,066
436	Cactus, Wright fishhook (<i>Sclerocactus wrightiae</i>)	E	\$9,000	\$65,666	\$74,666	\$0	\$74,666
799	Campion, fringed (<i>Silene polypetala</i>)	E	\$11,800	\$591	\$12,391	\$2,000	\$14,391
1002	Capa rosa (<i>Callicarpa ampla</i>)	E	\$4,000	\$416	\$4,416	\$0	\$4,416
893	Cat's-eye, Terlingua Creek (<i>Cryptantha crassipes</i>)	E	\$0	\$250	\$250	\$8,242	\$8,492
193	Catchfly, Spalding's (<i>Silene spaldingii</i>)	T	\$112,961	\$186,997	\$299,958	\$16,200	\$316,158
814	Ceanothus, coyote (<i>Ceanothus ferrisae</i>)	E	\$13,188	\$0	\$13,188	\$0	\$13,188
511	Ceanothus, Pine Hill (<i>Ceanothus roderickii</i>)	E	\$17,662	\$35,000	\$52,662	\$800	\$53,462
910	Ceanothus, Vail Lake (<i>Ceanothus ophiochilus</i>)	T	\$7,997	\$0	\$7,997	\$0	\$7,997
694	Centaury, spring-loving (<i>Centaurium namophilum</i>)	T	\$22,924	\$0	\$22,924	\$0	\$22,924
734	Chaff-flower, round-leaved (<i>Achyranthes splendens</i> var. <i>rotundata</i>)	E	\$14,997	\$3,264	\$18,261	\$554	\$18,815

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
113	Chaffseed, American (<i>Schwalbea americana</i>)	E	\$118,800	\$618,999	\$737,799	\$4,450	\$742,249
592	Checker-mallow, Keck's (<i>Sidalcea keckii</i>)	E	\$17,161	\$22,500	\$39,661	\$0	\$39,661
874	Checker-mallow, Kenwood Marsh (<i>Sidalcea oregana ssp. valida</i>)	E	\$7,997	\$1,120	\$9,117	\$0	\$9,117
340	Checker-mallow, Nelson's (<i>Sidalcea nelsoniana</i>)	T	\$104,750	\$29,754	\$134,504	\$0	\$134,504
1089	Checker-mallow, pedate (<i>Sidalcea pedata</i>)	E	\$0	\$0	\$0	\$900	\$900
688	Checkermallow, Wenatchee Mountains (<i>Sidalcea oregana var. calva</i>)	E	\$17,295	\$7,171	\$24,466	\$0	\$24,466
1016	Chumbo, Higo (<i>Harrisia portoricensis</i>)	T	\$3,700	\$0	\$3,700	\$0	\$3,700
1088	Chupacallos (<i>Pleodendron macranthum</i>)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
652	Clarkia, Pismo (<i>Clarkia speciosa ssp. immaculata</i>)	E	\$29,590	\$0	\$29,590	\$0	\$29,590
556	Clarkia, Presidio (<i>Clarkia franciscana</i>)	E	\$0	\$45,000	\$45,000	\$0	\$45,000
758	Clarkia, Springville (<i>Clarkia springvillensis</i>)	T	\$15,603	\$500	\$16,103	\$400	\$16,503
990	Cliff-rose, Arizona (<i>Purshia (=Cowania) subintegra</i>)	E	\$0	\$4,150	\$4,150	\$750	\$4,900
1103	Clover, Monterey (<i>Trifolium trichocalyx</i>)	E	\$0	\$244	\$244	\$0	\$244
284	Clover, running buffalo (<i>Trifolium stoloniferum</i>)	E	\$91,700	\$94,533	\$186,233	\$4,153	\$190,386
806	Clover, showy Indian (<i>Trifolium amoenum</i>)	E	\$13,742	\$0	\$13,742	\$0	\$13,742
965	Cobana negra (<i>Stahlia monosperma</i>)	T	\$6,000	\$0	\$6,000	\$0	\$6,000
216	Coneflower, smooth (<i>Echinacea laevigata</i>)	E	\$176,652	\$88,441	\$265,093	\$2,000	\$267,093
706	Coneflower, Tennessee purple (<i>Echinacea tennesseensis</i>)	E	\$18,500	\$2,428	\$20,928	\$0	\$20,928
1037	Cory cactus, bunched (<i>Coryphantha ramillosa</i>)	T	\$0	\$500	\$500	\$2,450	\$2,950
790	Crownbeard, big-leaved (<i>Verbesina dissita</i>)	T	\$0	\$0	\$0	\$15,000	\$15,000
1012	Crownscale, San Jacinto Valley (<i>Atriplex coronata var. notatior</i>)	E	\$3,869	\$56	\$3,925	\$0	\$3,925
622	Cycladenia, Jones (<i>Cycladenia jonesii (=humilis)</i>)	T	\$31,000	\$2,136	\$33,136	\$750	\$33,886
953	Daisy, lakeside (<i>Hymenoxys herbacea</i>)	T	\$1,500	\$769	\$2,269	\$4,004	\$6,273
482	Daisy, Maguire (<i>Erigeron maguirei</i>)	T	\$43,000	\$18,436	\$61,436	\$0	\$61,436
618	Daisy, Parish's (<i>Erigeron parishii</i>)	T	\$19,929	\$14,407	\$34,336	\$0	\$34,336
241	Daisy, Willamette (<i>Erigeron decumbens var. decumbens</i>)	E	\$184,306	\$55,669	\$239,975	\$0	\$239,975

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
425	Dawn-flower, Texas prairie (<i>Hymenoxys texana</i>)	E	\$63,000	\$7,200	\$70,200	\$8,970	\$79,170
383	Desert-parsley, Bradshaw's (<i>Lomatium bradshawii</i>)	E	\$79,429	\$29,150	\$108,579	\$0	\$108,579
749	Dogweed, ashy (<i>Thymophylla tephroleuca</i>)	E	\$10,000	\$0	\$10,000	\$7,347	\$17,347
419	Dropwort, Canby's (<i>Oxypolis canbyi</i>)	E	\$84,400	\$2,252	\$86,652	\$1,500	\$88,152
1088	Dudleya, Conejo (<i>Dudleya abramsii</i> ssp. <i>parva</i>)	T	\$0	\$1,000	\$1,000	\$0	\$1,000
1029	Dudleya, marcescent (<i>Dudleya cymosa</i> ssp. <i>marcescens</i>)	T	\$2,236	\$1,000	\$3,236	\$0	\$3,236
976	Dudleya, Santa Clara Valley (<i>Dudleya setchellii</i>)	E	\$5,191	\$0	\$5,191	\$0	\$5,191
898	Dudleya, Santa Cruz Island (<i>Dudleya nesiotica</i>)	T	\$1,000	\$7,333	\$8,333	\$0	\$8,333
1088	Dudleya, Verity's (<i>Dudleya verityi</i>)	T	\$0	\$1,000	\$1,000	\$0	\$1,000
1025	Dudleya, Santa Monica Mountains (<i>Dudleya cymosa</i> ssp. <i>ovatifolia</i>)	T	\$2,236	\$1,000	\$3,236	\$200	\$3,436
591	Dwarf-flax, Marin (<i>Hesperolinon congestum</i>)	T	\$5,191	\$35,000	\$40,191	\$0	\$40,191
1088	Erubia (<i>Solanum drymophilum</i>)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
766	Evening-primrose, Antioch Dunes (<i>Oenothera deltooides</i> ssp. <i>howellii</i>)	E	\$16,070	\$0	\$16,070	\$0	\$16,070
725	Evening-primrose, Eureka Valley (<i>Oenothera avita</i> ssp. <i>eurekensis</i>)	E	\$18,969	\$500	\$19,469	\$0	\$19,469
407	Evening-primrose, San Benito (<i>Camissonia benitensis</i>)	T	\$41,402	\$50,000	\$91,402	\$0	\$91,402
697	Fiddleneck, large-flowered (<i>Amsinckia grandiflora</i>)	E	\$8,369	\$13,907	\$22,276	\$0	\$22,276
602	Flannelbush, Pine Hill (<i>Fremontodendron californicum</i> ssp. <i>decumbens</i>)	E	\$4,474	\$33,000	\$37,474	\$0	\$37,474
879	Fleabane, Zuni (<i>Erigeron rhizomatus</i>)	T	\$4,000	\$4,212	\$8,212	\$750	\$8,962
310	Four-o'clock, MacFarlane's (<i>Mirabilis macfarlanei</i>)	T	\$73,388	\$82,398	\$155,786	\$12,200	\$167,986
635	Frankenia, Johnston's (<i>Frankenia johnstonii</i>)	E	\$24,000	\$300	\$24,300	\$7,657	\$31,957
1000	Fringe-tree, pygmy (<i>Chionanthus pygmaeus</i>)	E	\$4,500	\$0	\$4,500	\$0	\$4,500
938	Fringepod, Santa Cruz Island (<i>Thysanocarpus conchuliferus</i>)	E	\$0	\$6,833	\$6,833	\$0	\$6,833
161	Fritillary, Gentner's (<i>Fritillaria gentneri</i>)	E	\$28,000	\$382,000	\$410,000	\$100	\$410,100
774	Gardenia (=Na`u), Hawaiian (<i>Gardenia brighamii</i>)	E	\$11,625	\$600	\$12,225	\$3,490	\$15,715
873	Geranium, Hawaiian red-flowered (<i>Geranium arboreum</i>)	E	\$500	\$8,610	\$9,110	\$79	\$9,189
298	Gerardia, sandplain (<i>Agalinis</i>)	E	\$126,091	\$41,500	\$167,591	\$10,498	\$178,089

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	<i>acuta</i>)						
900	Gilia, Hoffmann's slender-flowered (<i>Gilia tenuiflora</i> ssp. <i>hoffmannii</i>)	E	\$1,242	\$7,083	\$8,325	\$0	\$8,325
457	Gilia, Monterey (<i>Gilia tenuiflora</i> ssp. <i>arenaria</i>)	E	\$48,861	\$18,632	\$67,493	\$0	\$67,493
1082	Goetzea, beautiful (<i>Goetzea elegans</i>)	E	\$1,200	\$0	\$1,200	\$0	\$1,200
796	Goldenrod, Blue Ridge (<i>Solidago spithamea</i>)	T	\$3,600	\$11,000	\$14,600	\$0	\$14,600
889	Goldenrod, Houghton's (<i>Solidago houghtonii</i>)	T	\$4,000	\$4,600	\$8,600	\$100	\$8,700
195	Goldenrod, Short's (<i>Solidago shortii</i>)	E	\$314,600	\$0	\$314,600	\$0	\$314,600
626	Goldenrod, white-haired (<i>Solidago albopilosa</i>)	T	\$21,200	\$12,000	\$33,200	\$0	\$33,200
669	Goldfields, Burke's (<i>Lasthenia burkei</i>)	E	\$26,330	\$0	\$26,330	\$400	\$26,730
300	Goldfields, Contra Costa (<i>Lasthenia conjugens</i>)	E	\$55,007	\$115,300	\$170,307	\$6,800	\$177,107
812	Gooseberry, Miccosukee (<i>Ribes echinellum</i>)	T	\$13,000	\$416	\$13,416	\$0	\$13,416
847	Gourd, Okeechobee (<i>Cucurbita okeechobeensis</i> ssp. <i>okeechobeensis</i>)	E	\$10,200	\$416	\$10,616	\$0	\$10,616
690	Grass, Colusa (<i>Neostapfia colusana</i>)	T	\$21,999	\$2,400	\$24,399	\$0	\$24,399
747	Grass, Eureka Dune (<i>Swallenia alexandrae</i>)	E	\$16,878	\$500	\$17,378	\$0	\$17,378
768	Grass, Solano (<i>Tuctoria mucronata</i>)	E	\$14,525	\$1,400	\$15,925	\$0	\$15,925
769	Grass, Tennessee yellow-eyed (<i>Xyris tennesseensis</i>)	E	\$12,400	\$3,486	\$15,886	\$0	\$15,886
643	Ground-plum, Guthrie's (=Pyne's) (<i>Astragalus bibullatus</i>)	E	\$30,100	\$678	\$30,778	\$0	\$30,778
955	Groundsel, San Francisco Peaks (<i>Senecio franciscanus</i>)	T	\$4,000	\$1,500	\$5,500	\$750	\$6,250
764	Gumplant, Ash Meadows (<i>Grindelia fraxino-pratensis</i>)	T	\$16,236	\$0	\$16,236	\$0	\$16,236
465	Haha (<i>Cyanea acuminata</i>)	E	\$19,006	\$45,862	\$64,868	\$79	\$64,947
1042	Haha (<i>Cyanea asarifolia</i>)	E	\$2,500	\$0	\$2,500	\$79	\$2,579
1080	Haha (<i>Cyanea copelandii</i> ssp. <i>copelandii</i>)	E	\$500	\$0	\$500	\$753	\$1,253
809	Haha (<i>Cyanea copelandii</i> ssp. <i>haleakalaensis</i>)	E	\$6,393	\$7,134	\$13,527	\$79	\$13,606
834	Haha (<i>Cyanea dunbarii</i>)	E	\$11,167	\$0	\$11,167	\$79	\$11,246
710	Haha (<i>Cyanea glabra</i>)	E	\$13,393	\$7,257	\$20,650	\$79	\$20,729
638	Haha (<i>Cyanea grimesiana</i> ssp. <i>grimesiana</i>)	E	\$25,958	\$4,623	\$30,581	\$987	\$31,568
361	Haha (<i>Cyanea grimesiana</i> ssp. <i>obatae</i>)	E	\$9,350	\$107,852	\$117,202	\$1,448	\$118,650

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
728	Haha (<i>Cyanea hamatiflora</i> ssp. <i>carlsonii</i>)	E	\$14,405	\$0	\$14,405	\$4,594	\$18,999
776	Haha (<i>Cyanea hamatiflora</i> ssp. <i>hamatiflora</i>)	E	\$9,393	\$6,150	\$15,543	\$79	\$15,622
548	Haha (<i>Cyanea humboldtiana</i>)	E	\$500	\$45,862	\$46,362	\$247	\$46,609
548	Haha (<i>Cyanea koolauensis</i>)	E	\$500	\$45,862	\$46,362	\$247	\$46,609
684	Haha (<i>Cyanea lobata</i>)	E	\$20,152	\$4,500	\$24,652	\$79	\$24,731
370	Haha (<i>Cyanea longiflora</i>)	E	\$7,000	\$107,852	\$114,852	\$247	\$115,099
723	Haha (<i>Cyanea macrostegia</i> ssp. <i>gibsonii</i>)	E	\$15,152	\$4,500	\$19,652	\$79	\$19,731
1095	Haha (<i>Cyanea manni</i>)	E	\$500	\$0	\$500	\$79	\$579
895	Haha (<i>Cyanea mceldowneyi</i>)	E	\$8,393	\$0	\$8,393	\$79	\$8,472
1040	Haha (<i>Cyanea pinnatifida</i>)	E	\$1,725	\$0	\$1,725	\$987	\$2,712
882	Haha (<i>Cyanea platyphylla</i>)	E	\$5,165	\$0	\$5,165	\$3,701	\$8,866
918	Haha (<i>Cyanea procera</i>)	E	\$7,500	\$0	\$7,500	\$79	\$7,579
1095	Haha (<i>Cyanea recta</i>)	T	\$500	\$0	\$500	\$79	\$579
1095	Haha (<i>Cyanea remyi</i>)	E	\$500	\$0	\$500	\$79	\$579
641	Haha (<i>Cyanea shipmannii</i>)	E	\$22,387	\$5,000	\$27,387	\$3,701	\$31,088
533	Haha (<i>Cyanea st-johnii</i>)	E	\$1,725	\$45,862	\$47,587	\$987	\$48,574
887	Haha (<i>Cyanea stictophylla</i>)	E	\$3,500	\$0	\$3,500	\$5,246	\$8,746
361	Haha (<i>Cyanea superba</i>)	E	\$9,350	\$107,852	\$117,202	\$1,448	\$118,650
705	Haha (<i>Cyanea truncata</i>)	E	\$20,231	\$0	\$20,231	\$987	\$21,218
1011	Haha (<i>Cyanea undulata</i>)	E	\$4,000	\$0	\$4,000	\$79	\$4,079
529	Hala pepe (<i>Pleomele hawaiiensis</i>)	E	\$1,869	\$41,500	\$43,369	\$6,411	\$49,780
811	Harebells, Avon Park (<i>Crotalaria avonensis</i>)	E	\$13,500	\$0	\$13,500	\$0	\$13,500
646	Harperella (<i>Ptilimnium nodosum</i>)	E	\$19,345	\$8,788	\$28,133	\$2,435	\$30,568
782	Hau kuahiwi (<i>Hibiscadelphus giffardianus</i>)	E	\$5,000	\$9,600	\$14,600	\$753	\$15,353
779	Hau kuahiwi (<i>Hibiscadelphus hualalaiensis</i>)	E	\$5,000	\$5,000	\$10,000	\$5,518	\$15,518
1023	Hau kuahiwi (<i>Hibiscadelphus woodii</i>)	E	\$3,425	\$0	\$3,425	\$79	\$3,504
1075	Ha`iwale (<i>Cyrtandra crenata</i>)	E	\$500	\$0	\$500	\$987	\$1,487
368	Ha`iwale (<i>Cyrtandra dentata</i>)	E	\$8,125	\$107,852	\$115,977	\$79	\$116,056
754	Ha`iwale (<i>Cyrtandra giffardii</i>)	E	\$3,665	\$8,600	\$12,265	\$4,594	\$16,859
1095	Ha`iwale (<i>Cyrtandra limahuliensis</i>)	T	\$500	\$0	\$500	\$79	\$579
775	Ha`iwale (<i>Cyrtandra munroi</i>)	E	\$11,062	\$4,500	\$15,562	\$79	\$15,641
937	Ha`iwale (<i>Cyrtandra polyantha</i>)	E	\$5,906	\$0	\$5,906	\$987	\$6,893
540	Ha`iwale (<i>Cyrtandra subumbellata</i>)	E	\$1,900	\$45,862	\$47,762	\$79	\$47,841
767	Ha`iwale (<i>Cyrtandra tintinnabula</i>)	E	\$3,665	\$8,600	\$12,265	\$3,701	\$15,966
552	Ha`iwale (<i>Cyrtandra viridiflora</i>)	E	\$500	\$45,862	\$46,362	\$79	\$46,441
472	Heartleaf, dwarf-flowered (<i>Hexastylis naniflora</i>)	T	\$20,000	\$43,456	\$63,456	\$0	\$63,456
1099	Heather, mountain golden	T	\$0	\$416	\$416	\$0	\$416

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	<i>(Hudsonia montana)</i>						
980	Heau (<i>Exocarpos luteolus</i>)	E	\$1,300	\$0	\$1,300	\$3,825	\$5,125
1042	Hedyotis, Na Pali beach (<i>Hedyotis st.-johnii</i>)	E	\$2,500	\$0	\$2,500	\$79	\$2,579
913	Hibiscus, Clay's (<i>Hibiscus clayi</i>)	E	\$4,000	\$0	\$4,000	\$3,825	\$7,825
1088	Higuero de sierra (<i>Crescentia portoricensis</i>)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
1080	Holei (<i>Ochrosia kilauaeensis</i>)	E	\$500	\$0	\$500	\$753	\$1,253
1088	Holly, Cook's (<i>Ilex cookii</i>)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
235	Honohono (<i>Haplostachys haplostachya</i>)	E	\$1,800	\$236,386	\$238,186	\$5,518	\$243,704
384	Howellia, water (<i>Howellia aquatilis</i>)	T	\$13,145	\$93,194	\$106,339	\$200	\$106,539
827	Hypericum, highlands scrub (<i>Hypericum cumulicola</i>)	E	\$12,000	\$0	\$12,000	\$0	\$12,000
1082	Iagu, Hayun (=Guam), Tronkon guafi (Rota) (<i>Serianthes nelsonii</i>)	E	\$1,200	\$0	\$1,200	\$0	\$1,200
1004	Iliau, dwarf (<i>Wilkesia hobdyi</i>)	E	\$500	\$0	\$500	\$3,825	\$4,325
844	Indian paintbrush, San Clemente Island (<i>Castilleja grisea</i>)	E	\$1,125	\$9,655	\$10,780	\$0	\$10,780
761	Ipomopsis, Holy Ghost (<i>Ipomopsis sancti-spiritus</i>)	E	\$15,000	\$1,400	\$16,400	\$0	\$16,400
691	Iris, dwarf lake (<i>Iris lacustris</i>)	T	\$18,800	\$4,900	\$23,700	\$200	\$23,900
810	Irisette, white (<i>Sisyrinchium dichotomum</i>)	E	\$13,100	\$416	\$13,516	\$0	\$13,516
924	Ischaemum, Hilo (<i>Ischaemum byrone</i>)	E	\$500	\$6,150	\$6,650	\$753	\$7,403
901	Ivesia, Ash Meadows (<i>Ivesia kingii</i> var. <i>eremica</i>)	T	\$8,309	\$0	\$8,309	\$0	\$8,309
965	Jacquemontia, beach (<i>Jacquemontia reclinata</i>)	E	\$6,000	\$0	\$6,000	\$0	\$6,000
488	Jewelflower, California (<i>Caulanthus californicus</i>)	E	\$53,129	\$7,000	\$60,129	\$0	\$60,129
976	Jewelflower, Metcalf Canyon (<i>Streptanthus albidus</i> ssp. <i>albidus</i>)	E	\$5,191	\$0	\$5,191	\$0	\$5,191
805	Joint-vetch, sensitive (<i>Aeschynomene virginica</i>)	T	\$13,528	\$0	\$13,528	\$1,300	\$14,828
531	Kamakahala (<i>Labordia cyrtandrae</i>)	E	\$2,500	\$45,862	\$48,362	\$987	\$49,349
1042	Kamakahala (<i>Labordia lydgatei</i>)	E	\$2,500	\$0	\$2,500	\$79	\$2,579
772	Kamakahala (<i>Labordia tinifolia</i> var. <i>lanaiensis</i>)	E	\$11,152	\$4,500	\$15,652	\$79	\$15,731
1042	Kamakahala (<i>Labordia tinifolia</i> var. <i>wahiawaensis</i>)	E	\$2,500	\$0	\$2,500	\$79	\$2,579
932	Kamakahala (<i>Labordia triflora</i>)	E	\$7,000	\$0	\$7,000	\$79	\$7,079
343	Kamanomano (<i>Cenchrus agrimonioides</i>)	E	\$17,752	\$112,352	\$130,104	\$554	\$130,658
924	Kauai hau kuahiwi (<i>Hibiscadelphus distans</i>)	E	\$3,056	\$0	\$3,056	\$4,347	\$7,403

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
469	Kauila (<i>Colubrina oppositifolia</i>)	E	\$16,905	\$40,000	\$56,905	\$6,886	\$63,791
1001	Kaulu (<i>Pteralyxia kauaiensis</i>)	E	\$600	\$0	\$600	\$3,825	\$4,425
240	Kio`ele (<i>Hedyotis coriacea</i>)	E	\$8,300	\$231,588	\$239,888	\$753	\$240,641
627	Kiponapona (<i>Phyllostegia racemosa</i>)	E	\$22,387	\$6,000	\$28,387	\$4,594	\$32,981
787	Kohe malama malama o kanaloa (<i>Kanaloa kahoowalawensis</i>)	E	\$15,000	\$0	\$15,000	\$79	\$15,079
480	Koki`o (<i>Kokia drynarioides</i>)	E	\$15,674	\$40,500	\$56,174	\$5,518	\$61,692
1004	Koki`o (<i>Kokia kauaiensis</i>)	E	\$500	\$0	\$500	\$3,825	\$4,325
1072	Koki`o ke`oke`o (<i>Hibiscus arnottianus ssp. immaculatus</i>)	E	\$500	\$1,000	\$1,500	\$79	\$1,579
1004	Koki`o ke`oke`o (<i>Hibiscus waimeae ssp. hannerae</i>)	E	\$500	\$0	\$500	\$3,825	\$4,325
902	Koki`o, Cooke's (<i>Kokia cookei</i>)	E	\$8,167	\$0	\$8,167	\$79	\$8,246
538	Kolea (<i>Myrsine juddii</i>)	E	\$2,000	\$45,862	\$47,862	\$79	\$47,941
1004	Kolea (<i>Myrsine linearifolia</i>)	T	\$500	\$0	\$500	\$3,825	\$4,325
695	Kopa (<i>Hedyotis schlechtendahliana var. remyi</i>)	E	\$18,152	\$4,500	\$22,652	\$79	\$22,731
896	Ko`oko`olau (<i>Bidens micrantha ssp. kalealaha</i>)	E	\$500	\$7,857	\$8,357	\$79	\$8,436
1095	Ko`oko`olau (<i>Bidens wiebkei</i>)	E	\$500	\$0	\$500	\$79	\$579
413	Ko`oloa`ula (<i>Abutilon menziesii</i>)	E	\$1,869	\$10,264	\$12,133	\$75,993	\$88,126
974	Kuahiwi laukahi (<i>Plantago hawaiiensis</i>)	E	\$500	\$1,000	\$1,500	\$3,701	\$5,201
451	Kuahiwi laukahi (<i>Plantago princeps</i>)	E	\$11,800	\$53,119	\$64,919	\$4,499	\$69,418
1004	Kuawawaenuhu (<i>Alsiniidendron lychnoides</i>)	E	\$500	\$0	\$500	\$3,825	\$4,325
620	Kula wahine noho (<i>Isodendron pyriformium</i>)	E	\$23,921	\$4,500	\$28,421	\$5,518	\$33,939
346	Kulu`i (<i>Nototrichium humile</i>)	E	\$8,500	\$120,516	\$129,016	\$79	\$129,095
1067	Ladies'-tresses, Canelo Hills (<i>Spiranthes delitescens</i>)	E	\$0	\$930	\$930	\$750	\$1,680
580	Ladies'-tresses, Navasota (<i>Spiranthes parksii</i>)	E	\$26,000	\$7,120	\$33,120	\$8,456	\$41,576
182	Ladies'-tresses, Ute (<i>Spiranthes diluvialis</i>)	T	\$113,003	\$219,120	\$332,123	\$6,550	\$338,673
732	Larkspur, Baker's (<i>Delphinium bakeri</i>)	E	\$12,382	\$0	\$12,382	\$6,500	\$18,882
824	Larkspur, San Clemente Island (<i>Delphinium variegatum ssp. kinkiense</i>)	E	\$2,580	\$9,655	\$12,235	\$0	\$12,235
1009	Lau`ehu (<i>Panicum niihauense</i>)	E	\$4,000	\$100	\$4,100	\$79	\$4,179
1095	Lauhilihi (<i>Schiedea stellarioides</i>)	E	\$500	\$0	\$500	\$79	\$579
389	Layia, beach (<i>Layia carnosa</i>)	E	\$13,394	\$89,588	\$102,982	\$700	\$103,682
791	Lead-plant, Crenulate (<i>Amorpha crenulata</i>)	E	\$14,100	\$831	\$14,931	\$0	\$14,931
544	Leather flower, Alabama (<i>Clematis socialis</i>)	E	\$46,500	\$416	\$46,916	\$500	\$47,416

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
1099	Leather flower, Morefield's (<i>Clematis morefieldii</i>)	E	\$0	\$416	\$416	\$0	\$416
746	Lessingia, San Francisco (<i>Lessingia germanorum</i> (=L.g. var. <i>germanorum</i>))	E	\$0	\$17,500	\$17,500	\$0	\$17,500
982	Liliwai (<i>Acaena exigua</i>)	E	\$5,000	\$0	\$5,000	\$79	\$5,079
948	Lily, Minnesota dwarf trout (<i>Erythronium propullans</i>)	E	\$0	\$1,000	\$1,000	\$5,500	\$6,500
997	Lily, Pitkin Marsh (<i>Lilium pardalinum</i> ssp. <i>pitkinense</i>)	E	\$4,632	\$0	\$4,632	\$0	\$4,632
402	Lily, Western (<i>Lilium occidentale</i>)	E	\$85,600	\$6,200	\$91,800	\$1,700	\$93,500
702	Liveforever, Santa Barbara Island (<i>Dudleya traskiae</i>)	E	\$21,607	\$0	\$21,607	\$0	\$21,607
1088	Locoweed, Fassett's (<i>Oxytropis campestris</i> var. <i>chartacea</i>)	T	\$1,000	\$0	\$1,000	\$0	\$1,000
321	Lomatium, Cook's (<i>Lomatium cookii</i>)	E	\$53,240	\$94,500	\$147,740	\$0	\$147,740
281	Loosestrife, rough-leaved (<i>Lysimachia asperulaefolia</i>)	E	\$8,000	\$224,030	\$232,030	\$0	\$232,030
741	Lousewort, Furbish (<i>Pedicularis furbishiae</i>)	E	\$17,944	\$0	\$17,944	\$0	\$17,944
1095	Love grass, Fosberg's (<i>Eragrostis fosbergii</i>)	E	\$500	\$0	\$500	\$79	\$579
868	Lo`ulu (<i>Pritchardia affinis</i>)	E	\$4,769	\$4,021	\$8,790	\$753	\$9,543
367	Lo`ulu (<i>Pritchardia kaalae</i>)	E	\$8,500	\$107,852	\$116,352	\$79	\$116,431
872	Lo`ulu (<i>Pritchardia munroi</i>)	E	\$9,167	\$0	\$9,167	\$79	\$9,246
1068	Lo`ulu (<i>Pritchardia napaliensis</i>)	E	\$1,056	\$0	\$1,056	\$601	\$1,657
1095	Lo`ulu (<i>Pritchardia remota</i>)	E	\$500	\$0	\$500	\$79	\$579
907	Lo`ulu (<i>Pritchardia schattaueri</i>)	E	\$3,500	\$0	\$3,500	\$4,594	\$8,094
951	Lo`ulu (<i>Pritchardia viscosa</i>)	E	\$2,500	\$0	\$2,500	\$3,825	\$6,325
724	Lupine, clover (<i>Lupinus tidestromii</i>)	E	\$0	\$19,588	\$19,588	\$0	\$19,588
164	Lupine, Kincaid's (<i>Lupinus sulphureus</i> (=oreganus) ssp. <i>kincaidii</i> (=var. <i>kincaidii</i>))	T	\$296,117	\$109,019	\$405,136	\$0	\$405,136
1081	Lupine, Nipomo Mesa (<i>Lupinus nipomensis</i>)	E	\$1,242	\$0	\$1,242	\$0	\$1,242
1055	Lupine, scrub (<i>Lupinus aridorum</i>)	E	\$2,100	\$0	\$2,100	\$0	\$2,100
348	Mahoe (<i>Alectryon macrococcus</i>)	E	\$17,893	\$107,852	\$125,745	\$79	\$125,824
558	Makou (<i>Peucedanum sandwicense</i>)	T	\$38,633	\$2,300	\$40,933	\$3,825	\$44,758
1053	Malacothrix, island (<i>Malacothrix squalida</i>)	E	\$0	\$2,103	\$2,103	\$0	\$2,103
1097	Malacothrix, Santa Cruz Island (<i>Malacothrix indecora</i>)	E	\$0	\$500	\$500	\$0	\$500
614	Mallow, Kern (<i>Eremalche kernensis</i>)	E	\$29,265	\$1,500	\$30,765	\$4,000	\$34,765
1048	Mallow, Peter's Mountain (<i>Iliamna corei</i>)	E	\$345	\$0	\$345	\$2,000	\$2,345
1088	Manaca, palma de (<i>Calyptronoma</i>)	T	\$1,000	\$0	\$1,000	\$0	\$1,000

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	<i>rivalis</i>)						
589	Manioc, Walker's (<i>Manihot walkerae</i>)	E	\$32,000	\$0	\$32,000	\$8,540	\$40,540
325	Manzanita, lone (<i>Arctostaphylos myrtifolia</i>)	T	\$79,608	\$51,000	\$130,608	\$15,000	\$145,608
963	Manzanita, Morro (<i>Arctostaphylos morroensis</i>)	T	\$5,576	\$500	\$6,076	\$0	\$6,076
807	Manzanita, pallid (<i>Arctostaphylos pallida</i>)	T	\$10,211	\$0	\$10,211	\$3,500	\$13,711
1059	Manzanita, Presidio (<i>Arctostaphylos hookeri</i> var. <i>ravenii</i>)	E	\$0	\$2,000	\$2,000	\$0	\$2,000
663	Manzanita, Santa Rosa Island (<i>Arctostaphylos confertiflora</i>)	E	\$16,176	\$11,833	\$28,009	\$0	\$28,009
1095	Mapele (<i>Cyrtandra cyaneoides</i>)	E	\$500	\$0	\$500	\$79	\$579
333	Ma`o hau hele, (=native yellow hibiscus) (<i>Hibiscus brackenridgei</i>)	E	\$11,194	\$120,416	\$131,610	\$8,255	\$139,865
1095	Ma`oli`oli (<i>Schiedea apokremnos</i>)	E	\$500	\$0	\$500	\$79	\$579
993	Ma`oli`oli (<i>Schiedea kealiae</i>)	E	\$1,625	\$2,664	\$4,289	\$540	\$4,829
438	Meadowfoam, Butte County (<i>Limnanthes floccosa</i> ssp. <i>californica</i>)	E	\$59,380	\$10,000	\$69,380	\$5,000	\$74,380
585	Meadowfoam, large-flowered woolly (<i>Limnanthes floccosa</i> ssp. <i>grandiflora</i>)	E	\$41,240	\$0	\$41,240	\$0	\$41,240
631	Meadowfoam, Sebastopol (<i>Limnanthes vinculans</i>)	E	\$26,330	\$0	\$26,330	\$6,000	\$32,330
960	Meadowrue, Cooley's (<i>Thalictrum cooleyi</i>)	E	\$4,000	\$2,139	\$6,139	\$0	\$6,139
328	Mehamehame (<i>Flueggea neowawraea</i>)	E	\$14,625	\$118,852	\$133,477	\$10,184	\$143,661
1100	Mesa-mint, Otay (<i>Pogogyne nudiuscula</i>)	E	\$350	\$0	\$350	\$0	\$350
1100	Mesa-mint, San Diego (<i>Pogogyne abramsii</i>)	E	\$350	\$8,950	\$9,300	\$0	\$9,300
817	Milk-vetch, Applegate's (<i>Astragalus applegatei</i>)	E	\$10,900	\$2,000	\$12,900	\$0	\$12,900
562	Milk-vetch, Ash meadows (<i>Astragalus phoenix</i>)	T	\$8,309	\$36,000	\$44,309	\$0	\$44,309
479	Milk-vetch, Braunton's (<i>Astragalus brauntonii</i>)	E	\$60,904	\$0	\$60,904	\$800	\$61,704
292	Milk-vetch, Coachella Valley (<i>Astragalus lentiginosus</i> var. <i>coachellae</i>)	E	\$176,042	\$5,000	\$181,042	\$2,000	\$183,042
720	Milk-vetch, Cushenbury (<i>Astragalus albens</i>)	E	\$19,929	\$0	\$19,929	\$0	\$19,929
613	Milk-vetch, Fish Slough (<i>Astragalus lentiginosus</i> var. <i>piscinensis</i>)	T	\$3,869	\$31,000	\$34,869	\$0	\$34,869
1109	Milk-vetch, heliotrope (<i>Astragalus montii</i>)	T	\$0	\$90	\$90	\$0	\$90

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
442	Milk-vetch, Holmgren (<i>Astragalus holmgreniorum</i>)	E	\$54,000	\$18,506	\$72,506	\$750	\$73,256
801	Milk-vetch, Jesup's (<i>Astragalus robbinsii</i> var. <i>jesupi</i>)	E	\$11,000	\$2,233	\$13,233	\$1,100	\$14,333
256	Milk-vetch, Lane Mountain (<i>Astragalus jaegerianus</i>)	E	\$3,869	\$217,796	\$221,665	\$200	\$221,865
866	Milk-vetch, Mancos (<i>Astragalus humillimus</i>)	E	\$8,119	\$1,500	\$9,619	\$0	\$9,619
680	Milk-vetch, Osterhout (<i>Astragalus osterhoutii</i>)	E	\$188	\$25,000	\$25,188	\$0	\$25,188
219	Milk-vetch, Peirson's (<i>Astragalus magdalенае</i> var. <i>peirsonii</i>)	T	\$28,914	\$235,500	\$264,414	\$1,250	\$265,664
708	Milk-vetch, Sentry (<i>Astragalus cremnophylax</i> var. <i>cremnophylax</i>)	E	\$15,000	\$5,100	\$20,100	\$750	\$20,850
303	Milk-vetch, Shivwits (<i>Astragalus ampullarioides</i>)	E	\$48,000	\$125,399	\$173,399	\$0	\$173,399
1030	Milk-vetch, triple-ribbed (<i>Astragalus tricarinatus</i>)	E	\$0	\$1,000	\$1,000	\$2,200	\$3,200
682	Milk-vetch, Ventura Marsh (<i>Astragalus pycnostachyus</i> var. <i>lanosissimus</i>)	E	\$7,056	\$0	\$7,056	\$18,000	\$25,056
744	Milkpea, Small's (<i>Galactia smallii</i>)	E	\$17,600	\$0	\$17,600	\$0	\$17,600
594	Milkweed, Mead's (<i>Asclepias meadii</i>)	T	\$30,104	\$2,775	\$32,879	\$5,966	\$38,845
863	Milkweed, Welsh's (<i>Asclepias welshii</i>)	T	\$0	\$9,100	\$9,100	\$750	\$9,850
1035	Mint, Garrett's (<i>Dicerandra christmanii</i>)	E	\$3,000	\$0	\$3,000	\$0	\$3,000
752	Mint, Lakela's (<i>Dicerandra immaculata</i>)	E	\$17,000	\$0	\$17,000	\$0	\$17,000
1059	Mint, longspurred (<i>Dicerandra cornutissima</i>)	E	\$2,000	\$0	\$2,000	\$0	\$2,000
1035	Mint, scrub (<i>Dicerandra frutescens</i>)	E	\$3,000	\$0	\$3,000	\$0	\$3,000
293	Monardella, willow (<i>Monardella linooides</i> ssp. <i>viminea</i>)	E	\$182,737	\$132,878	\$315,615	\$0	\$315,615
998	Monkey-flower, Michigan (<i>Mimulus glabratus</i> var. <i>michiganensis</i>)	E	\$2,000	\$2,112	\$4,112	\$500	\$4,612
561	Monkshood, northern wild (<i>Aconitum noveboracense</i>)	T	\$42,352	\$500	\$42,852	\$1,500	\$44,352
557	Morning-glory, Stebbins' (<i>Calystegia stebbinsii</i>)	E	\$9,665	\$35,000	\$44,665	\$100	\$44,765
890	Mountain balm, Indian Knob (<i>Eriodictyon altissimum</i>)	E	\$8,643	\$0	\$8,643	\$0	\$8,643
1031	Mustard, Carter's (<i>Warea carteri</i>)	E	\$3,000	\$180	\$3,180	\$0	\$3,180
1098	Mustard, Penland alpine fen (<i>Eutrema penlandii</i>)	T	\$445	\$0	\$445	\$0	\$445
1042	Nani wai'ale'ale (<i>Viola kauaiensis</i> var. <i>wahiawaensis</i>)	E	\$2,500	\$0	\$2,500	\$79	\$2,579
453	Nanu (<i>Gardenia manni</i>)	E	\$21,631	\$45,862	\$67,493	\$1,448	\$68,941
727	Naupaka, dwarf (<i>Scaevola</i>	E	\$15,300	\$3,264	\$18,564	\$554	\$19,118

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	<i>coriacea</i>)						
984	Navarretia, few-flowered (<i>Navarretia leucocephala</i> ssp. <i>pauciflora</i> (=N. <i>pauciflora</i>))	E	\$5,056	\$0	\$5,056	\$0	\$5,056
947	Navarretia, many-flowered (<i>Navarretia leucocephala</i> ssp. <i>plieantha</i>)	E	\$5,056	\$0	\$5,056	\$1,500	\$6,556
1005	Navarretia, spreading (<i>Navarretia fossalis</i>)	T	\$4,219	\$91,703	\$95,922	\$0	\$95,922
367	Na`ena`e (<i>Dubautia herbstobatae</i>)	E	\$8,500	\$107,852	\$116,352	\$79	\$116,431
1004	Na`ena`e (<i>Dubautia latifolia</i>)	E	\$500	\$0	\$500	\$3,825	\$4,325
1042	Na`ena`e (<i>Dubautia pauciflorula</i>)	E	\$2,500	\$0	\$2,500	\$79	\$2,579
1092	Na`ena`e (<i>Dubautia plantaginea</i> ssp. <i>humilis</i>)	E	\$600	\$0	\$600	\$79	\$679
1004	Nehe (<i>Lipochaeta fauriei</i>)	E	\$500	\$0	\$500	\$3,825	\$4,325
1095	Nehe (<i>Lipochaeta kamolensis</i>)	E	\$500	\$0	\$500	\$79	\$579
850	Nehe (<i>Lipochaeta lobata</i> var. <i>leptophylla</i>)	E	\$500	\$10,000	\$10,500	\$79	\$10,579
1004	Nehe (<i>Lipochaeta micrantha</i>)	E	\$500	\$0	\$500	\$3,825	\$4,325
371	Nehe (<i>Lipochaeta tenuifolia</i>)	E	\$7,000	\$107,852	\$114,852	\$79	\$114,931
1004	Nehe (<i>Lipochaeta waimeaensis</i>)	E	\$500	\$0	\$500	\$3,825	\$4,325
439	Nioi (<i>Eugenia koolauensis</i>)	E	\$2,000	\$70,862	\$72,862	\$987	\$73,849
434	Niterwort, Amargosa (<i>Nitrophila mohavensis</i>)	E	\$37,162	\$38,000	\$75,162	\$0	\$75,162
918	Abutilon eremitopetalum (=Sci name)	E	\$3,500	\$4,000	\$7,500	\$79	\$7,579
462	Abutilon sandwicense (=Sci name)	E	\$8,125	\$55,862	\$63,987	\$1,448	\$65,435
975	Achyranthes mutica (=Sci name)	E	\$600	\$0	\$600	\$4,594	\$5,194
365	Alsinidendron obovatum (=Sci name)	E	\$8,125	\$107,852	\$115,977	\$987	\$116,964
532	Alsinidendron trinerve (=Sci name)	E	\$1,625	\$45,862	\$47,487	\$1,448	\$48,935
925	Alsinidendron viscosum (=Sci name)	E	\$3,055	\$0	\$3,055	\$4,347	\$7,402
1065	Amaranthus brownii (=Sci name)	E	\$1,625	\$0	\$1,625	\$79	\$1,704
1030	Aristida chaseae (=Sci name)	E	\$3,200	\$0	\$3,200	\$0	\$3,200
1088	Auerodendron pauciflorum (=Sci name)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
551	Bonamia menziesii (=Sci name)	E	\$17,752	\$19,500	\$37,252	\$9,264	\$46,516
777	Calyptranthes thomasiana (=Sci name)	E	\$1,000	\$14,615	\$15,615	\$0	\$15,615
378	Catesbaea melanocarpa (=Sci name)	E	\$111,900	\$0	\$111,900	\$0	\$111,900
1066	Chamaecrista glandulosa var. <i>mirabilis</i> (=Sci name)	E	\$1,700	\$0	\$1,700	\$0	\$1,700
1001	Chamaesyce halemanui (=Sci name)	E	\$600	\$0	\$600	\$3,825	\$4,425
1082	Cordia bellonis (=Sci name)	E	\$1,200	\$0	\$1,200	\$0	\$1,200

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
1088	<i>Cranichis ricartii</i> (=Sci name)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
461	<i>Cyanea</i> (=Rollandia) <i>crispa</i> (=Sci name)	E	\$19,006	\$45,862	\$64,868	\$987	\$65,855
1088	<i>Daphnopsis hellerana</i> (=Sci name)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
881	<i>Delissea rhytidosperra</i> (=Sci name)	E	\$4,555	\$0	\$4,555	\$4,347	\$8,902
928	<i>Delissea undulata</i> (=Sci name)	E	\$1,765	\$0	\$1,765	\$5,518	\$7,283
1030	<i>Eugenia woodburyana</i> (=Sci name)	E	\$3,200	\$0	\$3,200	\$0	\$3,200
772	<i>Gahnia lanaiensis</i> (=Sci name)	E	\$11,152	\$4,500	\$15,652	\$79	\$15,731
534	<i>Geocarpon minimum</i> (=Sci name)	T	\$23,900	\$2,411	\$26,311	\$22,242	\$48,553
1088	<i>Gesneria pauciflora</i> (=Sci name)	T	\$1,000	\$0	\$1,000	\$0	\$1,000
1095	<i>Gouania hillebrandii</i> (=Sci name)	E	\$500	\$0	\$500	\$79	\$579
951	<i>Gouania meyenii</i> (=Sci name)	E	\$2,500	\$0	\$2,500	\$3,825	\$6,325
753	<i>Gouania vitifolia</i> (=Sci name)	E	\$11,425	\$0	\$11,425	\$5,502	\$16,927
355	<i>Hedyotis degeneri</i> (=Sci name)	E	\$8,125	\$112,650	\$120,775	\$79	\$120,854
367	<i>Hedyotis parvula</i> (=Sci name)	E	\$8,500	\$107,852	\$116,352	\$79	\$116,431
459	<i>Hesperomannia arborescens</i> (=Sci name)	E	\$15,152	\$50,362	\$65,514	\$987	\$66,501
349	<i>Hesperomannia arbuscula</i> (=Sci name)	E	\$15,125	\$107,852	\$122,977	\$1,448	\$124,425
1095	<i>Hesperomannia lydgatei</i> (=Sci name)	E	\$500	\$0	\$500	\$79	\$579
1076	<i>Ilex sintenisii</i> (=Sci name)	E	\$1,000	\$416	\$1,416	\$0	\$1,416
1088	<i>Lepanthes eltoroensis</i> (=Sci name)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
1066	<i>Leptocereus grantianus</i> (=Sci name)	E	\$1,700	\$0	\$1,700	\$0	\$1,700
245	<i>Lipochaeta venosa</i> (=Sci name)	E	\$1,800	\$231,588	\$233,388	\$3,701	\$237,089
550	<i>Lobelia gaudichaudii</i> ssp. <i>koolauensis</i> (=Sci name)	E	\$600	\$45,862	\$46,462	\$79	\$46,541
883	<i>Lobelia monostachya</i> (=Sci name)	E	\$7,806	\$0	\$7,806	\$987	\$8,793
867	<i>Lobelia niihauensis</i> (=Sci name)	E	\$8,125	\$0	\$8,125	\$1,448	\$9,573
1075	<i>Lobelia oahuensis</i> (=Sci name)	E	\$500	\$0	\$500	\$987	\$1,487
1088	<i>Lyonia truncata</i> var. <i>proctorii</i> (=Sci name)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
1095	<i>Lysimachia filifolia</i> (=Sci name)	E	\$500	\$0	\$500	\$79	\$579
1033	<i>Lysimachia lydgatei</i> (=Sci name)	E	\$3,000	\$0	\$3,000	\$79	\$3,079
982	<i>Lysimachia maxima</i> (=Sci name)	E	\$5,000	\$0	\$5,000	\$79	\$5,079
1060	<i>Mariscus fauriei</i> (=Sci name)	E	\$600	\$600	\$1,200	\$753	\$1,953
915	<i>Mariscus pennatiformis</i> (=Sci name)	E	\$7,000	\$0	\$7,000	\$753	\$7,753
1077	<i>Mitracarpus maxwelliae</i> (=Sci name)	E	\$1,400	\$0	\$1,400	\$0	\$1,400
1077	<i>Mitracarpus polycladus</i> (=Sci name)	E	\$1,400	\$0	\$1,400	\$0	\$1,400
1004	<i>Munroidendron racemosum</i> (=Sci name)	E	\$500	\$0	\$500	\$3,825	\$4,325

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	name)						
1088	<i>Myrcia paganii</i> (=Sci name)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
366	<i>Neraudia angulata</i> (=Sci name)	E	\$9,000	\$107,852	\$116,852	\$79	\$116,931
228	<i>Neraudia ovata</i> (=Sci name)	E	\$6,300	\$242,586	\$248,886	\$6,411	\$255,297
771	<i>Neraudia sericea</i> (=Sci name)	E	\$11,252	\$4,500	\$15,752	\$79	\$15,831
856	<i>Nesogenes rotensis</i> (=Sci name)	E	\$10,325	\$0	\$10,325	\$0	\$10,325
856	<i>Osmoxylon mariannense</i> (=Sci name)	E	\$10,325	\$0	\$10,325	\$0	\$10,325
1083	<i>Phyllostegia glabra</i> var. <i>lanaiensis</i> (=Sci name)	E	\$500	\$600	\$1,100	\$79	\$1,179
538	<i>Phyllostegia hirsuta</i> (=Sci name)	E	\$2,000	\$45,862	\$47,862	\$79	\$47,941
363	<i>Phyllostegia kaalaensis</i> (=Sci name)	E	\$9,000	\$107,852	\$116,852	\$987	\$117,839
1042	<i>Phyllostegia knudsenii</i> (=Sci name)	E	\$2,500	\$0	\$2,500	\$79	\$2,579
832	<i>Phyllostegia mannii</i> (=Sci name)	E	\$11,393	\$0	\$11,393	\$79	\$11,472
500	<i>Phyllostegia mollis</i> (=Sci name)	E	\$9,393	\$45,862	\$55,255	\$987	\$56,242
715	<i>Phyllostegia parviflora</i> (=Sci name)	E	\$5,000	\$13,600	\$18,600	\$1,661	\$20,261
914	<i>Phyllostegia velutina</i> (=Sci name)	E	\$4,300	\$0	\$4,300	\$3,463	\$7,763
1011	<i>Phyllostegia waimeae</i> (=Sci name)	E	\$4,000	\$0	\$4,000	\$79	\$4,079
871	<i>Phyllostegia warshaueri</i> (=Sci name)	E	\$4,665	\$0	\$4,665	\$4,594	\$9,259
1042	<i>Phyllostegia wawrana</i> (=Sci name)	E	\$2,500	\$0	\$2,500	\$79	\$2,579
956	<i>Platanthera holochila</i> (=Sci name)	E	\$6,000	\$123	\$6,123	\$79	\$6,202
1095	<i>Poa siphonoglossa</i> (=Sci name)	E	\$500	\$0	\$500	\$79	\$579
1004	<i>Remya kauaiensis</i> (=Sci name)	E	\$500	\$0	\$500	\$3,825	\$4,325
1001	<i>Remya montgomeryi</i> (=Sci name)	E	\$600	\$0	\$600	\$3,825	\$4,425
367	<i>Sanicula mariversa</i> (=Sci name)	E	\$8,500	\$107,852	\$116,352	\$79	\$116,431
545	<i>Sanicula purpurea</i> (=Sci name)	E	\$500	\$45,862	\$46,362	\$987	\$47,349
987	<i>Schiedea haleakalensis</i> (=Sci name)	E	\$500	\$4,428	\$4,928	\$79	\$5,007
1092	<i>Schiedea helleri</i> (=Sci name)	E	\$600	\$0	\$600	\$79	\$679
513	<i>Schiedea hookeri</i> (=Sci name)	E	\$7,000	\$45,985	\$52,985	\$79	\$53,064
335	<i>Schiedea kaalae</i> (=Sci name)	E	\$28,631	\$107,852	\$136,483	\$1,448	\$137,931
913	<i>Schiedea kauaiensis</i> (=Sci name)	E	\$4,000	\$0	\$4,000	\$3,825	\$7,825
1095	<i>Schiedea lydgatei</i> (=Sci name)	E	\$500	\$0	\$500	\$79	\$579
1001	<i>Schiedea membranacea</i> (=Sci name)	E	\$600	\$0	\$600	\$3,825	\$4,425
351	<i>Schiedea nuttallii</i> (=Sci name)	E	\$11,500	\$107,852	\$119,352	\$4,733	\$124,085
1095	<i>Schiedea sarmentosa</i> (=Sci name)	E	\$500	\$0	\$500	\$79	\$579
1095	<i>Schiedea spergulina</i> var. <i>leiopoda</i> (=Sci name)	E	\$500	\$0	\$500	\$79	\$579
1095	<i>Schiedea spergulina</i> var. <i>spergulina</i> (=Sci name)	T	\$500	\$0	\$500	\$79	\$579

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
1095	<i>Schiedea verticillata</i> (=Sci name)	E	\$500	\$0	\$500	\$79	\$579
1059	<i>Schoepfia arenaria</i> (=Sci name)	T	\$2,000	\$0	\$2,000	\$0	\$2,000
918	<i>Silene alexandri</i> (=Sci name)	E	\$7,500	\$0	\$7,500	\$79	\$7,579
232	<i>Silene hawaiiensis</i> (=Sci name)	T	\$1,800	\$244,986	\$246,786	\$753	\$247,539
234	<i>Silene lanceolata</i> (=Sci name)	E	\$8,000	\$236,986	\$244,986	\$753	\$245,739
1036	<i>Silene perlmanii</i> (=Sci name)	E	\$2,000	\$0	\$2,000	\$987	\$2,987
173	<i>Spermolepis hawaiiensis</i> (=Sci name)	E	\$18,752	\$351,738	\$370,490	\$753	\$371,243
229	<i>Stenogyne angustifolia</i> var. <i>angustifolia</i> (=Sci name)	E	\$2,965	\$241,386	\$244,351	\$5,518	\$249,869
1021	<i>Stenogyne bifida</i> (=Sci name)	E	\$3,500	\$0	\$3,500	\$79	\$3,579
1042	<i>Stenogyne campanulata</i> (=Sci name)	E	\$2,500	\$0	\$2,500	\$79	\$2,579
531	<i>Stenogyne kanehoana</i> (=Sci name)	E	\$2,500	\$45,862	\$48,362	\$987	\$49,349
1088	<i>Ternstroemia subsessilis</i> (=Sci name)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
243	<i>Tetramolopium arenarium</i> (=Sci name)	E	\$1,800	\$236,386	\$238,186	\$753	\$238,939
367	<i>Tetramolopium filiforme</i> (=Sci name)	E	\$8,500	\$107,852	\$116,352	\$79	\$116,431
981	<i>Tetramolopium lepidotum</i> ssp. <i>lepidotum</i> (=Sci name)	E	\$3,500	\$600	\$4,100	\$987	\$5,087
859	<i>Tetramolopium remyi</i> (=Sci name)	E	\$5,500	\$4,500	\$10,000	\$79	\$10,079
1056	<i>Tetramolopium rockii</i> (=Sci name)	T	\$500	\$1,500	\$2,000	\$79	\$2,079
1095	<i>Trematolobelia singularis</i> (=Sci name)	E	\$500	\$0	\$500	\$79	\$579
1088	<i>Vernonia proctorii</i> (=Sci name)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
222	<i>Vigna o-wahuensis</i> (=Sci name)	E	\$18,752	\$236,088	\$254,840	\$5,518	\$260,358
1042	<i>Viola helenae</i> (=Sci name)	E	\$2,500	\$0	\$2,500	\$79	\$2,579
735	<i>Viola lanaiensis</i> (=Sci name)	E	\$14,152	\$4,500	\$18,652	\$79	\$18,731
550	<i>Viola oahuensis</i> (=Sci name)	E	\$600	\$45,862	\$46,462	\$79	\$46,541
1018	<i>Xylosma crenatum</i> (=Sci name)	E	\$3,055	\$0	\$3,055	\$601	\$3,656
786	Nohoanu (<i>Geranium multiflorum</i>)	E	\$6,393	\$8,610	\$15,003	\$79	\$15,082
941	Oak, Hinckley (<i>Quercus hinckleyi</i>)	T	\$0	\$0	\$0	\$6,750	\$6,750
1092	Oha (<i>Delissea rivularis</i>)	E	\$600	\$0	\$600	\$79	\$679
357	Oha (<i>Delissea subcordata</i>)	E	\$10,125	\$107,852	\$117,977	\$1,448	\$119,425
560	Ohai (<i>Sesbania tomentosa</i>)	E	\$22,069	\$19,364	\$41,433	\$3,045	\$44,478
999	Olulu (<i>Brighamia insignis</i>)	E	\$4,500	\$0	\$4,500	\$79	\$4,579
1012	Onion, Munz's (<i>Allium munzii</i>)	E	\$3,869	\$56	\$3,925	\$0	\$3,925
1070	Opuhe (<i>Urera kaalae</i>)	E	\$600	\$0	\$600	\$987	\$1,587
411	Orchid, eastern prairie fringed (<i>Platanthera leucophaea</i>)	T	\$54,315	\$29,707	\$84,022	\$4,894	\$88,916
244	Orchid, western prairie fringed (<i>Platanthera praeclara</i>)	T	\$165,049	\$66,496	\$231,545	\$5,600	\$237,145
1091	Orcutt grass, California (<i>Orcuttia californica</i>)	E	\$350	\$9,006	\$9,356	\$400	\$9,756

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
423	Orcutt grass, hairy (<i>Orcuttia pilosa</i>)	E	\$57,819	\$22,000	\$79,819	\$1,000	\$80,819
420	Orcutt grass, Sacramento (<i>Orcuttia viscida</i>)	E	\$70,600	\$10,000	\$80,600	\$1,700	\$82,300
571	Orcutt grass, San Joaquin (<i>Orcuttia inaequalis</i>)	T	\$14,525	\$27,500	\$42,025	\$300	\$42,325
324	Orcutt grass, slender (<i>Orcuttia tenuis</i>)	T	\$118,869	\$8,800	\$127,669	\$18,100	\$145,769
595	Owl's-clover, fleshy (<i>Castilleja campestris</i> ssp. <i>succulenta</i>)	T	\$14,525	\$23,500	\$38,025	\$500	\$38,525
720	Oxytheca, cushenbury (<i>Oxytheca parishii</i> var. <i>goodmaniana</i>)	E	\$19,929	\$0	\$19,929	\$0	\$19,929
988	Paintbrush, ash-grey (<i>Castilleja cinerea</i>)	T	\$0	\$5,000	\$5,000	\$0	\$5,000
167	Paintbrush, golden (<i>Castilleja levisecta</i>)	T	\$260,997	\$132,770	\$393,767	\$0	\$393,767
665	Paintbrush, soft-leaved (<i>Castilleja mollis</i>)	E	\$20,141	\$7,633	\$27,774	\$0	\$27,774
1059	Palo colorado (<i>Ternstroemia luquillensis</i>)	E	\$2,000	\$0	\$2,000	\$0	\$2,000
1088	Palo de jazmin (<i>Styrax portoricensis</i>)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
1088	Palo de nigua (<i>Cornutia obovata</i>)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
1082	Palo de ramon (<i>Banara vanderbiltii</i>)	E	\$1,200	\$0	\$1,200	\$0	\$1,200
835	Palo de rosa (<i>Ottoschulzia rhodoxylon</i>)	E	\$1,200	\$10,000	\$11,200	\$0	\$11,200
1094	Pamakani (<i>Tetramolopium capillare</i>)	E	\$600	\$0	\$600	\$0	\$600
367	Pamakani (<i>Viola chamissoniana</i> ssp. <i>chamissoniana</i>)	E	\$8,500	\$107,852	\$116,352	\$79	\$116,431
973	Panicgrass, Carter's (<i>Panicum fauriei</i> var. <i>carteri</i>)	E	\$500	\$4,664	\$5,164	\$79	\$5,243
698	Pawpaw, beautiful (<i>Deeringothamnus pulchellus</i>)	E	\$22,200	\$0	\$22,200	\$0	\$22,200
860	Pawpaw, four-petal (<i>Asimina tetramera</i>)	E	\$2,000	\$8,077	\$10,077	\$0	\$10,077
1059	Pawpaw, Rugel's (<i>Deeringothamnus rugelii</i>)	E	\$2,000	\$0	\$2,000	\$0	\$2,000
1088	Pelos del diablo (<i>Aristida portoricensis</i>)	E	\$1,000	\$0	\$1,000	\$0	\$1,000
966	Penny-cress, Kneeland Prairie (<i>Thlaspi californicum</i>)	E	\$5,000	\$0	\$5,000	\$700	\$5,700
609	Pennyroyal, Todsens's (<i>Hedeoma todsenii</i>)	E	\$8,000	\$27,250	\$35,250	\$0	\$35,250
491	Penstemon, blowout (<i>Penstemon haydenii</i>)	E	\$27,725	\$30,500	\$58,225	\$1,000	\$59,225
421	Pentachaeta, Lyon's (<i>Pentachaeta lyonii</i>)	E	\$59,093	\$20,000	\$79,093	\$2,600	\$81,693
916	Pentachaeta, white-rayed (<i>Pentachaeta bellidiflora</i>)	E	\$7,737	\$0	\$7,737	\$0	\$7,737
1061	Peperomia, Wheeler's (<i>Peperomia</i>	E	\$1,900	\$0	\$1,900	\$0	\$1,900

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	<i>wheeleri</i>)						
861	Phacelia, clay (<i>Phacelia argillacea</i>)	E	\$0	\$10,000	\$10,000	\$0	\$10,000
938	Phacelia, island (<i>Phacelia insularis ssp. insularis</i>)	E	\$0	\$6,833	\$6,833	\$0	\$6,833
1045	Phacelia, North Park (<i>Phacelia formosula</i>)	E	\$444	\$2,000	\$2,444	\$0	\$2,444
426	Phlox, Texas trailing (<i>Phlox nivalis ssp. texensis</i>)	E	\$48,000	\$22,300	\$70,300	\$8,550	\$78,850
547	Phlox, Yreka (<i>Phlox hirsuta</i>)	E	\$41,071	\$1,200	\$42,271	\$4,400	\$46,671
501	Pigeon wings (<i>Clitoria fragrans</i>)	T	\$8,100	\$48,000	\$56,100	\$0	\$56,100
908	Pilo (<i>Hedyotis manni</i>)	E	\$3,500	\$4,500	\$8,000	\$79	\$8,079
448	Pink, swamp (<i>Helonias bullata</i>)	T	\$62,110	\$6,590	\$68,700	\$2,500	\$71,200
815	Pinkroot, gentian (<i>Spigelia gentianoides</i>)	E	\$12,900	\$175	\$13,075	\$0	\$13,075
217	Piperia, Yadon's (<i>Piperia yadonii</i>)	E	\$188,976	\$77,725	\$266,701	\$0	\$266,701
941	Pitaya, Davis' green (<i>Echinocereus viridiflorus var. davisii</i>)	E	\$0	\$0	\$0	\$6,750	\$6,750
579	Pitcher-plant, Alabama canebrake (<i>Sarracenia rubra alabamensis</i>)	E	\$41,000	\$591	\$41,591	\$0	\$41,591
570	Pitcher-plant, green (<i>Sarracenia oreophila</i>)	E	\$33,500	\$9,006	\$42,506	\$0	\$42,506
875	Pitcher-plant, mountain sweet (<i>Sarracenia rubra ssp. jonesii</i>)	E	\$8,700	\$416	\$9,116	\$0	\$9,116
746	Plum, scrub (<i>Prunus geniculata</i>)	E	\$17,500	\$0	\$17,500	\$0	\$17,500
399	Pogonia, small whorled (<i>Isotria medeoloides</i>)	T	\$55,988	\$57,965	\$113,953	\$5,614	\$119,567
360	Polygala, Lewton's (<i>Polygala lewtonii</i>)	E	\$8,000	\$111,000	\$119,000	\$0	\$119,000
630	Polygala, tiny (<i>Polygala smallii</i>)	E	\$28,600	\$3,750	\$32,350	\$0	\$32,350
1063	Polygonum, Scotts Valley (<i>Polygonum hickmanii</i>)	E	\$1,394	\$350	\$1,744	\$0	\$1,744
80	Pondberry (<i>Lindera melissifolia</i>)	E	\$175,100	\$1,472,380	\$1,647,480	\$5,000	\$1,652,480
941	Pondweed, Little Aguja (=Creek) (<i>Potamogeton clystocarpus</i>)	E	\$0	\$0	\$0	\$6,750	\$6,750
478	Popcornflower, rough (<i>Plagiobothrys hirtus</i>)	E	\$56,461	\$5,300	\$61,761	\$0	\$61,761
221	Popolo ku mai (<i>Solanum incompletum</i>)	E	\$21,862	\$240,886	\$262,748	\$753	\$263,501
460	Poppy, Sacramento prickly (<i>Argemone pleiacantha ssp. pinnatisecta</i>)	E	\$25,000	\$41,080	\$66,080	\$0	\$66,080
830	Poppy-mallow, Texas (<i>Callirhoe scabriuscula</i>)	E	\$0	\$356	\$356	\$11,521	\$11,877
277	Potato-bean, Price's (<i>Apios priceana</i>)	T	\$39,900	\$157,655	\$197,555	\$0	\$197,555
828	Potentilla, Hickman's (<i>Potentilla hickmanii</i>)	E	\$11,970	\$0	\$11,970	\$0	\$11,970
227	Po'e (<i>Portulaca sclerocarpa</i>)	E	\$6,800	\$250,486	\$257,286	\$0	\$257,286

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
647	Prairie-clover, leafy (<i>Dalea foliosa</i>)	E	\$27,500	\$2,655	\$30,155	\$339	\$30,494
637	Prickly-apple, fragrant (<i>Cereus eriophorus</i> var. <i>fragrans</i>)	E	\$28,000	\$3,750	\$31,750	\$0	\$31,750
1074	Prickly-ash, St. Thomas (<i>Zanthoxylum thomasianum</i>)	E	\$1,000	\$500	\$1,500	\$0	\$1,500
1110	Primrose, Maguire (<i>Primula maguirei</i>)	T	\$0	\$11	\$11	\$0	\$11
582	Pua`ala (<i>Brighamia rockii</i>)	E	\$26,819	\$14,500	\$41,319	\$79	\$41,398
971	Pussypaws, Mariposa (<i>Calyptridium pulchellum</i>)	T	\$5,295	\$0	\$5,295	\$0	\$5,295
738	Pu`uka`a (<i>Cyperus trachysanthos</i>)	E	\$7,000	\$11,264	\$18,264	\$79	\$18,343
939	Rattleweed, hairy (<i>Baptisia arachnifera</i>)	E	\$3,600	\$175	\$3,775	\$3,000	\$6,775
1111	Reed-mustard, Barneby (<i>Schoenocrambe barnebyi</i>)	E	\$0	\$6	\$6	\$0	\$6
935	Reed-mustard, clay (<i>Schoenocrambe argillacea</i>)	T	\$4,000	\$3,000	\$7,000	\$0	\$7,000
1059	Reed-mustard, shrubby (<i>Schoenocrambe suffrutescens</i>)	E	\$2,000	\$0	\$2,000	\$0	\$2,000
967	Remya, Maui (<i>Remya mauiensis</i>)	E	\$5,500	\$0	\$5,500	\$79	\$5,579
1000	Rhododendron, Chapman (<i>Rhododendron chapmanii</i>)	E	\$4,500	\$0	\$4,500	\$0	\$4,500
1085	Ridge-cress, Barneby (<i>Lepidium barnebyanum</i>)	E	\$1,000	\$90	\$1,090	\$0	\$1,090
689	Rock-cress, Braun's (<i>Arabis perstellata</i>)	E	\$22,000	\$2,450	\$24,450	\$0	\$24,450
1008	Rock-cress, Hoffmann's (<i>Arabis hoffmannii</i>)	E	\$4,182	\$0	\$4,182	\$0	\$4,182
843	Rock-cress, McDonald's (<i>Arabis mcdonaldiana</i>)	E	\$2,800	\$7,000	\$9,800	\$1,100	\$10,900
1027	Rock-cress, shale barren (<i>Arabis serotina</i>)	E	\$2,690	\$0	\$2,690	\$634	\$3,324
770	Rock-cress, Santa Cruz Island (<i>Sibara filifolia</i>)	E	\$5,934	\$9,900	\$15,834	\$0	\$15,834
621	Rosemary, Cumberland (<i>Conradina verticillata</i>)	T	\$31,000	\$2,933	\$33,933	\$0	\$33,933
909	Rosemary, Etonia (<i>Conradina etonia</i>)	E	\$8,000	\$0	\$8,000	\$0	\$8,000
1000	Rosemary, short-leaved (<i>Conradina brevifolia</i>)	E	\$4,500	\$0	\$4,500	\$0	\$4,500
1108	Roseroot, Leedy's (<i>Sedum integrifolium</i> ssp. <i>leedyi</i>)	T	\$0	\$0	\$0	\$100	\$100
755	Rush-pea, slender (<i>Hoffmannseggia tenella</i>)	E	\$8,000	\$408	\$8,408	\$8,358	\$16,766
920	Rush-rose, island (<i>Helianthemum greenei</i>)	T	\$0	\$7,543	\$7,543	\$0	\$7,543
923	Sand-verbena, large-fruited (<i>Abronia macrocarpa</i>)	E	\$0	\$80	\$80	\$7,347	\$7,427
1079	Sandalwood, Lanai (= `iliahi)	E	\$600	\$600	\$1,200	\$79	\$1,279

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	<i>(Santalum freycinetianum var. lanaiense)</i>						
664	Sandlace (<i>Polygonella myriophylla</i>)	E	\$28,000	\$0	\$28,000	\$0	\$28,000
307	Sandwort, Bear Valley (<i>Arenaria ursina</i>)	T	\$168,400	\$1,000	\$169,400	\$0	\$169,400
514	Sandwort, Cumberland (<i>Arenaria cumberlandensis</i>)	E	\$49,000	\$3,325	\$52,325	\$0	\$52,325
553	Sandwort, Marsh (<i>Arenaria paludicola</i>)	E	\$43,977	\$2,171	\$46,148	\$200	\$46,348
1034	Schiedea, Diamond Head (<i>Schiedea adamantis</i>)	E	\$2,500	\$0	\$2,500	\$554	\$3,054
623	Seablite, California (<i>Suaeda californica</i>)	E	\$31,843	\$2,000	\$33,843	\$0	\$33,843
117	Seagrass, Johnson's (<i>Halophila johnsonii</i>)	T	\$2,600	\$720,750	\$723,350	\$0	\$723,350
923	Sedge, golden (<i>Carex lutea</i>)	E	\$5,000	\$2,427	\$7,427	\$0	\$7,427
917	Sedge, Navajo (<i>Carex specuicola</i>)	T	\$4,000	\$2,910	\$6,910	\$750	\$7,660
821	Sedge, white (<i>Carex albida</i>)	E	\$12,382	\$0	\$12,382	\$100	\$12,482
504	Silversword, Mauna Loa (=Ka'u) (<i>Argyroxiphium kauense</i>)	E	\$13,405	\$38,000	\$51,405	\$3,701	\$55,106
543	Skullcap, Florida (<i>Scutellaria floridana</i>)	T	\$6,600	\$40,831	\$47,431	\$0	\$47,431
574	Skullcap, large-flowered (<i>Scutellaria montana</i>)	T	\$23,900	\$17,831	\$41,731	\$400	\$42,131
803	Snakeroot (<i>Eryngium cuneifolium</i>)	E	\$12,000	\$2,077	\$14,077	\$0	\$14,077
950	Sneezeweed, Virginia (<i>Helenium virginicum</i>)	T	\$5,325	\$237	\$5,562	\$800	\$6,362
564	Snowbells, Texas (<i>Styrax texanus</i>)	E	\$4,000	\$350	\$4,350	\$38,752	\$43,102
477	Spineflower, Ben Lomond (<i>Chorizanthe pungens var. hartwegiana</i>)	E	\$61,972	\$0	\$61,972	\$0	\$61,972
711	Spineflower, Howell's (<i>Chorizanthe howellii</i>)	E	\$17,800	\$0	\$17,800	\$2,600	\$20,400
304	Spineflower, Monterey (<i>Chorizanthe pungens var. pungens</i>)	T	\$140,777	\$31,132	\$171,909	\$0	\$171,909
486	Spineflower, Orcutt's (<i>Chorizanthe orcuttiana</i>)	E	\$0	\$60,848	\$60,848	\$0	\$60,848
650	Spineflower, Robust (incl. Scotts Valley) (<i>Chorizanthe robusta (incl. vars. robusta and hartwegii)</i>)	E	\$16,178	\$13,907	\$30,085	\$0	\$30,085
1054	Spineflower, slender-horned (<i>Dodecahema leptoceras</i>)	E	\$1,801	\$0	\$1,801	\$300	\$2,101
1019	Spineflower, Sonoma (<i>Chorizanthe valida</i>)	E	\$0	\$3,650	\$3,650	\$0	\$3,650
494	Spiraea, Virginia (<i>Spiraea virginiana</i>)	T	\$49,227	\$8,418	\$57,645	\$935	\$58,580
737	Spurge, deltoid (<i>Chamaesyce deltoidea ssp. deltoidea</i>)	E	\$18,600	\$0	\$18,600	\$0	\$18,600

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
624	Spurge, Garber's (<i>Chamaesyce garberi</i>)	T	\$33,800	\$0	\$33,800	\$0	\$33,800
474	Spurge, Hoover's (<i>Chamaesyce hooveri</i>)	T	\$60,305	\$1,000	\$61,305	\$800	\$62,105
845	Spurge, telephus (<i>Euphorbia telephioides</i>)	T	\$10,700	\$0	\$10,700	\$0	\$10,700
572	Stickseed, showy (<i>Hackelia venusta</i>)	E	\$39,106	\$3,171	\$42,277	\$0	\$42,277
977	Stonecrop, Lake County (<i>Parvisedum leiocarpum</i>)	E	\$5,056	\$0	\$5,056	\$100	\$5,156
283	Sumac, Michaux's (<i>Rhus michauxii</i>)	E	\$7,726	\$182,315	\$190,041	\$800	\$190,841
422	Sunburst, Hartweg's golden (<i>Pseudobahia bahiifolia</i>)	E	\$45,031	\$35,907	\$80,938	\$0	\$80,938
615	Sunburst, San Joaquin adobe (<i>Pseudobahia peirsonii</i>)	T	\$5,222	\$29,407	\$34,629	\$0	\$34,629
210	Sunflower, Pecos (=puzzle, =paradox) (<i>Helianthus paradoxus</i>)	T	\$263,000	\$11,000	\$274,000	\$8,242	\$282,242
559	Sunflower, Schweinitz's (<i>Helianthus schweinitzii</i>)	E	\$26,000	\$18,686	\$44,686	\$0	\$44,686
599	Sunray, Ash Meadows (<i>Enceliopsis nudicaulis</i> var. <i>corrugata</i>)	T	\$2,000	\$36,000	\$38,000	\$0	\$38,000
628	Sunshine, Sonoma (<i>Blennosperma bakeri</i>)	E	\$26,330	\$0	\$26,330	\$6,500	\$32,830
539	Taraxacum, California (<i>Taraxacum californicum</i>)	E	\$47,887	\$0	\$47,887	\$0	\$47,887
447	Tarplant, Gaviota (<i>Deinandra increscens</i> ssp. <i>villosa</i>)	E	\$65,029	\$0	\$65,029	\$5,500	\$70,529
916	Tarplant, Otay (<i>Deinandra</i> (=Hemizonia) <i>conjugens</i>)	T	\$7,737	\$0	\$7,737	\$0	\$7,737
683	Tarplant, Santa Cruz (<i>Holocarpha macradenia</i>)	T	\$24,957	\$0	\$24,957	\$0	\$24,957
535	Thelypody, Howell's spectacular (<i>Thelypodium howellii spectabilis</i>)	T	\$44,500	\$4,040	\$48,540	\$0	\$48,540
541	Thistle, Chorro Creek bog (<i>Cirsium fontinale</i> var. <i>obispoense</i>)	E	\$18,485	\$29,000	\$47,485	\$0	\$47,485
435	Thistle, fountain (<i>Cirsium fontinale</i> var. <i>fontinale</i>)	E	\$75,000	\$0	\$75,000	\$0	\$75,000
949	Thistle, La Graciosa (<i>Cirsium loncholepis</i>)	E	\$5,869	\$0	\$5,869	\$600	\$6,469
1071	Thistle, Loch Lomond coyote (<i>Eryngium constancei</i>)	E	\$1,582	\$0	\$1,582	\$0	\$1,582
515	Thistle, Pitcher's (<i>Cirsium pitcheri</i>)	T	\$14,200	\$36,685	\$50,885	\$1,202	\$52,087
489	Thistle, Sacramento Mountains (<i>Cirsium vinaceum</i>)	T	\$14,000	\$46,000	\$60,000	\$0	\$60,000
364	Thistle, Suisun (<i>Cirsium hydrophilum</i> var. <i>hydrophilum</i>)	E	\$97,075	\$0	\$97,075	\$20,000	\$117,075
410	Thornmint, San Diego (<i>Acanthomintha illicifolia</i>)	T	\$88,037	\$56	\$88,093	\$1,000	\$89,093

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
693	Townsendia, Last Chance (<i>Townsendia aprica</i>)	T	\$0	\$23,836	\$23,836	\$0	\$23,836
1026	Trillium, persistent (<i>Trillium persistens</i>)	E	\$0	\$416	\$416	\$3,000	\$3,416
403	Trillium, relict (<i>Trillium reliquum</i>)	E	\$8,400	\$82,791	\$91,191	\$2,000	\$93,191
516	Tuctoria, Greene's (<i>Tuctoria greenei</i>)	E	\$49,924	\$1,000	\$50,924	\$1,000	\$51,924
731	Twinpod, Dudley Bluffs (<i>Physaria obcordata</i>)	T	\$9,698	\$9,230	\$18,928	\$0	\$18,928
505	Uhiuhi (<i>Caesalpinia kavaiense</i>)	E	\$17,799	\$25,650	\$43,449	\$11,108	\$54,557
1024	Uvillo (<i>Eugenia haematocarpa</i>)	E	\$3,500	\$0	\$3,500	\$0	\$3,500
952	Vervain, Red Hills (<i>Verbena californica</i>)	T	\$5,295	\$1,000	\$6,295	\$0	\$6,295
717	Vetch, Hawaiian (<i>Vicia menziesii</i>)	E	\$14,405	\$0	\$14,405	\$5,737	\$20,142
1001	Wahane (<i>Pritchardia aylmer-robinsonii</i>)	E	\$600	\$0	\$600	\$3,825	\$4,425
1015	Wallflower, Ben Lomond (<i>Erysimum teretifolium</i>)	E	\$3,726	\$0	\$3,726	\$0	\$3,726
766	Wallflower, Contra Costa (<i>Erysimum capitatum</i> var. <i>angustatum</i>)	E	\$16,070	\$0	\$16,070	\$0	\$16,070
414	Wallflower, Menzies' (<i>Erysimum menziesii</i>)	E	\$18,000	\$69,000	\$87,000	\$1,000	\$88,000
892	Warea, wide-leaf (<i>Warea amplexifolia</i>)	E	\$8,600	\$0	\$8,600	\$0	\$8,600
1057	Water-plantain, Kral's (<i>Sagittaria secundifolia</i>)	T	\$0	\$2,077	\$2,077	\$0	\$2,077
275	Water-umbel, Huachuca (<i>Lilaeopsis schaffneriana</i> var. <i>recurva</i>)	E	\$11,000	\$188,150	\$199,150	\$750	\$199,900
1057	Water-willow, Cooley's (<i>Justicia cooleyi</i>)	E	\$0	\$2,077	\$2,077	\$0	\$2,077
522	Watercress, Gambel's (<i>Rorippa gambellii</i>)	E	\$50,422	\$0	\$50,422	\$100	\$50,522
818	Whitlow-wort, papery (<i>Paronychia chartacea</i>)	T	\$12,000	\$591	\$12,591	\$0	\$12,591
722	Wild-buckwheat, clay-loving (<i>Eriogonum pelinophilum</i>)	E	\$3,250	\$16,500	\$19,750	\$0	\$19,750
936	Wild-buckwheat, gypsum (<i>Eriogonum gypsophilum</i>)	T	\$0	\$6,920	\$6,920	\$0	\$6,920
988	Wild-buckwheat, southern mountain (<i>Eriogonum kennedyi</i> var. <i>austromontanum</i>)	T	\$0	\$5,000	\$5,000	\$0	\$5,000
231	Wild-rice, Texas (<i>Zizania texana</i>)	E	\$221,000	\$3,760	\$224,760	\$22,790	\$247,550
596	Wire-lettuce, Malheur (<i>Stephanomeria malheurensis</i>)	E	\$32,500	\$6,000	\$38,500	\$0	\$38,500
536	Wireweed (<i>Polygonella basiramia</i>)	E	\$17,500	\$31,000	\$48,500	\$0	\$48,500
833	Woodland-star, San Clemente Island (<i>Lithophragma maximum</i>)	E	\$1,699	\$9,655	\$11,354	\$0	\$11,354
687	Woolly-star, Santa Ana River (<i>Eriastrum densifolium</i> ssp. <i>sanctorum</i>)	E	\$4,475	\$0	\$4,475	\$20,000	\$24,475

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
440	Woolly-threads, San Joaquin (<i>Monolopia (=Lembertia) congdonii</i>)	E	\$6,454	\$66,907	\$73,361	\$300	\$73,661
959	Yellowhead, desert (<i>Yermo xanthocephalus</i>)	T	\$3,460	\$2,700	\$6,160	\$0	\$6,160
1105	Yerba santa, Lompoc (<i>Eriodictyon capitatum</i>)	E	\$0	\$0	\$0	\$200	\$200
481	Ziziphus, Florida (<i>Ziziphus celata</i>)	E	\$61,500	\$0	\$61,500	\$0	\$61,500
783	`Ahinahina (<i>Argyroxiphium sandwicense</i> ssp. <i>macrocephalum</i>)	T	\$6,493	\$8,610	\$15,103	\$79	\$15,182
716	`Ahinahina (<i>Argyroxiphium sandwicense</i> ssp. <i>sandwicense</i>)	E	\$11,605	\$0	\$11,605	\$8,583	\$20,188
795	`Aiakeakua, popolo (<i>Solanum sandwicense</i>)	E	\$9,556	\$0	\$9,556	\$5,255	\$14,811
512	`Aiea (<i>Nothocestrum breviflorum</i>)	E	\$600	\$46,200	\$46,800	\$6,411	\$53,211
1042	`Aiea (<i>Nothocestrum peltatum</i>)	E	\$2,500	\$0	\$2,500	\$79	\$2,579
358	`Akoko (<i>Chamaesyce celastroides</i> var. <i>kaenana</i>)	E	\$8,125	\$110,516	\$118,641	\$554	\$119,195
1041	`Akoko (<i>Chamaesyce deppeana</i>)	E	\$1,625	\$0	\$1,625	\$987	\$2,612
365	`Akoko (<i>Chamaesyce herbstii</i>)	E	\$8,125	\$107,852	\$115,977	\$987	\$116,964
1095	`Akoko (<i>Chamaesyce kuwaleana</i>)	E	\$500	\$0	\$500	\$79	\$579
552	`Akoko (<i>Chamaesyce rockii</i>)	E	\$500	\$45,862	\$46,362	\$79	\$46,441
798	`Akoko (<i>Euphorbia haeleleana</i>)	E	\$8,725	\$0	\$8,725	\$5,669	\$14,394
853	`Akoko, Ewa Plains (<i>Chamaesyce skottsbergii</i> var. <i>kalaeloana</i>)	E	\$9,925	\$0	\$9,925	\$554	\$10,479
864	`Anaunau (<i>Lepidium arbuscula</i>)	E	\$8,225	\$0	\$8,225	\$1,448	\$9,673
876	`Anunu (<i>Sicyos alba</i>)	E	\$3,500	\$1,000	\$4,500	\$4,594	\$9,094
1024	`Awikiwiki (<i>Canavalia molokaiensis</i>)	E	\$500	\$3,000	\$3,500	\$0	\$3,500
970	`Oha wai (<i>Clermontia drepanomorpha</i>)	E	\$3,665	\$0	\$3,665	\$1,646	\$5,311
655	`Oha wai (<i>Clermontia lindseyana</i>)	E	\$19,387	\$5,123	\$24,510	\$4,594	\$29,104
967	`Oha wai (<i>Clermontia oblongifolia</i> ssp. <i>brevipes</i>)	E	\$5,500	\$0	\$5,500	\$79	\$5,579
707	`Oha wai (<i>Clermontia oblongifolia</i> ssp. <i>mauiensis</i>)	E	\$16,152	\$4,623	\$20,775	\$79	\$20,854
649	`Oha wai (<i>Clermontia peleana</i>)	E	\$20,587	\$5,123	\$25,710	\$4,594	\$30,304
634	`Oha wai (<i>Clermontia pyrularia</i>)	E	\$23,312	\$5,000	\$28,312	\$3,701	\$32,013
851	`Oha wai (<i>Clermontia samuelii</i>)	E	\$6,393	\$4,059	\$10,452	\$79	\$10,531
1075	`Ohe`ohe (<i>Tetraplasandra gymnocarpa</i>)	E	\$500	\$0	\$500	\$987	\$1,487
	Flowering Plants Subtotal		\$12,261,436	\$19,040,376	\$31,301,812	\$1,224,497	\$32,526,309
	Conifers and Cycads						
729	Cypress, Gowen (<i>Cupressus goveniana</i> ssp. <i>goveniana</i>)	T	\$18,970	\$0	\$18,970	\$0	\$18,970
1038	Cypress, Santa Cruz (<i>Cupressus</i>	E	\$2,788	\$0	\$2,788	\$0	\$2,788

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	<i>abramsiana</i>)						
911	Torreya, Florida (<i>Torreya taxifolia</i>)	E	\$0	\$7,375	\$7,375	\$500	\$7,875
	Conifers and Cycads Subtotal		\$21,758	\$7,375	\$29,133	\$500	\$29,633
	Ferns and Allies						
712	Diellia, asplenium-leaved (<i>Diellia erecta</i>)	E	\$11,806	\$6,000	\$17,806	\$2,554	\$20,360
672	Fern, Aleutian shield (<i>Polystichum aleuticum</i>)	E	\$25,500	\$800	\$26,300	\$0	\$26,300
1017	Fern, American hart's-tongue (<i>Asplenium scolopendrium</i> var. <i>americanum</i>)	T	\$2,300	\$1,080	\$3,380	\$300	\$3,680
1082	Fern, Elfin tree (<i>Cyathea dryopteroides</i>)	E	\$1,200	\$0	\$1,200	\$0	\$1,200
751	Fern, pendant kihi (<i>Adenophorus periens</i>)	E	\$11,152	\$4,500	\$15,652	\$1,646	\$17,298
748	Ihi`ihi (<i>Marsilea villosa</i>)	E	\$1,800	\$15,000	\$16,800	\$554	\$17,354
790	Adiantum vivesii (=Sci name)	E	\$15,000	\$0	\$15,000	\$0	\$15,000
237	Asplenium fragile var. insulare (=Sci name)	E	\$10,193	\$232,190	\$242,383	\$0	\$242,383
935	Diellia falcata (=Sci name)	E	\$7,000	\$0	\$7,000	\$0	\$7,000
1000	Diellia pallida (=Sci name)	E	\$4,500	\$0	\$4,500	\$0	\$4,500
1097	Diellia unisora (=Sci name)	E	\$500	\$0	\$500	\$0	\$500
823	Diplazium molokaiense (=Sci name)	E	\$7,000	\$4,623	\$11,623	\$753	\$12,376
1082	Elaphoglossum serpens (=Sci name)	E	\$1,200	\$0	\$1,200	\$0	\$1,200
1082	Polystichum calderonense (=Sci name)	E	\$1,200	\$0	\$1,200	\$0	\$1,200
552	Pteris lidgatei (=Sci name)	E	\$500	\$45,862	\$46,362	\$79	\$46,441
1082	Tectaria estremerana (=Sci name)	E	\$1,200	\$0	\$1,200	\$0	\$1,200
1082	Thelypteris inabonensis (=Sci name)	E	\$1,200	\$0	\$1,200	\$0	\$1,200
1082	Thelypteris verecunda (=Sci name)	E	\$1,200	\$0	\$1,200	\$0	\$1,200
1082	Thelypteris yaucoensis (=Sci name)	E	\$1,200	\$0	\$1,200	\$0	\$1,200
673	Pauoa (<i>Ctenitis squamigera</i>)	E	\$21,562	\$4,623	\$26,185	\$0	\$26,185
1000	Quillwort, black spored (<i>Isoetes melanospora</i>)	E	\$4,000	\$0	\$4,000	\$500	\$4,500
412	Quillwort, Louisiana (<i>Isoetes louisianensis</i>)	E	\$0	\$88,902	\$88,902	\$0	\$88,902
1000	Quillwort, mat-forming (<i>Isoetes tegetiformans</i>)	E	\$4,000	\$0	\$4,000	\$500	\$4,500
797	Wawae`iole (<i>Huperzia mannii</i>)	E	\$6,393	\$7,257	\$13,650	\$753	\$14,403
542	Wawae`iole (<i>Lycopodium</i> (=Phlegmariurus) <i>nutans</i>)	E	\$600	\$45,862	\$46,462	\$987	\$47,449

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	Ferns and Allies Subtotal		\$142,206	\$456,699	\$598,905	\$8,626	\$607,531
	Lichens						
418	Cladonia, Florida perforate (<i>Cladonia perforata</i>)	E	\$56,500	\$30,666	\$87,166	\$0	\$87,166
825	Lichen, rock gnome (<i>Gymnoderma lineare</i>)	E	\$11,200	\$416	\$11,616	\$500	\$12,116
	Lichens Subtotal		\$67,700	\$31,082	\$98,782	\$500	\$99,282
	Total Species Expenditures for FY2006		\$117,283,835	\$736,147,855	\$853,431,690	\$35,999,770	\$889,431,460
	Other ESA Expenses		\$37,462,406	\$649,352,146	\$686,814,552	\$3,959,684	\$690,774,236
	Total Species/Other ESA Species Expenditures for FY2006		\$154,746,041	\$1,385,500,001	\$1,540,246,042	\$39,959,454	\$1,580,205,496

TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2005 and TOTAL FY 2006 REPORTED SPECIES-SPECIFIC ACTIVITY-RELATED EXPENDITURES

Species are arranged in descending rank order by total identifiable activity-related expenditures (Table 1). Cumulative totals of the activity-related expenditures totals (\$917.49 million for FY 2005; \$884.93 million for FY 2006) are provided. The cumulative total column is the sum of all higher ranked Species Totals (from Table 1) and the selected species entry. This table does not include costs for land acquisition or "Other ESA Expenses."

The species list in the reports follows the same breakdown as in 50 CFR 17.11 and 17.12. All populations are itemized separately, not just ESUs. Thus, it appears as if there are more listed species. Populations of the same species may be ranked differently.

TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2005 REPORTED EXPENDITURES, NOT INCLUDING LAND ACQUISITION COSTS

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) spring/summer Snake R.	T	\$49,118,688	\$49,118,688
2	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) Snake R. Basin	T	\$45,658,509	\$94,777,197
3	Trout, bull (<i>Salvelinus confluentus</i>) U.S.A., conterminous, lower 48 states	T	\$39,582,947	\$134,360,144
4	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) middle Columbia R.	T	\$38,467,076	\$172,827,220
5	Tortoise, desert (<i>Gopherus agassizii</i>) U.S.A., except in Sonoran Desert	T	\$28,308,696	\$201,135,916
6	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) spring upper Columbia R.	E	\$28,156,428	\$229,292,344
7	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) fall Snake R.	T	\$27,820,672	\$257,113,016
8	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) upper Columbia R. Basin	E	\$26,365,601	\$283,478,617
9	Sea-lion, Steller (<i>Eumetopias jubatus</i>) western pop.	E	\$25,256,269	\$308,734,886
10	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) Puget Sound	T	\$24,074,199	\$332,809,085
11	Salmon, sockeye (<i>Oncorhynchus</i> (=Salmo) <i>nerka</i>) U.S.A. (Snake River, ID stock wherever found.)	E	\$23,779,071	\$356,588,156
12	Sturgeon, pallid (<i>Scaphirhynchus albus</i>)	E	\$22,679,310	\$379,267,466
13	Salmon, coho (<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>) OR, CA pop.	T	\$19,826,160	\$399,093,626
14	Bat, Indiana (<i>Myotis sodalis</i>)	E	\$14,107,122	\$413,200,748
15	Eagle, bald (<i>Haliaeetus leucocephalus</i>) lower 48 States	T	\$13,462,328	\$426,663,076
16	Flycatcher, southwestern willow (<i>Empidonax traillii extimus</i>)	E	\$12,980,500	\$439,643,576
17	Whale, right (<i>Balaena glacialis</i> (incl. <i>australis</i>))	E	\$12,816,768	\$452,460,344
18	Woodpecker, red-cockaded (<i>Picoides borealis</i>)	E	\$12,729,391	\$465,189,735
19	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) lower Columbia R.	T	\$12,383,589	\$477,573,324
20	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) lower Columbia R.	T	\$11,994,981	\$489,568,305
21	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) upper Willamette R.	T	\$11,399,925	\$500,968,230
22	Sucker, razorback (<i>Xyrauchen texanus</i>) entire	E	\$11,141,136	\$512,109,366
23	Sea turtle, loggerhead (<i>Caretta caretta</i>)	T	\$10,303,489	\$522,412,855
24	Salmon, chum (<i>Oncorhynchus</i> (=Salmo) <i>keta</i>) Columbia R.	T	\$9,440,093	\$531,852,948
25	Sea turtle, leatherback (<i>Dermochelys coriacea</i>)	E	\$9,029,986	\$540,882,934
26	Pikeminnow (=squawfish), Colorado (<i>Ptychocheilus lucius</i>) except Salt and Verde R. drainages, AZ	E	\$8,558,631	\$549,441,565
27	Chub, humpback (<i>Gila cypha</i>) entire	E	\$8,299,056	\$557,740,621
28	Minnow, Rio Grande silvery (<i>Hybognathus amarus</i>)	E	\$8,240,856	\$565,981,477
29	Sturgeon, white (<i>Acipenser transmontanus</i>) U.S.A. (ID, MT), Canada (B.C.), Kootenai R. system	E	\$8,199,335	\$574,180,812

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
30	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) upper Willamette R.	T	\$7,675,739	\$581,856,551
31	Sea-lion, Steller (<i>Eumetopias jubatus</i>) eastern pop.	T	\$7,523,959	\$589,380,510
32	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) winter Sacramento R.	E	\$7,416,770	\$596,797,280
33	Owl, northern spotted (<i>Strix occidentalis caurina</i>)	T	\$7,027,328	\$603,824,608
34	Salmon, Atlantic (<i>Salmo salar</i>) Gulf of Maine Atlantic Salmon DPS	E	\$6,983,525	\$610,808,133
35	Plover, piping (<i>Charadrius melodus</i>) except Great Lakes watershed	T	\$6,934,242	\$617,742,375
36	Chub, bonytail (<i>Gila elegans</i>) entire	E	\$6,700,373	\$624,442,748
37	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) CA Central Valley spring-run	T	\$6,502,026	\$630,944,774
38	Salmon, coho (<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>) Lower Columbia River	T	\$6,140,859	\$637,085,633
39	Salmon, chum (<i>Oncorhynchus</i> (=Salmo) <i>keta</i>) summer-run Hood Canal	T	\$5,703,678	\$642,789,311
40	Sea turtle, Kemp's ridley (<i>Lepidochelys kempii</i>)	E	\$5,681,466	\$648,470,777
41	Owl, Mexican spotted (<i>Strix occidentalis lucida</i>)	T	\$5,228,001	\$653,698,778
42	Bear, grizzly (<i>Ursus arctos horribilis</i>) lower 48 States, except where listed as an experimental population or delisted	T	\$5,209,431	\$658,908,209
43	Tern, least (<i>Sterna antillarum</i>) interior pop.	E	\$5,109,228	\$664,017,437
44	Salmon, sockeye (<i>Oncorhynchus</i> (=Salmo) <i>nerka</i>) U.S.A. (Ozette Lake, WA)	T	\$4,781,253	\$668,798,690
45	Manatee, West Indian (<i>Trichechus manatus</i>)	E	\$4,554,216	\$673,352,906
46	Sucker, Lost River (<i>Deltistes luxatus</i>)	E	\$4,526,062	\$677,878,968
47	Sucker, shortnose (<i>Chasmistes brevirostris</i>)	E	\$4,524,062	\$682,403,030
48	Sea turtle, green (<i>Chelonia mydas</i>) except where endangered	T	\$4,084,377	\$686,487,407
49	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) Central Valley CA	T	\$4,072,887	\$690,560,294
50	Murrelet, marbled (<i>Brachyramphus marmoratus</i>) CA, OR, WA	T	\$3,978,791	\$694,539,085
51	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) central CA coast	T	\$3,879,329	\$698,418,414
52	Plover, western snowy (<i>Charadrius alexandrinus nivosus</i>) Pacific coastal pop.	T	\$3,846,578	\$702,264,992
53	Palila (honeycreeper) (<i>Loxioides bailleui</i>)	E	\$3,794,164	\$706,059,156
54	Salmon, coho (<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>) central CA coast	E	\$3,776,998	\$709,836,154
55	Trout, Lahontan cutthroat (<i>Oncorhynchus clarki henshawi</i>)	T	\$3,709,696	\$713,545,850
56	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) northern CA	T	\$3,673,265	\$717,219,115
57	Fairy shrimp, vernal pool (<i>Branchinecta lynchi</i>)	T	\$3,635,870	\$720,854,985
58	Sea turtle, hawksbill (<i>Eretmochelys imbricata</i>)	E	\$3,396,111	\$724,251,096
59	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) CA coastal	T	\$3,353,831	\$727,604,927

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
60	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) southern CA coast	E	\$3,018,952	\$730,623,879
61	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) south central CA coast	T	\$2,959,191	\$733,583,070
62	Tadpole shrimp, vernal pool (<i>Lepidurus packardii</i>)	E	\$2,947,422	\$736,530,492
63	Wolf, gray (<i>Canis lupus</i>) Lower 48 States, except where delisted and where EXPN. Mexico.	E	\$2,812,230	\$739,342,722
64	Lynx, Canada (<i>Lynx canadensis</i>) lower 48 States DPS	T	\$2,796,021	\$742,138,743
65	Beetle, valley elderberry longhorn (<i>Desmocerus californicus dimorphus</i>)	T	\$2,663,475	\$744,802,218
66	Whale, humpback (<i>Megaptera novaeangliae</i>)	E	\$2,643,306	\$747,445,524
67	Toad, arroyo (=arroyo southwestern) (<i>Bufo californicus</i> (=microscaphus))	E	\$2,562,389	\$750,007,913
68	Sea turtle, olive ridley (<i>Lepidochelys olivacea</i>) except where endangered	T	\$2,530,684	\$752,538,597
69	Whale, sperm (<i>Physeter catodon</i> (=macrocephalus))	E	\$2,477,873	\$755,016,470
70	Ferret, black-footed (<i>Mustela nigripes</i>) U.S.A. (specific portions of AZ, CO, MT, SD, UT, and WY)	EXPN	\$2,453,189	\$757,469,659
71	Seal, Hawaiian monk (<i>Monachus schauinslandi</i>)	E	\$2,266,054	\$759,735,713
72	Frog, California red-legged (<i>Rana aurora draytonii</i>) subspecies range clarified	T	\$2,166,402	\$761,902,115
73	Crow, Mariana (=aga) (<i>Corvus kubaryi</i>)	E	\$2,154,192	\$764,056,307
74	Tortoise, gopher (<i>Gopherus polyphemus</i>) W of of Mobile/Tombigbee Rs.	T	\$2,132,100	\$766,188,407
75	Woodpecker, ivory-billed (<i>Campephilus principalis</i>)	E	\$2,090,755	\$768,279,162
76	Tern, California least (<i>Sterna antillarum browni</i>)	E	\$2,073,287	\$770,352,449
77	Bear, Louisiana black (<i>Ursus americanus luteolus</i>)	T	\$2,027,240	\$772,379,689
78	Fox, San Joaquin kit (<i>Vulpes macrotis mutica</i>)	E	\$1,967,977	\$774,347,666
79	Sturgeon, shortnose (<i>Acipenser brevirostrum</i>)	E	\$1,965,541	\$776,313,207
80	Parrot, Puerto Rican (<i>Amazona vittata</i>)	E	\$1,871,100	\$778,184,307
81	Swiftlet, Mariana gray (<i>Aerodramus vanikorensis bartschi</i>)	E	\$1,827,685	\$780,011,992
82	Shrike, San Clemente loggerhead (<i>Lanius ludovicianus mearnsi</i>)	E	\$1,808,208	\$781,820,200
83	Smelt, delta (<i>Hypomesus transpacificus</i>)	T	\$1,805,648	\$783,625,848
84	Wolf, gray (<i>Canis lupus</i>) WY, ID, MT	EXPN	\$1,793,530	\$785,419,378
85	Bat, Mariana fruit (=Mariana flying fox) (<i>Pteropus mariannus mariannus</i>) entire	T	\$1,729,744	\$787,149,122
86	Gnatcatcher, coastal California (<i>Polioptila californica californica</i>)	T	\$1,695,047	\$788,844,169
87	Pondberry (<i>Lindera melissifolia</i>)	E	\$1,650,948	\$790,495,117
88	Crane, whooping (<i>Grus americana</i>) except where EXPN	E	\$1,597,485	\$792,092,602
89	Bat, gray (<i>Myotis grisescens</i>)	E	\$1,519,867	\$793,612,469
90	Snake, giant garter (<i>Thamnophis gigas</i>)	T	\$1,489,791	\$795,102,260
91	Wolf, gray (<i>Canis lupus</i>) Mexican gray wolf, EXPN population	EXPN	\$1,474,311	\$796,576,571
92	Sea turtle, green (<i>Chelonia mydas</i>) FL, Mexico nesting pops.	E	\$1,453,161	\$798,029,732

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
93	Ferret, black-footed (<i>Mustela nigripes</i>) entire population, except where EXPN	E	\$1,420,798	\$799,450,530
94	Akepa, Hawaii (honeycreeper) (<i>Loxops coccineus coccineus</i>)	E	\$1,419,031	\$800,869,561
95	Vireo, black-capped (<i>Vireo atricapilla</i>)	E	\$1,396,860	\$802,266,421
96	Jay, Florida scrub (<i>Aphelocoma coerulescens</i>)	T	\$1,369,356	\$803,635,777
97	Panther, Florida (<i>Puma (=Felis) concolor coryi</i>)	E	\$1,360,106	\$804,995,883
98	Whale, bowhead (<i>Balaena mysticetus</i>)	E	\$1,356,735	\$806,352,618
99	Eider, Steller's (<i>Polysticta stelleri</i>) AK breeding pop.	T	\$1,313,740	\$807,666,358
100	Warbler (=wood), golden-cheeked (<i>Dendroica chrysoparia</i>)	E	\$1,210,139	\$808,876,497
101	Sturgeon, gulf (<i>Acipenser oxyrinchus desotoi</i>)	T	\$1,198,460	\$810,074,957
102	Vireo, least Bell's (<i>Vireo bellii pusillus</i>)	E	\$1,167,314	\$811,242,271
103	Eider, spectacled (<i>Somateria fischeri</i>)	T	\$1,160,732	\$812,403,003
104	Pronghorn, Sonoran (<i>Antilocapra americana sonoriensis</i>)	E	\$1,136,215	\$813,539,218
105	Alligator, American (<i>Alligator mississippiensis</i>)	SAT	\$1,099,976	\$814,639,194
106	Mouse, Alabama beach (<i>Peromyscus polionotus ammobates</i>)	E	\$1,089,300	\$815,728,494
107	Stork, wood (<i>Mycteria americana</i>) AL, FL, GA, SC	E	\$1,049,170	\$816,777,664
108	Darter, Okaloosa (<i>Etheostoma okaloosae</i>)	E	\$1,018,552	\$817,796,216
109	Albatross, short-tailed (<i>Phoebastria (=Diomedea) albatrus</i>)	E	\$1,007,205	\$818,803,421
110	Cui-ui (<i>Chasmistes cujus</i>)	E	\$987,964	\$819,791,385
111	Butterfly, Palos Verdes blue (<i>Glaucopsyche lygdamus palosverdesensis</i>)	E	\$980,750	\$820,772,135
112	Milk-vetch, Peirson's (<i>Astragalus magdalenae var. peirsonii</i>)	T	\$972,690	\$821,744,825
113	Turtle, bog (=Muhlenberg) (<i>Clemmys muhlenbergii</i>) northern	T	\$950,661	\$822,695,486
114	Tortoise, desert (<i>Gopherus agassizii</i>) outside/taken from Sonoran Desert	SAT	\$931,469	\$823,626,955
115	Frog, Mississippi gopher (<i>Rana capito sevosa</i>) Wherever found west of Mobile and Tombigbee Rivers in AL, MS, and LA	E	\$918,600	\$824,545,555
116	Otter, southern sea (<i>Enhydra lutris nereis</i>) except where EXPN	T	\$914,225	\$825,459,780
117	Rabbit, pygmy (<i>Brachylagus idahoensis</i>) Columbia Basin DPS	E	\$897,716	\$826,357,496
118	Trout, Apache (<i>Oncorhynchus apache</i>)	T	\$871,000	\$827,228,496
119	Salamander, California tiger (<i>Ambystoma californiense</i>) U.S.A. (Central CA DPS)	T	\$863,570	\$828,092,066
120	Butterfly, Karner blue (<i>Lycaeides melissa samuelis</i>)	E	\$857,487	\$828,949,553
121	Warbler (=wood), Kirtland's (<i>Dendroica kirtlandii</i>)	E	\$817,170	\$829,766,723
122	Higgins eye (pearlymussel) (<i>Lampsilis higginsii</i>)	E	\$804,799	\$830,571,522
123	Mouse, Preble's meadow jumping (<i>Zapus hudsonius preblei</i>) Colorado	T	\$786,511	\$831,358,033
124	Otter, Northern Sea (<i>Enhydra lutris kenyoni</i>) southwest Alaska DPS	T	\$783,711	\$832,141,744
125	Fairy shrimp, Riverside (<i>Streptocephalus woottoni</i>)	E	\$736,981	\$832,878,725
126	Condor, California (<i>Gymnogyps californianus</i>) U.S.A. only	E	\$732,989	\$833,611,714
127	Heelsplitter, Carolina (<i>Lasmigona decorata</i>)	E	\$732,449	\$834,344,163

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
128	Seagrass, Johnson's (<i>Halophila johnsonii</i>)	T	\$730,864	\$835,075,027
129	Trout, Gila (<i>Oncorhynchus gilae</i>)	E	\$697,675	\$835,772,702
130	Wild-rice, Texas (<i>Zizania texana</i>)	E	\$674,346	\$836,447,048
131	Butterfly, El Segundo blue (<i>Euphilotes battoides allyni</i>)	E	\$671,750	\$837,118,798
132	Trout, greenback cutthroat (<i>Oncorhynchus clarki stomias</i>)	T	\$668,959	\$837,787,757
133	Shiner, Pecos bluntnose (<i>Notropis simus pecosensis</i>)	T	\$660,000	\$838,447,757
134	Snake, eastern indigo (<i>Drymarchon corais couperi</i>)	T	\$642,320	\$839,090,077
135	Stilt, Hawaiian (<i>Himantopus mexicanus knudseni</i>)	E	\$631,969	\$839,722,046
136	Sheep, bighorn (<i>Ovis canadensis</i>) Peninsular CA pop.	E	\$629,194	\$840,351,240
137	Frog, mountain yellow-legged (<i>Rana muscosa</i>) southern California DPS	E	\$619,844	\$840,971,084
138	Goby, tidewater (<i>Eucyclogobius newberryi</i>) Entire	E	\$607,256	\$841,578,340
139	Sawfish, smalltooth (<i>Pristis pectinata</i>)	E	\$606,715	\$842,185,055
140	Beetle, American burying (<i>Nicrophorus americanus</i>)	E	\$602,773	\$842,787,828
141	Wolf, red (<i>Canis rufus</i>) U.S.A. (portions of NC and TN)	EXPN	\$594,100	\$843,381,928
142	Rabbit, riparian brush (<i>Sylvilagus bachmani riparius</i>)	E	\$575,805	\$843,957,733
143	Crow, Hawaiian (= 'alala) (<i>Corvus hawaiiensis</i>)	E	\$571,580	\$844,529,313
144	Pelican, brown (<i>Pelecanus occidentalis</i>) except U.S. Atlantic coast, FL, AL	E	\$562,990	\$845,092,303
145	Sparrow, Cape Sable seaside (<i>Ammodramus maritimus mirabilis</i>)	E	\$562,623	\$845,654,926
146	Bat, Hawaiian hoary (<i>Lasiurus cinereus semotus</i>)	E	\$558,097	\$846,213,023
147	Rail, Guam (<i>Rallus owstoni</i>) except Rota	E	\$544,926	\$846,757,949
148	Deer, Columbian white-tailed (<i>Odocoileus virginianus leucurus</i>) Columbia River DPS	E	\$540,369	\$847,298,318
149	Butterfly, Quino checkerspot (<i>Euphydryas editha quino</i> (=E. e. <i>wrightii</i>))	E	\$538,160	\$847,836,478
150	Crane, Mississippi sandhill (<i>Grus canadensis pulla</i>)	E	\$536,962	\$848,373,440
151	Chaffseed, American (<i>Schwalbea americana</i>)	E	\$536,363	\$848,909,803
152	Fairy shrimp, San Diego (<i>Branchinecta sandiegonensis</i>)	E	\$532,735	\$849,442,538
153	Goose, Hawaiian (<i>Branta</i> (=Nesochen) <i>sandvicensis</i>)	E	\$530,724	\$849,973,262
154	Woundfin (<i>Plagopterus argentissimus</i>) except Gila R. drainage, AZ, NM	E	\$525,901	\$850,499,163
155	Chub, Virgin River (<i>Gila seminuda</i> (=robusta))	E	\$523,762	\$851,022,925
156	Kite, Everglade snail (<i>Rostrhamus sociabilis plumbeus</i>) FL pop.	E	\$521,909	\$851,544,834
157	Petrel, Hawaiian dark-rumped (<i>Pterodroma phaeopygia sandwichensis</i>)	E	\$516,763	\$852,061,597
158	Snails, Oahu tree (<i>Achatinella</i> spp.)	E	\$503,950	\$852,565,547
159	Spikedace (<i>Meda fulgida</i>)	T	\$498,500	\$853,064,047
160	Snail, Utah valvata (<i>Valvata utahensis</i>)	E	\$497,100	\$853,561,147
161	Falcon, northern aplomado (<i>Falco femoralis septentrionalis</i>)	E	\$495,328	\$854,056,475
162	Topminnow, Gila (incl. Yaqui) (<i>Poeciliopsis occidentalis</i>) U.S.A. only	E	\$490,972	\$854,547,447
163	Bat, lesser long-nosed (<i>Leptonycteris curasoae yerbabuena</i>)	E	\$475,700	\$855,023,147

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
164	Coot, Hawaiian (<i>Fulica americana alai</i>)	E	\$474,753	\$855,497,900
165	Wolf, red (<i>Canis rufus</i>) except where EXPN	E	\$461,845	\$855,959,745
166	Shiner, Topeka (<i>Notropis topeka (=tristis)</i>)	E	\$454,183	\$856,413,928
167	Sheep, Sierra Nevada bighorn (<i>Ovis canadensis sierrae</i>) Sierra Nevada	E	\$451,756	\$856,865,684
168	Plover, piping (<i>Charadrius melodus</i>) Great Lakes watershed	E	\$444,136	\$857,309,820
169	Crane, whooping (<i>Grus americana</i>) U.S.A.(AL, AR, GA, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, OH, SC, TN, VA, WI, WV)	EXPN	\$438,645	\$857,748,465
170	Fox, San Miguel Island (<i>Urocyon littoralis littoralis</i>)	E	\$436,413	\$858,184,878
171	Fox, Santa Rosa Island (<i>Urocyon littoralis santarosae</i>)	E	\$434,313	\$858,619,191
172	Frog, Chiricahua leopard (<i>Rana chiricahuensis</i>)	T	\$431,403	\$859,050,594
173	Duck, Hawaiian (=koloa) (<i>Anas wyvilliana</i>)	E	\$430,017	\$859,480,611
174	Water-umbel, Huachuca (<i>Lilaeopsis schaffneriana var. recurva</i>)	E	\$425,138	\$859,905,749
175	Logperch, Roanoke (<i>Percina rex</i>)	E	\$417,483	\$860,323,232
176	Crocodile, American (<i>Crocodylus acutus</i>) FL pop.	E	\$415,909	\$860,739,141
177	Meadowfoam, Butte County (<i>Limnanthes floccosa ssp. californica</i>)	E	\$413,694	\$861,152,835
178	Pygmy-owl, cactus ferruginous (<i>Glaucidium brasilianum cactorum</i>) AZ pop.	E	\$406,070	\$861,558,905
179	Pocketbook, fat (<i>Potamilus capax</i>)	E	\$404,343	\$861,963,248
180	Mucket, pink (pearlymussel) (<i>Lampsilis abrupta</i>)	E	\$398,669	\$862,361,917
181	Mouse, Pacific pocket (<i>Perognathus longimembris pacificus</i>)	E	\$396,106	\$862,758,023
182	Snail, Snake River physa (<i>Physa natricina</i>)	E	\$390,137	\$863,148,160
183	Prairie dog, Utah (<i>Cynomys parvidens</i>)	T	\$380,000	\$863,528,160
184	Moorhen, Hawaiian common (<i>Gallinula chloropus sandvicensis</i>)	E	\$376,079	\$863,904,239
185	Minnow, loach (<i>Tiaroga cobitis</i>)	T	\$374,000	\$864,278,239
186	Squirrel, Delmarva Peninsula fox (<i>Sciurus niger cinereus</i>) Entire, except Sussex Co., DE	E	\$372,821	\$864,651,060
187	Snail, Bliss Rapids (<i>Taylorconcha serpenticola</i>)	T	\$367,026	\$865,018,086
188	Creeper, Hawaii (<i>Oreomystis mana</i>)	E	\$366,600	\$865,384,686
189	Akiapola`au (honeycreeper) (<i>Hemignathus munroi</i>)	E	\$365,950	\$865,750,636
190	Butterfly, Oregon silverspot (<i>Speyeria zerene hippolyta</i>)	T	\$364,800	\$866,115,436
191	Lizard, blunt-nosed leopard (<i>Gambelia silus</i>)	E	\$359,762	\$866,475,198
192	Shiner, blue (<i>Cyprinella caerulea</i>)	T	\$355,376	\$866,830,574
193	Fritillary, Gentner's (<i>Fritillaria gentneri</i>)	E	\$353,383	\$867,183,957
194	Ladies'-tresses, Ute (<i>Spiranthes diluvialis</i>)	T	\$348,659	\$867,532,616
195	Elktoe, Appalachian (<i>Alasmidonta raveneliana</i>)	E	\$346,979	\$867,879,595
196	Trout, Paiute cutthroat (<i>Oncorhynchus clarki seleniris</i>)	T	\$343,275	\$868,222,870
197	Clubshell (<i>Pleurobema clava</i>) Entire Range; Except where listed as Experimental Populations	E	\$337,298	\$868,560,168
198	Sucker, June (<i>Chasmistes liorus</i>)	E	\$329,694	\$868,889,862
199	Salamander, flatwoods (<i>Ambystoma cingulatum</i>)	T	\$323,605	\$869,213,467
200	Sparrow, Florida grasshopper (<i>Ammodramus savannarum floridanus</i>)	E	\$322,100	\$869,535,567
201	Hawk, Hawaiian (=lo) (<i>Buteo solitarius</i>)	E	\$321,721	\$869,857,288

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
202	Abalone, White (<i>Haliotis sorenseni</i>) North America (West Coast from Point Conception, CA, U.S.A., to Punta Abreojos, Baja California, Mexico)	E	\$321,500	\$870,178,788
203	Dudleyea, Santa Monica Mountains (<i>Dudleya cymosa</i> ssp. <i>ovatifolia</i>)	T	\$319,075	\$870,497,863
204	Spinedace, Little Colorado (<i>Lepidomeda vittata</i>)	T	\$314,000	\$870,811,863
205	Milk-vetch, Lane Mountain (<i>Astragalus jaegerianus</i>)	E	\$313,868	\$871,125,731
206	Liveforever, Laguna Beach (<i>Dudleya stolonifera</i>)	T	\$313,000	\$871,438,731
207	Lupine, Kincaid's (<i>Lupinus sulphureus</i> (=oreganus) ssp. <i>kincaidii</i> (=var. <i>kincaidii</i>))	T	\$312,245	\$871,750,976
208	Wedgemussel, dwarf (<i>Alasmidonta heterodon</i>)	E	\$309,415	\$872,060,391
209	Mapleleaf, winged (<i>Quadrula fragosa</i>) Entire; except where listed as experimental populations	E	\$305,700	\$872,366,091
210	Fanshell (<i>Cyprogenia stegaria</i>)	E	\$302,462	\$872,668,553
211	Orchid, western prairie fringed (<i>Platanthera praeclara</i>)	T	\$302,277	\$872,970,830
212	Goldfields, Contra Costa (<i>Lasthenia conjugens</i>)	E	\$298,257	\$873,269,087
213	Wolf, gray (<i>Canis lupus</i>) MN	T	\$296,248	\$873,565,335
214	Snake, Concho water (<i>Nerodia paucimaculata</i>)	T	\$293,052	\$873,858,387
215	Mouse, Perdido Key beach (<i>Peromyscus polionotus trissyllepsis</i>)	E	\$291,146	\$874,149,533
216	Squirrel, Mount Graham red (<i>Tamiasciurus hudsonicus grahamensis</i>)	E	\$285,000	\$874,434,533
217	Mouse, St. Andrew beach (<i>Peromyscus polionotus peninsularis</i>)	E	\$282,500	\$874,717,033
218	Mouse, salt marsh harvest (<i>Reithrodontomys raviventris</i>)	E	\$282,058	\$874,999,091
219	Amaranth, seabeach (<i>Amaranthus pumilus</i>)	T	\$280,449	\$875,279,540
220	Bat, Virginia big-eared (<i>Corynorhinus</i> (=Plecotus) <i>townsendii virginianus</i>)	E	\$277,341	\$875,556,881
221	Riffleshell, northern (<i>Epioblasma torulosa rangiana</i>)	E	\$273,854	\$875,830,735
222	Darter, fountain (<i>Etheostoma fonticola</i>)	E	\$260,503	\$876,091,238
223	Rail, California clapper (<i>Rallus longirostris obsoletus</i>)	E	\$259,283	\$876,350,521
224	Salamander, California tiger (<i>Ambystoma californiense</i>) U.S.A. (CA - Santa Barbara County)	E	\$258,806	\$876,609,327
225	Butterfly, Fender's blue (<i>Icaricia icarioides fenderi</i>)	E	\$253,154	\$876,862,481
226	Tern, roseate (<i>Sterna dougallii dougallii</i>) northeast U.S. nesting pop.	E	\$248,413	\$877,110,894
227	Shiner, Arkansas River (<i>Notropis girardi</i>) Arkansas R. Basin	T	\$244,822	\$877,355,716
228	Snake, San Francisco garter (<i>Thamnophis sirtalis tetrataenia</i>)	E	\$239,600	\$877,595,316
229	Kangaroo rat, San Bernardino Merriam's (<i>Dipodomys merriami parvus</i>)	E	\$236,400	\$877,831,716
230	Rail, light-footed clapper (<i>Rallus longirostris levipes</i>) U.S.A. only	E	\$234,649	\$878,066,365
231	Caracara, Audubon's crested (<i>Polyborus plancus audubonii</i>) FL pop.	T	\$233,300	\$878,299,665
232	Squirrel, northern Idaho ground (<i>Spermophilus brunneus brunneus</i>)	T	\$231,880	\$878,531,545
233	Crane, whooping (<i>Grus americana</i>) U.S.A. (CO, ID, FL, NM, UT, and the western half of Wyoming)	EXPN	\$231,055	\$878,762,600
234	Salamander, California tiger (<i>Ambystoma californiense</i>) U.S.A. (CA - Sonoma County)	E	\$222,931	\$878,985,531
235	Kangaroo rat, Tipton (<i>Dipodomys nitratoides nitratoides</i>)	E	\$219,622	\$879,205,153
236	Shearwater, Newell's Townsend's (<i>Puffinus auricularis newelli</i>)	T	\$219,226	\$879,424,379

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
237	Catchfly, Spalding's (<i>Silene spaldingii</i>)	T	\$218,577	\$879,642,956
238	Blackbird, yellow-shouldered (<i>Agelaius xanthomus</i>)	E	\$217,800	\$879,860,756
239	Woolly-star, Santa Ana River (<i>Eriastrum densifolium ssp. sanctorum</i>)	E	\$216,000	\$880,076,756
240	Madtom, Neosho (<i>Noturus placidus</i>)	T	\$215,293	\$880,292,049
241	Mussel, scaleshell (<i>Leptodea leptodon</i>)	E	\$215,283	\$880,507,332
242	Salamander, Barton Springs (<i>Eurycea sosorum</i>)	E	\$212,494	\$880,719,826
243	Rail, Yuma clapper (<i>Rallus longirostris yumanensis</i>) U.S.A. only	E	\$211,910	\$880,931,736
244	Darter, Cherokee (<i>Etheostoma scotti</i>)	T	\$206,667	\$881,138,403
245	Spineflower, slender-horned (<i>Dodecahema leptoceras</i>)	E	\$205,035	\$881,343,438
246	Bird's beak, palmate-bracted (<i>Cordylanthus palmatus</i>)	E	\$204,907	\$881,548,345
247	Tern, roseate (<i>Sterna dougallii dougallii</i>) Western Hemisphere except NE U.S.	T	\$203,965	\$881,752,310
248	Ambersnail, Kanab (<i>Oxyloma haydeni kanabensis</i>)	E	\$203,784	\$881,956,094
249	White-eye, Rota bridled (<i>Zosterops rotensis</i>)	E	\$201,395	\$882,157,489
250	Dragonfly, Hine's emerald (<i>Somatochlora hineana</i>)	E	\$199,728	\$882,357,217
251	Chub, Oregon (<i>Oregonichthys crameri</i>)	E	\$197,328	\$882,554,545
252	Springsnail, Idaho (<i>Pyrgulopsis idahoensis</i>)	E	\$192,776	\$882,747,321
253	Howellia, water (<i>Howellia aquatilis</i>)	T	\$187,233	\$882,934,554
254	Daisy, Willamette (<i>Erigeron decumbens var. decumbens</i>)	E	\$185,237	\$883,119,791
255	Duck, Laysan (<i>Anas laysanensis</i>)	E	\$184,920	\$883,304,711
256	ʻOheʻohe (<i>Tetraplasandra gymnocarpa</i>)	E	\$180,904	\$883,485,615
257	Dace, Moapa (<i>Moapa coriacea</i>)	E	\$180,780	\$883,666,395
258	Pupfish, Devils Hole (<i>Cyprinodon diabolis</i>)	E	\$177,405	\$883,843,800
259	Kingfisher, Guam Micronesian (<i>Halcyon cinnamomina cinnamomina</i>)	E	\$174,679	\$884,018,479
260	Parrotbill, Maui (honeycreeper) (<i>Pseudonestor xanthophrys</i>)	E	\$173,879	\$884,192,358
261	Toad, Houston (<i>Bufo houstonensis</i>)	E	\$173,480	\$884,365,838
262	Pupfish, desert (<i>Cyprinodon macularius</i>)	E	\$171,062	\$884,536,900
263	Kangaroo rat, Fresno (<i>Dipodomys nitratoides exilis</i>)	E	\$170,020	\$884,706,920
264	Deer, key (<i>Odocoileus virginianus clavium</i>)	E	\$169,500	\$884,876,420
265	Navarretia, spreading (<i>Navarretia fossalis</i>)	T	\$169,197	\$885,045,617
266	Pigtoe, rough (<i>Pleurobema plenum</i>)	E	\$165,886	\$885,211,503
267	Bean, Cumberland (pearlymussel) (<i>Villosa trabalis</i>) Entire Range; Except where listed as Experimental Populations	E	\$165,695	\$885,377,198
268	Fox, Santa Cruz Island (<i>Urocyon littoralis santacruzae</i>)	E	\$165,413	\$885,542,611
269	Rock-cress, McDonald's (<i>Arabis mcdonaldiana</i>)	E	\$165,031	\$885,707,642
270	Cactus, Pima pineapple (<i>Coryphantha scheeri var. robustispina</i>)	E	\$162,000	\$885,869,642
271	Skipper, Laguna Mountains (<i>Pyrgus ruralis lagunae</i>)	E	\$161,474	\$886,031,116
272	Mouse, Choctawhatchee beach (<i>Peromyscus polionotus allophrys</i>)	E	\$159,546	\$886,190,662
273	Mountain beaver, Point Arena (<i>Aplodontia rufa nigra</i>)	E	\$159,239	\$886,349,901
274	Sparrow, San Clemente sage (<i>Amphispiza belli clementeae</i>)	T	\$156,888	\$886,506,789
275	Haha (<i>Cyanea koolauensis</i>)	E	\$155,947	\$886,662,736
276	Whipsnake (=striped racer), Alameda (<i>Masticophis lateralis euryxanthus</i>)	T	\$155,487	\$886,818,223
277	Warbler, nightingale reed (old world warbler) (<i>Acrocephalus luscini</i>)	E	\$152,530	\$886,970,753

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
278	Snail, Morro shoulderband (=Banded dune) (<i>Helminthoglypta walkeriana</i>)	E	\$152,035	\$887,122,788
279	Elepaio, Oahu (<i>Chasiempis sandwichensis ibidis</i>)	E	\$150,790	\$887,273,578
280	Woodrat, Key Largo (<i>Neotoma floridana smalli</i>)	E	\$147,800	\$887,421,378
281	Kangaroo rat, giant (<i>Dipodomys ingens</i>)	E	\$147,456	\$887,568,834
282	Riffleshell, tan (<i>Epioblasma florentina walkeri</i> (=E. walkeri))	E	\$146,599	\$887,715,433
283	Hala pepe (<i>Pleomele hawaiiensis</i>)	E	\$145,985	\$887,861,418
284	Pogonia, small whorled (<i>Isotria medeoloides</i>)	T	\$145,533	\$888,006,951
285	Haha (<i>Cyanea acuminata</i>)	E	\$145,280	\$888,152,231
286	Viola oahuensis (=Sci name)	E	\$144,811	\$888,297,042
287	Darter, slackwater (<i>Etheostoma boschungii</i>)	T	\$144,737	\$888,441,779
288	Pearlymussel, littlewing (<i>Pegias fabula</i>)	E	\$144,622	\$888,586,401
289	Ocelot (<i>Leopardus</i> (=Felis) <i>pardalis</i>)	E	\$143,535	\$888,729,936
290	`Akoko (<i>Chamaesyce rockii</i>)	E	\$143,411	\$888,873,347
291	Butterfly, Saint Francis' satyr (<i>Neonympha mitchellii francisci</i>)	E	\$142,595	\$889,015,942
292	Checker-mallow, Nelson's (<i>Sidalcea nelsoniana</i>)	T	\$142,489	\$889,158,431
293	Clover, running buffalo (<i>Trifolium stoloniferum</i>)	E	\$141,978	\$889,300,409
294	Cavefish, Ozark (<i>Amblyopsis rosae</i>)	T	\$141,600	\$889,442,009
295	Neraudia ovata (=Sci name)	E	\$141,529	\$889,583,538
296	Sucker, Warner (<i>Catostomus warnerensis</i>)	T	\$140,936	\$889,724,474
297	Shrew, Buena Vista Lake ornate (<i>Sorex ornatus relictus</i>)	E	\$140,709	\$889,865,183
298	Bear, grizzly (<i>Ursus arctos horribilis</i>) experimental, non-essential, portions of ID and MT	EXPN	\$140,413	\$890,005,596
299	Desert-parsley, Bradshaw's (<i>Lomatium bradshawii</i>)	E	\$139,367	\$890,144,963
300	Darter, Etowah (<i>Etheostoma etowahae</i>)	E	\$139,350	\$890,284,313
301	Cyanea (=Rollandia) <i>crispa</i> (=Sci name)	E	\$139,313	\$890,423,626
302	Lobelia oahuensis (=Sci name)	E	\$138,903	\$890,562,529
303	Four-o'clock, MacFarlane's (<i>Mirabilis macfarlanei</i>)	T	\$138,846	\$890,701,375
304	Bankclimber, purple (mussel) (<i>Elliptoideus sloatianus</i>)	T	\$138,405	\$890,839,780
305	Nanu (<i>Gardenia manni</i>)	E	\$138,081	\$890,977,861
306	Amole, purple (<i>Chlorogalum purpureum</i>)	T	\$136,707	\$891,114,568
307	Haha (<i>Cyanea humboldtiana</i>)	E	\$136,369	\$891,250,937
308	Skipper, Carson wandering (<i>Pseudocopaeodes eunus obscurus</i>)	E	\$135,655	\$891,386,592
309	Pocketbook, shinyrayed (<i>Lampsilis subangulata</i>)	E	\$135,155	\$891,521,747
310	Dace, blackside (<i>Phoxinus cumberlandensis</i>)	T	\$135,081	\$891,656,828
311	Darter, amber (<i>Percina antesella</i>)	E	\$133,500	\$891,790,328
312	Brodiaea, thread-leaved (<i>Brodiaea filifolia</i>)	T	\$132,396	\$891,922,724
313	Warbler (=wood), Bachman's (<i>Vermivora bachmanii</i>)	E	\$131,450	\$892,054,174
314	Orchid, eastern prairie fringed (<i>Platanthera leucophaea</i>)	T	\$126,309	\$892,180,483
315	Buckwheat, steamboat (<i>Eriogonum ovalifolium var. williamsiae</i>)	E	\$125,200	\$892,305,683
316	Toad, Wyoming (<i>Bufo baxteri</i> (=hemiphrys))	E	\$124,931	\$892,430,614
317	Ko'oloa`ula (<i>Abutilon menziesii</i>)	E	\$124,294	\$892,554,908
318	Trematolobelia singularis (=Sci name)	E	\$123,080	\$892,677,988
319	Silene hawaiiensis (=Sci name)	T	\$121,716	\$892,799,704
320	Paintbrush, golden (<i>Castilleja levisecta</i>)	T	\$121,404	\$892,921,108

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
321	Sanicula marivera (=Sci name)	E	\$121,145	\$893,042,253
322	Lily, Western (<i>Lilium occidentale</i>)	E	\$121,014	\$893,163,267
323	Caribou, woodland (<i>Rangifer tarandus caribou</i>) Selkirk Mountain population	E	\$120,618	\$893,283,885
324	Fairy shrimp, Conservancy (<i>Branchinecta conservatio</i>)	E	\$119,793	\$893,403,678
325	Mussel, oyster (<i>Epioblasma capsaeformis</i>) Entire Range; Except where listed as Experimental Populations	E	\$119,567	\$893,523,245
326	Layia, beach (<i>Layia carnosa</i>)	E	\$118,935	\$893,642,180
327	Ring pink (mussel) (<i>Obovaria retusa</i>)	E	\$118,372	\$893,760,552
328	Creepers, Oahu (<i>Paroreomyza maculata</i>)	E	\$118,140	\$893,878,692
329	Pupfish, Comanche Springs (<i>Cyprinodon elegans</i>)	E	\$114,137	\$893,992,829
330	Button-celery, San Diego (<i>Eryngium aristulatum var. parishii</i>)	E	\$112,412	\$894,105,241
331	Condor, California (<i>Gymnogyps californianus</i>) U.S.A. (specific portions of Arizona, Nevada, and Utah)	EXPN	\$112,410	\$894,217,651
332	Clubshell, southern (<i>Pleurobema decisum</i>)	E	\$111,823	\$894,329,474
333	Po`e (<i>Portulaca sclerocarpa</i>)	E	\$111,027	\$894,440,501
334	Chub, Mohave tui (<i>Gila bicolor mohavensis</i>)	E	\$109,720	\$894,550,221
335	Meshweaver, Madla's Cave (<i>Cicurina madla</i>)	E	\$109,710	\$894,659,931
336	Ground beetle, [unnamed] (<i>Rhadine exilis</i>)	E	\$109,412	\$894,769,343
337	Ground beetle, [unnamed] (<i>Rhadine infernalis</i>)	E	\$109,252	\$894,878,595
338	Popolo ku mai (<i>Solanum incompletum</i>)	E	\$108,568	\$894,987,163
339	Tiger beetle, northeastern beach (<i>Cicindela dorsalis dorsalis</i>)	T	\$108,406	\$895,095,569
340	Sunflower, Eggert's (<i>Helianthus eggertii</i>)	T	\$107,847	\$895,203,416
341	Moth, Blackburn's sphinx (<i>Manduca blackburni</i>)	E	\$106,916	\$895,310,332
342	Turtle, bog (=Muhlenberg) (<i>Clemmys muhlenbergii</i>) southern	SAT	\$106,344	\$895,416,676
343	Awiwi (<i>Centaurium sebaeoides</i>)	E	\$104,633	\$895,521,309
344	Ziziphus, Florida (<i>Ziziphus celata</i>)	E	\$104,500	\$895,625,809
345	Shrimp, California freshwater (<i>Syncaris pacifica</i>)	E	\$103,355	\$895,729,164
346	Squirrel, Virginia northern flying (<i>Glaucomys sabrinus fuscus</i>)	E	\$102,042	\$895,831,206
347	Moccasinshell, Gulf (<i>Medionidus penicillatus</i>)	E	\$100,655	\$895,931,861
348	Salamander, Santa Cruz long-toed (<i>Ambystoma macrodactylum croceum</i>)	E	\$99,722	\$896,031,583
349	Spiny mussel, James (<i>Pleurobema collina</i>)	E	\$99,227	\$896,130,810
350	Pentachaeta, Lyon's (<i>Pentachaeta lyonii</i>)	E	\$99,163	\$896,229,973
351	Monardella, willow (<i>Monardella linoides ssp. viminea</i>)	E	\$98,561	\$896,328,534
352	Fly, Delhi Sands flower-loving (<i>Rhaphiomidas terminatus abdominalis</i>)	E	\$98,480	\$896,427,014
353	Spermolepis hawaiiensis (=Sci name)	E	\$98,466	\$896,525,480
354	A`e (<i>Zanthoxylum hawaiiense</i>)	E	\$97,701	\$896,623,181
355	Bat, Mexican long-nosed (<i>Leptonycteris nivalis</i>)	E	\$97,495	\$896,720,676
356	Phlox, Texas trailing (<i>Phlox nivalis ssp. texensis</i>)	E	\$95,892	\$896,816,568
357	Squirrel, Carolina northern flying (<i>Glaucomys sabrinus coloratus</i>)	E	\$95,200	\$896,911,768
358	Spineflower, Monterey (<i>Chorizanthe pungens var. pungens</i>)	T	\$94,945	\$897,006,713
359	Spiraea, Virginia (<i>Spiraea virginiana</i>)	T	\$94,825	\$897,101,538
360	Coneflower, smooth (<i>Echinacea laevigata</i>)	E	\$94,554	\$897,196,092
361	Snake, copperbelly water (<i>Nerodia erythrogaster neglecta</i>)	T	\$94,288	\$897,290,380

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
	MI, OH, IN N of 400 N. Lat.			
362	Honohono (<i>Haplostachys haplostachya</i>)	E	\$93,460	\$897,383,840
363	Lomatium, Cook's (<i>Lomatium cookii</i>)	E	\$93,304	\$897,477,144
364	Prairie-chicken, Attwater's greater (<i>Tympanuchus cupido attwateri</i>)	E	\$93,298	\$897,570,442
365	Pink, swamp (<i>Helonias bullata</i>)	T	\$91,582	\$897,662,024
366	Silene lanceolata (=Sci name)	E	\$91,171	\$897,753,195
367	Kangaroo rat, Stephens' (<i>Dipodomys stephensi</i> (incl. <i>D. cascus</i>))	E	\$91,057	\$897,844,252
368	Springfish, Railroad Valley (<i>Crenichthys nevadae</i>)	T	\$90,990	\$897,935,242
369	Darter, Niangua (<i>Etheostoma nianguae</i>)	T	\$90,940	\$898,026,182
370	Whale, finback (<i>Balaenoptera physalus</i>)	E	\$90,315	\$898,116,497
371	Butterfly plant, Colorado (<i>Gaura neomexicana</i> var. <i>coloradensis</i>)	T	\$89,157	\$898,205,654
372	Otter, southern sea (<i>Enhydra lutris nereis</i>) south of Pt. Conception, CA	EXPN	\$88,999	\$898,294,653
373	Potato-bean, Price's (<i>Apios priceana</i>)	T	\$88,373	\$898,383,026
374	Chub, spotfin (<i>Erimonax monachus</i>) Entire	T	\$87,899	\$898,470,925
375	Salamander, Cheat Mountain (<i>Plethodon nettingi</i>)	T	\$87,859	\$898,558,784
376	Jaguarundi, Gulf Coast (<i>Herpailurus</i> (=Felis) <i>yagouaroundi cacomitli</i>)	E	\$86,840	\$898,645,624
377	Loosestrife, rough-leaved (<i>Lysimachia asperulaefolia</i>)	E	\$86,713	\$898,732,337
378	Whale, Sei (<i>Balaenoptera borealis</i>)	E	\$85,873	\$898,818,210
379	Whale, blue (<i>Balaenoptera musculus</i>)	E	\$85,273	\$898,903,483
380	Woodrat, riparian (=San Joaquin Valley) (<i>Neotoma fuscipes riparia</i>)	E	\$85,045	\$898,988,528
381	Thistle, Sacramento Mountains (<i>Cirsium vinaceum</i>)	T	\$85,000	\$899,073,528
382	Po`ouli (honeycreeper) (<i>Melamprosops phaeosoma</i>)	E	\$84,871	\$899,158,399
383	Bonamia menziesii (=Sci name)	E	\$84,828	\$899,243,227
384	Bat, Ozark big-eared (<i>Corynorhinus</i> (=Plecotus) <i>townsendii ingens</i>)	E	\$84,700	\$899,327,927
385	Pimpleback, orangefoot (pearlymussel) (<i>Plethobasus cooperianus</i>)	E	\$82,489	\$899,410,416
386	Clover, showy Indian (<i>Trifolium amoenum</i>)	E	\$82,486	\$899,492,902
387	Asplenium fragile var. insulare (=Sci name)	E	\$81,949	\$899,574,851
388	Bean, purple (<i>Villosa perpurpurea</i>)	E	\$81,932	\$899,656,783
389	Stickleback, unarmored threespine (<i>Gasterosteus aculeatus williamsoni</i>)	E	\$81,784	\$899,738,567
390	Cactus, star (<i>Astrophytum asterias</i>)	E	\$81,350	\$899,819,917
391	Kauila (<i>Colubrina oppositifolia</i>)	E	\$81,300	\$899,901,217
392	Tarplant, Gaviota (<i>Deinandra increscens</i> ssp. <i>villosa</i>)	E	\$80,665	\$899,981,882
393	Thrush, small Kauai (=puaiohi) (<i>Myadestes palmeri</i>)	E	\$80,598	\$900,062,480
394	Milk-vetch, Coachella Valley (<i>Astragalus lentiginosus</i> var. <i>coachellae</i>)	E	\$80,000	\$900,142,480
395	Phlox, Yreka (<i>Phlox hirsuta</i>)	E	\$79,389	\$900,221,869
396	Wireweed (<i>Polygonella basiramia</i>)	E	\$79,350	\$900,301,219
397	Bear, American black (<i>Ursus americanus</i>) County range of LA b.bear	SAT	\$79,155	\$900,380,374
398	Milk-vetch, Fish Slough (<i>Astragalus lentiginosus</i> var. <i>piscinensis</i>)	T	\$77,923	\$900,458,297
399	Spurge, Hoover's (<i>Chamaesyce hooveri</i>)	T	\$77,627	\$900,535,924
400	Grass, Colusa (<i>Neostapfia colusana</i>)	T	\$77,545	\$900,613,469
401	Popcornflower, rough (<i>Plagiobothrys hirtus</i>)	E	\$77,312	\$900,690,781

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
402	Orcutt grass, slender (<i>Orcuttia tenuis</i>)	T	\$77,207	\$900,767,988
403	Honeycreeper, crested (<i>Palmeria dolei</i>)	E	\$76,995	\$900,844,983
404	Quillwort, Louisiana (<i>Isoetes louisianensis</i>)	E	\$76,800	\$900,921,783
405	Spineflower, Robust (incl. Scotts Valley) (<i>Chorizanthe robusta</i> (incl. vars. <i>robusta</i> and <i>hartwegii</i>))	E	\$75,772	\$900,997,555
406	Mehamehame (<i>Flueggea neowawraea</i>)	E	\$74,984	\$901,072,539
407	Aster, decurrent false (<i>Boltonia decurrens</i>)	T	\$74,333	\$901,146,872
408	Kio`ele (<i>Hedyotis coriacea</i>)	E	\$74,326	\$901,221,198
409	Snail, Iowa Pleistocene (<i>Discus macclintocki</i>)	E	\$74,046	\$901,295,244
410	Stenogyne angustifolia var. angustifolia (=Sci name)	E	\$73,960	\$901,369,204
411	Abutilon sandwicense (=Sci name)	E	\$73,580	\$901,442,784
412	Sunflower, Pecos (=puzzle, =paradox) (<i>Helianthus paradoxus</i>)	T	\$72,892	\$901,515,676
413	Iguana, Mona ground (<i>Cyclura cornuta stejnegeri</i>)	T	\$72,700	\$901,588,376
414	Evening-primrose, San Benito (<i>Camissonia benitensis</i>)	T	\$72,565	\$901,660,941
415	Grass, Solano (<i>Tuctoria mucronata</i>)	E	\$72,092	\$901,733,033
416	Milk-vetch, Braunton's (<i>Astragalus brauntonii</i>)	E	\$71,798	\$901,804,831
417	Skink, sand (<i>Neoseps reynoldsi</i>)	T	\$71,700	\$901,876,531
418	Tetramolopium arenarium (=Sci name)	E	\$71,612	\$901,948,143
419	Cactus, Kuenzler hedgehog (<i>Echinocereus fendleri</i> var. <i>kuenzleri</i>)	E	\$71,500	\$902,019,643
420	Jaguar (<i>Panthera onca</i>)	E	\$71,394	\$902,091,037
421	Elktoe, Cumberland (<i>Alasmidonta atropurpurea</i>)	E	\$70,910	\$902,161,947
422	Dawn-flower, Texas prairie (<i>Hymenoxys texana</i>)	E	\$70,575	\$902,232,522
423	Pigtoe, oval (<i>Pleurobema pyriforme</i>)	E	\$69,655	\$902,302,177
424	Cactus, Sneed pincushion (<i>Coryphantha sneedii</i> var. <i>sneedii</i>)	E	\$69,198	\$902,371,375
425	Combshell, Cumberlandian (<i>Epioblasma brevidens</i>) Entire Range; Except where listed as Experimental Populations	E	\$69,165	\$902,440,540
426	Salamander, Texas blind (<i>Typhlomolge rathbuni</i>)	E	\$69,024	\$902,509,564
427	Silversword, Mauna Loa (=Ka'u) (<i>Argyroxiphium kauense</i>)	E	\$68,863	\$902,578,427
428	Akepa, Maui (honeycreeper) (<i>Loxops coccineus ochraceus</i>)	E	\$68,836	\$902,647,263
428	Nukupu`u (honeycreeper) (<i>Hemignathus lucidus</i>)	E	\$68,836	\$902,716,099
429	Orcutt grass, California (<i>Orcuttia californica</i>)	E	\$68,051	\$902,784,150
430	Milkweed, Mead's (<i>Asclepias meadii</i>)	T	\$68,025	\$902,852,175
431	Rabbit, Lower Keys marsh (<i>Sylvilagus palustris hefneri</i>)	E	\$67,850	\$902,920,025
432	Sumac, Michaux's (<i>Rhus michauxii</i>)	E	\$67,455	\$902,987,480
433	Ladies'-tresses, Navasota (<i>Spiranthes parksii</i>)	E	\$66,583	\$903,054,063
434	Butterfly, Smith's blue (<i>Euphilotes enoptes smithi</i>)	E	\$66,340	\$903,120,403
435	Heartleaf, dwarf-flowered (<i>Hexastylis naniflora</i>)	T	\$66,000	\$903,186,403
436	Manzanita, Del Mar (<i>Arctostaphylos glandulosa</i> ssp. <i>crassifolia</i>)	E	\$65,999	\$903,252,402
437	Gambusia, Big Bend (<i>Gambusia gaigei</i>)	E	\$65,772	\$903,318,174
438	Mesa-mint, San Diego (<i>Pogogyne abramsii</i>)	E	\$65,566	\$903,383,740
439	Mouse, southeastern beach (<i>Peromyscus polionotus niveiventris</i>)	T	\$65,548	\$903,449,288
440	Sandalwood, Lanai (= `iliah) (<i>Santalum freycinetianum</i> var. <i>lanaiense</i>)	E	\$64,545	\$903,513,833
441	Rattlesnake, New Mexican ridge-nosed (<i>Crotalus willardi obscurus</i>)	T	\$64,000	\$903,577,833
442	Tarplant, Otay (<i>Deinandra</i> (=Hemizonia) <i>conjugens</i>)	T	\$63,769	\$903,641,602
443	Pigeon wings (<i>Clitoria fragrans</i>)	T	\$63,150	\$903,704,752

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
444	Skipper, Pawnee montane (<i>Hesperia leonardus montana</i>)	T	\$62,796	\$903,767,548
445	Amphipod, Noel's (<i>Gammarus desperatus</i>)	E	\$62,688	\$903,830,236
446	Daisy, Parish's (<i>Erigeron parishii</i>)	T	\$62,290	\$903,892,526
447	Springsnail, Bruneau Hot (<i>Pyrgulopsis bruneauensis</i>)	E	\$62,136	\$903,954,662
448	Milk-vetch, Shivwits (<i>Astragalus ampullarioides</i>)	E	\$62,030	\$904,016,692
449	Kulu`i (<i>Nototrichium humile</i>)	E	\$61,944	\$904,078,636
450	Fox, Santa Catalina Island (<i>Urocyon littoralis catalinae</i>)	E	\$61,413	\$904,140,049
451	Bladderpod, Missouri (<i>Lesquerella filiformis</i>)	T	\$61,350	\$904,201,399
452	Jewelflower, California (<i>Caulanthus californicus</i>)	E	\$61,065	\$904,262,464
453	Dace, desert (<i>Eremichthys acros</i>)	T	\$61,000	\$904,323,464
453	Thornmint, San Diego (<i>Acanthomintha ilicifolia</i>)	T	\$61,000	\$904,384,464
454	Pearlymussel, cracking (<i>Hemistena lata</i>) Entire Range; Except where listed as Experimental Populations	E	\$60,767	\$904,445,231
455	Darter, relict (<i>Etheostoma chienense</i>)	E	\$60,600	\$904,505,831
456	Ayenia, Texas (<i>Ayenia limitaris</i>)	E	\$60,295	\$904,566,126
457	Milk-vetch, Holmgren (<i>Astragalus holmgreniorum</i>)	E	\$60,031	\$904,626,157
458	Ma`o hau hele, (=native yellow hibiscus) (<i>Hibiscus brackenridgei</i>)	E	\$59,959	\$904,686,116
459	Milk-vetch, Cushenbury (<i>Astragalus albens</i>)	E	\$59,890	\$904,746,006
460	Snail, flat-spined three-toothed (<i>Triodopsis platysayoides</i>)	T	\$59,692	\$904,805,698
461	Bird's-beak, soft (<i>Cordylanthus mollis</i> ssp. <i>mollis</i>)	E	\$59,045	\$904,864,743
462	Bladderpod, San Bernardino Mountains (<i>Lesquerella kingii</i> ssp. <i>bernardina</i>)	E	\$59,000	\$904,923,743
462	Oxytheca, cushenbury (<i>Oxytheca parishii</i> var. <i>goodmaniana</i>)	E	\$59,000	\$904,982,743
463	Thistle, Pitcher's (<i>Cirsium pitcheri</i>)	T	\$58,265	\$905,041,008
464	Clubshell, ovate (<i>Pleurobema perovatum</i>)	E	\$57,886	\$905,098,894
465	Spinymussel, Tar River (<i>Elliptio steinstansana</i>)	E	\$57,855	\$905,156,749
466	Darter, duskytail (<i>Etheostoma percnurum</i>) Entire	E	\$57,197	\$905,213,946
467	Catspaw (=purple cat's paw pearlymussel) (<i>Epioblasma obliquata</i> <i>obliquata</i>) Entire Range; Except where listed as Experimental Populations	E	\$56,776	\$905,270,722
468	Butterfly, bay checkerspot (<i>Euphydryas editha bayensis</i>)	T	\$56,675	\$905,327,397
469	Shrimp, Alabama cave (<i>Palaemonias alabamae</i>)	E	\$56,387	\$905,383,784
470	Sandwort, Cumberland (<i>Arenaria cumberlandensis</i>)	E	\$56,225	\$905,440,009
471	Tarplant, Santa Cruz (<i>Holocarpha macradenia</i>)	T	\$56,157	\$905,496,166
472	Crayfish, Shasta (<i>Pacifastacus fortis</i>)	E	\$56,000	\$905,552,166
473	Pupfish, Warm Springs (<i>Cyprinodon nevadensis pectoralis</i>)	E	\$55,800	\$905,607,966
474	Naupaka, dwarf (<i>Scaevola coriacea</i>)	E	\$55,185	\$905,663,151
475	Paintbrush, ash-grey (<i>Castilleja cinerea</i>)	T	\$55,000	\$905,718,151
475	Bluegrass, San Bernardino (<i>Poa atropurpurea</i>)	E	\$55,000	\$905,773,151
475	Taraxacum, California (<i>Taraxacum californicum</i>)	E	\$55,000	\$905,828,151
476	Gerardia, sandplain (<i>Agalinis acuta</i>)	E	\$54,229	\$905,882,380
477	Checkermallow, Wenatchee Mountains (<i>Sidalcea oregana</i> var. <i>calva</i>)	E	\$54,114	\$905,936,494
478	Sandwort, Bear Valley (<i>Arenaria ursina</i>)	T	\$54,000	\$905,990,494
478	Wild-buckwheat, southern mountain (<i>Eriogonum kennedyi</i> var. <i>austromontanum</i>)	T	\$54,000	\$906,044,494

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
478	Cactus, Brady pincushion (<i>Pediocactus bradyi</i>)	E	\$54,000	\$906,098,494
478	Checker-mallow, pedate (<i>Sidalcea pedata</i>)	E	\$54,000	\$906,152,494
479	Hesperomannia arbuscula (=Sci name)	E	\$53,979	\$906,206,473
480	Beetle, Mount Hermon June (<i>Polyphylla barbata</i>)	E	\$53,150	\$906,259,623
481	Niterwort, Amargosa (<i>Nitrophila mohavensis</i>)	E	\$52,975	\$906,312,598
482	Cactus, Uinta Basin hookless (<i>Sclerocactus glaucus</i>)	T	\$52,463	\$906,365,061
483	Prairie-clover, leafy (<i>Dalea foliosa</i>)	E	\$51,257	\$906,416,318
484	Chub, Borax Lake (<i>Gila boraxobius</i>)	E	\$51,110	\$906,467,428
485	Pigtoe, finerayed (<i>Fusconaia cuneolus</i>) Entire Range; Except where listed as Experimental Populations	E	\$50,790	\$906,518,218
486	Monkshood, northern wild (<i>Aconitum noveboracense</i>)	T	\$50,700	\$906,568,918
487	Piperia, Yadon's (<i>Piperia yadonii</i>)	E	\$50,149	\$906,619,067
488	Koki'o (<i>Kokia drynarioides</i>)	E	\$49,967	\$906,669,034
489	Three-ridge, fat (mussel) (<i>Amblema neisleri</i>)	E	\$49,405	\$906,718,439
490	^Aiea (<i>Nothoestrum breviflorum</i>)	E	\$48,878	\$906,767,317
491	Lizard, Island night (<i>Xantusia riversiana</i>)	T	\$48,476	\$906,815,793
492	Thistle, Suisun (<i>Cirsium hydrophilum</i> var. <i>hydrophilum</i>)	E	\$48,349	\$906,864,142
493	Tiger beetle, Puritan (<i>Cicindela puritana</i>)	T	\$48,256	\$906,912,398
494	Boa, Puerto Rican (<i>Epicrates inornatus</i>)	E	\$48,000	\$906,960,398
495	Beetle, Comal Springs riffle (<i>Heterelmis comalensis</i>)	E	\$47,844	\$907,008,242
496	Cactus, Wright fishhook (<i>Sclerocactus wrightiae</i>)	E	\$47,528	\$907,055,770
497	Darter, boulder (<i>Etheostoma wapiti</i>)	E	\$47,068	\$907,102,838
498	Butterfly, Mitchell's satyr (<i>Neonympha mitchellii mitchellii</i>)	E	\$46,963	\$907,149,801
499	Pearlymussel, dromedary (<i>Dromus dromas</i>) Entire Range; Except where listed as Experimental Populations	E	\$46,341	\$907,196,142
500	Pitcher-plant, green (<i>Sarracenia oreophila</i>)	E	\$46,282	\$907,242,424
501	Haha (<i>Cyanea grimesiana</i> ssp. <i>obatae</i>)	E	\$45,828	\$907,288,252
502	Chub, Owens tui (<i>Gila bicolor snyderi</i>)	E	\$45,820	\$907,334,072
503	Shrimp, Kentucky cave (<i>Palaemonias ganteri</i>)	E	\$45,100	\$907,379,172
504	Wild-buckwheat, gypsum (<i>Eriogonum gypsophilum</i>)	T	\$45,000	\$907,424,172
505	Snake, Lake Erie water (<i>Nerodia sipedon insularum</i>) subspecies range clarified	T	\$44,753	\$907,468,925
506	Kolea (<i>Myrsine linearifolia</i>)	T	\$44,654	\$907,513,579
507	Uhiuhi (<i>Caesalpinia kawaiense</i>)	E	\$44,611	\$907,558,190
508	Sucker, Modoc (<i>Catostomus microps</i>)	E	\$44,371	\$907,602,561
509	Spider, Kauai cave wolf or pe'e pe'e maka 'ole (<i>Adelocosa anops</i>)	E	\$44,325	\$907,646,886
509	Amphipod, Kauai cave (<i>Spelaeorchestia koloana</i>)	E	\$44,325	\$907,691,211
510	Rosemary, Cumberland (<i>Conradina verticillata</i>)	T	\$44,257	\$907,735,468
511	Harebells, Avon Park (<i>Crotalaria avonensis</i>)	E	\$44,000	\$907,779,468
512	Bird's-beak, salt marsh (<i>Cordylanthus maritimus</i> ssp. <i>maritimus</i>)	E	\$43,862	\$907,823,330
513	Bush-clover, prairie (<i>Lespedeza leptostachya</i>)	T	\$43,618	\$907,866,948
514	Pauoa (<i>Ctenitis squamigera</i>)	E	\$42,938	\$907,909,886
515	Snowbells, Texas (<i>Styrax texanus</i>)	E	\$42,858	\$907,952,744
516	Sanicula purpurea (=Sci name)	E	\$42,440	\$907,995,184
517	Vole, Amargosa (<i>Microtus californicus scirpensis</i>)	E	\$42,425	\$908,037,609

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
518	Mouse, Anastasia Island beach (<i>Peromyscus polionotus phasma</i>)	E	\$42,346	\$908,079,955
519	Bear-poppy, dwarf (<i>Arctomecon humilis</i>)	E	\$42,300	\$908,122,255
520	Cladonia, Florida perforate (<i>Cladonia perforata</i>)	E	\$42,100	\$908,164,355
521	Clubshell (<i>Pleurobema clava</i>) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$42,000	\$908,206,355
521	Pocketbook, speckled (<i>Lampsilis streckeri</i>)	E	\$42,000	\$908,248,355
522	Pupfish, Ash Meadows Amargosa (<i>Cyprinodon nevadensis mionectes</i>)	E	\$41,380	\$908,289,735
523	Anaunau (<i>Lepidium arbuscula</i>)	E	\$41,245	\$908,330,980
524	Yellowhead, desert (<i>Yermo xanthocephalus</i>)	T	\$40,913	\$908,371,893
525	Orcutt grass, Sacramento (<i>Orcuttia viscida</i>)	E	\$40,885	\$908,412,778
526	Fairy shrimp, longhorn (<i>Branchinecta longiantenna</i>)	E	\$40,858	\$908,453,636
527	Monkeyface, Cumberland (pearlymussel) (<i>Quadrula intermedia</i>) Entire Range; Except where listed as Experimental Populations	E	\$40,853	\$908,494,489
528	Turtle, yellow-blotched map (<i>Gratemys flavimaculata</i>)	T	\$40,800	\$908,535,289
529	Wartyback, white (pearlymussel) (<i>Plethobasus cicatricosus</i>)	E	\$40,795	\$908,576,084
530	Sucker, Santa Ana (<i>Catostomus santaanae</i>) 3 CA river basins	T	\$40,750	\$908,616,834
531	Penstemon, blowout (<i>Penstemon haydenii</i>)	E	\$40,716	\$908,657,550
532	Rock-cress, Braun's (<i>Arabis perstellata</i>)	E	\$40,582	\$908,698,132
533	Darter, leopard (<i>Percina pantherina</i>)	T	\$40,300	\$908,738,432
534	Mahoe (<i>Alectryon macrococcus</i>)	E	\$40,273	\$908,778,705
535	Ma`oli`oli (<i>Schiedea kealiae</i>)	E	\$40,103	\$908,818,808
536	Nesogenes rotensis (=Sci name)	E	\$40,000	\$908,858,808
536	Osmoxylon mariannense (=Sci name)	E	\$40,000	\$908,898,808
537	Pteris lidgatei (=Sci name)	E	\$39,838	\$908,938,646
538	Skullcap, large-flowered (<i>Scutellaria montana</i>)	T	\$39,000	\$908,977,646
539	Mint, Lakela's (<i>Dicerandra immaculata</i>)	E	\$38,900	\$909,016,546
540	Ohai (<i>Sesbania tomentosa</i>)	E	\$38,795	\$909,055,341
541	Dropwort, Canby's (<i>Oxypolis canbyi</i>)	E	\$38,574	\$909,093,915
542	Pigeon, Puerto Rican plain (<i>Columba inornata wetmorei</i>)	E	\$38,500	\$909,132,415
543	Blazingstar, scrub (<i>Liatris ohlingerae</i>)	E	\$38,400	\$909,170,815
544	Cactus, Tobusch fishhook (<i>Ancistrocactus tobuschii</i>)	E	\$38,386	\$909,209,201
545	Thelypody, Howell's spectacular (<i>Thelypodium howellii spectabilis</i>)	T	\$38,307	\$909,247,508
546	Pocketbook, Ouachita rock (<i>Arkansia wheeleri</i>)	E	\$37,967	\$909,285,475
547	Moth, Kern primrose sphinx (<i>Euproserpinus euterpe</i>)	T	\$37,626	\$909,323,101
548	Wallflower, Menzies' (<i>Erysimum menziesii</i>)	E	\$37,585	\$909,360,686
549	Trillium, relict (<i>Trillium reliquum</i>)	E	\$37,559	\$909,398,245
550	Phyllostegia parviflora (=Sci name)	E	\$37,343	\$909,435,588
551	Lampmussel, Alabama (<i>Lampsilis virescens</i>) Entire Range; Except where listed as Experimental Populations	E	\$37,252	\$909,472,840
552	Spineflower, Orcutt's (<i>Chorizanthe orcuttiana</i>)	E	\$37,000	\$909,509,840
553	Beetle, Coffin Cave mold (<i>Batrisodes texanus</i>)	E	\$36,992	\$909,546,832
554	Logperch, Conasauga (<i>Percina jenkinsi</i>)	E	\$36,647	\$909,583,479
555	Dace, Ash Meadows speckled (<i>Rhinichthys osculus nevadensis</i>)	E	\$36,596	\$909,620,075
556	Meadowfoam, large-flowered woolly (<i>Limnanthes floccosa ssp.</i>)	E	\$36,363	\$909,656,438

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
	<i>grandiflora</i>)			
557	Gambusia, Pecos (<i>Gambusia nobilis</i>)	E	\$35,947	\$909,692,385
558	Haha (<i>Cyanea st-johnii</i>)	E	\$35,509	\$909,727,894
559	Thistle, La Graciosa (<i>Cirsium loncholepis</i>)	E	\$35,435	\$909,763,329
560	Shiner, palezone (<i>Notropis albizonatus</i>)	E	\$35,200	\$909,798,529
561	Kuahiwi laukahi (<i>Plantago princeps</i>)	E	\$35,151	\$909,833,680
562	Salamander, Sonora tiger (<i>Ambystoma tigrinum stebbinsi</i>)	E	\$35,100	\$909,868,780
563	Buckwheat, scrub (<i>Eriogonum longifolium</i> var. <i>gnaphalifolium</i>)	T	\$35,000	\$909,903,780
564	Madtom, yellowfin (<i>Noturus flavipinnis</i>) except where EXPN	T	\$34,944	\$909,938,724
565	Dace, Clover Valley speckled (<i>Rhinichthys osculus oligoporus</i>)	E	\$34,680	\$909,973,404
566	Vole, Florida salt marsh (<i>Microtus pennsylvanicus dukecampbelli</i>)	E	\$34,200	\$910,007,604
567	Phyllostegia mollis (=Sci name)	E	\$34,121	\$910,041,725
568	Plum, scrub (<i>Prunus geniculata</i>)	E	\$34,100	\$910,075,825
569	Delissea undulata (=Sci name)	E	\$33,952	\$910,109,777
570	Jewelflower, Metcalf Canyon (<i>Streptanthus albidus</i> ssp. <i>albidus</i>)	E	\$33,817	\$910,143,594
570	Dudleya, Santa Clara Valley (<i>Dudleya setchellii</i>)	E	\$33,817	\$910,177,411
571	Combshell, Cumberlandian (<i>Epioblasma brevidens</i>) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$33,701	\$910,211,112
572	Whitlow-wort, papery (<i>Paronychia chartacea</i>)	T	\$33,555	\$910,244,667
573	Puma (=cougar), eastern (<i>Puma (=Felis) concolor cougar</i>)	E	\$33,349	\$910,278,016
574	Goldenrod, Short's (<i>Solidago shortii</i>)	E	\$33,300	\$910,311,316
575	Ceanothus, coyote (<i>Ceanothus ferrisae</i>)	E	\$33,000	\$910,344,316
576	Owl's-clover, fleshy (<i>Castilleja campestris</i> ssp. <i>succulenta</i>)	T	\$32,797	\$910,377,113
577	Oha wai (<i>Clermontia lindseyana</i>)	E	\$32,103	\$910,409,216
578	Paintbrush, Tiburon (<i>Castilleja affinis</i> ssp. <i>neglecta</i>)	E	\$32,000	\$910,441,216
579	Darter, snail (<i>Percina tanasi</i>)	T	\$31,800	\$910,473,016
580	Harperella (<i>Ptilimnium nodosum</i>)	E	\$31,724	\$910,504,740
581	Pigtoe, shiny (<i>Fusconaia cor</i>) Entire Range; Except where listed as Experimental Populations	E	\$31,710	\$910,536,450
582	Pearlymussel, Curtis (<i>Epioblasma florentina curtisii</i>)	E	\$31,700	\$910,568,150
583	Sunflower, Schweinitz's (<i>Helianthus schweinitzii</i>)	E	\$31,500	\$910,599,650
584	Tiger beetle, Ohlone (<i>Cicindela ohlone</i>)	E	\$31,240	\$910,630,890
585	Grasshopper, Zayante band-winged (<i>Trimerotropis infantilis</i>)	E	\$31,205	\$910,662,095
586	Pearlshell, Louisiana (<i>Margaritifera hembeli</i>)	T	\$31,077	\$910,693,172
587	Stickseed, showy (<i>Hackelia venusta</i>)	E	\$31,070	\$910,724,242
588	Sandlace (<i>Polygonella myriophylla</i>)	E	\$31,000	\$910,755,242
588	Ipomopsis, Holy Ghost (<i>Ipomopsis sancti-spiritus</i>)	E	\$31,000	\$910,786,242
589	Crayfish, Nashville (<i>Orconectes shoupi</i>)	E	\$30,850	\$910,817,092
590	Butterfly, Behren's silverspot (<i>Speyeria zerene behrensii</i>)	E	\$30,810	\$910,847,902
591	Seablite, California (<i>Suaeda californica</i>)	E	\$30,511	\$910,878,413
592	Hawk, Puerto Rican broad-winged (<i>Buteo platypterus brunnescens</i>)	E	\$30,500	\$910,908,913
593	Spinedace, White River (<i>Lepidomeda albivallis</i>)	E	\$30,480	\$910,939,393
594	Chub, Pahrnagat roundtail (<i>Gila robusta jordani</i>)	E	\$30,352	\$910,969,745

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
595	Lupine, clover (<i>Lupinus tidestromii</i>)	E	\$30,250	\$910,999,995
596	Dace, Foscett speckled (<i>Rhinichthys osculus</i> ssp.) Foscett	T	\$30,215	\$911,030,210
597	Pearlymussel, birdwing (<i>Conradilla caelata</i>) Entire Range; Except where listed as Experimental Populations	E	\$30,062	\$911,060,272
597	Rabbitsfoot, rough (<i>Quadrula cylindrica strigillata</i>)	E	\$30,062	\$911,090,334
598	Larkspur, Baker's (<i>Delphinium bakeri</i>)	E	\$29,765	\$911,120,099
599	Spurge, deltoid (<i>Chamaesyce deltoidea</i> ssp. <i>deltoidea</i>)	E	\$29,700	\$911,149,799
600	Tetramolopium lepidotum ssp. lepidotum (=Sci name)	E	\$29,383	\$911,179,182
601	Alsinidendron obovatum (=Sci name)	E	\$29,312	\$911,208,494
602	Haha (<i>Cyanea superba</i>)	E	\$29,301	\$911,237,795
603	Rock-cress, Hoffmann's (<i>Arabis hoffmannii</i>)	E	\$29,220	\$911,267,015
604	Phyllostegia kaalaensis (=Sci name)	E	\$29,188	\$911,296,203
605	Gouania vitifolia (=Sci name)	E	\$29,127	\$911,325,330
606	Hedyotis degeneri (=Sci name)	E	\$28,616	\$911,353,946
607	Minnow, Devils River (<i>Dionda diaboli</i>)	T	\$28,476	\$911,382,422
608	Shiner, Cape Fear (<i>Notropis mekistocholas</i>)	E	\$28,395	\$911,410,817
609	Oha wai (<i>Clermontia oblongifolia</i> ssp. <i>mauiensis</i>)	E	\$28,386	\$911,439,203
610	Catspaw, white (pearlymussel) (<i>Epioblasma obliquata perobliqua</i>)	E	\$28,288	\$911,467,491
611	Cactus, San Rafael (<i>Pediocactus despainii</i>)	E	\$28,028	\$911,495,519
612	Toad, Puerto Rican crested (<i>Peltophryne lemur</i>)	T	\$28,000	\$911,523,519
613	Bean, Cumberland (pearlymussel) (<i>Villosa trabalis</i>) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$27,973	\$911,551,492
614	Kamakahala (<i>Labordia cyrtandrae</i>)	E	\$27,937	\$911,579,429
615	Iris, dwarf lake (<i>Iris lacustris</i>)	T	\$27,933	\$911,607,362
616	Alopecurus, Sonoma (<i>Alopecurus aequalis</i> var. <i>sonomensis</i>)	E	\$27,762	\$911,635,124
617	Yerba santa, Lompoc (<i>Eriodictyon capitatum</i>)	E	\$27,550	\$911,662,674
617	Crownscale, San Jacinto Valley (<i>Atriplex coronata</i> var. <i>notatior</i>)	E	\$27,550	\$911,690,224
618	Oha (<i>Delissea subcordata</i>)	E	\$27,288	\$911,717,512
619	Schiedea nuttallii (=Sci name)	E	\$27,227	\$911,744,739
620	Beetle, Hungerford's crawling water (<i>Brychius hungerfordi</i>)	E	\$27,200	\$911,771,939
621	Townsendia, Last Chance (<i>Townsendia aprica</i>)	T	\$27,128	\$911,799,067
622	Chub, Sonora (<i>Gila ditaenia</i>)	T	\$27,000	\$911,826,067
623	Alani (<i>Melicope adscendens</i>)	E	\$26,870	\$911,852,937
624	Ha'iwale (<i>Cyrtandra viridiflora</i>)	E	\$26,671	\$911,879,608
624	Kolea (<i>Myrsine juddii</i>)	E	\$26,671	\$911,906,279
625	Tuctoria, Greene's (<i>Tuctoria greenei</i>)	E	\$26,527	\$911,932,806
626	Hawk, Puerto Rican sharp-shinned (<i>Accipiter striatus venator</i>)	E	\$26,500	\$911,959,306
627	Ambrosia, south Texas (<i>Ambrosia cheiranthifolia</i>)	E	\$26,483	\$911,985,789
628	Orcutt grass, hairy (<i>Orcuttia pilosa</i>)	E	\$26,345	\$912,012,134
629	Stenogyne kanehoana (=Sci name)	E	\$26,127	\$912,038,261
630	Nightjar, Puerto Rican (<i>Caprimulgus noctitherus</i>)	E	\$26,000	\$912,064,261
630	Crayfish, cave (<i>Cambarus aculabrum</i>)	E	\$26,000	\$912,090,261
630	Fringe-tree, pygmy (<i>Chionanthus pygmaeus</i>)	E	\$26,000	\$912,116,261

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
631	Neraudia angulata (=Sci name)	E	\$25,698	\$912,141,959
632	Wawae`iole (<i>Lycopodium</i> (=Phlegmariurus) <i>nutans</i>)	E	\$25,684	\$912,167,643
633	Haha (<i>Cyanea stictophylla</i>)	E	\$25,630	\$912,193,273
634	Spinedace, Big Spring (<i>Lepidomeda mollispinis pratensis</i>)	T	\$25,590	\$912,218,863
635	Coneflower, Tennessee purple (<i>Echinacea tennesseensis</i>)	E	\$25,547	\$912,244,410
636	Pocketbook, finelined (<i>Lampsilis altilis</i>)	T	\$25,299	\$912,269,709
637	Manzanita, pallid (<i>Arctostaphylos pallida</i>)	T	\$25,298	\$912,295,007
638	Chub, Hutton tui (<i>Gila bicolor</i> ssp.) Hutton	T	\$25,205	\$912,320,212
639	Hedyotis parvula (=Sci name)	E	\$25,155	\$912,345,367
639	Pamakani (<i>Viola chamissoniana</i> ssp. <i>chamissoniana</i>)	E	\$25,155	\$912,370,522
640	Tetramolopium filiforme (=Sci name)	E	\$25,065	\$912,395,587
641	Opuhe (<i>Urera kaalae</i>)	E	\$25,006	\$912,420,593
642	Pennyroyal, Todsens's (<i>Hedeoma todsenii</i>)	E	\$25,000	\$912,445,593
643	Snakeroot (<i>Eryngium cuneifolium</i>)	E	\$24,900	\$912,470,493
644	`Akoko (<i>Chamaesyce celastroides</i> var. <i>kaenana</i>)	E	\$24,890	\$912,495,383
644	`Akoko (<i>Chamaesyce herbstii</i>)	E	\$24,890	\$912,520,273
645	Poppy, Sacramento prickly (<i>Argemone pleiacantha</i> ssp. <i>pinnatisecta</i>)	E	\$24,500	\$912,544,773
646	Sturgeon, Alabama (<i>Scaphirhynchus suttkusi</i>)	E	\$24,400	\$912,569,173
647	Haha (<i>Cyanea lobata</i>)	E	\$24,385	\$912,593,558
648	Kamanomano (<i>Cenchrus agrimonioides</i>)	E	\$24,359	\$912,617,917
649	Gilia, Monterey (<i>Gilia tenuiflora</i> ssp. <i>arenaria</i>)	E	\$24,355	\$912,642,272
650	Prickly-apple, fragrant (<i>Cereus eriophorus</i> var. <i>fragrans</i>)	E	\$24,000	\$912,666,272
650	Catesbaea melanocarpa (=Sci name)	E	\$24,000	\$912,690,272
651	Moorhen, Mariana common (<i>Gallinula chloropus guami</i>)	E	\$23,929	\$912,714,201
652	Ha`iwale (<i>Cyrtandra dentata</i>)	E	\$23,924	\$912,738,125
653	Sandwort, Marsh (<i>Arenaria paludicola</i>)	E	\$23,793	\$912,761,918
654	Darter, goldline (<i>Percina aurolineata</i>)	T	\$23,700	\$912,785,618
655	Kauai hau kuahiwi (<i>Hibiscadelphus distans</i>)	E	\$23,691	\$912,809,309
656	Haha (<i>Cyanea longiflora</i>)	E	\$23,673	\$912,832,982
657	`Akoko (<i>Euphorbia haeleleana</i>)	E	\$23,602	\$912,856,584
658	Nehe (<i>Lipochaeta tenuifolia</i>)	E	\$23,595	\$912,880,179
659	Na`ena`e (<i>Dubautia herbstobatae</i>)	E	\$23,505	\$912,903,684
659	Lo`ulu (<i>Pritchardia kaalae</i>)	E	\$23,505	\$912,927,189
660	Polygala, Lewton's (<i>Polygala lewtonii</i>)	E	\$23,500	\$912,950,689
660	Polystichum calderonense (=Sci name)	E	\$23,500	\$912,974,189
661	Kiponapona (<i>Phyllostegia racemosa</i>)	E	\$23,294	\$912,997,483
662	Hypericum, highlands scrub (<i>Hypericum cumulicola</i>)	E	\$22,800	\$913,020,283
663	Beauty, Harper's (<i>Harperocallis flava</i>)	E	\$22,700	\$913,042,983
664	Madtom, smoky (<i>Noturus baileyi</i>) Entire	E	\$22,633	\$913,065,616
665	Moccasinshell, Alabama (<i>Medionidus acutissimus</i>)	T	\$22,600	\$913,088,216
666	Munroidendron racemosum (=Sci name)	E	\$22,567	\$913,110,783
667	Lily, Minnesota dwarf trout (<i>Erythronium propullans</i>)	E	\$22,560	\$913,133,343
668	Milk-vetch, Sentry (<i>Astragalus cremnophylax</i> var. <i>cremnophylax</i>)	E	\$22,500	\$913,155,843

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
669	Bladderpod, Spring Creek (<i>Lesquerella perforata</i>)	E	\$22,400	\$913,178,243
670	Cavesnail, Tumbling Creek (<i>Antrobia culveri</i>)	E	\$22,275	\$913,200,518
671	Pupfish, Leon Springs (<i>Cyprinodon bovinus</i>)	E	\$22,272	\$913,222,790
672	Lobelia niihauensis (=Sci name)	E	\$22,245	\$913,245,035
673	Chub, Yaqui (<i>Gila purpurea</i>)	E	\$22,000	\$913,267,035
673	Darter, duskytail (<i>Etheostoma percnum</i>) Tellico River, TN	EXPN	\$22,000	\$913,289,035
673	Ambrosia, San Diego (<i>Ambrosia pumila</i>)	E	\$22,000	\$913,311,035
674	Sneezeweed, Virginia (<i>Helenium virginicum</i>)	T	\$21,800	\$913,332,835
675	Aupaka (<i>Isodendron longifolium</i>)	T	\$21,754	\$913,354,589
676	Beetle, Comal Springs dryopid (<i>Stygoparnus comalensis</i>)	E	\$21,739	\$913,376,328
677	Lichen, rock gnome (<i>Gymnoderma lineare</i>)	E	\$21,700	\$913,398,028
678	Schiedea hookeri (=Sci name)	E	\$21,654	\$913,419,682
679	Butterfly, mission blue (<i>Icaricia icarioides missionensis</i>)	E	\$21,635	\$913,441,317
680	Amphipod, Peck's cave (<i>Stygobromus (=Stygonectes) pecki</i>)	E	\$21,361	\$913,462,678
681	Alani (<i>Melicope lydgatei</i>)	E	\$21,341	\$913,484,019
682	Kamakahala (<i>Labordia lydgatei</i>)	E	\$21,236	\$913,505,255
683	Watercress, Gambel's (<i>Rorippa gambellii</i>)	E	\$21,180	\$913,526,435
684	Alsinidendron trinerve (=Sci name)	E	\$21,173	\$913,547,608
685	Pikeminnow (=squawfish), Colorado (<i>Ptychocheilus lucius</i>) Salt and Verde R. drainages, AZ	EXPN	\$21,000	\$913,568,608
686	Irisette, white (<i>Sisyrinchium dichotomum</i>)	E	\$20,800	\$913,589,408
687	Ha`iwale (<i>Cyrtandra giffardii</i>)	E	\$20,694	\$913,610,102
688	Nioi (<i>Eugenia koolauensis</i>)	E	\$20,595	\$913,630,697
689	Schiedea spergulina var. spergulina (=Sci name)	T	\$20,275	\$913,650,972
690	Monkeyface, Appalachian (pearlymussel) (<i>Quadrula sparsa</i>)	E	\$20,260	\$913,671,232
691	Lobelia gaudichaudii ssp. koolauensis (=Sci name)	E	\$20,207	\$913,691,439
691	Phyllostegia hirsuta (=Sci name)	E	\$20,207	\$913,711,646
691	Ha`iwale (<i>Cyrtandra subumbellata</i>)	E	\$20,207	\$913,731,853
692	Fatmucket, Arkansas (<i>Lampsilis powelli</i>)	T	\$20,200	\$913,752,053
693	Ha`iwale (<i>Cyrtandra munroi</i>)	E	\$20,059	\$913,772,112
694	Vigna o-wahuensis (=Sci name)	E	\$20,020	\$913,792,132
695	Orcutt grass, San Joaquin (<i>Orcuttia inaequalis</i>)	T	\$19,992	\$913,812,124
696	Diellia falcata (=Sci name)	E	\$19,936	\$913,832,060
697	Heelsplitter, Alabama (=inflated) (<i>Potamilus inflatus</i>)	T	\$19,900	\$913,851,960
698	Cactus, Mesa Verde (<i>Sclerocactus mesae-verdae</i>)	T	\$19,886	\$913,871,846
699	Cavefish, Alabama (<i>Speoplatyrhinus poulsoni</i>)	E	\$19,807	\$913,891,653
700	Nehe (<i>Lipochaeta lobata var. leptophylla</i>)	E	\$19,800	\$913,911,453
701	Blazingstar, Ash Meadows (<i>Mentzelia leucophylla</i>)	T	\$19,700	\$913,931,153
702	Woodland-star, San Clemente Island (<i>Lithophragma maximum</i>)	E	\$19,590	\$913,950,743
702	Indian paintbrush, San Clemente Island (<i>Castilleja grisea</i>)	E	\$19,590	\$913,970,333
702	Larkspur, San Clemente Island (<i>Delphinium variegatum ssp. kinkiense</i>)	E	\$19,590	\$913,989,923
702	Broom, San Clemente Island (<i>Lotus dendroideus ssp. traskiae</i>)	E	\$19,590	\$914,009,513
702	Bush-mallow, San Clemente Island (<i>Malacothamnus clementinus</i>)	E	\$19,590	\$914,029,103

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
703	Snail, painted snake coiled forest (<i>Anguispira picta</i>)	T	\$19,400	\$914,048,503
704	Rattleweed, hairy (<i>Baptisia arachnifera</i>)	E	\$19,300	\$914,067,803
705	Geocarpon minimum (=Sci name)	T	\$19,212	\$914,087,015
706	Mucket, orangenacre (<i>Lampsilis perovalis</i>)	T	\$19,202	\$914,106,217
707	Bonamia, Florida (<i>Bonamia grandiflora</i>)	T	\$19,150	\$914,125,367
708	Alani (<i>Melicope knudsenii</i>)	E	\$19,022	\$914,144,389
709	Rosemary, short-leaved (<i>Conradina brevifolia</i>)	E	\$18,700	\$914,163,089
709	Cactus, Key tree (<i>Pilosocereus robinii</i>)	E	\$18,700	\$914,181,789
710	Ihī ihi (<i>Marsilea villosa</i>)	E	\$18,687	\$914,200,476
711	Rockcress, Santa Cruz Island (<i>Sibara filifolia</i>)	E	\$18,590	\$914,219,066
712	Gardenia (=Na`u), Hawaiian (<i>Gardenia brighamii</i>)	E	\$18,573	\$914,237,639
713	Crayfish, cave (<i>Cambarus zophonastes</i>)	E	\$18,400	\$914,256,039
714	Snail, Pecos assimineae (<i>Assimineae pecos</i>)	E	\$18,000	\$914,274,039
715	Frankenia, Johnston's (<i>Frankenia johnstonii</i>)	E	\$17,997	\$914,292,036
716	Lilliput, pale (pearlymussel) (<i>Toxolasma cylindrellus</i>)	E	\$17,948	\$914,309,984
717	Haha (<i>Cyanea shipmannii</i>)	E	\$17,934	\$914,327,918
718	Diellia, asplenium-leaved (<i>Diellia erecta</i>)	E	\$17,913	\$914,345,831
719	Darter, bluemask (=jewel) (<i>Etheostoma sp.</i>)	E	\$17,869	\$914,363,700
720	Fern, Aleutian shield (<i>Polystichum aleuticum</i>)	E	\$17,800	\$914,381,500
721	Combshell, upland (<i>Epioblasma metastriata</i>)	E	\$17,700	\$914,399,200
722	Lessingia, San Francisco (<i>Lessingia germanorum</i> (=L.g. var. <i>germanorum</i>))	E	\$17,620	\$914,416,820
723	Goldenrod, white-haired (<i>Solidago albopilosa</i>)	T	\$17,500	\$914,434,320
724	Lupine, scrub (<i>Lupinus aridorum</i>)	E	\$17,374	\$914,451,694
725	Kuahiwi laukahi (<i>Plantago hawaiensis</i>)	E	\$17,114	\$914,468,808
726	Skink, bluetail mole (<i>Eumeces egregius lividus</i>)	T	\$16,900	\$914,485,708
726	Moccasinshell, Ochlockonee (<i>Medionidus simpsonianus</i>)	E	\$16,900	\$914,502,608
727	Poolfish, Pahump (<i>Empetrichthys latos</i>)	E	\$16,890	\$914,519,498
728	Springfish, Hiko White River (<i>Crenichthys baileyi grandis</i>)	E	\$16,730	\$914,536,228
729	Gourd, Okeechobee (<i>Cucurbita okeechobeensis ssp. okeechobeensis</i>)	E	\$16,729	\$914,552,957
730	Bobwhite, masked (quail) (<i>Colinus virginianus ridgwayi</i>)	E	\$16,500	\$914,569,457
731	Kidneyshell, triangular (<i>Ptychobranthus greenii</i>)	E	\$16,388	\$914,585,845
732	ʻAhinahina (<i>Argyroxiphium sandwicense ssp. sandwicense</i>)	E	\$16,224	\$914,602,069
733	Mussel, oyster (<i>Epioblasma capsaeformis</i>) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$16,200	\$914,618,269
734	Lo`ulu (<i>Pritchardia schattaueri</i>)	E	\$16,154	\$914,634,423
735	Baccharis, Encinitas (<i>Baccharis vanessae</i>)	T	\$16,000	\$914,650,423
736	Naucorid, Ash Meadows (<i>Ambrysus amargosus</i>)	T	\$15,980	\$914,666,403
737	Pigtoe, Cumberland (<i>Pleurobema gibberum</i>)	E	\$15,800	\$914,682,203
738	Chub, slender (<i>Erimystax cahni</i>)	T	\$15,733	\$914,697,936
739	Acornshell, southern (<i>Epioblasma othcaloogensis</i>)	E	\$15,700	\$914,713,636
740	Chub, spotfin (<i>Erimonax monachus</i>) Tellico River, TN	EXPN	\$15,500	\$914,729,136
740	Cactus, Nichol's Turk's head (<i>Echinocactus horizontalonius var. nicholii</i>)	E	\$15,500	\$914,744,636

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
741	Manzanita, lone (<i>Arctostaphylos myrtifolia</i>)	T	\$15,470	\$914,760,106
742	Lioplax, cylindrical (snail) (<i>Lioplax cyclostomaformis</i>)	E	\$15,198	\$914,775,304
743	Joint-vetch, sensitive (<i>Aeschynomene virginica</i>)	T	\$15,035	\$914,790,339
744	Buckwheat, lone (incl. Irish Hill) (<i>Eriogonum apricum</i> (incl. var. <i>prostratum</i>))	E	\$14,870	\$914,805,209
745	Daisy, Maguire (<i>Erigeron maguirei</i>)	T	\$14,628	\$914,819,837
746	Rice rat (<i>Oryzomys palustris natator</i>) lower FL Keys	E	\$14,500	\$914,834,337
746	Cactus, Peebles Navajo (<i>Pediocactus peeblesianus peeblesianus</i>)	E	\$14,500	\$914,848,837
747	Shiner, beautiful (<i>Cyprinella formosa</i>)	T	\$14,400	\$914,863,237
748	Bladderpod, Zapata (<i>Lesquerella thamnophila</i>)	E	\$14,375	\$914,877,612
749	Phyllostegia velutina (=Sci name)	E	\$14,294	\$914,891,906
750	Wire-lettuce, Malheur (<i>Stephanomeria malheurensis</i>)	E	\$14,221	\$914,906,127
751	Slabshell, Chipola (<i>Elliptio chipolaensis</i>)	T	\$14,155	\$914,920,282
752	Vetch, Hawaiian (<i>Vicia menziesii</i>)	E	\$14,069	\$914,934,351
753	Avens, spreading (<i>Geum radiatum</i>)	E	\$14,060	\$914,948,411
754	Vole, Hualapai Mexican (<i>Microtus mexicanus hualpaiensis</i>)	E	\$14,000	\$914,962,411
754	Snail, Chittenango ovate amber (<i>Succinea chittenangoensis</i>)	T	\$14,000	\$914,976,411
754	Springsnail, Roswell (<i>Pyrgulopsis roswellensis</i>)	E	\$14,000	\$914,990,411
754	Agave, Arizona (<i>Agave arizonica</i>)	E	\$14,000	\$915,004,411
754	Mint, Garrett's (<i>Dicerandra christmanii</i>)	E	\$14,000	\$915,018,411
755	Ko`oko`olau (<i>Bidens micrantha</i> ssp. <i>kalealaha</i>)	E	\$13,797	\$915,032,208
756	Calyptanthes thomasiana (=Sci name)	E	\$13,770	\$915,045,978
757	Torreya, Florida (<i>Torreya taxifolia</i>)	E	\$13,755	\$915,059,733
758	Mouse, Key Largo cotton (<i>Peromyscus gossypinus allapaticola</i>)	E	\$13,600	\$915,073,333
759	Butterfly, Schaus swallowtail (<i>Heraclides aristodemus ponceanus</i>)	E	\$13,550	\$915,086,883
760	Milk-vetch, Applegate's (<i>Astragalus applegatei</i>)	E	\$13,502	\$915,100,385
761	Cactus, Siler pincushion (<i>Pediocactus</i> (=Echinocactus,=Utahia) <i>sileri</i>)	T	\$13,500	\$915,113,885
762	Cactus, Knowlton (<i>Pediocactus knowltonii</i>)	E	\$13,286	\$915,127,171
763	Clarkia, Springville (<i>Clarkia springvillensis</i>)	T	\$13,225	\$915,140,396
764	Moccasinshell, Coosa (<i>Medionidus parvulus</i>)	E	\$13,200	\$915,153,596
765	Catfish, Yaqui (<i>Ictalurus pricei</i>)	T	\$13,000	\$915,166,596
765	Aster, Florida golden (<i>Chrysopsis floridana</i>)	E	\$13,000	\$915,179,596
765	Spurge, telephus (<i>Euphorbia telephioides</i>)	T	\$13,000	\$915,192,596
766	Mint, scrub (<i>Dicerandra frutescens</i>)	E	\$12,700	\$915,205,296
767	Pua`ala (<i>Brighamia rockii</i>)	E	\$12,601	\$915,217,897
768	Haha (<i>Cyanea glabra</i>)	E	\$12,554	\$915,230,451
768	Haha (<i>Cyanea hamatiflora</i> ssp. <i>hamatiflora</i>)	E	\$12,554	\$915,243,005
769	Guajon (<i>Eleutherodactylus cooki</i>)	T	\$12,500	\$915,255,505
770	Blossom, tubercled (pearlymussel) (<i>Epioblasma torulosa torulosa</i>) Entire Range; Except where listed as Experimental Populations	E	\$12,352	\$915,267,857
771	Clubshell, black (<i>Pleurobema curtum</i>)	E	\$12,252	\$915,280,109
772	Mallow, Kern (<i>Eremalche kernensis</i>)	E	\$12,242	\$915,292,351
773	Haha (<i>Cyanea grimesiana</i> ssp. <i>grimesiana</i>)	E	\$12,145	\$915,304,496
774	Clarkia, Presidio (<i>Clarkia franciscana</i>)	E	\$12,067	\$915,316,563

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
775	Milk-vetch, Osterhout (<i>Astragalus osterhoutii</i>)	E	\$12,006	\$915,328,569
776	Darter, watercress (<i>Etheostoma nuchale</i>)	E	\$12,000	\$915,340,569
776	Springsnail, Koster's (<i>Juturnia kosteri</i>)	E	\$12,000	\$915,352,569
777	Navarretia, few-flowered (<i>Navarretia leucocephala</i> ssp. <i>pauciflora</i> (=N. <i>pauciflora</i>))	E	\$11,915	\$915,364,484
777	Navarretia, many-flowered (<i>Navarretia leucocephala</i> ssp. <i>plieantha</i>)	E	\$11,915	\$915,376,399
778	Roseroot, Leedy's (<i>Sedum integrifolium</i> ssp. <i>leedyi</i>)	T	\$11,900	\$915,388,299
779	Aster, Ruth's golden (<i>Pityopsis ruthii</i>)	E	\$11,500	\$915,399,799
780	Dogweed, ashy (<i>Thymophylla tephroleuca</i>)	E	\$11,497	\$915,411,296
781	Snail, Stock Island tree (<i>Orthalicus reses</i> (not incl. <i>nesodryas</i>))	T	\$11,400	\$915,422,696
782	`O`o, Kauai (honeyeater) (<i>Moho braccatus</i>)	E	\$11,315	\$915,434,011
783	Beaked-rush, Knieskern's (<i>Rhynchospora knieskernii</i>)	T	\$11,260	\$915,445,271
784	Manioc, Walker's (<i>Manihot walkerae</i>)	E	\$11,190	\$915,456,461
785	Spineflower, Howell's (<i>Chorizanthe howellii</i>)	E	\$11,040	\$915,467,501
786	Cactus, Lee pincushion (<i>Coryphantha sneedii</i> var. <i>leei</i>)	T	\$11,000	\$915,478,501
786	Gumplant, Ash Meadows (<i>Grindelia fraxino-pratensis</i>)	T	\$11,000	\$915,489,501
786	Reed-mustard, clay (<i>Schoenocrambe argillacea</i>)	T	\$11,000	\$915,500,501
787	Poppy-mallow, Texas (<i>Callirhoe scabriuscula</i>)	E	\$10,955	\$915,511,456
788	Haha (<i>Cyanea hamatiflora</i> ssp. <i>carlsonii</i>)	E	\$10,809	\$915,522,265
789	Leather flower, Alabama (<i>Clematis socialis</i>)	E	\$10,800	\$915,533,065
790	Pigtoe, heavy (<i>Pleurobema taitianum</i>)	E	\$10,752	\$915,543,817
791	Alani (<i>Melicope zahlbruckneri</i>)	E	\$10,679	\$915,554,496
792	Schiedea kaalae (=Sci name)	E	\$10,661	\$915,565,157
793	Beetle, delta green ground (<i>Elaphrus viridis</i>)	T	\$10,640	\$915,575,797
794	Silverside, Waccamaw (<i>Menidia extensa</i>)	T	\$10,519	\$915,586,316
795	Rush-pea, slender (<i>Hoffmannseggia tenella</i>)	E	\$10,492	\$915,596,808
796	Plymouth Red-Bellied Turtle (<i>Pseudemys rubriventris bangsi</i>)	E	\$10,473	\$915,607,281
796	Daisy, lakeside (<i>Hymenoxys herbacea</i>)	T	\$10,473	\$915,617,754
797	Ceanothus, Pine Hill (<i>Ceanothus roderickii</i>)	E	\$10,470	\$915,628,224
798	Dace, Kendall Warm Springs (<i>Rhinichthys osculus thermalis</i>)	E	\$10,315	\$915,638,539
799	`Aiakeakua, popolo (<i>Solanum sandwicense</i>)	E	\$10,223	\$915,648,762
800	Riversnail, Anthony's (<i>Athearnia anthonyi</i>) Entire Range; Except where listed as Experimental Populations	E	\$10,200	\$915,658,962
801	Salamander, San Marcos (<i>Eurycea nana</i>)	T	\$10,153	\$915,669,115
802	Manzanita, Morro (<i>Arctostaphylos morroensis</i>)	T	\$10,130	\$915,679,245
803	Catspaw (=purple cat's paw pearlymussel) (<i>Epioblasma obliquata obliquata</i>) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$10,100	\$915,689,345
803	Sunray, Ash Meadows (<i>Enceliopsis nudicaulis</i> var. <i>corrugata</i>)	T	\$10,100	\$915,699,445
804	Meshweaver, Robber Baron Cave (<i>Cicurina baronia</i>)	E	\$10,098	\$915,709,543
805	Ground-plum, Guthrie's (=Pyne's) (<i>Astragalus bibullatus</i>)	E	\$10,092	\$915,719,635
806	Wallflower, Ben Lomond (<i>Erysimum teretifolium</i>)	E	\$10,070	\$915,729,705
807	Cactus, Winkler (<i>Pediocactus winkleri</i>)	T	\$10,028	\$915,739,733
808	Blazingstar, Heller's (<i>Liatris helleri</i>)	T	\$9,960	\$915,749,693
809	Harvestman, Cokendolpher Cave (<i>Texella cokendolpheri</i>)	E	\$9,938	\$915,759,631

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
810	`Oha wai (<i>Clermontia drepanomorpha</i>)	E	\$9,860	\$915,769,491
811	Lizard, St. Croix ground (<i>Ameiva polops</i>)	E	\$9,800	\$915,779,291
811	Pigtoe, southern (<i>Pleurobema georgianum</i>)	E	\$9,800	\$915,789,091
811	Spurge, Garber's (<i>Chamaesyce garberi</i>)	T	\$9,800	\$915,798,891
811	Penny-cress, Kneeland Prairie (<i>Thlaspi californicum</i>)	E	\$9,800	\$915,808,691
812	Springfish, White River (<i>Crenichthys baileyi baileyi</i>)	E	\$9,790	\$915,818,481
813	Spider, Government Canyon Bat Cave (<i>Neoleptoneta microps</i>)	E	\$9,710	\$915,828,191
814	Heather, mountain golden (<i>Hudsonia montana</i>)	T	\$9,700	\$915,837,891
815	Hau kuahiwi (<i>Hibiscadelphus giffardianus</i>)	E	\$9,679	\$915,847,570
816	Blossom, turgid (pearlymussel) (<i>Epioblasma turgidula</i>) Entire Range; Except where listed as Experimental Populations	E	\$9,652	\$915,857,222
816	Blossom, yellow (pearlymussel) (<i>Epioblasma florentina florentina</i>) Entire Range; Except where listed as Experimental Populations	E	\$9,652	\$915,866,874
817	Beetle, Helotes mold (<i>Batrisodes venyivi</i>)	E	\$9,640	\$915,876,514
818	Geranium, Hawaiian red-flowered (<i>Geranium arboreum</i>)	E	\$9,612	\$915,886,126
819	Dace, Independence Valley speckled (<i>Rhinichthys osculus lethoporus</i>)	E	\$9,580	\$915,895,706
820	Meshweaver, Government Canyon Bat Cave (<i>Cicurina vespera</i>)	E	\$9,560	\$915,905,266
820	Meshweaver, Braken Bat Cave (<i>Cicurina venii</i>)	E	\$9,560	\$915,914,826
821	Pupfish, Owens (<i>Cyprinodon radiosus</i>)	E	\$9,545	\$915,924,371
822	Grass, Tennessee yellow-eyed (<i>Xyris tennesseensis</i>)	E	\$9,537	\$915,933,908
823	`Anunu (<i>Sicyos alba</i>)	E	\$9,420	\$915,943,328
824	Pitaya, Davis' green (<i>Echinocereus viridiflorus var. davisii</i>)	E	\$9,400	\$915,952,728
825	Butterfly, callippe silverspot (<i>Speyeria callippe callippe</i>)	E	\$9,361	\$915,962,089
826	Campion, fringed (<i>Silene polypetala</i>)	E	\$9,355	\$915,971,444
827	Madtom, yellowfin (<i>Noturus flavipinnis</i>) Holston River, VA, TN	EXPN	\$9,327	\$915,980,771
828	Pitcher-plant, Alabama canebrake (<i>Sarracenia rubra alabamensis</i>)	E	\$9,300	\$915,990,071
829	Cactus, black lace (<i>Echinocereus reichenbachii var. albertii</i>)	E	\$9,295	\$915,999,366
830	Abutilon eremitopetalum (=Sci name)	E	\$9,236	\$916,008,602
831	Harvestman, Bone Cave (<i>Texella reyesi</i>)	E	\$9,140	\$916,017,742
832	Darter, vermilion (<i>Etheostoma chermocki</i>)	E	\$9,100	\$916,026,842
832	Centaury, spring-loving (<i>Centaurium namophilum</i>)	T	\$9,100	\$916,035,942
832	Ivesia, Ash Meadows (<i>Ivesia kingii var. eremica</i>)	T	\$9,100	\$916,045,042
833	Meadowrue, Cooley's (<i>Thalictrum cooleyi</i>)	E	\$9,000	\$916,054,042
834	Sedge, golden (<i>Carex lutea</i>)	E	\$8,995	\$916,063,037
835	Cactus, Lloyd's Mariposa (<i>Echinomastus mariposensis</i>)	T	\$8,892	\$916,071,929
836	Diplazium molokaiense (=Sci name)	E	\$8,744	\$916,080,673
837	Remya, Maui (<i>Remya mauiensis</i>)	E	\$8,687	\$916,089,360
838	Pilo (<i>Hedyotis manii</i>)	E	\$8,648	\$916,098,008
839	Darter, boulder (<i>Etheostoma wapiti</i>) Shoal Creek	EXPN	\$8,633	\$916,106,641
840	Amphianthus, little (<i>Amphianthus pusillus</i>)	T	\$8,620	\$916,115,261
841	Isopod, Lee County cave (<i>Lirceus usdagalun</i>)	E	\$8,604	\$916,123,865
842	Fern, American hart's-tongue (<i>Asplenium scolopendrium var. americanum</i>)	T	\$8,597	\$916,132,462
843	Phyllostegia manii (=Sci name)	E	\$8,593	\$916,141,055

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
844	Tetramolopium remyi (=Sci name)	E	\$8,533	\$916,149,588
845	Shagreen, Magazine Mountain (<i>Mesodon magazinensis</i>)	T	\$8,500	\$916,158,088
845	Rosemary, Apalachicola (<i>Conradina glabra</i>)	E	\$8,500	\$916,166,588
845	Cliff-rose, Arizona (<i>Purshia</i> (=Cowania) <i>subintegra</i>)	E	\$8,500	\$916,175,088
845	Rosemary, Etonia (<i>Conradina etonia</i>)	E	\$8,500	\$916,183,588
846	Viola lanaiensis (=Sci name)	E	\$8,494	\$916,192,082
847	Schiedea, Diamond Head (<i>Schiedea adamantis</i>)	E	\$8,436	\$916,200,518
848	Potentilla, Hickman's (<i>Potentilla hickmanii</i>)	E	\$8,414	\$916,208,932
849	Madtom, yellowfin (<i>Noturus flavipinnis</i>) Tellico River, TN	EXPN	\$8,300	\$916,217,232
850	Paintbrush, soft-leaved (<i>Castilleja mollis</i>)	E	\$8,280	\$916,225,512
851	Pinkroot, gentian (<i>Spigelia gentianoides</i>)	E	\$8,055	\$916,233,567
852	Bush-mallow, Santa Cruz Island (<i>Malacothamnus fasciculatus</i> var. <i>nesioticus</i>)	E	\$8,030	\$916,241,597
852	Fringepod, Santa Cruz Island (<i>Thysanocarpus conchuliferus</i>)	E	\$8,030	\$916,249,627
853	Reed-mustard, shrubby (<i>Schoenocrambe suffrutescens</i>)	E	\$8,000	\$916,257,627
853	Cobana negra (<i>Stahlia monosperma</i>)	T	\$8,000	\$916,265,627
853	Onion, Munz's (<i>Allium munzii</i>)	E	\$8,000	\$916,273,627
854	Haha (<i>Cyanea truncata</i>)	E	\$7,967	\$916,281,594
855	Bedstraw, island (<i>Galium buxifolium</i>)	E	\$7,930	\$916,289,524
856	Cat's-eye, Terlingua Creek (<i>Cryptantha crassipes</i>)	E	\$7,892	\$916,297,416
857	Turtle, Alabama red-belly (<i>Pseudemys alabamensis</i>)	E	\$7,800	\$916,305,216
858	Stonecrop, Lake County (<i>Parvisedum leiocarpum</i>)	E	\$7,732	\$916,312,948
859	Lobelia monostachya (=Sci name)	E	\$7,716	\$916,320,664
860	Ha'iwale (<i>Cyrtandra tintinnabula</i>)	E	\$7,679	\$916,328,343
861	Manzanita, Santa Rosa Island (<i>Arctostaphylos confertiflora</i>)	E	\$7,665	\$916,336,008
862	Shiner, Cahaba (<i>Notropis cahabae</i>)	E	\$7,600	\$916,343,608
863	Bladderpod, white (<i>Lesquerella pallida</i>)	E	\$7,593	\$916,351,201
864	Dudleya, Santa Cruz Island (<i>Dudleya nesiotica</i>)	T	\$7,505	\$916,358,706
865	Madtom, smoky (<i>Noturus baileyi</i>) Tellico River, TN	EXPN	\$7,500	\$916,366,206
866	Manzanita, Presidio (<i>Arctostaphylos hookeri</i> var. <i>ravenii</i>)	E	\$7,452	\$916,373,658
867	Blossom, green (pearlymussel) (<i>Epioblasma torulosa gubernaculum</i>)	E	\$7,400	\$916,381,058
868	Goldenrod, Houghton's (<i>Solidago houghtonii</i>)	T	\$7,300	\$916,388,358
869	Rocksnailed, round (<i>Leptoxis ampla</i>)	T	\$7,298	\$916,395,656
870	Chub, Chihuahua (<i>Gila nigrescens</i>)	T	\$7,250	\$916,402,906
871	Pitcher-plant, mountain sweet (<i>Sarracenia rubra</i> ssp. <i>jonesii</i>)	E	\$7,200	\$916,410,106
872	Twinpod, Dudley Bluffs (<i>Physaria obcordata</i>)	T	\$7,194	\$916,417,300
873	Snail, Newcomb's (<i>Erinna newcombi</i>)	T	\$7,175	\$916,424,475
874	Turtle, flattened musk (<i>Sternotherus depressus</i>) species range clarified	T	\$7,100	\$916,431,575
874	Boa, Virgin Islands tree (<i>Epicrates monensis granti</i>)	E	\$7,100	\$916,438,675
875	Bladderpod, lyrate (<i>Lesquerella lyrata</i>)	T	\$7,087	\$916,445,762
876	Sand-verbena, large-fruited (<i>Abronia macrocarpa</i>)	E	\$7,077	\$916,452,839
877	Barberry, island (<i>Berberis pinnata</i> ssp. <i>insularis</i>)	E	\$7,030	\$916,459,869

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
877	Rush-rose, island (<i>Helianthemum greenei</i>)	T	\$7,030	\$916,466,899
877	Malacothrix, Santa Cruz Island (<i>Malacothrix indecora</i>)	E	\$7,030	\$916,473,929
877	Malacothrix, island (<i>Malacothrix squalida</i>)	E	\$7,030	\$916,480,959
878	Hau kuahiwi (<i>Hibiscadelphus hualalaiensis</i>)	E	\$7,013	\$916,487,972
879	Bladderpod, Dudley Bluffs (<i>Lesquerella congesta</i>)	T	\$6,893	\$916,494,865
880	Lousewort, Furbish (<i>Pedicularis furbishiae</i>)	E	\$6,882	\$916,501,747
881	`Oha wai (<i>Clermontia pyrrularia</i>)	E	\$6,870	\$916,508,617
882	Towhee, Inyo California (<i>Pipilo crissalis eremophilus</i>)	T	\$6,850	\$916,515,467
883	Polygala, tiny (<i>Polygala smallii</i>)	E	\$6,800	\$916,522,267
883	Leather flower, Morefield's (<i>Clematis morefieldii</i>)	E	\$6,800	\$916,529,067
884	Pebblesnail, flat (<i>Lepyrium showalteri</i>)	E	\$6,798	\$916,535,865
885	Combshell, southern (<i>Epioblasma penita</i>)	E	\$6,752	\$916,542,617
886	Snail, noonday (<i>Mesodon clarki nantahala</i>)	T	\$6,700	\$916,549,317
886	Arrowhead, bunched (<i>Sagittaria fasciculata</i>)	E	\$6,700	\$916,556,017
887	Monkey-flower, Michigan (<i>Mimulus glabratus var. michiganensis</i>)	E	\$6,632	\$916,562,649
888	Palo de rosa (<i>Ottoschulzia rhodoxylon</i>)	E	\$6,500	\$916,569,149
889	Beargrass, Britton's (<i>Nolina brittoniana</i>)	E	\$6,450	\$916,575,599
890	Sunburst, San Joaquin adobe (<i>Pseudobahia peirsonii</i>)	T	\$6,407	\$916,582,006
891	Birds-in-a-nest, white (<i>Macbridea alba</i>)	T	\$6,400	\$916,588,406
891	Pondweed, Little Aguja (=Creek) (<i>Potamogeton clystocarpus</i>)	E	\$6,400	\$916,594,806
891	Oak, Hinckley (<i>Quercus hinckleyi</i>)	T	\$6,400	\$916,601,206
891	Trillium, persistent (<i>Trillium persistens</i>)	E	\$6,400	\$916,607,606
892	Gambusia, Clear Creek (<i>Gambusia heterochir</i>)	E	\$6,300	\$916,613,906
892	Goldenrod, Blue Ridge (<i>Solidago spithamaea</i>)	T	\$6,300	\$916,620,206
893	Evening-primrose, Eureka Valley (<i>Oenothera avita ssp. eurekensis</i>)	E	\$6,295	\$916,626,501
894	Campeloma, slender (<i>Campeloma decampi</i>)	E	\$6,287	\$916,632,788
895	Hesperomannia arborescens (=Sci name)	E	\$6,241	\$916,639,029
896	Koki`o, Cooke's (<i>Kokia cookei</i>)	E	\$6,142	\$916,645,171
897	Bulrush, Northeastern (<i>Scirpus ancistrochaetus</i>)	E	\$6,135	\$916,651,306
898	Wild-buckwheat, clay-loving (<i>Eriogonum pelinophilum</i>)	E	\$6,106	\$916,657,412
899	Isopod, Socorro (<i>Thermosphaeroma thermophilus</i>)	E	\$6,060	\$916,663,472
900	Boa, Mona (<i>Epicrates monensis monensis</i>)	T	\$6,000	\$916,669,472
900	Chumbo, Higo (<i>Harrisia portoricensis</i>)	T	\$6,000	\$916,675,472
900	Mustard, Carter's (<i>Warea carteri</i>)	E	\$6,000	\$916,681,472
901	Makou (<i>Peucedanum sandwicense</i>)	T	\$5,954	\$916,687,426
902	Spineflower, Sonoma (<i>Chorizanthe valida</i>)	E	\$5,940	\$916,693,366
903	Silene perlmanii (=Sci name)	E	\$5,906	\$916,699,272
904	Water-plantain, Kral's (<i>Sagittaria secundifolia</i>)	T	\$5,900	\$916,705,172
905	Limpet, Banbury Springs (<i>Lanx sp.</i>)	E	\$5,865	\$916,711,037
906	Ischaemum, Hilo (<i>Ischaemum byrone</i>)	E	\$5,619	\$916,716,656
907	Marstonia, royal (snail) (<i>Pyrgulopsis ogmorhapse</i>)	E	\$5,600	\$916,722,256
908	Pseudoscorpion, Tooth Cave (<i>Tartarocreagris texana</i>)	E	\$5,598	\$916,727,854
908	Spider, Tooth Cave (<i>Leptoneta myopica</i>)	E	\$5,598	\$916,733,452
909	Phacelia, North Park (<i>Phacelia formosula</i>)	E	\$5,570	\$916,739,022

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
910	Wawae`iole (<i>Huperzia manni</i>)	E	\$5,551	\$916,744,573
911	Madtom, pygmy (<i>Noturus stanauli</i>)	E	\$5,533	\$916,750,106
912	Cycladenia, Jones (<i>Cycladenia jonesii</i> (=humilis))	T	\$5,528	\$916,755,634
913	Sculpin, pygmy (<i>Cottus paulus</i> (=pygmaeus))	T	\$5,500	\$916,761,134
913	Pigtoe, flat (<i>Pleurobema marshalli</i>)	E	\$5,500	\$916,766,634
913	Elimia, lacy (snail) (<i>Elimia crenatella</i>)	T	\$5,500	\$916,772,134
913	Rocksnailed, painted (<i>Leptoxis taeniata</i>)	T	\$5,500	\$916,777,634
913	<i>Cordia bellonis</i> (=Sci name)	E	\$5,500	\$916,783,134
913	<i>Adiantum vivesii</i> (=Sci name)	E	\$5,500	\$916,788,634
914	Thrush, Molokai (<i>Myadestes lanaiensis rutha</i>)	E	\$5,450	\$916,794,084
915	Butterweed, Layne's (<i>Senecio layneae</i>)	T	\$5,435	\$916,799,519
916	Curlew, Eskimo (<i>Numenius borealis</i>)	E	\$5,400	\$916,804,919
916	Butterwort, Godfrey's (<i>Pinguicula ionantha</i>)	T	\$5,400	\$916,810,319
917	`Oha wai (<i>Clermontia peleana</i>)	E	\$5,360	\$916,815,679
918	Salamander, Red Hills (<i>Phaeognathus hubrichti</i>)	T	\$5,300	\$916,820,979
919	Bluet, Roan Mountain (<i>Hedyotis purpurea</i> var. <i>montana</i>)	E	\$5,200	\$916,826,179
919	Warea, wide-leaf (<i>Warea amplexifolia</i>)	E	\$5,200	\$916,831,379
920	Harvestman, Bee Creek Cave (<i>Texella reddelli</i>)	E	\$5,140	\$916,836,519
921	Birch, Virginia round-leaf (<i>Betula uber</i>)	T	\$5,121	\$916,841,640
922	Cactus, Chisos Mountain hedgehog (<i>Echinocereus chisoensis</i> var. <i>chisoensis</i>)	T	\$5,100	\$916,846,740
923	Springsnail, Alamosa (<i>Tryonia alamosae</i>)	E	\$5,060	\$916,851,800
923	Springsnail, Socorro (<i>Pyrgulopsis neomexicana</i>)	E	\$5,060	\$916,856,860
924	`Akoko, Ewa Plains (<i>Chamaesyce skottsbergii</i> var. <i>kalaeloana</i>)	E	\$5,056	\$916,861,916
925	Kohe malama malama o kanaloa (<i>Kanaloa kahoolawensis</i>)	E	\$5,033	\$916,866,949
926	`Oha wai (<i>Clermontia oblongifolia</i> ssp. <i>brevipes</i>)	E	\$5,031	\$916,871,980
927	Lizard, Coachella Valley fringe-toed (<i>Uma inornata</i>)	T	\$5,000	\$916,876,980
927	Woundfin (<i>Plagopterus argentissimus</i>) Gila R. drainage, AZ, NM	EXPN	\$5,000	\$916,881,980
927	Stirrupshell (<i>Quadrula stapes</i>)	E	\$5,000	\$916,886,980
927	Pigtoe, dark (<i>Pleurobema furvum</i>)	E	\$5,000	\$916,891,980
927	Rocksnailed, plicate (<i>Leptoxis plicata</i>)	E	\$5,000	\$916,896,980
927	Butterfly, Myrtle's silverspot (<i>Speyeria zerene myrtleae</i>)	E	\$5,000	\$916,901,980
928	Beetle, Kretschmarr Cave mold (<i>Texamaurops reddelli</i>)	E	\$4,992	\$916,906,972
928	Beetle, Tooth Cave ground (<i>Rhadine persephone</i>)	E	\$4,992	\$916,911,964
929	<i>Mariscus pennatifomis</i> (=Sci name)	E	\$4,950	\$916,916,914
930	Thistle, Loch Lomond coyote (<i>Eryngium constancei</i>)	E	\$4,915	\$916,921,829
931	Gambusia, San Marcos (<i>Gambusia georgei</i>)	E	\$4,880	\$916,926,709
932	Bittercress, small-anthered (<i>Cardamine micranthera</i>)	E	\$4,850	\$916,931,559
933	Trout, Little Kern golden (<i>Oncorhynchus aguabonita whitei</i>)	T	\$4,817	\$916,936,376
934	Pawpaw, four-petal (<i>Asimina tetramera</i>)	E	\$4,800	\$916,941,176
934	Skullcap, Florida (<i>Scutellaria floridana</i>)	T	\$4,800	\$916,945,976
935	Checker-mallow, Keck's (<i>Sidalcea keckii</i>)	E	\$4,792	\$916,950,768
936	Woolly-threads, San Joaquin (<i>Monolopia</i> (=Lembertia) <i>congdonii</i>)	E	\$4,775	\$916,955,543
937	Kamakahala (<i>Labordia triflora</i>)	E	\$4,687	\$916,960,230

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
937	Alani (<i>Melicope mucronulata</i>)	E	\$4,687	\$916,964,917
937	Lo`ulu (<i>Pritchardia munroi</i>)	E	\$4,687	\$916,969,604
937	Silene alexandri (=Sci name)	E	\$4,687	\$916,974,291
937	Haha (<i>Cyanea dunbarii</i>)	E	\$4,687	\$916,978,978
937	Kopa (<i>Hedyotis schlechtendahlana</i> var. <i>remyi</i>)	E	\$4,687	\$916,983,665
938	Kangaroo rat, Morro Bay (<i>Dipodomys heermanni morroensis</i>)	E	\$4,675	\$916,988,340
939	Turtle, ringed map (<i>Graptemys oculifera</i>)	T	\$4,650	\$916,992,990
940	Lo`ulu (<i>Pritchardia remota</i>)	E	\$4,649	\$916,997,639
941	Platanthera holochila (=Sci name)	E	\$4,648	\$917,002,287
941	Stenogyne bifida (=Sci name)	E	\$4,648	\$917,006,935
942	Haha (<i>Cyanea procera</i>)	E	\$4,636	\$917,011,571
943	Goldfields, Burke's (<i>Lasthenia burkei</i>)	E	\$4,635	\$917,016,206
943	Meadowfoam, Sebastopol (<i>Limnanthes vinculans</i>)	E	\$4,635	\$917,020,841
944	Milk-vetch, Ventura Marsh (<i>Astragalus pycnostachyus</i> var. <i>lanosissimus</i>)	E	\$4,605	\$917,025,446
945	Hesperomannia lydgatei (=Sci name)	E	\$4,601	\$917,030,047
946	Brodiaea, Chinese Camp (<i>Brodiaea pallida</i>)	T	\$4,590	\$917,034,637
946	Sunburst, Hartweg's golden (<i>Pseudobahia bahiifolia</i>)	E	\$4,590	\$917,039,227
947	Snail, armored (<i>Pyrgulopsis</i> (=Marstonia) <i>pachyta</i>)	E	\$4,587	\$917,043,814
948	Butterfly, Uncompahgre fritillary (<i>Boloria acrocneuma</i>)	E	\$4,545	\$917,048,359
949	Sedge, Navajo (<i>Carex specuicola</i>)	T	\$4,500	\$917,052,859
950	Butterfly, lotis blue (<i>Lycaeides argyrognomon lotis</i>)	E	\$4,480	\$917,057,339
951	Liliwai (<i>Acaena exigua</i>)	E	\$4,400	\$917,061,739
952	Lysimachia lydgatei (=Sci name)	E	\$4,365	\$917,066,104
953	`Ahinahina (<i>Argyroxiphium sandwicense</i> ssp. <i>macrocephalum</i>)	T	\$4,361	\$917,070,465
953	`Oha wai (<i>Clermontia samuelii</i>)	E	\$4,361	\$917,074,826
954	Liveforever, Santa Barbara Island (<i>Dudleya traskiae</i>)	E	\$4,325	\$917,079,151
955	Haha (<i>Cyanea mceldowneyi</i>)	E	\$4,267	\$917,083,418
956	Alani (<i>Melicope balloui</i>)	E	\$4,252	\$917,087,670
957	Gahnia lanaiensis (=Sci name)	E	\$4,207	\$917,091,877
958	Mapele (<i>Cyrtandra cyaneoides</i>)	E	\$3,996	\$917,095,873
958	Na`ena`e (<i>Dubautia pauciflora</i>)	E	\$3,996	\$917,099,869
959	Megapode, Micronesian (<i>Megapodius laperouse</i>)	E	\$3,990	\$917,103,859
959	Vervain, Red Hills (<i>Verbena californica</i>)	T	\$3,990	\$917,107,849
960	Delissea rhytidosperra (=Sci name)	E	\$3,918	\$917,111,767
961	Pearlymussel, dromedary (<i>Dromus dromas</i>) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$3,800	\$917,115,567
961	Snail, tulotoma (<i>Tulotoma magnifica</i>)	E	\$3,800	\$917,119,367
961	Button, Mohr's Barbara (<i>Marshallia mohrii</i>)	T	\$3,800	\$917,123,167
962	Lau`ehu (<i>Panicum niuhauense</i>)	E	\$3,761	\$917,126,928
963	Riversnail, Anthony's (<i>Athearnia anthonyi</i>) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$3,648	\$917,130,576
964	Sunshine, Sonoma (<i>Blennosperma bakeri</i>)	E	\$3,635	\$917,134,211
965	Water-willow, Cooley's (<i>Justicia cooleyi</i>)	E	\$3,600	\$917,137,811

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
966	Pussypaws, Mariposa (<i>Calyptidium pulchellum</i>)	T	\$3,590	\$917,141,401
967	Dwarf-flax, Marin (<i>Hesperolinon congestum</i>)	T	\$3,500	\$917,144,901
967	Groundsel, San Francisco Peaks (<i>Senecio franciscanus</i>)	T	\$3,500	\$917,148,401
967	Jacquemontia, beach (<i>Jacquemontia reclinata</i>)	E	\$3,500	\$917,151,901
967	Mint, longspurred (<i>Dicerandra cornutissima</i>)	E	\$3,500	\$917,155,401
967	Aristida chaseae (=Sci name)	E	\$3,500	\$917,158,901
967	Ladies'-tresses, Canelo Hills (<i>Spiranthes delitescens</i>)	E	\$3,500	\$917,162,401
968	Amphipod, Illinois cave (<i>Gammarus acherondytes</i>)	E	\$3,492	\$917,165,893
969	Milk-vetch, Jesup's (<i>Astragalus robbinsii</i> var. <i>jesupi</i>)	E	\$3,386	\$917,169,279
970	Awikiwiki (<i>Canavalia molokaiensis</i>)	E	\$3,361	\$917,172,640
970	Schiedea haleakalensis (=Sci name)	E	\$3,361	\$917,176,001
970	Haha (<i>Cyanea copelandii</i> ssp. <i>haleakalaensis</i>)	E	\$3,361	\$917,179,362
971	Thistle, Chorro Creek bog (<i>Cirsium fontinale</i> var. <i>obispoense</i>)	E	\$3,320	\$917,182,682
972	Clarkia, Vine Hill (<i>Clarkia imbricata</i>)	E	\$3,262	\$917,185,944
973	Bedstraw, El Dorado (<i>Galium californicum</i> ssp. <i>sierrae</i>)	E	\$3,200	\$917,189,144
974	Milk-vetch, Ash meadows (<i>Astragalus phoenix</i>)	T	\$3,100	\$917,192,244
975	Alsinidendron viscosum (=Sci name)	E	\$3,036	\$917,195,280
976	Goetzea, beautiful (<i>Goetzea elegans</i>)	E	\$3,000	\$917,198,280
977	Flannelbush, Pine Hill (<i>Fremontodendron californicum</i> ssp. <i>decumbens</i>)	E	\$2,900	\$917,201,180
977	Fleabane, Zuni (<i>Erigeron rhizomatus</i>)	T	\$2,900	\$917,204,080
977	Lead-plant, Crenulate (<i>Amorpha crenulata</i>)	E	\$2,900	\$917,206,980
977	Fern, Alabama streak-sorus (<i>Thelypteris pilosa</i> var. <i>alabamensis</i>)	T	\$2,900	\$917,209,880
978	Clarkia, Pismo (<i>Clarkia speciosa</i> ssp. <i>immaculata</i>)	E	\$2,895	\$917,212,775
979	Tetramolopium rockii (=Sci name)	T	\$2,861	\$917,215,636
980	Snake, Atlantic salt marsh (<i>Nerodia clarkii taeniata</i>)	T	\$2,800	\$917,218,436
980	Spider, spruce-fir moss (<i>Microhexura montivaga</i>)	E	\$2,800	\$917,221,236
981	Aupaka (<i>Isodendron laurifolium</i>)	E	\$2,682	\$917,223,918
982	Kaulu (<i>Pteralyxia kauaiensis</i>)	E	\$2,654	\$917,226,572
982	Nehe (<i>Lipochaeta micrantha</i>)	E	\$2,654	\$917,229,226
983	Alani (<i>Melicope pallida</i>)	E	\$2,604	\$917,231,830
984	Cory cactus, bunched (<i>Coryphantha ramillosa</i>)	T	\$2,600	\$917,234,430
985	Lo`ulu (<i>Pritchardia affinis</i>)	E	\$2,573	\$917,237,003
986	Pu`uka`a (<i>Cyperus trachysanthos</i>)	E	\$2,536	\$917,239,539
987	Cypress, Santa Cruz (<i>Cupressus abramsiana</i>)	E	\$2,520	\$917,242,059
988	Wahane (<i>Pritchardia aylmer-robinsonii</i>)	E	\$2,514	\$917,244,573
988	Schiedea membranacea (=Sci name)	E	\$2,514	\$917,247,087
988	Chamaesyce halemanui (=Sci name)	E	\$2,514	\$917,249,601
988	Na`ena`e (<i>Dubautia latifolia</i>)	E	\$2,514	\$917,252,115
988	Gouania meyenii (=Sci name)	E	\$2,514	\$917,254,629
988	Hibiscus, Clay's (<i>Hibiscus clayi</i>)	E	\$2,514	\$917,257,143
988	Koki`o ke`oke`o (<i>Hibiscus waimeae</i> ssp. <i>hannerae</i>)	E	\$2,514	\$917,259,657
988	Koki`o (<i>Kokia kauaiensis</i>)	E	\$2,514	\$917,262,171
988	Nehe (<i>Lipochaeta fauriei</i>)	E	\$2,514	\$917,264,685

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
988	Remya kauaiensis (=Sci name)	E	\$2,514	\$917,267,199
988	Iliau, dwarf (<i>Wilkesia hobbdyi</i>)	E	\$2,514	\$917,269,713
988	Heau (<i>Exocarpos luteolus</i>)	E	\$2,514	\$917,272,227
988	Nehe (<i>Lipochaeta waimeaensis</i>)	E	\$2,514	\$917,274,741
988	Remya montgomeryi (=Sci name)	E	\$2,514	\$917,277,255
988	Kuawawaenuhu (<i>Alsinidendron lychnoides</i>)	E	\$2,514	\$917,279,769
988	Lo`ulu (<i>Pritchardia viscosa</i>)	E	\$2,514	\$917,282,283
988	Schiedea kauaiensis (=Sci name)	E	\$2,514	\$917,284,797
989	Chupacallos (<i>Pleodendron macranthum</i>)	E	\$2,500	\$917,287,297
990	Beardtongue, Penland (<i>Penstemon penlandii</i>)	E	\$2,421	\$917,289,718
991	Panicgrass, Carter's (<i>Panicum fauriei</i> var. <i>carteri</i>)	E	\$2,412	\$917,292,130
992	Mountain balm, Indian Knob (<i>Eriodictyon altissimum</i>)	E	\$2,395	\$917,294,525
993	Lupine, Nipomo Mesa (<i>Lupinus nipomensis</i>)	E	\$2,370	\$917,296,895
994	Milk-vetch, Clara Hunt's (<i>Astragalus clarianus</i>)	E	\$2,362	\$917,299,257
994	Larkspur, yellow (<i>Delphinium luteum</i>)	E	\$2,362	\$917,301,619
994	Bluegrass, Napa (<i>Poa napensis</i>)	E	\$2,362	\$917,303,981
995	Phyllostegia warshaueri (=Sci name)	E	\$2,360	\$917,306,341
996	Dudleya, Conejo (<i>Dudleya abramsii</i> ssp. <i>parva</i>)	T	\$2,250	\$917,308,591
996	Dudleya, Verity's (<i>Dudleya verityi</i>)	T	\$2,250	\$917,310,841
997	Morning-glory, Stebbins' (<i>Calystegia stebbinsii</i>)	E	\$2,200	\$917,313,041
997	Bladderpod, kodachrome (<i>Lesquerella tumulosa</i>)	E	\$2,200	\$917,315,241
998	Achyranthes mutica (=Sci name)	E	\$2,102	\$917,317,343
998	Gouania hillebrandii (=Sci name)	E	\$2,102	\$917,319,445
999	Shrimp, Squirrel Chimney Cave (<i>Palaemonetes cummingi</i>)	T	\$2,100	\$917,321,545
999	Cactus, Nellie cory (<i>Coryphantha minima</i>)	E	\$2,100	\$917,323,645
1000	`Akoko (<i>Chamaesyce kuwaleana</i>)	E	\$2,011	\$917,325,656
1001	Phacelia, island (<i>Phacelia insularis</i> ssp. <i>insularis</i>)	E	\$2,000	\$917,327,656
1001	Rhododendron, Chapman (<i>Rhododendron chapmanii</i>)	E	\$2,000	\$917,329,656
1001	Boxwood, Vahl's (<i>Buxus vahlii</i>)	E	\$2,000	\$917,331,656
1001	Mallow, Peter's Mountain (<i>Iliamna corei</i>)	E	\$2,000	\$917,333,656
1001	Prickly-ash, St. Thomas (<i>Zanthoxylum thomasianum</i>)	E	\$2,000	\$917,335,656
1002	Pigtoe, shiny (<i>Fusconaia cor</i>) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$1,900	\$917,337,556
1003	Diellia unisora (=Sci name)	E	\$1,853	\$917,339,409
1004	Dudleya, marcescent (<i>Dudleya cymosa</i> ssp. <i>marcescens</i>)	T	\$1,850	\$917,341,259
1005	Lipochaeta venosa (=Sci name)	E	\$1,800	\$917,343,059
1005	Aupaka (<i>Isodendron hosakae</i>)	E	\$1,800	\$917,344,859
1006	Reed-mustard, Barneby (<i>Schoenocrambe barnebyi</i>)	E	\$1,778	\$917,346,637
1007	Chaff-flower, round-leaved (<i>Achyranthes splendens</i> var. <i>rotundata</i>)	E	\$1,762	\$917,348,399
1008	Rock-cress, shale barren (<i>Arabis serotina</i>)	E	\$1,754	\$917,350,153
1009	Pigtoe, finerayed (<i>Fusconaia cuneolus</i>) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$1,752	\$917,351,905
1010	Akialoa, Kauai (honeycreeper) (<i>Hemignathus procerus</i>)	E	\$1,750	\$917,353,655

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1010	`O`u (honeycreeper) (<i>Psittirostra psittacea</i>)	E	\$1,750	\$917,355,405
1010	Thrush, large Kauai (=kamao) (<i>Myadestes myadestinus</i>)	E	\$1,750	\$917,357,155
1010	Creeper, Molokai (<i>Paroreomyza flammea</i>)	E	\$1,750	\$917,358,905
1011	`Akoko (<i>Chamaesyce deppeana</i>)	E	\$1,746	\$917,360,651
1012	Cactus, Bakersfield (<i>Opuntia treleasei</i>)	E	\$1,740	\$917,362,391
1013	Ha`iwale (<i>Cyrtandra polyantha</i>)	E	\$1,663	\$917,364,054
1014	Barberry, Nevin's (<i>Berberis nevinii</i>)	E	\$1,660	\$917,365,714
1015	Finch, Laysan (honeycreeper) (<i>Telespyza cantans</i>)	E	\$1,600	\$917,367,314
1016	Squirrel, Delmarva Peninsula fox (<i>Sciurus niger cinereus</i>) U.S.A. (DE, Sussex Co.)	EXPN	\$1,500	\$917,368,814
1016	Coqui, golden (<i>Eleutherodactylus jasperi</i>)	T	\$1,500	\$917,370,314
1016	Buttercup, autumn (<i>Ranunculus aestivalis</i> (=acriformis))	E	\$1,500	\$917,371,814
1016	Grass, Eureka Dune (<i>Swallenia alexandrae</i>)	E	\$1,500	\$917,373,314
1016	Blue-star, Kearney's (<i>Amsonia kearneyana</i>)	E	\$1,500	\$917,374,814
1016	Pelos del diablo (<i>Aristida portoricensis</i>)	E	\$1,500	\$917,376,314
1016	Palo de ramon (<i>Banara vanderbiltii</i>)	E	\$1,500	\$917,377,814
1016	Manaca, palma de (<i>Calyptronoma rivalis</i>)	T	\$1,500	\$917,379,314
1016	Cactus, Cochise pincushion (<i>Coryphantha robbinsorum</i>)	T	\$1,500	\$917,380,814
1016	Erubia (<i>Solanum drymophilum</i>)	E	\$1,500	\$917,382,314
1016	Myrcia paganii (=Sci name)	E	\$1,500	\$917,383,814
1017	Haha (<i>Cyanea pinnatifida</i>)	E	\$1,495	\$917,385,309
1017	Ha`iwale (<i>Cyrtandra crenata</i>)	E	\$1,495	\$917,386,804
1018	Finch, Nihoa (honeycreeper) (<i>Telespyza ultima</i>)	E	\$1,400	\$917,388,204
1018	Millerbird, Nihoa (old world warbler) (<i>Acrocephalus familiaris kingi</i>)	E	\$1,400	\$917,389,604
1018	Gecko, Monito (<i>Sphaerodactylus micropithecus</i>)	E	\$1,400	\$917,391,004
1018	Snail, Virginia fringed mountain (<i>Polygyriscus virginianus</i>)	E	\$1,400	\$917,392,404
1018	Capa rosa (<i>Callicarpa ampla</i>)	E	\$1,400	\$917,393,804
1018	Pawpaw, beautiful (<i>Deeringothamnus pulchellus</i>)	E	\$1,400	\$917,395,204
1018	Bariaco (<i>Trichilia triacantha</i>)	E	\$1,400	\$917,396,604
1018	Ilex sintenisii (=Sci name)	E	\$1,400	\$917,398,004
1019	Sedge, white (<i>Carex albida</i>)	E	\$1,362	\$917,399,366
1019	Lily, Pitkin Marsh (<i>Lilium pardalinum</i> ssp. <i>pitkinense</i>)	E	\$1,362	\$917,400,728
1019	Allocarya, Calistoga (<i>Plagiobothrys strictus</i>)	E	\$1,362	\$917,402,090
1019	Checker-mallow, Kenwood Marsh (<i>Sidalcea oregana</i> ssp. <i>valida</i>)	E	\$1,362	\$917,403,452
1020	Nohoanu (<i>Geranium multiflorum</i>)	E	\$1,361	\$917,404,813
1020	Koki`o ke`oke`o (<i>Hibiscus arnottianus</i> ssp. <i>immaculatus</i>)	E	\$1,361	\$917,406,174
1021	Iagu, Hayun (=Guam), Tronkon guafi (Rota)) (<i>Serianthes nelsonii</i>)	E	\$1,300	\$917,407,474
1022	Darter, bayou (<i>Etheostoma rubrum</i>)	T	\$1,250	\$917,408,724
1023	Clover, Monterey (<i>Trifolium trichocalyx</i>)	E	\$1,239	\$917,409,963
1024	Flannelbush, Mexican (<i>Fremontodendron mexicanum</i>)	E	\$1,200	\$917,411,163
1025	Milk-vetch, Mancos (<i>Astragalus humillimus</i>)	E	\$1,137	\$917,412,300
1026	Kula wahine noho (<i>Isodendron pyrifolium</i>)	E	\$1,122	\$917,413,422
1027	Pearlymussel, birdwing (<i>Conradilla caelata</i>) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert, and Lauderdale Counties, AL	EXPN	\$1,100	\$917,414,522

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1028	Gilia, Hoffmann's slender-flowered (<i>Gilia tenuiflora</i> ssp. <i>hoffmannii</i>)	E	\$1,090	\$917,415,612
1029	Chub, spotfin (<i>Erimonax monachus</i>) Shoal Creek	EXPN	\$1,000	\$917,416,612
1029	Butterfly, Lange's metalmark (<i>Apodemia mormo langei</i>)	E	\$1,000	\$917,417,612
1029	Mountain-mahogany, Catalina Island (<i>Cercocarpus traskiae</i>)	E	\$1,000	\$917,418,612
1029	Fiddleneck, large-flowered (<i>Amsinckia grandiflora</i>)	E	\$1,000	\$917,419,612
1029	Mariposa lily, Tiburon (<i>Calochortus tiburonensis</i>)	T	\$1,000	\$917,420,612
1029	Buckwheat, cushenbury (<i>Eriogonum ovalifolium</i> var. <i>vineum</i>)	E	\$1,000	\$917,421,612
1029	Wallflower, Contra Costa (<i>Erysimum capitatum</i> var. <i>angustatum</i>)	E	\$1,000	\$917,422,612
1029	Ridge-cress, Barneby (<i>Lepidium barnebyanum</i>)	E	\$1,000	\$917,423,612
1029	Evening-primrose, Antioch Dunes (<i>Oenothera deltoides</i> ssp. <i>howellii</i>)	E	\$1,000	\$917,424,612
1029	Jewelflower, Tiburon (<i>Streptanthus niger</i>)	E	\$1,000	\$917,425,612
1029	Bluecurls, Hidden Lake (<i>Trichostema austromontanum</i> ssp. <i>compactum</i>)	T	\$1,000	\$917,426,612
1029	Palo de nigua (<i>Cornutia obovata</i>)	E	\$1,000	\$917,427,612
1029	Daphnopsis hellerana (=Sci name)	E	\$1,000	\$917,428,612
1029	Holly, Cook's (<i>Ilex cookii</i>)	E	\$1,000	\$917,429,612
1029	Mitracarpus maxwelliae (=Sci name)	E	\$1,000	\$917,430,612
1029	Mitracarpus polycladus (=Sci name)	E	\$1,000	\$917,431,612
1029	Mesa-mint, Otay (<i>Pogogyne nudiuscula</i>)	E	\$1,000	\$917,432,612
1029	Palo colorado (<i>Ternstroemia luquillensis</i>)	E	\$1,000	\$917,433,612
1029	Ternstroemia subsessilis (=Sci name)	E	\$1,000	\$917,434,612
1029	Palo de jazmin (<i>Styrax portoricensis</i>)	E	\$1,000	\$917,435,612
1029	Milk-vetch, triple-ribbed (<i>Astragalus tricarinatus</i>)	E	\$1,000	\$917,436,612
1029	Leptocereus grantianus (=Sci name)	E	\$1,000	\$917,437,612
1029	Vernonia proctorii (=Sci name)	E	\$1,000	\$917,438,612
1029	Ceanothus, Vail Lake (<i>Ceanothus ophiochilus</i>)	T	\$1,000	\$917,439,612
1029	Eugenia woodburyana (=Sci name)	E	\$1,000	\$917,440,612
1029	Polygonum, Scotts Valley (<i>Polygonum hickmanii</i>)	E	\$1,000	\$917,441,612
1029	Quillwort, mat-forming (<i>Isoetes tegetiformans</i>)	E	\$1,000	\$917,442,612
1029	Fern, Elfin tree (<i>Cyathea dryopteroides</i>)	E	\$1,000	\$917,443,612
1029	Thelypteris inabonensis (=Sci name)	E	\$1,000	\$917,444,612
1029	Thelypteris verecunda (=Sci name)	E	\$1,000	\$917,445,612
1030	Bat, little Mariana fruit (<i>Pteropus tokudae</i>)	E	\$964	\$917,446,576
1030	White-eye, bridled (<i>Zosterops conspicillatus conspicillatus</i>)	E	\$964	\$917,447,540
1031	Salamander, Shenandoah (<i>Plethodon shenandoah</i>)	E	\$900	\$917,448,440
1032	Xylosma crenatum (=Sci name)	E	\$883	\$917,449,323
1032	Lo'ulu (<i>Pritchardia napaliensis</i>)	E	\$883	\$917,450,206
1033	Quillwort, black spored (<i>Isoetes melanospora</i>)	E	\$800	\$917,451,006
1034	Phacelia, clay (<i>Phacelia argillacea</i>)	E	\$783	\$917,451,789
1035	Milkpea, Small's (<i>Galactia smallii</i>)	E	\$700	\$917,452,489
1036	Isopod, Madison Cave (<i>Antrolana lira</i>)	T	\$628	\$917,453,117
1037	Alani (<i>Melicope saint-johnii</i>)	E	\$619	\$917,453,736
1037	Awiwi (<i>Hedyotis cookiana</i>)	E	\$619	\$917,454,355
1037	Haha (<i>Cyanea platyphylla</i>)	E	\$619	\$917,454,974

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1037	Holei (<i>Ochrosia kilauaeensis</i>)	E	\$619	\$917,455,593
1037	Haha (<i>Cyanea copelandii</i> ssp. <i>copelandii</i>)	E	\$619	\$917,456,212
1037	Mariscus <i>fauriei</i> (=Sci name)	E	\$619	\$917,456,831
1037	A`e (<i>Zanthoxylum dipetalum</i> var. <i>tomentosum</i>)	E	\$619	\$917,457,450
1038	Amaranthus <i>brownii</i> (=Sci name)	E	\$612	\$917,458,062
1038	Hau kuahiwi (<i>Hibiscadelphus woodii</i>)	E	\$612	\$917,458,674
1039	Locoweed, Fassett's (<i>Oxytropis campestris</i> var. <i>chartacea</i>)	T	\$600	\$917,459,274
1040	Mustard, Penland alpine fen (<i>Eutrema penlandii</i>)	T	\$598	\$917,459,872
1041	Seal, Guadalupe fur (<i>Arctocephalus townsendi</i>)	T	\$566	\$917,460,438
1042	Fern, pendant kihi (<i>Adenophorus periens</i>)	E	\$551	\$917,460,989
1043	Olulu (<i>Brighamia insignis</i>)	E	\$501	\$917,461,490
1043	Alani (<i>Melicope haupuensis</i>)	E	\$501	\$917,461,991
1044	Crow, white-necked (<i>Corvus leucognaphalus</i>)	E	\$500	\$917,462,491
1044	Cactus, Arizona hedgehog (<i>Echinocereus triglochidiatus</i> var. <i>arizonicus</i>)	E	\$500	\$917,462,991
1044	Milkweed, Welsh's (<i>Asclepias welshii</i>)	T	\$500	\$917,463,491
1044	Chamaecrista <i>glandulosa</i> var. <i>mirabilis</i> (=Sci name)	E	\$500	\$917,463,991
1044	Higuero de sierra (<i>Crescentia portoricensis</i>)	E	\$500	\$917,464,491
1044	Uvillo (<i>Eugenia haematocarpa</i>)	E	\$500	\$917,464,991
1044	Lepanthes <i>eltoroensis</i> (=Sci name)	E	\$500	\$917,465,491
1044	Peperomia, Wheeler's (<i>Peperomia wheeleri</i>)	E	\$500	\$917,465,991
1044	Gesneria <i>pauciflora</i> (=Sci name)	T	\$500	\$917,466,491
1044	Schoepfia <i>arenaria</i> (=Sci name)	T	\$500	\$917,466,991
1044	Auerodendron <i>pauciflorum</i> (=Sci name)	E	\$500	\$917,467,491
1044	Walnut (=Nogal), West Indian (<i>Juglans jamaicensis</i>)	E	\$500	\$917,467,991
1044	Lyonia <i>truncata</i> var. <i>proctorii</i> (=Sci name)	E	\$500	\$917,468,491
1044	Cranichis <i>ricartii</i> (=Sci name)	E	\$500	\$917,468,991
1044	Elaphoglossum <i>serpens</i> (=Sci name)	E	\$500	\$917,469,491
1044	Tectaria <i>estremerana</i> (=Sci name)	E	\$500	\$917,469,991
1044	Thelypteris <i>yaucoensis</i> (=Sci name)	E	\$500	\$917,470,491
1045	Lysimachia <i>maxima</i> (=Sci name)	E	\$451	\$917,470,942
1046	Haha (<i>Cyanea macrostegia</i> ssp. <i>gibsonii</i>)	E	\$412	\$917,471,354
1047	Gooseberry, Miccosukee (<i>Ribes echinellum</i>)	T	\$400	\$917,471,754
1048	Oha (<i>Delissea rivularis</i>)	E	\$361	\$917,472,115
1048	Love grass, Fosberg's (<i>Eragrostis fosbergii</i>)	E	\$361	\$917,472,476
1048	Phyllostegia <i>knudsenii</i> (=Sci name)	E	\$361	\$917,472,837
1048	Schiedea <i>sarmentosa</i> (=Sci name)	E	\$361	\$917,473,198
1048	Schiedea <i>verticillata</i> (=Sci name)	E	\$361	\$917,473,559
1048	Ko`oko`olau (<i>Bidens wiebkei</i>)	E	\$361	\$917,473,920
1048	Hedyotis, Na Pali beach (<i>Hedyotis st.-johnii</i>)	E	\$361	\$917,474,281
1048	Alani (<i>Melicope munroi</i>)	E	\$361	\$917,474,642
1048	Alani (<i>Melicope ovalis</i>)	E	\$361	\$917,475,003
1048	Alani (<i>Melicope quadrangularis</i>)	E	\$361	\$917,475,364
1048	Alani (<i>Melicope reflexa</i>)	E	\$361	\$917,475,725

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1048	Neraudia sericea (=Sci name)	E	\$361	\$917,476,086
1048	Aiea (<i>Nothocestrum peltatum</i>)	E	\$361	\$917,476,447
1048	Phyllostegia glabra var. lanaiensis (=Sci name)	E	\$361	\$917,476,808
1048	Bluegrass, Hawaiian (<i>Poa sandvicensis</i>)	E	\$361	\$917,477,169
1048	Viola helenae (=Sci name)	E	\$361	\$917,477,530
1048	Nani wai`ale`ale (<i>Viola kauaiensis</i> var. <i>wahiawaensis</i>)	E	\$361	\$917,477,891
1048	Kamakahala (<i>Labordia tinifolia</i> var. <i>lanaiensis</i>)	E	\$361	\$917,478,252
1048	Nehe (<i>Lipochaeta kamolensis</i>)	E	\$361	\$917,478,613
1048	Lysimachia filifolia (=Sci name)	E	\$361	\$917,478,974
1048	Bluegrass, Mann's (<i>Poa manni</i>)	E	\$361	\$917,479,335
1048	Poa siphonoglossa (=Sci name)	E	\$361	\$917,479,696
1048	Ma`oli`oli (<i>Schiedea apokremnos</i>)	E	\$361	\$917,480,057
1048	Schiedea helleri (=Sci name)	E	\$361	\$917,480,418
1048	Schiedea lydgatei (=Sci name)	E	\$361	\$917,480,779
1048	Schiedea spergulina var. leiopoda (=Sci name)	E	\$361	\$917,481,140
1048	Lauhilihi (<i>Schiedea stellarioides</i>)	E	\$361	\$917,481,501
1048	Haha (<i>Cyanea asarifolia</i>)	E	\$361	\$917,481,862
1048	Haha (<i>Cyanea manni</i>)	E	\$361	\$917,482,223
1048	Haha (<i>Cyanea recta</i>)	T	\$361	\$917,482,584
1048	Haha (<i>Cyanea undulata</i>)	E	\$361	\$917,482,945
1048	Ha`iwale (<i>Cyrtandra limahuliensis</i>)	T	\$361	\$917,483,306
1048	Na`ena`e (<i>Dubautia plantaginea</i> ssp. <i>humilis</i>)	E	\$361	\$917,483,667
1048	Phyllostegia waimeae (=Sci name)	E	\$361	\$917,484,028
1048	Phyllostegia wawrana (=Sci name)	E	\$361	\$917,484,389
1048	Stenogyne campanulata (=Sci name)	E	\$361	\$917,484,750
1048	Haha (<i>Cyanea remyi</i>)	E	\$361	\$917,485,111
1048	Kamakahala (<i>Labordia tinifolia</i> var. <i>wahiawaensis</i>)	E	\$361	\$917,485,472
1049	Madtom, Scioto (<i>Noturus trautmani</i>)	E	\$300	\$917,485,772
1049	Blossom, tubercled (pearlymussel) (<i>Epioblasma torulosa torulosa</i>) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$300	\$917,486,072
1050	Pamakani (<i>Tetramolopium capillare</i>)	E	\$293	\$917,486,365
1050	Diellia pallida (=Sci name)	E	\$293	\$917,486,658
1051	Bellflower, Brooksville (<i>Campanula robinsiae</i>)	E	\$200	\$917,486,858
1052	Puma (=mountain lion) (<i>Puma (=Felis) concolor</i> (all subsp. except <i>coryi</i>)) FL	SAT	\$100	\$917,486,958
1053	Spineflower, Ben Lomond (<i>Chorizanthe pungens</i> var. <i>hartwegiana</i>)	E	\$95	\$917,487,053
1054	Salamander, desert slender (<i>Batrachoseps aridus</i>)	E	\$90	\$917,487,143
1055	Milk-vetch, Deseret (<i>Astragalus desereticus</i>)	T	\$83	\$917,487,226
1056	Milk-vetch, coastal dunes (<i>Astragalus tener</i> var. <i>titi</i>)	E	\$39	\$917,487,265
1056	Cypress, Gowen (<i>Cupressus goveniana</i> ssp. <i>goveniana</i>)	T	\$39	\$917,487,304

TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2006 REPORTED EXPENDITURES, NOT INCLUDING LAND ACQUISITION COSTS

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1	Sturgeon, pallid (<i>Scaphirhynchus albus</i>)	E	\$38,892,982	\$38,892,982
2	Salmon, chinook (<i>Oncorhynchus (=Salmo) tshawytscha</i>) spring/summer Snake R.	T	\$38,540,898	\$77,433,880
3	Salmon, chinook (<i>Oncorhynchus (=Salmo) tshawytscha</i>) fall Snake R.	T	\$34,188,890	\$111,622,770
4	Steelhead (<i>Oncorhynchus (=Salmo) mykiss</i>) middle Columbia R.	T	\$32,032,545	\$143,655,315
5	Steelhead (<i>Oncorhynchus (=Salmo) mykiss</i>) Snake R. Basin	T	\$31,169,604	\$174,824,919
6	Salmon, chinook (<i>Oncorhynchus (=Salmo) tshawytscha</i>) spring upper Columbia R.	E	\$27,241,805	\$202,066,724
7	Steelhead (<i>Oncorhynchus (=Salmo) mykiss</i>) upper Columbia R. Basin	T	\$25,840,140	\$227,906,864
8	Sea-lion, Steller (<i>Eumetopias jubatus</i>) western pop.	E	\$24,791,913	\$252,698,777
9	Trout, bull (<i>Salvelinus confluentus</i>) U.S.A., conterminous, lower 48 states	T	\$23,863,886	\$276,562,663
10	Salmon, coho (<i>Oncorhynchus (=Salmo) kisutch</i>) OR, CA pop.	T	\$20,310,735	\$296,873,398
11	Salmon, chinook (<i>Oncorhynchus (=Salmo) tshawytscha</i>) winter Sacramento R.	E	\$20,247,212	\$317,120,610
12	Salmon, chinook (<i>Oncorhynchus (=Salmo) tshawytscha</i>) CA Central Valley spring-run	T	\$19,799,558	\$336,920,168
13	Salmon, chinook (<i>Oncorhynchus (=Salmo) tshawytscha</i>) Puget Sound	T	\$17,951,332	\$354,871,500
14	Salmon, sockeye (<i>Oncorhynchus (=Salmo) nerka</i>) U.S.A. (Snake River, ID stock wherever found.)	E	\$17,744,147	\$372,615,647
15	Salmon, chinook (<i>Oncorhynchus (=Salmo) tshawytscha</i>) lower Columbia R.	T	\$16,688,630	\$389,304,277
16	Flycatcher, southwestern willow (<i>Empidonax traillii extimus</i>)	E	\$14,668,834	\$403,973,111
17	Woodpecker, red-cockaded (<i>Picoides borealis</i>)	E	\$13,875,377	\$417,848,488
18	Tortoise, gopher (<i>Gopherus polyphemus</i>) W of of Mobile/Tombigbee Rs.	T	\$13,348,459	\$431,196,947
19	Steelhead (<i>Oncorhynchus (=Salmo) mykiss</i>) lower Columbia R.	T	\$13,096,409	\$444,293,356
20	Eagle, bald (<i>Haliaeetus leucocephalus</i>) lower 48 States	T	\$12,309,254	\$456,602,610
21	Salmon, coho (<i>Oncorhynchus (=Salmo) kisutch</i>) Lower Columbia River	T	\$11,216,106	\$467,818,716
22	Tortoise, desert (<i>Gopherus agassizii</i>) U.S.A., except in Sonoran Desert	T	\$10,547,873	\$478,366,589
23	Sucker, razorback (<i>Xyrauchen texanus</i>) entire	E	\$10,540,595	\$488,907,184
24	Manatee, West Indian (<i>Trichechus manatus</i>)	E	\$9,737,769	\$498,644,953
25	Minnnow, Rio Grande silvery (<i>Hybognathus amarus</i>)	E	\$9,701,954	\$508,346,907
26	Pikeminnow (=squawfish), Colorado (<i>Ptychocheilus lucius</i>) except Salt and Verde R. drainages, AZ	E	\$9,670,160	\$518,017,067
27	Salmon, chinook (<i>Oncorhynchus (=Salmo) tshawytscha</i>) upper Willamette R.	T	\$9,616,276	\$527,633,343
28	Whale, right (<i>Balaena glacialis (incl. australis)</i>)	E	\$9,349,875	\$536,983,218

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
29	Sturgeon, white (<i>Acipenser transmontanus</i>) U.S.A. (ID, MT), Canada (B.C.), Kootenai R. system	E	\$9,113,933	\$546,097,151
30	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) upper Willamette R.	T	\$8,670,405	\$554,767,556
31	Plover, piping (<i>Charadrius melodus</i>) except Great Lakes watershed	T	\$7,836,680	\$562,604,236
32	Chub, humpback (<i>Gila cypha</i>) entire	E	\$7,410,806	\$570,015,042
33	Bear, grizzly (<i>Ursus arctos horribilis</i>) lower 48 States, except where listed as an experimental population or delisted	T	\$6,851,086	\$576,866,128
34	Salmon, chum (<i>Oncorhynchus</i> (=Salmo) <i>keta</i>) Columbia R.	T	\$6,825,799	\$583,691,927
35	Sea turtle, leatherback (<i>Dermochelys coriacea</i>)	E	\$6,824,249	\$590,516,176
36	Sea turtle, loggerhead (<i>Caretta caretta</i>)	T	\$6,791,863	\$597,308,039
37	Tern, least (<i>Sterna antillarum</i>) interior pop.	E	\$6,577,825	\$603,885,864
38	Salmon, Atlantic (<i>Salmo salar</i>) Gulf of Maine Atlantic Salmon DPS	E	\$6,177,575	\$610,063,439
39	Owl, northern spotted (<i>Strix occidentalis caurina</i>)	T	\$6,109,964	\$616,173,403
40	Crane, whooping (<i>Grus americana</i>) except where EXPN	E	\$5,987,523	\$622,160,926
41	Chub, bonytail (<i>Gila elegans</i>) entire	E	\$5,733,982	\$627,894,908
42	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) Central Valley CA	T	\$5,718,233	\$633,613,141
43	Sea-lion, Steller (<i>Eumetopias jubatus</i>) eastern pop.	T	\$5,712,509	\$639,325,650
44	Salmon, chum (<i>Oncorhynchus</i> (=Salmo) <i>keta</i>) summer-run Hood Canal	T	\$4,887,292	\$644,212,942
45	Salmon, sockeye (<i>Oncorhynchus</i> (=Salmo) <i>nerka</i>) U.S.A. (Ozette Lake, WA)	T	\$4,741,473	\$648,954,415
46	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) CA coastal	T	\$4,724,656	\$653,679,071
47	Wolf, gray (<i>Canis lupus</i>) Lower 48 States, except where delisted and where EXPN. Mexico.	E	\$4,308,275	\$657,987,346
48	Bat, Indiana (<i>Myotis sodalis</i>)	E	\$4,179,484	\$662,166,830
49	Lynx, Canada (<i>Lynx canadensis</i>) lower 48 States DPS	T	\$4,057,162	\$666,223,992
50	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) central CA coast	T	\$4,053,317	\$670,277,309
51	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) northern CA	T	\$4,047,557	\$674,324,866
52	Whale, bowhead (<i>Balaena mysticetus</i>)	E	\$4,020,096	\$678,344,962
53	Sucker, Lost River (<i>Deltistes luxatus</i>)	E	\$3,958,514	\$682,303,476
54	Whale, humpback (<i>Megaptera novaeangliae</i>)	E	\$3,920,313	\$686,223,789
55	Sucker, shortnose (<i>Chasmistes brevirostris</i>)	E	\$3,755,014	\$689,978,803
56	Sea turtle, Kemp's ridley (<i>Lepidochelys kempii</i>)	E	\$3,753,258	\$693,732,061
57	Salmon, coho (<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>) central CA coast	E	\$3,614,670	\$697,346,731
58	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>)	E	\$3,163,435	\$700,510,166

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
	southern CA coast			
59	Sea turtle, green (<i>Chelonia mydas</i>) except where endangered	T	\$3,068,067	\$703,578,233
60	Stork, wood (<i>Mycteria americana</i>) AL, FL, GA, SC	E	\$3,005,638	\$706,583,871
61	Plover, western snowy (<i>Charadrius alexandrinus nivosus</i>) Pacific coastal pop.	T	\$2,897,722	\$709,481,593
62	Smelt, delta (<i>Hypomesus transpacificus</i>)	T	\$2,881,714	\$712,363,307
63	Panther, Florida (<i>Puma (=Felis) concolor coryi</i>)	E	\$2,864,132	\$715,227,439
64	Seal, Hawaiian monk (<i>Monachus schauinslandi</i>)	E	\$2,839,166	\$718,066,605
65	Steelhead (<i>Oncorhynchus (=Salmo) mykiss</i>) south central CA coast	T	\$2,814,822	\$720,881,427
66	Trout, Lahontan cutthroat (<i>Oncorhynchus clarki henshawi</i>)	T	\$2,614,574	\$723,496,001
67	Jay, Florida scrub (<i>Aphelocoma coerulescens</i>)	T	\$2,587,062	\$726,083,063
68	Sparrow, Cape Sable seaside (<i>Ammodramus maritimus mirabilis</i>)	E	\$2,586,012	\$728,669,075
69	Owl, Mexican spotted (<i>Strix occidentalis lucida</i>)	T	\$2,373,182	\$731,042,257
70	Beetle, valley elderberry longhorn (<i>Desmocerus californicus dimorphus</i>)	T	\$2,298,612	\$733,340,869
71	Frog, California red-legged (<i>Rana aurora draytonii</i>) subspecies range clarified	T	\$2,236,288	\$735,577,157
72	Sea turtle, hawksbill (<i>Eretmochelys imbricata</i>)	E	\$2,102,828	\$737,679,985
73	Murrelet, marbled (<i>Brachyramphus marmoratus</i>) CA, OR, WA	T	\$2,067,907	\$739,747,892
74	Sturgeon, shortnose (<i>Acipenser brevirostrum</i>)	E	\$2,067,906	\$741,815,798
75	Wolf, gray (<i>Canis lupus</i>) Mexican gray wolf, EXPN population	EXPN	\$1,856,333	\$743,672,131
76	Salamander, flatwoods (<i>Ambystoma cingulatum</i>)	T	\$1,814,300	\$745,486,431
77	Woodpecker, ivory-billed (<i>Campephilus principalis</i>)	E	\$1,809,870	\$747,296,301
78	Wolf, gray (<i>Canis lupus</i>) WY, ID, MT	EXPN	\$1,791,511	\$749,087,812
79	Shrike, San Clemente loggerhead (<i>Lanius ludovicianus mearnsi</i>)	E	\$1,744,181	\$750,831,993
80	Pondberry (<i>Lindera melissifolia</i>)	E	\$1,634,085	\$752,466,078
81	Eider, Steller's (<i>Polysticta stelleri</i>) AK breeding pop.	T	\$1,580,390	\$754,046,468
82	Ferret, black-footed (<i>Mustela nigripes</i>) U.S.A. (specific portions of AZ, CO, MT, SD, UT, and WY)	EXPN	\$1,563,118	\$755,609,586
83	Pronghorn, Sonoran (<i>Antilocapra americana sonoriensis</i>)	E	\$1,483,432	\$757,093,018
84	Snake, giant garter (<i>Thamnophis gigas</i>)	T	\$1,465,861	\$758,558,879
85	Snake, eastern indigo (<i>Drymarchon corais couperi</i>)	T	\$1,460,331	\$760,019,210
86	Vireo, black-capped (<i>Vireo atricapilla</i>)	E	\$1,457,462	\$761,476,672
87	Parrot, Puerto Rican (<i>Amazona vittata</i>)	E	\$1,397,200	\$762,873,872
88	Sturgeon, gulf (<i>Acipenser oxyrinchus desotoi</i>)	T	\$1,385,841	\$764,259,713
89	Fairy shrimp, vernal pool (<i>Branchinecta lynchi</i>)	T	\$1,377,963	\$765,637,676
90	Condor, California (<i>Gymnogyps californianus</i>) U.S.A. only	E	\$1,236,274	\$766,873,950
91	Warbler (=wood), golden-cheeked (<i>Dendroica chrysoparia</i>)	E	\$1,205,849	\$768,079,799
92	Tern, California least (<i>Sterna antillarum browni</i>)	E	\$1,203,250	\$769,283,049
93	Sea turtle, green (<i>Chelonia mydas</i>) FL, Mexico nesting pops.	E	\$1,093,617	\$770,376,666

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
94	Higgins eye (pearlymussel) (<i>Lampsilis higginsii</i>)	E	\$1,057,719	\$771,434,385
95	Bat, gray (<i>Myotis grisescens</i>)	E	\$1,020,123	\$772,454,508
96	Trout, Apache (<i>Oncorhynchus apache</i>)	T	\$980,000	\$773,434,508
97	Kite, Everglade snail (<i>Rostrhamus sociabilis plumbeus</i>) FL pop.	E	\$955,039	\$774,389,547
98	Otter, southern sea (<i>Enhydra lutris nereis</i>) except where EXPN	T	\$951,950	\$775,341,497
99	Fox, San Joaquin kit (<i>Vulpes macrotis mutica</i>)	E	\$946,767	\$776,288,264
100	Warbler (=wood), Kirtland's (<i>Dendroica kirtlandii</i>)	E	\$907,475	\$777,195,739
101	Alligator, American (<i>Alligator mississippiensis</i>)	SAT	\$857,807	\$778,053,546
102	Rail, Yuma clapper (<i>Rallus longirostris yumanensis</i>) U.S.A. only	E	\$848,554	\$778,902,100
103	Eider, spectacled (<i>Somateria fischeri</i>)	T	\$848,100	\$779,750,200
104	Crow, Hawaiian (=alala) (<i>Corvus hawaiiensis</i>)	E	\$846,099	\$780,596,299
105	Pelican, brown (<i>Pelecanus occidentalis</i>) except U.S. Atlantic coast, FL, AL	E	\$837,221	\$781,433,520
106	Butterfly, Karner blue (<i>Lycaeides melissa samuelis</i>)	E	\$821,498	\$782,255,018
107	Crow, Mariana (=aga) (<i>Corvus kubaryi</i>)	E	\$792,816	\$783,047,834
108	Otter, Northern Sea (<i>Enhydra lutris kenyoni</i>) southwest Alaska DPS	T	\$772,700	\$783,820,534
109	Turtle, bog (=Muhlenberg) (<i>Clemmys muhlenbergii</i>) northern	T	\$759,778	\$784,580,312
110	Shiner, Pecos bluntnose (<i>Notropis simus pecosensis</i>)	T	\$746,167	\$785,326,479
111	Palila (honeycreeper) (<i>Loxioides bailleui</i>)	E	\$745,672	\$786,072,151
112	Tadpole shrimp, vernal pool (<i>Lepidurus packardii</i>)	E	\$744,717	\$786,816,868
113	Chaffseed, American (<i>Schwalbea americana</i>)	E	\$740,749	\$787,557,617
114	Falcon, northern aplomado (<i>Falco femoralis septentrionalis</i>)	E	\$734,330	\$788,291,947
115	Squirrel, Delmarva Peninsula fox (<i>Sciurus niger cinereus</i>) Entire, except Sussex Co., DE	E	\$730,391	\$789,022,338
116	Frog, Chiricahua leopard (<i>Rana chiricahuensis</i>)	T	\$723,813	\$789,746,151
117	Seagrass, Johnson's (<i>Halophila johnsonii</i>)	T	\$723,350	\$790,469,501
118	Bear, Louisiana black (<i>Ursus americanus luteolus</i>)	T	\$717,340	\$791,186,841
119	Ferret, black-footed (<i>Mustela nigripes</i>) entire population, except where EXPN	E	\$714,680	\$791,901,521
120	Salamander, California tiger (<i>Ambystoma californiense</i>) U.S.A. (Central CA DPS)	T	\$714,125	\$792,615,646
121	Whale, sperm (<i>Physeter catodon (=macrocephalus)</i>)	E	\$707,417	\$793,323,063
122	Spikedace (<i>Meda fulgida</i>)	T	\$686,100	\$794,009,163
123	Wolf, red (<i>Canis rufus</i>) U.S.A. (portions of NC and TN)	EXPN	\$646,825	\$794,655,988
124	Trout, Gila (<i>Oncorhynchus gilae</i>)	T	\$641,200	\$795,297,188
125	Sawfish, smalltooth (<i>Pristis pectinata</i>)	E	\$638,744	\$795,935,932
126	Salamander, Red Hills (<i>Phaeognathus hubrichti</i>)	T	\$624,257	\$796,560,189
127	Mouse, Alabama beach (<i>Peromyscus polionotus ammobates</i>)	E	\$619,830	\$797,180,019
128	Vireo, least Bell's (<i>Vireo bellii pusillus</i>)	E	\$615,541	\$797,795,560
129	Minnnow, loach (<i>Tiaroga cobitis</i>)	T	\$614,700	\$798,410,260
130	Frog, mountain yellow-legged (<i>Rana muscosa</i>) southern California DPS	E	\$607,657	\$799,017,917

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
131	Bear, grizzly (<i>Ursus arctos horribilis</i>) Yellowstone DPS	PT	\$606,764	\$799,624,681
132	Gnatcatcher, coastal California (<i>Polioptila californica californica</i>)	T	\$604,372	\$800,229,053
133	Topminnow, Gila (incl. Yaqui) (<i>Poeciliopsis occidentalis</i>) U.S.A. only	E	\$578,500	\$800,807,553
134	Darter, Etowah (<i>Etheostoma etowahae</i>)	E	\$564,827	\$801,372,380
135	Goose, Hawaiian (<i>Branta (=Nesochen) sandvicensis</i>)	E	\$557,270	\$801,929,650
136	Sea turtle, olive ridley (<i>Lepidochelys olivacea</i>) Mexican nesting pop.	E	\$551,725	\$802,481,375
137	Darter, Cherokee (<i>Etheostoma scotti</i>)	T	\$549,077	\$803,030,452
138	Sea turtle, olive ridley (<i>Lepidochelys olivacea</i>) except where endangered	T	\$544,837	\$803,575,289
139	Goby, tidewater (<i>Eucyclogobius newberryi</i>) Entire	E	\$536,096	\$804,111,385
140	Rail, Guam (<i>Rallus owstoni</i>) except Rota	E	\$533,600	\$804,644,985
141	Woundfin (<i>Plagopterus argentissimus</i>) except Gila R. drainage, AZ, NM	E	\$529,363	\$805,174,348
142	Wolf, red (<i>Canis rufus</i>) except where EXPN	E	\$512,215	\$805,686,563
143	Chub, Virgin River (<i>Gila seminuda (=robusta)</i>)	E	\$511,844	\$806,198,407
144	Fox, San Miguel Island (<i>Urocyon littoralis littoralis</i>)	E	\$494,022	\$806,692,429
145	Snails, Oahu tree (<i>Achatinella</i> spp.)	E	\$485,128	\$807,177,557
146	Fox, Santa Cruz Island (<i>Urocyon littoralis santacruzae</i>)	E	\$484,962	\$807,662,519
147	Sparrow, Florida grasshopper (<i>Ammodramus savannarum floridanus</i>)	E	\$482,473	\$808,144,992
148	Pupfish, Devils Hole (<i>Cyprinodon diabolis</i>)	E	\$478,550	\$808,623,542
149	Logperch, Roanoke (<i>Percina rex</i>)	E	\$476,621	\$809,100,163
150	Spinedace, Little Colorado (<i>Lepidomeda vittata</i>)	T	\$474,080	\$809,574,243
151	Shiner, Topeka (<i>Notropis topeka (=tristis)</i>)	E	\$467,683	\$810,041,926
152	Rail, California clapper (<i>Rallus longirostris obsoletus</i>)	E	\$460,396	\$810,502,322
153	Butterfly, Schaus swallowtail (<i>Heraclides aristodemus ponceanus</i>)	E	\$460,327	\$810,962,649
154	Plover, piping (<i>Charadrius melodus</i>) Great Lakes watershed	E	\$458,697	\$811,421,346
155	Sheep, bighorn (<i>Ovis canadensis</i>) Peninsular CA pop.	E	\$442,759	\$811,864,105
156	Darter, Niangua (<i>Etheostoma nianguae</i>)	T	\$437,511	\$812,301,616
157	Caracara, Audubon's crested (<i>Polyborus plancus audubonii</i>) FL pop.	T	\$437,124	\$812,738,740
158	Trout, greenback cutthroat (<i>Oncorhynchus clarki stomias</i>)	T	\$432,492	\$813,171,232
159	Crane, whooping (<i>Grus americana</i>) U.S.A. (CO, ID, FL, NM, UT, and the western half of Wyoming)	EXPN	\$416,750	\$813,587,982
160	Crane, Mississippi sandhill (<i>Grus canadensis pulla</i>)	E	\$411,404	\$813,999,386
161	Fritillary, Gentner's (<i>Fritillaria gentneri</i>)	E	\$410,100	\$814,409,486
162	Mapleleaf, winged (<i>Quadrula fragosa</i>) Entire; except where listed as experimental populations	E	\$408,897	\$814,818,383
163	Bat, lesser long-nosed (<i>Leptonycteris curasoae yerbabuena</i>)	E	\$408,700	\$815,227,083
164	Lupine, Kincaid's (<i>Lupinus sulphureus (=oreganus) ssp. kincaidii (=var. kincaidii)</i>)	T	\$405,136	\$815,632,219
165	Butterfly, Fender's blue (<i>Icaricia icarioides fenderi</i>)	E	\$404,249	\$816,036,468

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
166	Sheep, Sierra Nevada bighorn (<i>Ovis canadensis sierrae</i>) Sierra Nevada	E	\$402,530	\$816,438,998
167	Paintbrush, golden (<i>Castilleja levisecta</i>)	T	\$393,767	\$816,832,765
168	Crane, whooping (<i>Grus americana</i>) U.S.A.(AL, AR, GA, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, OH, SC, TN, VA, WI, WV)	EXPN	\$392,435	\$817,225,200
169	Dragonfly, Hine's emerald (<i>Somatochlora hineana</i>)	E	\$382,167	\$817,607,367
170	Bat, Hawaiian hoary (<i>Lasiurus cinereus semotus</i>)	E	\$381,938	\$817,989,305
171	Prairie-chicken, Attwater's greater (<i>Tympanuchus cupido attwateri</i>)	E	\$376,123	\$818,365,428
172	Skink, sand (<i>Neoseps reynoldsii</i>)	T	\$375,791	\$818,741,219
173	Spermolepis hawaiiensis (=Sci name)	E	\$371,243	\$819,112,462
174	Beetle, American burying (<i>Nicrophorus americanus</i>)	E	\$369,329	\$819,481,791
175	Snail, Utah valvata (<i>Valvata utahensis</i>)	E	\$363,987	\$819,845,778
176	Heelsplitter, Carolina (<i>Lasmigona decorata</i>)	E	\$360,976	\$820,206,754
177	Mouse, salt marsh harvest (<i>Reithrodontomys raviventris</i>)	E	\$358,396	\$820,565,150
178	Wolf, gray (<i>Canis lupus</i>) MN	T	\$353,137	\$820,918,287
179	Toad, arroyo (=arroyo southwestern) (<i>Bufo californicus</i> (= <i>microscaphus</i>))	E	\$351,908	\$821,270,195
180	Mouse, Preble's meadow jumping (<i>Zapus hudsonius preblei</i>) Colorado	T	\$345,432	\$821,615,627
181	Tortoise, desert (<i>Gopherus agassizii</i>) outside/taken from Sonoran Desert	SAT	\$342,142	\$821,957,769
182	Ladies'-tresses, Ute (<i>Spiranthes diluvialis</i>)	T	\$338,673	\$822,296,442
183	Springsnail, Idaho (<i>Pyrgulopsis idahoensis</i>)	E	\$333,516	\$822,629,958
184	Darter, leopard (<i>Percina pantherina</i>)	T	\$333,300	\$822,963,258
185	Sucker, June (<i>Chasmistes liorus</i>)	E	\$330,130	\$823,293,388
186	Snail, Bliss Rapids (<i>Taylorconcha serpenticola</i>)	T	\$327,442	\$823,620,830
187	Mucket, pink (pearlymussel) (<i>Lampsilis abrupta</i>)	E	\$324,880	\$823,945,710
188	Whipsnake (=striped racer), Alameda (<i>Masticophis lateralis</i> <i>euryxanthus</i>)	T	\$319,283	\$824,264,993
189	Prairie dog, Utah (<i>Cynomys parvidens</i>)	T	\$319,259	\$824,584,252
190	Butterfly, mission blue (<i>Icaricia icarioides missionensis</i>)	E	\$318,513	\$824,902,765
191	Bonamia, Florida (<i>Bonamia grandiflora</i>)	T	\$317,100	\$825,219,865
192	Buckwheat, scrub (<i>Eriogonum longifolium</i> var. <i>gnaphalifolium</i>)	T	\$316,580	\$825,536,445
193	Catchfly, Spalding's (<i>Silene spaldingii</i>)	T	\$316,158	\$825,852,603
194	Cactus, star (<i>Astrophytum asterias</i>)	E	\$315,044	\$826,167,647
195	Goldenrod, Short's (<i>Solidago shortii</i>)	E	\$314,600	\$826,482,247
196	Pimpleback, orangefoot (pearlymussel) (<i>Plethobasus cooperianus</i>)	E	\$314,032	\$826,796,279
197	Albatross, short-tailed (<i>Phoebastria</i> (=Diomedea) <i>albatrus</i>)	E	\$310,290	\$827,106,569
198	Butterfly, Oregon silverspot (<i>Speyeria zerene hippolyta</i>)	T	\$309,817	\$827,416,386
199	Petrel, Hawaiian dark-rumped (<i>Pterodroma phaeopygia sandwichensis</i>)	E	\$307,052	\$827,723,438
200	Bat, little Mariana fruit (<i>Pteropus tokudae</i>)	E	\$301,600	\$828,025,038
201	Rabbit, riparian brush (<i>Sylvilagus bachmani riparius</i>)	E	\$301,413	\$828,326,451
202	Abalone, White (<i>Haliotis sorenseni</i>) North America (West Coast from Point Conception, CA, U.S.A., to Punta Abreojos, Baja California, Mexico)	E	\$300,501	\$828,626,952

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
203	Kangaroo rat, giant (<i>Dipodomys ingens</i>)	E	\$300,272	\$828,927,224
204	Rail, light-footed clapper (<i>Rallus longirostris levipes</i>) U.S.A. only	E	\$299,190	\$829,226,414
205	Butterfly, Saint Francis' satyr (<i>Neonympha mitchellii francisci</i>)	E	\$294,008	\$829,520,422
206	Wedgemussel, dwarf (<i>Alasmidonta heterodon</i>)	E	\$293,106	\$829,813,528
207	Falcon, northern aplomado (<i>Falco femoralis septentrionalis</i>) Southwestern population	EXPN	\$291,964	\$830,105,492
208	Darter, Okaloosa (<i>Etheostoma okaloosae</i>)	E	\$288,916	\$830,394,408
209	Warbler, nightingale reed (old world warbler) (<i>Acrocephalus luscini</i>)	E	\$287,963	\$830,682,371
210	Sunflower, Pecos (=puzzle, =paradox) (<i>Helianthus paradoxus</i>)	T	\$282,242	\$830,964,613
211	Pupfish, desert (<i>Cyprinodon macularius</i>)	E	\$282,153	\$831,246,766
212	Squirrel, northern Idaho ground (<i>Spermophilus brunneus brunneus</i>)	T	\$281,932	\$831,528,698
213	Bobwhite, masked (quail) (<i>Colinus virginianus ridgwayi</i>)	E	\$280,450	\$831,809,148
214	White-eye, Rota bridled (<i>Zosterops rotensis</i>)	E	\$272,767	\$832,081,915
215	Rabbit, pygmy (<i>Brachylagus idahoensis</i>) Columbia Basin DPS	E	\$271,461	\$832,353,376
216	Coneflower, smooth (<i>Echinacea laevigata</i>)	E	\$267,093	\$832,620,469
217	Piperia, Yadon's (<i>Piperia yadonii</i>)	E	\$266,701	\$832,887,170
218	Toad, Houston (<i>Bufo houstonensis</i>)	E	\$266,015	\$833,153,185
219	Milk-vetch, Peirson's (<i>Astragalus magdalenae var. peirsonii</i>)	T	\$265,664	\$833,418,849
220	Squirrel, Mount Graham red (<i>Tamiasciurus hudsonicus grahamensis</i>)	E	\$265,150	\$833,683,999
221	Popolo ku mai (<i>Solanum incompletum</i>)	E	\$263,501	\$833,947,500
222	Vigna o-wahuensis (=Sci name)	E	\$260,358	\$834,207,858
223	Combshell, Cumberlandian (<i>Epioblasma brevidens</i>) Entire Range; Except where listed as Experimental Populations	E	\$259,168	\$834,467,026
224	Squirrel, Virginia northern flying (<i>Glaucomys sabrinus fuscus</i>)	E	\$258,901	\$834,725,927
225	Pigtoe, shiny (<i>Fusconaia cor</i>) Entire Range; Except where listed as Experimental Populations	E	\$258,581	\$834,984,508
226	Duck, Hawaiian (=koloa) (<i>Anas wyvilliana</i>)	E	\$257,373	\$835,241,881
227	Po'e (<i>Portulaca sclerocarpa</i>)	E	\$257,286	\$835,499,167
228	Neraudia ovata (=Sci name)	E	\$255,297	\$835,754,464
229	Stenogyne angustifolia var. angustifolia (=Sci name)	E	\$249,869	\$836,004,333
230	Cui-ui (<i>Chasmistes cujus</i>)	E	\$247,821	\$836,252,154
231	Wild-rice, Texas (<i>Zizania texana</i>)	E	\$247,550	\$836,499,704
232	Silene hawaiiensis (=Sci name)	T	\$247,539	\$836,747,243
233	A`e (<i>Zanthoxylum hawaiiense</i>)	E	\$247,349	\$836,994,592
234	Silene lanceolata (=Sci name)	E	\$245,739	\$837,240,331
235	Honohono (<i>Haplostachys haplostachya</i>)	E	\$243,704	\$837,484,035
236	Duck, Laysan (<i>Anas laysanensis</i>)	E	\$242,770	\$837,726,805
237	Asplenium fragile var. insulare (=Sci name)	E	\$242,383	\$837,969,188
238	Elepaio, Oahu (<i>Chasiempis sandwichensis ibidis</i>)	E	\$241,269	\$838,210,457
239	Pocketbook, fat (<i>Potamilus capax</i>)	E	\$241,011	\$838,451,468
240	Kio`ele (<i>Hedyotis coriacea</i>)	E	\$240,641	\$838,692,109
241	Daisy, Willamette (<i>Erigeron decumbens var. decumbens</i>)	E	\$239,975	\$838,932,084
242	Pigtoe, finerayed (<i>Fusconaia cuneolus</i>) Entire Range; Except where listed as Experimental Populations	E	\$239,664	\$839,171,748

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
243	Tetramolopium arenarium (=Sci name)	E	\$238,939	\$839,410,687
244	Orchid, western prairie fringed (<i>Platanthera praeclara</i>)	T	\$237,145	\$839,647,832
245	Lipochaeta venosa (=Sci name)	E	\$237,089	\$839,884,921
246	Bluecurls, Hidden Lake (<i>Trichostema austromontanum ssp. compactum</i>)	T	\$236,321	\$840,121,242
247	Aupaka (<i>Isodendron hosakae</i>)	E	\$234,141	\$840,355,383
248	Springfish, Railroad Valley (<i>Crenichthys nevadae</i>)	T	\$232,726	\$840,588,109
249	Mussel, oyster (<i>Epioblasma capsaeformis</i>) Entire Range; Except where listed as Experimental Populations	E	\$232,391	\$840,820,500
250	Hawk, Hawaiian (=lo) (<i>Buteo solitarius</i>)	E	\$230,444	\$841,050,944
251	Rabbit, Lower Keys marsh (<i>Sylvilagus palustris hefneri</i>)	E	\$230,327	\$841,281,271
252	Thrush, small Kauai (=puaiohi) (<i>Myadestes palmeri</i>)	E	\$227,112	\$841,508,383
253	Fanshell (<i>Cyprogenia stegaria</i>)	E	\$225,521	\$841,733,904
254	Meshweaver, Madla's Cave (<i>Cicurina madla</i>)	E	\$223,560	\$841,957,464
255	Rabbitsfoot, rough (<i>Quadrula cylindrica strigillata</i>)	E	\$222,149	\$842,179,613
256	Milk-vetch, Lane Mountain (<i>Astragalus jaegerianus</i>)	E	\$221,865	\$842,401,478
257	Clubshell (<i>Pleurobema clava</i>) Entire Range; Except where listed as Experimental Populations	E	\$221,663	\$842,623,141
258	Salamander, California tiger (<i>Ambystoma californiense</i>) U.S.A. (CA - Sonoma County)	E	\$216,894	\$842,840,035
259	Amole, purple (<i>Chlorogalum purpureum</i>)	T	\$214,186	\$843,054,221
260	Skipper, Carson wandering (<i>Pseudocopaeodes eunus obscurus</i>)	E	\$211,855	\$843,266,076
261	Minnow, Devils River (<i>Dionda diaboli</i>)	T	\$209,826	\$843,475,902
262	Stilt, Hawaiian (<i>Himantopus mexicanus knudseni</i>)	E	\$208,401	\$843,684,303
263	Dace, Moapa (<i>Moapa coriacea</i>)	E	\$207,174	\$843,891,477
264	Mouse, Perdido Key beach (<i>Peromyscus polionotus trissyllepsis</i>)	E	\$206,434	\$844,097,911
265	Darter, fountain (<i>Etheostoma fonticola</i>)	E	\$204,113	\$844,302,024
266	Blackbird, yellow-shouldered (<i>Agelaius xanthomus</i>)	E	\$204,100	\$844,506,124
267	Pearlymussel, cracking (<i>Hemistena lata</i>) Entire Range; Except where listed as Experimental Populations	E	\$203,743	\$844,709,867
268	Ambersnail, Kanab (<i>Oxyloma haydeni kanabensis</i>)	E	\$203,715	\$844,913,582
269	Butterfly, Palos Verdes blue (<i>Glaucopsyche lygdamus palosverdesensis</i>)	E	\$203,663	\$845,117,245
270	Pearlymussel, birdwing (<i>Conradilla caelata</i>) Entire Range; Except where listed as Experimental Populations	E	\$202,943	\$845,320,188
271	Pygmy-owl, cactus ferruginous (<i>Glaucidium brasilianum cactorum</i>) AZ pop.	DO	\$202,712	\$845,522,900
272	Dace, blackside (<i>Phoxinus cumberlandensis</i>)	T	\$202,550	\$845,725,450
273	Skipper, Laguna Mountains (<i>Pyrgus ruralis lagunae</i>)	E	\$201,464	\$845,926,914
274	Salamander, California tiger (<i>Ambystoma californiense</i>) U.S.A. (CA - Santa Barbara County)	E	\$200,451	\$846,127,365
275	Water-umbel, Huachuca (<i>Lilaeopsis schaffneriana var. recurva</i>)	E	\$199,900	\$846,327,265
276	Pearlymussel, dromedary (<i>Dromus dromas</i>) Entire Range; Except where listed as Experimental Populations	E	\$198,451	\$846,525,716
277	Potato-bean, Price's (<i>Apios priceana</i>)	T	\$197,555	\$846,723,271
278	Amaranth, seabeach (<i>Amaranthus pumilus</i>)	T	\$193,962	\$846,917,233
279	Bat, Virginia big-eared (<i>Corynorhinus (=Plecotus) townsendii virginianus</i>)	E	\$192,811	\$847,110,044

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
280	Pearlshell, Louisiana (<i>Margaritifera hembeli</i>)	T	\$192,121	\$847,302,165
281	Loosestrife, rough-leaved (<i>Lysimachia asperulaefolia</i>)	E	\$191,430	\$847,493,595
282	Monkeyface, Cumberland (pearlymussel) (<i>Quadrula intermedia</i>) Entire Range; Except where listed as Experimental Populations	E	\$191,364	\$847,684,959
283	Sumac, Michaux's (<i>Rhus michauxii</i>)	E	\$190,841	\$847,875,800
284	Clover, running buffalo (<i>Trifolium stoloniferum</i>)	E	\$190,386	\$848,066,186
285	Mussel, scaleshell (<i>Leptodea leptodon</i>)	E	\$188,751	\$848,254,937
286	Fox, Santa Rosa Island (<i>Urocyon littoralis santarosae</i>)	E	\$187,953	\$848,442,890
287	Pupfish, Comanche Springs (<i>Cyprinodon elegans</i>)	E	\$187,641	\$848,630,531
288	Shearwater, Newell's Townsend's (<i>Puffinus auricularis newelli</i>)	T	\$185,836	\$848,816,367
289	Bat, Mariana fruit (=Mariana flying fox) (<i>Pteropus mariannus mariannus</i>) entire	T	\$185,103	\$849,001,470
290	Sucker, Warner (<i>Catostomus warnerensis</i>)	T	\$184,700	\$849,186,170
291	Monkeyface, Appalachian (pearlymussel) (<i>Quadrula sparsa</i>)	E	\$184,382	\$849,370,552
292	Milk-vetch, Coachella Valley (<i>Astragalus lentiginosus var. coachellae</i>)	E	\$183,042	\$849,553,594
293	Monardella, willowy (<i>Monardella linoides ssp. viminea</i>)	E	\$182,737	\$849,736,331
294	Madtom, yellowfin (<i>Noturus flavipinnis</i>) Holston River, VA, TN	EXPN	\$179,612	\$849,915,943
295	Chub, slender (<i>Erimystax cahnii</i>)	T	\$179,240	\$850,095,183
296	Trout, Paiute cutthroat (<i>Oncorhynchus clarki seleniris</i>)	T	\$178,719	\$850,273,902
297	Chub, Oregon (<i>Oregonichthys crameri</i>)	E	\$178,228	\$850,452,130
298	Gerardia, sandplain (<i>Agalinis acuta</i>)	E	\$178,089	\$850,630,219
299	Salamander, Texas blind (<i>Typhlomolge rathbuni</i>)	E	\$177,516	\$850,807,735
300	Goldfields, Contra Costa (<i>Lasthenia conjugens</i>)	E	\$177,107	\$850,984,842
301	Deer, key (<i>Odocoileus virginianus clavium</i>)	E	\$175,500	\$851,160,342
302	Deer, Columbian white-tailed (<i>Odocoileus virginianus leucurus</i>) Columbia River DPS	E	\$174,613	\$851,334,955
303	Milk-vetch, Shivwits (<i>Astragalus ampullarioides</i>)	E	\$173,399	\$851,508,354
304	Spineflower, Monterey (<i>Chorizanthe pungens var. pungens</i>)	T	\$171,909	\$851,680,263
305	Snake, San Francisco garter (<i>Thamnophis sirtalis tetrataenia</i>)	E	\$170,721	\$851,850,984
306	Bird's beak, palmate-bracted (<i>Cordylanthus palmatus</i>)	E	\$170,632	\$852,021,616
307	Sandwort, Bear Valley (<i>Arenaria ursina</i>)	T	\$169,400	\$852,191,016
308	Woodrat, Key Largo (<i>Neotoma floridana smalli</i>)	E	\$169,131	\$852,360,147
309	Pupfish, Owens (<i>Cyprinodon radiosus</i>)	E	\$168,021	\$852,528,168
310	Four-o'clock, MacFarlane's (<i>Mirabilis macfarlanei</i>)	T	\$167,986	\$852,696,154
311	Tiger beetle, northeastern beach (<i>Cicindela dorsalis dorsalis</i>)	T	\$167,224	\$852,863,378
312	Mouse, St. Andrew beach (<i>Peromyscus polionotus peninsularis</i>)	E	\$164,661	\$853,028,039
313	Swiftlet, Mariana gray (<i>Aerodramus vanikorensis bartschi</i>)	E	\$161,300	\$853,189,339
314	Chub, spotfin (<i>Erimonax monachus</i>) Entire	T	\$159,058	\$853,348,397
315	Ground beetle, [unnamed] (<i>Rhadine infernalis</i>)	E	\$158,182	\$853,506,579
315	Ground beetle, [unnamed] (<i>Rhadine exilis</i>)	E	\$158,182	\$853,664,761
316	Sparrow, San Clemente sage (<i>Amphispiza belli clementeae</i>)	T	\$156,888	\$853,821,649
317	Jaguar (<i>Panthera onca</i>)	E	\$155,117	\$853,976,766
318	Riffleshell, tan (<i>Epioblasma florentina walkeri</i> (=E. walkeri))	E	\$154,682	\$854,131,448
319	Crocodile, American (<i>Crocodylus acutus</i>) FL pop.	E	\$154,105	\$854,285,553

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
320	Mouse, Choctawhatchee beach (<i>Peromyscus polionotus allophrys</i>)	E	\$151,711	\$854,437,264
321	Lomatium, Cook's (<i>Lomatium cookii</i>)	E	\$147,740	\$854,585,004
322	Kingfisher, Guam Micronesian (<i>Halcyon cinnamomina cinnamomina</i>)	E	\$147,040	\$854,732,044
323	Chub, Mohave tui (<i>Gila bicolor mohavensis</i>)	E	\$145,895	\$854,877,939
324	Orcutt grass, slender (<i>Orcuttia tenuis</i>)	T	\$145,769	\$855,023,708
325	Manzanita, lone (<i>Arctostaphylos myrtifolia</i>)	T	\$145,608	\$855,169,316
326	Cactus, Kuenzler hedgehog (<i>Echinocereus fendleri</i> var. <i>kuenzleri</i>)	E	\$145,380	\$855,314,696
327	Parrotbill, Maui (honeycreeper) (<i>Pseudonestor xanthophrys</i>)	E	\$145,060	\$855,459,756
328	Mehamehame (<i>Flueggea neowawraea</i>)	E	\$143,661	\$855,603,417
329	Poolfish, Pahrump (<i>Empetrichthys latos</i>)	E	\$140,531	\$855,743,948
330	Pikeminnow (=squawfish), Colorado (<i>Ptychocheilus lucius</i>) Salt and Verde R. drainages, AZ	EXPN	\$140,283	\$855,884,231
331	Towhee, Inyo California (<i>Pipilo crissalis eremophilus</i>)	T	\$140,187	\$856,024,418
332	Coot, Hawaiian (<i>Fulica americana alai</i>)	E	\$139,873	\$856,164,291
333	Ma`o hau hele, (=native yellow hibiscus) (<i>Hibiscus brackenridgei</i>)	E	\$139,865	\$856,304,156
334	Tern, roseate (<i>Sterna dougallii dougallii</i>) northeast U.S. nesting pop.	E	\$138,241	\$856,442,397
335	Schiedea kaalae (=Sci name)	E	\$137,931	\$856,580,328
336	Pearlymussel, littlewing (<i>Pegias fabula</i>)	E	\$137,270	\$856,717,598
337	Caribou, woodland (<i>Rangifer tarandus caribou</i>) Selkirk Mountain population	E	\$136,507	\$856,854,105
338	Fly, Delhi Sands flower-loving (<i>Rhaphiomidas terminatus abdominalis</i>)	E	\$135,497	\$856,989,602
339	Kangaroo rat, San Bernardino Merriam's (<i>Dipodomys merriami parvus</i>)	E	\$135,495	\$857,125,097
340	Checker-mallow, Nelson's (<i>Sidalcea nelsoniana</i>)	T	\$134,504	\$857,259,601
341	Aster, decurrent false (<i>Boltonia decurrens</i>)	T	\$134,228	\$857,393,829
342	Cavefish, Ozark (<i>Amblyopsis rosae</i>)	T	\$131,622	\$857,525,451
343	Kamanomano (<i>Cenchrus agrimonioides</i>)	E	\$130,658	\$857,656,109
344	Butterfly, Smith's blue (<i>Euphilotes enoptes smithi</i>)	E	\$130,436	\$857,786,545
345	Ocelot (<i>Leopardus</i> (=Felis) <i>pardalis</i>)	E	\$129,945	\$857,916,490
346	Kulu`i (<i>Nototrichium humile</i>)	E	\$129,095	\$858,045,585
347	Barberry, Nevin's (<i>Berberis nevinii</i>)	E	\$128,243	\$858,173,828
348	Mahoe (<i>Alectryon macrococcus</i>)	E	\$125,824	\$858,299,652
349	Hesperomannia arbuscula (=Sci name)	E	\$124,425	\$858,424,077
350	Guajon (<i>Eleutherodactylus cooki</i>)	T	\$124,250	\$858,548,327
351	Schiedea nuttallii (=Sci name)	E	\$124,085	\$858,672,412
352	Dace, Ash Meadows speckled (<i>Rhinichthys osculus nevadensis</i>)	E	\$122,833	\$858,795,245
353	Kangaroo rat, Stephens' (<i>Dipodomys stephensi</i> (incl. <i>D. cascus</i>))	E	\$122,480	\$858,917,725
354	Kangaroo rat, Tipton (<i>Dipodomys nitratooides nitratooides</i>)	E	\$121,275	\$859,039,000
355	Hedyotis degeneri (=Sci name)	E	\$120,854	\$859,159,854
356	Moorhen, Hawaiian common (<i>Gallinula chloropus sandvicensis</i>)	E	\$119,747	\$859,279,601
357	Oha (<i>Delissea subcordata</i>)	E	\$119,425	\$859,399,026
358	`Akoko (<i>Chamaesyce celastroides</i> var. <i>kaenana</i>)	E	\$119,195	\$859,518,221
359	Limpet, Banbury Springs (<i>Lanx</i> sp.)	E	\$119,084	\$859,637,305
360	Polygala, Lewton's (<i>Polygala lewtonii</i>)	E	\$119,000	\$859,756,305
361	Haha (<i>Cyanea superba</i>)	E	\$118,650	\$859,874,955

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
361	Haha (<i>Cyanea grimesiana</i> ssp. <i>obatae</i>)	E	\$118,650	\$859,993,605
362	Elktoe, Appalachian (<i>Alasmidonta raveneliana</i>)	E	\$118,456	\$860,112,061
363	Phyllostegia kaalaensis (=Sci name)	E	\$117,839	\$860,229,900
364	Thistle, Suisun (<i>Cirsium hydrophilum</i> var. <i>hydrophilum</i>)	E	\$117,075	\$860,346,975
365	Alsinidendron obovatum (=Sci name)	E	\$116,964	\$860,463,939
365	`Akoko (<i>Chamaesyce herbstii</i>)	E	\$116,964	\$860,580,903
366	Neraudia angulata (=Sci name)	E	\$116,931	\$860,697,834
367	Hedyotis parvula (=Sci name)	E	\$116,431	\$860,814,265
367	Tetramolopium filiforme (=Sci name)	E	\$116,431	\$860,930,696
367	Pamakani (<i>Viola chamissoniana</i> ssp. <i>chamissoniana</i>)	E	\$116,431	\$861,047,127
367	Na`ena`e (<i>Dubautia herbstobatae</i>)	E	\$116,431	\$861,163,558
367	Lo`ulu (<i>Pritchardia kaalae</i>)	E	\$116,431	\$861,279,989
367	Sanicula mariversa (=Sci name)	E	\$116,431	\$861,396,420
368	Ha`iwale (<i>Cyrtandra dentata</i>)	E	\$116,056	\$861,512,476
369	Snail, Morro shoulderband (=Banded dune) (<i>Helminthoglypta walkeriana</i>)	E	\$115,638	\$861,628,114
370	Haha (<i>Cyanea longiflora</i>)	E	\$115,099	\$861,743,213
371	Nehe (<i>Lipochaeta tenuifolia</i>)	E	\$114,931	\$861,858,144
372	Salamander, Sonora tiger (<i>Ambystoma tigrinum stebbinsi</i>)	E	\$113,150	\$861,971,294
373	Snail, Snake River physa (<i>Physa natricina</i>)	E	\$113,048	\$862,084,342
374	Salamander, Santa Cruz long-toed (<i>Ambystoma macrodactylum croceum</i>)	E	\$112,865	\$862,197,207
375	Brodiaea, thread-leaved (<i>Brodiaea filifolia</i>)	T	\$112,457	\$862,309,664
376	Three-ridge, fat (mussel) (<i>Amblema neislerii</i>)	E	\$112,415	\$862,422,079
377	Butterfly plant, Colorado (<i>Gaura neomexicana</i> var. <i>coloradensis</i>)	T	\$112,218	\$862,534,297
378	Catesbaea melanocarpa (=Sci name)	E	\$111,900	\$862,646,197
379	Bean, Cumberland (pearlymussel) (<i>Villosa trabalis</i>) Entire Range; Except where listed as Experimental Populations	E	\$110,245	\$862,756,442
380	Riffleshell, northern (<i>Epioblasma torulosa rangiana</i>)	E	\$109,648	\$862,866,090
381	Cactus, Sneed pincushion (<i>Coryphantha sneedii</i> var. <i>sneedii</i>)	E	\$109,128	\$862,975,218
382	Shrimp, Alabama cave (<i>Palaemonias alabamae</i>)	E	\$108,792	\$863,084,010
383	Desert-parsley, Bradshaw's (<i>Lomatium bradshawii</i>)	E	\$108,579	\$863,192,589
384	Howellia, water (<i>Howellia aquatilis</i>)	T	\$106,539	\$863,299,128
385	Bean, purple (<i>Villosa perpurpurea</i>)	E	\$106,531	\$863,405,659
386	Spinymussel, James (<i>Pleurobema collina</i>)	E	\$104,943	\$863,510,602
387	Shiner, Arkansas River (<i>Notropis girardi</i>) Arkansas R. Basin	T	\$104,111	\$863,614,713
388	Chub, Borax Lake (<i>Gila boraxobius</i>)	E	\$103,957	\$863,718,670
389	Layia, beach (<i>Layia carnosae</i>)	E	\$103,682	\$863,822,352
390	Bird's-beak, soft (<i>Cordylanthus mollis</i> ssp. <i>mollis</i>)	E	\$103,588	\$863,925,940
391	Lizard, blunt-nosed leopard (<i>Gambelia silus</i>)	E	\$103,104	\$864,029,044
392	Creeper, Hawaii (<i>Oreomystis mana</i>)	E	\$102,588	\$864,131,632
393	Salamander, San Marcos (<i>Eurycea nana</i>)	T	\$102,557	\$864,234,189
394	Toad, Wyoming (<i>Bufo baxteri</i> (=hemiophrys))	E	\$101,495	\$864,335,684
395	Mouse, southeastern beach (<i>Peromyscus polionotus niveiventris</i>)	T	\$100,930	\$864,436,614

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
396	Turtle, Alabama red-belly (<i>Pseudemys alabamensis</i>)	E	\$100,155	\$864,536,769
397	Fairy shrimp, Conservancy (<i>Branchinecta conservatio</i>)	E	\$99,784	\$864,636,553
398	Tiger beetle, Puritan (<i>Cicindela puritana</i>)	T	\$98,921	\$864,735,474
399	Pogonia, small whorled (<i>Isotria medeoloides</i>)	T	\$97,447	\$864,832,921
400	Sucker, Santa Ana (<i>Catostomus santaanae</i>) 3 CA river basins	T	\$96,101	\$864,929,022
401	Clubshell, southern (<i>Pleurobema decisum</i>)	E	\$95,282	\$865,024,304
402	Lily, Western (<i>Lilium occidentale</i>)	E	\$93,500	\$865,117,804
403	Trillium, relict (<i>Trillium reliquum</i>)	E	\$93,191	\$865,210,995
404	Kangaroo rat, Fresno (<i>Dipodomys nitratooides exilis</i>)	E	\$92,734	\$865,303,729
405	Mountain beaver, Point Arena (<i>Aplodontia rufa nigra</i>)	E	\$92,404	\$865,396,133
406	Frog, Mississippi gopher (<i>Rana capito sevosa</i>) Wherever found west of Mobile and Tombigbee Rivers in AL, MS, and LA	E	\$92,077	\$865,488,210
407	Evening-primrose, San Benito (<i>Camissonia benitensis</i>)	T	\$91,402	\$865,579,612
408	Otter, southern sea (<i>Enhydra lutris nereis</i>) south of Pt. Conception, CA	EXPN	\$90,910	\$865,670,522
409	Pupfish, Ash Meadows Amargosa (<i>Cyprinodon nevadensis mionectes</i>)	E	\$90,398	\$865,760,920
410	Thornmint, San Diego (<i>Acanthomintha ilicifolia</i>)	T	\$89,093	\$865,850,013
411	Orchid, eastern prairie fringed (<i>Platanthera leucophaea</i>)	T	\$88,916	\$865,938,929
412	Quillwort, Louisiana (<i>Isoetes louisianensis</i>)	E	\$88,902	\$866,027,831
413	Ko`oloa`ula (<i>Abutilon menziesii</i>)	E	\$88,126	\$866,115,957
414	Wallflower, Menzies' (<i>Erysimum menziesii</i>)	E	\$88,000	\$866,203,957
415	Megapode, Micronesian (<i>Megapodius laperouse</i>)	E	\$87,950	\$866,291,907
416	Beauty, Harper's (<i>Harperocallis flava</i>)	E	\$87,616	\$866,379,523
417	Fairy shrimp, longhorn (<i>Branchinecta longiantenna</i>)	E	\$87,553	\$866,467,076
418	Cladonia, Florida perforate (<i>Cladonia perforata</i>)	E	\$87,166	\$866,554,242
419	Dropwort, Canby's (<i>Oxypolis canbyi</i>)	E	\$87,152	\$866,641,394
420	Orcutt grass, Sacramento (<i>Orcuttia viscida</i>)	E	\$82,300	\$866,723,694
421	Pentachaeta, Lyon's (<i>Pentachaeta lyonii</i>)	E	\$81,693	\$866,805,387
422	Sunburst, Hartweg's golden (<i>Pseudobahia bahiifolia</i>)	E	\$80,938	\$866,886,325
423	Orcutt grass, hairy (<i>Orcuttia pilosa</i>)	E	\$80,819	\$866,967,144
424	Bankclimber, purple (mussel) (<i>Elliotoideus sloatianus</i>)	T	\$80,515	\$867,047,659
425	Dawn-flower, Texas prairie (<i>Hymenoxys texana</i>)	E	\$79,170	\$867,126,829
426	Phlox, Texas trailing (<i>Phlox nivalis ssp. texensis</i>)	E	\$78,850	\$867,205,679
427	Elktoe, Cumberland (<i>Alasmidonta atropurpurea</i>)	E	\$77,987	\$867,283,666
428	Boa, Puerto Rican (<i>Epicrates inornatus</i>)	E	\$77,074	\$867,360,740
429	Akiapola`au (honeycreeper) (<i>Hemignathus munroi</i>)	E	\$77,001	\$867,437,741
430	Butterfly, Quino checkerspot (<i>Euphydryas editha quino (=E. e. wrighti)</i>)	E	\$76,956	\$867,514,697
431	Rattlesnake, New Mexican ridge-nosed (<i>Crotalus willardi obscurus</i>)	T	\$76,230	\$867,590,927
432	Pigtoe, rough (<i>Pleurobema plenum</i>)	E	\$75,562	\$867,666,489
433	Salamander, Barton Springs (<i>Eurycea sosorum</i>)	E	\$75,377	\$867,741,866
434	Niterwort, Amargosa (<i>Nitrophila mohavensis</i>)	E	\$75,162	\$867,817,028
435	Thistle, fountain (<i>Cirsium fontinale var. fontinale</i>)	E	\$75,000	\$867,892,028
436	Cactus, Wright fishhook (<i>Sclerocactus wrightiae</i>)	E	\$74,666	\$867,966,694

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
437	Snake, copperbelly water (<i>Nerodia erythrogaster neglecta</i>) MI, OH, IN N of 400 N. Lat.	T	\$74,400	\$868,041,094
438	Meadowfoam, Butte County (<i>Limnanthes floccosa ssp. californica</i>)	E	\$74,380	\$868,115,474
439	Nioi (<i>Eugenia koolauensis</i>)	E	\$73,849	\$868,189,323
440	Wooly-threads, San Joaquin (<i>Monolopia (=Lembertia) congdonii</i>)	E	\$73,661	\$868,262,984
441	Akepa, Hawaii (honeycreeper) (<i>Loxops coccineus coccineus</i>)	E	\$73,391	\$868,336,375
442	Milk-vetch, Holmgren (<i>Astragalus holmgreniorum</i>)	E	\$73,256	\$868,409,631
443	Butterfly, Mitchell's satyr (<i>Neonympha mitchellii mitchellii</i>)	E	\$72,583	\$868,482,214
444	Spinedace, White River (<i>Lepidomeda albivallis</i>)	E	\$72,582	\$868,554,796
445	Darter, goldline (<i>Percina aurolineata</i>)	T	\$71,454	\$868,626,250
446	Stickleback, unarmored threespine (<i>Gasterosteus aculeatus williamsoni</i>)	E	\$71,217	\$868,697,467
447	Tarplant, Gaviota (<i>Deinandra increscens ssp. villosa</i>)	E	\$70,529	\$868,767,996
448	Pink, swamp (<i>Helonias bullata</i>)	T	\$70,200	\$868,838,196
449	Snail, flat-spined three-toothed (<i>Triodopsis platysayoides</i>)	T	\$69,660	\$868,907,856
450	Pupfish, Warm Springs (<i>Cyprinodon nevadensis pectoralis</i>)	E	\$69,580	\$868,977,436
451	Kuahiwi laukahi (<i>Plantago princeps</i>)	E	\$69,418	\$869,046,854
452	Nightjar, Puerto Rican (<i>Caprimulgus noctitherus</i>)	E	\$69,000	\$869,115,854
453	Nanu (<i>Gardenia manni</i>)	E	\$68,941	\$869,184,795
454	Ring pink (mussel) (<i>Obovaria retusa</i>)	E	\$68,582	\$869,253,377
455	Bladderpod, Missouri (<i>Lesquerella filiformis</i>)	T	\$68,437	\$869,321,814
456	Birds-in-a-nest, white (<i>Macbridea alba</i>)	T	\$67,816	\$869,389,630
457	Gilia, Monterey (<i>Gilia tenuiflora ssp. arenaria</i>)	E	\$67,493	\$869,457,123
458	Pocketbook, shinyrayed (<i>Lampsilis subangulata</i>)	E	\$67,302	\$869,524,425
459	Hesperomannia arborescens (=Sci name)	E	\$66,501	\$869,590,926
460	Poppy, Sacramento prickly (<i>Argemone pleiacantha ssp. pinnatisecta</i>)	E	\$66,080	\$869,657,006
461	Cyanea (=Rollandia) crispa (=Sci name)	E	\$65,855	\$869,722,861
462	Abutilon sandwicense (=Sci name)	E	\$65,435	\$869,788,296
463	Chub, Chihuahua (<i>Gila nigrescens</i>)	T	\$65,350	\$869,853,646
464	Crayfish, Nashville (<i>Orconectes shoupi</i>)	E	\$65,197	\$869,918,843
465	Haha (<i>Cyanea acuminata</i>)	E	\$64,947	\$869,983,790
466	Po`ouli (honeycreeper) (<i>Melamprosops phaeosoma</i>)	E	\$64,798	\$870,048,588
467	Cactus, Pima pineapple (<i>Coryphantha scheeri var. robustispina</i>)	E	\$64,750	\$870,113,338
468	Shiner, blue (<i>Cyprinella caerulea</i>)	T	\$64,141	\$870,177,479
469	Kauila (<i>Colubrina oppositifolia</i>)	E	\$63,791	\$870,241,270
470	Pocketbook, Ouachita rock (<i>Arkansia wheeleri</i>)	E	\$63,660	\$870,304,930
471	Fox, Santa Catalina Island (<i>Urocyon littoralis catalinae</i>)	E	\$63,589	\$870,368,519
472	Heartleaf, dwarf-flowered (<i>Hexastylis naniflora</i>)	T	\$63,456	\$870,431,975
473	Butterweed, Layne's (<i>Senecio layneae</i>)	T	\$63,236	\$870,495,211
474	Spurge, Hoover's (<i>Chamaesyce hooveri</i>)	T	\$62,105	\$870,557,316
475	Pocketbook, speckled (<i>Lampsilis streckeri</i>)	E	\$62,077	\$870,619,393
476	Trout, Little Kern golden (<i>Oncorhynchus aguabonita whitei</i>)	T	\$62,060	\$870,681,453
477	Spineflower, Ben Lomond (<i>Chorizanthe pungens var. hartwegiana</i>)	E	\$61,972	\$870,743,425
478	Popcornflower, rough (<i>Plagiobothrys hirtus</i>)	E	\$61,761	\$870,805,186
479	Milk-vetch, Braunton's (<i>Astragalus brauntonii</i>)	E	\$61,704	\$870,866,890

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
480	Koki`o (<i>Kokia drynarioides</i>)	E	\$61,692	\$870,928,582
481	Ziziphus, Florida (<i>Ziziphus celata</i>)	E	\$61,500	\$870,990,082
482	Daisy, Maguire (<i>Erigeron maguirei</i>)	T	\$61,436	\$871,051,518
483	Sucker, Modoc (<i>Catostomus microps</i>)	E	\$61,367	\$871,112,885
484	Dace, desert (<i>Eremichthys acros</i>)	T	\$60,994	\$871,173,879
485	Bladderpod, white (<i>Lesquerella pallida</i>)	E	\$60,943	\$871,234,822
486	Spineflower, Orcutt's (<i>Chorizanthe orcuttiana</i>)	E	\$60,848	\$871,295,670
487	Pearlymussel, Curtis (<i>Epioblasma florentina curtisii</i>)	E	\$60,214	\$871,355,884
488	Jewelflower, California (<i>Caulanthus californicus</i>)	E	\$60,129	\$871,416,013
489	Thistle, Sacramento Mountains (<i>Cirsium vinaceum</i>)	T	\$60,000	\$871,476,013
490	Bat, Ozark big-eared (<i>Corynorhinus (=Plecotus) townsendii ingens</i>)	E	\$59,700	\$871,535,713
491	Penstemon, blowout (<i>Penstemon haydenii</i>)	E	\$59,225	\$871,594,938
492	Nukupu`u (honeycreeper) (<i>Hemignathus lucidus</i>)	E	\$59,164	\$871,654,102
493	Spiny mussel, Tar River (<i>Elliptio steinstansana</i>)	E	\$58,657	\$871,712,759
494	Spiraea, Virginia (<i>Spiraea virginiana</i>)	T	\$58,580	\$871,771,339
495	Moccasinshell, Gulf (<i>Medionidus penicillatus</i>)	E	\$58,402	\$871,829,741
496	Butterwort, Godfrey's (<i>Pinguicula ionantha</i>)	T	\$58,316	\$871,888,057
497	Pigtoe, oval (<i>Pleurobema pyriforme</i>)	E	\$58,202	\$871,946,259
498	Honeycreeper, crested (<i>Palmeria dolei</i>)	E	\$57,534	\$872,003,793
499	Moccasinshell, Ochlockonee (<i>Medionidus simpsonianus</i>)	E	\$56,327	\$872,060,120
500	Phyllostegia mollis (=Sci name)	E	\$56,242	\$872,116,362
501	Pigeon wings (<i>Clitoria fragrans</i>)	T	\$56,100	\$872,172,462
502	Butterfly, El Segundo blue (<i>Euphilotes battoides allynii</i>)	E	\$55,871	\$872,228,333
503	Salamander, Cheat Mountain (<i>Plethodon nettingi</i>)	T	\$55,480	\$872,283,813
504	Silversword, Mauna Loa (=Ka'u) (<i>Argyroxiphium kauense</i>)	E	\$55,106	\$872,338,919
505	Uhiuhi (<i>Caesalpinia kavaense</i>)	E	\$54,557	\$872,393,476
506	Springsnail, Bruneau Hot (<i>Pyrgulopsis bruneauensis</i>)	E	\$54,523	\$872,447,999
507	Darter, duskytail (<i>Etheostoma percnurum</i>) Entire	E	\$54,477	\$872,502,476
508	Gambusia, Pecos (<i>Gambusia nobilis</i>)	E	\$53,850	\$872,556,326
509	Bush-clover, prairie (<i>Lespedeza leptostachya</i>)	T	\$53,827	\$872,610,153
510	Shiner, Cape Fear (<i>Notropis mekistocholas</i>)	E	\$53,804	\$872,663,957
511	Ceanothus, Pine Hill (<i>Ceanothus roderickii</i>)	E	\$53,462	\$872,717,419
512	`Aiea (<i>Nothoestrum breviflorum</i>)	E	\$53,211	\$872,770,630
513	Schiedea hookeri (=Sci name)	E	\$53,064	\$872,823,694
514	Sandwort, Cumberland (<i>Arenaria cumberlandensis</i>)	E	\$52,325	\$872,876,019
515	Thistle, Pitcher's (<i>Cirsium pitcheri</i>)	T	\$52,087	\$872,928,106
516	Tuctoria, Greene's (<i>Tuctoria greenei</i>)	E	\$51,924	\$872,980,030
517	Clubshell, ovate (<i>Pleurobema perovatium</i>)	E	\$51,782	\$873,031,812
518	Lampmussel, Alabama (<i>Lampsilis virescens</i>) Entire Range; Except where listed as Experimental Populations	E	\$51,577	\$873,083,389
519	Snake, Lake Erie water (<i>Nerodia sipedon insularum</i>) subspecies range clarified	T	\$51,340	\$873,134,729
520	Shagreen, Magazine Mountain (<i>Mesodon magazinensis</i>)	T	\$51,000	\$873,185,729
521	Beetle, Mount Hermon June (<i>Polyphylla barbata</i>)	E	\$50,964	\$873,236,693

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
522	Watercress, Gambel's (<i>Rorippa gambellii</i>)	E	\$50,522	\$873,287,215
523	Shrimp, California freshwater (<i>Syncaris pacifica</i>)	E	\$50,422	\$873,337,637
524	Bat, Mexican long-nosed (<i>Leptonycteris nivalis</i>)	E	\$50,314	\$873,387,951
525	Shiner, palezone (<i>Notropis albizonatus</i>)	E	\$50,277	\$873,438,228
526	Naucorid, Ash Meadows (<i>Ambrysus amargosus</i>)	T	\$50,272	\$873,488,500
527	Bladderpod, Zapata (<i>Lesquerella thamnophila</i>)	E	\$50,233	\$873,538,733
528	Cactus, Nichol's Turk's head (<i>Echinocactus horizontalionius var. nicholii</i>)	E	\$49,970	\$873,588,703
529	Hala pepe (<i>Pleomele hawaiiensis</i>)	E	\$49,780	\$873,638,483
530	Pupfish, Leon Springs (<i>Cyprinodon bovinus</i>)	E	\$49,650	\$873,688,133
531	Stenogyne kanehoana (=Sci name)	E	\$49,349	\$873,737,482
531	Kamakahala (<i>Labordia cyrtandrae</i>)	E	\$49,349	\$873,786,831
532	Alsinidendron trinerve (=Sci name)	E	\$48,935	\$873,835,766
533	Haha (<i>Cyanea st-johnii</i>)	E	\$48,574	\$873,884,340
534	Geocarpon minimum (=Sci name)	T	\$48,553	\$873,932,893
535	Thelypody, Howell's spectacular (<i>Thelypodium howellii spectabilis</i>)	T	\$48,540	\$873,981,433
536	Wireweed (<i>Polygonella basiramia</i>)	E	\$48,500	\$874,029,933
537	Ayenia, Texas (<i>Ayenia limitaris</i>)	E	\$47,965	\$874,077,898
538	Phyllostegia hirsuta (=Sci name)	E	\$47,941	\$874,125,839
538	Kolea (<i>Myrsine juddii</i>)	E	\$47,941	\$874,173,780
539	Taraxacum, California (<i>Taraxacum californicum</i>)	E	\$47,887	\$874,221,667
540	Ha`iwale (<i>Cyrtandra subumbellata</i>)	E	\$47,841	\$874,269,508
541	Thistle, Chorro Creek bog (<i>Cirsium fontinale var. obispoense</i>)	E	\$47,485	\$874,316,993
542	Alani (<i>Melicope lydgatei</i>)	E	\$47,449	\$874,364,442
542	Wawae`iole (<i>Lycopodium (=Phlegmariurus) nutans</i>)	E	\$47,449	\$874,411,891
543	Skullcap, Florida (<i>Scutellaria floridana</i>)	T	\$47,431	\$874,459,322
544	Leather flower, Alabama (<i>Clematis socialis</i>)	E	\$47,416	\$874,506,738
545	Sanicula purpurea (=Sci name)	E	\$47,349	\$874,554,087
546	Dace, Independence Valley speckled (<i>Rhinichthys osculus lethoporus</i>)	E	\$47,163	\$874,601,250
547	Phlox, Yreka (<i>Phlox hirsuta</i>)	E	\$46,671	\$874,647,921
548	Haha (<i>Cyanea humboldtiana</i>)	E	\$46,609	\$874,694,530
548	Haha (<i>Cyanea koolauensis</i>)	E	\$46,609	\$874,741,139
549	Beetle, Comal Springs riffle (<i>Heterelmis comalensis</i>)	E	\$46,580	\$874,787,719
550	Lobelia gaudichaudii ssp. koolauensis (=Sci name)	E	\$46,541	\$874,834,260
550	Viola oahuensis (=Sci name)	E	\$46,541	\$874,880,801
551	Bonamia menziesii (=Sci name)	E	\$46,516	\$874,927,317
552	Ha`iwale (<i>Cyrtandra viridiflora</i>)	E	\$46,441	\$874,973,758
552	`Akoko (<i>Chamaesyce rockii</i>)	E	\$46,441	\$875,020,199
552	Pteris lidgatei (=Sci name)	E	\$46,441	\$875,066,640
553	Sandwort, Marsh (<i>Arenaria paludicola</i>)	E	\$46,348	\$875,112,988
554	Darter, slackwater (<i>Etheostoma boschungii</i>)	T	\$46,279	\$875,159,267
555	Bladderpod, Spring Creek (<i>Lesquerella perforata</i>)	E	\$45,077	\$875,204,344
556	Clarkia, Presidio (<i>Clarkia franciscana</i>)	E	\$45,000	\$875,249,344
557	Morning-glory, Stebbins' (<i>Calystegia stebbinsii</i>)	E	\$44,765	\$875,294,109

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
558	Makou (<i>Peucedanum sandwicense</i>)	T	\$44,758	\$875,338,867
559	Sunflower, Schweinitz's (<i>Helianthus schweinitzii</i>)	E	\$44,686	\$875,383,553
560	Ohai (<i>Sesbania tomentosa</i>)	E	\$44,478	\$875,428,031
561	Monkshood, northern wild (<i>Aconitum noveboracense</i>)	T	\$44,352	\$875,472,383
562	Milk-vetch, Ash meadows (<i>Astragalus phoenix</i>)	T	\$44,309	\$875,516,692
563	Jaguarundi, Gulf Coast (<i>Herpailurus (=Felis) yagouaroundi cacomitli</i>)	E	\$43,480	\$875,560,172
564	Snowbells, Texas (<i>Styrax texanus</i>)	E	\$43,102	\$875,603,274
565	Chub, Sonora (<i>Gila ditaenia</i>)	T	\$43,100	\$875,646,374
566	Chub, Pahrnagat roundtail (<i>Gila robusta jordani</i>)	E	\$43,033	\$875,689,407
567	Slabshell, Chipola (<i>Elliptio chipolaensis</i>)	T	\$42,815	\$875,732,222
568	Cactus, Uinta Basin hookless (<i>Sclerocactus glaucus</i>)	T	\$42,722	\$875,774,944
569	Cavesnail, Tumbling Creek (<i>Antrobia culveri</i>)	E	\$42,600	\$875,817,544
570	Pitcher-plant, green (<i>Sarracenia oreophila</i>)	E	\$42,506	\$875,860,050
571	Orcutt grass, San Joaquin (<i>Orcuttia inaequalis</i>)	T	\$42,325	\$875,902,375
572	Stickseed, showy (<i>Hackelia venusta</i>)	E	\$42,277	\$875,944,652
573	Bear-poppy, dwarf (<i>Arctomecon humilis</i>)	E	\$42,250	\$875,986,902
574	Skullcap, large-flowered (<i>Scutellaria montana</i>)	T	\$42,131	\$876,029,033
575	Cactus, Tobusch fishhook (<i>Ancistrocactus tobuschii</i>)	E	\$42,064	\$876,071,097
576	Chub, Hutton tui (<i>Gila bicolor ssp.</i>) Hutton	T	\$42,000	\$876,113,097
577	Iguana, Mona ground (<i>Cyclura cornuta stejnegeri</i>)	T	\$41,900	\$876,154,997
578	Gambusia, Big Bend (<i>Gambusia gaigei</i>)	E	\$41,650	\$876,196,647
579	Pitcher-plant, Alabama canebrake (<i>Sarracenia rubra alabamensis</i>)	E	\$41,591	\$876,238,238
580	Ladies'-tresses, Navasota (<i>Spiranthes parksii</i>)	E	\$41,576	\$876,279,814
581	Plymouth Red-Bellied Turtle (<i>Pseudemys rubriventris bangsi</i>)	E	\$41,408	\$876,321,222
582	Pua`ala (<i>Brighamia rockii</i>)	E	\$41,398	\$876,362,620
583	Mouse, Key Largo cotton (<i>Peromyscus gossypinus allapaticola</i>)	E	\$41,278	\$876,403,898
584	Spinedace, Big Spring (<i>Lepidomeda mollispinis pratensis</i>)	T	\$41,243	\$876,445,141
585	Meadowfoam, large-flowered woolly (<i>Limnanthes floccosa ssp.</i> <i>grandiflora</i>)	E	\$41,240	\$876,486,381
586	Turtle, yellow-blotched map (<i>Graptemys flavimaculata</i>)	T	\$41,110	\$876,527,491
587	Mucket, orangenacre (<i>Lampsilis perovalis</i>)	T	\$40,832	\$876,568,323
588	Darter, amber (<i>Percina antesella</i>)	E	\$40,651	\$876,608,974
589	Bird's-beak, salt marsh (<i>Cordylanthus maritimus ssp. maritimus</i>)	E	\$40,540	\$876,649,514
589	Manioc, Walker's (<i>Manihot walkerae</i>)	E	\$40,540	\$876,690,054
590	Ambrosia, south Texas (<i>Ambrosia cheiranthifolia</i>)	E	\$40,531	\$876,730,585
591	Dwarf-flax, Marin (<i>Hesperolinon congestum</i>)	T	\$40,191	\$876,770,776
592	Butterfly, Behren's silverspot (<i>Speyeria zerene behrensi</i>)	E	\$39,661	\$876,810,437
592	Checker-mallow, Keck's (<i>Sidalcea keckii</i>)	E	\$39,661	\$876,850,098
593	Spider, Kauai cave wolf or pe'e pe'e maka 'ole (<i>Adelocosa anops</i>)	E	\$39,475	\$876,889,573
594	Milkweed, Mead's (<i>Asclepias meadii</i>)	T	\$38,845	\$876,928,418
595	Owl's-clover, fleshy (<i>Castilleja campestris ssp. succulenta</i>)	T	\$38,525	\$876,966,943
596	Wire-lettuce, Malheur (<i>Stephanomeria malheurensis</i>)	E	\$38,500	\$877,005,443
597	Dace, Foskett speckled (<i>Rhinichthys osculus ssp.</i>) Foskett	T	\$38,379	\$877,043,822

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
598	Moorhen, Mariana common (<i>Gallinula chloropus guami</i>)	E	\$38,200	\$877,082,022
599	Sunray, Ash Meadows (<i>Enceliopsis nudicaulis</i> var. <i>corrugata</i>)	T	\$38,000	\$877,120,022
600	Boa, Virgin Islands tree (<i>Epicrates monensis granti</i>)	E	\$37,644	\$877,157,666
601	Chub, Gila (<i>Gila intermedia</i>)	E	\$37,600	\$877,195,266
602	Flannelbush, Pine Hill (<i>Fremontodendron californicum</i> ssp. <i>decumbens</i>)	E	\$37,474	\$877,232,740
603	Blazingstar, Ash Meadows (<i>Mentzelia leucophylla</i>)	T	\$36,654	\$877,269,394
604	Pomace fly, [unnamed] (<i>Drosophila aglaia</i>)	E	\$36,365	\$877,305,759
604	Pomace fly, [unnamed] (<i>Drosophila heteroneura</i>)	E	\$36,365	\$877,342,124
604	Pomace fly, [unnamed] (<i>Drosophila montgomeryi</i>)	E	\$36,365	\$877,378,489
604	Pomace fly, [unnamed] (<i>Drosophila mulli</i>)	T	\$36,365	\$877,414,854
604	Pomace fly, [unnamed] (<i>Drosophila musaphila</i>)	E	\$36,365	\$877,451,219
604	Pomace fly, [unnamed] (<i>Drosophila neoclavisetae</i>)	E	\$36,365	\$877,487,584
604	Pomace fly, [unnamed] (<i>Drosophila obatai</i>)	E	\$36,365	\$877,523,949
604	Pomace fly, [unnamed] (<i>Drosophila substenoptera</i>)	E	\$36,365	\$877,560,314
604	Pomace fly, [unnamed] (<i>Drosophila tarphytrichia</i>)	E	\$36,365	\$877,596,679
604	Pomace fly, [unnamed] (<i>Drosophila hemipeza</i>)	E	\$36,365	\$877,633,044
604	Pomace fly, [unnamed] (<i>Drosophila ochrobasis</i>)	E	\$36,365	\$877,669,409
604	Pomace fly, [unnamed] (<i>Drosophila differens</i>)	E	\$36,365	\$877,705,774
605	Beetle, Tooth Cave ground (<i>Rhadine persephone</i>)	E	\$36,342	\$877,742,116
606	Cactus, Cochise pincushion (<i>Coryphantha robbinsorum</i>)	T	\$36,180	\$877,778,296
607	Catspaw (=purple cat's paw pearlymussel) (<i>Epioblasma obliquata obliquata</i>) Entire Range; Except where listed as Experimental Populations	E	\$35,600	\$877,813,896
608	Moth, Kern primrose sphinx (<i>Euproserpinus euterpe</i>)	T	\$35,571	\$877,849,467
609	Pennyroyal, Todsens's (<i>Hedeoma todsenii</i>)	E	\$35,250	\$877,884,717
610	Snake, Concho water (<i>Nerodia paucimaculata</i>)	T	\$35,012	\$877,919,729
611	Amphipod, Kauai cave (<i>Spelaeorchestia koloana</i>)	E	\$34,975	\$877,954,704
612	Beetle, Comal Springs dryopid (<i>Stygoparnus comalensis</i>)	E	\$34,974	\$877,989,678
613	Milk-vetch, Fish Slough (<i>Astragalus lentiginosus</i> var. <i>piscinensis</i>)	T	\$34,869	\$878,024,547
614	Mallow, Kern (<i>Eremalche kernensis</i>)	E	\$34,765	\$878,059,312
615	Sunburst, San Joaquin adobe (<i>Pseudobahia peirsonii</i>)	T	\$34,629	\$878,093,941
616	Snail, Newcomb's (<i>Erinna newcombi</i>)	T	\$34,600	\$878,128,541
617	Amphipod, Peck's cave (<i>Stygobromus</i> (= <i>Stygonectes</i>) <i>pecki</i>)	E	\$34,560	\$878,163,101
618	Daisy, Parish's (<i>Erigeron parishii</i>)	T	\$34,336	\$878,197,437
619	Butterfly, Lange's metalmark (<i>Apodemia mormo langei</i>)	E	\$34,206	\$878,231,643
620	Kula wahine noho (<i>Isodendron pyrifolium</i>)	E	\$33,939	\$878,265,582
621	Rosemary, Cumberland (<i>Conradina verticillata</i>)	T	\$33,933	\$878,299,515
622	Cycladenia, Jones (<i>Cycladenia jonesii</i> (= <i>humilis</i>))	T	\$33,886	\$878,333,401
623	Seablite, California (<i>Suaeda californica</i>)	E	\$33,843	\$878,367,244
624	Spurge, Garber's (<i>Chamaesyce garberi</i>)	T	\$33,800	\$878,401,044
625	Darter, snail (<i>Percina tanasi</i>)	T	\$33,277	\$878,434,321
626	Goldenrod, white-haired (<i>Solidago albopilosa</i>)	T	\$33,200	\$878,467,521
627	Kiponapona (<i>Phyllostegia racemosa</i>)	E	\$32,981	\$878,500,502
628	Sunshine, Sonoma (<i>Blennosperma bakeri</i>)	E	\$32,830	\$878,533,332
629	Beetle, Hungerford's crawling water (<i>Brychius hungerfordi</i>)	E	\$32,600	\$878,565,932

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
630	Polygala, tiny (<i>Polygala smallii</i>)	E	\$32,350	\$878,598,282
631	Meadowfoam, Sebastopol (<i>Limnanthes vinculans</i>)	E	\$32,330	\$878,630,612
632	Crayfish, Shasta (<i>Pacifastacus fortis</i>)	E	\$32,204	\$878,662,816
633	Turtle, bog (=Muhlenberg) (<i>Clemmys muhlenbergii</i>) southern	SAT	\$32,150	\$878,694,966
634	`Oha wai (<i>Clermontia pyrularia</i>)	E	\$32,013	\$878,726,979
635	Frankenia, Johnston's (<i>Frankenia johnstonii</i>)	E	\$31,957	\$878,758,936
636	Cactus, Siler pincushion (<i>Pediocactus</i> (=Echinocactus,=Utahia) <i>sileri</i>)	T	\$31,856	\$878,790,792
637	Prickly-apple, fragrant (<i>Cereus eriophorus</i> var. <i>fragrans</i>)	E	\$31,750	\$878,822,542
638	Haha (<i>Cyanea grimesiana</i> ssp. <i>grimesiana</i>)	E	\$31,568	\$878,854,110
639	Logperch, Conasauga (<i>Percina jenkinsi</i>)	E	\$31,451	\$878,885,561
640	Butterfly, Uncompahgre fritillary (<i>Boloria acrocneuma</i>)	E	\$31,362	\$878,916,923
641	Haha (<i>Cyanea shipmannii</i>)	E	\$31,088	\$878,948,011
642	Cactus, Peebles Navajo (<i>Pediocactus peeblesianus peeblesianus</i>)	E	\$30,850	\$878,978,861
643	Ground-plum, Guthrie's (=Pyne's) (<i>Astragalus bibullatus</i>)	E	\$30,778	\$879,009,639
644	Bulrush, Northeastern (<i>Scirpus ancistrochaetus</i>)	E	\$30,664	\$879,040,303
645	Darter, relict (<i>Etheostoma chienense</i>)	E	\$30,577	\$879,070,880
646	Harperella (<i>Ptilimnium nodosum</i>)	E	\$30,568	\$879,101,448
647	Prairie-clover, leafy (<i>Dalea foliosa</i>)	E	\$30,494	\$879,131,942
648	Darter, boulder (<i>Etheostoma wapiti</i>)	E	\$30,343	\$879,162,285
649	`Oha wai (<i>Clermontia peleana</i>)	E	\$30,304	\$879,192,589
650	Spineflower, Robust (incl. Scotts Valley) (<i>Chorizanthe robusta</i> (incl. vars. <i>robusta</i> and <i>hartwegii</i>))	E	\$30,085	\$879,222,674
651	Mouse, Anastasia Island beach (<i>Peromyscus polionotus phasma</i>)	E	\$29,730	\$879,252,404
652	Clarkia, Pismo (<i>Clarkia speciosa</i> ssp. <i>immaculata</i>)	E	\$29,590	\$879,281,994
653	Akepa, Maui (honeycreeper) (<i>Loxops coccineus ochraceus</i>)	E	\$29,352	\$879,311,346
654	Buckwheat, steamboat (<i>Eriogonum ovalifolium</i> var. <i>williamsiae</i>)	E	\$29,199	\$879,340,545
655	`Oha wai (<i>Clermontia lindseyana</i>)	E	\$29,104	\$879,369,649
656	Snail, Iowa Pleistocene (<i>Discus macclintocki</i>)	E	\$29,025	\$879,398,674
657	Skink, bluetail mole (<i>Eumeces egregius lividus</i>)	T	\$28,791	\$879,427,465
658	Madtom, Neosho (<i>Noturus placidus</i>)	T	\$28,653	\$879,456,118
659	Darter, watercress (<i>Etheostoma nuchale</i>)	E	\$28,477	\$879,484,595
660	Crayfish, cave (<i>Cambarus aculabrum</i>)	E	\$28,414	\$879,513,009
661	Wolf, gray (<i>Canis lupus</i>) Western Great Lakes DPS	PE	\$28,251	\$879,541,260
662	Mouse, Pacific pocket (<i>Perognathus longimembris pacificus</i>)	E	\$28,095	\$879,569,355
663	Manzanita, Santa Rosa Island (<i>Arctostaphylos confertiflora</i>)	E	\$28,009	\$879,597,364
664	Sandlace (<i>Polygonella myriophylla</i>)	E	\$28,000	\$879,625,364
665	Paintbrush, soft-leaved (<i>Castilleja mollis</i>)	E	\$27,774	\$879,653,138
666	Toad, Puerto Rican crested (<i>Peltophryne lemur</i>)	T	\$27,500	\$879,680,638
667	Lilliput, pale (pearlymussel) (<i>Toxolasma cylindrellus</i>)	E	\$27,232	\$879,707,870
668	Springfish, Hiko White River (<i>Crenichthys baileyi grandis</i>)	E	\$27,143	\$879,735,013
669	Goldfields, Burke's (<i>Lasthenia burkei</i>)	E	\$26,730	\$879,761,743
670	Woodrat, riparian (=San Joaquin Valley) (<i>Neotoma fuscipes riparia</i>)	E	\$26,500	\$879,788,243
671	Squirrel, Carolina northern flying (<i>Glaucomys sabrinus coloratus</i>)	E	\$26,450	\$879,814,693

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
672	Fern, Aleutian shield (<i>Polystichum aleuticum</i>)	E	\$26,300	\$879,840,993
673	Pauoa (<i>Ctenitis squamigera</i>)	E	\$26,185	\$879,867,178
674	Sturgeon, Alabama (<i>Scaphirhynchus suttkusi</i>)	E	\$26,154	\$879,893,332
675	Dace, Kendall Warm Springs (<i>Rhinichthys osculus thermalis</i>)	E	\$25,975	\$879,919,307
676	Madtom, yellowfin (<i>Noturus flavipinnis</i>) except where EXPN	T	\$25,821	\$879,945,128
677	Catfish, Yaqui (<i>Ictalurus pricei</i>)	T	\$25,600	\$879,970,728
678	Harvestman, Bone Cave (<i>Texella reyesii</i>)	E	\$25,491	\$879,996,219
679	Pigtoe, heavy (<i>Pleurobema taitianum</i>)	E	\$25,382	\$880,021,601
680	Milk-vetch, Osterhout (<i>Astragalus osterhoutii</i>)	E	\$25,188	\$880,046,789
681	Heelsplitter, Alabama (=inflated) (<i>Potamilus inflatus</i>)	T	\$25,107	\$880,071,896
682	Milk-vetch, Ventura Marsh (<i>Astragalus pycnostachyus</i> var. <i>lanosissimus</i>)	E	\$25,056	\$880,096,952
683	Tarplant, Santa Cruz (<i>Holocarpha macradenia</i>)	T	\$24,957	\$880,121,909
684	Haha (<i>Cyanea lobata</i>)	E	\$24,731	\$880,146,640
685	Cactus, Mesa Verde (<i>Sclerocactus mesae-verdae</i>)	T	\$24,569	\$880,171,209
686	Bear, American black (<i>Ursus americanus</i>) County range of LA b.bear	SAT	\$24,534	\$880,195,743
687	Woolly-star, Santa Ana River (<i>Eriastrum densifolium</i> ssp. <i>sanctorum</i>)	E	\$24,475	\$880,220,218
688	Checkermallow, Wenatchee Mountains (<i>Sidalcea oregana</i> var. <i>calva</i>)	E	\$24,466	\$880,244,684
689	Rock-cress, Braun's (<i>Arabis perstellata</i>)	E	\$24,450	\$880,269,134
690	Grass, Colusa (<i>Neostapfia colusana</i>)	T	\$24,399	\$880,293,533
691	Iris, dwarf lake (<i>Iris lacustris</i>)	T	\$23,900	\$880,317,433
692	Madtom, smoky (<i>Noturus baileyi</i>) Entire	E	\$23,851	\$880,341,284
693	Townsendia, Last Chance (<i>Townsendia aprica</i>)	T	\$23,836	\$880,365,120
694	Centauray, spring-loving (<i>Centaurium namophilum</i>)	T	\$22,924	\$880,388,044
695	Kopa (<i>Hedyotis schlechtendahliana</i> var. <i>remyi</i>)	E	\$22,731	\$880,410,775
696	Spider, spruce-fir moss (<i>Microhexura montivaga</i>)	E	\$22,516	\$880,433,291
697	Fiddleneck, large-flowered (<i>Amsinckia grandiflora</i>)	E	\$22,276	\$880,455,567
698	Pawpaw, beautiful (<i>Deeringothamnus pulchellus</i>)	E	\$22,200	\$880,477,767
699	Brodiaea, Chinese Camp (<i>Brodiaea pallida</i>)	T	\$22,138	\$880,499,905
700	Chub, Yaqui (<i>Gila purpurea</i>)	E	\$22,100	\$880,522,005
701	Cactus, Arizona hedgehog (<i>Echinocereus triglochidiatus</i> var. <i>arizonicus</i>)	E	\$21,670	\$880,543,675
702	Liveforever, Santa Barbara Island (<i>Dudleya traskiae</i>)	E	\$21,607	\$880,565,282
703	Lizard, Island night (<i>Xantusia riversiana</i>)	T	\$21,304	\$880,586,586
704	Shiner, beautiful (<i>Cyprinella formosa</i>)	T	\$21,300	\$880,607,886
704	Tiger beetle, Salt Creek (<i>Cicindela nevadica lincolniiana</i>)	E	\$21,300	\$880,629,186
705	Haha (<i>Cyanea truncata</i>)	E	\$21,218	\$880,650,404
706	Coneflower, Tennessee purple (<i>Echinacea tennesseensis</i>)	E	\$20,928	\$880,671,332
707	`Oha wai (<i>Clermontia oblongifolia</i> ssp. <i>mauiensis</i>)	E	\$20,854	\$880,692,186
708	Milk-vetch, Sentry (<i>Astragalus cremnophylax</i> var. <i>cremnophylax</i>)	E	\$20,850	\$880,713,036
709	Rice rat (<i>Oryzomys palustris natator</i>) lower FL Keys	E	\$20,777	\$880,733,813
710	Haha (<i>Cyanea glabra</i>)	E	\$20,729	\$880,754,542

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
711	Spineflower, Howell's (<i>Chorizanthe howellii</i>)	E	\$20,400	\$880,774,942
712	Diellia, asplenium-leaved (<i>Diellia erecta</i>)	E	\$20,360	\$880,795,302
713	Beetle, delta green ground (<i>Elaphrus viridis</i>)	T	\$20,353	\$880,815,655
714	Cactus, Knowlton (<i>Pediocactus knowltonii</i>)	E	\$20,344	\$880,835,999
715	Phyllostegia parviflora (=Sci name)	E	\$20,261	\$880,856,260
716	Ahinahina (<i>Argyroxiphium sandwicense ssp. sandwicense</i>)	E	\$20,188	\$880,876,448
717	Vetch, Hawaiian (<i>Vicia menziesii</i>)	E	\$20,142	\$880,896,590
718	Avens, spreading (<i>Geum radiatum</i>)	E	\$20,076	\$880,916,666
719	Skipper, Pawnee montane (<i>Hesperia leonardus montana</i>)	T	\$20,029	\$880,936,695
720	Buckwheat, cushenbury (<i>Eriogonum ovalifolium var. vineum</i>)	E	\$19,929	\$880,956,624
720	Bladderpod, San Bernardino Mountains (<i>Lesquerella kingii ssp. bernardina</i>)	E	\$19,929	\$880,976,553
720	Milk-vetch, Cushenbury (<i>Astragalus albens</i>)	E	\$19,929	\$880,996,482
720	Oxytheca, cushenbury (<i>Oxytheca parishii var. goodmaniana</i>)	E	\$19,929	\$881,016,411
721	Catspaw, white (pearlymussel) (<i>Epioblasma obliquata perobliqua</i>)	E	\$19,777	\$881,036,188
722	Wild-buckwheat, clay-loving (<i>Eriogonum pelinophilum</i>)	E	\$19,750	\$881,055,938
723	Haha (<i>Cyanea macrostegia ssp. gibsonii</i>)	E	\$19,731	\$881,075,669
724	Lupine, clover (<i>Lupinus tidestromii</i>)	E	\$19,588	\$881,095,257
725	Evening-primrose, Eureka Valley (<i>Oenothera avita ssp. eurekaensis</i>)	E	\$19,469	\$881,114,726
726	Bladderpod, Dudley Bluffs (<i>Lesquerella congesta</i>)	T	\$19,151	\$881,133,877
727	Naupaka, dwarf (<i>Scaevola coriacea</i>)	E	\$19,118	\$881,152,995
728	Haha (<i>Cyanea hamatiflora ssp. carlsonii</i>)	E	\$18,999	\$881,171,994
729	Cypress, Gowen (<i>Cupressus goveniana ssp. goveniana</i>)	T	\$18,970	\$881,190,964
730	Puma (=cougar), eastern (<i>Puma (=Felis) concolor cougar</i>)	E	\$18,969	\$881,209,933
731	Twinpod, Dudley Bluffs (<i>Physaria obcordata</i>)	T	\$18,928	\$881,228,861
732	Larkspur, Baker's (<i>Delphinium bakeri</i>)	E	\$18,882	\$881,247,743
733	Moccasinshell, Alabama (<i>Medionidus acutissimus</i>)	T	\$18,877	\$881,266,620
734	Chaff-flower, round-leaved (<i>Achyranthes splendens var. rotundata</i>)	E	\$18,815	\$881,285,435
735	Viola lanaiensis (=Sci name)	E	\$18,731	\$881,304,166
736	Isopod, Lee County cave (<i>Lirceus usdagalun</i>)	E	\$18,604	\$881,322,770
737	Spurge, deltoid (<i>Chamaesyce deltoidea ssp. deltoidea</i>)	E	\$18,600	\$881,341,370
738	Pu'uka'a (<i>Cyperus trachysanthos</i>)	E	\$18,343	\$881,359,713
739	Lizard, Coachella Valley fringe-toed (<i>Uma inornata</i>)	T	\$18,007	\$881,377,720
740	Pseudoscorpion, Tooth Cave (<i>Tartarocreagris texana</i>)	E	\$17,948	\$881,395,668
741	Lousewort, Furbish (<i>Pedicularis furbishiae</i>)	E	\$17,944	\$881,413,612
742	Shrimp, Kentucky cave (<i>Palaemonias ganteri</i>)	E	\$17,942	\$881,431,554
743	A`e (<i>Zanthoxylum dipetalum var. tomentosum</i>)	E	\$17,618	\$881,449,172
744	Milkpea, Small's (<i>Galactia smallii</i>)	E	\$17,600	\$881,466,772
745	Stirrupshell (<i>Quadrula stapes</i>)	E	\$17,577	\$881,484,349
746	Plum, scrub (<i>Prunus geniculata</i>)	E	\$17,500	\$881,501,849
746	Lessingia, San Francisco (<i>Lessingia germanorum</i> (=L.g. var. <i>germanorum</i>))	E	\$17,500	\$881,519,349
747	Grass, Eureka Dune (<i>Swallenia alexandrae</i>)	E	\$17,378	\$881,536,727
748	Ihi`ihi (<i>Marsilea villosa</i>)	E	\$17,354	\$881,554,081
749	Dogweed, ashy (<i>Thymophylla tephroleuca</i>)	E	\$17,347	\$881,571,428

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
750	Beetle, Kretschmarr Cave mold (<i>Texamaurops reddelli</i>)	E	\$17,342	\$881,588,770
751	Fern, pendant kihi (<i>Adenophorus periens</i>)	E	\$17,298	\$881,606,068
752	Mint, Lakela's (<i>Dicerandra immaculata</i>)	E	\$17,000	\$881,623,068
753	Gouania vitifolia (=Sci name)	E	\$16,927	\$881,639,995
754	Ha`iwale (<i>Cyrtandra giffardii</i>)	E	\$16,859	\$881,656,854
755	Rush-pea, slender (<i>Hoffmannseggia tenella</i>)	E	\$16,766	\$881,673,620
756	Awiiwi (<i>Centaurium sebaeoides</i>)	E	\$16,718	\$881,690,338
757	Shrew, Buena Vista Lake ornate (<i>Sorex ornatus relictus</i>)	E	\$16,636	\$881,706,974
758	Clarkia, Springville (<i>Clarkia springvillensis</i>)	T	\$16,503	\$881,723,477
759	Snail, tulotoma (<i>Tulotoma magnifica</i>)	E	\$16,452	\$881,739,929
760	Fairy shrimp, Riverside (<i>Streptocephalus woottoni</i>)	E	\$16,404	\$881,756,333
761	Ipomopsis, Holy Ghost (<i>Ipomopsis sancti-spiritus</i>)	E	\$16,400	\$881,772,733
762	Broom, San Clemente Island (<i>Lotus dendroideus ssp. traskiae</i>)	E	\$16,335	\$881,789,068
763	Turtle, ringed map (<i>Graptemys oculifera</i>)	T	\$16,260	\$881,805,328
764	Gumplant, Ash Meadows (<i>Grindelia fraxino-pratensis</i>)	T	\$16,236	\$881,821,564
765	Moth, Blackburn's sphinx (<i>Manduca blackburni</i>)	E	\$16,100	\$881,837,664
766	Wallflower, Contra Costa (<i>Erysimum capitatum var. angustatum</i>)	E	\$16,070	\$881,853,734
766	Evening-primrose, Antioch Dunes (<i>Oenothera deltoides ssp. howellii</i>)	E	\$16,070	\$881,869,804
767	Ha`iwale (<i>Cyrtandra tintinnabula</i>)	E	\$15,966	\$881,885,770
768	Grass, Solano (<i>Tuctoria mucronata</i>)	E	\$15,925	\$881,901,695
769	Grass, Tennessee yellow-eyed (<i>Xyris tennesseensis</i>)	E	\$15,886	\$881,917,581
770	Rockcress, Santa Cruz Island (<i>Sibara filifolia</i>)	E	\$15,834	\$881,933,415
771	Neraudia sericea (=Sci name)	E	\$15,831	\$881,949,246
772	Gahnia lanaiensis (=Sci name)	E	\$15,731	\$881,964,977
772	Alani (<i>Melicope munroi</i>)	E	\$15,731	\$881,980,708
772	Kamakahala (<i>Labordia tinifolia var. lanaiensis</i>)	E	\$15,731	\$881,996,439
773	Isopod, Madison Cave (<i>Antrolana lira</i>)	T	\$15,723	\$882,012,162
774	Gardenia (=Na`u), Hawaiian (<i>Gardenia brighamii</i>)	E	\$15,715	\$882,027,877
775	Ha`iwale (<i>Cyrtandra munroi</i>)	E	\$15,641	\$882,043,518
776	Haha (<i>Cyanea hamatiflora ssp. hamatiflora</i>)	E	\$15,622	\$882,059,140
777	Calyptranthes thomasiana (=Sci name)	E	\$15,615	\$882,074,755
778	Millerbird, Nihoa (old world warbler) (<i>Acrocephalus familiaris kingi</i>)	E	\$15,606	\$882,090,361
779	Hau kuahiwi (<i>Hibiscadelphus hualalaiensis</i>)	E	\$15,518	\$882,105,879
780	Bluet, Roan Mountain (<i>Hedyotis purpurea var. montana</i>)	E	\$15,500	\$882,121,379
781	Darter, boulder (<i>Etheostoma wapiti</i>) Shoal Creek	EXPN	\$15,490	\$882,136,869
782	Hau kuahiwi (<i>Hibiscadelphus giffardianus</i>)	E	\$15,353	\$882,152,222
782	Alani (<i>Melicope zahlbruckneri</i>)	E	\$15,353	\$882,167,575
783	`Ahinahina (<i>Argyroxiphium sandwicense ssp. macrocephalum</i>)	T	\$15,182	\$882,182,757
784	Bedstraw, El Dorado (<i>Galium californicum ssp. sierrae</i>)	E	\$15,165	\$882,197,922
785	Bear, grizzly (<i>Ursus arctos horribilis</i>) experimental, non-essential, portions of ID and MT	EXPN	\$15,100	\$882,213,022
786	Nohoanu (<i>Geranium multiflorum</i>)	E	\$15,082	\$882,228,104
787	Kohe malama malama o kanaloa (<i>Kanaloa kahoolawensis</i>)	E	\$15,079	\$882,243,183
788	Ambrosia, San Diego (<i>Ambrosia pumila</i>)	E	\$15,056	\$882,258,239

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
789	Chub, Owens tui (<i>Gila bicolor snyderi</i>)	E	\$15,016	\$882,273,255
790	Crownbeard, big-leaved (<i>Verbesina dissita</i>)	T	\$15,000	\$882,288,255
790	Adiantum vivesii (=Sci name)	E	\$15,000	\$882,303,255
791	Lead-plant, Crenulate (<i>Amorpha crenulata</i>)	E	\$14,931	\$882,318,186
792	Bush-mallow, Santa Cruz Island (<i>Malacothamnus fasciculatus var. nesioticus</i>)	E	\$14,907	\$882,333,093
793	Condor, California (<i>Gymnogyps californianus</i>) U.S.A. (specific portions of Arizona, Nevada, and Utah)	EXPN	\$14,830	\$882,347,923
794	Aster, Ruth's golden (<i>Pityopsis ruthii</i>)	E	\$14,816	\$882,362,739
795	ʻAiakeakua, popolo (<i>Solanum sandwicense</i>)	E	\$14,811	\$882,377,550
796	Goldenrod, Blue Ridge (<i>Solidago spithamea</i>)	T	\$14,600	\$882,392,150
797	Wawae`i ole (<i>Huperzia manni</i>)	E	\$14,403	\$882,406,553
798	ʻAkoko (<i>Euphorbia haeleleana</i>)	E	\$14,394	\$882,420,947
799	Campion, fringed (<i>Silene polypetala</i>)	E	\$14,391	\$882,435,338
800	Cactus, black lace (<i>Echinocereus reichenbachii var. albertii</i>)	E	\$14,345	\$882,449,683
801	Milk-vetch, Jesup's (<i>Astragalus robbinsii var. jesupi</i>)	E	\$14,333	\$882,464,016
802	Cactus, Key tree (<i>Pilosocereus robinii</i>)	E	\$14,100	\$882,478,116
803	Snakeroot (<i>Eryngium cuneifolium</i>)	E	\$14,077	\$882,492,193
804	Pigeon, Puerto Rican plain (<i>Columba inornata wetmorei</i>)	E	\$14,000	\$882,506,193
805	Joint-vetch, sensitive (<i>Aeschynomene virginica</i>)	T	\$13,828	\$882,520,021
806	Clover, showy Indian (<i>Trifolium amoenum</i>)	E	\$13,742	\$882,533,763
807	Manzanita, pallid (<i>Arctostaphylos pallida</i>)	T	\$13,711	\$882,547,474
808	Snail, Pecos assiminea (<i>Assiminea pecos</i>)	E	\$13,650	\$882,561,124
809	Haha (<i>Cyanea copelandii ssp. haleakalaensis</i>)	E	\$13,606	\$882,574,730
810	Irisette, white (<i>Sisyrinchium dichotomum</i>)	E	\$13,516	\$882,588,246
811	Harebells, Avon Park (<i>Crotalaria avonensis</i>)	E	\$13,500	\$882,601,746
812	Gooseberry, Miccosukee (<i>Ribes echinellum</i>)	T	\$13,416	\$882,615,162
813	Whale, finback (<i>Balaenoptera physalus</i>)	E	\$13,229	\$882,628,391
814	Ceanothus, coyote (<i>Ceanothus ferrisae</i>)	E	\$13,188	\$882,641,579
815	Pinkroot, gentian (<i>Spigelia gentianoides</i>)	E	\$13,075	\$882,654,654
816	Snail, Chittenango ovate amber (<i>Succinea chittenangoensis</i>)	T	\$13,000	\$882,667,654
817	Milk-vetch, Applegate's (<i>Astragalus applegatei</i>)	E	\$12,900	\$882,680,554
818	Whitlow-wort, papery (<i>Paronychia chartacea</i>)	T	\$12,591	\$882,693,145
819	Chub, spotfin (<i>Erimonax monachus</i>) Tellico River, TN	EXPN	\$12,500	\$882,705,645
820	Silverside, Waccamaw (<i>Menidia extensa</i>)	T	\$12,497	\$882,718,142
821	Sedge, white (<i>Carex albida</i>)	E	\$12,482	\$882,730,624
822	Blazingstar, scrub (<i>Liatris ohlingerae</i>)	E	\$12,416	\$882,743,040
823	Diplazium molokaiense (=Sci name)	E	\$12,376	\$882,755,416
824	Larkspur, San Clemente Island (<i>Delphinium variegatum ssp. kinkiense</i>)	E	\$12,235	\$882,767,651
825	Lichen, rock gnome (<i>Gymnoderma lineare</i>)	E	\$12,116	\$882,779,767
826	Cactus, San Rafael (<i>Pediocactus despainii</i>)	E	\$12,006	\$882,791,773
827	Hypericum, highlands scrub (<i>Hypericum cumulicola</i>)	E	\$12,000	\$882,803,773
828	Potentilla, Hickman's (<i>Potentilla hickmanii</i>)	E	\$11,970	\$882,815,743
829	Spider, Tooth Cave (<i>Leptoneta myopica</i>)	E	\$11,948	\$882,827,691

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
830	Poppy-mallow, Texas (<i>Callirhoe scabriuscula</i>)	E	\$11,877	\$882,839,568
831	Bean, Cumberland (pearlymussel) (<i>Villosa trabalis</i>) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$11,670	\$882,851,238
832	Phyllostegia mannii (=Sci name)	E	\$11,472	\$882,862,710
833	Woodland-star, San Clemente Island (<i>Lithophragma maximum</i>)	E	\$11,354	\$882,874,064
834	Haha (<i>Cyanea dunbarii</i>)	E	\$11,246	\$882,885,310
835	Palo de rosa (<i>Ottoschulzia rhodoxylon</i>)	E	\$11,200	\$882,896,510
836	Finch, Nihoa (honeycreeper) (<i>Telespyza ultima</i>)	E	\$11,106	\$882,907,616
837	Beaked-rush, Knieskern's (<i>Rhynchospora knieskernii</i>)	T	\$11,105	\$882,918,721
838	Wartyback, white (pearlymussel) (<i>Plethobasus cicatricosus</i>)	E	\$11,082	\$882,929,803
839	Fairy shrimp, San Diego (<i>Branchinecta sandiegonensis</i>)	E	\$11,009	\$882,940,812
840	Fatmucket, Arkansas (<i>Lampsilis powelli</i>)	T	\$10,977	\$882,951,789
841	Grasshopper, Zayante band-winged (<i>Trimerotropis infantilis</i>)	E	\$10,965	\$882,962,754
842	Aupaka (<i>Isodendrion laurifolium</i>)	E	\$10,925	\$882,973,679
843	Rock-cress, McDonald's (<i>Arabis mcdonaldiana</i>)	E	\$10,900	\$882,984,579
844	Indian paintbrush, San Clemente Island (<i>Castilleja grisea</i>)	E	\$10,780	\$882,995,359
845	Spurge, telephus (<i>Euphorbia telephioides</i>)	T	\$10,700	\$883,006,059
846	Blossom, tubercled (pearlymussel) (<i>Epioblasma torulosa torulosa</i>) Entire Range; Except where listed as Experimental Populations	E	\$10,682	\$883,016,741
847	Gourd, Okeechobee (<i>Cucurbita okeechobeensis ssp. okeechobeensis</i>)	E	\$10,616	\$883,027,357
848	Finch, Laysan (honeycreeper) (<i>Telespyza cantans</i>)	E	\$10,606	\$883,037,963
849	Blossom, green (pearlymussel) (<i>Epioblasma torulosa gubernaculum</i>)	E	\$10,595	\$883,048,558
850	Nehe (<i>Lipochaeta lobata var. leptophylla</i>)	E	\$10,579	\$883,059,137
851	`Oha wai (<i>Clermontia samuelii</i>)	E	\$10,531	\$883,069,668
852	Whale, Sei (<i>Balaenoptera borealis</i>)	E	\$10,518	\$883,080,186
853	`Akoko, Ewa Plains (<i>Chamaesyce skottsbergii var. kalaeloana</i>)	E	\$10,479	\$883,090,665
854	Tiger beetle, Ohlone (<i>Cicindela ohlone</i>)	E	\$10,420	\$883,101,085
855	Snail, Stock Island tree (<i>Orthalicus reses (not incl. nesodryas)</i>)	T	\$10,416	\$883,111,501
856	Nesogenes rotensis (=Sci name)	E	\$10,325	\$883,121,826
856	Osmoxylon mariannense (=Sci name)	E	\$10,325	\$883,132,151
857	Snail, painted snake coiled forest (<i>Anguispira picta</i>)	T	\$10,316	\$883,142,467
858	Spider, Government Canyon Bat Cave (<i>Neoleptoneta microps</i>)	E	\$10,085	\$883,152,552
858	Meshweaver, Government Canyon Bat Cave (<i>Cicurina vespera</i>)	E	\$10,085	\$883,162,637
859	Tetramolopium remyi (=Sci name)	E	\$10,079	\$883,172,716
860	Pawpaw, four-petal (<i>Asimina tetramera</i>)	E	\$10,077	\$883,182,793
861	Chub, spotfin (<i>Erimonax monachus</i>) Shoal Creek	EXPN	\$10,000	\$883,192,793
861	Phacelia, clay (<i>Phacelia argillacea</i>)	E	\$10,000	\$883,202,793
862	Kidneyshell, triangular (<i>Ptychobranthus greenii</i>)	E	\$9,877	\$883,212,670
863	Milkweed, Welsh's (<i>Asclepias welshii</i>)	T	\$9,850	\$883,222,520
864	`Anaunau (<i>Lepidium arbuscula</i>)	E	\$9,673	\$883,232,193
865	Bush-mallow, San Clemente Island (<i>Malacothamnus clementinus</i>)	E	\$9,655	\$883,241,848
866	Milk-vetch, Mancos (<i>Astragalus humillimus</i>)	E	\$9,619	\$883,251,467
867	Lobelia niihauensis (=Sci name)	E	\$9,573	\$883,261,040

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
868	Lo`ulu (<i>Pritchardia affinis</i>)	E	\$9,543	\$883,270,583
869	Darter, Maryland (<i>Etheostoma sellare</i>)	E	\$9,408	\$883,279,991
869	Amphipod, Hay's Spring (<i>Stygobromus hayi</i>)	E	\$9,408	\$883,289,399
870	Birch, Virginia round-leaf (<i>Betula uber</i>)	T	\$9,339	\$883,298,738
871	Phyllostegia warshaueri (=Sci name)	E	\$9,259	\$883,307,997
872	Lo`ulu (<i>Pritchardia munroi</i>)	E	\$9,246	\$883,317,243
873	Geranium, Hawaiian red-flowered (<i>Geranium arboreum</i>)	E	\$9,189	\$883,326,432
874	Checker-mallow, Kenwood Marsh (<i>Sidalcea oregana ssp. valida</i>)	E	\$9,117	\$883,335,549
875	Pitcher-plant, mountain sweet (<i>Sarracenia rubra ssp. jonesii</i>)	E	\$9,116	\$883,344,665
876	`Anunu (<i>Sicyos alba</i>)	E	\$9,094	\$883,353,759
877	Springsnail, Roswell (<i>Pyrgulopsis roswellensis</i>)	E	\$9,000	\$883,362,759
877	Springsnail, Koster's (<i>Juturnia kosteri</i>)	E	\$9,000	\$883,371,759
877	Amphipod, Noel's (<i>Gammarus desperatus</i>)	E	\$9,000	\$883,380,759
878	Riversnail, Anthony's (<i>Athearnia anthonyi</i>) Entire Range; Except where listed as Experimental Populations	E	\$8,982	\$883,389,741
879	Fleabane, Zuni (<i>Erigeron rhizomatus</i>)	T	\$8,962	\$883,398,703
880	Meshweaver, Robber Baron Cave (<i>Cicurina baronia</i>)	E	\$8,948	\$883,407,651
881	Delissea rhytidosperra (=Sci name)	E	\$8,902	\$883,416,553
882	Haha (<i>Cyanea platyphylla</i>)	E	\$8,866	\$883,425,419
883	Lobelia monostachya (=Sci name)	E	\$8,793	\$883,434,212
884	Butterfly, bay checkerspot (<i>Euphydryas editha bayensis</i>)	T	\$8,791	\$883,443,003
885	Harvestman, Cokendolpher Cave (<i>Texella cokendolpheri</i>)	E	\$8,788	\$883,451,791
886	Cactus, Lloyd's Mariposa (<i>Echinomastus mariposensis</i>)	T	\$8,752	\$883,460,543
887	Haha (<i>Cyanea stictophylla</i>)	E	\$8,746	\$883,469,289
888	Cactus, Lee pincushion (<i>Coryphantha sneedii var. leei</i>)	T	\$8,720	\$883,478,009
889	Goldenrod, Houghton's (<i>Solidago houghtonii</i>)	T	\$8,700	\$883,486,709
890	Mountain balm, Indian Knob (<i>Eriodictyon altissimum</i>)	E	\$8,643	\$883,495,352
891	Vole, Amargosa (<i>Microtus californicus scirpensis</i>)	E	\$8,609	\$883,503,961
892	Warea, wide-leaf (<i>Warea amplexifolia</i>)	E	\$8,600	\$883,512,561
893	Cat's-eye, Terlingua Creek (<i>Cryptantha crassipes</i>)	E	\$8,492	\$883,521,053
894	Beetle, Helotes mold (<i>Batrisodes venyivi</i>)	E	\$8,491	\$883,529,544
895	Haha (<i>Cyanea mceldowneyi</i>)	E	\$8,472	\$883,538,016
896	Ko`oko`olau (<i>Bidens micrantha ssp. kalealaha</i>)	E	\$8,436	\$883,546,452
897	Meshweaver, Braken Bat Cave (<i>Cicurina venii</i>)	E	\$8,411	\$883,554,863
898	Dudleya, Santa Cruz Island (<i>Dudleya nesiotica</i>)	T	\$8,333	\$883,563,196
899	Madtom, yellowfin (<i>Noturus flavipinnis</i>) Tellico River, TN	EXPN	\$8,331	\$883,571,527
899	Darter, duskytail (<i>Etheostoma percnum</i>) Tellico River, TN	EXPN	\$8,331	\$883,579,858
900	Gilia, Hoffmann's slender-flowered (<i>Gilia tenuiflora ssp. hoffmannii</i>)	E	\$8,325	\$883,588,183
901	Ivesia, Ash Meadows (<i>Ivesia kingii var. eremica</i>)	T	\$8,309	\$883,596,492
902	Koki`o, Cooke's (<i>Kokia cookei</i>)	E	\$8,246	\$883,604,738
903	Pocketbook, finelined (<i>Lampsilis altilis</i>)	T	\$8,189	\$883,612,927
904	Whale, blue (<i>Balaenoptera musculus</i>)	E	\$8,179	\$883,621,106
905	Arrowhead, bunched (<i>Sagittaria fasciculata</i>)	E	\$8,177	\$883,629,283

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
906	Akialoa, Kauai (honeycreeper) (<i>Hemignathus procerus</i>)	E	\$8,111	\$883,637,394
906	`O`o, Kauai (honeyeater) (<i>Moho braccatus</i>)	E	\$8,111	\$883,645,505
906	`O`u (honeycreeper) (<i>Psittirostra psittacea</i>)	E	\$8,111	\$883,653,616
906	Thrush, large Kauai (=kamao) (<i>Myadestes myadestinus</i>)	E	\$8,111	\$883,661,727
906	Thrush, Molokai (<i>Myadestes lanaiensis rutha</i>)	E	\$8,111	\$883,669,838
906	Creeper, Molokai (<i>Paroreomyza flammea</i>)	E	\$8,111	\$883,677,949
907	Lo`ulu (<i>Pritchardia schattaueri</i>)	E	\$8,094	\$883,686,043
908	Pilo (<i>Hedyotis manni</i>)	E	\$8,079	\$883,694,122
909	Rosemary, Etonia (<i>Conradina etonia</i>)	E	\$8,000	\$883,702,122
910	Ceanothus, Vail Lake (<i>Ceanothus ophiochilus</i>)	T	\$7,997	\$883,710,119
911	Torreya, Florida (<i>Torreya taxifolia</i>)	E	\$7,875	\$883,717,994
912	Alani (<i>Melicope ovalis</i>)	E	\$7,836	\$883,725,830
913	Hibiscus, Clay's (<i>Hibiscus clayi</i>)	E	\$7,825	\$883,733,655
913	Schiedea kauaiensis (=Sci name)	E	\$7,825	\$883,741,480
914	Phyllostegia velutina (=Sci name)	E	\$7,763	\$883,749,243
915	Mariscus pennatifomis (=Sci name)	E	\$7,753	\$883,756,996
916	Butterfly, San Bruno elfin (<i>Callophrys mossii bayensis</i>)	E	\$7,737	\$883,764,733
916	Tarplant, Otay (<i>Deinandra (=Hemizonia) conjugens</i>)	T	\$7,737	\$883,772,470
916	Bluegrass, San Bernardino (<i>Poa atropurpurea</i>)	E	\$7,737	\$883,780,207
916	Pentachaeta, white-rayed (<i>Pentachaeta bellidiflora</i>)	E	\$7,737	\$883,787,944
917	Sedge, Navajo (<i>Carex specuicola</i>)	T	\$7,660	\$883,795,604
918	Abutilon eremitopetalum (=Sci name)	E	\$7,579	\$883,803,183
918	Alani (<i>Melicope mucronulata</i>)	E	\$7,579	\$883,810,762
918	Silene alexandri (=Sci name)	E	\$7,579	\$883,818,341
918	Haha (<i>Cyanea procera</i>)	E	\$7,579	\$883,825,920
919	Snake, Atlantic salt marsh (<i>Nerodia clarkii taeniata</i>)	T	\$7,577	\$883,833,497
920	Rush-rose, island (<i>Helianthemum greenei</i>)	T	\$7,543	\$883,841,040
921	Madtom, smoky (<i>Noturus baileyi</i>) Tellico River, TN	EXPN	\$7,500	\$883,848,540
922	Warbler (=wood), Bachman's (<i>Vermivora bachmani</i>)	E	\$7,440	\$883,855,980
923	Sand-verbena, large-fruited (<i>Abronia macrocarpa</i>)	E	\$7,427	\$883,863,407
923	Sedge, golden (<i>Carex lutea</i>)	E	\$7,427	\$883,870,834
924	Kauai hau kuahiwi (<i>Hibiscadelphus distans</i>)	E	\$7,403	\$883,878,237
924	Ischaemum, Hilo (<i>Ischaemum byrone</i>)	E	\$7,403	\$883,885,640
925	Alsinidendron viscosum (=Sci name)	E	\$7,402	\$883,893,042
926	Beetle, Coffin Cave mold (<i>Batrisodes texanus</i>)	E	\$7,342	\$883,900,384
927	Bedstraw, island (<i>Galium buxifolium</i>)	E	\$7,333	\$883,907,717
928	Delissea undulata (=Sci name)	E	\$7,283	\$883,915,000
929	Gambusia, San Marcos (<i>Gambusia georgei</i>)	E	\$7,234	\$883,922,234
930	Springfish, White River (<i>Crenichthys baileyi baileyi</i>)	E	\$7,179	\$883,929,413
931	Pigtoe, Cumberland (<i>Pleurobema gibberum</i>)	E	\$7,177	\$883,936,590
932	Kamakahala (<i>Labordia triflora</i>)	E	\$7,079	\$883,943,669
932	Alani (<i>Melicope adscendens</i>)	E	\$7,079	\$883,950,748
933	Amphianthus, little (<i>Amphianthus pusillus</i>)	T	\$7,077	\$883,957,825

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
934	Woundfin (<i>Plagopterus argentissimus</i>) Gila R. drainage, AZ, NM	EXPN	\$7,006	\$883,964,831
935	Reed-mustard, clay (<i>Schoenocrambe argillacea</i>)	T	\$7,000	\$883,971,831
935	Diellia falcata (=Sci name)	E	\$7,000	\$883,978,831
936	Wild-buckwheat, gypsum (<i>Eriogonum gypsophilum</i>)	T	\$6,920	\$883,985,751
937	Ha`iwale (<i>Cyrtandra polyantha</i>)	E	\$6,893	\$883,992,644
938	Barberry, island (<i>Berberis pinnata ssp. insularis</i>)	E	\$6,833	\$883,999,477
938	Phacelia, island (<i>Phacelia insularis ssp. insularis</i>)	E	\$6,833	\$884,006,310
938	Fringepod, Santa Cruz Island (<i>Thysanocarpus conchuliferus</i>)	E	\$6,833	\$884,013,143
939	Rattleweed, hairy (<i>Baptisia arachnifera</i>)	E	\$6,775	\$884,019,918
940	Cactus, Bakersfield (<i>Opuntia treleasei</i>)	E	\$6,763	\$884,026,681
941	Pitaya, Davis' green (<i>Echinocereus viridiflorus var. davisii</i>)	E	\$6,750	\$884,033,431
941	Pondweed, Little Aguja (=Creek) (<i>Potamogeton clystocarpus</i>)	E	\$6,750	\$884,040,181
941	Oak, Hinckley (<i>Quercus hinckleyi</i>)	T	\$6,750	\$884,046,931
942	Lizard, St. Croix ground (<i>Ameiva polops</i>)	E	\$6,700	\$884,053,631
943	Alani (<i>Melicope ballouii</i>)	E	\$6,695	\$884,060,326
944	Cactus, Chisos Mountain hedgehog (<i>Echinocereus chisoensis var. chisoensis</i>)	T	\$6,650	\$884,066,976
945	Madtom, pygmy (<i>Noturus stanauli</i>)	E	\$6,631	\$884,073,607
946	Creepers, Oahu (<i>Paroreomyza maculata</i>)	E	\$6,611	\$884,080,218
947	Navarretia, many-flowered (<i>Navarretia leucocephala ssp. pliantha</i>)	E	\$6,556	\$884,086,774
948	Buckwheat, lone (incl. Irish Hill) (<i>Eriogonum apricum (incl. var. prostratum)</i>)	E	\$6,500	\$884,093,274
948	Lily, Minnesota dwarf trout (<i>Erythronium propullans</i>)	E	\$6,500	\$884,099,774
949	Thistle, La Graciosa (<i>Cirsium loncholepis</i>)	E	\$6,469	\$884,106,243
950	Sneezeweed, Virginia (<i>Helenium virginicum</i>)	T	\$6,362	\$884,112,605
951	Gouania meyenii (=Sci name)	E	\$6,325	\$884,118,930
951	Lo`ulu (<i>Pritchardia viscosa</i>)	E	\$6,325	\$884,125,255
952	Vervain, Red Hills (<i>Verbena californica</i>)	T	\$6,295	\$884,131,550
953	Daisy, lakeside (<i>Hymenoxys herbacea</i>)	T	\$6,273	\$884,137,823
954	Awiwi (<i>Hedyotis cookiana</i>)	E	\$6,253	\$884,144,076
955	Groundsel, San Francisco Peaks (<i>Senecio franciscanus</i>)	T	\$6,250	\$884,150,326
956	Platanthera holochila (=Sci name)	E	\$6,202	\$884,156,528
957	Tern, roseate (<i>Sterna dougallii dougallii</i>) Western Hemisphere except NE U.S.	T	\$6,200	\$884,162,728
958	Pigtoe, dark (<i>Pleurobema furvum</i>)	E	\$6,177	\$884,168,905
959	Yellowhead, desert (<i>Yermo xanthocephalus</i>)	T	\$6,160	\$884,175,065
960	Meadowrue, Cooley's (<i>Thalictrum cooleyi</i>)	E	\$6,139	\$884,181,204
961	Cactus, Brady pincushion (<i>Pediocactus bradyi</i>)	E	\$6,100	\$884,187,304
962	Crayfish, cave (<i>Cambarus zophonastes</i>)	E	\$6,077	\$884,193,381
963	Manzanita, Morro (<i>Arctostaphylos morroensis</i>)	T	\$6,076	\$884,199,457
964	Snail, Virginia fringed mountain (<i>Polygyriscus virginianus</i>)	E	\$6,020	\$884,205,477
965	Hawk, Puerto Rican broad-winged (<i>Buteo platypterus brunnescens</i>)	E	\$6,000	\$884,211,477
965	Hawk, Puerto Rican sharp-shinned (<i>Accipiter striatus venator</i>)	E	\$6,000	\$884,217,477
965	Jacquemontia, beach (<i>Jacquemontia reclinata</i>)	E	\$6,000	\$884,223,477

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
965	Cobana negra (<i>Stahlia monosperma</i>)	T	\$6,000	\$884,229,477
966	Penny-cress, Kneeland Prairie (<i>Thlaspi californicum</i>)	E	\$5,700	\$884,235,177
967	Remya, Maui (<i>Remya mauiensis</i>)	E	\$5,579	\$884,240,756
967	`Oha wai (<i>Clermontia oblongifolia</i> ssp. <i>brevipes</i>)	E	\$5,579	\$884,246,335
968	Harvestman, Bee Creek Cave (<i>Texella reddelli</i>)	E	\$5,491	\$884,251,826
969	Darter, bluemask (=jewel) (<i>Etheostoma</i> sp.)	E	\$5,331	\$884,257,157
970	`Oha wai (<i>Clermontia drepanomorpha</i>)	E	\$5,311	\$884,262,468
971	Pussypaws, Mariposa (<i>Calyptridium pulchellum</i>)	T	\$5,295	\$884,267,763
972	Vole, Florida salt marsh (<i>Microtus pennsylvanicus dukecampbelli</i>)	E	\$5,254	\$884,273,017
973	Panicgrass, Carter's (<i>Panicum fauriei</i> var. <i>carteri</i>)	E	\$5,243	\$884,278,260
974	Kuahwi lauakahi (<i>Plantago hawaiiensis</i>)	E	\$5,201	\$884,283,461
975	Achyranthes mutica (=Sci name)	E	\$5,194	\$884,288,655
976	Butterfly, callippe silverspot (<i>Speyeria callippe callippe</i>)	E	\$5,191	\$884,293,846
976	Jewelflower, Metcalf Canyon (<i>Streptanthus albidus</i> ssp. <i>albidus</i>)	E	\$5,191	\$884,299,037
976	Dudleya, Santa Clara Valley (<i>Dudleya setchellii</i>)	E	\$5,191	\$884,304,228
977	Stonecrop, Lake County (<i>Parvisedum leiocarpum</i>)	E	\$5,156	\$884,309,384
978	Shiner, Cahaba (<i>Notropis cahabae</i>)	E	\$5,154	\$884,314,538
979	Vole, Hualapai Mexican (<i>Microtus mexicanus hualpaiensis</i>)	E	\$5,150	\$884,319,688
980	Heau (<i>Exocarpos luteolus</i>)	E	\$5,125	\$884,324,813
981	Tetramolopium lepidotum ssp. lepidotum (=Sci name)	E	\$5,087	\$884,329,900
982	Liliwai (<i>Acaena exigua</i>)	E	\$5,079	\$884,334,979
982	Alani (<i>Melicope knudsenii</i>)	E	\$5,079	\$884,340,058
982	Lysimachia maxima (=Sci name)	E	\$5,079	\$884,345,137
983	Marstonia, royal (snail) (<i>Pyrgulopsis ogmorhappe</i>)	E	\$5,077	\$884,350,214
984	Navarretia, few-flowered (<i>Navarretia leucocephala</i> ssp. <i>pauciflora</i> (=N. <i>pauciflora</i>))	E	\$5,056	\$884,355,270
985	Rail, Guam (<i>Rallus owstoni</i>) Rota	EXPN	\$5,049	\$884,360,319
986	Aster, Florida golden (<i>Chrysopsis floridana</i>)	E	\$5,016	\$884,365,335
987	Schiedea haleakalensis (=Sci name)	E	\$5,007	\$884,370,342
988	Paintbrush, ash-grey (<i>Castilleja cinerea</i>)	T	\$5,000	\$884,375,342
988	Wild-buckwheat, southern mountain (<i>Eriogonum kennedyi</i> var. <i>austromontanum</i>)	T	\$5,000	\$884,380,342
989	Blossom, turgid (pearlymussel) (<i>Epioblasma turgidula</i>) Entire Range; Except where listed as Experimental Populations	E	\$4,982	\$884,385,324
990	Cliff-rose, Arizona (<i>Purshia</i> (=Cowania) <i>subintegra</i>)	E	\$4,900	\$884,390,224
991	Pigtoe, southern (<i>Pleurobema georgianum</i>)	E	\$4,877	\$884,395,101
992	Curlew, Eskimo (<i>Numenius borealis</i>)	E	\$4,850	\$884,399,951
993	Ma`oli`oli (<i>Schiedea kealiae</i>)	E	\$4,829	\$884,404,780
994	Blossom, yellow (pearlymussel) (<i>Epioblasma florentina florentina</i>) Entire Range; Except where listed as Experimental Populations	E	\$4,782	\$884,409,562
995	Moccasinshell, Coosa (<i>Medionidus parvulus</i>)	E	\$4,677	\$884,414,239
996	Gambusia, Clear Creek (<i>Gambusia heterochir</i>)	E	\$4,650	\$884,418,889
997	Lily, Pitkin Marsh (<i>Lilium pardalinum</i> ssp. <i>pitkinense</i>)	E	\$4,632	\$884,423,521
998	Monkey-flower, Michigan (<i>Mimulus glabratus</i> var. <i>michiganensis</i>)	E	\$4,612	\$884,428,133
999	Olulu (<i>Brighamia insignis</i>)	E	\$4,579	\$884,432,712

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1000	Rosemary, short-leaved (<i>Conradina brevifolia</i>)	E	\$4,500	\$884,437,212
1000	Rhododendron, Chapman (<i>Rhododendron chapmanii</i>)	E	\$4,500	\$884,441,712
1000	Fringe-tree, pygmy (<i>Chionanthus pygmaeus</i>)	E	\$4,500	\$884,446,212
1000	Quillwort, black spored (<i>Isoetes melanospora</i>)	E	\$4,500	\$884,450,712
1000	Quillwort, mat-forming (<i>Isoetes tegetiformans</i>)	E	\$4,500	\$884,455,212
1000	Diellia pallida (=Sci name)	E	\$4,500	\$884,459,712
1001	Wahane (<i>Pritchardia aylmer-robinsonii</i>)	E	\$4,425	\$884,464,137
1001	Schiedea membranacea (=Sci name)	E	\$4,425	\$884,468,562
1001	Chamaesyce halemanui (=Sci name)	E	\$4,425	\$884,472,987
1001	Kaulu (<i>Pteralyxia kauaiensis</i>)	E	\$4,425	\$884,477,412
1001	Remya montgomeryi (=Sci name)	E	\$4,425	\$884,481,837
1002	Capa rosa (<i>Callicarpa ampla</i>)	E	\$4,416	\$884,486,253
1003	Salamander, Shenandoah (<i>Plethodon shenandoah</i>)	E	\$4,345	\$884,490,598
1004	Aupaka (<i>Isodendron longifolium</i>)	T	\$4,325	\$884,494,923
1004	Kolea (<i>Myrsine linearifolia</i>)	T	\$4,325	\$884,499,248
1004	Na`ena`e (<i>Dubautia latifolia</i>)	E	\$4,325	\$884,503,573
1004	Koki`o ke`oke`o (<i>Hibiscus waimeae ssp. hannerae</i>)	E	\$4,325	\$884,507,898
1004	Koki`o (<i>Kokia kauaiensis</i>)	E	\$4,325	\$884,512,223
1004	Nehe (<i>Lipochaeta fauriei</i>)	E	\$4,325	\$884,516,548
1004	Alani (<i>Melicope pallida</i>)	E	\$4,325	\$884,520,873
1004	Munroidendron racemosum (=Sci name)	E	\$4,325	\$884,525,198
1004	Remya kauaiensis (=Sci name)	E	\$4,325	\$884,529,523
1004	Iliau, dwarf (<i>Wilkesia hobdyi</i>)	E	\$4,325	\$884,533,848
1004	Nehe (<i>Lipochaeta micrantha</i>)	E	\$4,325	\$884,538,173
1004	Nehe (<i>Lipochaeta waimeaensis</i>)	E	\$4,325	\$884,542,498
1004	Kuawawaenuhu (<i>Alsindendron lychnoides</i>)	E	\$4,325	\$884,546,823
1005	Button-celery, San Diego (<i>Eryngium aristulatum var. parishii</i>)	E	\$4,275	\$884,551,098
1005	Navarretia, spreading (<i>Navarretia fossalis</i>)	T	\$4,275	\$884,555,373
1006	Alani (<i>Melicope reflexa</i>)	E	\$4,246	\$884,559,619
1007	Kangaroo rat, Morro Bay (<i>Dipodomys heermanni morroensis</i>)	E	\$4,227	\$884,563,846
1008	Rock-cress, Hoffmann's (<i>Arabis hoffmannii</i>)	E	\$4,182	\$884,568,028
1009	Lau`ehu (<i>Panicum niihauense</i>)	E	\$4,179	\$884,572,207
1010	Turtle, flattened musk (<i>Sternotherus depressus</i>) species range clarified	T	\$4,154	\$884,576,361
1011	Haha (<i>Cyanea undulata</i>)	E	\$4,079	\$884,580,440
1011	Phyllostegia waimeae (=Sci name)	E	\$4,079	\$884,584,519
1012	Onion, Munz's (<i>Allium munzii</i>)	E	\$3,925	\$884,588,444
1012	Crownscale, San Jacinto Valley (<i>Atriplex coronata var. notator</i>)	E	\$3,925	\$884,592,369
1013	Blue-star, Kearney's (<i>Amsonia kearneyana</i>)	E	\$3,800	\$884,596,169
1014	Acornshell, southern (<i>Epioblasma othcaloogensis</i>)	E	\$3,777	\$884,599,946
1014	Combshell, upland (<i>Epioblasma metastriata</i>)	E	\$3,777	\$884,603,723
1015	Wallflower, Ben Lomond (<i>Erysimum teretifolium</i>)	E	\$3,726	\$884,607,449
1016	Combshell, Cumberlandian (<i>Epioblasma brevidens</i>) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$3,700	\$884,611,149

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1016	Chumbo, Higo (<i>Harrisia portoricensis</i>)	T	\$3,700	\$884,614,849
1017	Fern, American hart's-tongue (<i>Asplenium scolopendrium</i> var. <i>americanum</i>)	T	\$3,680	\$884,618,529
1018	Xylosma crenatum (=Sci name)	E	\$3,656	\$884,622,185
1019	Spineflower, Sonoma (<i>Chorizanthe valida</i>)	E	\$3,650	\$884,625,835
1020	Alopecurus, Sonoma (<i>Alopecurus aequalis</i> var. <i>sonomensis</i>)	E	\$3,594	\$884,629,429
1021	Stenogyne bifida (=Sci name)	E	\$3,579	\$884,633,008
1022	Blazingstar, Heller's (<i>Liatris helleri</i>)	T	\$3,576	\$884,636,584
1023	Hau kuahiwi (<i>Hibiscadelphus woodii</i>)	E	\$3,504	\$884,640,088
1024	Pearlymussel, birdwing (<i>Conradilla caelata</i>) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert, and Lauderdale Counties, AL	EXPN	\$3,500	\$884,643,588
1024	Awikiwiki (<i>Canavalia molokaiensis</i>)	E	\$3,500	\$884,647,088
1024	Uvillo (<i>Eugenia haematocarpa</i>)	E	\$3,500	\$884,650,588
1025	Dudleyea, Santa Monica Mountains (<i>Dudleya cymosa</i> ssp. <i>ovatifolia</i>)	T	\$3,436	\$884,654,024
1026	Trillium, persistent (<i>Trillium persistens</i>)	E	\$3,416	\$884,657,440
1027	Rock-cress, shale barren (<i>Arabis serotina</i>)	E	\$3,324	\$884,660,764
1028	Clubshell (<i>Pleurobema clava</i>) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$3,300	\$884,664,064
1029	Dudleyea, marcescent (<i>Dudleya cymosa</i> ssp. <i>marcescens</i>)	T	\$3,236	\$884,667,300
1030	Aristida chaseae (=Sci name)	E	\$3,200	\$884,670,500
1030	Milk-vetch, triple-ribbed (<i>Astragalus tricarinatus</i>)	E	\$3,200	\$884,673,700
1030	Eugenia woodburyana (=Sci name)	E	\$3,200	\$884,676,900
1031	Mustard, Carter's (<i>Warea carteri</i>)	E	\$3,180	\$884,680,080
1032	Shrimp, Squirrel Chimney Cave (<i>Palaemonetes cummingsi</i>)	T	\$3,177	\$884,683,257
1033	Lysimachia lydgatei (=Sci name)	E	\$3,079	\$884,686,336
1034	Schiedea, Diamond Head (<i>Schiedea adamantis</i>)	E	\$3,054	\$884,689,390
1035	Mint, scrub (<i>Dicerandra frutescens</i>)	E	\$3,000	\$884,692,390
1035	Mint, Garrett's (<i>Dicerandra christmanii</i>)	E	\$3,000	\$884,695,390
1036	Silene perlmanii (=Sci name)	E	\$2,987	\$884,698,377
1037	Cory cactus, bunched (<i>Coryphantha ramillosa</i>)	T	\$2,950	\$884,701,327
1038	Cypress, Santa Cruz (<i>Cupressus abramsiana</i>)	E	\$2,788	\$884,704,115
1039	Butterfly, lotis blue (<i>Lycaeides argyrognomon lotis</i>)	E	\$2,750	\$884,706,865
1040	Haha (<i>Cyanea pinnatifida</i>)	E	\$2,712	\$884,709,577
1041	Akoko (<i>Chamaesyce deppeana</i>)	E	\$2,612	\$884,712,189
1042	Phyllostegia knudsenii (=Sci name)	E	\$2,579	\$884,714,768
1042	Hedyotis, Na Pali beach (<i>Hedyotis st.-johnii</i>)	E	\$2,579	\$884,717,347
1042	Aiea (<i>Nothoestrum peltatum</i>)	E	\$2,579	\$884,719,926
1042	Viola helenae (=Sci name)	E	\$2,579	\$884,722,505
1042	Nani wai'ale'ale (<i>Viola kauaiensis</i> var. <i>wahiawaensis</i>)	E	\$2,579	\$884,725,084
1042	Kamakahala (<i>Labordia lydgatei</i>)	E	\$2,579	\$884,727,663
1042	Haha (<i>Cyanea asarifolia</i>)	E	\$2,579	\$884,730,242
1042	Na'ena'e (<i>Dubautia pauciflorula</i>)	E	\$2,579	\$884,732,821
1042	Phyllostegia wawrana (=Sci name)	E	\$2,579	\$884,735,400
1042	Stenogyne campanulata (=Sci name)	E	\$2,579	\$884,737,979

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1042	Kamakahala (<i>Labordia tinifolia</i> var. <i>wahiawaensis</i>)	E	\$2,579	\$884,740,558
1043	White-eye, bridled (<i>Zosterops conspicillatus conspicillatus</i>)	E	\$2,500	\$884,743,058
1043	Salamander, desert slender (<i>Batrachoseps aridus</i>)	E	\$2,500	\$884,745,558
1044	Cactus, Nellie cory (<i>Coryphantha minima</i>)	E	\$2,450	\$884,748,008
1045	Phacelia, North Park (<i>Phacelia formosula</i>)	E	\$2,444	\$884,750,452
1046	Campeloma, slender (<i>Campeloma decampi</i>)	E	\$2,382	\$884,752,834
1047	Alani (<i>Melicope haupuensis</i>)	E	\$2,379	\$884,755,213
1048	Mallow, Peter's Mountain (<i>Iliamna corei</i>)	E	\$2,345	\$884,757,558
1049	Clubshell, black (<i>Pleurobema curtum</i>)	E	\$2,282	\$884,759,840
1049	Combshell, southern (<i>Epioblasma penita</i>)	E	\$2,282	\$884,762,122
1050	Bittercress, small-anthered (<i>Cardamine micranthera</i>)	E	\$2,256	\$884,764,378
1051	Rocksnailed, painted (<i>Leptoxis taeniata</i>)	T	\$2,252	\$884,766,630
1052	Snail, noonday (<i>Mesodon clarki nantahala</i>)	T	\$2,116	\$884,768,746
1052	Bariaco (<i>Trichilia triacantha</i>)	E	\$2,116	\$884,770,862
1053	Malacothrix, island (<i>Malacothrix squalida</i>)	E	\$2,103	\$884,772,965
1054	Spineflower, slender-horned (<i>Dodecahema leptoceras</i>)	E	\$2,101	\$884,775,066
1055	Lupine, scrub (<i>Lupinus aridorum</i>)	E	\$2,100	\$884,777,166
1056	Tetramolopium rockii (=Sci name)	T	\$2,079	\$884,779,245
1057	Sculpin, pygmy (<i>Cottus paulus</i> (=pygmaeus))	T	\$2,077	\$884,781,322
1057	Darter, vermilion (<i>Etheostoma chermocki</i>)	E	\$2,077	\$884,783,399
1057	Pigtoe, flat (<i>Pleurobema marshalli</i>)	E	\$2,077	\$884,785,476
1057	Elimia, lacy (snail) (<i>Elimia crenatella</i>)	T	\$2,077	\$884,787,553
1057	Lioplax, cylindrical (snail) (<i>Lioplax cyclostomaformis</i>)	E	\$2,077	\$884,789,630
1057	Pebblesnail, flat (<i>Lepyrium showalteri</i>)	E	\$2,077	\$884,791,707
1057	Rocksnailed, plicate (<i>Leptoxis plicata</i>)	E	\$2,077	\$884,793,784
1057	Rocksnailed, round (<i>Leptoxis ampla</i>)	T	\$2,077	\$884,795,861
1057	Water-willow, Cooley's (<i>Justicia cooleyi</i>)	E	\$2,077	\$884,797,938
1057	Water-plantain, Kral's (<i>Sagittaria secundifolia</i>)	T	\$2,077	\$884,800,015
1058	Cactus, Winkler (<i>Pediocactus winkleri</i>)	T	\$2,066	\$884,802,081
1059	Reed-mustard, shrubby (<i>Schoenocrambe suffrutescens</i>)	E	\$2,000	\$884,804,081
1059	Manzanita, Presidio (<i>Arctostaphylos hookeri</i> var. <i>ravenii</i>)	E	\$2,000	\$884,806,081
1059	Pawpaw, Rugel's (<i>Deeringothamnus rugelii</i>)	E	\$2,000	\$884,808,081
1059	Palo colorado (<i>Ternstroemia luquillensis</i>)	E	\$2,000	\$884,810,081
1059	Mint, longspurred (<i>Dicerandra cornutissima</i>)	E	\$2,000	\$884,812,081
1059	Schoepfia arenaria (=Sci name)	T	\$2,000	\$884,814,081
1060	Mariscus fauriei (=Sci name)	E	\$1,953	\$884,816,034
1061	Anole, Culebra Island giant (<i>Anolis roosevelti</i>)	E	\$1,900	\$884,817,934
1061	Peperomia, Wheeler's (<i>Peperomia wheeleri</i>)	E	\$1,900	\$884,819,834
1062	Catspaw (=purple cat's paw pearlymussel) (<i>Epioblasma obliquata obliquata</i>) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$1,800	\$884,821,634
1063	Polygonum, Scotts Valley (<i>Polygonum hickmanii</i>)	E	\$1,744	\$884,823,378
1064	Cavefish, Alabama (<i>Speoplatyrhinus poulsoni</i>)	E	\$1,731	\$884,825,109
1065	Amaranthus brownii (=Sci name)	E	\$1,704	\$884,826,813

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1066	<i>Chamaecrista glandulosa</i> var. <i>mirabilis</i> (=Sci name)	E	\$1,700	\$884,828,513
1066	<i>Leptocereus grantianus</i> (=Sci name)	E	\$1,700	\$884,830,213
1067	Ladies'-tresses, Canelo Hills (<i>Spiranthes delitescens</i>)	E	\$1,680	\$884,831,893
1068	Lo`ulu (<i>Pritchardia napaliensis</i>)	E	\$1,657	\$884,833,550
1069	Bladderpod, lyrate (<i>Lesquerella lyrata</i>)	T	\$1,621	\$884,835,171
1070	Opuhe (<i>Urera kaalae</i>)	E	\$1,587	\$884,836,758
1071	Thistle, Loch Lomond coyote (<i>Eryngium constancei</i>)	E	\$1,582	\$884,838,340
1072	Koki`o ke`oke`o (<i>Hibiscus arnottianus</i> ssp. <i>immaculatus</i>)	E	\$1,579	\$884,839,919
1073	Beardtongue, Penland (<i>Penstemon penlandii</i>)	E	\$1,507	\$884,841,426
1074	Prickly-ash, St. Thomas (<i>Zanthoxylum thomasianum</i>)	E	\$1,500	\$884,842,926
1075	<i>Lobelia oahuensis</i> (=Sci name)	E	\$1,487	\$884,844,413
1075	`Ohe`ohe (<i>Tetraplasandra gymnocarpa</i>)	E	\$1,487	\$884,845,900
1075	Ha`iwale (<i>Cyrtandra crenata</i>)	E	\$1,487	\$884,847,387
1076	<i>Ilex sintenisii</i> (=Sci name)	E	\$1,416	\$884,848,803
1077	<i>Mitracarpus maxwelliae</i> (=Sci name)	E	\$1,400	\$884,850,203
1077	<i>Mitracarpus polycladus</i> (=Sci name)	E	\$1,400	\$884,851,603
1078	Darter, bayou (<i>Etheostoma rubrum</i>)	T	\$1,311	\$884,852,914
1079	Sandalwood, Lanai (= `iliahi) (<i>Santalum freycinetianum</i> var. <i>lanaiense</i>)	E	\$1,279	\$884,854,193
1080	Holei (<i>Ochrosia kilaueaensis</i>)	E	\$1,253	\$884,855,446
1080	Haha (<i>Cyanea copelandii</i> ssp. <i>copelandii</i>)	E	\$1,253	\$884,856,699
1081	Lupine, Nipomo Mesa (<i>Lupinus nipomensis</i>)	E	\$1,242	\$884,857,941
1082	Boa, Mona (<i>Epicrates monensis monensis</i>)	T	\$1,200	\$884,859,141
1082	Coqui, golden (<i>Eleutherodactylus jasperi</i>)	T	\$1,200	\$884,860,341
1082	Palo de ramon (<i>Banara vanderbiltii</i>)	E	\$1,200	\$884,861,541
1082	Boxwood, Vahl's (<i>Buxus vahlii</i>)	E	\$1,200	\$884,862,741
1082	<i>Cordia bellonis</i> (=Sci name)	E	\$1,200	\$884,863,941
1082	Goetzea, beautiful (<i>Goetzea elegans</i>)	E	\$1,200	\$884,865,141
1082	lagu, Hayun =(Guam), Tronkon guafi (Rota)) (<i>Serianthes nelsonii</i>)	E	\$1,200	\$884,866,341
1082	Fern, Elfin tree (<i>Cyathea dryopteroides</i>)	E	\$1,200	\$884,867,541
1082	<i>Elaphoglossum serpens</i> (=Sci name)	E	\$1,200	\$884,868,741
1082	<i>Polystichum calderonense</i> (=Sci name)	E	\$1,200	\$884,869,941
1082	<i>Tectaria estremerana</i> (=Sci name)	E	\$1,200	\$884,871,141
1082	<i>Thelypteris inabonensis</i> (=Sci name)	E	\$1,200	\$884,872,341
1082	<i>Thelypteris verecunda</i> (=Sci name)	E	\$1,200	\$884,873,541
1082	<i>Thelypteris yaucoensis</i> (=Sci name)	E	\$1,200	\$884,874,741
1083	<i>Phyllostegia glabra</i> var. <i>lanaiensis</i> (=Sci name)	E	\$1,179	\$884,875,920
1084	Beargrass, Britton's (<i>Nolina brittoniana</i>)	E	\$1,100	\$884,877,020
1085	Ridge-cress, Barneby (<i>Lepidium barnebyanum</i>)	E	\$1,090	\$884,878,110
1086	Buttercup, autumn (<i>Ranunculus aestivalis</i> (= <i>acriformis</i>))	E	\$1,060	\$884,879,170
1087	Button, Mohr's Barbara (<i>Marshallia mohrii</i>)	T	\$1,016	\$884,880,186
1088	Gecko, Monito (<i>Sphaerodactylus micropithecus</i>)	E	\$1,000	\$884,881,186
1088	Butterfly, Myrtle's silverspot (<i>Speyeria zerene myrtleae</i>)	E	\$1,000	\$884,882,186
1088	Dudleya, Conejo (<i>Dudleya abramsii</i> ssp. <i>parva</i>)	T	\$1,000	\$884,883,186
1088	Bladderpod, kodachrome (<i>Lesquerella tumulosa</i>)	E	\$1,000	\$884,884,186

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1088	Pelos del diablo (<i>Aristida portoricensis</i>)	E	\$1,000	\$884,885,186
1088	Manaca, palma de (<i>Calyptronoma rivalis</i>)	T	\$1,000	\$884,886,186
1088	Palo de nigua (<i>Cornutia obovata</i>)	E	\$1,000	\$884,887,186
1088	Higuero de sierra (<i>Crescentia portoricensis</i>)	E	\$1,000	\$884,888,186
1088	Daphnopsis hellerana (=Sci name)	E	\$1,000	\$884,889,186
1088	Holly, Cook's (<i>Ilex cookii</i>)	E	\$1,000	\$884,890,186
1088	Lepanthes eltoroensis (=Sci name)	E	\$1,000	\$884,891,186
1088	Locoweed, Fassett's (<i>Oxytropis campestris</i> var. <i>chartacea</i>)	T	\$1,000	\$884,892,186
1088	Chupacallos (<i>Pleodendron macranthum</i>)	E	\$1,000	\$884,893,186
1088	Erubia (<i>Solanum drymophilum</i>)	E	\$1,000	\$884,894,186
1088	Ternstroemia subsessilis (=Sci name)	E	\$1,000	\$884,895,186
1088	Dudleya, Verity's (<i>Dudleya verityi</i>)	T	\$1,000	\$884,896,186
1088	Myrcia paganii (=Sci name)	E	\$1,000	\$884,897,186
1088	Palo de jazmin (<i>Styrax portoricensis</i>)	E	\$1,000	\$884,898,186
1088	Gesneria pauciflora (=Sci name)	T	\$1,000	\$884,899,186
1088	Auerodendron pauciflorum (=Sci name)	E	\$1,000	\$884,900,186
1088	Lyonia truncata var. proctorii (=Sci name)	E	\$1,000	\$884,901,186
1088	Vernonia proctorii (=Sci name)	E	\$1,000	\$884,902,186
1088	Cranichis ricartii (=Sci name)	E	\$1,000	\$884,903,186
1089	Checker-mallow, pedate (<i>Sidalcea pedata</i>)	E	\$900	\$884,904,086
1090	Agave, Arizona (<i>Agave arizonica</i>)	DO	\$850	\$884,904,936
1091	Orcutt grass, California (<i>Orcuttia californica</i>)	E	\$806	\$884,905,742
1092	Oha (<i>Delissea rivularis</i>)	E	\$679	\$884,906,421
1092	Alani (<i>Melicope quadrangularis</i>)	E	\$679	\$884,907,100
1092	Schiedea helleri (=Sci name)	E	\$679	\$884,907,779
1092	Na`ena`e (<i>Dubautia plantaginea</i> ssp. <i>humilis</i>)	E	\$679	\$884,908,458
1093	Snail, armored (<i>Pyrgulopsis</i> (=Marstonia) <i>pachyta</i>)	E	\$621	\$884,909,079
1094	Pamakani (<i>Tetramolopium capillare</i>)	E	\$600	\$884,909,679
1095	Love grass, Fosberg's (<i>Eragrostis fosbergii</i>)	E	\$579	\$884,910,258
1095	Alani (<i>Melicope saint-johnii</i>)	E	\$579	\$884,910,837
1095	Lo`ulu (<i>Pritchardia remota</i>)	E	\$579	\$884,911,416
1095	Schiedea sarmentosa (=Sci name)	E	\$579	\$884,911,995
1095	Schiedea verticillata (=Sci name)	E	\$579	\$884,912,574
1095	Ko`oko`olau (<i>Bidens wiebkei</i>)	E	\$579	\$884,913,153
1095	Gouania hillebrandii (=Sci name)	E	\$579	\$884,913,732
1095	Hesperomannia lydgatei (=Sci name)	E	\$579	\$884,914,311
1095	Bluegrass, Hawaiian (<i>Poa sandvicensis</i>)	E	\$579	\$884,914,890
1095	Nehe (<i>Lipochaeta kamolensis</i>)	E	\$579	\$884,915,469
1095	Lysimachia filifolia (=Sci name)	E	\$579	\$884,916,048
1095	Bluegrass, Mann's (<i>Poa mannii</i>)	E	\$579	\$884,916,627
1095	Poa siphonoglossa (=Sci name)	E	\$579	\$884,917,206
1095	Ma`oli`oli (<i>Schiedea apokremnos</i>)	E	\$579	\$884,917,785
1095	Schiedea lydgatei (=Sci name)	E	\$579	\$884,918,364
1095	Schiedea spergulina var. leiopoda (=Sci name)	E	\$579	\$884,918,943

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1095	Schiedea spergulina var. spergulina (=Sci name)	T	\$579	\$884,919,522
1095	Laulihilihi (<i>Schiedea stellarioides</i>)	E	\$579	\$884,920,101
1095	`Akoko (<i>Chamaesyce kuwaleana</i>)	E	\$579	\$884,920,680
1095	Haha (<i>Cyanea manni</i>)	E	\$579	\$884,921,259
1095	Haha (<i>Cyanea recta</i>)	T	\$579	\$884,921,838
1095	Mapele (<i>Cyrtandra cyaneoides</i>)	E	\$579	\$884,922,417
1095	Ha`iwale (<i>Cyrtandra limahuliensis</i>)	T	\$579	\$884,922,996
1095	Trematolobelia singularis (=Sci name)	E	\$579	\$884,923,575
1095	Haha (<i>Cyanea remyi</i>)	E	\$579	\$884,924,154
1096	Madtom, Scioto (<i>Noturus trautmani</i>)	E	\$520	\$884,924,674
1097	Malacothrix, Santa Cruz Island (<i>Malacothrix indecora</i>)	E	\$500	\$884,925,174
1097	Diellia unisora (=Sci name)	E	\$500	\$884,925,674
1098	Mustard, Penland alpine fen (<i>Eutrema penlandii</i>)	T	\$445	\$884,926,119
1099	Heather, mountain golden (<i>Hudsonia montana</i>)	T	\$416	\$884,926,535
1099	Leather flower, Morefield's (<i>Clematis morefieldii</i>)	E	\$416	\$884,926,951
1100	Springsnail, Alamosa (<i>Tryonia alamosae</i>)	E	\$350	\$884,927,301
1100	Springsnail, Socorro (<i>Pyrgulopsis neomexicana</i>)	E	\$350	\$884,927,651
1100	Isopod, Socorro (<i>Thermosphaeroma thermophilus</i>)	E	\$350	\$884,928,001
1100	Mesa-mint, San Diego (<i>Pogogyne abramsii</i>)	E	\$350	\$884,928,351
1100	Mesa-mint, Otay (<i>Pogogyne nudiuscula</i>)	E	\$350	\$884,928,701
1101	Lampmussel, Alabama (<i>Lampsilis virescens</i>) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$305	\$884,929,006
1102	Amphipod, Illinois cave (<i>Gammarus acherondytes</i>)	E	\$270	\$884,929,276
1103	Clover, Monterey (<i>Trifolium trichocalyx</i>)	E	\$244	\$884,929,520
1104	Seal, Guadalupe fur (<i>Arctocephalus townsendi</i>)	T	\$205	\$884,929,725
1104	Pearlymussel, dromedary (<i>Dromus dromas</i>) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$205	\$884,929,930
1105	Cahow (<i>Pterodroma cahow</i>)	E	\$200	\$884,930,130
1105	Yerba santa, Lompoc (<i>Eriodictyon capitatum</i>)	E	\$200	\$884,930,330
1106	Jaguarundi, Sinaloa (<i>Herpailurus (=Felis) yagouaroundi tolteca</i>)	E	\$150	\$884,930,480
1107	Riversnail, Anthony's (<i>Athearnia anthonyi</i>) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$142	\$884,930,622
1108	Roseroot, Leedy's (<i>Sedum integrifolium ssp. leedyi</i>)	T	\$100	\$884,930,722
1109	Milk-vetch, heliotrope (<i>Astragalus montii</i>)	T	\$90	\$884,930,812
1110	Primrose, Maguire (<i>Primula maguirei</i>)	T	\$11	\$884,930,823
1111	Reed-mustard, Barneby (<i>Schoenocrambe barnebyi</i>)	E	\$6	\$884,930,829
1112	Whale, gray (<i>Eschrichtius robustus</i>) W Pacific Ocean	E	\$0	\$884,930,829

**TABLE 3. FY 2005 AND FY 2006 REPORTED LAND ACQUISITION EXPENDITURES FOR
ENDANGERED AND THREATENED SPECIES**

Species are arranged in the same sequence as Table 1. These costs are not included in the activity-related expenditures of Tables 1 and 2. Only those species that had land acquisition costs reported for FY 2005 and FY 2006 are included here. Land rank is included to show the relative order of the species which had land expenditures.

TABLE 3. FY 2005 REPORTED LAND ACQUISITION EXPENDITURES FOR ENDANGERED AND THREATENED SPECIES

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	Mammals						
54	Bat, gray (<i>Myotis grisescens</i>)	E	\$174,000	\$0	\$174,000	\$0	\$174,000
81	Bat, Hawaiian hoary (<i>Lasiurus cinereus semotus</i>)	E	\$6,000	\$0	\$6,000	\$0	\$6,000
15	Bat, Indiana (<i>Myotis sodalis</i>)	E	\$221,800	\$1,304,415	\$1,526,215	\$0	\$1,526,215
63	Bat, Ozark big-eared (<i>Corynorhinus (=Plecotus) townsendii ingens</i>)	E	\$101,500	\$0	\$101,500	\$0	\$101,500
18	Bat, Virginia big-eared (<i>Corynorhinus (=Plecotus) townsendii virginianus</i>)	E	\$1,304,000	\$0	\$1,304,000	\$0	\$1,304,000
31	Bear, grizzly (<i>Ursus arctos horribilis</i>) experimental, non-essential, portions of ID and MT	EXPN	\$0	\$627,000	\$627,000	\$0	\$627,000
2	Bear, Louisiana black (<i>Ursus americanus luteolus</i>)	T	\$2,013,000	\$9,453,000	\$11,466,000	\$0	\$11,466,000
48	Deer, key (<i>Odocoileus virginianus clavium</i>)	E	\$214,500	\$0	\$214,500	\$0	\$214,500
29	Fox, San Joaquin kit (<i>Vulpes macrotis mutica</i>)	E	\$463,945	\$259,500	\$723,445	\$0	\$723,445
45	Kangaroo rat, giant (<i>Dipodomys ingens</i>)	E	\$0	\$259,500	\$259,500	\$0	\$259,500
56	Kangaroo rat, Tipton (<i>Dipodomys nitratoides nitratoides</i>)	E	\$157,265	\$0	\$157,265	\$0	\$157,265
44	Squirrel, Virginia northern flying (<i>Glaucomys sabrinus fuscus</i>)	E	\$262,150	\$0	\$262,150	\$0	\$262,150
	Mammals Subtotal		\$4,918,160	\$11,903,415	\$16,821,575	\$0	\$16,821,575
	Birds						
72	Akepa, Hawaii (honeycreeper) (<i>Loxops coccineus coccineus</i>)	E	\$21,000	\$0	\$21,000	\$0	\$21,000
72	Akiapola'au (honeycreeper) (<i>Hemignathus munroi</i>)	E	\$21,000	\$0	\$21,000	\$0	\$21,000
26	Coot, Hawaiian (<i>Fulica americana alai</i>)	E	\$755,723	\$122,860	\$878,583	\$0	\$878,583
76	Crane, Mississippi sandhill (<i>Grus canadensis pulla</i>)	E	\$13,125	\$0	\$13,125	\$0	\$13,125
72	Creeper, Hawaii (<i>Oreomystis mana</i>)	E	\$21,000	\$0	\$21,000	\$0	\$21,000
75	Crow, Hawaiian (=alala) (<i>Corvus hawaiiensis</i>)	E	\$15,000	\$0	\$15,000	\$0	\$15,000
24	Duck, Hawaiian (=koloa) (<i>Anas wyvilliana</i>)	E	\$761,723	\$122,860	\$884,583	\$0	\$884,583
3	Eagle, bald (<i>Haliaeetus leucocephalus</i>) lower 48 States	T	\$958,264	\$6,021,500	\$6,979,764	\$0	\$6,979,764
28	Flycatcher, southwestern willow (<i>Empidonax traillii extimus</i>)	E	\$195,833	\$529,000	\$724,833	\$0	\$724,833
23	Gnatcatcher, coastal California (<i>Polioptila californica californica</i>)	T	\$979,166	\$0	\$979,166	\$0	\$979,166
59	Goose, Hawaiian (<i>Branta (=Nesochen) sandvicensis</i>)	E	\$6,000	\$122,860	\$128,860	\$0	\$128,860
81	Hawk, Hawaiian (=lo) (<i>Buteo solitarius</i>)	E	\$6,000	\$0	\$6,000	\$0	\$6,000
85	Jay, Florida scrub (<i>Aphelocoma</i>)	T	\$2,292	\$0	\$2,292	\$0	\$2,292

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	<i>coerulescens</i>)						
26	Moorhen, Hawaiian common (<i>Gallinula chloropus sandvicensis</i>)	E	\$755,723	\$122,860	\$878,583	\$0	\$878,583
43	Murrelet, marbled (<i>Brachyramphus marmoratus</i>) CA, OR, WA	T	\$272,592	\$0	\$272,592	\$0	\$272,592
6	Palila (honeycreeper) (<i>Loxioides bailleui</i>)	E	\$0	\$2,929,000	\$2,929,000	\$0	\$2,929,000
26	Stilt, Hawaiian (<i>Himantopus mexicanus knudseni</i>)	E	\$755,723	\$122,860	\$878,583	\$0	\$878,583
51	Tern, least (<i>Sterna antillarum</i>) interior pop.	E	\$199,000	\$0	\$199,000	\$0	\$199,000
21	Tern, roseate (<i>Sterna dougallii dougallii</i>) northeast U.S. nesting pop.	E	\$1,040,000	\$0	\$1,040,000	\$0	\$1,040,000
33	Vireo, black-capped (<i>Vireo atricapilla</i>)	E	\$530,300	\$0	\$530,300	\$0	\$530,300
52	Vireo, least Bell's (<i>Vireo bellii pusillus</i>)	E	\$195,833	\$0	\$195,833	\$0	\$195,833
33	Warbler (=wood), golden-cheeked (<i>Dendroica chrysoparia</i>)	E	\$530,300	\$0	\$530,300	\$0	\$530,300
4	Woodpecker, ivory-billed (<i>Campephilus principalis</i>)	E	\$4,104,000	\$1,500,000	\$5,604,000	\$0	\$5,604,000
5	Woodpecker, red-cockaded (<i>Picoides borealis</i>)	E	\$13,925	\$0	\$13,925	\$4,310,976	\$4,324,901
81	`O`u (honeycreeper) (<i>Psittirostra psittacea</i>)	E	\$6,000	\$0	\$6,000	\$0	\$6,000
	Birds Subtotal		\$12,159,522	\$11,593,800	\$23,753,322	\$4,310,976	\$28,064,298
	Reptiles						
35	Lizard, blunt-nosed leopard (<i>Gambelia silus</i>)	E	\$157,265	\$259,500	\$416,765	\$0	\$416,765
32	Plymouth Red-Bellied Turtle (<i>Pseudemys rubriventris bangsi</i>)	E	\$536,900	\$0	\$536,900	\$0	\$536,900
47	Sea turtle, green (<i>Chelonia mydas</i>) FL, Mexico nesting pops.	E	\$233,000	\$0	\$233,000	\$0	\$233,000
47	Sea turtle, leatherback (<i>Dermochelys coriacea</i>)	E	\$233,000	\$0	\$233,000	\$0	\$233,000
47	Sea turtle, loggerhead (<i>Caretta caretta</i>)	T	\$233,000	\$0	\$233,000	\$0	\$233,000
85	Skink, sand (<i>Neoseps reynoldsi</i>)	T	\$2,292	\$0	\$2,292	\$0	\$2,292
84	Snake, eastern indigo (<i>Drymarchon corais couperi</i>)	T	\$3,092	\$0	\$3,092	\$0	\$3,092
16	Snake, giant garter (<i>Thamnophis gigas</i>)	T	\$1,517,425	\$0	\$1,517,425	\$0	\$1,517,425
83	Tortoise, desert (<i>Gopherus agassizii</i>) U.S.A., except in Sonoran Desert	T	\$0	\$4,000	\$4,000	\$0	\$4,000
76	Tortoise, gopher (<i>Gopherus polyphemus</i>) W of of Mobile/Tombigbee Rs.	T	\$13,125	\$0	\$13,125	\$0	\$13,125
65	Turtle, bog (=Muhlenberg) (<i>Clemmys muhlenbergii</i>) northern	T	\$52,153	\$0	\$52,153	\$0	\$52,153
	Reptiles Subtotal		\$2,981,252	\$263,500	\$3,244,752	\$0	\$3,244,752
	Amphibians						

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
52	Frog, California red-legged (<i>Rana aurora draytonii</i>) subspecies range clarified	T	\$195,833	\$0	\$195,833	\$0	\$195,833
41	Salamander, California tiger (<i>Ambystoma californiense</i>) U.S.A. (Central CA DPS)	T	\$306,680	\$0	\$306,680	\$0	\$306,680
52	Toad, arroyo (=arroyo southwestern) (<i>Bufo californicus</i> (=microscaphus))	E	\$195,833	\$0	\$195,833	\$0	\$195,833
	Amphibians Subtotal		\$698,346	\$0	\$698,346	\$0	\$698,346
	Fishes						
63	Cavefish, Ozark (<i>Amblyopsis rosae</i>)	T	\$101,500	\$0	\$101,500	\$0	\$101,500
57	Chub, bonytail (<i>Gila elegans</i>) entire	E	\$0	\$153,500	\$153,500	\$0	\$153,500
82	Dace, Ash Meadows speckled (<i>Rhinichthys osculus nevadensis</i>)	E	\$4,635	\$0	\$4,635	\$0	\$4,635
22	Darter, Etowah (<i>Etheostoma etowahae</i>)	E	\$1,000,000	\$0	\$1,000,000	\$0	\$1,000,000
37	Pikeminnow (=squawfish), Colorado (<i>Ptychocheilus lucius</i>) except Salt and Verde R. drainages, AZ	E	\$0	\$365,000	\$365,000	\$0	\$365,000
82	Pupfish, Ash Meadows Amargosa (<i>Cyprinodon nevadensis mionectes</i>)	E	\$4,635	\$0	\$4,635	\$0	\$4,635
82	Pupfish, Devils Hole (<i>Cyprinodon diabolis</i>)	E	\$4,635	\$0	\$4,635	\$0	\$4,635
82	Pupfish, Warm Springs (<i>Cyprinodon nevadensis pectoralis</i>)	E	\$4,635	\$0	\$4,635	\$0	\$4,635
12	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) spring upper Columbia R.	E	\$0	\$1,807,500	\$1,807,500	\$0	\$1,807,500
64	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) winter Sacramento R.	E	\$72,500	\$0	\$72,500	\$0	\$72,500
7	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) spring/summer Snake R.	T	\$0	\$2,546,404	\$2,546,404	\$0	\$2,546,404
60	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) lower Columbia R.	T	\$0	\$124,000	\$124,000	\$0	\$124,000
14	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) fall Snake R.	T	\$0	\$1,714,500	\$1,714,500	\$0	\$1,714,500
74	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) upper Willamette R.	T	\$0	\$19,167	\$19,167	\$0	\$19,167
58	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) CA Central Valley spring-run	T	\$129,196	\$0	\$129,196	\$0	\$129,196
38	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) Puget Sound	T	\$112,000	\$248,000	\$360,000	\$0	\$360,000
68	Salmon, chum (<i>Oncorhynchus</i> (=Salmo) <i>keta</i>) summer-run Hood Canal	T	\$0	\$37,200	\$37,200	\$0	\$37,200
71	Salmon, chum (<i>Oncorhynchus</i> (=Salmo) <i>keta</i>) Columbia R.	T	\$0	\$24,800	\$24,800	\$0	\$24,800

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
13	Salmon, sockeye (<i>Oncorhynchus</i> (=Salmo) <i>nerka</i>) U.S.A. (Snake River, ID stock wherever found.)	E	\$0	\$1,745,500	\$1,745,500	\$0	\$1,745,500
34	Shiner, Cahaba (<i>Notropis cahabae</i>)	E	\$421,000	\$0	\$421,000	\$0	\$421,000
70	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) lower Columbia R.	T	\$0	\$31,000	\$31,000	\$0	\$31,000
11	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) middle Columbia R.	T	\$0	\$1,860,998	\$1,860,998	\$0	\$1,860,998
8	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) Snake R. Basin	T	\$0	\$2,494,842	\$2,494,842	\$0	\$2,494,842
74	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) upper Willamette R.	T	\$0	\$19,167	\$19,167	\$0	\$19,167
50	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) Central Valley CA	T	\$201,696	\$0	\$201,696	\$0	\$201,696
12	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) upper Columbia R. Basin	E	\$0	\$1,807,500	\$1,807,500	\$0	\$1,807,500
51	Sturgeon, pallid (<i>Scaphirhynchus albus</i>)	E	\$199,000	\$0	\$199,000	\$0	\$199,000
30	Sucker, razorback (<i>Xyrauchen texanus</i>) entire	E	\$0	\$672,000	\$672,000	\$0	\$672,000
20	Trout, bull (<i>Salvelinus confluentus</i>) U.S.A., conterminous, lower 48 states	T	\$112,000	\$957,614	\$1,069,614	\$0	\$1,069,614
	Fishes Subtotal		\$2,367,432	\$16,628,692	\$18,996,124	\$0	\$18,996,124
	Clams						
64	Catspaw (=purple cat's paw pearl mussel) (<i>Epioblasma obliquata obliquata</i>) Entire Range; Except where listed as Experimental Populations	E	\$72,500	\$0	\$72,500	\$0	\$72,500
64	Clubshell (<i>Pleurobema clava</i>) Entire Range; Except where listed as Experimental Populations	E	\$72,500	\$0	\$72,500	\$0	\$72,500
46	Heelsplitter, Carolina (<i>Lasmigona decorata</i>)	E	\$250,000	\$0	\$250,000	\$0	\$250,000
64	Mucket, pink (pearl mussel) (<i>Lampsilis abrupta</i>)	E	\$72,500	\$0	\$72,500	\$0	\$72,500
64	Pigtoe, rough (<i>Pleurobema plenum</i>)	E	\$72,500	\$0	\$72,500	\$0	\$72,500
	Clams Subtotal		\$540,000	\$0	\$540,000	\$0	\$540,000
	Insects						
19	Beetle, American burying (<i>Nicrophorus americanus</i>)	E	\$1,200,000	\$0	\$1,200,000	\$0	\$1,200,000
17	Beetle, valley elderberry longhorn (<i>Desmocerus californicus dimorphus</i>)	T	\$1,312,962	\$0	\$1,312,962	\$0	\$1,312,962

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
23	Butterfly, Quino checkerspot (<i>Euphydryas editha quino</i> (=E. e. <i>wrighti</i>))	E	\$979,166	\$0	\$979,166	\$0	\$979,166
36	Dragonfly, Hine's emerald (<i>Somatochlora hineana</i>)	E	\$0	\$0	\$0	\$392,250	\$392,250
61	Moth, Blackburn's sphinx (<i>Manduca blackburni</i>)	E	\$0	\$122,860	\$122,860	\$0	\$122,860
82	Naucorid, Ash Meadows (<i>Ambrysus amargosus</i>)	T	\$4,635	\$0	\$4,635	\$0	\$4,635
	Insects Subtotal		\$3,496,763	\$122,860	\$3,619,623	\$392,250	\$4,011,873
	Crustaceans						
52	Fairy shrimp, Riverside (<i>Streptocephalus woottoni</i>)	E	\$195,833	\$0	\$195,833	\$0	\$195,833
52	Fairy shrimp, San Diego (<i>Branchinecta sandiegonensis</i>)	E	\$195,833	\$0	\$195,833	\$0	\$195,833
41	Fairy shrimp, vernal pool (<i>Branchinecta lynchi</i>)	T	\$306,680	\$0	\$306,680	\$0	\$306,680
64	Shrimp, Kentucky cave (<i>Palaemonias ganteri</i>)	E	\$72,500	\$0	\$72,500	\$0	\$72,500
41	Tadpole shrimp, vernal pool (<i>Lepidurus packardii</i>)	E	\$306,680	\$0	\$306,680	\$0	\$306,680
	Crustaceans Subtotal		\$1,077,526	\$0	\$1,077,526	\$0	\$1,077,526
	Flowering Plants						
53	Bulrush, Northeastern (<i>Scirpus ancistrochaetus</i>)	E	\$0	\$0	\$0	\$175,000	\$175,000
66	Bush-clover, prairie (<i>Lespedeza leptostachya</i>)	T	\$0	\$0	\$0	\$51,000	\$51,000
73	Cactus, Kuenzler hedgehog (<i>Echinocereus fendleri</i> var. <i>kuenzleri</i>)	E	\$0	\$20,000	\$20,000	\$0	\$20,000
78	Centaury, spring-loving (<i>Centaureum namophilum</i>)	T	\$11,088	\$0	\$11,088	\$0	\$11,088
25	Coneflower, smooth (<i>Echinacea laevigata</i>)	E	\$250,000	\$0	\$250,000	\$630,000	\$880,000
42	Ground-plum, Guthrie's (=Pyne's) (<i>Astragalus bibullatus</i>)	E	\$276,000	\$0	\$276,000	\$0	\$276,000
40	Iris, dwarf lake (<i>Iris lacustris</i>)	T	\$0	\$0	\$0	\$340,000	\$340,000
79	Ivesia, Ash Meadows (<i>Ivesia kingii</i> var. <i>eremica</i>)	T	\$7,573	\$0	\$7,573	\$0	\$7,573
10	Joint-vetch, sensitive (<i>Aeschynomene virginica</i>)	T	\$2,077,769	\$0	\$2,077,769	\$0	\$2,077,769
9	Ladies'-tresses, Ute (<i>Spiranthes diluvialis</i>)	T	\$0	\$2,270,000	\$2,270,000	\$0	\$2,270,000
39	Meadowfoam, Butte County (<i>Limnanthes floccosa</i> ssp. <i>californica</i>)	E	\$0	\$343,500	\$343,500	\$0	\$343,500
77	Milk-vetch, Ash meadows (<i>Astragalus phoenix</i>)	T	\$12,208	\$0	\$12,208	\$0	\$12,208
80	Monkshood, northern wild (<i>Aconitum noveboracense</i>)	T	\$0	\$0	\$0	\$7,000	\$7,000
61	Naupaka, dwarf (<i>Scaevola coriacea</i>)	E	\$0	\$122,860	\$122,860	\$0	\$122,860

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
69	Geocarpum minimum (=Sci name)	T	\$0	\$0	\$0	\$36,000	\$36,000
62	Orchid, eastern prairie fringed (<i>Platanthera leucophaea</i>)	T	\$0	\$0	\$0	\$101,625	\$101,625
42	Prairie-clover, leafy (<i>Dalea foliosa</i>)	E	\$276,000	\$0	\$276,000	\$0	\$276,000
64	Sunflower, Eggert's (<i>Helianthus eggertii</i>)	T	\$72,500	\$0	\$72,500	\$0	\$72,500
55	Sunflower, Schweinitz's (<i>Helianthus schweinitzii</i>)	E	\$0	\$0	\$0	\$160,000	\$160,000
67	Sunray, Ash Meadows (<i>Enceliopsis nudicaulis var. corrugata</i>)	T	\$38,661	\$0	\$38,661	\$0	\$38,661
27	Tarplant, Otago (<i>Deinandra (=Hemizonia) conjugens</i>)	T	\$783,333	\$0	\$783,333	\$0	\$783,333
49	Water-umbel, Huachuca (<i>Lilaeopsis schaffneriana var. recurva</i>)	E	\$0	\$208,000	\$208,000	\$0	\$208,000
45	Woolly-threads, San Joaquin (<i>Monolopia (=Lembertia) congdonii</i>)	E	\$0	\$259,500	\$259,500	\$0	\$259,500
	Flowering Plants Subtotal		\$3,805,132	\$3,223,860	\$7,028,992	\$1,500,625	\$8,529,617
	Ferns and Allies						
46	Quillwort, black spored (<i>Isoetes melanospora</i>)	E	\$250,000	\$0	\$250,000	\$0	\$250,000
	Ferns and Allies Subtotal		\$250,000	\$0	\$250,000	\$0	\$250,000
	Total Land Expenditures for FY2005		\$32,294,133	\$43,736,127	\$76,030,260	\$6,203,851	\$82,234,111
	Other ESA Expenses		\$26,271,115	\$1,056,567	\$27,327,682	\$12,223,000	\$39,550,682
	Total Land/Other ESA Land Expenditures for FY2005		\$58,565,248	\$44,792,694	\$103,357,942	\$18,426,851	\$121,784,793

TABLE 3. FY 2006 REPORTED LAND ACQUISITION EXPENDITURES FOR ENDANGERED AND THREATENED SPECIES

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	Mammals						
66	Bat, Hawaiian hoary (<i>Lasiurus cinereus semotus</i>)	E	\$128,178	\$0	\$128,178	\$0	\$128,178
46	Bat, Indiana (<i>Myotis sodalis</i>)	E	\$554,150	\$0	\$554,150	\$0	\$554,150
88	Bat, Ozark big-eared (<i>Corynorhinus (=Plecotus) townsendii ingens</i>)	E	\$0	\$0	\$0	\$12,000	\$12,000
6	Bear, grizzly (<i>Ursus arctos horribilis</i>) lower 48 States, except where listed as an experimental population or delisted	T	\$1,944,174	\$2,011,000	\$3,955,174	\$0	\$3,955,174
16	Bear, Louisiana black (<i>Ursus americanus luteolus</i>)	T	\$2,697,400	\$0	\$2,697,400	\$0	\$2,697,400
41	Kangaroo rat, Fresno (<i>Dipodomys nitratoides exilis</i>)	E	\$0	\$437,500	\$437,500	\$0	\$437,500
56	Kangaroo rat, Tipton (<i>Dipodomys nitratoides nitratoides</i>)	E	\$0	\$189,500	\$189,500	\$0	\$189,500
9	Lynx, Canada (<i>Lynx canadensis</i>) lower 48 States DPS	T	\$970,053	\$1,808,000	\$2,778,053	\$0	\$2,778,053
50	Mouse, Preble's meadow jumping (<i>Zapus hudsonius preblei</i>) Colorado	T	\$0	\$0	\$0	\$250,661	\$250,661
87	Rabbit, pygmy (<i>Brachylagus idahoensis</i>) Columbia Basin DPS	E	\$0	\$20,000	\$20,000	\$0	\$20,000
12	Rabbit, riparian brush (<i>Sylvilagus bachmani riparius</i>)	E	\$2,190,000	\$59,500	\$2,249,500	\$0	\$2,249,500
65	Seal, Hawaiian monk (<i>Monachus schauinslandi</i>)	E	\$128,179	\$0	\$128,179	\$0	\$128,179
8	Wolf, gray (<i>Canis lupus</i>) Lower 48 States, except where delisted and where EXPN. Mexico.	E	\$1,944,174	\$1,800,000	\$3,744,174	\$0	\$3,744,174
76	Woodrat, riparian (=San Joaquin Valley) (<i>Neotoma fuscipes riparia</i>)	E	\$0	\$59,500	\$59,500	\$0	\$59,500
	Mammals Subtotal		\$10,556,308	\$6,385,000	\$16,941,308	\$262,661	\$17,203,969
	Birds						
10	Caracara, Audubon's crested (<i>Polyborus plancus audubonii</i>) FL pop.	T	\$0	\$2,503,747	\$2,503,747	\$0	\$2,503,747
65	Coot, Hawaiian (<i>Fulica americana alai</i>)	E	\$128,179	\$0	\$128,179	\$0	\$128,179
75	Crane, whooping (<i>Grus americana</i>) except where EXPN	E	\$0	\$10,500	\$10,500	\$50,000	\$60,500
65	Duck, Hawaiian (=koloa) (<i>Anas wyvilliana</i>)	E	\$128,179	\$0	\$128,179	\$0	\$128,179
65	Duck, Laysan (<i>Anas laysanensis</i>)	E	\$128,179	\$0	\$128,179	\$0	\$128,179
1	Eagle, bald (<i>Haliaeetus leucocephalus</i>) lower 48 States	T	\$15,316,257	\$4,517,620	\$19,833,877	\$0	\$19,833,877
34	Flycatcher, southwestern willow (<i>Empidonax traillii extimus</i>)	E	\$26,000	\$346,200	\$372,200	\$335,619	\$707,819
84	Gnatcatcher, coastal California (<i>Polioptila californica californica</i>)	T	\$26,000	\$0	\$26,000	\$0	\$26,000
66	Goose, Hawaiian (<i>Branta (=Nesochen)</i>)	E	\$128,178	\$0	\$128,178	\$0	\$128,178

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	<i>sandvicensis</i>)						
97	Jay, Florida scrub (<i>Apelocoma coerulescens</i>)	T	\$2,033	\$0	\$2,033	\$0	\$2,033
65	Moorhen, Hawaiian common (<i>Gallinula chloropus sandvicensis</i>)	E	\$128,179	\$0	\$128,179	\$0	\$128,179
15	Murrelet, marbled (<i>Brachyramphus marmoratus</i>) CA, OR, WA	T	\$1,944,174	\$0	\$1,944,174	\$0	\$1,944,174
15	Owl, northern spotted (<i>Strix occidentalis caurina</i>)	T	\$1,944,174	\$0	\$1,944,174	\$0	\$1,944,174
61	Plover, piping (<i>Charadrius melodus</i>) except Great Lakes watershed	T	\$0	\$10,000	\$10,000	\$150,000	\$160,000
66	Stilt, Hawaiian (<i>Himantopus mexicanus knudseni</i>)	E	\$128,178	\$0	\$128,178	\$0	\$128,178
7	Stork, wood (<i>Mycteria americana</i>) AL, FL, GA, SC	E	\$2,554,548	\$2,803,747	\$5,358,295	\$0	\$5,358,295
40	Tern, least (<i>Sterna antillarum</i>) interior pop.	E	\$777,884	\$10,000	\$787,884	\$50,000	\$837,884
71	Vireo, black-capped (<i>Vireo atricapilla</i>)	E	\$0	\$85,000	\$85,000	\$0	\$85,000
70	Vireo, least Bell's (<i>Vireo bellii pusillus</i>)	E	\$26,000	\$59,500	\$85,500	\$0	\$85,500
55	Warbler (=wood), golden-cheeked (<i>Dendroica chrysoparia</i>)	E	\$0	\$195,000	\$195,000	\$0	\$195,000
5	Woodpecker, ivory-billed (<i>Campephilus principalis</i>)	E	\$1,494,500	\$3,150,000	\$4,644,500	\$180,500	\$4,825,000
20	Woodpecker, red-cockaded (<i>Picoides borealis</i>)	E	\$64,168	\$920,000	\$984,168	\$567,817	\$1,551,985
	Birds Subtotal		\$24,944,810	\$14,611,314	\$39,556,124	\$1,333,936	\$40,890,060
	Reptiles						
10	Alligator, American (<i>Alligator mississippiensis</i>)	SAT	\$0	\$2,503,747	\$2,503,747	\$0	\$2,503,747
64	Lizard, blunt-nosed leopard (<i>Gambelia silus</i>)	E	\$0	\$142,000	\$142,000	\$0	\$142,000
28	Plymouth Red-Bellied Turtle (<i>Pseudemys rubriventris bangs</i>)	E	\$1,073,800	\$0	\$1,073,800	\$0	\$1,073,800
59	Sea turtle, green (<i>Chelonia mydas</i>) FL, Mexico nesting pops.	E	\$349,601	\$0	\$349,601	\$0	\$349,601
59	Sea turtle, hawksbill (<i>Eretmochelys imbricata</i>)	E	\$349,601	\$0	\$349,601	\$0	\$349,601
60	Sea turtle, leatherback (<i>Dermochelys coriacea</i>)	E	\$349,600	\$0	\$349,600	\$0	\$349,600
60	Sea turtle, loggerhead (<i>Caretta caretta</i>)	T	\$349,600	\$0	\$349,600	\$0	\$349,600
97	Skink, sand (<i>Neoseps reynoldsi</i>)	T	\$2,033	\$0	\$2,033	\$0	\$2,033
36	Snake, eastern indigo (<i>Drymarchon corais couperi</i>)	T	\$2,033	\$17,000	\$19,033	\$590,000	\$609,033
11	Tortoise, desert (<i>Gopherus agassizii</i>) U.S.A., except in Sonoran Desert	T	\$0	\$2,428,000	\$2,428,000	\$0	\$2,428,000
51	Whipsnake (=striped racer), Alameda (<i>Masticophis lateralis euryxanthus</i>)	T	\$0	\$248,000	\$248,000	\$0	\$248,000

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	Reptiles Subtotal		\$2,476,268	\$5,338,747	\$7,815,015	\$590,000	\$8,405,015
	Amphibians						
47	Frog, California red-legged (<i>Rana aurora draytonii</i>) subspecies range clarified	T	\$26,000	\$248,000	\$274,000	\$0	\$274,000
51	Salamander, California tiger (<i>Ambystoma californiense</i>) U.S.A. (Central CA DPS)	T	\$0	\$248,000	\$248,000	\$0	\$248,000
21	Salamander, Santa Cruz long-toed (<i>Ambystoma macrodactylum croceum</i>)	E	\$0	\$0	\$0	\$1,500,000	\$1,500,000
84	Toad, arroyo (=arroyo southwestern) (<i>Bufo californicus</i> (=microscaphus))	E	\$26,000	\$0	\$26,000	\$0	\$26,000
	Amphibians Subtotal		\$52,000	\$496,000	\$548,000	\$1,500,000	\$2,048,000
	Fishes						
27	Chub, bonytail (<i>Gila elegans</i>) entire	E	\$0	\$1,249,000	\$1,249,000	\$0	\$1,249,000
93	Chub, spotfin (<i>Erimonax monachus</i>) entire	T	\$0	\$4,000	\$4,000	\$0	\$4,000
90	Dace, Ash Meadows speckled (<i>Rhinichthys osculus nevadensis</i>)	E	\$7,000	\$0	\$7,000	\$0	\$7,000
23	Dace, Moapa (<i>Moapa coriacea</i>)	E	\$1,465,000	\$0	\$1,465,000	\$0	\$1,465,000
93	Darter, amber (<i>Percina antesella</i>)	E	\$0	\$4,000	\$4,000	\$0	\$4,000
93	Darter, Cherokee (<i>Etheostoma scotti</i>)	T	\$0	\$4,000	\$4,000	\$0	\$4,000
93	Darter, Etowah (<i>Etheostoma etowahae</i>)	E	\$0	\$4,000	\$4,000	\$0	\$4,000
93	Darter, fountain (<i>Etheostoma fonticola</i>)	E	\$0	\$4,000	\$4,000	\$0	\$4,000
93	Darter, goldline (<i>Percina aurolineata</i>)	T	\$0	\$4,000	\$4,000	\$0	\$4,000
93	Darter, snail (<i>Percina tanasi</i>)	T	\$0	\$4,000	\$4,000	\$0	\$4,000
93	Logperch, Conasauga (<i>Percina jenkinsi</i>)	E	\$0	\$4,000	\$4,000	\$0	\$4,000
95	Minnow, Rio Grande silvery (<i>Hybognathus amarus</i>)	E	\$0	\$2,100	\$2,100	\$0	\$2,100
44	Pikeminnow (=squawfish), Colorado (<i>Ptychocheilus lucius</i>) except Salt and Verde R. drainages, AZ	E	\$0	\$367,500	\$367,500	\$0	\$367,500
90	Pupfish, Ash Meadows Amargosa (<i>Cyprinodon nevadensis mionectes</i>)	E	\$7,000	\$0	\$7,000	\$0	\$7,000
90	Pupfish, Devils Hole (<i>Cyprinodon diabolis</i>)	E	\$7,000	\$0	\$7,000	\$0	\$7,000
90	Pupfish, Warm Springs (<i>Cyprinodon nevadensis pectoralis</i>)	E	\$7,000	\$0	\$7,000	\$0	\$7,000
43	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) upper Willamette R.	T	\$0	\$368,326	\$368,326	\$0	\$368,326
30	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) fall Snake R.	T	\$0	\$1,022,965	\$1,022,965	\$0	\$1,022,965
13	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) spring upper Columbia R.	E	\$970,054	\$1,142,725	\$2,112,779	\$0	\$2,112,779
54	Salmon, chinook (<i>Oncorhynchus</i>	T	\$0	\$210,500	\$210,500	\$0	\$210,500

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	(=Salmo) tshawytscha CA Central Valley spring-run						
24	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) tshawytscha) spring/summer Snake R.	T	\$0	\$1,344,812	\$1,344,812	\$0	\$1,344,812
80	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) tshawytscha) lower Columbia R.	T	\$0	\$45,515	\$45,515	\$0	\$45,515
54	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) tshawytscha) winter Sacramento R.	E	\$0	\$210,500	\$210,500	\$0	\$210,500
79	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) tshawytscha) Puget Sound	T	\$0	\$46,800	\$46,800	\$0	\$46,800
89	Salmon, chum (<i>Oncorhynchus</i> (=Salmo) keta) summer-run Hood Canal	T	\$0	\$7,020	\$7,020	\$0	\$7,020
92	Salmon, chum (<i>Oncorhynchus</i> (=Salmo) keta) Columbia R.	T	\$0	\$5,680	\$5,680	\$0	\$5,680
98	Salmon, coho (<i>Oncorhynchus</i> (=Salmo) kisutch) Lower Columbia River	T	\$0	\$1,000	\$1,000	\$0	\$1,000
17	Salmon, coho (<i>Oncorhynchus</i> (=Salmo) kisutch) OR, CA pop.	T	\$0	\$1,736,500	\$1,736,500	\$0	\$1,736,500
31	Salmon, sockeye (<i>Oncorhynchus</i> (=Salmo) nerka) U.S.A. (Snake River, ID stock wherever found.)	E	\$0	\$1,007,700	\$1,007,700	\$0	\$1,007,700
67	Smelt, delta (<i>Hypomesus transpacificus</i>)	T	\$0	\$116,500	\$116,500	\$0	\$116,500
22	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) Snake R. Basin	T	\$176,750	\$1,311,791	\$1,488,541	\$0	\$1,488,541
91	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) lower Columbia R.	T	\$0	\$6,850	\$6,850	\$0	\$6,850
54	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) Central Valley CA	T	\$0	\$210,500	\$210,500	\$0	\$210,500
52	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) upper Willamette R.	T	\$0	\$245,002	\$245,002	\$0	\$245,002
14	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) middle Columbia R.	T	\$970,053	\$1,016,475	\$1,986,528	\$0	\$1,986,528
26	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) upper Columbia R. Basin	T	\$0	\$1,286,610	\$1,286,610	\$0	\$1,286,610
4	Sturgeon, pallid (<i>Scaphirhynchus albus</i>)	E	\$0	\$7,418,057	\$7,418,057	\$0	\$7,418,057
19	Sucker, razorback (<i>Xyrauchen texanus</i>) entire	E	\$0	\$1,616,500	\$1,616,500	\$0	\$1,616,500
45	Topminnow, Gila (incl. Yaqui) (<i>Poeciliopsis occidentalis</i>) U.S.A. only	E	\$0	\$0	\$0	\$300,000	\$300,000
3	Trout, bull (<i>Salvelinus confluentus</i>) U.S.A., conterminous, lower 48 states	T	\$1,944,174	\$6,430,973	\$8,375,147	\$0	\$8,375,147
42	Trout, Lahontan cutthroat (<i>Oncorhynchus clarki henshawi</i>)	T	\$0	\$400,000	\$400,000	\$0	\$400,000

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	Fishes Subtotal		\$5,554,031	\$28,859,901	\$34,413,932	\$300,000	\$34,713,932
	Clams						
93	Acornshell, southern (<i>Epioblasma othcaloogensis</i>)	E	\$0	\$4,000	\$4,000	\$0	\$4,000
62	Bankclimber, purple (mussel) (<i>Elliptoideus sloatianus</i>)	T	\$0	\$159,000	\$159,000	\$0	\$159,000
93	Clubshell, ovate (<i>Pleurobema perovatum</i>)	E	\$0	\$4,000	\$4,000	\$0	\$4,000
93	Combshell, southern (<i>Epioblasma penita</i>)	E	\$0	\$4,000	\$4,000	\$0	\$4,000
93	Combshell, upland (<i>Epioblasma metastrata</i>)	E	\$0	\$4,000	\$4,000	\$0	\$4,000
93	Kidneyshell, triangular (<i>Ptychobranthus greenii</i>)	E	\$0	\$4,000	\$4,000	\$0	\$4,000
33	Mapleleaf, winged (<i>Quadrula fragosa</i>) entire; except where listed as experimental populations	E	\$0	\$920,000	\$920,000	\$0	\$920,000
88	Moccasinshell, Alabama (<i>Medionidus acutissimus</i>)	T	\$0	\$4,000	\$4,000	\$8,000	\$12,000
88	Moccasinshell, Coosa (<i>Medionidus parvulus</i>)	E	\$0	\$4,000	\$4,000	\$8,000	\$12,000
62	Moccasinshell, Gulf (<i>Medionidus penicillatus</i>)	E	\$0	\$159,000	\$159,000	\$0	\$159,000
62	Moccasinshell, Ochlockonee (<i>Medionidus simpsonianus</i>)	E	\$0	\$159,000	\$159,000	\$0	\$159,000
33	Mucket, pink (pearlymussel) (<i>Lampsilis abrupta</i>)	E	\$0	\$920,000	\$920,000	\$0	\$920,000
93	Pigtoe, southern (<i>Pleurobema georgianum</i>)	E	\$0	\$4,000	\$4,000	\$0	\$4,000
93	Pocketbook, finelined (<i>Lampsilis altilis</i>)	T	\$0	\$4,000	\$4,000	\$0	\$4,000
33	Pocketbook, Ouachita rock (<i>Arkansia wheeleri</i>)	E	\$0	\$920,000	\$920,000	\$0	\$920,000
62	Pocketbook, shinyrayed (<i>Lampsilis subangulata</i>)	E	\$0	\$159,000	\$159,000	\$0	\$159,000
62	Three-ridge, fat (mussel) (<i>Amblema neislerii</i>)	E	\$0	\$159,000	\$159,000	\$0	\$159,000
38	Wedgemussel, dwarf (<i>Alasmidonta heterodon</i>)	E	\$520,000	\$0	\$520,000	\$0	\$520,000
	Clams Subtotal		\$520,000	\$3,591,000	\$4,111,000	\$16,000	\$4,127,000
	Snails						
93	Lioplax, cylindrical (snail) (<i>Lioplax cyclostomaformis</i>)	E	\$0	\$4,000	\$4,000	\$0	\$4,000
82	Snail, Iowa Pleistocene (<i>Discus macclintocki</i>)	E	\$21,252	\$0	\$21,252	\$16,500	\$37,752
94	Snail, Utah valvata (<i>Valvata utahensis</i>)	E	\$0	\$3,000	\$3,000	\$0	\$3,000
	Snails Subtotal		\$21,252	\$7,000	\$28,252	\$16,500	\$44,752

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	Insects						
76	Beetle, valley elderberry longhorn (<i>Desmocerus californicus dimorphus</i>)	T	\$0	\$59,500	\$59,500	\$0	\$59,500
74	Butterfly, Fender's blue (<i>Icaricia icarioides fenderi</i>)	E	\$68,666	\$0	\$68,666	\$0	\$68,666
84	Butterfly, Quino checkerspot (<i>Euphydryas editha quino</i> (=E. e. <i>wrighti</i>))	E	\$26,000	\$0	\$26,000	\$0	\$26,000
37	Dragonfly, Hine's emerald (<i>Somatochlora hineana</i>)	E	\$0	\$0	\$0	\$547,000	\$547,000
90	Naucorid, Ash Meadows (<i>Ambrysus amargosus</i>)	T	\$7,000	\$0	\$7,000	\$0	\$7,000
63	Tiger beetle, northeastern beach (<i>Cicindela dorsalis dorsalis</i>)	T	\$150,000	\$0	\$150,000	\$0	\$150,000
53	Tiger beetle, Puritan (<i>Cicindela puritana</i>)	T	\$240,000	\$0	\$240,000	\$0	\$240,000
81	Tiger beetle, Salt Creek (<i>Cicindela nevadica lincolniana</i>)	E	\$0	\$42,000	\$42,000	\$0	\$42,000
	Insects Subtotal		\$491,666	\$101,500	\$593,166	\$547,000	\$1,140,166
	Crustaceans						
85	Crayfish, cave (<i>Cambarus aculabrum</i>)	E	\$0	\$25,000	\$25,000	\$0	\$25,000
85	Crayfish, cave (<i>Cambarus zophonastes</i>)	E	\$0	\$25,000	\$25,000	\$0	\$25,000
81	Fairy shrimp, Conservancy (<i>Branchinecta conservatio</i>)	E	\$0	\$42,000	\$42,000	\$0	\$42,000
84	Fairy shrimp, Riverside (<i>Streptocephalus woottoni</i>)	E	\$26,000	\$0	\$26,000	\$0	\$26,000
84	Fairy shrimp, San Diego (<i>Branchinecta sandiegonensis</i>)	E	\$26,000	\$0	\$26,000	\$0	\$26,000
81	Fairy shrimp, vernal pool (<i>Branchinecta lynchi</i>)	T	\$0	\$42,000	\$42,000	\$0	\$42,000
81	Tadpole shrimp, vernal pool (<i>Lepidurus packardii</i>)	E	\$0	\$42,000	\$42,000	\$0	\$42,000
	Crustaceans Subtotal		\$52,000	\$176,000	\$228,000	\$0	\$228,000
	Flowering Plants						
69	Bird's beak, palmate-bracted (<i>Cordylanthus palmatus</i>)	E	\$0	\$111,000	\$111,000	\$0	\$111,000
90	Blazingstar, Ash Meadows (<i>Mentzelia leucophylla</i>)	T	\$7,000	\$0	\$7,000	\$0	\$7,000
97	Blazingstar, scrub (<i>Liatris ohlingerae</i>)	E	\$2,033	\$0	\$2,033	\$0	\$2,033
97	Bonamia, Florida (<i>Bonamia grandiflora</i>)	T	\$2,033	\$0	\$2,033	\$0	\$2,033
97	Buckwheat, scrub (<i>Eriogonum longifolium</i> var. <i>gnaphalifolium</i>)	T	\$2,033	\$0	\$2,033	\$0	\$2,033
85	Bush-clover, prairie (<i>Lespedeza leptostachya</i>)	T	\$0	\$0	\$0	\$25,000	\$25,000
84	Button-celery, San Diego (<i>Eryngium aristulatum</i> var. <i>parishii</i>)	E	\$26,000	\$0	\$26,000	\$0	\$26,000
96	Cactus, Uinta Basin hookless	T	\$0	\$2,000	\$2,000	\$0	\$2,000

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	<i>(Sclerocactus glaucus)</i>						
58	Catchfly, Spalding's (<i>Silene spaldingii</i>)	T	\$176,750	\$0	\$176,750	\$0	\$176,750
90	Centauray, spring-loving (<i>Centaurium namophilum</i>)	T	\$7,000	\$0	\$7,000	\$0	\$7,000
48	Checker-mallow, Nelson's (<i>Sidalcea nelsoniana</i>)	T	\$85,386	\$168,985	\$254,371	\$0	\$254,371
18	Coneflower, smooth (<i>Echinacea laevigata</i>)	E	\$0	\$0	\$0	\$1,686,100	\$1,686,100
73	Daisy, Willamette (<i>Erigeron decumbens</i> var. <i>decumbens</i>)	E	\$68,667	\$0	\$68,667	\$0	\$68,667
97	Fringe-tree, pygmy (<i>Chionanthus pygmaeus</i>)	E	\$2,033	\$0	\$2,033	\$0	\$2,033
72	Grass, Colusa (<i>Neostapfia colusana</i>)	T	\$0	\$70,000	\$70,000	\$0	\$70,000
68	Grass, Solano (<i>Tuctoria mucronata</i>)	E	\$0	\$112,000	\$112,000	\$0	\$112,000
90	Gumplant, Ash Meadows (<i>Grindelia fraxino-pratensis</i>)	T	\$7,000	\$0	\$7,000	\$0	\$7,000
39	Iris, dwarf lake (<i>Iris lacustris</i>)	T	\$0	\$0	\$0	\$474,000	\$474,000
25	Irisette, white (<i>Sisyrinchium dichotomum</i>)	E	\$0	\$0	\$0	\$1,325,000	\$1,325,000
90	Ivesia, Ash Meadows (<i>Ivesia kingii</i> var. <i>eremica</i>)	T	\$7,000	\$0	\$7,000	\$0	\$7,000
65	Kamanomano (<i>Cenchrus agrimonioides</i>)	E	\$128,179	\$0	\$128,179	\$0	\$128,179
77	Leather flower, Alabama (<i>Clematis socialis</i>)	E	\$0	\$0	\$0	\$50,000	\$50,000
49	Lupine, Kincaid's (<i>Lupinus sulphureus</i> (=oreganus) ssp. <i>kincaidii</i> (=var. <i>kincaidii</i>))	T	\$85,385	\$168,985	\$254,370	\$0	\$254,370
84	Mesa-mint, Otay (<i>Pogogyne nudiuscula</i>)	E	\$26,000	\$0	\$26,000	\$0	\$26,000
84	Mesa-mint, San Diego (<i>Pogogyne abramsii</i>)	E	\$26,000	\$0	\$26,000	\$0	\$26,000
90	Milk-vetch, Ash meadows (<i>Astragalus phoenix</i>)	T	\$7,000	\$0	\$7,000	\$0	\$7,000
97	Mint, Garrett's (<i>Dicerandra christmanii</i>)	E	\$2,033	\$0	\$2,033	\$0	\$2,033
83	Monkshood, northern wild (<i>Aconitum noveboracense</i>)	T	\$21,252	\$0	\$21,252	\$16,100	\$37,352
90	Niterwort, Amargosa (<i>Nitrophila mohavensis</i>)	E	\$7,000	\$0	\$7,000	\$0	\$7,000
65	Bonamia menziesii (=Sci name)	E	\$128,179	\$0	\$128,179	\$0	\$128,179
66	Mariscus pennatifomis (=Sci name)	E	\$128,178	\$0	\$128,178	\$0	\$128,178
66	Vigna o-wahuensis (=Sci name)	E	\$128,178	\$0	\$128,178	\$0	\$128,178
66	Ohai (<i>Sesbania tomentosa</i>)	E	\$128,178	\$0	\$128,178	\$0	\$128,178
57	Orchid, western prairie fringed (<i>Platanthera praeclara</i>)	T	\$179,450	\$0	\$179,450	\$0	\$179,450
81	Orcutt grass, hairy (<i>Orcuttia pilosa</i>)	E	\$0	\$42,000	\$42,000	\$0	\$42,000
97	Pigeon wings (<i>Clitoria fragrans</i>)	T	\$2,033	\$0	\$2,033	\$0	\$2,033
35	Pink, swamp (<i>Helonias bullata</i>)	T	\$0	\$0	\$0	\$650,000	\$650,000
97	Plum, scrub (<i>Prunus geniculata</i>)	E	\$2,033	\$0	\$2,033	\$0	\$2,033
29	Pondberry (<i>Lindera melissifolia</i>)	E	\$0	\$920,000	\$920,000	\$128,650	\$1,048,650
86	Roseroot, Leedy's (<i>Sedum integrifolium</i> ssp. <i>leedyi</i>)	T	\$21,252	\$0	\$21,252	\$0	\$21,252

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
81	Spurge, Hoover's (<i>Chamaesyce hooveri</i>)	T	\$0	\$42,000	\$42,000	\$0	\$42,000
32	Sunburst, Hartweg's golden (<i>Pseudobahia bahiifolia</i>)	E	\$0	\$1,007,500	\$1,007,500	\$0	\$1,007,500
90	Sunray, Ash Meadows (<i>Enceliopsis nudicaulis var. corrugata</i>)	T	\$7,000	\$0	\$7,000	\$0	\$7,000
78	Water-umbel, Huachuca (<i>Lilaeopsis schaffneriana var. recurva</i>)	E	\$0	\$48,000	\$48,000	\$0	\$48,000
97	Whitlow-wort, papery (<i>Paronychia chartacea</i>)	T	\$2,033	\$0	\$2,033	\$0	\$2,033
97	Wireweed (<i>Polygonella basiramia</i>)	E	\$2,033	\$0	\$2,033	\$0	\$2,033
	Flowering Plants Subtotal		\$1,424,331	\$2,692,470	\$4,116,801	\$4,354,850	\$8,471,651
	Total Land Expenditures for FY2006		\$46,092,666	\$62,258,932	\$108,351,598	\$8,920,947	\$117,272,545
	Other ESA Expenses		\$40,000	\$3,992,500	\$4,032,500	\$4,977,796	\$9,010,296
	Total Land/Other ESA Land Expenditures for FY2006		\$46,132,666	\$66,251,432	\$112,384,098	\$13,898,743	\$126,282,841

**TABLE 4. FY 2005 and FY 2006 EXPENDITURES REPORTED BY INDIVIDUAL
FEDERAL AGENCIES AND THE STATES**

This table displays species expenditures and land acquisition costs by each reporting Federal agency, the Service, and the States collectively. Expenditures for foreign species and "Other ESA Expenditures" are included. The table is split into five sections for comparison:

- 4A. Species and Land Expenditures, including Other ESA and Foreign Species
- 4B. Species and Land Expenditures, not including Other ESA and Foreign Species
- 4C. Other ESA Expenses, not including Foreign Species
- 4D. Foreign Species Expenditures
- 4E. Other ESA Expenses, including Foreign Species

TABLE 4A. SPECIES AND LAND EXPENDITURES, INCLUDING OTHER ESA EXPENSES AND FOREIGN SPECIES, BY REPORTING AGENCY FOR FY 2005

Agency	Species Total	Land Total	Cumulative Total
DHS Coast Guard	\$31,648,851	\$0	\$31,648,851
DHS Customs and Border Protection	\$230,000	\$0	\$230,000
DOC National Oceanic and Atmospheric Administration	\$185,908,130	\$0	\$185,908,130
DOD Air Force	\$12,828,565	\$0	\$12,828,565
DOD Army	\$41,999,550	\$0	\$41,999,550
DOD Army Corps of Engineers	\$159,999,596	\$0	\$159,999,596
DOD Defense Logistics Agency	\$160,000	\$0	\$160,000
DOD Marine Corps	\$3,594,612	\$0	\$3,594,612
DOD Navy	\$6,115,510	\$0	\$6,115,510
DOE Bonneville Power Administration	\$410,359,759	\$2,437,358	\$412,797,117
DOE Southwestern Power Administration	\$42,275	\$0	\$42,275
DOE Western Area Power Administration	\$7,534,000	\$0	\$7,534,000
DOI Bureau of Indian Affairs	\$2,495,349	\$0	\$2,495,349
DOI Bureau of Land Management	\$16,984,479	\$9,076,000	\$26,060,479
DOI Bureau of Reclamation	\$91,993,000	\$14,739,500	\$106,732,500
DOI Minerals Management Service	\$3,270,000	\$0	\$3,270,000
DOI National Park Service	\$11,560,047	\$0	\$11,560,047
DOI US Geological Survey	\$14,896,483	\$0	\$14,896,483
DOT Federal Aviation Administration	\$178,600	\$0	\$178,600
DOT Federal Highway Administration	\$43,169,231	\$4,262,915	\$47,432,146
Environmental Protection Agency	\$4,691,548	\$0	\$4,691,548
Federal Energy Regulatory Commission	\$208,800	\$0	\$208,800
Nuclear Regulatory Commission	\$448,008	\$0	\$448,008
Smithsonian Institution	\$1,143,600	\$0	\$1,143,600
Tennessee Valley Authority	\$164,000	\$0	\$164,000
USDA Animal and Plant Health Inspection Service	\$11,224,427	\$0	\$11,224,427
USDA Forest Service	\$42,285,970	\$0	\$42,285,970
USDA Natural Resources Conservation Service	\$23,334,353	\$14,276,921	\$37,611,274
US Fish and Wildlife Service	\$174,374,155	\$7,201,256	\$181,575,411
State Governments	\$37,449,250	\$18,426,851	\$55,876,101
Total	\$1,340,292,148	\$121,784,793	\$1,462,076,941

TABLE 4A. SPECIES AND LAND EXPENDITURES, INCLUDING OTHER ESA EXPENSES AND FOREIGN SPECIES, BY REPORTING AGENCY FOR FY 2006

Agency	Species Total	Land Total	Cumulative Total
DHS Coast Guard	\$26,897,889	\$0	\$26,897,889
DOC National Oceanic and Atmospheric Administration	\$167,983,774	\$0	\$167,983,774
DOD Air Force	\$12,903,656	\$0	\$12,903,656
DOD Army	\$40,377,748	\$0	\$40,377,748
DOD Army Corps of Engineers	\$195,251,345	\$7,438,157	\$202,689,502
DOD Defense Logistics Agency	\$160,000	\$0	\$160,000
DOD Marine Corps	\$4,846,494	\$0	\$4,846,494
DOD Navy	\$4,846,255	\$0	\$4,846,255
DOE Bonneville Power Administration	\$685,026,204	\$6,528,338	\$691,554,542
DOE Southwestern Power Administration	\$30,249	\$0	\$30,249
DOE Western Area Power Administration	\$8,020,800	\$0	\$8,020,800
DOI Bureau of Indian Affairs	\$789,356	\$0	\$789,356
DOI Bureau of Land Management	\$18,543,977	\$6,665,000	\$25,208,977
DOI Bureau of Reclamation	\$105,498,500	\$16,167,000	\$121,665,500
DOI Minerals Management Service	\$4,764,997	\$0	\$4,764,997
DOI National Park Service	\$11,115,284	\$0	\$11,115,284
DOI US Geological Survey	\$11,728,673	\$0	\$11,728,673
DOT Federal Aviation Administration	\$622,000	\$0	\$622,000
DOT Federal Highway Administration	\$90,600	\$0	\$90,600
Environmental Protection Agency	\$3,994,120	\$0	\$3,994,120
Federal Energy Regulatory Commission	\$157,886	\$0	\$157,886
Nuclear Regulatory Commission	\$425,149	\$0	\$425,149
Smithsonian Institution	\$1,371,320	\$0	\$1,371,320
Tennessee Valley Authority	\$140,000	\$0	\$140,000
USDA Animal and Plant Health Inspection Service	\$10,742,235	\$0	\$10,742,235
USDA Forest Service	\$54,140,300	\$5,638,000	\$59,778,300
USDA Natural Resources Conservation Service	\$15,031,190	\$23,814,937	\$38,846,127
US Fish and Wildlife Service	\$154,746,041	\$17,673,020	\$172,419,061
State Governments	\$39,959,454	\$13,898,743	\$53,858,197
Total	\$1,580,205,496	\$126,282,841	\$1,706,488,337

TABLE 4B. SPECIES AND LAND EXPENDITURES, NOT INCLUDING OTHER ESA EXPENSES AND FOREIGN SPECIES, BY REPORTING AGENCY FOR FY 2005

Agency	Species Total	Land Total	Cumulative Total
DHS Coast Guard	\$31,625,726	\$0	\$31,625,726
DOC National Oceanic and Atmospheric Administration	\$153,499,771	\$0	\$153,499,771
DOD Air Force	\$12,482,562	\$0	\$12,482,562
DOD Army	\$40,997,550	\$0	\$40,997,550
DOD Army Corps of Engineers	\$154,640,487	\$0	\$154,640,487
DOD Defense Logistics Agency	\$160,000	\$0	\$160,000
DOD Marine Corps	\$3,594,612	\$0	\$3,594,612
DOD Navy	\$6,115,510	\$0	\$6,115,510
DOE Bonneville Power Administration	\$117,459,759	\$2,437,358	\$119,897,117
DOE Southwestern Power Administration	\$42,275	\$0	\$42,275
DOE Western Area Power Administration	\$7,460,500	\$0	\$7,460,500
DOI Bureau of Indian Affairs	\$2,065,576	\$0	\$2,065,576
DOI Bureau of Land Management	\$16,984,479	\$9,076,000	\$26,060,479
DOI Bureau of Reclamation	\$89,758,500	\$14,739,500	\$104,498,000
DOI Minerals Management Service	\$3,170,000	\$0	\$3,170,000
DOI National Park Service	\$11,560,047	\$0	\$11,560,047
DOI US Geological Survey	\$14,484,439	\$0	\$14,484,439
DOT Federal Aviation Administration	\$143,400	\$0	\$143,400
DOT Federal Highway Administration	\$33,768,015	\$4,262,915	\$38,030,930
Environmental Protection Agency	\$882,163	\$0	\$882,163
Federal Energy Regulatory Commission	\$208,800	\$0	\$208,800
Nuclear Regulatory Commission	\$443,008	\$0	\$443,008
Smithsonian Institution	\$427,400	\$0	\$427,400
Tennessee Valley Authority	\$42,500	\$0	\$42,500
USDA Animal and Plant Health Inspection Service	\$9,106,404	\$0	\$9,106,404
USDA Forest Service	\$22,685,970	\$0	\$22,685,970
USDA Natural Resources Conservation Service	\$14,351,262	\$13,220,354	\$27,571,616
US Fish and Wildlife Service	\$132,524,658	\$7,201,256	\$139,725,914
State Governments	\$36,801,931	\$6,203,851	\$43,005,782
Total	\$917,487,304	\$82,234,111	\$999,721,415

TABLE 4B. SPECIES AND LAND EXPENDITURES, NOT INCLUDING OTHER ESA EXPENSES AND FOREIGN SPECIES, BY REPORTING AGENCY FOR FY 2006

Agency	Species Total	Land Total	Cumulative Total
DHS Coast Guard	\$26,897,889	\$0	\$26,897,889
DOC National Oceanic and Atmospheric Administration	\$135,275,012	\$0	\$135,275,012
DOD Air Force	\$11,398,629	\$0	\$11,398,629
DOD Army	\$29,917,227	\$0	\$29,917,227
DOD Army Corps of Engineers	\$192,578,822	\$7,438,157	\$200,016,979
DOD Defense Logistics Agency	\$160,000	\$0	\$160,000
DOD Marine Corps	\$4,414,631	\$0	\$4,414,631
DOD Navy	\$4,846,255	\$0	\$4,846,255
DOE Bonneville Power Administration	\$119,426,204	\$6,528,338	\$125,954,542
DOE Southwestern Power Administration	\$30,249	\$0	\$30,249
DOE Western Area Power Administration	\$8,020,800	\$0	\$8,020,800
DOI Bureau of Indian Affairs	\$660,106	\$0	\$660,106
DOI Bureau of Land Management	\$15,900,977	\$3,622,000	\$19,522,977
DOI Bureau of Reclamation	\$104,248,000	\$16,167,000	\$120,415,000
DOI Minerals Management Service	\$4,314,997	\$0	\$4,314,997
DOI National Park Service	\$11,115,284	\$0	\$11,115,284
DOI US Geological Survey	\$9,645,561	\$0	\$9,645,561
DOT Federal Aviation Administration	\$591,500	\$0	\$591,500
DOT Federal Highway Administration	\$90,600	\$0	\$90,600
Environmental Protection Agency	\$1,462,991	\$0	\$1,462,991
Federal Energy Regulatory Commission	\$157,886	\$0	\$157,886
Nuclear Regulatory Commission	\$228,149	\$0	\$228,149
Smithsonian Institution	\$466,820	\$0	\$466,820
Tennessee Valley Authority	\$60,000	\$0	\$60,000
USDA Animal and Plant Health Inspection Service	\$5,876,585	\$0	\$5,876,585
USDA Forest Service	\$34,140,300	\$5,638,000	\$39,778,300
USDA Natural Resources Conservation Service	\$14,222,381	\$22,865,437	\$37,087,818
US Fish and Wildlife Service	\$117,283,835	\$17,673,020	\$134,956,855
State Governments	\$35,999,770	\$8,920,947	\$44,920,717
Total	\$889,431,460	\$117,272,545	\$1,006,704,005

TABLE 4C. OTHER ESA EXPENSES, NOT INCLUDING FOREIGN SPECIES, BY REPORTING AGENCY FOR FY 2005

Agency	Species Total	Land Total	Cumulative Total
DHS Coast Guard	\$23,125	\$0	\$23,125
DHS Customs and Border Protection	\$230,000	\$0	\$230,000
DOC National Oceanic and Atmospheric Administration	\$32,408,359	\$0	\$32,408,359
DOD Air Force	\$346,003	\$0	\$346,003
DOD Army	\$1,002,000	\$0	\$1,002,000
DOD Army Corps of Engineers	\$5,359,109	\$0	\$5,359,109
DOE Bonneville Power Administration	\$292,900,000	\$0	\$292,900,000
DOE Western Area Power Administration	\$73,500	\$0	\$73,500
DOI Bureau of Indian Affairs	\$429,773	\$0	\$429,773
DOI Bureau of Reclamation	\$2,234,500	\$0	\$2,234,500
DOI Minerals Management Service	\$100,000	\$0	\$100,000
DOI US Geological Survey	\$410,584	\$0	\$410,584
DOT Federal Aviation Administration	\$35,200	\$0	\$35,200
DOT Federal Highway Administration	\$9,401,216	\$0	\$9,401,216
Environmental Protection Agency	\$3,809,385	\$0	\$3,809,385
Nuclear Regulatory Commission	\$5,000	\$0	\$5,000
Smithsonian Institution	\$29,700	\$0	\$29,700
Tennessee Valley Authority	\$121,500	\$0	\$121,500
USDA Animal and Plant Health Inspection Service	\$2,102,805	\$0	\$2,102,805
USDA Forest Service	\$19,600,000	\$0	\$19,600,000
USDA Natural Resources Conservation Service	\$8,983,091	\$1,056,567	\$10,039,658
US Fish and Wildlife Service	\$41,849,497	\$0	\$41,849,497
State Governments	\$645,819	\$12,223,000	\$12,868,819
Total	\$422,100,166	\$39,550,682	\$461,650,848

TABLE 4C. OTHER ESA EXPENSES, NOT INCLUDING FOREIGN SPECIES, BY REPORTING AGENCY FOR FY 2006

Agency	Species Total	Land Total	Cumulative Total
DOC National Oceanic and Atmospheric Administration	\$32,708,762	\$0	\$32,708,762
DOD Air Force	\$1,444,527	\$0	\$1,444,527
DOD Army	\$10,460,521	\$0	\$10,460,521
DOD Army Corps of Engineers	\$2,672,523	\$0	\$2,672,523
DOD Marine Corps	\$431,863	\$0	\$431,863
DOE Bonneville Power Administration	\$565,600,000	\$0	\$565,600,000
DOI Bureau of Indian Affairs	\$129,250	\$0	\$129,250
DOI Bureau of Land Management	\$2,643,000	\$3,043,000	\$5,686,000
DOI Bureau of Reclamation	\$1,250,500	\$0	\$1,250,500
DOI Minerals Management Service	\$450,000	\$0	\$450,000
DOI US Geological Survey	\$2,082,374	\$0	\$2,082,374
DOT Federal Aviation Administration	\$30,500	\$0	\$30,500
Environmental Protection Agency	\$2,531,129	\$0	\$2,531,129
Nuclear Regulatory Commission	\$197,000	\$0	\$197,000
Smithsonian Institution	\$61,120	\$0	\$61,120
Tennessee Valley Authority	\$80,000	\$0	\$80,000
USDA Animal and Plant Health Inspection Service	\$4,842,650	\$0	\$4,842,650
USDA Forest Service	\$20,000,000	\$0	\$20,000,000
USDA Natural Resources Conservation Service	\$808,809	\$949,500	\$1,758,309
US Fish and Wildlife Service	\$37,352,011	\$0	\$37,352,011
State Governments	\$3,954,684	\$4,977,796	\$8,932,480
Total	\$689,731,223	\$9,010,296	\$698,741,519

TABLE 4D. FOREIGN SPECIES BY REPORTING AGENCY FOR FY 2005

Agency	Species Total	Land Total	Cumulative Total
DOI US Geological Survey	\$1,460	\$0	\$1,460
Smithsonian Institution	\$686,500	\$0	\$686,500
USDA Animal and Plant Health Inspection Service	\$15,218	\$0	\$15,218
State Governments	\$1,500	\$0	\$1,500
Total	\$704,678	\$0	\$704,678

TABLE 4D. FOREIGN SPECIES BY REPORTING AGENCY FOR FY 2006

Agency	Species Total	Land Total	Cumulative Total
DOD Air Force	\$60,500	\$0	\$60,500
DOI US Geological Survey	\$738	\$0	\$738
Smithsonian Institution	\$843,380	\$0	\$843,380
USDA Animal and Plant Health Inspection Service	\$23,000	\$0	\$23,000
US Fish and Wildlife Service	\$110,195	\$0	\$110,195
State Governments	\$5,000	\$0	\$5,000
Total	\$1,042,813	\$0	\$1,042,813

TABLE 4E. OTHER ESA EXPENSES, INCLUDING FOREIGN SPECIES, BY REPORTING AGENCY FOR FY 2005

Agency	Species Total	Land Total	Cumulative Total
DHS Coast Guard	\$23,125	\$0	\$23,125
DHS Customs and Border Protection	\$230,000	\$0	\$230,000
DOC National Oceanic and Atmospheric Administration	\$32,408,359	\$0	\$32,408,359
DOD Air Force	\$346,003	\$0	\$346,003
DOD Army	\$1,002,000	\$0	\$1,002,000
DOD Army Corps of Engineers	\$5,359,109	\$0	\$5,359,109
DOE Bonneville Power Administration	\$292,900,000	\$0	\$292,900,000
DOE Western Area Power Administration	\$73,500	\$0	\$73,500
DOI Bureau of Indian Affairs	\$429,773	\$0	\$429,773
DOI Bureau of Reclamation	\$2,234,500	\$0	\$2,234,500
DOI Minerals Management Service	\$100,000	\$0	\$100,000
DOI US Geological Survey	\$412,044	\$0	\$412,044
DOT Federal Aviation Administration	\$35,200	\$0	\$35,200
DOT Federal Highway Administration	\$9,401,216	\$0	\$9,401,216
Environmental Protection Agency	\$3,809,385	\$0	\$3,809,385
Nuclear Regulatory Commission	\$5,000	\$0	\$5,000
Smithsonian Institution	\$716,200	\$0	\$716,200
Tennessee Valley Authority	\$121,500	\$0	\$121,500
USDA Animal and Plant Health Inspection Service	\$2,118,023	\$0	\$2,118,023
USDA Forest Service	\$19,600,000	\$0	\$19,600,000
USDA Natural Resources Conservation Service	\$8,983,091	\$1,056,567	\$10,039,658
US Fish and Wildlife Service	\$41,849,497	\$0	\$41,849,497
State Governments	\$647,319	\$12,223,000	\$12,870,319
Total	\$422,804,844	\$39,550,682	\$462,355,526

TABLE 4E. OTHER ESA EXPENSES, INCLUDING FOREIGN SPECIES, BY REPORTING AGENCY FOR FY 2006

Agency	Species Total	Land Total	Cumulative Total
DOC National Oceanic and Atmospheric Administration	\$32,708,762	\$0	\$32,708,762
DOD Air Force	\$1,505,027	\$0	\$1,505,027
DOD Army	\$10,460,521	\$0	\$10,460,521
DOD Army Corps of Engineers	\$2,672,523	\$0	\$2,672,523
DOD Marine Corps	\$431,863	\$0	\$431,863
DOE Bonneville Power Administration	\$565,600,000	\$0	\$565,600,000
DOI Bureau of Indian Affairs	\$129,250	\$0	\$129,250
DOI Bureau of Land Management	\$2,643,000	\$3,043,000	\$5,686,000
DOI Bureau of Reclamation	\$1,250,500	\$0	\$1,250,500
DOI Minerals Management Service	\$450,000	\$0	\$450,000
DOI US Geological Survey	\$2,083,112	\$0	\$2,083,112
DOT Federal Aviation Administration	\$30,500	\$0	\$30,500
Environmental Protection Agency	\$2,531,129	\$0	\$2,531,129
Nuclear Regulatory Commission	\$197,000	\$0	\$197,000
Smithsonian Institution	\$904,500	\$0	\$904,500
Tennessee Valley Authority	\$80,000	\$0	\$80,000
USDA Animal and Plant Health Inspection Service	\$4,865,650	\$0	\$4,865,650
USDA Forest Service	\$20,000,000	\$0	\$20,000,000
USDA Natural Resources Conservation Service	\$808,809	\$949,500	\$1,758,309
US Fish and Wildlife Service	\$37,462,206	\$0	\$37,462,206
State Governments	\$3,959,684	\$4,977,796	\$8,937,480
Total	\$690,774,036	\$9,010,296	\$699,784,332

Appendix A. Supplemental Guidance for Reporting Expenditures for the Conservation of Endangered and Threatened Species for FY 2005 and FY 2006

To provide Congress with a more accurate report on expenditures for the conservation of species listed under the Endangered Species Act, please report both expenditures reasonably attributable to individual species and provide a lump sum figure for expenditures that are reasonably identifiable as primarily for the benefit of listed species, but not readily attributable to an individual species (Other ESA Expenses).

Please note that Congress requested the information on a species-by-species basis to the extent this information is reasonably available. We request that you avoid combining all your expenditures under "Other ESA Expenses," as the agency-by-agency reports on expenditures for individual species are an integral part of this report.

Each agency must enter the data directly into a Web-based system. You will need to designate someone to enter the data (more than one person is permissible), and that person(s) will need to obtain a password before entering the data. This is done by accessing the Environmental Conservation Online System at <https://ecos.fws.gov/ecos/login.do> and clicking on "Register for access here." Fill in the requested information, then request access to the "Expenditures" application at the bottom of the page. Please allow 2 to 3 working days for access approval. Then follow the tutorial for instructions.

The information below should be used to gather the data.

BACKGROUND:

- ! Section 18 of the Endangered Species Act of 1973 (16 U.S. 1531 *et seq.*) reads, in part, "...the Fish and Wildlife Service, shall submit to the Congress an annual report covering the preceding fiscal year which shall contain--
 - (1) an accounting on a species-by-species basis of all reasonably identifiable Federal expenditures made primarily for the conservation of endangered and threatened species pursuant to this Act; and
 - (2) an accounting on a species-by-species basis for all reasonably identifiable expenditures made primarily for the conservation of endangered and threatened species pursuant to this Act by States receiving grants under section 6."
- ! The Conference report for the 1988 amendments made some of the following points concerning the new section 18 of the Act:
 - ! Provision should not become unduly burdensome or result in diversion of funds from the operation of the program.
 - ! The Secretary of the Interior is to make a good faith effort to develop and obtain data but is not to undertake extensive or extraordinary measures.
 - ! Generalized dollar estimates will suffice.
 - ! Amendment does not apply to monitoring and survey costs for delisted, proposed, and candidate species.
 - ! Amendment is not to require new species-specific time sheets for the Service or other reporting agency.

- ! Listing, consultation, and law enforcement are to be included to the extent they are "reasonably identifiable."
- ! Only salary costs that can be reasonably identified as applicable to listed species need be reported.
- ! For other Federal and State agencies, a good faith effort to collect information is expected.
- ! Submission of data from any agency is not to be a precondition to receiving any contracts or grants or establishing other arrangements with the Fish and Wildlife Service.
- ! Only one data set per agency should be submitted for any given fiscal year.

DATA FORMAT:

- ! Species should be identified by the same scientific name as found in the most current list of species.
- Amounts above \$2,000 need to be reported only to nearest \$500 or \$1,000; smaller amounts may be rounded to the nearest \$100. Amounts should be reported in actual dollars.
- ! Expenditures that fit the criteria below, but are not readily attributable to a single species, should be listed at the end of the agency report as "Other ESA Expenses."

EXPENDITURES TO BE REPORTED:

- ! Only species on the Federal list of Endangered and Threatened Wildlife and Plants (50 CFR Part 17) at the end of the fiscal year (FY 2005—October 1, 2004 to September 30, 2005; FY 2006—October 1, 2005 to September 30, 2006) are to be reported. Expenditures made prior to the actual listing date of a species, but still within the same year, may be reported (e.g., costs of public meetings, notices, surveys, initial recovery efforts). Funds expended for unlisted, separate populations of listed vertebrates cannot be included in the report (e.g., southeastern brown pelicans, Atlantic and Gulf coast least terns, Alaska bald eagles or gray wolves). Expenditures for State-listed species are not reportable unless they are also federally listed. Amounts for foreign species on the list (e.g., grants or contracts carried out in another country) are reportable in the same manner as domestic species, but again, to the extent they are reasonably identifiable. **In 2003, we added the Distinct Population Segments for all species that have them. In the past, only Evolutionarily Significant Units were identified for those species that had them. We will continue to request data by taxonomic entities as they appear on the Federal list of threatened and endangered species.**
- ! Only reasonably identifiable expenditures for listed species will be totaled in this report. Extraordinary accounting to track funds expended on listed species is not expected.
- ! All habitat acquisition costs are to be reported separately from all other identifiable expenditures. Such acquisitions must be primarily for the purpose of conserving federally listed species. As with other projects, those portions of habitat acquisition costs that are specifically for a listed species may be prorated out of the total acquisition costs when the other habitat is being acquired for other purposes (e.g., 25 acres of a 250-acre purchase will be set aside).
- ! Expenditures associated with consultations pursuant to section 7 of the Act should be reported as for the benefit of a specific species to the extent they are readily identifiable to that particular

species. Thus, a formal consultation dealing with a single species, or up to several species where the relative costs are easily divisible, would be subject to reporting under that or those species, while consultation costs known to have occurred but not readily attributable to a given species would be included in the "Other ESA Expenses" category.

- ! Monitoring and survey costs should be reported when: (1) the cost of the monitoring or survey was during the period the species was under a proposed listing and the species was actually listed in the same fiscal year that the monitoring and surveys were conducted; (2) the monitoring or survey covered both candidates and listed species, and the costs can be prorated to include only the listed species; (3) the cost was readily identifiable to a single species (should be reported for that species); or (4) costs meeting the criteria in (1) and (2), but not readily identifiable to a single species should be reported in the "Other ESA Expenses" category.
- ! Salary and benefits of an employee working full-time on a single species or whose time is devoted to a particular species that can be readily identified should be reported for that species, while staff costs that are not assigned to work on particular species should be reported in the "Other ESA Expenses" category. Travel costs should be treated similarly.
- ! Any State or Federal project that incurs increased costs related directly to mitigation or other conservation efforts on behalf of federally listed species should report that added cost, either by species (if readily identifiable as such) or as "Other ESA Expenses."
- ! All State agencies (e.g., parks, heritage program, forests, highways) may report their expenditures, but only a single report from each State should be submitted.
- ! Examples of reportable expenditures include status surveys, habitat management or acquisition, research, propagation (including surrogate species), recovery plan development or implementation, and mitigation. The project must primarily benefit listed species and not other conservation goals, although if a readily identifiable portion of the expenditure is for the benefit of listed species (either individually or collectively), that portion of the expenditure may be reported in the appropriate category.
- ! Expenditures in a single project devoted to a number of listed species should either be prorated by the agency or reported as "Other ESA Expenses." General surveys or projects that cover a large number of species, some of which may not be listed, are reportable only to extent that the agency can reasonably identify the proportion of the costs that benefit listed species.

**Appendix B. Reports Provided by Other Federal Agencies
Fiscal Years 2005 and 2006**

Department of Agriculture:

- Animal and Plant Health Inspection Service
- Farm Service Agency*
- Forest Service
- Natural Resources Conservation Service

Department of Commerce:

- National Oceanic and Atmospheric Administration

Department of Defense:

- Office of the Under Secretary
(Air Force, Army, Defense Logistics Agency, Marine Corps and Navy)
- Army Corps of Engineers

Department of Energy:

- Bonneville Power Administration
- Southeastern Power Administration*
- Southwestern Power Administration
- Western Area Power Administration

Department of Homeland Security

- Coast Guard
- Customs and Border Protection**

Department of the Interior:

- Bureau of Indian Affairs
- Bureau of Land Management
- Bureau of Reclamation
- Minerals Management Service
- National Park Service
- Office of Surface Mining*
- U.S. Geological Survey

Department of Transportation:

- Federal Aviation Administration
- Federal Highway Administration

Independent Agencies:

- Environmental Protection Agency
- Federal Communications Commission*
- Federal Energy Regulatory Commission
- Nuclear Regulatory Commission
- Smithsonian Institution
- Tennessee Valley Authority

* Indicates agencies reporting no expenditures for FY 2005 and FY 2006

** Indicates agencies reporting no expenditures for FY 2006

USDA Animal and Plant Health Inspection Service FY05

Common Name	Scientific Name	General Expenditures	Land Expenditures
Mammals			
Bat, Mariana fruit (=Mariana flying fox), entire	<i>Pteropus mariannus mariannus</i>	\$1,580,000	\$0
Bear, grizzly, lower 48 States, except where listed as an experimental population or delisted	<i>Ursus arctos horribilis</i>	\$7,361	\$0
Bear, Louisiana black	<i>Ursus americanus luteolus</i>	\$27,482	\$0
Caribou, woodland, Selkirk Mountain population	<i>Rangifer tarandus caribou</i>	\$225	\$0
Deer, Columbian white-tailed, Columbia River DPS	<i>Odocoileus virginianus leucurus</i>	\$17,546	\$0
Ferret, black-footed, U.S.A. (specific portions of AZ, CO, MT, SD, UT, and WY)	<i>Mustela nigripes</i>	\$167,921	\$0
Jaguar	<i>Panthera onca</i>	\$24,094	\$0
Lynx, Canada, lower 48 States DPS	<i>Lynx canadensis</i>	\$15,327	\$0
Mouse, Anastasia Island beach	<i>Peromyscus polionotus phasma</i>	\$3,046	\$0
Mouse, Choctawhatchee beach	<i>Peromyscus polionotus allophrys</i>	\$3,046	\$0
Mouse, Perdido Key beach	<i>Peromyscus polionotus trissyllepsis</i>	\$3,046	\$0
Mouse, salt marsh harvest	<i>Reithrodontomys raviventris</i>	\$102,233	\$0
Prairie dog, Utah	<i>Cynomys parvidens</i>	\$10,000	\$0
Sheep, bighorn, Peninsular CA pop.	<i>Ovis canadensis</i>	\$188,374	\$0
Squirrel, Delmarva Peninsula fox Entire, except Sussex Co., DE	<i>Sciurus niger cinereus</i>	\$1,327	\$0
Squirrel, northern Idaho ground	<i>Spermophilus brunneus brunneus</i>	\$3,670	\$0
Wolf, gray, Lower 48 States, except where delisted and where EXPN. Mexico.	<i>Canis lupus</i>	\$1,402,786	\$0
Mammals Total		\$3,557,484	\$0
Birds			
Condor, California, U.S.A. only	<i>Gymnogyps californianus</i>	\$7,918	\$0
Coot, Hawaiian	<i>Fulica americana alai</i>	\$14,570	\$0
Crane, Mississippi sandhill	<i>Grus canadensis pulla</i>	\$61,982	\$0
Crow, Mariana (=aga)	<i>Corvus kubaryi</i>	\$1,780,000	\$0
Duck, Hawaiian (=koloa)	<i>Anas wyvilliana</i>	\$4,399	\$0
Eagle, bald, lower 48 States	<i>Haliaeetus leucocephalus</i>	\$10,144	\$0
Eider, Steller's, AK breeding pop.	<i>Polysticta stelleri</i>	\$43,357	\$0
Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	\$6,817	\$0
Goose, Hawaiian	<i>Branta (=Nesochen) sandvicensis</i>	\$20,087	\$0
Moorhen, Hawaiian common	<i>Gallinula chloropus sandvicensis</i>	\$3,399	\$0
Murrelet, marbled, CA, OR, WA	<i>Brachyramphus marmoratus</i>	\$5,957	\$0
Pelican, brown, except U.S. Atlantic coast, FL, AL	<i>Pelecanus occidentalis</i>	\$460	\$0
Plover, piping, except Great Lakes watershed	<i>Charadrius melodus</i>	\$28,088	\$0
Plover, western snowy, Pacific coastal pop.	<i>Charadrius alexandrinus nivosus</i>	\$269,498	\$0
Prairie-chicken, Attwater's greater	<i>Tympanuchus cupido attwateri</i>	\$6,000	\$0
Rail, California clapper	<i>Rallus longirostris obsoletus</i>	\$117,602	\$0
Rail, Guam, except Rota	<i>Rallus owstoni</i>	\$200,000	\$0
Rail, light-footed clapper, U.S.A. only	<i>Rallus longirostris levipes</i>	\$29,241	\$0
Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>	\$73,780	\$0
Swiftlet, Mariana gray	<i>Aerodramus vanikorensis bartschi</i>	\$1,696,000	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Tern, California least	<i>Sterna antillarum browni</i>	\$214,470	\$0
Tern, roseate, northeast U.S. nesting pop.	<i>Sterna dougallii dougallii</i>	\$300	\$0
Vireo, least Bell's	<i>Vireo bellii pusillus</i>	\$9,247	\$0
Birds Total		\$4,603,316	\$0
Reptiles			
Boa, Virgin Islands tree	<i>Epicrates monensis granti</i>	\$3,600	\$0
Iguana, Cuban ground	<i>Cyclura nubila nubila</i> **	\$15,218	\$0
Sea turtle, green, FL, Mexico nesting pops.	<i>Chelonia mydas</i>	\$11,200	\$0
Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	\$6,700	\$0
Sea turtle, leatherback	<i>Dermochelys coriacea</i>	\$11,900	\$0
Sea turtle, loggerhead	<i>Caretta caretta</i>	\$19,700	\$0
Tortoise, desert, U.S.A., except in Sonoran Desert	<i>Gopherus agassizii</i>	\$29,418	\$0
Reptiles Total		\$97,736	\$0
Amphibians			
Frog, California red-legged subspecies range clarified	<i>Rana aurora draytonii</i>	\$9,247	\$0
Amphibians Total		\$9,247	\$0
Fishes			
Salmon, Atlantic Gulf of Maine Atlantic Salmon DPS	<i>Salmo salar</i>	\$29,851	\$0
Salmon, chinook, winter Sacramento R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$244,912	\$0
Salmon, sockeye U.S.A. (Snake River, ID stock wherever found.)	<i>Oncorhynchus (=Salmo) nerka</i>	\$243,404	\$0
Steelhead, upper Columbia R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$245,170	\$0
Sturgeon, white U.S.A. (ID, MT), Canada (B.C.), Kootenai R. system	<i>Acipenser transmontanus</i>	\$50	\$0
Trout, bull, U.S.A., conterminous, lower 48 states	<i>Salvelinus confluentus</i>	\$1,828	\$0
Fishes Total		\$765,215	\$0
Clams			
Pearlshell, Louisiana	<i>Margaritifera hembeli</i>	\$6,977	\$0
Clams Total		\$6,977	\$0
Insects			
Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>	\$1,810	\$0
Insects Total		\$1,810	\$0
Flowering Plants			
Amole, purple	<i>Chlorogalum purpureum</i>	\$9,247	\$0
A`e	<i>Zanthoxylum hawaiiense</i>	\$4,860	\$0
Honohono	<i>Haplostachys haplostachya</i>	\$4,860	\$0
No common name	<i>Calyptanthus thomasi</i>	\$12,270	\$0
No common name	<i>Hedyotis degeneri</i>	\$4,860	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
No common name	<i>Neraudia ovata</i>	\$4,860	\$0
No common name	<i>Silene hawaiiensis</i>	\$4,860	\$0
No common name	<i>Silene lanceolata</i>	\$4,860	\$0
No common name	<i>Spermolepis hawaiiensis</i>	\$4,860	\$0
No common name	<i>Stenogyne angustifolia var. angustifolia</i>	\$4,860	\$0
No common name	<i>Tetramolopium arenarium</i>	\$4,860	\$0
Popolo ku mai	<i>Solanum incompletum</i>	\$4,860	\$0
Po`e	<i>Portulaca sclerocarpa</i>	\$4,860	\$0
Flowering Plants Total		\$74,977	\$0
Ferns and Allies			
No common name	<i>Asplenium fragile var. insulare</i>	\$4,860	\$0
Ferns and Allies Total		\$4,860	\$0
Other ESA Expenses not including Foreign Species		\$2,102,805	\$0
Expenses from Foreign Species		\$15,218	\$0
Total Other ESA Expenses		\$2,118,023	\$0
All Species Total		\$11,224,427	\$0

** denotes Foreign Species; totals from Foreign Species are included in Other ESA Expenses

USDA Animal and Plant Health Inspection Service FY06

Common Name	Scientific Name	General Expenditures	Land Expenditures
Mammals			
Bat, Mariana fruit (=Mariana flying fox), entire	<i>Pteropus mariannus mariannus</i>	\$69,953	\$0
Bear, grizzly, lower 48 States, except where listed as an experimental population or delisted	<i>Ursus arctos horribilis</i>	\$18,285	\$0
Bear, Louisiana black	<i>Ursus americanus luteolus</i>	\$19,718	\$0
Deer, Columbian white-tailed Columbia River DPS	<i>Odocoileus virginianus leucurus</i>	\$13,989	\$0
Ferret, black-footed, U.S.A. (specific portions of AZ, CO, MT, SD, UT, and WY)	<i>Mustela nigripes</i>	\$22,246	\$0
Jaguar	<i>Panthera onca</i>	\$22,776	\$0
Lynx, Canada, lower 48 States DPS	<i>Lynx canadensis</i>	\$20,286	\$0
Mouse, Anastasia Island beach	<i>Peromyscus polionotus phasma</i>	\$5,700	\$0
Mouse, Choctawhatchee beach	<i>Peromyscus polionotus allophrys</i>	\$4,150	\$0
Mouse, Key Largo cotton	<i>Peromyscus gossypinus allapaticola</i>	\$14,200	\$0
Mouse, Perdido Key beach	<i>Peromyscus polionotus trissyllepsis</i>	\$10,956	\$0
Mouse, salt marsh harvest	<i>Reithrodontomys raviventris</i>	\$149,133	\$0
Mouse, southeastern beach	<i>Peromyscus polionotus niveiventris</i>	\$6,200	\$0
Prairie dog, Utah	<i>Cynomys parvidens</i>	\$10,000	\$0
Rabbit, Lower Keys marsh	<i>Sylvilagus palustris hefneri</i>	\$21,000	\$0
Rice rat, lower FL Keys	<i>Oryzomys palustris natator</i>	\$3,200	\$0
Sheep, bighorn, Peninsular CA pop.	<i>Ovis canadensis</i>	\$161,985	\$0
Squirrel, northern Idaho ground	<i>Spermophilus brunneus brunneus</i>	\$1,272	\$0
Wolf, gray, Lower 48 States, except where delisted and where EXPN. Mexico.	<i>Canis lupus</i>	\$2,096,723	\$0
Woodrat, Key Largo	<i>Neotoma floridana smalli</i>	\$23,500	\$0
Mammals Total		\$2,695,272	\$0
Birds			
Condor, California, U.S.A. only	<i>Gymnogyps californianus</i>	\$188	\$0
Coot, Hawaiian	<i>Fulica americana alai</i>	\$11,795	\$0
Crane, Mississippi sandhill	<i>Grus canadensis pulla</i>	\$64,027	\$0
Crow, Mariana (=aga)	<i>Corvus kubaryi</i>	\$200,000	\$0
Duck, Hawaiian (=koloa)	<i>Anas wyvilliana</i>	\$11,795	\$0
Eagle, bald, lower 48 States	<i>Haliaeetus leucocephalus</i>	\$18,049	\$0
Eider, Steller's, AK breeding pop.	<i>Polysticta stelleri</i>	\$75,274	\$0
Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	\$2,000	\$0
Goose, Hawaiian	<i>Branta (=Nesochen) sandvicensis</i>	\$9,885	\$0
Moorhen, Hawaiian common	<i>Gallinula chloropus sandvicensis</i>	\$3,469	\$0
Murrelet, marbled, CA, OR, WA	<i>Brachyramphus marmoratus</i>	\$10,560	\$0
Pelican, brown, except U.S. Atlantic coast, FL, AL	<i>Pelecanus occidentalis</i>	\$20,000	\$0
Plover, piping, except Great Lakes watershed	<i>Charadrius melodus</i>	\$62,749	\$0
Plover, western snowy, Pacific coastal pop.	<i>Charadrius alexandrinus nivosus</i>	\$287,925	\$0
Prairie-chicken, Attwater's greater	<i>Tympanuchus cupido attwateri</i>	\$6,000	\$0
Rail, California clapper	<i>Rallus longirostris obsoletus</i>	\$152,438	\$0
Rail, Guam, except Rota	<i>Rallus owstoni</i>	\$200,000	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Rail, light-footed clapper, U.S.A. only	<i>Rallus longirostris levipes</i>	\$54,619	\$0
Sparrow, Florida grasshopper	<i>Ammodramus savannarum floridanus</i>	\$90,000	\$0
Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>	\$67,223	\$0
Swiftlet, Mariana gray	<i>Aerodramus vanikorensis bartschi</i>	\$116,300	\$0
Tern, California least	<i>Sterna antillarum browni</i>	\$277,796	\$0
Tern, roseate, northeast U.S. nesting pop.	<i>Sterna dougallii dougallii</i>	\$14,964	\$0
Vireo, least Bell's	<i>Vireo bellii pusillus</i>	\$6,270	\$0
Warbler (=wood), Kirtland's	<i>Dendroica kirtlandii</i>	\$5,000	\$0
Birds Total		\$1,768,326	\$0
Reptiles			
Boa, Virgin Islands tree	<i>Epicrates monensis granti</i>	\$19,444	\$0
Iguana, Cuban ground	<i>Cyclura nubila nubila</i>	\$23,000	\$0
Sea turtle, green, FL, Mexico nesting pops.	<i>Chelonia mydas</i>	\$12,000	\$0
Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	\$10,300	\$0
Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>	\$9,750	\$0
Sea turtle, leatherback	<i>Dermochelys coriacea</i>	\$64,500	\$0
Sea turtle, loggerhead	<i>Caretta caretta</i>	\$172,449	\$0
Tortoise, desert, U.S.A., except in Sonoran Desert	<i>Gopherus agassizii</i>	\$25,000	\$0
Reptiles Total		\$336,443	\$0
Amphibians			
Frog, California red-legged subspecies range clarified	<i>Rana aurora draytonii</i>	\$6,270	\$0
Salamander, flatwoods	<i>Ambystoma cingulatum</i>	\$25,000	\$0
Amphibians Total		\$31,270	\$0
Fishes			
Darter, Okaloosa	<i>Etheostoma okaloosae</i>	\$15,500	\$0
Salmon, Atlantic Gulf of Maine Atlantic Salmon DPS	<i>Salmo salar</i>	\$16,922	\$0
Salmon, chinook, winter Sacramento R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$309,077	\$0
Salmon, sockeye U.S.A. (Snake River, ID stock wherever found.)	<i>Oncorhynchus (=Salmo) nerka</i>	\$308,088	\$0
Steelhead, upper Columbia R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$307,995	\$0
Trout, bull, U.S.A., conterminous, lower 48 states	<i>Salvelinus confluentus</i>	\$2,592	\$0
Fishes Total		\$960,174	\$0
Clams			
Pearlshell, Louisiana	<i>Margaritifera hembeli</i>	\$2,844	\$0
Clams Total		\$2,844	\$0
Insects			
Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>	\$1,810	\$0
Insects Total		\$1,810	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Flowering Plants			
Amole, purple	<i>Chlorogalum purpureum</i>	\$6,270	\$0
Awiwi	<i>Centaurium sebaeoides</i>	\$2,664	\$0
A`e	<i>Zanthoxylum hawaiiense</i>	\$4,798	\$0
Chaff-flower, round-leaved	<i>Achyranthes splendens var. rotundata</i>	\$2,664	\$0
Honohono	<i>Haplostachys haplostachya</i>	\$4,798	\$0
Ko`oloa`ula	<i>Abutilon menziesii</i>	\$2,664	\$0
Kulu`i	<i>Nototrichium humile</i>	\$2,664	\$0
Ma`o hau hele, (=native yellow hibiscus)	<i>Hibiscus brackenridgei</i>	\$2,664	\$0
Ma`oli`oli	<i>Schiedea kealiae</i>	\$2,664	\$0
Naupaka, dwarf	<i>Scaevola coriacea</i>	\$2,664	\$0
No common name	<i>Calyptrothrix thomasi</i>	\$14,615	\$0
No common name	<i>Hedyotis degeneri</i>	\$4,798	\$0
No common name	<i>Neraudia ovata</i>	\$4,798	\$0
No common name	<i>Silene hawaiiensis</i>	\$4,798	\$0
No common name	<i>Silene lanceolata</i>	\$4,798	\$0
No common name	<i>Spermolepis hawaiiensis</i>	\$4,798	\$0
No common name	<i>Stenogyne angustifolia var. angustifolia</i>	\$4,798	\$0
No common name	<i>Tetramolopium arenarium</i>	\$4,798	\$0
Ohai	<i>Sesbania tomentosa</i>	\$2,664	\$0
Panicgrass, Carter's	<i>Panicum fauriei var. carteri</i>	\$2,664	\$0
Popolo ku mai	<i>Solanum incompletum</i>	\$4,798	\$0
Po`e	<i>Portulaca sclerocarpa</i>	\$4,798	\$0
Pu`uka`a	<i>Cyperus trachysanthos</i>	\$2,664	\$0
`Akoko	<i>Chamaesyce celastroides var. kaenana</i>	\$2,664	\$0
Flowering Plants Total		\$102,967	\$0
Ferns and Allies			
No common name	<i>Asplenium fragile var. insulare</i>	\$479	\$0
Ferns and Allies Total		\$479	\$0
Other ESA Expenses not including Foreign Species		\$4,842,650	\$0
Expenses from Foreign Species		\$0	\$0
Total Other ESA Expenses		\$4,842,650	\$0
All Species Total		\$10,742,235	\$0

USDA Forest Service FY05

Common Name	Scientific Name	General Expenditures	Land Expenditures
Mammals			
Bat, gray	<i>Myotis grisescens</i>	\$146,000	\$0
Bat, Indiana	<i>Myotis sodalis</i>	\$593,000	\$0
Bat, lesser long-nosed	<i>Leptonycteris curasoae yerbabuenae</i>	\$500	\$0
Bat, Mexican long-nosed	<i>Leptonycteris nivalis</i>	\$800	\$0
Bat, Ozark big-eared	<i>Corynorhinus (=Plecotus) townsendii ingens</i>	\$800	\$0
Bat, Virginia big-eared	<i>Corynorhinus (=Plecotus) townsendii virginianus</i>	\$191,000	\$0
Bear, grizzly, lower 48 States, except where listed as an EXPN or delisted	<i>Ursus arctos horribilis</i>	\$1,078,000	\$0
Bear, Louisiana black	<i>Ursus americanus luteolus</i>	\$36,000	\$0
Caribou, woodland Selkirk Mountain population	<i>Rangifer tarandus caribou</i>	\$20,000	\$0
Ferret, black-footed entire population, except where EXPN	<i>Mustela nigripes</i>	\$80,000	\$0
Jaguar	<i>Panthera onca</i>	\$6,000	\$0
Kangaroo rat, San Bernardino Merriam's	<i>Dipodomys merriami parvus</i>	\$3,000	\$0
Lynx, Canada, lower 48 States DPS	<i>Lynx canadensis</i>	\$691,000	\$0
Mountain beaver, Point Arena	<i>Aplodontia rufa nigra</i>	\$40,000	\$0
Mouse, Preble's meadow jumping, Colorado	<i>Zapus hudsonius preblei</i>	\$23,000	\$0
Sea-lion, Steller, eastern pop.	<i>Eumetopias jubatus</i>	\$3,000	\$0
Sea-lion, Steller, western pop.	<i>Eumetopias jubatus</i>	\$3,000	\$0
Sheep, bighorn, Peninsular CA pop.	<i>Ovis canadensis</i>	\$40,000	\$0
Squirrel, Carolina northern flying	<i>Glaucomys sabrinus coloratus</i>	\$65,000	\$0
Squirrel, Mount Graham red	<i>Tamiasciurus hudsonicus grahamensis</i>	\$184,000	\$0
Mammals Total		\$3,204,100	\$0
Birds			
Akepa, Hawaii (honeycreeper)	<i>Loxops coccineus coccineus</i>	\$6,000	\$0
Akiapola`au (honeycreeper)	<i>Hemignathus munroi</i>	\$6,000	\$0
Condor, California, U.S.A. only	<i>Gymnogyps californianus</i>	\$54,000	\$0
Crane, whooping, except where EXPN	<i>Grus americana</i>	\$600	\$0
Eagle, bald, lower 48 States	<i>Haliaeetus leucocephalus</i>	\$1,044,000	\$0
Falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>	\$700	\$0
Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	\$454,000	\$0
Jay, Florida scrub	<i>Aphelocoma coerulescens</i>	\$96,000	\$0
Murrelet, marbled, CA, OR, WA	<i>Brachyramphus marmoratus</i>	\$775,000	\$0
Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	\$1,094,000	\$0
Owl, northern spotted	<i>Strix occidentalis caurina</i>	\$986,000	\$0
Parrot, Puerto Rican	<i>Amazona vittata</i>	\$552,000	\$0
Plover, western snowy, Pacific coastal pop.	<i>Charadrius alexandrinus nivosus</i>	\$64,000	\$0
Vireo, black-capped	<i>Vireo atricapilla</i>	\$6,000	\$0
Vireo, least Bell's	<i>Vireo bellii pusillus</i>	\$47,000	\$0
Warbler (=wood), Bachman's	<i>Vermivora bachmanii</i>	\$126,000	\$0
Warbler (=wood), golden-cheeked	<i>Dendroica chrysoparia</i>	\$8,000	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Warbler (=wood), Kirtland's	<i>Dendroica kirtlandii</i>	\$509,470	\$0
Woodpecker, red-cockaded	<i>Picoides borealis</i>	\$2,528,000	\$0
Birds Total		\$8,356,770	\$0
Reptiles			
Rattlesnake, New Mexican ridge-nosed	<i>Crotalus willardi obscurus</i>	\$48,000	\$0
Skink, sand	<i>Neoseps reynoldsi</i>	\$33,000	\$0
Snake, eastern indigo	<i>Drymarchon corais couperi</i>	\$153,000	\$0
Tortoise, desert outside/taken from Sonoran Desert	<i>Gopherus agassizii</i>	\$4,000	\$0
Tortoise, gopher, W of Mobile/Tombigbee Rs.	<i>Gopherus polyphemus</i>	\$1,011,000	\$0
Reptiles Total		\$1,249,000	\$0
Amphibians			
Frog, California red-legged subspecies range clarified	<i>Rana aurora draytonii</i>	\$83,000	\$0
Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>	\$115,000	\$0
Frog, Mississippi gopher, Wherever found west of Mobile and Tombigbee Rs in AL, MS, and LA	<i>Rana capito sevosa</i>	\$855,000	\$0
Frog, mountain yellow-legged southern California DPS	<i>Rana muscosa</i>	\$214,000	\$0
Salamander, Cheat Mountain	<i>Plethodon nettingi</i>	\$70,000	\$0
Salamander, flatwoods	<i>Ambystoma cingulatum</i>	\$69,000	\$0
Salamander, Sonora tiger	<i>Ambystoma tigrinum stebbinsi</i>	\$1,100	\$0
Toad, arroyo (=arroyo southwestern)	<i>Bufo californicus (=microscaphus)</i>	\$208,000	\$0
Amphibians Total		\$1,615,100	\$0
Fishes			
Chub, Oregon	<i>Oregonichthys crameri</i>	\$10,000	\$0
Chub, Owens tui	<i>Gila bicolor snyderi</i>	\$3,000	\$0
Chub, Sonora	<i>Gila ditaenia</i>	\$20,000	\$0
Chub, spotfin, entire	<i>Erimonax monachus</i>	\$2,000	\$0
Chub, Yaqui	<i>Gila purpurea</i>	\$8,000	\$0
Dace, blackside	<i>Phoxinus cumberlandensis</i>	\$12,000	\$0
Dace, Kendall Warm Springs	<i>Rhinichthys osculus thermalis</i>	\$7,000	\$0
Darter, amber	<i>Percina antesella</i>	\$700	\$0
Darter, duskytail, entire	<i>Etheostoma percnum</i>	\$3,000	\$0
Darter, leopard	<i>Percina pantherina</i>	\$8,000	\$0
Logperch, Conasauga	<i>Percina jenkinsi</i>	\$1,300	\$0
Madtom, smoky, entire	<i>Noturus baileyi</i>	\$3,000	\$0
Madtom, yellowfin, Holston River, VA, TN	<i>Noturus flavipinnis</i>	\$3,000	\$0
Minnow, loach	<i>Tiaroga cobitis</i>	\$51,000	\$0
Minnow, Rio Grande silvery	<i>Hybognathus amarus</i>	\$73,000	\$0
Pupfish, desert	<i>Cyprinodon macularius</i>	\$1,400	\$0
Salmon, Atlantic Gulf of Maine Atlantic Salmon DPS	<i>Salmo salar</i>	\$122,000	\$0
Salmon, chinook, spring/summer Snake R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$212,000	\$0
Salmon, chinook, lower Columbia R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$28,000	\$0
Salmon, chinook, spring upper Columbia R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$65,000	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Salmon, chinook, CA Central Valley spring-run	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$15,000	\$0
Salmon, coho, OR, CA pop.	<i>Oncorhynchus (=Salmo) kisutch</i>	\$55,000	\$0
Shiner, beautiful	<i>Cyprinella formosa</i>	\$1,400	\$0
Shiner, blue	<i>Cyprinella caerulea</i>	\$1,300	\$0
Spikedace	<i>Meda fulgida</i>	\$114,000	\$0
Steelhead, Central Valley CA	<i>Oncorhynchus (=Salmo) mykiss</i>	\$15,000	\$0
Steelhead, Snake R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$84,000	\$0
Steelhead, lower Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$40,000	\$0
Steelhead, south central CA coast	<i>Oncorhynchus (=Salmo) mykiss</i>	\$500	\$0
Steelhead, upper Columbia R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$63,000	\$0
Steelhead, middle Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$10,000	\$0
Steelhead, northern CA	<i>Oncorhynchus (=Salmo) mykiss</i>	\$20,000	\$0
Sucker, razorback, entire	<i>Xyrauchen texanus</i>	\$12,000	\$0
Topminnow, Gila (incl. Yaqui), U.S.A. only	<i>Poeciliopsis occidentalis</i>	\$5,000	\$0
Trout, Apache	<i>Oncorhynchus apache</i>	\$612,000	\$0
Trout, bull U.S.A., conterminous, lower 48 states	<i>Salvelinus confluentus</i>	\$2,107,000	\$0
Trout, Gila	<i>Oncorhynchus gilae</i>	\$53,000	\$0
Trout, greenback cutthroat	<i>Oncorhynchus clarki stomias</i>	\$50,000	\$0
Trout, Lahontan cutthroat	<i>Oncorhynchus clarki henshawi</i>	\$192,000	\$0
Trout, Paiute cutthroat	<i>Oncorhynchus clarki seleniris</i>	\$265,000	\$0
Fishes Total		\$4,348,600	\$0
Clams			
Acornshell, southern	<i>Epioblasma othcaloogensis</i>	\$400	\$0
Bean, Cumberland (pearlymussel), Entire Range; Except where listed as Exp. Populations	<i>Villosa trabalis</i>	\$600	\$0
Clubshell, ovate	<i>Pleurobema perovatum</i>	\$10,000	\$0
Clubshell, southern	<i>Pleurobema decisum</i>	\$55,000	\$0
Combshell, upland	<i>Epioblasma metastrata</i>	\$400	\$0
Fanshell	<i>Cyprogenia stegaria</i>	\$75,000	\$0
Fatmucket, Arkansas	<i>Lampsilis powelli</i>	\$600	\$0
Kidneyshell, triangular	<i>Ptychobranthus greenii</i>	\$400	\$0
Moccasinshell, Alabama	<i>Medionidus acutissimus</i>	\$10,000	\$0
Moccasinshell, Coosa	<i>Medionidus parvulus</i>	\$400	\$0
Mucket, oranenacre	<i>Lampsilis perovalis</i>	\$10,000	\$0
Pigtoe, rough	<i>Pleurobema plenum</i>	\$75,000	\$0
Pigtoe, southern	<i>Pleurobema georgianum</i>	\$900	\$0
Pocketbook, finelined	<i>Lampsilis atilis</i>	\$2,000	\$0
Riffleshell, tan	<i>Epioblasma florentina walkeri (=E. walkeri)</i>	\$400	\$0
Clams Total		\$241,100	\$0
Insects			
Beetle, American burying	<i>Nicrophorus americanus</i>	\$33,000	\$0
Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>	\$2,000	\$0
Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>	\$43,000	\$0
Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>	\$27,000	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Butterfly, Quino checkerspot	<i>Euphydryas editha quino</i> (=E. e. <i>wrighti</i>)	\$25,000	\$0
Butterfly, Smith's blue	<i>Euphilotes enoptes smithi</i>	\$1,000	\$0
Dragonfly, Hine's emerald	<i>Somatochlora hineana</i>	\$28,000	\$0
Moth, Blackburn's sphinx	<i>Manduca blackburni</i>	\$4,000	\$0
Skipper, Laguna Mountains	<i>Pyrgus ruralis lagunae</i>	\$26,000	\$0
Skipper, Pawnee montane	<i>Hesperia leonardus montana</i>	\$59,000	\$0
Insects Total		\$248,000	\$0
Crustaceans			
Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>	\$1,500	\$0
Crustaceans Total		\$1,500	\$0
Flowering Plants			
Aster, Ruth's golden	<i>Pityopsis ruthii</i>	\$2,000	\$0
Beauty, Harper's	<i>Harperocallis flava</i>	\$22,000	\$0
Birds-in-a-nest, white	<i>Macbridea alba</i>	\$5,000	\$0
Bladderpod, San Bernardino Mountains	<i>Lesquerella kingii</i> ssp. <i>bernardina</i>	\$54,000	\$0
Bluegrass, San Bernardino	<i>Poa atropurpurea</i>	\$54,000	\$0
Bonamia, Florida	<i>Bonamia grandiflora</i>	\$4,000	\$0
Buckwheat, scrub	<i>Eriogonum longifolium</i> var. <i>gnaphalifolium</i>	\$4,000	\$0
Butterwort, Godfrey's	<i>Pinguicula ionantha</i>	\$3,000	\$0
Cactus, Pima pineapple	<i>Coryphantha scheeri</i> var. <i>robustispina</i>	\$20,000	\$0
Catchfly, Spalding's	<i>Silene spaldingii</i>	\$49,000	\$0
Chaffseed, American	<i>Schwalbea americana</i>	\$434,000	\$0
Checker-mallow, pedate	<i>Sidalcea pedata</i>	\$54,000	\$0
Checkermallow, Wenatchee Mountains	<i>Sidalcea oregana</i> var. <i>calva</i>	\$3,000	\$0
Clarkia, Springville	<i>Clarkia springvillensis</i>	\$4,000	\$0
Clover, running buffalo	<i>Trifolium stoloniferum</i>	\$18,000	\$0
Coneflower, smooth	<i>Echinacea laevigata</i>	\$54,000	\$0
Daisy, Parish's	<i>Erigeron parishii</i>	\$54,000	\$0
Four-o'clock, MacFarlane's	<i>Mirabilis macfarlanei</i>	\$9,000	\$0
Fritillary, Gentner's	<i>Fritillaria gentneri</i>	\$153,000	\$0
Haha	<i>Cyanea shipmanii</i>	\$6,000	\$0
Hala pepe	<i>Pleomele hawaiiensis</i>	\$40,000	\$0
Harperella	<i>Ptilimnium nodosum</i>	\$3,000	\$0
Hau kuahiwi	<i>Hibiscadelphus hualalaiensis</i>	\$5,000	\$0
Howellia, water	<i>Howellia aquatilis</i>	\$64,000	\$0
Ipomopsis, Holy Ghost	<i>Ipomopsis sancti-spiritus</i>	\$8,000	\$0
Kauila	<i>Colubrina oppositifolia</i>	\$40,000	\$0
Kiponapona	<i>Phyllostegia racemosa</i>	\$6,000	\$0
Koki`o	<i>Kokia drynarioides</i>	\$40,000	\$0
Ko`oloa`ula	<i>Abutilon menziesii</i>	\$5,000	\$0
Ladies'-tresses, Canelo Hills	<i>Spiranthes delitescens</i>	\$2,000	\$0
Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>	\$12,000	\$0
Ma`o hau hele, (=native yellow hibiscus)	<i>Hibiscus brackenridgei</i>	\$5,000	\$0
Milk-vetch, Cushenbury	<i>Astragalus albens</i>	\$54,000	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Milkweed, Mead's	<i>Asclepias meadii</i>	\$4,000	\$0
No common name	<i>Bonamia menziesii</i>	\$5,000	\$0
Orchid, western prairie fringed	<i>Platanthera praeclara</i>	\$80,000	\$0
Orcutt grass, slender	<i>Orcuttia tenuis</i>	\$17,000	\$0
Oxytheca, cushenbury	<i>Oxytheca parishii</i> var. <i>goodmaniana</i>	\$54,000	\$0
Paintbrush, ash-grey	<i>Castilleja cinerea</i>	\$55,000	\$0
Penstemon, blowout	<i>Penstemon haydenii</i>	\$800	\$0
Phacelia, clay	<i>Phacelia argillacea</i>	\$700	\$0
Phlox, Texas trailing	<i>Phlox nivalis</i> ssp. <i>texensis</i>	\$33,000	\$0
Pink, swamp	<i>Helonias bullata</i>	\$4,000	\$0
Pogonia, small whorled	<i>Isotria medeoloides</i>	\$50,000	\$0
Pondberry	<i>Lindera melissifolia</i>	\$1,299,000	\$0
Poppy, Sacramento prickly	<i>Argemone pleiacantha</i> ssp. <i>pinnatisecta</i>	\$500	\$0
Potato-bean, Price's	<i>Apios priceana</i>	\$32,000	\$0
Rock-cress, McDonald's	<i>Arabis mcdonaldiana</i>	\$151,000	\$0
Sandwort, Bear Valley	<i>Arenaria ursina</i>	\$54,000	\$0
Sandwort, Cumberland	<i>Arenaria cumberlandensis</i>	\$8,000	\$0
Skullcap, Florida	<i>Scutellaria floridana</i>	\$3,000	\$0
Skullcap, large-flowered	<i>Scutellaria montana</i>	\$5,000	\$0
Spineflower, slender-horned	<i>Dodecahema leptoceras</i>	\$2,800	\$0
Stickseed, showy	<i>Hackelia venusta</i>	\$3,000	\$0
Taraxacum, California	<i>Taraxacum californicum</i>	\$54,000	\$0
Thistle, Sacramento Mountains	<i>Cirsium vinaceum</i>	\$63,000	\$0
Tuctoria, Greene's	<i>Tuctoria greenei</i>	\$2,000	\$0
Uhiuhi	<i>Caesalpinia kavaiense</i>	\$30,000	\$0
Water-umbel, Huachuca	<i>Lilaeopsis schaffneriana</i> var. <i>recurva</i>	\$3,000	\$0
Wild-buckwheat, southern mountain	<i>Eriogonum kennedyi</i> var. <i>austromontanum</i>	\$54,000	\$0
`Aiea	<i>Nothoestrum breviflorum</i>	\$40,000	\$0
`Oha wai	<i>Clermontia lindseyana</i>	\$6,000	\$0
`Oha wai	<i>Clermontia pyrularia</i>	\$6,000	\$0
Flowering Plants Total		\$3,409,800	\$0
Conifers and Cycads			
Torreya, Florida	<i>Torreya taxifolia</i>	\$12,000	\$0
Conifers and Cycads Total		\$12,000	\$0
Other ESA Expenses not including Foreign Species		\$19,600,000	\$0
Expenses from Foreign Species		\$0	\$0
Total Other ESA Expenses		\$19,600,000	\$0
All Species Total		\$42,285,970	\$0

USDA Forest Service FY06

Common Name	Scientific Name	General Expenditures	Land Expenditures
Mammals			
Bat, gray	<i>Myotis grisescens</i>	\$80,000	\$0
Bat, Indiana	<i>Myotis sodalis</i>	\$681,000	\$0
Bat, lesser long-nosed	<i>Leptonycteris curasoae yerbabuenae</i>	\$19,000	\$0
Bat, Mexican long-nosed	<i>Leptonycteris nivalis</i>	\$700	\$0
Bat, Ozark big-eared	<i>Corynorhinus (=Plecotus) townsendii ingens</i>	\$600	\$0
Bat, Virginia big-eared	<i>Corynorhinus (=Plecotus) townsendii virginianus</i>	\$138,000	\$0
Bear, grizzly, lower 48 States, except where listed as an EXPN or delisted	<i>Ursus arctos horribilis</i>	\$575,000	\$1,800,000
Bear, Louisiana black	<i>Ursus americanus luteolus</i>	\$114,000	\$0
Caribou, woodland Selkirk Mountain population	<i>Rangifer tarandus caribou</i>	\$28,000	\$0
Ferret, black-footed entire population, except where EXPN	<i>Mustela nigripes</i>	\$47,000	\$0
Jaguar	<i>Panthera onca</i>	\$16,000	\$0
Kangaroo rat, San Bernardino Merriam's	<i>Dipodomys merriami parvus</i>	\$19,000	\$0
Lynx, Canada, lower 48 States DPS	<i>Lynx canadensis</i>	\$747,000	\$1,800,000
Mountain beaver, Point Arena	<i>Aplodontia rufa nigra</i>	\$40,000	\$0
Mouse, Preble's meadow jumping, Colorado	<i>Zapus hudsonius preblei</i>	\$26,000	\$0
Ocelot	<i>Leopardus (=Felis) pardalis</i>	\$200	\$0
Puma (=cougar), eastern	<i>Puma (=Felis) concolor cougar</i>	\$9,000	\$0
Sea-lion, Steller, western pop.	<i>Eumetopias jubatus</i>	\$3,000	\$0
Squirrel, Carolina northern flying	<i>Glaucomys sabrinus coloratus</i>	\$1,000	\$0
Squirrel, Mount Graham red	<i>Tamiasciurus hudsonicus grahamensis</i>	\$84,000	\$0
Squirrel, northern Idaho ground	<i>Spermophilus brunneus brunneus</i>	\$1,500	\$0
Squirrel, Virginia northern flying	<i>Glaucomys sabrinus fuscus</i>	\$71,000	\$0
Wolf, gray, Lower 48 States, except where delisted and where EXPN. Mexico.	<i>Canis lupus</i>	\$301,000	\$1,800,000
Wolf, gray, MN	<i>Canis lupus</i>	\$106,000	\$0
Wolf, gray Mexican gray wolf, EXPN population	<i>Canis lupus</i>	\$9,000	\$0
Wolf, gray, Western Great Lakes DPS	<i>Canis lupus</i>	\$5,000	\$0
Mammals Total		\$3,122,000	\$5,400,000
Birds			
Akepa, Hawaii (honeycreeper)	<i>Loxops coccineus coccineus</i>	\$5,000	\$0
Akiapola`au (honeycreeper)	<i>Hemignathus munroi</i>	\$5,000	\$0
Bobwhite, masked (quail)	<i>Colinus virginianus ridgwayi</i>	\$200	\$0
Condor, California, U.S.A. only	<i>Gymnogyps californianus</i>	\$1,800	\$0
Crane, whooping, except where EXPN	<i>Grus americana</i>	\$100	\$0
Creeper, Hawaii	<i>Oreomystis mana</i>	\$5,000	\$0
Eagle, bald, lower 48 States	<i>Haliaeetus leucocephalus</i>	\$876,000	\$0
Falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>	\$1,100	\$0
Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	\$195,000	\$0
Hawk, Hawaiian (=lo)	<i>Buteo solitarius</i>	\$5,000	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Jay, Florida scrub	<i>Aphelocoma coerulescens</i>	\$407,000	\$0
Murrelet, marbled, CA, OR, WA	<i>Brachyramphus marmoratus</i>	\$470,000	\$0
Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	\$792,000	\$0
Owl, northern spotted	<i>Strix occidentalis caurina</i>	\$1,107,000	\$0
Parrot, Puerto Rican	<i>Amazona vittata</i>	\$99,000	\$0
Pelican, brown except U.S. Atlantic coast, FL, AL	<i>Pelecanus occidentalis</i>	\$1,400	\$0
Plover, western snowy, Pacific coastal pop.	<i>Charadrius alexandrinus nivosus</i>	\$124,000	\$0
Pygmy-owl, cactus ferruginous, AZ pop.	<i>Glaucidium brasilianum cactorum</i>	\$200	\$0
Rail, Yuma clapper, U.S.A. only	<i>Rallus longirostris yumanensis</i>	\$100	\$0
Stork, wood, AL, FL, GA, SC	<i>Mycteria americana</i>	\$400	\$0
Vireo, black-capped	<i>Vireo atricapilla</i>	\$10,000	\$0
Vireo, least Bell's	<i>Vireo bellii pusillus</i>	\$70,000	\$0
Warbler (=wood), golden-cheeked	<i>Dendroica chrysoparia</i>	\$55,000	\$0
Warbler (=wood), Kirtland's	<i>Dendroica kirtlandii</i>	\$586,000	\$0
Woodpecker, ivory-billed	<i>Campephilus principalis</i>	\$3,600	\$0
Woodpecker, red-cockaded	<i>Picoides borealis</i>	\$2,894,000	\$0
Birds Total		\$7,713,900	\$0
Reptiles			
Rattlesnake, New Mexican ridge-nosed	<i>Crotalus willardi obscurus</i>	\$53,000	\$0
Skink, sand	<i>Neoseps reynoldsi</i>	\$289,000	\$0
Snake, eastern indigo	<i>Drymarchon corais couperi</i>	\$470,000	\$0
Tortoise, gopher, W of Mobile/Tombigbee Rs.	<i>Gopherus polyphemus</i>	\$12,070,000	\$0
Reptiles Total		\$12,882,000	\$0
Amphibians			
Frog, California red-legged subspecies range clarified	<i>Rana aurora draytonii</i>	\$52,000	\$0
Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>	\$173,000	\$0
Frog, mountain yellow-legged southern California DPS	<i>Rana muscosa</i>	\$220,000	\$0
Salamander, Cheat Mountain	<i>Plethodon nettingi</i>	\$5,000	\$0
Salamander, flatwoods	<i>Ambystoma cingulatum</i>	\$1,218,000	\$0
Salamander, Sonora tiger	<i>Ambystoma tigrinum stebbinsi</i>	\$5,000	\$0
Toad, arroyo (=arroyo southwestern)	<i>Bufo californicus (=microscaphus)</i>	\$52,000	\$0
Amphibians Total		\$1,725,000	\$0
Fishes			
Chub, Oregon	<i>Oregonichthys crameri</i>	\$9,000	\$0
Chub, Sonora	<i>Gila ditaenia</i>	\$13,000	\$0
Chub, spotfin, entire	<i>Erimonax monachus</i>	\$1,600	\$0
Chub, Yaqui	<i>Gila purpurea</i>	\$6,000	\$0
Dace, Kendall Warm Springs	<i>Rhinichthys osculus thermalis</i>	\$8,000	\$0
Darter, amber	<i>Percina antesella</i>	\$800	\$0
Darter, duskytail, entire	<i>Etheostoma percnurum</i>	\$2,600	\$0
Darter, leopard	<i>Percina pantherina</i>	\$12,000	\$0
Logperch, Conasauga	<i>Percina jenkinsi</i>	\$5,000	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Madtom, smoky, entire	<i>Noturus baileyi</i>	\$2,600	\$0
Madtom, yellowfin, Holston River, VA, TN	<i>Noturus flavipinnis</i>	\$2,600	\$0
Minnow, loach	<i>Tiaroga cobitis</i>	\$64,000	\$0
Minnow, Rio Grande silvery	<i>Hybognathus amarus</i>	\$52,000	\$0
Pupfish, desert	<i>Cyprinodon macularius</i>	\$300	\$0
Salmon, Atlantic Gulf of Maine Atlantic Salmon DPS	<i>Salmo salar</i>	\$122,000	\$0
Salmon, chinook, spring/summer Snake R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$15,000	\$0
Salmon, chinook, Puget Sound	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$16,000	\$0
Salmon, chum, Columbia R.	<i>Oncorhynchus (=Salmo) keta</i>	\$5,000	\$0
Salmon, chum, summer-run Hood Canal	<i>Oncorhynchus (=Salmo) keta</i>	\$5,000	\$0
Salmon, coho, central CA coast	<i>Oncorhynchus (=Salmo) kisutch</i>	\$7,000	\$0
Salmon, coho, OR, CA pop.	<i>Oncorhynchus (=Salmo) kisutch</i>	\$71,000	\$0
Salmon, coho, Lower Columbia River	<i>Oncorhynchus (=Salmo) kisutch</i>	\$10,000	\$0
Salmon, sockeye, U.S.A. (Snake River, ID stock wherever found.)	<i>Oncorhynchus (=Salmo) nerka</i>	\$5,000	\$0
Shiner, beautiful	<i>Cyprinella formosa</i>	\$300	\$0
Shiner, blue	<i>Cyprinella caerulea</i>	\$5,000	\$0
Spikedace	<i>Meda fulgida</i>	\$134,000	\$0
Steelhead, Central Valley CA	<i>Oncorhynchus (=Salmo) mykiss</i>	\$133,000	\$0
Steelhead, Snake R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$37,000	\$0
Steelhead, lower Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$75,000	\$0
Steelhead, south central CA coast	<i>Oncorhynchus (=Salmo) mykiss</i>	\$1,200	\$0
Steelhead, southern CA coast	<i>Oncorhynchus (=Salmo) mykiss</i>	\$100	\$0
Steelhead, upper Columbia R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$24,000	\$0
Steelhead, upper Willamette R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$4,000	\$0
Steelhead, middle Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$10,000	\$0
Stickleback, unarmored threespine	<i>Gasterosteus aculeatus williamsoni</i>	\$2,400	\$0
Sucker, razorback, entire	<i>Xyrauchen texanus</i>	\$10,000	\$0
Sucker, Santa Ana, 3 CA river basins	<i>Catostomus santaanae</i>	\$28,000	\$0
Topminnow, Gila (incl. Yaqui), U.S.A. only	<i>Poeciliopsis occidentalis</i>	\$5,000	\$0
Trout, Apache	<i>Oncorhynchus apache</i>	\$11,000	\$0
Trout, bull U.S.A., conterminous, lower 48 states	<i>Salvelinus confluentus</i>	\$3,221,000	\$238,000
Trout, Gila	<i>Oncorhynchus gilae</i>	\$48,000	\$0
Trout, greenback cutthroat	<i>Oncorhynchus clarki stomias</i>	\$235,000	\$0
Trout, Lahontan cutthroat	<i>Oncorhynchus clarki henshawi</i>	\$470,000	\$0
Trout, Little Kern golden	<i>Oncorhynchus aguabonita whitei</i>	\$31,000	\$0
Trout, Paiute cutthroat	<i>Oncorhynchus clarki seleniris</i>	\$123,000	\$0
Fishes Total		\$5,043,500	\$238,000
Clams			
Clubshell, ovate	<i>Pleurobema perovatum</i>	\$10,000	\$0
Clubshell, southern	<i>Pleurobema decisum</i>	\$52,000	\$0
Fatmucket, Arkansas	<i>Lampsilis powelli</i>	\$400	\$0
Kidneyshell, triangular	<i>Ptychobranthus greenii</i>	\$4,000	\$0
Moccasinshell, Alabama	<i>Medionidus acutissimus</i>	\$14,000	\$0
Mucket, orangenacre	<i>Lampsilis perovalis</i>	\$14,000	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Mussel, scaleshell	<i>Leptodea leptodon</i>	\$300	\$0
Pearlshell, Louisiana	<i>Margaritifera hembeli</i>	\$75,000	\$0
Pigtoe, dark	<i>Pleurobema furvum</i>	\$4,000	\$0
Clams Total		\$173,700	\$0
Insects			
Beetle, American burying	<i>Nicrophorus americanus</i>	\$54,000	\$0
Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>	\$34,000	\$0
Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>	\$16,000	\$0
Butterfly, Quino checkerspot	<i>Euphydryas editha quino (=E. e. wrighti)</i>	\$3,000	\$0
Butterfly, Smith's blue	<i>Euphilotes enoptes smithi</i>	\$26,000	\$0
Butterfly, Uncompahgre fritillary	<i>Boloria acrocne</i>	\$22,000	\$0
Dragonfly, Hine's emerald	<i>Somatochlora hineana</i>	\$14,000	\$0
Moth, Blackburn's sphinx	<i>Manduca blackburni</i>	\$5,000	\$0
Skipper, Pawnee montane	<i>Hesperia leonardus montana</i>	\$19,000	\$0
Insects Total		\$193,000	\$0
Crustaceans			
Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>	\$2,000	\$0
Crustaceans Total		\$2,000	\$0
Flowering Plants			
Aster, Ruth's golden	<i>Pityopsis ruthii</i>	\$2,000	\$0
Avens, spreading	<i>Geum radiatum</i>	\$11,000	\$0
Beauty, Harper's	<i>Harperocalis flava</i>	\$72,000	\$0
Birch, Virginia round-leaf	<i>Betula uber</i>	\$1,000	\$0
Birds-in-a-nest, white	<i>Macbridea alba</i>	\$61,000	\$0
Bladderpod, white	<i>Lesquerella pallida</i>	\$7,000	\$0
Bluet, Roan Mountain	<i>Hedyotis purpurea var. montana</i>	\$11,000	\$0
Bonamia, Florida	<i>Bonamia grandiflora</i>	\$307,000	\$0
Buckwheat, scrub	<i>Eriogonum longifolium var. gnaphalifolium</i>	\$303,000	\$0
Butterweed, Layne's	<i>Senecio layneae</i>	\$2,000	\$0
Butterwort, Godfrey's	<i>Pinguicula ionantha</i>	\$40,000	\$0
Cactus, Arizona hedgehog	<i>Echinocereus triglochidiatus var. arizonicus</i>	\$500	\$0
Cactus, Kuenzler hedgehog	<i>Echinocereus fendleri var. kuenzleri</i>	\$57,000	\$0
Cactus, Pima pineapple	<i>Coryphantha scheeri var. robustispina</i>	\$14,000	\$0
Catchfly, Spalding's	<i>Silene spaldingii</i>	\$5,000	\$0
Chaffseed, American	<i>Schwalbea americana</i>	\$437,000	\$0
Checkermallow, Wenatchee Mountains	<i>Sidalcea oregana var. calva</i>	\$5,000	\$0
Clover, running buffalo	<i>Trifolium stoloniferum</i>	\$20,000	\$0
Coneflower, smooth	<i>Echinacea laevigata</i>	\$81,000	\$0
Daisy, Maguire	<i>Erigeron maguirei</i>	\$2,000	\$0
Four-o'clock, MacFarlane's	<i>Mirabilis macfarlanei</i>	\$2,000	\$0
Fritillary, Gentner's	<i>Fritillaria gentneri</i>	\$2,000	\$0
Goldenrod, Blue Ridge	<i>Solidago spithamaea</i>	\$11,000	\$0
Goldenrod, white-haired	<i>Solidago albopilosa</i>	\$12,000	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Groundsel, San Francisco Peaks	<i>Senecio franciscanus</i>	\$1,500	\$0
Haha	<i>Cyanea shipmanii</i>	\$5,000	\$0
Hala pepe	<i>Pleomele hawaiiensis</i>	\$40,000	\$0
Harperella	<i>Ptilimnium nodosum</i>	\$3,000	\$0
Hau kuahiwi	<i>Hibiscadelphus hualalaiensis</i>	\$5,000	\$0
Heartleaf, dwarf-flowered	<i>Hexastylis naniflora</i>	\$13,000	\$0
Ipomopsis, Holy Ghost	<i>Ipomopsis sancti-spiritus</i>	\$1,400	\$0
Kauila	<i>Colubrina oppositifolia</i>	\$40,000	\$0
Kiponapona	<i>Phyllostegia racemosa</i>	\$5,000	\$0
Koki`o	<i>Kokia drynarioides</i>	\$40,000	\$0
Ko`oloa`ula	<i>Abutilon menziesii</i>	\$5,000	\$0
Ladies'-tresses, Canelo Hills	<i>Spiranthes delitescens</i>	\$700	\$0
Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>	\$500	\$0
Lomatium, Cook's	<i>Lomatium cookii</i>	\$500	\$0
Ma`o hau hele, (=native yellow hibiscus)	<i>Hibiscus brackenridgei</i>	\$5,000	\$0
No common name	<i>Bonamia menziesii</i>	\$5,000	\$0
Orchid, western prairie fringed	<i>Platanthera praeclara</i>	\$20,000	\$0
Orcutt grass, slender	<i>Orcuttia tenuis</i>	\$800	\$0
Paintbrush, ash-grey	<i>Castilleja cinerea</i>	\$5,000	\$0
Penstemon, blowout	<i>Penstemon haydenii</i>	\$400	\$0
Phacelia, clay	<i>Phacelia argillacea</i>	\$10,000	\$0
Phlox, Texas trailing	<i>Phlox nivalis ssp. texensis</i>	\$7,000	\$0
Phlox, Yreka	<i>Phlox hirsuta</i>	\$1,200	\$0
Pink, swamp	<i>Helonias bullata</i>	\$3,000	\$0
Pogonia, small whorled	<i>Isotria medeoloides</i>	\$22,000	\$0
Polygala, Lewton's	<i>Polygala lewtonii</i>	\$111,000	\$0
Pondberry	<i>Lindera melissifolia</i>	\$1,208,000	\$0
Poppy, Sacramento prickly	<i>Argemone pleiacantha ssp. pinnatisecta</i>	\$39,000	\$0
Potato-bean, Price's	<i>Apios priceana</i>	\$22,000	\$0
Prairie-clover, leafy	<i>Dalea foliosa</i>	\$2,000	\$0
Rock-cress, McDonald's	<i>Arabis mcdonaldiana</i>	\$3,000	\$0
Sandwort, Bear Valley	<i>Arenaria ursina</i>	\$1,000	\$0
Sandwort, Cumberland	<i>Arenaria cumberlandensis</i>	\$1,700	\$0
Skullcap, Florida	<i>Scutellaria floridana</i>	\$40,000	\$0
Skullcap, large-flowered	<i>Scutellaria montana</i>	\$1,000	\$0
Stickseed, showy	<i>Hackelia venusta</i>	\$1,000	\$0
Thistle, Pitcher's	<i>Cirsium pitcheri</i>	\$15,000	\$0
Thistle, Sacramento Mountains	<i>Cirsium vinaceum</i>	\$46,000	\$0
Townsendia, Last Chance	<i>Townsendia aprica</i>	\$1,000	\$0
Uhiuhi	<i>Caesalpinia kavaense</i>	\$25,000	\$0
Water-umbel, Huachuca	<i>Lilaeopsis schaffneriana var. recurva</i>	\$3,000	\$0
Wild-buckwheat, southern mountain	<i>Eriogonum kennedyi var. austromontanum</i>	\$5,000	\$0
`Aiea	<i>Nothoctrum breviflorum</i>	\$40,000	\$0
`Oha wai	<i>Clermontia lindseyana</i>	\$5,000	\$0
`Oha wai	<i>Clermontia pyrularia</i>	\$5,000	\$0
Flowering Plants Total		\$3,280,200	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Conifers and Cycads			
Torreya, Florida	<i>Torreya taxifolia</i>	\$5,000	\$0
Conifers and Cycads Total		\$5,000	\$0
Other ESA Expenses not including Foreign Species		\$20,000,000	\$0
Expenses from Foreign Species		\$0	\$0
Total Other ESA Expenses		\$20,000,000	\$0
All Species Total		\$54,140,300	\$5,638,000

USDA Natural Resources Conservation Service FY05

Common Name	Scientific Name	General Expenditures	Land Expenditures
Mammals			
Bat, gray	<i>Myotis grisescens</i>	\$25,000	\$0
Bat, Hawaiian hoary	<i>Lasiurus cinereus semotus</i>	\$175,607	\$0
Bat, Indiana	<i>Myotis sodalis</i>	\$40,000	\$0
Bear, grizzly, lower 48 States, except where listed as an experimental population or delisted	<i>Ursus arctos horribilis</i>	\$50,000	\$0
Bear, Louisiana black	<i>Ursus americanus luteolus</i>	\$1,455,100	\$9,453,000
Ferret, black-footed entire population, except where EXPN	<i>Mustela nigripes</i>	\$5,257	\$0
Jaguarundi, Gulf Coast	<i>Herpailurus (=Felis) yagouaroundi cacomitli</i>	\$5,500	\$0
Lynx, Canada, lower 48 States DPS	<i>Lynx canadensis</i>	\$4,000	\$0
Ocelot	<i>Leopardus (=Felis) pardalis</i>	\$5,500	\$0
Panther, Florida	<i>Puma (=Felis) concolor coryi</i>	\$590	\$0
Seal, Hawaiian monk	<i>Monachus schauinslandi</i>	\$91,667	\$0
Wolf, gray, Lower 48 States, except where delisted and where EXPN. Mexico.	<i>Canis lupus</i>	\$50,100	\$0
Wolf, gray, Mexican gray wolf, EXPN population	<i>Canis lupus</i>	\$500	\$0
Mammals Total		\$1,908,821	\$9,453,000
Birds			
Coot, Hawaiian	<i>Fulica americana alai</i>	\$382,488	\$122,860
Crane, whooping, except where EXPN	<i>Grus americana</i>	\$3,459	\$0
Crane, whooping U.S.A.(AL, AR, GA, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, OH, SC, TN, VA, WI, WV)	<i>Grus americana</i>	\$1,300	\$0
Creeper, Hawaii	<i>Oreomystis mana</i>	\$31,770	\$0
Curlew, Eskimo	<i>Numenius borealis</i>	\$100	\$0
Duck, Hawaiian (=koloa)	<i>Anas wyvilliana</i>	\$350,714	\$122,860
Eagle, bald, lower 48 States	<i>Haliaeetus leucocephalus</i>	\$1,217,917	\$191,000
Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	\$1,200	\$0
Goose, Hawaiian	<i>Branta (=Nesochen) sandvicensis</i>	\$157,601	\$122,860
Hawk, Hawaiian (=lo)	<i>Buteo solitarius</i>	\$72,280	\$0
Moorhen, Hawaiian common	<i>Gallinula chloropus sandvicensis</i>	\$329,292	\$122,860
Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	\$400	\$0
Plover, piping, Great Lakes watershed	<i>Charadrius melodus</i>	\$121,000	\$0
Plover, piping, except Great Lakes watershed	<i>Charadrius melodus</i>	\$37,820	\$0
Plover, western snowy, Pacific coastal pop.	<i>Charadrius alexandrinus nivosus</i>	\$800	\$0
Prairie-chicken, Attwater's greater	<i>Tympanuchus cupido attwateri</i>	\$8,040	\$0
Shrike, San Clemente loggerhead	<i>Lanius ludovicianus mearnsi</i>	\$47,000	\$0
Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>	\$431,538	\$122,860
Stork, wood, AL, FL, GA, SC	<i>Mycteria americana</i>	\$145,500	\$0
Tern, California least	<i>Sterna antillarum browni</i>	\$5,800	\$0
Tern, least, interior pop.	<i>Sterna antillarum</i>	\$26,599	\$0
Tern, roseate, northeast U.S. nesting pop.	<i>Sterna dougallii dougallii</i>	\$101,500	\$0
Vireo, black-capped	<i>Vireo atricapilla</i>	\$23,040	\$0
Vireo, least Bell's	<i>Vireo bellii pusillus</i>	\$800	\$0
Warbler (=wood), golden-cheeked	<i>Dendroica chrysoparia</i>	\$34,560	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Woodpecker, ivory-billed	<i>Campephilus principalis</i>	\$870,000	\$1,500,000
Woodpecker, red-cockaded	<i>Picoides borealis</i>	\$146,659	\$0
Birds Total		\$4,549,177	\$2,305,300
Reptiles			
Snake, Concho water	<i>Nerodia paucimaculata</i>	\$1,850	\$0
Snake, copperbelly water MI, OH, IN N of 400 N. Lat.	<i>Nerodia erythrogaster neglecta</i>	\$1,500	\$0
Tortoise, gopher, W of Mobile/Tombigbee Rs.	<i>Gopherus polyphemus</i>	\$40,000	\$0
Turtle, bog (=Muhlenberg), northern	<i>Clemmys muhlenbergii</i>	\$2,500	\$0
Turtle, bog (=Muhlenberg), southern	<i>Clemmys muhlenbergii</i>	\$2,000	\$0
Whipsnake (=striped racer), Alameda	<i>Masticophis lateralis euryxanthus</i>	\$300	\$0
Reptiles Total		\$48,150	\$0
Amphibians			
Frog, California red-legged subspecies range clarified	<i>Rana aurora draytonii</i>	\$1,100	\$0
Salamander, Barton Springs	<i>Eurycea sosorum</i>	\$420	\$0
Salamander, California tiger U.S.A. (Central CA DPS)	<i>Ambystoma californiense</i>	\$300	\$0
Salamander, San Marcos	<i>Eurycea nana</i>	\$840	\$0
Salamander, Texas blind	<i>Typhlomolge rathbuni</i>	\$420	\$0
Toad, arroyo (=arroyo southwestern)	<i>Bufo californicus (=microscaphus)</i>	\$1,800	\$0
Toad, Houston	<i>Bufo houstonensis</i>	\$2,130	\$0
Toad, Wyoming	<i>Bufo baxteri (=hemiphrys)</i>	\$7,000	\$0
Amphibians Total		\$14,010	\$0
Fishes			
Chub, spotfin, entire	<i>Erimonax monachus</i>	\$400	\$0
Darter, slackwater	<i>Etheostoma boschungii</i>	\$1,300	\$0
Darter, snail	<i>Percina tanasi</i>	\$400	\$0
Gambusia, Big Bend	<i>Gambusia gaigei</i>	\$500	\$0
Gambusia, Pecos	<i>Gambusia nobilis</i>	\$500	\$0
Gambusia, San Marcos	<i>Gambusia georgei</i>	\$500	\$0
Goby, tidewater, entire	<i>Eucyclogobius newberryi</i>	\$100	\$0
Madtom, pygmy	<i>Noturus stanauli</i>	\$200	\$0
Salmon, Atlantic Gulf of Maine Atlantic Salmon DPS	<i>Salmo salar</i>	\$201,000	\$0
Salmon, chinook, fall Snake R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$173,725	\$31,000
Salmon, chinook, spring/summer Snake R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$501,175	\$93,000
Salmon, chinook, Puget Sound	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$1,309,800	\$248,000
Salmon, chinook, lower Columbia R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$654,900	\$124,000
Salmon, chinook, upper Willamette R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$2,500	\$19,167
Salmon, chinook, spring upper Columbia R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$654,900	\$124,000
Salmon, chum, Columbia R.	<i>Oncorhynchus (=Salmo) keta</i>	\$130,980	\$24,800
Salmon, chum, summer-run Hood Canal	<i>Oncorhynchus (=Salmo) keta</i>	\$196,470	\$37,200
Salmon, coho, central CA coast	<i>Oncorhynchus (=Salmo) kisutch</i>	\$1,000	\$0
Salmon, sockeye U.S.A. (Snake River, ID stock wherever found.)	<i>Oncorhynchus (=Salmo) nerka</i>	\$327,450	\$62,000

Common Name	Scientific Name	General Expenditures	Land Expenditures
Shiner, Arkansas River, Arkansas R. Basin	<i>Notropis girardi</i>	\$2,420	\$0
Shiner, Topeka	<i>Notropis topeka (=tristis)</i>	\$37,487	\$0
Steelhead, Snake R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$255,088	\$46,500
Steelhead, central CA coast	<i>Oncorhynchus (=Salmo) mykiss</i>	\$1,300	\$0
Steelhead, lower Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$163,725	\$31,000
Steelhead, southern CA coast	<i>Oncorhynchus (=Salmo) mykiss</i>	\$4,000	\$0
Steelhead, upper Columbia R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$654,900	\$124,000
Steelhead, upper Willamette R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$2,500	\$19,167
Steelhead, middle Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$579,451	\$108,500
Steelhead, northern CA	<i>Oncorhynchus (=Salmo) mykiss</i>	\$1,000	\$0
Sturgeon, pallid	<i>Scaphirhynchus albus</i>	\$116,400	\$0
Sucker, Lost River	<i>Deltistes luxatus</i>	\$1,717	\$0
Sucker, shortnose	<i>Chasmistes brevirostris</i>	\$1,717	\$0
Sucker, Warner	<i>Catostomus warnerensis</i>	\$1,717	\$0
Trout, bull, U.S.A., conterminous, lower 48 states	<i>Salvelinus confluentus</i>	\$1,016,313	\$124,000
Fishes Total		\$6,997,535	\$1,216,334
Clams			
Bean, purple	<i>Villosa perpurpurea</i>	\$4,500	\$0
Elktoe, Appalachian	<i>Alasmidonta raveneliana</i>	\$210,900	\$0
Lilliput, pale (pearlymussel)	<i>Toxolasma cylindrellus</i>	\$200	\$0
Mussel, scaleshell	<i>Leptodea leptodon</i>	\$100	\$0
Pocketbook, speckled	<i>Lampsilis streckeri</i>	\$2,500	\$0
Rabbitsfoot, rough	<i>Quadrula cylindrica strigillata</i>	\$4,500	\$0
Riffleshell, tan	<i>Epioblasma florentina walkeri (=E. walkeri)</i>	\$4,500	\$0
Spinymussel, James	<i>Pleurobema collina</i>	\$44,977	\$0
Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>	\$2,000	\$0
Clams Total		\$274,177	\$0
Snails			
Snail, noonday	<i>Mesodon clarki nantahala</i>	\$5,500	\$0
Snails Total		\$5,500	\$0
Insects			
Beetle, American burying	<i>Nicrophorus americanus</i>	\$33,126	\$0
Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>	\$1,500	\$0
Butterfly, callippe silverspot	<i>Speyeria callippe callippe</i>	\$300	\$0
Butterfly, Fender's blue	<i>Icaricia icarioides fenderi</i>	\$19,000	\$0
Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>	\$5,000	\$0
Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>	\$1,587	\$0
Moth, Blackburn's sphinx	<i>Manduca blackburni</i>	\$34,000	\$122,860
Insects Total		\$94,513	\$122,860
Crustaceans			
Fairy shrimp, Riverside	<i>Streptocephalus woottoni</i>	\$400	\$0
Shrimp, California freshwater	<i>Syncaris pacifica</i>	\$300	\$0
Crustaceans Total		\$700	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Flowering Plants			
Awiwi	<i>Centaurium sebaeoides</i>	\$91,667	\$0
Butterfly plant, Colorado	<i>Gaura neomexicana var. coloradensis</i>	\$100	\$0
Checker-mallow, Nelson's	<i>Sidalcea nelsoniana</i>	\$224	\$0
Dudleya, Conejo	<i>Dudleya abramsii ssp. parva</i>	\$400	\$0
Dudleya, Verity's	<i>Dudleya verityi</i>	\$400	\$0
Hala pepe	<i>Pleomele hawaiiensis</i>	\$59,056	\$0
Heartleaf, dwarf-flowered	<i>Hexastylis naniflora</i>	\$16,500	\$0
Kauai hau kuahiwi	<i>Hibiscadelphus distans</i>	\$19,913	\$0
Kolea	<i>Myrsine linearifolia</i>	\$42,000	\$0
Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>	\$100	\$0
Lily, Minnesota dwarf trout	<i>Erythronium propullans</i>	\$8,160	\$0
Lupine, Kincaid's	<i>Lupinus sulphureus (=oreganus) ssp. kincaidii (=var. kincaidii)</i>	\$639	\$0
Milk-vetch, Braunton's	<i>Astragalus brauntonii</i>	\$400	\$0
Naupaka, dwarf	<i>Scaevola coriacea</i>	\$34,000	\$122,860
No common name	<i>Munroidendron racemosum</i>	\$19,913	\$0
No common name	<i>Schiedea spergulina var. spergulina</i>	\$19,914	\$0
Ohai	<i>Sesbania tomentosa</i>	\$5,065	\$0
Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>	\$23,100	\$0
Orchid, western prairie fringed	<i>Platanthera praeclara</i>	\$12,426	\$0
Orcutt grass, California	<i>Orcuttia californica</i>	\$400	\$0
Penstemon, blowout	<i>Penstemon haydenii</i>	\$100	\$0
Pentachaeta, Lyon's	<i>Pentachaeta lyonii</i>	\$400	\$0
Sandalwood, Lanai (= iliahi)	<i>Santalum freycinetianum var. lanaiense</i>	\$42,001	\$0
Spiraea, Virginia	<i>Spiraea virginiana</i>	\$19,800	\$0
`Ohe`ohe	<i>Tetraplasandra gymnocarpa</i>	\$42,001	\$0
Flowering Plants Total		\$458,679	\$122,860
Other ESA Expenses not including Foreign Species		\$8,983,091	\$1,056,567
Expenses from Foreign Species		\$0	\$0
Total Other ESA Expenses		\$8,983,091	\$1,056,567
All Species Total		\$23,334,353	\$14,276,921

USDA Natural Resources Conservation Service FY06

Common Name	Scientific Name	General Expenditures	Land Expenditures
Mammals			
Bat, gray	<i>Myotis grisescens</i>	\$27,205	\$0
Bat, Hawaiian hoary	<i>Lasiurus cinereus semotus</i>	\$30,500	\$0
Bat, Indiana	<i>Myotis sodalis</i>	\$69,800	\$0
Bat, lesser long-nosed	<i>Leptonycteris curasoae yerbabuenae</i>	\$1,000	\$0
Bat, Mexican long-nosed	<i>Leptonycteris nivalis</i>	\$300	\$0
Bat, Ozark big-eared	<i>Corynorhinus (=Plecotus) townsendii ingens</i>	\$25,000	\$0
Bear, Louisiana black	<i>Ursus americanus luteolus</i>	\$113,700	\$0
Ferret, black-footed entire population, except where EXPN	<i>Mustela nigripes</i>	\$1,000	\$0
Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>	\$1,400	\$0
Jaguar	<i>Panthera onca</i>	\$150	\$0
Jaguarundi, Gulf Coast	<i>Herpailurus (=Felis) yagouaroundi cacomitli</i>	\$850	\$0
Jaguarundi, Sinaloan	<i>Herpailurus (=Felis) yagouaroundi tolteca</i>	\$150	\$0
Lynx, Canada, lower 48 States DPS	<i>Lynx canadensis</i>	\$527,500	\$0
Mouse, Preble's meadow jumping, Colorado	<i>Zapus hudsonius preblei</i>	\$500	\$0
Ocelot	<i>Leopardus (=Felis) pardalis</i>	\$1,000	\$0
Panther, Florida	<i>Puma (=Felis) concolor coryi</i>	\$6,530	\$0
Prairie dog, Utah	<i>Cynomys parvidens</i>	\$10,600	\$0
Pronghorn, Sonoran	<i>Antilocapra americana sonoriensis</i>	\$300	\$0
Seal, Hawaiian monk	<i>Monachus schauinslandi</i>	\$19,000	\$0
Squirrel, Delmarva Peninsula fox Entire, except Sussex Co., DE	<i>Sciurus niger cinereus</i>	\$300	\$0
Squirrel, Mount Graham red	<i>Tamiasciurus hudsonicus grahamensis</i>	\$150	\$0
Vole, Hualapai Mexican	<i>Microtus mexicanus hualpaiensis</i>	\$150	\$0
Wolf, gray Mexican gray wolf, EXPN population	<i>Canis lupus</i>	\$150	\$0
Mammals Total		\$837,235	\$0
Birds			
Caracara, Audubon's crested, FL pop.	<i>Polyborus plancus audubonii</i>	\$83,493	\$2,503,747
Coot, Hawaiian	<i>Fulica americana alai</i>	\$14,000	\$0
Crane, whooping, except where EXPN	<i>Grus americana</i>	\$8,300	\$10,500
Crane, whooping U.S.A. (AL, AR, GA, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, OH, SC, TN, VA, WI, WV)	<i>Grus americana</i>	\$3,500	\$0
Creepers, Hawaii	<i>Oreomystis mana</i>	\$2,000	\$0
Duck, Hawaiian (=koloa)	<i>Anas wyvilliana</i>	\$69,000	\$0
Eagle, bald, lower 48 States	<i>Haliaeetus leucocephalus</i>	\$1,370,855	\$4,301,520
Elepaio, Oahu	<i>Chasiempis sandwichensis ibidis</i>	\$3,000	\$0
Falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>	\$350	\$0
Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	\$15,745	\$2,200
Gnatcatcher, coastal California	<i>Polioptila californica californica</i>	\$840	\$0
Goose, Hawaiian	<i>Branta (=Nesochen) sandvicensis</i>	\$48,000	\$0
Hawk, Hawaiian (=lo)	<i>Buteo solitarius</i>	\$57,000	\$0
Jay, Florida scrub	<i>Aphelocoma coerulescens</i>	\$6,717	\$0
Kite, Everglade snail, FL pop.	<i>Rostrhamus sociabilis plumbeus</i>	\$5,170	\$0
Moorhen, Hawaiian common	<i>Gallinula chloropus sandvicensis</i>	\$14,000	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Murrelet, marbled, CA, OR, WA	<i>Brachyramphus marmoratus</i>	\$175	\$0
Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	\$600	\$0
Pelican, brown except U.S. Atlantic coast, FL, AL	<i>Pelecanus occidentalis</i>	\$2,900	\$0
Petrel, Hawaiian dark-rumped	<i>Pterodroma phaeopygia sandwichensis</i>	\$1,600	\$0
Plover, piping, Great Lakes watershed	<i>Charadrius melodus</i>	\$100	\$0
Plover, piping, except Great Lakes watershed	<i>Charadrius melodus</i>	\$3,500	\$0
Plover, western snowy, Pacific coastal pop.	<i>Charadrius alexandrinus nivosus</i>	\$70	\$0
Pygmy-owl, cactus ferruginous, AZ pop.	<i>Glaucidium brasilianum cactorum</i>	\$2,000	\$0
Rail, Guam, except Rota	<i>Rallus owstoni</i>	\$78,000	\$0
Rail, Yuma clapper, U.S.A. only	<i>Rallus longirostris yumanensis</i>	\$600	\$0
Shearwater, Newell's Townsend's	<i>Puffinus auricularis newelli</i>	\$1,000	\$0
Sparrow, Florida grasshopper	<i>Ammodramus savannarum floridanus</i>	\$12,906	\$0
Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>	\$9,500	\$0
Stork, wood, AL, FL, GA, SC	<i>Mycteria americana</i>	\$1,074,465	\$2,803,747
Tern, California least	<i>Sterna antillarum browni</i>	\$70	\$0
Tern, least, interior pop.	<i>Sterna antillarum</i>	\$12,200	\$0
Vireo, black-capped	<i>Vireo atricapilla</i>	\$37,000	\$85,000
Vireo, least Bell's	<i>Vireo bellii pusillus</i>	\$385	\$0
Warbler (=wood), golden-cheeked	<i>Dendroica chrysoparia</i>	\$75,000	\$195,000
Woodpecker, ivory-billed	<i>Campephilus principalis</i>	\$15,000	\$3,150,000
Woodpecker, red-cockaded	<i>Picoides borealis</i>	\$381,364	\$920,000
Birds Total		\$3,410,405	\$13,971,714
Reptiles			
Alligator, American	<i>Alligator mississippiensis</i>	\$426,066	\$2,503,747
Rattlesnake, New Mexican ridge-nosed	<i>Crotalus willardi obscurus</i>	\$150	\$0
Sea turtle, green, FL, Mexico nesting pops.	<i>Chelonia mydas</i>	\$900	\$0
Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	\$22,500	\$0
Snake, Concho water	<i>Nerodia paucimaculata</i>	\$2,200	\$0
Snake, copperbelly water MI, OH, IN N of 400 N. Lat.	<i>Nerodia erythrogaster neglecta</i>	\$1,000	\$0
Snake, eastern indigo	<i>Drymarchon corais couperi</i>	\$447,204	\$17,000
Snake, giant garter	<i>Thamnophis gigas</i>	\$280	\$0
Snake, San Francisco garter	<i>Thamnophis sirtalis tetrataenia</i>	\$175	\$0
Tortoise, desert U.S.A., except in Sonoran Desert	<i>Gopherus agassizii</i>	\$1,200	\$0
Turtle, bog (=Muhlenberg), northern	<i>Clemmys muhlenbergii</i>	\$84,482	\$0
Turtle, bog (=Muhlenberg), southern	<i>Clemmys muhlenbergii</i>	\$400	\$0
Whipsnake (=striped racer), Alameda	<i>Masticophis lateralis euryxanthus</i>	\$2,625	\$0
Reptiles Total		\$989,182	\$2,520,747
Amphibians			
Frog, California red-legged subspecies range clarified	<i>Rana aurora draytonii</i>	\$7,560	\$0
Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>	\$2,600	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Frog, mountain yellow-legged southern California DPS	<i>Rana muscosa</i>	\$280	\$0
Salamander, California tiger U.S.A. (Central CA DPS)	<i>Ambystoma californiense</i>	\$3,780	\$0
Salamander, Santa Cruz long-toed	<i>Ambystoma macrodactylum croceum</i>	\$175	\$0
Salamander, Sonora tiger	<i>Ambystoma tigrinum stebbinsi</i>	\$150	\$0
Toad, Houston	<i>Bufo houstonensis</i>	\$550	\$0
Amphibians Total		\$15,095	\$0
Fishes			
Catfish, Yaqui	<i>Ictalurus pricei</i>	\$100	\$0
Cavefish, Ozark	<i>Amblyopsis rosae</i>	\$25,000	\$0
Chub, bonytail, entire	<i>Gila elegans</i>	\$2,100	\$0
Chub, humpback, entire	<i>Gila cypha</i>	\$2,100	\$0
Chub, slender	<i>Erimystax cahni</i>	\$164,491	\$0
Chub, Sonora	<i>Gila ditaenia</i>	\$100	\$0
Chub, spotfin, entire	<i>Erimonax monachus</i>	\$170	\$4,000
Chub, Virgin River	<i>Gila seminuda (=robusta)</i>	\$7,100	\$0
Chub, Yaqui	<i>Gila purpurea</i>	\$100	\$0
Dace, blackside	<i>Phoxinus cumberlandensis</i>	\$103,950	\$0
Darter, amber	<i>Percina antesella</i>	\$0	\$4,000
Darter, boulder	<i>Etheostoma wapiti</i>	\$650	\$0
Darter, Cherokee	<i>Etheostoma scotti</i>	\$0	\$4,000
Darter, Etowah	<i>Etheostoma etowahae</i>	\$0	\$4,000
Darter, fountain	<i>Etheostoma fonticola</i>	\$0	\$4,000
Darter, goldline	<i>Percina aurolineata</i>	\$0	\$4,000
Darter, leopard	<i>Percina pantherina</i>	\$21,000	\$0
Darter, slackwater	<i>Etheostoma boschungii</i>	\$1,615	\$0
Darter, snail	<i>Percina tanasi</i>	\$0	\$4,000
Goby, tidewater, entire	<i>Eucyclogobius newberryi</i>	\$175	\$0
Logperch, Conasauga	<i>Percina jenkinsi</i>	\$0	\$4,000
Logperch, Roanoke	<i>Percina rex</i>	\$8,008	\$0
Madtom, yellowfin, Holston River, VA, TN	<i>Noturus flavipinnis</i>	\$164,491	\$0
Minnow, loach	<i>Tiaroga cobitis</i>	\$800	\$0
Minnow, Rio Grande silvery	<i>Hybognathus amarus</i>	\$1,700	\$2,100
Pikeminnow (=squawfish), Colorado except Salt and Verde R. drainages, AZ	<i>Ptychocheilus lucius</i>	\$2,300	\$0
Pikeminnow (=squawfish), Colorado Salt and Verde R. drainages, AZ	<i>Ptychocheilus lucius</i>	\$450	\$0
Pupfish, desert	<i>Cyprinodon macularius</i>	\$500	\$0
Salmon, Atlantic Gulf of Maine Atlantic Salmon DPS	<i>Salmo salar</i>	\$350,000	\$0
Salmon, chinook, fall Snake R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$242,250	\$5,850
Salmon, chinook, spring/summer Snake R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$597,856	\$324,564
Salmon, chinook, Puget Sound	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$138,200	\$46,800
Salmon, chinook, lower Columbia R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$691,972	\$23,400
Salmon, chinook, upper Willamette R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$2,203	\$244,001
Salmon, chinook, spring upper Columbia R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$691,000	\$23,400

Common Name	Scientific Name	General Expenditures	Land Expenditures
Salmon, chum, Columbia R.	<i>Oncorhynchus (=Salmo) keta</i>	\$138,938	\$4,680
Salmon, chum, summer-run Hood Canal	<i>Oncorhynchus (=Salmo) keta</i>	\$207,300	\$7,020
Salmon, coho, Lower Columbia River	<i>Oncorhynchus (=Salmo) kisutch</i>	\$739	\$0
Salmon, sockeye, U.S.A. (Snake River, ID stock wherever found.)	<i>Oncorhynchus (=Salmo) nerka</i>	\$345,500	\$11,700
Shiner, Arkansas River, Arkansas R. Basin	<i>Notropis girardi</i>	\$30,000	\$0
Shiner, Topeka	<i>Notropis topeka (=tristis)</i>	\$400	\$0
Spikedace	<i>Meda fulgida</i>	\$1,200	\$0
Spinedace, Little Colorado	<i>Lepidomeda vittata</i>	\$600	\$0
Springfish, Railroad Valley	<i>Crenichthys nevadae</i>	\$52,538	\$0
Steelhead, Central Valley CA	<i>Oncorhynchus (=Salmo) mykiss</i>	\$1,575	\$0
Steelhead, Snake R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$415,731	\$315,791
Steelhead, central CA coast	<i>Oncorhynchus (=Salmo) mykiss</i>	\$4,900	\$0
Steelhead, lower Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$173,489	\$5,850
Steelhead, south central CA coast	<i>Oncorhynchus (=Salmo) mykiss</i>	\$1,400	\$0
Steelhead, upper Columbia R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$691,000	\$23,400
Steelhead, upper Willamette R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$2,206	\$244,002
Steelhead, middle Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$606,041	\$20,475
Sturgeon, pallid	<i>Scaphirhynchus albus</i>	\$3,100	\$0
Sucker, June	<i>Chasmistes liorus</i>	\$100	\$0
Sucker, razorback, entire	<i>Xyrauchen texanus</i>	\$9,900	\$0
Topminnow, Gila (incl. Yaqui), U.S.A. only	<i>Poeciliopsis occidentalis</i>	\$3,500	\$0
Trout, Apache	<i>Oncorhynchus apache</i>	\$1,000	\$0
Trout, bull U.S.A., conterminous, lower 48 states	<i>Salvelinus confluentus</i>	\$880,677	\$92,973
Woundfin, Gila R. drainage, AZ, NM	<i>Plagopterus argentissimus</i>	\$7,000	\$0
Fishes Total		\$6,799,215	\$1,428,006
Clams			
Acornshell, southern	<i>Epioblasma othcaloogensis</i>	\$0	\$4,000
Bankclimber, purple (mussel)	<i>Elliptoideus sloatianus</i>	\$0	\$159,000
Bean, Cumberland (pearlymussel) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	<i>Villosa trabalis</i>	\$170	\$0
Bean, purple	<i>Villosa perpurpurea</i>	\$170	\$0
Clubshell, ovate	<i>Pleurobema perovatum</i>	\$0	\$4,000
Combshell, Cumberlandian, Entire Range; Except where listed as Experimental Populations	<i>Epioblasma brevidens</i>	\$164,491	\$0
Combshell, southern	<i>Epioblasma penita</i>	\$0	\$4,000
Combshell, upland	<i>Epioblasma metastrata</i>	\$0	\$4,000
Kidneyshell, triangular	<i>Ptychobranhus greenii</i>	\$0	\$4,000
Lampmussel, Alabama AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	<i>Lampsilis virescens</i>	\$100	\$0
Lilliput, pale (pearlymussel)	<i>Toxolasma cylindrellus</i>	\$100	\$0
Mapleleaf, winged, entire; except where listed as experimental populations	<i>Quadrula fragosa</i>	\$0	\$920,000

Common Name	Scientific Name	General Expenditures	Land Expenditures
Moccasinshell, Alabama	<i>Medionidus acutissimus</i>	\$0	\$4,000
Moccasinshell, Coosa	<i>Medionidus parvulus</i>	\$0	\$4,000
Moccasinshell, Gulf	<i>Medionidus penicillatus</i>	\$0	\$159,000
Moccasinshell, Ochlockonee	<i>Medionidus simpsonianus</i>	\$0	\$159,000
Monkeyface, Appalachian (pearlymussel)	<i>Quadrula sparsa</i>	\$164,491	\$0
Monkeyface, Cumberland (pearlymussel) Entire Range; Except where listed as Experimental Populations	<i>Quadrula intermedia</i>	\$164,491	\$0
Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>	\$50,000	\$920,000
Pearlymussel, birdwing, Entire Range; Except where listed as Experimental Populations	<i>Conradilla caelata</i>	\$165,141	\$0
Pearlymussel, cracking, Entire Range; Except where listed as Experimental Populations	<i>Hemistena lata</i>	\$164,491	\$0
Pearlymussel, Curtis	<i>Epioblasma florentina curtisii</i>	\$50,000	\$0
Pearlymussel, dromedary, Entire Range; Except where listed as Exp. Populations	<i>Dromus dromas</i>	\$165,141	\$0
Pearlymussel, littlewing	<i>Pegias fabula</i>	\$100	\$0
Pigtoe, finerayed, Entire Range; Except where listed as Experimental Populations	<i>Fusconaia cuneolus</i>	\$164,591	\$0
Pigtoe, shiny, Entire Range; Except where listed as Experimental Populations	<i>Fusconaia cor</i>	\$164,591	\$0
Pigtoe, southern	<i>Pleurobema georgianum</i>	\$0	\$4,000
Pocketbook, fat	<i>Potamilus capax</i>	\$50,000	\$0
Pocketbook, finelined	<i>Lampsilis altilis</i>	\$0	\$4,000
Pocketbook, Ouachita rock	<i>Arkansia wheeleri</i>	\$50,000	\$920,000
Pocketbook, shinyrayed	<i>Lampsilis subangulata</i>	\$0	\$159,000
Pocketbook, speckled	<i>Lampsilis streckeri</i>	\$50,000	\$0
Rabbitsfoot, rough	<i>Quadrula cylindrica strigillata</i>	\$164,491	\$0
Spinymussel, James	<i>Pleurobema collina</i>	\$19,262	\$0
Three-ridge, fat (mussel)	<i>Amblema neislerii</i>	\$0	\$159,000
Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>	\$32,500	\$0
Clams Total		\$1,784,321	\$3,591,000
Snails			
Ambersnail, Kanab	<i>Oxyloma haydeni kanabensis</i>	\$100	\$0
Lioplax, cylindrical (snail)	<i>Lioplax cyclostomaformis</i>	\$0	\$4,000
Snails, Oahu tree	<i>Achatinella spp.</i>	\$31,000	\$0
Snails Total		\$31,100	\$4,000
Insects			
Beetle, American burying	<i>Nicrophorus americanus</i>	\$39,400	\$0
Beetle, Mount Hermon June	<i>Polyphylla barbata</i>	\$175	\$0
Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>	\$2,590	\$0
Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>	\$40,687	\$0
Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>	\$22,800	\$0
Butterfly, Quino checkerspot	<i>Euphydryas editha quino (=E. e. wrighti)</i>	\$490	\$0
Grasshopper, Zayante band-winged	<i>Trimerotropis infantilis</i>	\$175	\$0
Moth, Blackburn's sphinx	<i>Manduca blackburni</i>	\$8,000	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Tiger beetle, Salt Creek	<i>Cicindela nevadica lincolniana</i>	\$6,000	\$42,000
Insects Total		\$120,317	\$42,000
Arachnids			
Spider, Kauai cave wolf or pe'e pe'e maka 'ole	<i>Adelocosa anops</i>	\$4,000	\$0
Arachnids Total		\$4,000	\$0
Crustaceans			
Amphipod, Kauai cave	<i>Spelaeorchestia koloana</i>	\$4,000	\$0
Crayfish, cave	<i>Cambarus aculabrum</i>	\$0	\$25,000
Crayfish, cave	<i>Cambarus zophonastes</i>	\$0	\$25,000
Crustaceans Total		\$4,000	\$50,000
Flowering Plants			
Agave, Arizona	<i>Agave arizonica</i>	\$100	\$0
Alani	<i>Melicope munroi</i>	\$4,500	\$0
Awiwi	<i>Centaurium sebaeoides</i>	\$4,500	\$0
A`e	<i>Zanthoxylum hawaiiense</i>	\$600	\$0
Bear-poppy, dwarf	<i>Arctomecon humilis</i>	\$1,500	\$0
Bird's-beak, salt marsh	<i>Cordylanthus maritimus ssp. maritimus</i>	\$70	\$0
Blue-star, Kearney's	<i>Amsonia kearneyana</i>	\$50	\$0
Cactus, Arizona hedgehog	<i>Echinocereus triglochidiatus var. arizonicus</i>	\$300	\$0
Cactus, Brady pincushion	<i>Pediocactus bradyi</i>	\$100	\$0
Cactus, Chisos Mountain hedgehog	<i>Echinocereus chisoensis var. chisoensis</i>	\$450	\$0
Cactus, Cochise pincushion	<i>Coryphantha robbinsorum</i>	\$100	\$0
Cactus, Nichol's Turk's head	<i>Echinocactus horzonthalonius var. nicholii</i>	\$100	\$0
Cactus, Peebles Navajo	<i>Pediocactus peeblesianus peeblesianus</i>	\$100	\$0
Cactus, Pima pineapple	<i>Coryphantha scheeri var. robustispina</i>	\$3,000	\$0
Cactus, Siler pincushion	<i>Pediocactus (=Echinocactus,=Utahia) sileri</i>	\$100	\$0
Cactus, Tobusch fishhook	<i>Ancistrocactus tobuschii</i>	\$7,500	\$0
Cat's-eye, Terlingua Creek	<i>Cryptantha crassipes</i>	\$250	\$0
Chaff-flower, round-leaved	<i>Achyranthes splendens var. rotundata</i>	\$600	\$0
Checker-mallow, Kenwood Marsh	<i>Sidalcea oregana ssp. valida</i>	\$1,120	\$0
Checker-mallow, Nelson's	<i>Sidalcea nelsoniana</i>	\$2,002	\$168,985
Cliff-rose, Arizona	<i>Purshia (=Cowanina) subintegra</i>	\$150	\$0
Clover, running buffalo	<i>Trifolium stoloniferum</i>	\$12,335	\$0
Coneflower, smooth	<i>Echinacea laevigata</i>	\$200	\$0
Cycladenia, Jones	<i>Cycladenia jonesii (=humilis)</i>	\$100	\$0
Daisy, Willamette	<i>Erigeron decumbens var. decumbens</i>	\$6,574	\$0
Dawn-flower, Texas prairie	<i>Hymenoxys texana</i>	\$200	\$0
Desert-parsley, Bradshaw's	<i>Lomatium bradshawii</i>	\$1,104	\$0
Frankenia, Johnston's	<i>Frankenia johnstonii</i>	\$300	\$0
Gardenia (=Na`u), Hawaiian	<i>Gardenia brighamii</i>	\$600	\$0
Haha	<i>Cyanea grimesiana ssp. grimesiana</i>	\$4,500	\$0
Haha	<i>Cyanea lobata</i>	\$4,500	\$0
Haha	<i>Cyanea macrostegia ssp. gibsonii</i>	\$4,500	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Ha`iwale	<i>Cyrtandra munroi</i>	\$4,500	\$0
Howellia, water	<i>Howellia aquatilis</i>	\$1,104	\$0
Kamakahala	<i>Labordia tinifolia var. lanaiensis</i>	\$4,500	\$0
Kamanomano	<i>Cenchrus agrimonioides</i>	\$4,500	\$0
Kopa	<i>Hedyotis schlechtendahlia var. remyi</i>	\$4,500	\$0
Ko`oko`olau	<i>Bidens micrantha ssp. kalealaha</i>	\$600	\$0
Ko`oloa`ula	<i>Abutilon menziesii</i>	\$600	\$0
Kula wahine noho	<i>Isodendron pyriform</i>	\$4,000	\$0
Ladies'-tresses, Canelo Hills	<i>Spiranthes delitescens</i>	\$150	\$0
Ladies'-tresses, Navasota	<i>Spiranthes parksii</i>	\$1,500	\$0
Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>	\$100	\$0
Lupine, Kincaid's	<i>Lupinus sulphureus (=oreganus) ssp. kincaidii (=var. kincaidii)</i>	\$1,367	\$168,985
Ma`o hau hele, (=native yellow hibiscus)	<i>Hibiscus brackenridgei</i>	\$4,500	\$0
Mehamehame	<i>Flueggea neowawraea</i>	\$1,000	\$0
Milk-vetch, Holmgren	<i>Astragalus holmgreniorum</i>	\$1,500	\$0
Milk-vetch, Sentry	<i>Astragalus cremnophylax var. cremnophylax</i>	\$100	\$0
Milkweed, Mead's	<i>Asclepias meadii</i>	\$1,776	\$0
Milkweed, Welsh's	<i>Asclepias welshii</i>	\$100	\$0
Naupaka, dwarf	<i>Scaevola coriacea</i>	\$600	\$0
No common name	<i>Abutilon eremitopetalum</i>	\$4,000	\$0
No common name	<i>Bonamia menziesii</i>	\$4,500	\$0
No common name	<i>Gahnia lanaiensis</i>	\$4,500	\$0
No common name	<i>Hesperomannia arborescens</i>	\$4,500	\$0
No common name	<i>Mariscus fauriei</i>	\$600	\$0
No common name	<i>Neraudia sericea</i>	\$4,500	\$0
No common name	<i>Phyllostegia glabra var. lanaiensis</i>	\$600	\$0
No common name	<i>Silene lanceolata</i>	\$600	\$0
No common name	<i>Spermolepis hawaiiensis</i>	\$4,500	\$0
No common name	<i>Tetramolopium lepidotum ssp. lepidotum</i>	\$600	\$0
No common name	<i>Tetramolopium remyi</i>	\$4,500	\$0
No common name	<i>Vigna o-wahuensis</i>	\$4,500	\$0
No common name	<i>Viola lanaiensis</i>	\$4,500	\$0
Ohai	<i>Sesbania tomentosa</i>	\$600	\$0
Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>	\$23,000	\$0
Orchid, western prairie fringed	<i>Platanthera praeclara</i>	\$1,100	\$0
Paintbrush, golden	<i>Castilleja levisecta</i>	\$1,104	\$0
Penstemon, blowout	<i>Penstemon haydenii</i>	\$100	\$0
Phlox, Texas trailing	<i>Phlox nivalis ssp. texensis</i>	\$300	\$0
Pilo	<i>Hedyotis mannii</i>	\$4,500	\$0
Pondberry	<i>Lindera melissifolia</i>	\$0	\$920,000
Popolo ku mai	<i>Solanum incompletum</i>	\$4,500	\$0
Poppy-mallow, Texas	<i>Callirhoe scabriuscula</i>	\$350	\$0
Po`e	<i>Portulaca sclerocarpa</i>	\$4,500	\$0
Pua `ala	<i>Brighamia rockii</i>	\$4,500	\$0
Pu`uka`a	<i>Cyperus trachysanthos</i>	\$600	\$0
Rockcross, Santa Cruz Island	<i>Sibara filifolia</i>	\$245	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Rush-rose, island	<i>Helianthemum greenei</i>	\$210	\$0
Sandalwood, Lanai (= `iliahi)	<i>Santalum freycinetianum var. lanaiense</i>	\$600	\$0
Snowbells, Texas	<i>Styrax texanus</i>	\$350	\$0
Sunflower, Schweinitz's	<i>Helianthus schweinitzii</i>	\$15,000	\$0
Uhiuhi	<i>Caesalpinia kavaense</i>	\$150	\$0
Water-umbel, Huachuca	<i>Lilaeopsis schaffneriana var. recurva</i>	\$150	\$0
Wild-rice, Texas	<i>Zizania texana</i>	\$150	\$0
`Oha wai	<i>Clermontia oblongifolia ssp. mauiensis</i>	\$4,500	\$0
Flowering Plants Total		\$208,011	\$1,257,970
Ferns and Allies			
Diellia, asplenium-leaved	<i>Diellia erecta</i>	\$6,000	\$0
Fern, pendant kihi	<i>Adenophorus periens</i>	\$4,500	\$0
No common name	<i>Diplazium molokaiense</i>	\$4,500	\$0
Pauoa	<i>Ctenitis squamigera</i>	\$4,500	\$0
Ferns and Allies Total		\$19,500	\$0
Other ESA Expenses not including Foreign Species		\$808,809	\$949,500
Expenses from Foreign Species		\$0	\$0
Total Other ESA Expenses		\$808,809	\$949,500
All Species Total		\$15,031,190	\$23,814,937

DOC National Oceanic and Atmospheric Administration FY05

Common Name	Scientific Name	General Expenditures	Land Expenditures
Mammals			
Sea-lion, Steller, eastern pop.	<i>Eumetopias jubatus</i>	\$7,441,707	\$0
Sea-lion, Steller, western pop.	<i>Eumetopias jubatus</i>	\$7,441,707	\$0
Seal, Hawaiian monk	<i>Monachus schauinslandi</i>	\$2,145,887	\$0
Whale, bowhead	<i>Balaena mysticetus</i>	\$591,394	\$0
Whale, humpback	<i>Megaptera novaeangliae</i>	\$1,000,000	\$0
Whale, right	<i>Balaena glacialis (incl. australis)</i>	\$11,827,879	\$0
Mammals Total		\$30,448,574	\$0
Reptiles			
Sea turtle, green, except where endangered	<i>Chelonia mydas</i>	\$2,592,307	\$0
Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	\$648,077	\$0
Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>	\$1,944,230	\$0
Sea turtle, leatherback	<i>Dermochelys coriacea</i>	\$6,480,766	\$0
Sea turtle, loggerhead	<i>Caretta caretta</i>	\$3,888,460	\$0
Sea turtle, olive ridley, except where endangered	<i>Lepidochelys olivacea</i>	\$648,077	\$0
Reptiles Total		\$16,201,917	\$0
Fishes			
Salmon, Atlantic Gulf of Maine Atlantic Salmon DPS	<i>Salmo salar</i>	\$5,183,567	\$0
Salmon, chinook, fall Snake R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$4,722,391	\$0
Salmon, chinook, spring/summer Snake R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$4,722,391	\$0
Salmon, chinook, winter Sacramento R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$1,624,283	\$0
Salmon, chinook, Puget Sound	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$4,396,443	\$0
Salmon, chinook, lower Columbia R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$4,722,391	\$0
Salmon, chinook, upper Willamette R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$4,722,391	\$0
Salmon, chinook, spring upper Columbia R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$4,722,391	\$0
Salmon, chinook, CA Central Valley spring-run	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$1,624,283	\$0
Salmon, chinook, CA coastal	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$2,905,636	\$0
Salmon, chum, Columbia R.	<i>Oncorhynchus (=Salmo) keta</i>	\$4,722,391	\$0
Salmon, chum, summer-run Hood Canal	<i>Oncorhynchus (=Salmo) keta</i>	\$4,396,443	\$0
Salmon, coho, central CA coast	<i>Oncorhynchus (=Salmo) kisutch</i>	\$2,905,636	\$0
Salmon, coho, OR, CA pop.	<i>Oncorhynchus (=Salmo) kisutch</i>	\$2,905,636	\$0
Salmon, coho, Lower Columbia River	<i>Oncorhynchus (=Salmo) kisutch</i>	\$4,722,391	\$0
Salmon, sockeye U.S.A. (Snake River, ID stock wherever found.)	<i>Oncorhynchus (=Salmo) nerka</i>	\$4,722,391	\$0
Salmon, sockeye U.S.A. (Ozette Lake, WA)	<i>Oncorhynchus (=Salmo) nerka</i>	\$4,396,443	\$0
Sawfish, smalltooth	<i>Pristis pectinata</i>	\$568,000	\$0
Steelhead, Central Valley CA	<i>Oncorhynchus (=Salmo) mykiss</i>	\$1,624,283	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Steelhead, Snake R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$4,722,391	\$0
Steelhead, central CA coast	<i>Oncorhynchus (=Salmo) mykiss</i>	\$2,905,636	\$0
Steelhead, lower Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$4,722,391	\$0
Steelhead, south central CA coast	<i>Oncorhynchus (=Salmo) mykiss</i>	\$2,905,636	\$0
Steelhead, southern CA coast	<i>Oncorhynchus (=Salmo) mykiss</i>	\$2,905,636	\$0
Steelhead, upper Columbia R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$4,722,391	\$0
Steelhead, upper Willamette R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$4,722,391	\$0
Steelhead, middle Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$4,722,391	\$0
Steelhead, northern CA	<i>Oncorhynchus (=Salmo) mykiss</i>	\$2,905,636	\$0
Sturgeon, gulf	<i>Acipenser oxyrinchus desotoi</i>	\$335,000	\$0
Sturgeon, shortnose	<i>Acipenser brevirostrum</i>	\$175,000	\$0
Fishes Total		\$106,054,280	\$0
Snails			
Abalone, White North America (West Coast from Point Conception, CA, U.S.A., to Punta Abreojos, Baja California, Mexico)	<i>Haliotis sorenseni</i>	\$300,000	\$0
Snails Total		\$300,000	\$0
Flowering Plants			
Seagrass, Johnson's	<i>Halophila johnsonii</i>	\$495,000	\$0
Flowering Plants Total		\$495,000	\$0
Other ESA Expenses not including Foreign Species		\$32,408,359	\$0
Expenses from Foreign Species		\$0	\$0
Total Other ESA Expenses		\$32,408,359	\$0
All Species Total		\$185,908,130	\$0

DOC National Oceanic and Atmospheric Administration FY06

Common Name	Scientific Name	General Expenditures	Land Expenditures
Mammals			
Sea-lion, Steller, eastern pop.	<i>Eumetopias jubatus</i>	\$5,695,541	\$0
Sea-lion, Steller, western pop.	<i>Eumetopias jubatus</i>	\$5,695,541	\$0
Seal, Hawaiian monk	<i>Monachus schauinslandi</i>	\$2,637,000	\$0
Whale, bowhead	<i>Balaena mysticetus</i>	\$394,496	\$0
Whale, humpback	<i>Megaptera novaeangliae</i>	\$500,000	\$0
Whale, right	<i>Balaena glacialis (incl. australis)</i>	\$7,705,500	\$0
Mammals Total		\$22,628,078	\$0
Birds			
Albatross, short-tailed	<i>Phoebastria (=Diomedea) albatrus</i>	\$91,000	\$0
Birds Total		\$91,000	\$0
Reptiles			
Sea turtle, green, except where endangered	<i>Chelonia mydas</i>	\$2,150,210	\$0
Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	\$537,552	\$0
Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>	\$1,612,644	\$0
Sea turtle, leatherback	<i>Dermochelys coriacea</i>	\$5,375,512	\$0
Sea turtle, loggerhead	<i>Caretta caretta</i>	\$3,225,302	\$0
Sea turtle, olive ridley, except where endangered	<i>Lepidochelys olivacea</i>	\$537,552	\$0
Reptiles Total		\$13,438,772	\$0
Fishes			
Salmon, Atlantic Gulf of Maine Atlantic Salmon DPS	<i>Salmo salar</i>	\$4,373,978	\$0
Salmon, chinook, fall Snake R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$2,906,641	\$0
Salmon, chinook, spring/summer Snake R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$2,906,641	\$0
Salmon, chinook, winter Sacramento R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$2,808,017	\$0
Salmon, chinook, Puget Sound	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$4,632,562	\$0
Salmon, chinook, lower Columbia R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$4,362,562	\$0
Salmon, chinook, upper Willamette R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$4,303,816	\$0
Salmon, chinook, spring upper Columbia R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$4,362,562	\$0
Salmon, chinook, CA Central Valley spring-run	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$2,808,017	\$0
Salmon, chinook, CA coastal	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$2,808,017	\$0
Salmon, chum, Columbia R.	<i>Oncorhynchus (=Salmo) keta</i>	\$2,166,961	\$0
Salmon, chum, summer-run Hood Canal	<i>Oncorhynchus (=Salmo) keta</i>	\$4,362,562	\$0
Salmon, coho, central CA coast	<i>Oncorhynchus (=Salmo) kisutch</i>	\$2,808,017	\$0
Salmon, coho, OR, CA pop.	<i>Oncorhynchus (=Salmo) kisutch</i>	\$4,944,872	\$0
Salmon, coho, Lower Columbia River	<i>Oncorhynchus (=Salmo) kisutch</i>	\$4,632,562	\$0
Salmon, sockeye, U.S.A. (Snake River, ID stock)	<i>Oncorhynchus (=Salmo) nerka</i>	\$2,906,641	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Salmon, sockeye, U.S.A. (Ozette Lake, WA)	<i>Oncorhynchus (=Salmo) nerka</i>	\$4,632,562	\$0
Sawfish, smalltooth	<i>Pristis pectinata</i>	\$568,000	\$0
Steelhead, Central Valley CA	<i>Oncorhynchus (=Salmo) mykiss</i>	\$2,166,961	\$0
Steelhead, Snake R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$2,906,641	\$0
Steelhead, central CA coast	<i>Oncorhynchus (=Salmo) mykiss</i>	\$2,808,017	\$0
Steelhead, lower Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$4,632,562	\$0
Steelhead, south central CA coast	<i>Oncorhynchus (=Salmo) mykiss</i>	\$2,808,017	\$0
Steelhead, southern CA coast	<i>Oncorhynchus (=Salmo) mykiss</i>	\$2,818,017	\$0
Steelhead, upper Columbia R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$4,632,562	\$0
Steelhead, upper Willamette R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$4,303,816	\$0
Steelhead, middle Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$4,632,562	\$0
Steelhead, northern CA	<i>Oncorhynchus (=Salmo) mykiss</i>	\$2,808,017	\$0
Sturgeon, gulf	<i>Acipenser oxyrinchus desotoi</i>	\$335,000	\$0
Sturgeon, shortnose	<i>Acipenser brevirostrum</i>	\$175,000	\$0
Fishes Total		\$98,322,162	\$0
Snails			
Abalone, White North America (West Coast from Point Conception, CA, U.S.A., to Punta Abreojos, Baja California, Mexico)	<i>Haliotis sorenseni</i>	\$300,000	\$0
Snails Total		\$300,000	\$0
Flowering Plants			
Seagrass, Johnson's	<i>Halophila johnsonii</i>	\$495,000	\$0
Flowering Plants Total		\$495,000	\$0
Other ESA Expenses not including Foreign Species		\$32,708,762	\$0
Expenses from Foreign Species		\$0	\$0
Total Other ESA Expenses		\$32,708,762	\$0
All Species Total		\$167,983,774	\$0

DOD Air Force FY05

Common Name	Scientific Name	General Expenditures	Land Expenditures
Mammals			
Bat, gray	<i>Myotis grisescens</i>	\$35,000	\$0
Bat, lesser long-nosed	<i>Leptonycteris curasoae yerbabuena</i>	\$100,000	\$0
Bat, Mariana fruit (=Mariana flying fox) entire	<i>Pteropus mariannus mariannus</i>	\$55,000	\$0
Kangaroo rat, San Bernardino Merriam's	<i>Dipodomys merriami parvus</i>	\$14,000	\$0
Mouse, Choctawhatchee beach	<i>Peromyscus polionotus allophrys</i>	\$15,000	\$0
Mouse, Preble's meadow jumping Colorado	<i>Zapus hudsonius preblei</i>	\$74,570	\$0
Mouse, St. Andrew beach	<i>Peromyscus polionotus peninsularis</i>	\$15,000	\$0
Otter, southern sea, except where EXPN	<i>Enhydra lutris nereis</i>	\$20,000	\$0
Pronghorn, Sonoran	<i>Antilocapra americana sonoriensis</i>	\$712,215	\$0
Mammals Total		\$1,040,785	\$0
Birds			
Crow, Mariana (=aga)	<i>Corvus kubaryi</i>	\$55,000	\$0
Eagle, bald, lower 48 States	<i>Haliaeetus leucocephalus</i>	\$296,979	\$0
Falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>	\$94,938	\$0
Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	\$225,000	\$0
Jay, Florida scrub	<i>Aphelocoma coerulescens</i>	\$424,000	\$0
Kingfisher, Guam Micronesian	<i>Halcyon cinnamomina cinnamomina</i>	\$55,000	\$0
Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	\$2,752,428	\$0
Pelican, brown except U.S. Atlantic coast, FL, AL	<i>Pelecanus occidentalis</i>	\$67,000	\$0
Plover, western snowy, Pacific coastal pop.	<i>Charadrius alexandrinus nivosus</i>	\$665,000	\$0
Rail, Guam, except Rota	<i>Rallus owstoni</i>	\$55,000	\$0
Sparrow, Florida grasshopper	<i>Ammodramus savannarum floridanus</i>	\$158,000	\$0
Stork, wood, AL, FL, GA, SC	<i>Mycteria americana</i>	\$35,000	\$0
Tern, California least	<i>Sterna antillarum browni</i>	\$190,000	\$0
Woodpecker, red-cockaded	<i>Picoides borealis</i>	\$2,583,434	\$0
Birds Total		\$7,656,779	\$0
Reptiles			
Sea turtle, green FL, Mexico nesting pops.	<i>Chelonia mydas</i>	\$15,000	\$0
Sea turtle, green except where endangered	<i>Chelonia mydas</i>	\$5,000	\$0
Sea turtle, leatherback	<i>Dermochelys coriacea</i>	\$2,000	\$0
Sea turtle, loggerhead	<i>Caretta caretta</i>	\$259,000	\$0
Snake, eastern indigo	<i>Drymarchon corais couperi</i>	\$80,000	\$0
Snake, giant garter	<i>Thamnophis gigas</i>	\$4,500	\$0
Tortoise, desert U.S.A., except in Sonoran Desert	<i>Gopherus agassizii</i>	\$1,630,000	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Reptiles Total		\$1,995,500	\$0
Amphibians			
Frog, California red-legged subspecies range clarified	<i>Rana aurora draytonii</i>	\$20,000	\$0
Salamander, flatwoods	<i>Ambystoma cingulatum</i>	\$63,285	\$0
Amphibians Total		\$83,285	\$0
Fishes			
Darter, Okaloosa	<i>Etheostoma okaloosae</i>	\$889,652	\$0
Stickleback, unarmored threespine	<i>Gasterosteus aculeatus williamsoni</i>	\$2,000	\$0
Sturgeon, gulf	<i>Acipenser oxyrinchus desotoi</i>	\$40,000	\$0
Fishes Total		\$931,652	\$0
Insects			
Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>	\$4,500	\$0
Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>	\$23,000	\$0
Insects Total		\$27,500	\$0
Crustaceans			
Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>	\$253,800	\$0
Tadpole shrimp, vernal pool	<i>Lepidurus packardii</i>	\$153,700	\$0
Crustaceans Total		\$407,500	\$0
Flowering Plants			
Beaked-rush, Knieskern's	<i>Rhynchospora knieskernii</i>	\$2,000	\$0
Butterfly plant, Colorado	<i>Gaura neomexicana var. coloradensis</i>	\$16,800	\$0
Catchfly, Spalding's	<i>Silene spaldingii</i>	\$4,500	\$0
Gerardia, sandplain	<i>Agalinis acuta</i>	\$40,000	\$0
Goldfields, Contra Costa	<i>Lasthenia conjugens</i>	\$17,000	\$0
Grass, Colusa	<i>Neostapfia colusana</i>	\$1,200	\$0
Grass, Solano	<i>Tuctoria mucronata</i>	\$1,200	\$0
Howellia, water	<i>Howellia aquatilis</i>	\$25,361	\$0
Pigeon wings	<i>Clitoria fragrans</i>	\$49,250	\$0
Sunflower, Eggert's	<i>Helianthus eggertii</i>	\$45,000	\$0
Tarplant, Gaviota	<i>Deinandra increscens ssp. villosa</i>	\$42,000	\$0
Wireweed	<i>Polygonella basiramia</i>	\$49,250	\$0
Woolly-star, Santa Ana River	<i>Eriastrum densifolium ssp. sanctorum</i>	\$14,000	\$0
Flowering Plants Total		\$307,561	\$0
Lichens			
Cladonia, Florida perforate	<i>Cladonia perforata</i>	\$32,000	\$0
Lichens Total		\$32,000	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Other ESA Expenses not including Foreign Species		\$346,003	\$0
Expenses from Foreign Species		\$0	\$0
Total Other ESA Expenses		\$346,003	\$0
All Species Total		\$12,828,565	\$0

DOD Air Force FY06

Common Name	Scientific Name	General Expenditures	Land Expenditures
Mammals			
Bat, gray	<i>Myotis grisescens</i>	\$30,500	\$0
Bat, Indiana	<i>Myotis sodalis</i>	\$17,629	\$0
Bat, little Mariana fruit	<i>Pteropus tokudae</i>	\$300,000	\$0
Kangaroo rat, Stephens'	<i>Dipodomys stephensi (incl. D. cascus)</i>	\$14,105	\$0
Manatee, West Indian	<i>Trichechus manatus</i>	\$31,000	\$0
Mouse, Choctawhatchee beach	<i>Peromyscus polionotus allophrys</i>	\$45,061	\$0
Mouse, Preble's meadow jumping Colorado	<i>Zapus hudsonius preblei</i>	\$79,737	\$0
Mouse, southeastern beach	<i>Peromyscus polionotus niveiventris</i>	\$6,000	\$0
Mouse, St. Andrew beach	<i>Peromyscus polionotus peninsularis</i>	\$45,061	\$0
Otter, southern sea, except where EXPN	<i>Enhydra lutris nereis</i>	\$20,000	\$0
Pronghorn, Sonoran	<i>Antilocapra americana sonoriensis</i>	\$777,407	\$0
Mammals Total		\$1,366,500	\$0
Birds			
Coot, Hawaiian	<i>Fulica americana alai</i>	\$30,000	\$0
Crow, Mariana (=aga)	<i>Corvus kubaryi</i>	\$300,000	\$0
Duck, Hawaiian (=koloa)	<i>Anas wyvilliana</i>	\$30,000	\$0
Eagle, bald, lower 48 States	<i>Haliaeetus leucocephalus</i>	\$353,600	\$0
Eider, spectacled	<i>Somateria fischeri</i>	\$35,000	\$0
Eider, Steller's, AK breeding pop.	<i>Polysticta stelleri</i>	\$35,000	\$0
Falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>	\$162,000	\$0
Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	\$251,000	\$0
Jay, Florida scrub	<i>Aphelocoma coerulescens</i>	\$1,012,544	\$0
Kingfisher, Guam Micronesian	<i>Halcyon cinnamomina cinnamomina</i>	\$50,000	\$0
Moorhen, Hawaiian common	<i>Gallinula chloropus sandvicensis</i>	\$30,000	\$0
Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	\$217,000	\$0
Pelican, brown except U.S. Atlantic coast, FL, AL	<i>Pelecanus occidentalis</i>	\$67,000	\$0
Pigeon, Azores wood	<i>Columba palumbus azorica</i>	\$60,500	\$0
Plover, piping except Great Lakes watershed	<i>Charadrius melodus</i>	\$29,500	\$0
Plover, western snowy, Pacific coastal pop.	<i>Charadrius alexandrinus nivosus</i>	\$500,000	\$0
Rail, Guam, except Rota	<i>Rallus owstoni</i>	\$50,000	\$0
Sparrow, Florida grasshopper	<i>Ammodramus savannarum floridanus</i>	\$134,544	\$0
Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>	\$30,000	\$0
Stork, wood, AL, FL, GA, SC	<i>Mycteria americana</i>	\$44,000	\$0
Tern, California least	<i>Sterna antillarum browni</i>	\$140,000	\$0
Tern, least, interior pop.	<i>Sterna antillarum</i>	\$7,000	\$0
Tern, roseate northeast U.S. nesting pop.	<i>Sterna dougallii dougallii</i>	\$5,000	\$0
Woodpecker, red-cockaded	<i>Picoides borealis</i>	\$2,261,590	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Birds Total		\$5,835,278	\$0
Reptiles			
Sea turtle, green FL, Mexico nesting pops.	<i>Chelonia mydas</i>	\$122,700	\$0
Sea turtle, green except where endangered	<i>Chelonia mydas</i>	\$60,000	\$0
Sea turtle, leatherback	<i>Dermochelys coriacea</i>	\$122,700	\$0
Sea turtle, loggerhead	<i>Caretta caretta</i>	\$182,700	\$0
Snake, eastern indigo	<i>Drymarchon corais couperi</i>	\$104,500	\$0
Snake, giant garter	<i>Thamnophis gigas</i>	\$2,900	\$0
Tortoise, desert U.S.A., except in Sonoran Desert	<i>Gopherus agassizii</i>	\$2,205,000	\$0
Reptiles Total		\$2,800,500	\$0
Amphibians			
Frog, California red-legged subspecies range clarified	<i>Rana aurora draytonii</i>	\$20,000	\$0
Salamander, flatwoods	<i>Ambystoma cingulatum</i>	\$78,700	\$0
Amphibians Total		\$98,700	\$0
Fishes			
Darter, Okaloosa	<i>Etheostoma okaloosae</i>	\$117,715	\$0
Sturgeon, gulf	<i>Acipenser oxyrinchus desotoi</i>	\$488,158	\$0
Fishes Total		\$605,873	\$0
Insects			
Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>	\$1,400	\$0
Butterfly, El Segundo blue	<i>Euphilotes battoides allyni</i>	\$46,000	\$0
Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>	\$44,500	\$0
Insects Total		\$91,900	\$0
Crustaceans			
Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>	\$205,550	\$0
Tadpole shrimp, vernal pool	<i>Lepidurus packardii</i>	\$112,550	\$0
Crustaceans Total		\$318,100	\$0
Flowering Plants			
Beaked-rush, Knieskern's	<i>Rhynchospora knieskernii</i>	\$200	\$0
Butterfly plant, Colorado	<i>Gaura neomexicana var. coloradensis</i>	\$63,978	\$0
Catchfly, Spalding's	<i>Silene spaldingii</i>	\$12,400	\$0
Gerardia, sandplain	<i>Agalinis acuta</i>	\$40,000	\$0
Goldfields, Contra Costa	<i>Lasthenia conjugens</i>	\$115,000	\$0
Grass, Colusa	<i>Neostapfia colusana</i>	\$1,400	\$0
Grass, Solano	<i>Tuctoria mucronata</i>	\$1,400	\$0
Howellia, water	<i>Howellia aquatilis</i>	\$2,400	\$0
Pigeon wings	<i>Clitoria fragrans</i>	\$48,000	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Wireweed	<i>Polygonella basiramia</i>	\$31,000	\$0
Flowering Plants Total		\$315,778	\$0
Lichens			
Cladonia, Florida perforate	<i>Cladonia perforata</i>	\$26,500	\$0
Lichens Total		\$26,500	\$0
Other ESA Expenses not including Foreign Species		\$1,444,527	\$0
Expenses from Foreign Species		\$0	\$0
Total Other ESA Expenses		\$1,444,527	\$0
All Species Total		\$12,903,656	\$0

DOD Army FY05

Common Name	Scientific Name	General Expenditures	Land Expenditures
Mammals			
Bat, gray	<i>Myotis grisescens</i>	\$757,300	\$0
Bat, Hawaiian hoary	<i>Lasiurus cinereus semotus</i>	\$68,300	\$0
Bat, Indiana	<i>Myotis sodalis</i>	\$1,178,600	\$0
Bat, lesser long-nosed	<i>Leptonycteris curasoae yerbabuena</i>	\$177,500	\$0
Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>	\$40,000	\$0
Wolf, gray Lower 48 States, except where delisted and where EXPN. Mexico.	<i>Canis lupus</i>	\$40,500	\$0
Wolf, gray, MN	<i>Canis lupus</i>	\$70,000	\$0
Mammals Total		\$2,332,200	\$0
Birds			
Condor, California, U.S.A. only	<i>Gymnogyps californianus</i>	\$40,000	\$0
Coot, Hawaiian	<i>Fulica americana alai</i>	\$500	\$0
Duck, Hawaiian (=koloa)	<i>Anas wyvilliana</i>	\$50	\$0
Eagle, bald, lower 48 States	<i>Haliaeetus leucocephalus</i>	\$2,806,900	\$0
Elepaio, Oahu	<i>Chasiempis sandwichensis ibidis</i>	\$19,000	\$0
Falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>	\$169,000	\$0
Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	\$319,800	\$0
Goose, Hawaiian	<i>Branta (=Nesochen) sandvicensis</i>	\$2,000	\$0
Hawk, Hawaiian (=’lo)	<i>Buteo solitarius</i>	\$2,000	\$0
Moorhen, Hawaiian common	<i>Gallinula chloropus sandvicensis</i>	\$500	\$0
Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	\$374,400	\$0
Palila (honeycreeper)	<i>Loxioides bailleui</i>	\$64,300	\$0
Plover, piping except Great Lakes watershed	<i>Charadrius melodus</i>	\$1,200	\$0
Stork, wood, AL, FL, GA, SC	<i>Mycteria americana</i>	\$12,000	\$0
Tern, least, interior pop.	<i>Sterna antillarum</i>	\$1,200	\$0
Vireo, black-capped	<i>Vireo atricapilla</i>	\$991,200	\$0
Vireo, least Bell's	<i>Vireo bellii pusillus</i>	\$40,000	\$0
Warbler (=wood), golden-cheeked	<i>Dendroica chrysoparia</i>	\$845,000	\$0
Woodpecker, red-cockaded	<i>Picoides borealis</i>	\$3,811,300	\$0
Birds Total		\$9,500,350	\$0
Reptiles			
Alligator, American	<i>Alligator mississippiensis</i>	\$12,000	\$0
Snake, eastern indigo	<i>Drymarchon corais couperi</i>	\$9,400	\$0
Tortoise, desert U.S.A., except in Sonoran Desert	<i>Gopherus agassizii</i>	\$23,690,400	\$0
Tortoise, gopher W of of Mobile/Tombigbee Rs.	<i>Gopherus polyphemus</i>	\$725,000	\$0
Reptiles Total		\$24,436,800	\$0
Amphibians			
Salamander, California tiger U.S.A. (Central CA DPS)	<i>Ambystoma californiense</i>	\$50,000	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Salamander, flatwoods	<i>Ambystoma cingulatum</i>	\$26,000	\$0
Salamander, Sonora tiger	<i>Ambystoma tigrinum stebbinsi</i>	\$5,000	\$0
Toad, arroyo (=arroyo southwestern)	<i>Bufo californicus (=microscaphus)</i>	\$80,000	\$0
Amphibians Total		\$161,000	\$0
Fishes			
Salmon, Chinook, Puget Sound	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$20,000	\$0
Shiner, Topeka	<i>Notropis topeka (=tristis)</i>	\$23,200	\$0
Steelhead, upper Columbia R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$40,000	\$0
Sturgeon, pallid	<i>Scaphirhynchus albus</i>	\$36,000	\$0
Sturgeon, shortnose	<i>Acipenser brevirostrum</i>	\$24,500	\$0
Trout, bull U.S.A., conterminous, lower 48 states	<i>Salvelinus confluentus</i>	\$70,000	\$0
Fishes Total		\$213,700	\$0
Snails			
Snails, Oahu tree	<i>Achatinella spp.</i>	\$191,000	\$0
Snails Total		\$191,000	\$0
Insects			
Beetle, American burying	<i>Nicrophorus americanus</i>	\$184,500	\$0
Butterfly, Karner blue	<i>Lyciaeides melissa samuelis</i>	\$159,500	\$0
Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>	\$53,000	\$0
Butterfly, Saint Francis' satyr	<i>Neonympha mitchellii francisci</i>	\$138,000	\$0
Ground beetle, [unnamed]	<i>Rhadine exilis</i>	\$100,000	\$0
Ground beetle, [unnamed]	<i>Rhadine infernalis</i>	\$100,000	\$0
Insects Total		\$735,000	\$0
Arachnids			
Meshweaver, Madla's Cave	<i>Cicurina madla</i>	\$100,000	\$0
Arachnids Total		\$100,000	\$0
Crustaceans			
Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>	\$70,000	\$0
Shrimp, Alabama cave	<i>Palaemonias alabamae</i>	\$48,800	\$0
Crustaceans Total		\$118,800	\$0
Flowering Plants			
Alani	<i>Melicope lydgatei</i>	\$19,100	\$0
Amole, purple	<i>Chlorogalum purpureum</i>	\$105,000	\$0
Aupaka	<i>Isodendron longifolium</i>	\$19,100	\$0
A`e	<i>Zanthoxylum hawaiiense</i>	\$64,300	\$0
Cactus, Kuenzler hedgehog	<i>Echinocereus fendleri var. kuenzleri</i>	\$49,500	\$0
Cactus, Sneed pincushion	<i>Coryphantha sneedii var. sneedii</i>	\$51,500	\$0
Chaffseed, American	<i>Schwalbea americana</i>	\$48,000	\$0
Haha	<i>Cyanea acuminata</i>	\$19,100	\$0
Haha	<i>Cyanea grimesiana ssp. obatae</i>	\$38,100	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Haha	<i>Cyanea humboldtiana</i>	\$19,100	\$0
Haha	<i>Cyanea koolauensis</i>	\$38,100	\$0
Haha	<i>Cyanea longiflora</i>	\$19,100	\$0
Haha	<i>Cyanea st.-johnii</i>	\$19,100	\$0
Haha	<i>Cyanea superba</i>	\$19,100	\$0
Harperella	<i>Ptilimnium nodosum</i>	\$3,000	\$0
Ha`iwale	<i>Cyrtandra dentata</i>	\$19,100	\$0
Ha`iwale	<i>Cyrtandra subumbellata</i>	\$19,100	\$0
Ha`iwale	<i>Cyrtandra viridiflora</i>	\$19,100	\$0
Honohono	<i>Haplostachys haplostachya</i>	\$64,300	\$0
Howellia, water	<i>Howellia aquatilis</i>	\$60,000	\$0
Kamakahala	<i>Labordia cyrtandrae</i>	\$19,100	\$0
Kamanomano	<i>Cenchrus agrimonioides</i>	\$19,100	\$0
Kio`ele	<i>Hedyotis coriacea</i>	\$64,300	\$0
Kolea	<i>Myrsine juddii</i>	\$19,100	\$0
Kuahiwi laukahi	<i>Plantago princeps</i>	\$19,100	\$0
Kulu`i	<i>Nototrichium humile</i>	\$38,100	\$0
Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>	\$1,700	\$0
Lau`ehu	<i>Panicum niihauense</i>	\$2,000	\$0
Loosestrife, rough-leaved	<i>Lysimachia asperulaefolia</i>	\$48,000	\$0
Lo`ulu	<i>Pritchardia kaalae</i>	\$19,100	\$0
Mahoe	<i>Alectryon macrococcus</i>	\$19,100	\$0
Ma`o hau hele, (=native yellow hibiscus)	<i>Hibiscus brackenridgei</i>	\$19,100	\$0
Ma`oli`oli	<i>Schiedea kealiae</i>	\$38,100	\$0
Mehamehame	<i>Flueggea neowawraea</i>	\$19,100	\$0
Milk-vetch, Lane Mountain	<i>Astragalus jaegerianus</i>	\$150,100	\$0
Nanu	<i>Gardenia manni</i>	\$19,100	\$0
Na`ena`e	<i>Dubautia herbstobatae</i>	\$19,100	\$0
Nehe	<i>Lipochaeta tenuifolia</i>	\$19,100	\$0
Nioi	<i>Eugenia koolauensis</i>	\$19,100	\$0
No common name	<i>Abutilon sandwicense</i>	\$38,100	\$0
No common name	<i>Alsinidendron obovatum</i>	\$19,100	\$0
No common name	<i>Alsinidendron trinerve</i>	\$19,100	\$0
No common name	<i>Bonamia menziesii</i>	\$19,100	\$0
No common name	<i>Cyanea (=Rollandia) crispa</i>	\$19,100	\$0
No common name	<i>Hedyotis degeneri</i>	\$19,100	\$0
No common name	<i>Hedyotis parvula</i>	\$19,100	\$0
No common name	<i>Hesperomannia arbuscula</i>	\$38,100	\$0
No common name	<i>Lobelia gaudichaudii ssp. koolauensis</i>	\$19,100	\$0
No common name	<i>Lobelia niihauensis</i>	\$19,100	\$0
No common name	<i>Lobelia oahuensis</i>	\$19,100	\$0
No common name	<i>Neraudia angulata</i>	\$19,100	\$0
No common name	<i>Neraudia ovata</i>	\$64,300	\$0
No common name	<i>Phyllostegia hirsuta</i>	\$19,100	\$0
No common name	<i>Phyllostegia kaalaensis</i>	\$19,100	\$0
No common name	<i>Phyllostegia mollis</i>	\$19,100	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
No common name	<i>Phyllostegia parviflora</i>	\$19,100	\$0
No common name	<i>Sanicula purpurea</i>	\$19,100	\$0
No common name	<i>Schiedea hookeri</i>	\$19,100	\$0
No common name	<i>Schiedea nuttallii</i>	\$19,100	\$0
No common name	<i>Silene hawaiiensis</i>	\$64,300	\$0
No common name	<i>Silene lanceolata</i>	\$83,300	\$0
No common name	<i>Spermolepis hawaiiensis</i>	\$83,400	\$0
No common name	<i>Stenogyne angustifolia</i> var. <i>angustifolia</i>	\$64,300	\$0
No common name	<i>Stenogyne kanehoana</i>	\$19,100	\$0
No common name	<i>Tetramolopium arenarium</i>	\$64,300	\$0
No common name	<i>Tetramolopium filiforme</i>	\$19,100	\$0
No common name	<i>Tetramolopium lepidotum</i> ssp. <i>lepidotum</i>	\$19,100	\$0
No common name	<i>Viola oahuensis</i>	\$19,100	\$0
Oha	<i>Delissea subcordata</i>	\$19,100	\$0
Opuhe	<i>Urera kaalae</i>	\$19,100	\$0
Pamakani	<i>Viola chamissoniana</i> ssp. <i>chamissoniana</i>	\$19,100	\$0
Pennyroyal, Todsens's	<i>Hedeoma todsenii</i>	\$25,000	\$0
Pogonia, small whorled	<i>Isotria medeoloides</i>	\$2,100	\$0
Popolo ku mai	<i>Solanum incompletum</i>	\$64,300	\$0
Potato-bean, Price's	<i>Apios priceana</i>	\$19,600	\$0
Po`e	<i>Portulaca sclerocarpa</i>	\$64,300	\$0
Pu`uka`a	<i>Cyperus trachysanthos</i>	\$100	\$0
Schiedea, Diamond Head	<i>Schiedea adamantis</i>	\$1,000	\$0
Sumac, Michaux's	<i>Rhus michauxii</i>	\$48,000	\$0
Trillium, relict	<i>Trillium reliquum</i>	\$20,000	\$0
Water-umbel, Huachuca	<i>Lilaeopsis schaffneriana</i> var. <i>recurva</i>	\$377,200	\$0
`Akoko	<i>Chamaesyce celastroides</i> var. <i>kaenana</i>	\$19,100	\$0
`Akoko	<i>Chamaesyce herbstii</i>	\$19,100	\$0
`Akoko	<i>Chamaesyce rockii</i>	\$19,100	\$0
`Akoko	<i>Euphorbia haeleeeleana</i>	\$19,100	\$0
`Anaunau	<i>Lepidium arbuscula</i>	\$38,100	\$0
`Ohe`ohe	<i>Tetraplasandra gymnocarpa</i>	\$19,100	\$0
Flowering Plants Total		\$2,998,000	\$0
Ferns and Allies			
No common name	<i>Asplenium fragile</i> var. <i>insulare</i>	\$64,300	\$0
No common name	<i>Diellia falcata</i>	\$19,100	\$0
No common name	<i>Pteris lidgatei</i>	\$19,100	\$0
Pauoa	<i>Ctenitis squamigera</i>	\$19,100	\$0
Quillwort, Louisiana	<i>Isoetes louisianensis</i>	\$70,000	\$0
Wawae`iole	<i>Lycopodium (=Phlegmariurus) nutans</i>	\$19,100	\$0
Ferns and Allies Total		\$210,700	\$0
Other ESA Expenses not including Foreign Species		\$1,002,000	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Expenses from Foreign Species		\$0	\$0
Total Other ESA Expenses		\$1,002,000	\$0
All Species Total		\$41,999,550	\$0

DOD Army FY06

Common Name	Scientific Name	General Expenditures	Land Expenditures
Mammals			
Bat, gray	<i>Myotis grisescens</i>	\$587,700	\$0
Bat, Hawaiian hoary	<i>Lasiurus cinereus semotus</i>	\$271,588	\$0
Bat, Indiana	<i>Myotis sodalis</i>	\$1,594,226	\$0
Bat, lesser long-nosed	<i>Leptonycteris curasoae yerbabuena</i>	\$173,000	\$0
Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>	\$164,464	\$0
Kangaroo rat, giant	<i>Dipodomys ingens</i>	\$13,907	\$0
Kangaroo rat, San Bernardino Merriam's	<i>Dipodomys merriami parvus</i>	\$13,907	\$0
Kangaroo rat, Stephens'	<i>Dipodomys stephensi (incl. D. cascus)</i>	\$13,907	\$0
Mouse, Pacific pocket	<i>Perognathus longimembris pacificus</i>	\$13,907	\$0
Otter, southern sea, except where EXPN	<i>Enhydra lutris nereis</i>	\$13,907	\$0
Wolf, gray Lower 48 States, except where delisted and where EXPN. Mexico.	<i>Canis lupus</i>	\$3,500	\$0
Wolf, gray, MN	<i>Canis lupus</i>	\$87,000	\$0
Mammals Total		\$2,951,013	\$0
Birds			
Condor, California, U.S.A. only	<i>Gymnogyps californianus</i>	\$25,000	\$0
Coot, Hawaiian	<i>Fulica americana alai</i>	\$16,400	\$0
Duck, Hawaiian (=koloa)	<i>Anas wyvilliana</i>	\$16,400	\$0
Eagle, bald, lower 48 States	<i>Haliaeetus leucocephalus</i>	\$2,576,748	\$0
Elepaio, Oahu	<i>Chasiempis sandwichensis ibidis</i>	\$107,852	\$0
Falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>	\$290,000	\$0
Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	\$101,907	\$0
Goose, Hawaiian	<i>Branta (=Nesochen) sandvicensis</i>	\$16,400	\$0
Hawk, Hawaiian (=lo)	<i>Buteo solitarius</i>	\$40,000	\$0
Moorhen, Hawaiian common	<i>Gallinula chloropus sandvicensis</i>	\$16,400	\$0
Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	\$382,895	\$0
Owl, northern spotted	<i>Strix occidentalis caurina</i>	\$50,000	\$0
Palila (honeycreeper)	<i>Loxioides bailleui</i>	\$231,588	\$0
Pelican, brown except U.S. Atlantic coast, FL, AL	<i>Pelecanus occidentalis</i>	\$13,907	\$0
Plover, western snowy, Pacific coastal pop.	<i>Charadrius alexandrinus nivosus</i>	\$13,907	\$0
Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>	\$16,500	\$0
Stork, wood, AL, FL, GA, SC	<i>Mycteria americana</i>	\$30,452	\$0
Tern, California least	<i>Sterna antillarum browni</i>	\$13,907	\$0
Vireo, black-capped	<i>Vireo atricapilla</i>	\$1,032,888	\$0
Vireo, least Bell's	<i>Vireo bellii pusillus</i>	\$50,000	\$0
Warbler (=wood), golden-cheeked	<i>Dendroica chrysoparia</i>	\$625,000	\$0
Woodpecker, red-cockaded	<i>Picoides borealis</i>	\$5,654,398	\$0
Birds Total		\$11,322,549	\$0
Reptiles			
Alligator, American	<i>Alligator mississippiensis</i>	\$18,600	\$0
Boa, Puerto Rican	<i>Epicrates inornatus</i>	\$10,000	\$0
Lizard, Coachella Valley fringe-toed	<i>Uma inornata</i>	\$13,907	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Snake, eastern indigo	<i>Drymarchon corais couperi</i>	\$7,323	\$0
Tortoise, desert U.S.A., except in Sonoran Desert	<i>Gopherus agassizii</i>	\$2,461,907	\$0
Tortoise, gopher W of of Mobile/Tombigbee Rs.	<i>Gopherus polyphemus</i>	\$1,144,000	\$0
Reptiles Total		\$3,655,737	\$0
Amphibians			
Frog, California red-legged subspecies range clarified	<i>Rana aurora draytonii</i>	\$127,280	\$0
Salamander, California tiger U.S.A. (Central CA DPS)	<i>Ambystoma californiense</i>	\$100,000	\$0
Salamander, flatwoods	<i>Ambystoma cingulatum</i>	\$51,818	\$0
Salamander, Sonora tiger	<i>Ambystoma tigrinum stebbinsi</i>	\$5,000	\$0
Toad, arroyo (=arroyo southwestern)	<i>Bufo californicus (=microscaphus)</i>	\$125,000	\$0
Amphibians Total		\$409,098	\$0
Fishes			
Logperch, Roanoke	<i>Percina rex</i>	\$49,740	\$0
Salmon, chinook spring/summer Snake R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$229	\$0
Salmon, Chinook, winter Sacramento R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$13,907	\$0
Salmon, Chinook, Puget Sound	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$75,000	\$0
Salmon, chinook CA Central Valley spring-run	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$13,907	\$0
Shiner, Topeka	<i>Notropis topeka (=tristis)</i>	\$20,000	\$0
Smelt, delta	<i>Hypomesus transpacificus</i>	\$13,907	\$0
Steelhead, Central Valley CA	<i>Oncorhynchus (=Salmo) mykiss</i>	\$13,907	\$0
Steelhead, central CA coast	<i>Oncorhynchus (=Salmo) mykiss</i>	\$13,907	\$0
Steelhead, upper Columbia R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$229	\$0
Steelhead, middle Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$229	\$0
Sturgeon, shortnose	<i>Acipenser brevirostrum</i>	\$78,352	\$0
Trout, bull U.S.A., conterminous, lower 48 states	<i>Salvelinus confluentus</i>	\$40,229	\$0
Fishes Total		\$333,543	\$0
Snails			
Snails, Oahu tree	<i>Achatinella spp.</i>	\$383,024	\$0
Snails Total		\$383,024	\$0
Insects			
Beetle, American burying	<i>Nicrophorus americanus</i>	\$64,280	\$0
Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>	\$136,000	\$0
Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>	\$15,080	\$0
Butterfly, Saint Francis' satyr	<i>Neonympha mitchellii francisci</i>	\$149,610	\$0
Ground beetle, [unnamed]	<i>Rhadine exilis</i>	\$150,000	\$0
Ground beetle, [unnamed]	<i>Rhadine infernalis</i>	\$150,000	\$0
Insects Total		\$664,970	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Arachnids			
Meshweaver, Madla's Cave	<i>Cicurina madla</i>	\$215,000	\$0
Arachnids Total		\$215,000	\$0
Crustaceans			
Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>	\$191,000	\$0
Shrimp, Alabama cave	<i>Palaemonias alabamae</i>	\$100,110	\$0
Crustaceans Total		\$291,110	\$0
Flowering Plants			
Alani	<i>Melicope lydgatei</i>	\$45,862	\$0
Amole, purple	<i>Chlorogalum purpureum</i>	\$195,543	\$0
Aupaka	<i>Isodendron hosakae</i>	\$231,588	\$0
A`e	<i>Zanthoxylum hawaiiense</i>	\$231,588	\$0
Bear-poppy, dwarf	<i>Arctomecon humilis</i>	\$1,750	\$0
Brodiaea, thread-leaved	<i>Brodiaea filifolia</i>	\$13,907	\$0
Cactus, Kuenzler hedgehog	<i>Echinocereus fendleri var. kuenzleri</i>	\$63,000	\$0
Cactus, Sneed pincushion	<i>Coryphantha sneedii var. sneedii</i>	\$102,000	\$0
Chaffseed, American	<i>Schwalbea americana</i>	\$179,534	\$0
Checker-mallow, Nelson's	<i>Sidalcea nelsoniana</i>	\$2,486	\$0
Clover, running buffalo	<i>Trifolium stoloniferum</i>	\$60,000	\$0
Coneflower, smooth	<i>Echinacea laevigata</i>	\$6,000	\$0
Daisy, Parish's	<i>Erigeron parishii</i>	\$13,907	\$0
Fiddleneck, large-flowered	<i>Amsinckia grandiflora</i>	\$13,907	\$0
Gilia, Monterey	<i>Gilia tenuiflora ssp. arenaria</i>	\$13,907	\$0
Grass, Tennessee yellow-eyed	<i>Xyris tennesseensis</i>	\$2,000	\$0
Haha	<i>Cyanea acuminata</i>	\$45,862	\$0
Haha	<i>Cyanea grimesiana ssp. obatae</i>	\$107,852	\$0
Haha	<i>Cyanea humboldtiana</i>	\$45,862	\$0
Haha	<i>Cyanea koolauensis</i>	\$45,862	\$0
Haha	<i>Cyanea longiflora</i>	\$107,852	\$0
Haha	<i>Cyanea st.-johnii</i>	\$45,862	\$0
Haha	<i>Cyanea superba</i>	\$107,852	\$0
Ha`iwale	<i>Cyrtandra dentata</i>	\$107,852	\$0
Ha`iwale	<i>Cyrtandra subumbellata</i>	\$45,862	\$0
Ha`iwale	<i>Cyrtandra viridiflora</i>	\$45,862	\$0
Honohono	<i>Haplostachys haplostachya</i>	\$231,588	\$0
Howellia, water	<i>Howellia aquatilis</i>	\$60,000	\$0
Kamakahala	<i>Labordia cyrtandrae</i>	\$45,862	\$0
Kamanomano	<i>Cenchrus agrimonioides</i>	\$107,852	\$0
Kio`ele	<i>Hedyotis coriacea</i>	\$231,588	\$0
Kolea	<i>Myrsine juddii</i>	\$45,862	\$0
Kuahiwi laukahi	<i>Plantago princeps</i>	\$45,862	\$0
Kulu`i	<i>Nototrichium humile</i>	\$107,852	\$0
Lau`ehu	<i>Panicum niihauense</i>	\$100	\$0
Loosestrife, rough-leaved	<i>Lysimachia asperulaefolia</i>	\$179,718	\$0
Lo`ulu	<i>Pritchardia kaalae</i>	\$107,852	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Lupine, Kincaid's	<i>Lupinus sulphureus</i> (=oreganus) ssp. <i>kincaidii</i> (=var. <i>kincaidii</i>)	\$2,486	\$0
Mahoe	<i>Alectryon macrococcus</i>	\$107,852	\$0
Ma`o hau hele, (=native yellow hibiscus)	<i>Hibiscus brackenridgei</i>	\$107,852	\$0
Mehamehame	<i>Flueggea neowawraea</i>	\$107,852	\$0
Milk-vetch, Lane Mountain	<i>Astragalus jaegerianus</i>	\$214,000	\$0
Nanu	<i>Gardenia mannii</i>	\$45,862	\$0
Na`ena`e	<i>Dubautia herbstobatae</i>	\$107,852	\$0
Nehe	<i>Lipochaeta tenuifolia</i>	\$107,852	\$0
Nioi	<i>Eugenia koolauensis</i>	\$70,862	\$0
No common name	<i>Abutilon sandwicense</i>	\$45,862	\$0
No common name	<i>Alsinidendron obovatum</i>	\$107,852	\$0
No common name	<i>Alsinidendron trinerve</i>	\$45,862	\$0
No common name	<i>Cyanea</i> (=Rollandia) <i>crispa</i>	\$45,862	\$0
No common name	<i>Hedyotis degeneri</i>	\$107,852	\$0
No common name	<i>Hedyotis parvula</i>	\$107,852	\$0
No common name	<i>Hesperomannia arborescens</i>	\$45,862	\$0
No common name	<i>Hesperomannia arbuscula</i>	\$107,852	\$0
No common name	<i>Lipochaeta venosa</i>	\$231,588	\$0
No common name	<i>Lobelia gaudichaudii</i> ssp. <i>koolauensis</i>	\$45,862	\$0
No common name	<i>Neraudia angulata</i>	\$107,852	\$0
No common name	<i>Neraudia ovata</i>	\$231,588	\$0
No common name	<i>Phyllostegia hirsuta</i>	\$45,862	\$0
No common name	<i>Phyllostegia kaalaensis</i>	\$107,852	\$0
No common name	<i>Phyllostegia mollis</i>	\$45,862	\$0
No common name	<i>Sanicula mariversa</i>	\$107,852	\$0
No common name	<i>Sanicula purpurea</i>	\$45,862	\$0
No common name	<i>Schiedea hookeri</i>	\$45,862	\$0
No common name	<i>Schiedea kaalae</i>	\$107,852	\$0
No common name	<i>Schiedea nuttallii</i>	\$107,852	\$0
No common name	<i>Silene hawaiiensis</i>	\$231,588	\$0
No common name	<i>Silene lanceolata</i>	\$231,588	\$0
No common name	<i>Spermolepis hawaiiensis</i>	\$339,440	\$0
No common name	<i>Stenogyne angustifolia</i> var. <i>angustifolia</i>	\$231,588	\$0
No common name	<i>Stenogyne kanehoana</i>	\$45,862	\$0
No common name	<i>Tetramolopium arenarium</i>	\$231,588	\$0
No common name	<i>Tetramolopium filiforme</i>	\$107,852	\$0
No common name	<i>Vigna o-wahuensis</i>	\$231,588	\$0
No common name	<i>Viola oahuensis</i>	\$45,862	\$0
Oha	<i>Delissea subcordata</i>	\$107,852	\$0
Paintbrush, golden	<i>Castilleja levisecta</i>	\$100,000	\$0
Palo de rosa	<i>Ottoschulzia rhodoxylon</i>	\$10,000	\$0
Pamakani	<i>Viola chamissoniana</i> ssp. <i>chamissoniana</i>	\$107,852	\$0
Pennyroyal, Todsens's	<i>Hedeoma todsenii</i>	\$15,000	\$0
Piperia, Yadon's	<i>Piperia yadonii</i>	\$74,000	\$0
Popolo ku mai	<i>Solanum incompletum</i>	\$231,588	\$0
Potato-bean, Price's	<i>Apios priceana</i>	\$135,000	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Po'e	<i>Portulaca sclerocarpa</i>	\$231,588	\$0
Spineflower, Monterey	<i>Chorizanthe pungens var. pungens</i>	\$13,907	\$0
Spineflower, Robust (incl. Scotts Valley)	<i>Chorizanthe robusta (incl. vars. robusta and hartwegii)</i>	\$13,907	\$0
Sumac, Michaux's	<i>Rhus michauxii</i>	\$179,365	\$0
Sunburst, Hartweg's golden	<i>Pseudobahia bahiifolia</i>	\$13,907	\$0
Sunburst, San Joaquin adobe	<i>Pseudobahia peirsonii</i>	\$13,907	\$0
Thistle, Chorro Creek bog	<i>Cirsium fontinale var. obispoense</i>	\$29,000	\$0
Trillium, relict	<i>Trillium reliquum</i>	\$82,200	\$0
Water-umbel, Huachuca	<i>Lilaeopsis schaffneriana var. recurva</i>	\$182,000	\$0
Wooly-threads, San Joaquin	<i>Monolopia (=Lembertia) congdonii</i>	\$13,907	\$0
`Akoko	<i>Chamaesyce celastroides var. kaenana</i>	\$107,852	\$0
`Akoko	<i>Chamaesyce herbstii</i>	\$107,852	\$0
`Akoko	<i>Chamaesyce rockii</i>	\$45,862	\$0
Flowering Plants Total		\$9,280,269	\$0
Ferns and Allies			
No common name	<i>Asplenium fragile var. insulare</i>	\$231,588	\$0
No common name	<i>Pteris lidgatei</i>	\$45,862	\$0
Quillwort, Louisiana	<i>Isoetes louisianensis</i>	\$87,602	\$0
Wawae`iole	<i>Lycopodium (=Phlegmariurus) nutans</i>	\$45,862	\$0
Ferns and Allies Total		\$410,914	\$0
Other ESA Expenses not including Foreign Species		\$10,460,521	\$0
Expenses from Foreign Species		\$0	\$0
Total Other ESA Expenses		\$10,460,521	\$0
All Species Total		\$40,377,748	\$0

DOD Defense Logistics Agency FY05

Common Name	Scientific Name	General Expenditures	Land Expenditures
Insects			
Butterfly, Palos Verdes blue	<i>Glaucopsyche lygdamus palosverdesensis</i>	\$160,000	\$0
Insects Total		\$160,000	\$0
Expenses from Foreign Species		\$0	\$0
Total Other ESA Expenses		\$0	\$0
All Species Total		\$160,000	\$0

DOD Defense Logistics Agency FY06

Common Name	Scientific Name	General Expenditures	Land Expenditures
Insects			
Butterfly, Palos Verdes blue	<i>Glaucopsyche lygdamus palosverdesensis</i>	\$160,000	\$0
Insects Total		\$160,000	\$0
Expenses from Foreign Species		\$0	\$0
Total Other ESA Expenses		\$0	\$0
All Species Total		\$160,000	\$0

DOD Marine Corps FY05

Common Name	Scientific Name	General Expenditures	Land Expenditures
Mammals			
Kangaroo rat, Stephens'	<i>Dipodomys stephensi (incl. D. cascus)</i>	\$31,846	\$0
Manatee, West Indian	<i>Trichechus manatus</i>	\$1,958	\$0
Mouse, Pacific pocket	<i>Perognathus longimembris pacificus</i>	\$31,846	\$0
Pronghorn, Sonoran	<i>Antilocapra americana sonoriensis</i>	\$30,000	\$0
Seal, Hawaiian monk	<i>Monachus schauinslandi</i>	\$525	\$0
Whale, humpback	<i>Megaptera novaeangliae</i>	\$2,100	\$0
Whale, right	<i>Balaena glacialis (incl. australis)</i>	\$1,958	\$0
Mammals Total		\$100,233	\$0
Birds			
Coot, Hawaiian	<i>Fulica americana alai</i>	\$15,750	\$0
Duck, Hawaiian (=koloa)	<i>Anas wyvilliana</i>	\$15,700	\$0
Eagle, bald, lower 48 States	<i>Haliaeetus leucocephalus</i>	\$80,496	\$0
Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	\$271,521	\$0
Gnatcatcher, coastal California	<i>Polioptila californica californica</i>	\$108,588	\$0
Moorhen, Hawaiian common	<i>Gallinula chloropus sandvicensis</i>	\$2,250	\$0
Pelican, brown except U.S. Atlantic coast, FL, AL	<i>Pelecanus occidentalis</i>	\$24,347	\$0
Plover, piping except Great Lakes watershed	<i>Charadrius melodus</i>	\$9,858	\$0
Plover, western snowy Pacific coastal pop.	<i>Charadrius alexandrinus nivosus</i>	\$213,912	\$0
Rail, light-footed clapper U.S.A. only	<i>Rallus longirostris levipes</i>	\$24,346	\$0
Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>	\$15,700	\$0
Stork, wood, AL, FL, GA, SC	<i>Mycteria americana</i>	\$1,000	\$0
Tern, California least	<i>Sterna antillarum browni</i>	\$316,149	\$0
Woodpecker, red-cockaded	<i>Picoides borealis</i>	\$588,970	\$0
Birds Total		\$1,688,587	\$0
Reptiles			
Alligator, American	<i>Alligator mississippiensis</i>	\$500	\$0
Sea turtle, green except where endangered	<i>Chelonia mydas</i>	\$3,150	\$0
Sea turtle, loggerhead	<i>Caretta caretta</i>	\$106,316	\$0
Tortoise, desert outside/taken from Sonoran Desert	<i>Gopherus agassizii</i>	\$438,000	\$0
Tortoise, gopher W of of Mobile/Tombigbee Rs.	<i>Gopherus polyphemus</i>	\$500	\$0
Reptiles Total		\$548,466	\$0
Amphibians			
Salamander, flatwoods	<i>Ambystoma cingulatum</i>	\$5,765	\$0
Toad, arroyo (=arroyo southwestern)	<i>Bufo californicus (=microscaphus)</i>	\$174,191	\$0
Amphibians Total		\$179,956	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Fishes			
Goby, tidewater, Entire	<i>Eucyclogobius newberryi</i>	\$201,859	\$0
Steelhead, Central Valley CA	<i>Oncorhynchus (=Salmo) mykiss</i>	\$24,347	\$0
Fishes Total		\$226,206	\$0
Crustaceans			
Fairy shrimp, Riverside	<i>Streptocephalus woottoni</i>	\$290,333	\$0
Fairy shrimp, San Diego	<i>Branchinecta sandiegonensis</i>	\$106,542	\$0
Crustaceans Total		\$396,875	\$0
Flowering Plants			
Amaranth, seabeach	<i>Amaranthus pumilus</i>	\$21,155	\$0
Brodiaea, thread-leaved	<i>Brodiaea filifolia</i>	\$31,846	\$0
Button-celery, San Diego	<i>Eryngium aristulatum var. parishii</i>	\$90,412	\$0
Chaffseed, American	<i>Schwalbea americana</i>	\$2,500	\$0
Harperella	<i>Ptilimnium nodosum</i>	\$600	\$0
Loosestrife, rough-leaved	<i>Lysimachia asperulaefolia</i>	\$23,433	\$0
Manzanita, Del Mar	<i>Arctostaphylos glandulosa ssp. crassifolia</i>	\$49,999	\$0
Mesa-mint, San Diego	<i>Pogogyne abramsii</i>	\$58,566	\$0
Monardella, willowy	<i>Monardella linoides ssp. viminea</i>	\$11,561	\$0
Navarretia, spreading	<i>Navarretia fossalis</i>	\$90,412	\$0
Orcutt grass, California	<i>Orcuttia californica</i>	\$58,566	\$0
Pogonia, small whorled	<i>Isotria medeoloides</i>	\$8,400	\$0
Pondberry	<i>Lindera melissifolia</i>	\$6,839	\$0
Flowering Plants Total		\$454,289	\$0
Expenses from Foreign Species		\$0	\$0
Total Other ESA Expenses		\$0	\$0
All Species Total		\$3,594,612	\$0

DOD Marine Corps FY06

Common Name	Scientific Name	General Expenditures	Land Expenditures
Mammals			
Kangaroo rat, Stephens'	<i>Dipodomys stephensi (incl. D. cascus)</i>	\$142,907	\$0
Mouse, Pacific pocket	<i>Perognathus longimembris pacificus</i>	\$117,399	\$0
Pronghorn, Sonoran	<i>Antilocapra americana sonoriensis</i>	\$116,000	\$0
Seal, Hawaiian monk	<i>Monachus schauinslandi</i>	\$551	\$0
Whale, humpback	<i>Megaptera novaeangliae</i>	\$2,205	\$0
Mammals Total		\$379,062	\$0
Birds			
Coot, Hawaiian	<i>Fulica americana alai</i>	\$16,538	\$0
Duck, Hawaiian (=koloa)	<i>Anas wyvilliana</i>	\$16,485	\$0
Eagle, bald lower 48 States	<i>Haliaeetus leucocephalus</i>	\$12,632	\$0
Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	\$366,347	\$0
Gnatcatcher, coastal California	<i>Polioptila californica californica</i>	\$479,650	\$0
Moorhen, Hawaiian common	<i>Gallinula chloropus sandvicensis</i>	\$3,375	\$0
Plover, piping except Great Lakes watershed	<i>Charadrius melodus</i>	\$16,917	\$0
Plover, western snowy Pacific coastal pop.	<i>Charadrius alexandrinus nivosus</i>	\$218,635	\$0
Rail, light-footed clapper U.S.A. only	<i>Rallus longirostris levipes</i>	\$54,188	\$0
Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>	\$16,485	\$0
Tern, California least	<i>Sterna antillarum browni</i>	\$249,070	\$0
Vireo, least Bell's	<i>Vireo bellii pusillus</i>	\$366,347	\$0
Woodpecker, red-cockaded	<i>Picoides borealis</i>	\$425,521	\$0
Birds Total		\$2,242,190	\$0
Reptiles			
Sea turtle, green except where endangered	<i>Chelonia mydas</i>	\$3,308	\$0
Sea turtle, loggerhead	<i>Caretta caretta</i>	\$119,777	\$0
Tortoise, desert U.S.A., except in Sonoran Desert	<i>Gopherus agassizii</i>	\$50,293	\$0
Reptiles Total		\$173,378	\$0
Amphibians			
Salamander, flatwoods	<i>Ambystoma cingulatum</i>	\$57,220	\$0
Toad, arroyo (=arroyo southwestern)	<i>Bufo californicus (=microscaphus)</i>	\$339,875	\$0
Amphibians Total		\$397,095	\$0
Fishes			
Goby, tidewater, entire	<i>Eucyclogobius newberryi</i>	\$127,307	\$0
Fishes Total		\$127,307	\$0
Crustaceans			
Fairy shrimp, Riverside	<i>Streptocephalus woottoni</i>	\$284,092	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Fairy shrimp, San Diego	<i>Branchinecta sandiegonensis</i>	\$289,605	\$0
Crustaceans Total		\$573,697	\$0
Flowering Plants			
Amaranth, seabeach	<i>Amaranthus pumilus</i>	\$33,833	\$0
Brodiaea, thread-leaved	<i>Brodiaea filifolia</i>	\$73,382	\$0
Button-celery, San Diego	<i>Eryngium aristulatum var. parishii</i>	\$91,647	\$0
Chaffseed, American	<i>Schwalbea americana</i>	\$500	\$0
Loosestrife, rough-leaved	<i>Lysimachia asperulaefolia</i>	\$40,600	\$0
Mesa-mint, San Diego	<i>Pogogyne abramsii</i>	\$8,950	\$0
Monardella, willow	<i>Monardella linoides ssp. viminea</i>	\$132,878	\$0
Navarretia, spreading	<i>Navarretia fossalis</i>	\$91,647	\$0
Orcutt grass, California	<i>Orcuttia californica</i>	\$8,950	\$0
Pogonia, small whorled	<i>Isotria medeoloides</i>	\$21,120	\$0
Pondberry	<i>Lindera melissifolia</i>	\$18,395	\$0
Flowering Plants Total		\$521,902	\$0
Other ESA Expenses not including Foreign Species		\$431,863	\$0
Expenses from Foreign Species		\$0	\$0
Total Other ESA Expenses		\$431,863	\$0
All Species Total		\$4,846,494	\$0

DOD Navy FY05

Common Name	Scientific Name	General Expenditures	Land Expenditures
Mammals			
Bat, Indiana	<i>Myotis sodalis</i>	\$5,000	\$0
Kangaroo rat, Fresno	<i>Dipodomys nitratoides exilis</i>	\$20,000	\$0
Kangaroo rat, Stephens'	<i>Dipodomys stephensi (incl. D. cascus)</i>	\$31,385	\$0
Kangaroo rat, Tipton	<i>Dipodomys nitratoides nitratoides</i>	\$20,000	\$0
Lynx, Canada lower 48 States DPS	<i>Lynx canadensis</i>	\$1,000	\$0
Manatee, West Indian	<i>Trichechus manatus</i>	\$32,771	\$0
Seal, Hawaiian monk	<i>Monachus schauinslandi</i>	\$15,620	\$0
Whale, humpback	<i>Megaptera novaeangliae</i>	\$114,556	\$0
Mammals Total		\$240,332	\$0
Birds			
Coot, Hawaiian	<i>Fulica americana alai</i>	\$16,150	\$0
Duck, Hawaiian (=koloa)	<i>Anas wyvilliana</i>	\$16,150	\$0
Eagle, bald, lower 48 States	<i>Haliaeetus leucocephalus</i>	\$219,875	\$0
Gnatcatcher, coastal California	<i>Poliioptila californica californica</i>	\$31,961	\$0
Moorhen, Hawaiian common	<i>Gallinula chloropus sandvicensis</i>	\$16,150	\$0
Moorhen, Mariana common	<i>Gallinula chloropus guami</i>	\$20,000	\$0
Murrelet, marbled, CA, OR, WA	<i>Brachyramphus marmoratus</i>	\$350,000	\$0
Pelican, brown except U.S. Atlantic coast, FL, AL	<i>Pelecanus occidentalis</i>	\$6,250	\$0
Plover, western snowy Pacific coastal pop.	<i>Charadrius alexandrinus nivosus</i>	\$576,045	\$0
Rail, light-footed clapper, U.S.A. only	<i>Rallus longirostris levipes</i>	\$86,095	\$0
Shrike, San Clemente loggerhead	<i>Lanius ludovicianus mearnsi</i>	\$1,739,708	\$0
Sparrow, San Clemente sage	<i>Amphispiza belli clementeae</i>	\$156,388	\$0
Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>	\$16,150	\$0
Stork, wood, AL, FL, GA, SC	<i>Mycteria americana</i>	\$31,457	\$0
Swiftlet, Mariana gray	<i>Aerodramus vanikorensis bartschi</i>	\$114,000	\$0
Tern, California least	<i>Sterna antillarum browni</i>	\$724,553	\$0
Tern, least, interior pop.	<i>Sterna antillarum</i>	\$18,001	\$0
Vireo, least Bell's	<i>Vireo bellii pusillus</i>	\$36,165	\$0
Woodpecker, red-cockaded	<i>Picoides borealis</i>	\$52,000	\$0
Birds Total		\$4,227,098	\$0
Reptiles			
Alligator, American	<i>Alligator mississippiensis</i>	\$8,875	\$0
Lizard, Island night	<i>Xantusia riversiana</i>	\$26,866	\$0
Sea turtle, green FL, Mexico nesting pops.	<i>Chelonia mydas</i>	\$2,500	\$0
Sea turtle, green except where endangered	<i>Chelonia mydas</i>	\$23,120	\$0
Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	\$10,000	\$0
Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>	\$10,000	\$0
Sea turtle, leatherback	<i>Dermodochelys coriacea</i>	\$10,000	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Sea turtle, loggerhead	<i>Caretta caretta</i>	\$10,000	\$0
Snake, eastern indigo	<i>Drymarchon corais couperi</i>	\$35,550	\$0
Tortoise, gopher W of of Mobile/Tombigbee Rs.	<i>Gopherus polyphemus</i>	\$30,360	\$0
Reptiles Total		\$167,271	\$0
Amphibians			
Salamander, flatwoods	<i>Ambystoma cingulatum</i>	\$12,500	\$0
Toad, arroyo (=arroyo southwestern)	<i>Bufo californicus (=microscaphus)</i>	\$86,885	\$0
Amphibians Total		\$99,385	\$0
Fishes			
Salmon, chinook, Puget Sound	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$350,000	\$0
Salmon, chum, Columbia R.	<i>Oncorhynchus (=Salmo) keta</i>	\$350,000	\$0
Trout, bull U.S.A., conterminous, lower 48 states	<i>Salvelinus confluentus</i>	\$350,000	\$0
Fishes Total		\$1,050,000	\$0
Insects			
Butterfly, Palos Verdes blue	<i>Glaucopsyche lygdamus palosverdesensis</i>	\$150,000	\$0
Insects Total		\$150,000	\$0
Flowering Plants			
Ambrosia, south Texas	<i>Ambrosia cheiranthifolia</i>	\$1,000	\$0
Beaked-rush, Knieskern's	<i>Rhynchospora knieskernii</i>	\$700	\$0
Bird's-beak, salt marsh	<i>Cordylanthus maritimus ssp. maritimus</i>	\$9,000	\$0
Broom, San Clemente Island	<i>Lotus dendroideus ssp. traskiae</i>	\$18,500	\$0
Bush-mallow, San Clemente Island	<i>Malacothamnus clementinus</i>	\$18,500	\$0
Indian paintbrush, San Clemente Island	<i>Castilleja grisea</i>	\$18,500	\$0
Kulu`i	<i>Nototrichium humile</i>	\$3,789	\$0
Larkspur, San Clemente Island	<i>Delphinium variegatum ssp. kinkiense</i>	\$18,500	\$0
Mehamehame	<i>Flueggea neowawraea</i>	\$3,789	\$0
Nehe	<i>Lipochaeta lobata var. leptophylla</i>	\$3,789	\$0
No common name	<i>Abutilon sandwicense</i>	\$17,757	\$0
No common name	<i>Hedyotis parvula</i>	\$1,560	\$0
No common name	<i>Lobelia niihauensis</i>	\$1,560	\$0
No common name	<i>Neraudia angulata</i>	\$1,560	\$0
No common name	<i>Schiedea hookeri</i>	\$1,560	\$0
No common name	<i>Spermolepis hawaiiensis</i>	\$1,560	\$0
No common name	<i>Tetramolopium filiforme</i>	\$1,560	\$0
Pamakani	<i>Viola chamissoniana ssp. chamissoniana</i>	\$1,560	\$0
Rockcross, Santa Cruz Island	<i>Sibara filifolia</i>	\$18,500	\$0
Woodland-star, San Clemente Island	<i>Lithophragma maximum</i>	\$18,500	\$0
`Akoko	<i>Chamaesyce kuwaleana</i>	\$1,560	\$0
`Anaunau	<i>Lepidium arbuscula</i>	\$1,560	\$0
Flowering Plants Total		\$164,864	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Ferns and Allies			
Ihi`ihi	<i>Marsilea villosa</i>	\$15,000	\$0
No common name	<i>Diellia unisora</i>	\$1,560	\$0
Ferns and Allies Total		\$16,560	\$0
Expenses from Foreign Species		\$0	\$0
Total Other ESA Expenses		\$0	\$0
All Species Total		\$6,115,510	\$0

DOD Navy FY06

Common Name	Scientific Name	General Expenditures	Land Expenditures
Mammals			
Bat, Indiana	<i>Myotis sodalis</i>	\$5,000	\$0
Kangaroo rat, Fresno	<i>Dipodomys nitratoides exilis</i>	\$40,000	\$0
Kangaroo rat, Stephens'	<i>Dipodomys stephensi (incl. D. cascus)</i>	\$74,000	\$0
Manatee, West Indian	<i>Trichechus manatus</i>	\$32,221	\$0
Rabbit, Lower Keys marsh	<i>Sylvilagus palustris hefneri</i>	\$155,000	\$0
Seal, Hawaiian monk	<i>Monachus schauinslandi</i>	\$15,950	\$0
Whale, humpback	<i>Megaptera novaeangliae</i>	\$106,750	\$0
Whale, right	<i>Balaena glacialis (incl. australis)</i>	\$2,500	\$0
Mammals Total		\$431,421	\$0
Birds			
Albatross, short-tailed	<i>Phoebastria (=Diomedea) albatrus</i>	\$267	\$0
Bobwhite, masked (quail)	<i>Colinus virginianus ridgwayi</i>	\$2,500	\$0
Coot, Hawaiian	<i>Fulica americana alai</i>	\$22,750	\$0
Duck, Hawaiian (=koloa)	<i>Anas wyvilliana</i>	\$22,750	\$0
Eagle, bald, lower 48 States	<i>Haliaeetus leucocephalus</i>	\$176,075	\$0
Elepaio, Oahu	<i>Chasiempis sandwichensis ibidis</i>	\$90,000	\$0
Gnatcatcher, coastal California	<i>Polioptila californica californica</i>	\$393,899	\$0
Goose, Hawaiian	<i>Branta (=Nesochen) sandvicensis</i>	\$5,750	\$0
Moorhen, Hawaiian common	<i>Gallinula chloropus sandvicensis</i>	\$22,750	\$0
Pelican, brown except U.S. Atlantic coast, FL, AL	<i>Pelecanus occidentalis</i>	\$14,600	\$0
Plover, western snowy Pacific coastal pop.	<i>Charadrius alexandrinus nivosus</i>	\$349,155	\$0
Rail, light-footed clapper, U.S.A. only	<i>Rallus longirostris levipes</i>	\$190,000	\$0
Shrike, San Clemente loggerhead	<i>Lanius ludovicianus mearnsi</i>	\$1,739,708	\$0
Sparrow, San Clemente sage	<i>Amphispiza belli clementeae</i>	\$156,388	\$0
Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>	\$22,750	\$0
Stork, wood, AL, FL, GA, SC	<i>Mycteria americana</i>	\$15,252	\$0
Tern, California least	<i>Sterna antillarum browni</i>	\$464,817	\$0
Towhee, Inyo California	<i>Pipilo crissalis eremophilus</i>	\$40,000	\$0
Vireo, least Bell's	<i>Vireo bellii pusillus</i>	\$36,000	\$0
Woodpecker, red-cockaded	<i>Picoides borealis</i>	\$52,000	\$0
Birds Total		\$3,817,411	\$0
Reptiles			
Lizard, Island night	<i>Xantusia riversiana</i>	\$13,200	\$0
Sea turtle, green except where endangered	<i>Chelonia mydas</i>	\$13,975	\$0
Sea turtle, loggerhead	<i>Caretta caretta</i>	\$1,500	\$0
Tortoise, desert U.S.A., except in Sonoran Desert	<i>Gopherus agassizii</i>	\$40,000	\$0
Tortoise, gopher W of of Mobile/Tombigbee Rs.	<i>Gopherus polyphemus</i>	\$39,800	\$0
Reptiles Total		\$108,475	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Amphibians			
Salamander, flatwoods	<i>Ambystoma cingulatum</i>	\$62,720	\$0
Toad, arroyo (=arroyo southwestern)	<i>Bufo californicus (=microscaphus)</i>	\$20,000	\$0
Amphibians Total		\$82,720	\$0
Fishes			
Chub, Mohave tui	<i>Gila bicolor mohavensis</i>	\$50,000	\$0
Salmon, chinook, Puget Sound	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$40,000	\$0
Salmon, chum, Columbia R.	<i>Oncorhynchus (=Salmo) keta</i>	\$40,000	\$0
Fishes Total		\$130,000	\$0
Snails			
Snails, Oahu tree	<i>Achatinella spp.</i>	\$30,000	\$0
Snails Total		\$30,000	\$0
Flowering Plants			
Beaked-rush, Knieskern's	<i>Rhynchospora knieskernii</i>	\$700	\$0
Bird's-beak, salt marsh	<i>Cordylanthus maritimus ssp. maritimus</i>	\$24,000	\$0
Broom, San Clemente Island	<i>Lotus dendroideus ssp. traskiae</i>	\$9,655	\$0
Bush-mallow, San Clemente Island	<i>Malacothamnus clementinus</i>	\$9,655	\$0
Gilia, Monterey	<i>Gilia tenuiflora ssp. arenaria</i>	\$3,725	\$0
Indian paintbrush, San Clemente Island	<i>Castilleja grisea</i>	\$9,655	\$0
Ko'oloa`ua	<i>Abutilon menziesii</i>	\$1,500	\$0
Kulu`i	<i>Nototrichium humile</i>	\$10,000	\$0
Larkspur, San Clemente Island	<i>Delphinium variegatum ssp. kinkiense</i>	\$9,655	\$0
Mehamehame	<i>Flueggea neowawraea</i>	\$10,000	\$0
Nehe	<i>Lipochaeta lobata var. leptophylla</i>	\$10,000	\$0
No common name	<i>Abutilon sandwicense</i>	\$10,000	\$0
No common name	<i>Bonamia menziesii</i>	\$10,000	\$0
Piperia, Yadon's	<i>Piperia yadonii</i>	\$3,725	\$0
Pondberry	<i>Lindera melissifolia</i>	\$21,395	\$0
Pu`uka`a	<i>Cyperus trachysanthos</i>	\$8,000	\$0
Rockcress, Santa Cruz Island	<i>Sibara filifolia</i>	\$9,655	\$0
Spineflower, Monterey	<i>Chorizanthe pungens var. pungens</i>	\$3,725	\$0
Spineflower, Orcutt's	<i>Chorizanthe orcuttiana</i>	\$56,528	\$0
Woodland-star, San Clemente Island	<i>Lithophragma maximum</i>	\$9,655	\$0
Flowering Plants Total		\$231,228	\$0
Ferns and Allies			
Ihi`ihi	<i>Marsilea villosa</i>	\$15,000	\$0
Ferns and Allies Total		\$15,000	\$0
Expenses from Foreign Species		\$0	\$0
Total Other ESA Expenses		\$0	\$0
All Species Total		\$4,846,255	\$0

DOE Bonneville Power Administration FY05

Common Name	Scientific Name	General Expenditures	Land Expenditures
Fishes			
Salmon, chinook, fall Snake R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$6,891,589	\$0
Salmon, chinook, spring/summer Snake R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$19,544,552	\$769,904
Salmon, chinook, lower Columbia R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$2,604,839	\$0
Salmon, chinook, upper Willamette R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$1,866,634	\$0
Salmon, chinook, spring upper Columbia R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$5,401,484	\$0
Salmon, chum, Columbia R.	<i>Oncorhynchus (=Salmo) keta</i>	\$2,402,180	\$0
Salmon, sockeye U.S.A. (Snake River, ID stock wherever found.)	<i>Oncorhynchus (=Salmo) nerka</i>	\$5,332,222	\$0
Steelhead, Snake R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$12,292,784	\$764,842
Steelhead, lower Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$4,805,969	\$0
Steelhead, upper Columbia R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$4,668,170	\$0
Steelhead, upper Willamette R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$1,866,634	\$0
Steelhead, middle Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$19,083,598	\$68,998
Sturgeon, white U.S.A. (ID, MT), Canada (B.C.), Kootenai R. system	<i>Acipenser transmontanus</i>	\$6,446,457	\$0
Trout, bull U.S.A., conterminous, lower 48 states	<i>Salvelinus confluentus</i>	\$24,252,647	\$833,614
Fishes Total		\$117,459,759	\$2,437,358
Other ESA Expenses not including Foreign Species		\$292,900,000	\$0
Expenses from Foreign Species		\$0	\$0
Total Other ESA Expenses		\$292,900,000	\$0
All Species Total		\$410,359,759	\$2,437,358

DOE Bonneville Power Administration FY06

Common Name	Scientific Name	General Expenditures	Land Expenditures
Fishes			
Salmon, chinook, fall Snake R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$9,620,566	\$22,115
Salmon, chinook, spring/summer Snake R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$17,875,881	\$25,248
Salmon, chinook, lower Columbia R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$7,003,036	\$22,115
Salmon, chinook, upper Willamette R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$4,948,383	\$124,325
Salmon, chinook, spring upper Columbia R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$6,905,531	\$124,325
Salmon, chum, Columbia R.	<i>Oncorhynchus (=Salmo) keta</i>	\$4,067,416	\$1,000
Salmon, coho, Lower Columbia River	<i>Oncorhynchus (=Salmo) kisutch</i>	\$6,006,321	\$1,000
Salmon, sockeye U.S.A. (Snake River, ID stock wherever found.)	<i>Oncorhynchus (=Salmo) nerka</i>	\$7,030,906	\$1,000
Steelhead, Snake R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$9,704,222	\$1,000
Steelhead, lower Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$5,136,149	\$1,000
Steelhead, upper Columbia R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$5,911,394	\$103,210
Steelhead, upper Willamette R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$3,657,149	\$1,000
Steelhead, middle Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$15,426,116	\$1,000
Sturgeon, white U.S.A. (ID, MT), Canada (B.C.), Kootenai R. system	<i>Acipenser transmontanus</i>	\$4,887,316	\$0
Trout, bull U.S.A., conterminous, lower 48 states	<i>Salvelinus confluentus</i>	\$10,188,897	\$6,100,000
Trout, Lahontan cutthroat	<i>Oncorhynchus clarki henshawi</i>	\$1,056,921	\$0
Fishes Total		\$119,426,204	\$6,528,338
Other ESA Expenses not including Foreign Species		\$565,600,000	\$0
Expenses from Foreign Species		\$0	\$0
Total Other ESA Expenses		\$565,600,000	\$0
All Species Total		\$685,026,204	\$6,528,338

DOE Southwestern Power Administration FY05

Common Name	Scientific Name	General Expenditures	Land Expenditures
Birds			
Eagle, bald, lower 48 States	<i>Haliaeetus leucocephalus</i>	\$5,988	\$0
Tern, least, interior pop.	<i>Sterna antillarum</i>	\$20,987	\$0
Birds Total		\$26,975	\$0
Insects			
Beetle, American burying	<i>Nicrophorus americanus</i>	\$3,750	\$0
Insects Total		\$3,750	\$0
Flowering Plants			
Bladderpod, Missouri	<i>Lesquerella filiformis</i>	\$11,550	\$0
Flowering Plants Total		\$11,550	\$0
Expenses from Foreign Species		\$0	\$0
Total Other ESA Expenses		\$0	\$0
All Species Total		\$42,275	\$0

DOE Southwestern Power Administration FY06

Common Name	Scientific Name	General Expenditures	Land Expenditures
Mammals			
Bat, gray	<i>Myotis grisescens</i>	\$3,555	\$0
Bat, Indiana	<i>Myotis sodalis</i>	\$1,422	\$0
Mammals Total		\$4,977	\$0
Birds			
Crane, whooping, except where EXPN	<i>Grus americana</i>	\$237	\$0
Eagle, bald, lower 48 States	<i>Haliaeetus leucocephalus</i>	\$3,081	\$0
Plover, piping except Great Lakes watershed	<i>Charadrius melodus</i>	\$711	\$0
Tern, least, interior pop.	<i>Sterna antillarum</i>	\$12,948	\$0
Birds Total		\$16,977	\$0
Fishes			
Cavefish, Ozark	<i>Amblyopsis rosae</i>	\$1,422	\$0
Darter, Niangua	<i>Etheostoma nianguae</i>	\$711	\$0
Madtom, Neosho	<i>Noturus placidus</i>	\$237	\$0
Shiner, Arkansas River Arkansas R. Basin	<i>Notropis girardi</i>	\$474	\$0
Fishes Total		\$2,844	\$0
Clams			
Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>	\$237	\$0
Mussel, scaleshell	<i>Leptodea leptodon</i>	\$474	\$0
Pearlymussel, Curtis	<i>Epioblasma florentina curtisii</i>	\$237	\$0
Clams Total		\$948	\$0
Insects			
Beetle, American burying	<i>Nicrophorus americanus</i>	\$1,185	\$0
Insects Total		\$1,185	\$0
Crustaceans			
Crayfish, cave	<i>Cambarus aculabrum</i>	\$237	\$0
Crustaceans Total		\$237	0
Flowering Plants			
Aster, decurrent false	<i>Boltonia decurrens</i>	\$237	\$0
Bladderpod, Missouri	<i>Lesquerella filiformis</i>	\$237	\$0
Clover, running buffalo	<i>Trifolium stoloniferum</i>	\$948	\$0
Milkweed, Mead's	<i>Asclepias meadii</i>	\$474	\$0
No common name	<i>Geocarpon minimum</i>	\$711	\$0
Orchid, western prairie fringed	<i>Platanthera praeclara</i>	\$237	\$0
Sneezeweed, Virginia	<i>Helenium virginicum</i>	\$237	\$0
Flowering Plants Total		\$3,081	\$0
Expenses from Foreign Species		\$0	\$0
Total Other ESA Expenses		\$0	\$0
All Species Total		\$30,249	\$0

DOE Western Area Power Administration FY05

Common Name	Scientific Name	General Expenditures	Land Expenditures
Mammals			
Ferret, black-footed entire population, except where EXPN	<i>Mustela nigripes</i>	\$8,500	\$0
Lynx, Canada, lower 48 States DPS	<i>Lynx canadensis</i>	\$1,500	\$0
Mouse, Preble's meadow jumping Colorado	<i>Zapus hudsonius preblei</i>	\$3,000	\$0
Mammals Total		\$13,000	\$0
Birds			
Crane, whooping, except where EXPN	<i>Grus americana</i>	\$2,500	\$0
Eagle, bald, lower 48 States	<i>Haliaeetus leucocephalus</i>	\$11,000	\$0
Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	\$3,400	\$0
Plover, piping except Great Lakes watershed	<i>Charadrius melodus</i>	\$2,500	\$0
Tern, least, interior pop.	<i>Sterna antillarum</i>	\$2,500	\$0
Birds Total		\$21,900	\$0
Amphibians			
Toad, Wyoming	<i>Bufo baxteri (=hemiophrys)</i>	\$1,000	\$0
Amphibians Total		\$1,000	\$0
Fishes			
Chub, bonytail, entire	<i>Gila elegans</i>	\$445,800	\$0
Chub, humpback, entire	<i>Gila cypha</i>	\$2,699,400	\$0
Pikeminnow (=squawfish), Colorado except Salt and Verde R. drainages, AZ	<i>Ptychocheilus lucius</i>	\$1,557,800	\$0
Sturgeon, pallid	<i>Scaphirhynchus albus</i>	\$345,000	\$0
Sucker, razorback, entire	<i>Xyrauchen texanus</i>	\$1,780,200	\$0
Fishes Total		\$6,828,200	\$0
Snails			
Ambersnail, Kanab	<i>Oxyloma haydeni kanabensis</i>	\$88,400	\$0
Snails Total		\$88,400	\$0
Insects			
Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>	\$500,000	\$0
Insects Total		\$500,000	\$0
Flowering Plants			
Butterfly plant, Colorado	<i>Gaura neomexicana var. coloradensis</i>	\$2,000	\$0
Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>	\$4,000	\$0
Milk-vetch, Osterhout	<i>Astragalus osterhoutii</i>	\$1,000	\$0
Penstemon, blowout	<i>Penstemon haydenii</i>	\$1,000	\$0
Flowering Plants Total		\$8,000	\$0
Other ESA Expenses not including Foreign Species		\$73,500	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Expenses from Foreign Species		\$0	\$0
Total Other ESA Expenses		\$73,500	\$0
All Species Total		\$7,534,000	\$0

DOE Western Area Power Administration FY06

Common Name	Scientific Name	General Expenditures	Land Expenditures
Mammals			
Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>	\$700	\$0
Lynx, Canada, lower 48 States DPS	<i>Lynx canadensis</i>	\$1,000	\$0
Mammals Total		\$1,700	\$0
Birds			
Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	\$3,000	\$0
Owl, northern spotted	<i>Strix occidentalis caurina</i>	\$45,100	\$0
Plover, piping except Great Lakes watershed	<i>Charadrius melodus</i>	\$18,700	\$0
Tern, least, interior pop.	<i>Sterna antillarum</i>	\$18,700	\$0
Birds Total		\$85,500	\$0
Reptiles			
Tortoise, desert U.S.A., except in Sonoran Desert	<i>Gopherus agassizii</i>	\$268,000	\$0
Reptiles Total		\$268,000	\$0
Amphibians			
Frog, California red-legged subspecies range clarified	<i>Rana aurora draytonii</i>	\$200	\$0
Amphibians Total		\$200	\$0
Fishes			
Chub, bonytail, entire	<i>Gila elegans</i>	\$493,500	\$0
Chub, humpback, entire	<i>Gila cypha</i>	\$2,969,500	\$0
Pikeminnow (=squawfish), Colorado except Salt and Verde R. drainages, AZ	<i>Ptychocheilus lucius</i>	\$1,714,500	\$0
Sturgeon, pallid	<i>Scaphirhynchus albus</i>	\$345,000	\$0
Sucker, razorback, entire	<i>Xyrauchen texanus</i>	\$1,958,500	\$0
Fishes Total		\$7,481,000	\$0
Snails			
Ambersnail, Kanab	<i>Oxyloma haydeni kanabensis</i>	\$88,400	\$0
Snails Total		\$88,400	\$0
Insects			
Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>	\$86,000	\$0
Insects Total		\$86,000	\$0
Flowering Plants			
Cactus, Mesa Verde	<i>Sclerocactus mesae-verdae</i>	\$8,000	\$0
Milk-vetch, Osterhout	<i>Astragalus osterhoutii</i>	\$1,000	\$0
Flowering Plants Total		\$10,000	\$0
Expenses from Foreign Species		\$0	\$0
Total Other ESA Expenses		\$0	\$0
All Species Total		\$8,020,800	\$0

DHS Coast Guard FY05

Common Name	Scientific Name	General Expenditures	Land Expenditures
Mammals			
Manatee, West Indian	<i>Trichechus manatus</i>	\$449,503	\$0
Sea-lion, Steller, western pop.	<i>Eumetopias jubatus</i>	\$17,683,377	\$0
Seal, Hawaiian monk	<i>Monachus schauinslandi</i>	\$2,115	\$0
Whale, blue	<i>Balaenoptera musculus</i>	\$40,441	\$0
Whale, bowhead	<i>Balaena mysticetus</i>	\$40,441	\$0
Whale, finback	<i>Balaenoptera physalus</i>	\$40,441	\$0
Whale, humpback	<i>Megaptera novaeangliae</i>	\$1,323,066	\$0
Whale, right	<i>Balaena glacialis (incl. australis)</i>	\$729,409	\$0
Whale, Sei	<i>Balaenoptera borealis</i>	\$40,441	\$0
Whale, sperm	<i>Physeter catodon (=macrocephalus)</i>	\$40,441	\$0
Mammals Total		\$20,389,675	\$0
Birds			
Albatross, short-tailed	<i>Phoebastria (=Diomedea) albatrus</i>	\$1,428	\$0
Plover, piping except Great Lakes watershed	<i>Charadrius melodus</i>	\$3,050	\$0
Birds Total		\$4,478	\$0
Reptiles			
Sea turtle, green FL, Mexico nesting pops.	<i>Chelonia mydas</i>	\$935,609	\$0
Sea turtle, green except where endangered	<i>Chelonia mydas</i>	\$935,609	\$0
Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	\$1,871,218	\$0
Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>	\$1,871,218	\$0
Sea turtle, leatherback	<i>Dermochelys coriacea</i>	\$1,871,218	\$0
Sea turtle, loggerhead	<i>Caretta caretta</i>	\$1,871,218	\$0
Sea turtle, olive ridley except where endangered	<i>Lepidochelys olivacea</i>	\$1,871,218	\$0
Reptiles Total		\$11,227,308	\$0
Fishes			
Salmon, chinook CA coastal	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$853	\$0
Salmon, chum Columbia R.	<i>Oncorhynchus (=Salmo) keta</i>	\$853	\$0
Salmon, coho OR, CA pop.	<i>Oncorhynchus (=Salmo) kisutch</i>	\$853	\$0
Salmon, sockeye U.S.A. (Snake River, ID stock wherever found.)	<i>Oncorhynchus (=Salmo) nerka</i>	\$853	\$0
Steelhead northern CA	<i>Oncorhynchus (=Salmo) mykiss</i>	\$853	\$0
Fishes Total		\$4,265	\$0
Other ESA Expenses not including Foreign Species		\$23,125	\$0
Expenses from Foreign Species		\$0	\$0
Total Other ESA Expenses		\$23,125	\$0
All Species Total		\$31,648,851	\$0

DHS Coast Guard FY06

Common Name	Scientific Name	General Expenditures	Land Expenditures
Mammals			
Manatee, West Indian	<i>Trichechus manatus</i>	\$468,970	\$0
Sea-lion, Steller western pop.	<i>Eumetopias jubatus</i>	\$19,045,552	\$0
Seal, Hawaiian monk	<i>Monachus schauinslandi</i>	\$128,499	\$0
Whale, blue	<i>Balaenoptera musculus</i>	\$1,483	\$0
Whale, bowhead	<i>Balaena mysticetus</i>	\$1,483	\$0
Whale, finback	<i>Balaenoptera physalus</i>	\$1,483	\$0
Whale, humpback	<i>Megaptera novaeangliae</i>	\$3,127,199	\$0
Whale, right	<i>Balaena glacialis (incl. australis)</i>	\$793,000	\$0
Whale, Sei	<i>Balaenoptera borealis</i>	\$2,518	\$0
Whale, sperm	<i>Physeter catodon (=macrocephalus)</i>	\$1,483	\$0
Mammals Total		\$23,571,670	\$0
Birds			
Albatross, short-tailed	<i>Phoebastria (=Diomedea) albatrus</i>	\$1,952	\$0
Plover, piping except Great Lakes watershed	<i>Charadrius melodus</i>	\$23,050	\$0
Birds Total		\$25,002	\$0
Reptiles			
Sea turtle, green FL, Mexico nesting pops.	<i>Chelonia mydas</i>	\$542,280	\$0
Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	\$541,798	\$0
Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>	\$541,725	\$0
Sea turtle, leatherback	<i>Dermochelys coriacea</i>	\$546,410	\$0
Sea turtle, loggerhead	<i>Caretta caretta</i>	\$543,517	\$0
Sea turtle, olive ridley Mexican nesting pop.	<i>Lepidochelys olivacea</i>	\$541,725	\$0
Reptiles Total		\$3,257,455	\$0
Fishes			
Salmon, chinook CA coastal	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$40,834	\$0
Salmon, chum Columbia R.	<i>Oncorhynchus (=Salmo) keta</i>	\$732	\$0
Salmon, coho OR, CA pop.	<i>Oncorhynchus (=Salmo) kisutch</i>	\$732	\$0
Salmon, sockeye U.S.A. (Ozette Lake, WA)	<i>Oncorhynchus (=Salmo) nerka</i>	\$732	\$0
Steelhead northern CA	<i>Oncorhynchus (=Salmo) mykiss</i>	\$732	\$0
Fishes Total		\$43,762	\$0
Expenses from Foreign Species		\$0	\$0
Total Other ESA Expenses		\$0	\$0
All Species Total		\$26,897,889	\$0

DHS Customs and Border Protection FY05

Common Name	Scientific Name	General Expenditures	Land Expenditures
Other ESA Expenses not including Foreign Species		\$230,000	\$0
Expenses from Foreign Species		\$0	\$0
All Species Total		\$230,000	\$0

DOI Bureau of Indian Affairs FY05

Common Name	Scientific Name	General Expenditures	Land Expenditures
Mammals			
Bear, grizzly, lower 48 States, except where listed as an experimental population or delisted	<i>Ursus arctos horribilis</i>	\$100,000	\$0
Ferret, black-footed U.S.A. (specific portions of AZ, CO, MT, SD, UT, and WY)	<i>Mustela nigripes</i>	\$1,085,561	\$0
Lynx, Canada, lower 48 States DPS	<i>Lynx canadensis</i>	\$5,000	\$0
Wolf, gray, WY, ID, MT	<i>Canis lupus</i>	\$5,000	\$0
Mammals Total		\$1,195,561	\$0
Birds			
Eagle, bald, lower 48 States	<i>Haliaeetus leucocephalus</i>	\$1,000	\$0
Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	\$9,600	\$0
Murrelet, marbled, CA, OR, WA	<i>Brachyramphus marmoratus</i>	\$114,409	\$0
Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	\$64,500	\$0
Owl, northern spotted	<i>Strix occidentalis caurina</i>	\$628,406	\$0
Pygmy-owl, cactus ferruginous, AZ pop.	<i>Glaucidium brasilianum cactorum</i>	\$5,600	\$0
Woodpecker, red-cockaded	<i>Picoides borealis</i>	\$19,500	\$0
Birds Total		\$843,015	\$0
Reptiles			
Tortoise, desert, U.S.A., except in Sonoran Desert	<i>Gopherus agassizii</i>	\$2,500	\$0
Reptiles Total		\$2,500	\$0
Fishes			
Minnow, Rio Grande silvery	<i>Hybognathus amarus</i>	\$5,000	\$0
Shiner, Arkansas River Arkansas R. Basin	<i>Notropis girardi</i>	\$19,500	\$0
Fishes Total		\$24,500	\$0
Other ESA Expenses not including Foreign Species		\$429,773	\$0
Expenses from Foreign Species		\$0	\$0
Total Other ESA Expenses		\$429,773	\$0
All Species Total		\$2,495,349	\$0

DOI Bureau of Indian Affairs FY06

Common Name	Scientific Name	General Expenditures	Land Expenditures
Mammals			
Bear, grizzly, lower 48 States, except where listed as an experimental population or delisted	<i>Ursus arctos horribilis</i>	\$80,000	\$0
Ferret, black-footed U.S.A. (specific portions of AZ, CO, MT, SD, UT, and WY)	<i>Mustela nigripes</i>	\$6,000	\$0
Prairie dog, Utah	<i>Cynomys parvidens</i>	\$800	\$0
Wolf, gray, WY, ID, MT	<i>Canis lupus</i>	\$1,000	\$0
Mammals Total		\$87,800	\$0
Birds			
Eagle, bald, lower 48 States	<i>Haliaeetus leucocephalus</i>	\$11,800	\$0
Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	\$7,400	\$0
Murrelet, marbled, CA, OR, WA	<i>Brachyramphus marmoratus</i>	\$114,863	\$0
Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	\$93,800	\$0
Owl, northern spotted	<i>Strix occidentalis caurina</i>	\$324,443	\$0
Pygmy-owl, cactus ferruginous, AZ pop.	<i>Glaucidium brasilianum cactorum</i>	\$500	\$0
Birds Total		\$552,806	\$0
Reptiles			
Tortoise, desert, U.S.A., except in Sonoran Desert	<i>Gopherus agassizii</i>	\$1,200	\$0
Reptiles Total		\$1,200	\$0
Fishes			
Minnow, loach	<i>Tiaroga cobitis</i>	\$10,000	\$0
Minnow, Rio Grande silvery	<i>Hybognathus amarus</i>	\$5,900	\$0
Spinedace, Little Colorado	<i>Lepidomeda vittata</i>	\$800	\$0
Fishes Total		\$16,700	\$0
Flowering Plants			
Milk-vetch, Shivwits	<i>Astragalus ampullarioides</i>	\$1,600	\$0
Flowering Plants Total		\$1,600	\$0
Other ESA Expenses not including Foreign Species		\$129,250	\$0
Expenses from Foreign Species		\$0	\$0
Total Other ESA Expenses		\$129,250	\$0
All Species Total		\$789,356	\$0

DOI Bureau of Land Management FY05

Common Name	Scientific Name	General Expenditures	Land Expenditures
Mammals			
Bat, lesser long-nosed	<i>Leptonycteris curasoae yerbabuena</i>	\$46,000	\$0
Bat, Mexican long-nosed	<i>Leptonycteris nivalis</i>	\$39,000	\$0
Bear, grizzly, experimental, non-essential, portions of ID and MT	<i>Ursus arctos horribilis</i>	\$66,000	\$627,000
Deer, Columbian white-tailed Columbia River DPS	<i>Odocoileus virginianus leucurus</i>	\$158,000	\$0
Ferret, black-footed entire population, except where EXPN	<i>Mustela nigripes</i>	\$1,500	\$0
Ferret, black-footed, U.S.A. (specific portions of AZ, CO, MT, SD, UT, and WY)	<i>Mustela nigripes</i>	\$352,505	\$0
Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>	\$45,000	\$0
Jaguar	<i>Panthera onca</i>	\$5,000	\$0
Kangaroo rat, giant	<i>Dipodomys ingens</i>	\$55,000	\$0
Kangaroo rat, Morro Bay	<i>Dipodomys heermanni morroensis</i>	\$2,500	\$0
Kangaroo rat, Stephens'	<i>Dipodomys stephensi (incl. D. cascus)</i>	\$500	\$0
Kangaroo rat, Tipton	<i>Dipodomys nitratoides nitratoides</i>	\$20,000	\$0
Lynx, Canada, lower 48 States DPS	<i>Lynx canadensis</i>	\$156,100	\$0
Mouse, Alabama beach	<i>Peromyscus polionotus ammobates</i>	\$8,000	\$0
Mouse, Preble's meadow jumping Colorado	<i>Zapus hudsonius preblei</i>	\$12,500	\$0
Prairie dog, Utah	<i>Cynomys parvidens</i>	\$260,000	\$0
Pronghorn, Sonoran	<i>Antilocapra americana sonoriensis</i>	\$75,000	\$0
Rabbit, pygmy, Columbia Basin DPS	<i>Brachylagus idahoensis</i>	\$486,750	\$0
Sea-lion, Steller, western pop.	<i>Eumetopias jubatus</i>	\$2,000	\$0
Sheep, bighorn, Peninsular CA pop.	<i>Ovis canadensis</i>	\$100,800	\$0
Sheep, Sierra Nevada bighorn, Sierra Nevada	<i>Ovis canadensis sierrae</i>	\$2,700	\$0
Shrew, Buena Vista Lake ornate	<i>Sorex ornatus relictus</i>	\$1,000	\$0
Squirrel, northern Idaho ground	<i>Spermophilus brunneus brunneus</i>	\$1,800	\$0
Vole, Amargosa	<i>Microtus californicus scirpensis</i>	\$3,000	\$0
Vole, Hualapai Mexican	<i>Microtus mexicanus hualpaiensis</i>	\$7,000	\$0
Wolf, gray, Lower 48 States, except where delisted and where EXPN. Mexico.	<i>Canis lupus</i>	\$22,000	\$0
Wolf, gray, WY, ID, MT	<i>Canis lupus</i>	\$32,300	\$0
Wolf, gray Mexican gray wolf, EXPN population	<i>Canis lupus</i>	\$3,000	\$0
Mammals Total		\$1,964,955	\$627,000
Birds			
Condor, California, U.S.A. only	<i>Gymnogyps californianus</i>	\$47,500	\$0
Crane, whooping, except where EXPN	<i>Grus americana</i>	\$1,000	\$0
Eagle, bald, lower 48 States	<i>Haliaeetus leucocephalus</i>	\$327,190	\$5,821,000
Eider, spectacled	<i>Somateria fischeri</i>	\$12,000	\$0
Eider, Steller's, AK breeding pop.	<i>Polysticta stelleri</i>	\$17,000	\$0
Falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>	\$185,500	\$0
Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	\$239,650	\$146,000
Gnatcatcher, coastal California	<i>Poliptila californica californica</i>	\$2,000	\$0
Jay, Florida scrub	<i>Aphelocoma coerulescens</i>	\$16,000	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Murrelet, marbled, CA, OR, WA	<i>Brachyramphus marmoratus</i>	\$794,500	\$0
Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	\$322,000	\$0
Owl, northern spotted	<i>Strix occidentalis caurina</i>	\$1,450,000	\$0
Pelican, brown except U.S. Atlantic coast, FL, AL	<i>Pelecanus occidentalis</i>	\$2,000	\$0
Plover, piping except Great Lakes watershed	<i>Charadrius melodus</i>	\$2,285	\$0
Plover, western snowy Pacific coastal pop.	<i>Charadrius alexandrinus nivosus</i>	\$706,250	\$0
Pygmy-owl, cactus ferruginous, AZ pop.	<i>Glaucidium brasilianum cactorum</i>	\$40,000	\$0
Rail, Yuma clapper, U.S.A. only	<i>Rallus longirostris yumanensis</i>	\$38,000	\$0
Towhee, Inyo California	<i>Pipilo crissalis eremophilus</i>	\$2,000	\$0
Vireo, least Bell's	<i>Vireo bellii pusillus</i>	\$9,500	\$0
Woodpecker, red-cockaded	<i>Picoides borealis</i>	\$16,000	\$0
Birds Total		\$4,230,375	\$5,967,000
Reptiles			
Lizard, blunt-nosed leopard	<i>Gambelia silus</i>	\$35,000	\$0
Lizard, Coachella Valley fringe-toed	<i>Uma inornata</i>	\$3,000	\$0
Tortoise, desert U.S.A., except in Sonoran Desert	<i>Gopherus agassizii</i>	\$364,000	\$4,000
Reptiles Total		\$402,000	\$4,000
Amphibians			
Frog, California red-legged subspecies range clarified	<i>Rana aurora draytonii</i>	\$21,000	\$0
Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>	\$19,000	\$0
Frog, mountain yellow-legged southern California DPS	<i>Rana muscosa</i>	\$20,000	\$0
Salamander, California tiger U.S.A. (CA - Santa Barbara County)	<i>Ambystoma californiense</i>	\$5,000	\$0
Salamander, California tiger U.S.A. (Central CA DPS)	<i>Ambystoma californiense</i>	\$10,000	\$0
Toad, arroyo (=arroyo southwestern)	<i>Bufo californicus (=microscaphus)</i>	\$2,000	\$0
Toad, Wyoming	<i>Bufo baxteri (=hemiophrys)</i>	\$5,000	\$0
Amphibians Total		\$82,000	\$0
Fishes			
Chub, bonytail, entire	<i>Gila elegans</i>	\$56,250	\$0
Chub, Borax Lake	<i>Gila boraxobius</i>	\$21,000	\$0
Chub, humpback, entire	<i>Gila cypha</i>	\$16,250	\$0
Chub, Owens tui	<i>Gila bicolor snyderi</i>	\$5,500	\$0
Chub, Virgin River	<i>Gila seminuda (=robusta)</i>	\$16,100	\$0
Cui-ui	<i>Chasmistes cujus</i>	\$1,500	\$0
Dace, desert	<i>Eremichthys acros</i>	\$42,000	\$0
Dace, Foskett speckled	<i>Rhinichthys osculus ssp.</i>	\$5,000	\$0
Dace, Kendall Warm Springs	<i>Rhinichthys osculus thermalis</i>	\$500	\$0
Dace, Moapa	<i>Moapa coriacea</i>	\$2,600	\$0
Gambusia, Pecos	<i>Gambusia nobilis</i>	\$2,000	\$0
Pupfish, desert	<i>Cyprinodon macularius</i>	\$60,500	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Pupfish, Owens	<i>Cyprinodon radiosus</i>	\$3,500	\$0
Salmon, chinook, fall Snake R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$15,000	\$0
Salmon, chinook, spring/summer Snake R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$190,000	\$0
Salmon, chinook, winter Sacramento R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$50,000	\$0
Salmon, chinook, CA coastal	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$229,000	\$0
Salmon, coho, OR, CA pop.	<i>Oncorhynchus (=Salmo) kisutch</i>	\$4,898,054	\$0
Salmon, sockeye, U.S.A. (Snake River, ID stock wherever found.)	<i>Oncorhynchus (=Salmo) nerka</i>	\$8,000	\$0
Shiner, Arkansas River Arkansas R. Basin	<i>Notropis girardi</i>	\$1,000	\$0
Spikedace	<i>Meda fulgida</i>	\$41,500	\$0
Spinedace, Little Colorado	<i>Lepidomeda vittata</i>	\$4,000	\$0
Springfish, Hiko White River	<i>Crenichthys baileyi grandis</i>	\$5,250	\$0
Springfish, Railroad Valley	<i>Crenichthys nevadae</i>	\$1,000	\$0
Steelhead, Central Valley CA	<i>Oncorhynchus (=Salmo) mykiss</i>	\$50,000	\$0
Steelhead, Snake R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$240,000	\$0
Steelhead, south central CA coast	<i>Oncorhynchus (=Salmo) mykiss</i>	\$250	\$0
Steelhead, southern CA coast	<i>Oncorhynchus (=Salmo) mykiss</i>	\$250	\$0
Steelhead, upper Columbia R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$20,000	\$0
Steelhead, upper Willamette R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$5,400	\$0
Steelhead, middle Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$37,000	\$0
Steelhead, northern CA	<i>Oncorhynchus (=Salmo) mykiss</i>	\$229,000	\$0
Sucker, Lost River	<i>Deltistes luxatus</i>	\$500	\$0
Sucker, Modoc	<i>Catostomus microps</i>	\$1,000	\$0
Sucker, razorback, entire	<i>Xyrauchen texanus</i>	\$31,400	\$0
Sucker, shortnose	<i>Chasmistes brevirostris</i>	\$500	\$0
Sucker, Warner	<i>Catostomus warnerensis</i>	\$50,000	\$0
Topminnow, Gila (incl. Yaqui), U.S.A. only	<i>Poeciliopsis occidentalis</i>	\$38,000	\$0
Trout, bull U.S.A., conterminous, lower 48 states	<i>Salvelinus confluentus</i>	\$530,075	\$0
Trout, greenback cutthroat	<i>Oncorhynchus clarki stomias</i>	\$1,000	\$0
Trout, Lahontan cutthroat	<i>Oncorhynchus clarki henshawi</i>	\$501,400	\$0
Woundfin except Gila R. drainage, AZ, NM	<i>Plagopterus argentissimus</i>	\$13,100	\$0
Woundfin Gila R. drainage, AZ, NM	<i>Plagopterus argentissimus</i>	\$2,000	\$0
Fishes Total		\$7,426,379	\$0
Snails			
Ambersnail, Kanab	<i>Oxyloma haydeni kanabensis</i>	\$1,000	\$0
Limpet, Banbury Springs	<i>Lanx sp.</i>	\$800	\$0
Snail, Bliss Rapids	<i>Taylorconcha serpenticola</i>	\$223,500	\$0
Snail, Morro shoulderband (=Banded dune)	<i>Helminthoglypta walkeriana</i>	\$1,000	\$0
Snail, Pecos assiminea	<i>Assiminea pecos</i>	\$2,000	\$0
Snail, Snake River physa	<i>Physa natricina</i>	\$150,100	\$0
Snail, Utah valvata	<i>Valvata utahensis</i>	\$211,800	\$0
Springsnail, Bruneau Hot	<i>Pyrgulopsis bruneauensis</i>	\$20,000	\$0
Springsnail, Idaho	<i>Pyrgulopsis idahoensis</i>	\$15,000	\$0
Springsnail, Roswell	<i>Pyrgulopsis roswellensis</i>	\$2,000	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Snails Total		\$627,200	\$0
Insects			
Beetle, American burying	<i>Nicrophorus americanus</i>	\$600	\$0
Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>	\$20,000	\$0
Butterfly, Fender's blue	<i>Icaricia icarioides fenderi</i>	\$53,900	\$0
Butterfly, Quino checkerspot	<i>Euphydryas editha quino</i> (=E. e. <i>wrighti</i>)	\$61,000	\$0
Butterfly, Uncompahgre fritillary	<i>Boloria acrocne</i>	\$3,500	\$0
Moth, Kern primrose sphinx	<i>Euproserpinus euterpe</i>	\$15,000	\$0
Skipper, Carson wandering	<i>Pseudocopaeodes eunus obscurus</i>	\$50,200	\$0
Insects Total		\$204,200	\$0
Crustaceans			
Amphipod, Noel's	<i>Gammarus desperatus</i>	\$2,000	\$0
Crayfish, Shasta	<i>Pacifastacus fortis</i>	\$900	\$0
Fairy shrimp, Conservancy	<i>Branchinecta conservatio</i>	\$2,000	\$0
Fairy shrimp, longhorn	<i>Branchinecta longiantenna</i>	\$2,000	\$0
Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>	\$7,500	\$0
Tadpole shrimp, vernal pool	<i>Lepidurus packardi</i>	\$2,250	\$0
Crustaceans Total		\$16,650	\$0
Flowering Plants			
Bear-poppy, dwarf	<i>Arctomecon humilis</i>	\$24,000	\$0
Beardtongue, Penland	<i>Penstemon penlandii</i>	\$1,000	\$0
Bedstraw, El Dorado	<i>Galium californicum ssp. sierrae</i>	\$2,200	\$0
Birds-in-a-nest, white	<i>Macbridea alba</i>	\$1,000	\$0
Bladderpod, Dudley Bluffs	<i>Lesquerella congesta</i>	\$1,000	\$0
Bladderpod, kodachrome	<i>Lesquerella tumulosa</i>	\$1,200	\$0
Blue-star, Kearney's	<i>Amsonia kearneyana</i>	\$1,000	\$0
Buckwheat, steamboat	<i>Eriogonum ovalifolium var. williamsiae</i>	\$5,000	\$0
Buttercup, autumn	<i>Ranunculus aestivalis</i> (=acriformis)	\$500	\$0
Butterfly plant, Colorado	<i>Gaura neomexicana var. coloradensis</i>	\$5,200	\$0
Butterweed, Layne's	<i>Senecio layneae</i>	\$1,800	\$0
Butterwort, Godfrey's	<i>Pinguicula ionantha</i>	\$1,000	\$0
Cactus, Brady pincushion	<i>Pediocactus bradyi</i>	\$6,000	\$0
Cactus, Cochise pincushion	<i>Coryphantha robbinsorum</i>	\$1,000	\$0
Cactus, Knowlton	<i>Pediocactus knowltonii</i>	\$3,600	\$0
Cactus, Kuenzler hedgehog	<i>Echinocereus fendleri var. kuenzleri</i>	\$12,000	\$0
Cactus, Mesa Verde	<i>Sclerocactus mesae-verdae</i>	\$5,200	\$0
Cactus, Nichol's Turk's head	<i>Echinocactus horizontalonius var. nicholii</i>	\$15,000	\$0
Cactus, Peebles Navajo	<i>Pediocactus peeblesianus peeblesianus</i>	\$4,000	\$0
Cactus, Pima pineapple	<i>Coryphantha scheeri var. robustispina</i>	\$4,000	\$0
Cactus, San Rafael	<i>Pediocactus despainii</i>	\$18,000	\$0
Cactus, Uinta Basin hookless	<i>Sclerocactus glaucus</i>	\$25,400	\$0
Cactus, Winkler	<i>Pediocactus winkleri</i>	\$10,000	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Cactus, Wright fishhook	<i>Sclerocactus wrightiae</i>	\$35,000	\$0
Catchfly, Spalding's	<i>Silene spaldingii</i>	\$97,000	\$0
Ceanothus, Pine Hill	<i>Ceanothus roderickii</i>	\$2,200	\$0
Checker-mallow, Nelson's	<i>Sidalcea nelsoniana</i>	\$11,600	\$0
Clarkia, Springville	<i>Clarkia springvillensis</i>	\$1,000	\$0
Cliff-rose, Arizona	<i>Purshia (=Cowania) subintegra</i>	\$4,000	\$0
Daisy, Maguire	<i>Erigeron maguirei</i>	\$11,500	\$0
Daisy, Willamette	<i>Erigeron decumbens var. decumbens</i>	\$26,500	\$0
Desert-parsley, Bradshaw's	<i>Lomatium bradshawii</i>	\$10,800	\$0
Evening-primrose, San Benito	<i>Camissonia benitensis</i>	\$23,000	\$0
Flannelbush, Mexican	<i>Fremontodendron mexicanum</i>	\$200	\$0
Flannelbush, Pine Hill	<i>Fremontodendron californicum ssp. decumbens</i>	\$1,900	\$0
Four-o'clock, MacFarlane's	<i>Mirabilis macfarlanei</i>	\$37,500	\$0
Fritillary, Gentner's	<i>Fritillaria gentneri</i>	\$169,670	\$0
Ladies'-tresses, Canelo Hills	<i>Spiranthes delitescens</i>	\$1,000	\$0
Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>	\$37,800	\$2,270,000
Layia, beach	<i>Layia carnosa</i>	\$55,000	\$0
Lily, Western	<i>Lilium occidentale</i>	\$10,000	\$0
Lomatium, Cook's	<i>Lomatium cookii</i>	\$28,000	\$0
Lupine, Kincaid's	<i>Lupinus sulphureus (=oreganus) ssp. kincaidii (=var. kincaidii)</i>	\$121,500	\$0
Mallow, Kern	<i>Eremalche kernensis</i>	\$10,000	\$0
Manzanita, lone	<i>Arctostaphylos myrtifolia</i>	\$4,600	\$0
Manzanita, Morro	<i>Arctostaphylos morroensis</i>	\$4,000	\$0
Milk-vetch, Coachella Valley	<i>Astragalus lentiginosus var. coachellae</i>	\$1,000	\$0
Milk-vetch, Fish Slough	<i>Astragalus lentiginosus var. piscinensis</i>	\$5,000	\$0
Milk-vetch, Holmgren	<i>Astragalus holmgreniorum</i>	\$31,000	\$0
Milk-vetch, Mancos	<i>Astragalus humillimus</i>	\$1,000	\$0
Milk-vetch, Osterhout	<i>Astragalus osterhoutii</i>	\$8,000	\$0
Milk-vetch, Peirson's	<i>Astragalus magdalenae var. peirsonii</i>	\$930,000	\$0
Milk-vetch, Shivwits	<i>Astragalus ampullarioides</i>	\$30,000	\$0
Milk-vetch, triple-ribbed	<i>Astragalus tricarinatus</i>	\$1,000	\$0
Morning-glory, Stebbins'	<i>Calystegia stebbinsii</i>	\$1,200	\$0
Mountain balm, Indian Knob	<i>Eriodictyon altissimum</i>	\$500	\$0
Orcutt grass, San Joaquin	<i>Orcuttia inaequalis</i>	\$100	\$0
Orcutt grass, slender	<i>Orcuttia tenuis</i>	\$1,750	\$0
Owl's-clover, fleshy	<i>Castilleja campestris ssp. succulenta</i>	\$1,000	\$0
Phacelia, North Park	<i>Phacelia formosula</i>	\$5,000	\$0
Popcornflower, rough	<i>Plagiobothrys hirtus</i>	\$34,000	\$0
Poppy, Sacramento prickly	<i>Argemone pleiacantha ssp. pinnatisecta</i>	\$1,000	\$0
Reed-mustard, clay	<i>Schoenocrambe argillacea</i>	\$6,000	\$0
Reed-mustard, shrubby	<i>Schoenocrambe suffrutescens</i>	\$3,000	\$0
Rock-cress, McDonald's	<i>Arabis mcdonaldiana</i>	\$2,000	\$0
Skullcap, Florida	<i>Scutellaria floridana</i>	\$1,000	\$0
Spineflower, slender-horned	<i>Dodecahema leptoceras</i>	\$1,000	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Spurge, Hoover's	<i>Chamaesyce hooveri</i>	\$100	\$0
Sunflower, Pecos (=puzzle, =paradox)	<i>Helianthus paradoxus</i>	\$2,000	\$0
Thistle, Pitcher's	<i>Cirsium pitcheri</i>	\$800	\$0
Townsendia, Last Chance	<i>Townsendia aprica</i>	\$24,000	\$0
Twinpod, Dudley Bluffs	<i>Physaria obcordata</i>	\$1,000	\$0
Vervain, Red Hills	<i>Verbena californica</i>	\$400	\$0
Water-umbel, Huachuca	<i>Lilaeopsis schaffneriana var. recurva</i>	\$4,000	\$208,000
Wild-buckwheat, clay-loving	<i>Eriogonum pelinophilum</i>	\$4,000	\$0
Wild-buckwheat, gypsum	<i>Eriogonum gypsophilum</i>	\$45,000	\$0
Wire-lettuce, Malheur	<i>Stephanomeria malheurensis</i>	\$8,000	\$0
Woolly-star, Santa Ana River	<i>Eriastrum densifolium ssp. sanctorum</i>	\$2,000	\$0
Yellowhead, desert	<i>Yermo xanthocephalus</i>	\$22,000	\$0
Flowering Plants Total		\$2,030,720	\$2,478,000
Expenses from Foreign Species		\$0	\$0
Total Other ESA Expenses		\$0	\$0
All Species Total		\$16,984,479	\$9,076,000

DOI Bureau of Land Management FY06

Common Name	Scientific Name	General Expenditures	Land Expenditures
Mammals			
Bat, Indiana	<i>Myotis sodalis</i>	\$2,059	\$0
Bat, lesser long-nosed	<i>Leptonycteris curasoae yerbabuena</i>	\$26,000	\$0
Bat, Mexican long-nosed	<i>Leptonycteris nivalis</i>	\$19,000	\$0
Bat, Virginia big-eared	<i>Corynorhinus (=Plecotus) townsendii virginianus</i>	\$2,059	\$0
Bear, grizzly, lower 48 States, except where listed as an experimental population or delisted	<i>Ursus arctos horribilis</i>	\$117,526	\$211,000
Ferret, black-footed, U.S.A. (specific portions of AZ, CO, MT, SD, UT, and WY)	<i>Mustela nigripes</i>	\$323,680	\$0
Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>	\$38,000	\$0
Jaguar	<i>Panthera onca</i>	\$17,800	\$0
Jaguarundi, Gulf Coast	<i>Herpailurus (=Felis) yagouaroundi cacomitli</i>	\$3,000	\$0
Kangaroo rat, giant	<i>Dipodomys ingens</i>	\$42,000	\$0
Kangaroo rat, Morro Bay	<i>Dipodomys heermanni morroensis</i>	\$500	\$0
Kangaroo rat, Tipton	<i>Dipodomys nitratooides nitratooides</i>	\$3,000	\$0
Lynx, Canada, lower 48 States DPS	<i>Lynx canadensis</i>	\$263,618	\$8,000
Mountain beaver, Point Arena	<i>Aplodontia rufa nigra</i>	\$10,000	\$0
Mouse, Alabama beach	<i>Peromyscus polionotus ammobates</i>	\$10,000	\$0
Mouse, Preble's meadow jumping, Colorado	<i>Zapus hudsonius preblei</i>	\$3,500	\$0
Ocelot	<i>Leopardus (=Felis) pardalis</i>	\$3,000	\$0
Prairie dog, Utah	<i>Cynomys parvidens</i>	\$185,700	\$0
Pronghorn, Sonoran	<i>Antilocapra americana sonoriensis</i>	\$29,000	\$0
Rabbit, pygmy, Columbia Basin DPS	<i>Brachylagus idahoensis</i>	\$2,000	\$20,000
Sea-lion, Steller, eastern pop.	<i>Eumetopias jubatus</i>	\$300	\$0
Sheep, bighorn, Peninsular CA pop.	<i>Ovis canadensis</i>	\$111,000	\$0
Sheep, Sierra Nevada bighorn Sierra Nevada	<i>Ovis canadensis sierrae</i>	\$3,000	\$0
Squirrel, northern Idaho ground	<i>Spermophilus brunneus brunneus</i>	\$11,234	\$0
Vole, Hualapai Mexican	<i>Microtus mexicanus hualpaiensis</i>	\$5,000	\$0
Wolf, gray, WY, ID, MT	<i>Canis lupus</i>	\$60,418	\$0
Wolf, gray Mexican gray wolf, EXPN population	<i>Canis lupus</i>	\$5,000	\$0
Woodrat, riparian (=San Joaquin Valley)	<i>Neotoma fuscipes riparia</i>	\$500	\$0
Mammals Total		\$1,297,894	\$239,000
Birds			
Caracara, Audubon's crested, FL pop.	<i>Polyborus plancus audubonii</i>	\$1,600	\$0
Condor, California, U.S.A. only	<i>Gymnogyps californianus</i>	\$36,700	\$0
Crane, whooping, except where EXPN	<i>Grus americana</i>	\$500	\$0
Eagle, bald, lower 48 States	<i>Haliaeetus leucocephalus</i>	\$611,527	\$216,000
Eider, spectacled	<i>Somateria fischeri</i>	\$17,000	\$0
Eider, Steller's, AK breeding pop.	<i>Polysticta stelleri</i>	\$33,995	\$0
Falcon, northern aplomado Southwestern population	<i>Falco femoralis septentrionalis</i>	\$279,260	\$0
Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	\$825,143	\$286,000
Jay, Florida scrub	<i>Aphelocoma coerulescens</i>	\$30,665	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Murrelet, marbled, CA, OR, WA	<i>Brachyramphus marmoratus</i>	\$327,300	\$0
Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	\$302,025	\$0
Owl, northern spotted	<i>Strix occidentalis caurina</i>	\$1,915,460	\$0
Pelican, brown except U.S. Atlantic coast, FL, AL	<i>Pelecanus occidentalis</i>	\$4,800	\$0
Plover, piping except Great Lakes watershed	<i>Charadrius melodus</i>	\$31,950	\$0
Plover, western snowy, Pacific coastal pop.	<i>Charadrius alexandrinus nivosus</i>	\$361,100	\$0
Rail, Yuma clapper, U.S.A. only	<i>Rallus longirostris yumanensis</i>	\$67,000	\$0
Tern, least, interior pop.	<i>Sterna antillarum</i>	\$22,200	\$0
Towhee, Inyo California	<i>Pipilo crissalis eremophilus</i>	\$5,000	\$0
Vireo, black-capped	<i>Vireo atricapilla</i>	\$5,000	\$0
Vireo, least Bell's	<i>Vireo bellii pusillus</i>	\$12,000	\$0
Woodpecker, red-cockaded	<i>Picoides borealis</i>	\$22,500	\$0
Birds Total		\$4,912,725	\$502,000
Reptiles			
Lizard, blunt-nosed leopard	<i>Gambelia silus</i>	\$38,000	\$0
Rattlesnake, New Mexican ridge-nosed	<i>Crotalus willardi obscurus</i>	\$1,000	\$0
Sea turtle, loggerhead	<i>Caretta caretta</i>	\$1,000	\$0
Snake, giant garter	<i>Thamnophis gigas</i>	\$1,700	\$0
Tortoise, desert U.S.A., except in Sonoran Desert	<i>Gopherus agassizii</i>	\$3,355,356	\$2,428,000
Reptiles Total		\$3,397,056	\$2,428,000
Amphibians			
Frog, California red-legged subspecies range clarified	<i>Rana aurora draytonii</i>	\$15,800	\$0
Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>	\$27,200	\$0
Salamander, California tiger U.S.A. (Central CA DPS)	<i>Ambystoma californiense</i>	\$2,700	\$0
Toad, Wyoming	<i>Bufo baxteri (=hemiophrys)</i>	\$1,000	\$0
Amphibians Total		\$46,700	\$0
Fishes			
Chub, bonytail, entire	<i>Gila elegans</i>	\$47,000	\$0
Chub, Borax Lake	<i>Gila boraxobius</i>	\$7,000	\$0
Chub, Gila	<i>Gila intermedia</i>	\$31,600	\$0
Chub, humpback, entire	<i>Gila cypha</i>	\$13,000	\$0
Chub, Hutton tui	<i>Gila bicolor ssp.</i>	\$2,500	\$0
Chub, Owens tui	<i>Gila bicolor snyderi</i>	\$9,000	\$0
Chub, Virgin River	<i>Gila seminuda (=robusta)</i>	\$26,000	\$0
Cui-ui	<i>Chasmistes cujus</i>	\$2,000	\$0
Dace, Ash Meadows speckled	<i>Rhinichthys osculus nevadensis</i>	\$33,000	\$0
Dace, Foskett speckled	<i>Rhinichthys osculus ssp.</i>	\$3,000	\$0
Dace, Kendall Warm Springs	<i>Rhinichthys osculus thermalis</i>	\$1,600	\$0
Dace, Moapa	<i>Moapa coriacea</i>	\$6,000	\$0
Gambusia, Pecos	<i>Gambusia nobilis</i>	\$10,700	\$0
Goby, tidewater, entire	<i>Eucyclogobius newberryi</i>	\$300	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Minnow, loach	<i>Tiaroga cobitis</i>	\$52,800	\$0
Minnow, Rio Grande silvery	<i>Hybognathus amarus</i>	\$500	\$0
Pikeminnow (=squawfish), Colorado except Salt and Verde R. drainages, AZ	<i>Ptychocheilus lucius</i>	\$26,300	\$0
Pupfish, Ash Meadows Amargosa	<i>Cyprinodon nevadensis mionectes</i>	\$33,000	\$0
Pupfish, desert	<i>Cyprinodon macularius</i>	\$42,000	\$0
Pupfish, Devils Hole	<i>Cyprinodon diabolis</i>	\$33,000	\$0
Pupfish, Owens	<i>Cyprinodon radiosus</i>	\$8,000	\$0
Pupfish, Warm Springs	<i>Cyprinodon nevadensis pectoralis</i>	\$33,000	\$0
Salmon, chinook, fall Snake R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$64,808	\$0
Salmon, chinook, spring/summer Snake R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$354,643	\$0
Salmon, chinook, lower Columbia R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$11,000	\$0
Salmon, chinook, upper Willamette R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$12,600	\$0
Salmon, chinook, spring upper Columbia R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$51,000	\$0
Salmon, chinook, CA Central Valley spring-run	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$2,000	\$0
Salmon, chinook, CA coastal	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$135,600	\$0
Salmon, chum, Columbia R.	<i>Oncorhynchus (=Salmo) keta</i>	\$11,000	\$0
Salmon, coho, central CA coast	<i>Oncorhynchus (=Salmo) kisutch</i>	\$2,300	\$0
Salmon, coho, OR, CA pop.	<i>Oncorhynchus (=Salmo) kisutch</i>	\$961,285	\$0
Salmon, coho, Lower Columbia River	<i>Oncorhynchus (=Salmo) kisutch</i>	\$26,000	\$0
Salmon, sockeye U.S.A. (Snake River, ID stock wherever found.)	<i>Oncorhynchus (=Salmo) nerka</i>	\$500	\$0
Shiner, Arkansas River Arkansas R. Basin	<i>Notropis girardi</i>	\$8,000	\$0
Shiner, Pecos bluntnose	<i>Notropis simus pecosensis</i>	\$9,700	\$0
Spikedace	<i>Meda fulgida</i>	\$54,800	\$0
Spinedace, Big Spring	<i>Lepidomeda mollispinis pratensis</i>	\$20,000	\$0
Spinedace, Little Colorado	<i>Lepidomeda vittata</i>	\$5,000	\$0
Springfish, Hiko White River	<i>Crenichthys baileyi grandis</i>	\$15,000	\$0
Springfish, Railroad Valley	<i>Crenichthys nevadae</i>	\$3,500	\$0
Steelhead, Central Valley CA	<i>Oncorhynchus (=Salmo) mykiss</i>	\$3,000	\$0
Steelhead, Snake R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$76,000	\$0
Steelhead, central CA coast	<i>Oncorhynchus (=Salmo) mykiss</i>	\$1,300	\$0
Steelhead, lower Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$36,800	\$0
Steelhead, south central CA coast	<i>Oncorhynchus (=Salmo) mykiss</i>	\$2,000	\$0
Steelhead, southern CA coast	<i>Oncorhynchus (=Salmo) mykiss</i>	\$1,000	\$0
Steelhead, upper Columbia R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$53,000	\$0
Steelhead, upper Willamette R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$239,000	\$0
Steelhead, middle Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$57,000	\$0
Sturgeon, pallid	<i>Scaphirhynchus albus</i>	\$2,800	\$0
Sturgeon, white, U.S.A. (ID, MT), Canada (B.C.), Kootenai R. system	<i>Acipenser transmontanus</i>	\$7,000	\$0
Sucker, Lost River	<i>Deltistes luxatus</i>	\$6,500	\$0
Sucker, Modoc	<i>Catostomus microps</i>	\$2,000	\$0
Sucker, razorback, entire	<i>Xyrauchen texanus</i>	\$49,800	\$0
Sucker, shortnose	<i>Chasmistes brevirostris</i>	\$6,500	\$0
Sucker, Warner	<i>Catostomus warnerensis</i>	\$71,000	\$0
Topminnow, Gila (incl. Yaqui), U.S.A. only	<i>Poeciliopsis occidentalis</i>	\$33,000	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Trout, bull U.S.A., conterminous, lower 48 states	<i>Salvelinus confluentus</i>	\$533,042	\$0
Trout, Gila	<i>Oncorhynchus gilae</i>	\$1,400	\$0
Trout, greenback cutthroat	<i>Oncorhynchus clarki stomias</i>	\$2,800	\$0
Trout, Lahontan cutthroat	<i>Oncorhynchus clarki henshawi</i>	\$356,100	\$400,000
Woundfin, except Gila R. drainage, AZ, NM	<i>Plagopterus argentissimus</i>	\$26,000	\$0
Fishes Total		\$3,737,078	\$400,000
Snails			
Ambersnail, Kanab	<i>Oxyloma haydeni kanabensis</i>	\$1,000	\$0
Limpet, Banbury Springs	<i>Lanx sp.</i>	\$6,244	\$0
Snail, Bliss Rapids	<i>Taylorconcha serpenticola</i>	\$6,744	\$0
Snail, Morro shoulderband (=Banded dune)	<i>Helminthoglypta walkeriana</i>	\$1,000	\$0
Snail, Pecos assiminea	<i>Assiminea pecos</i>	\$9,000	\$0
Snail, Snake River physa	<i>Physa natricina</i>	\$6,244	\$0
Snail, Utah valvata	<i>Valvata utahensis</i>	\$11,244	\$3,000
Springsnail, Bruneau Hot	<i>Pyrgulopsis bruneauensis</i>	\$5,444	\$0
Springsnail, Idaho	<i>Pyrgulopsis idahoensis</i>	\$38,444	\$0
Springsnail, Koster's	<i>Juturnia kosteri</i>	\$9,000	\$0
Springsnail, Roswell	<i>Pyrgulopsis roswellensis</i>	\$9,000	\$0
Snails Total		\$103,364	\$3,000
Insects			
Beetle, American burying	<i>Nicrophorus americanus</i>	\$18,150	\$0
Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>	\$17,500	\$0
Butterfly, Behren's silverspot	<i>Speyeria zerene behrensii</i>	\$3,300	\$0
Butterfly, Fender's blue	<i>Icaricia icarioides fenderi</i>	\$50,000	\$0
Butterfly, Quino checkerspot	<i>Euphydryas editha quino</i> (=E. e. wrighti)	\$47,192	\$0
Butterfly, Uncompahgre fritillary	<i>Boloria acrocnema</i>	\$6,500	\$0
Moth, Kern primrose sphinx	<i>Euproserpinus euterpe</i>	\$20,000	\$0
Naucorid, Ash Meadows	<i>Ambrysus amargosus</i>	\$33,000	\$0
Skipper, Carson wandering	<i>Pseudocopaodes eunus obscurus</i>	\$108,600	\$0
Insects Total		\$304,242	\$0
Crustaceans			
Amphipod, Noel's	<i>Gammarus desperatus</i>	\$9,000	\$0
Crayfish, Shasta	<i>Pacifastacus fortis</i>	\$1,000	\$0
Fairy shrimp, Conservancy	<i>Branchinecta conservatio</i>	\$1,000	\$0
Fairy shrimp, longhorn	<i>Branchinecta longiantenna</i>	\$4,000	\$0
Fairy shrimp, San Diego	<i>Branchinecta sandiegonensis</i>	\$1,000	\$0
Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>	\$4,200	\$0
Tadpole shrimp, vernal pool	<i>Lepidurus packardii</i>	\$2,200	\$0
Crustaceans Total		\$22,400	\$0
Flowering Plants			
Bear-poppy, dwarf	<i>Arctomecon humilis</i>	\$23,000	\$0
Beardtongue, Penland	<i>Penstemon penlandii</i>	\$1,300	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Bedstraw, El Dorado	<i>Galium californicum ssp. sierrae</i>	\$4,500	\$0
Bladderpod, Dudley Bluffs	<i>Lesquerella congesta</i>	\$9,000	\$0
Bladderpod, Zapata	<i>Lesquerella thamnophila</i>	\$3,000	\$0
Blazingstar, Ash Meadows	<i>Mentzelia leucophylla</i>	\$33,000	\$0
Blue-star, Kearney's	<i>Amsonia kearneyana</i>	\$1,000	\$0
Buckwheat, steamboat	<i>Eriogonum ovalifolium var. williamsiae</i>	\$11,000	\$0
Butterfly plant, Colorado	<i>Gaura neomexicana var. coloradensis</i>	\$4,000	\$0
Butterweed, Layne's	<i>Senecio layneae</i>	\$5,500	\$0
Cactus, Bakersfield	<i>Opuntia treleasei</i>	\$500	\$0
Cactus, Brady pincushion	<i>Pediocactus bradyi</i>	\$6,000	\$0
Cactus, Knowlton	<i>Pediocactus knowltonii</i>	\$14,000	\$0
Cactus, Kuenzler hedgehog	<i>Echinocereus fendleri var. kuenzleri</i>	\$23,380	\$0
Cactus, Lee pincushion	<i>Coryphantha sneedii var. leei</i>	\$5,920	\$0
Cactus, Mesa Verde	<i>Sclerocactus mesae-verdae</i>	\$16,500	\$0
Cactus, Nichol's Turk's head	<i>Echinocactus horizontalonius var. nicholii</i>	\$4,000	\$0
Cactus, Peebles Navajo	<i>Pediocactus peeblesianus peeblesianus</i>	\$2,000	\$0
Cactus, Pima pineapple	<i>Coryphantha scheeri var. robustispina</i>	\$4,000	\$0
Cactus, San Rafael	<i>Pediocactus despainii</i>	\$7,000	\$0
Cactus, Siler pincushion	<i>Pediocactus (=Echinocactus,=Utahia) sileri</i>	\$14,000	\$0
Cactus, Uinta Basin hookless	<i>Sclerocactus glaucus</i>	\$26,900	\$2,000
Cactus, Wright fishhook	<i>Sclerocactus wrightiae</i>	\$65,600	\$0
Catchfly, Spalding's	<i>Silene spaldingii</i>	\$123,226	\$0
Ceanothus, Pine Hill	<i>Ceanothus roderickii</i>	\$5,500	\$0
Checker-mallow, Keck's	<i>Sidalcea keckii</i>	\$500	\$0
Checker-mallow, Nelson's	<i>Sidalcea nelsoniana</i>	\$17,000	\$0
Clarkia, Springville	<i>Clarkia springvillensis</i>	\$500	\$0
Cliff-rose, Arizona	<i>Purshia (=Cowania) subintegra</i>	\$4,000	\$0
Daisy, Maguire	<i>Erigeron maguirei</i>	\$400	\$0
Daisy, Willamette	<i>Erigeron decumbens var. decumbens</i>	\$43,000	\$0
Desert-parsley, Bradshaw's	<i>Lomatium bradshawii</i>	\$19,000	\$0
Evening-primrose, San Benito	<i>Camissonia benitensis</i>	\$50,000	\$0
Flannelbush, Pine Hill	<i>Fremontodendron californicum ssp. decumbens</i>	\$3,500	\$0
Fleabane, Zuni	<i>Erigeron rhizomatus</i>	\$1,532	\$0
Four-o'clock, MacFarlane's	<i>Mirabilis macfarlanei</i>	\$78,358	\$0
Fritillary, Gentner's	<i>Fritillaria gentneri</i>	\$380,000	\$0
Gilia, Monterey	<i>Gilia tenuiflora ssp. arenaria</i>	\$1,000	\$0
Goldfields, Contra Costa	<i>Lasthenia conjugens</i>	\$300	\$0
Howellia, water	<i>Howellia aquatilis</i>	\$19,634	\$0
Jewelflower, California	<i>Caulanthus californicus</i>	\$7,000	\$0
Ladies'-tresses, Navasota	<i>Spiranthes parksii</i>	\$3,000	\$0
Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>	\$98,898	\$0
Layia, beach	<i>Layia carnosa</i>	\$69,000	\$0
Lily, Western	<i>Lilium occidentale</i>	\$6,000	\$0
Lomatium, Cook's	<i>Lomatium cookii</i>	\$94,000	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Lupine, Kincaid's	<i>Lupinus sulphureus</i> (=oreganus) ssp. <i>kincaidii</i> (=var. <i>kincaidii</i>)	\$67,000	\$0
Mallow, Kern	<i>Eremalche kernensis</i>	\$1,500	\$0
Manzanita, lone	<i>Arctostaphylos myrtifolia</i>	\$51,000	\$0
Manzanita, Morro	<i>Arctostaphylos morroensis</i>	\$500	\$0
Milk-vetch, Ash meadows	<i>Astragalus phoenix</i>	\$36,000	\$0
Milk-vetch, Coachella Valley	<i>Astragalus lentiginosus</i> var. <i>coachellae</i>	\$5,000	\$0
Milk-vetch, Fish Slough	<i>Astragalus lentiginosus</i> var. <i>piscinensis</i>	\$31,000	\$0
Milk-vetch, Holmgren	<i>Astragalus holmgreniorum</i>	\$17,000	\$0
Milk-vetch, Mancos	<i>Astragalus humillimus</i>	\$1,500	\$0
Milk-vetch, Osterhout	<i>Astragalus osterhoutii</i>	\$24,000	\$0
Milk-vetch, Peirson's	<i>Astragalus magdalenae</i> var. <i>peirsonii</i>	\$235,000	\$0
Milk-vetch, Shivwits	<i>Astragalus ampullarioides</i>	\$15,000	\$0
Milkweed, Welsh's	<i>Asclepias welshii</i>	\$9,000	\$0
Morning-glory, Stebbins'	<i>Calystegia stebbinsii</i>	\$5,500	\$0
Niterwort, Amargosa	<i>Nitrophila mohavensis</i>	\$38,000	\$0
Orchid, western prairie fringed	<i>Platanthera praeclara</i>	\$2,500	\$0
Orcutt grass, San Joaquin	<i>Orcuttia inaequalis</i>	\$500	\$0
Orcutt grass, slender	<i>Orcuttia tenuis</i>	\$3,000	\$0
Owl's-clover, fleshy	<i>Castilleja campestris</i> ssp. <i>succulenta</i>	\$1,500	\$0
Paintbrush, golden	<i>Castilleja levisecta</i>	\$700	\$0
Pennyroyal, Todsens's	<i>Hedeoma todsenii</i>	\$12,250	\$0
Penstemon, blowout	<i>Penstemon haydenii</i>	\$10,000	\$0
Phacelia, North Park	<i>Phacelia formosula</i>	\$2,000	\$0
Popcornflower, rough	<i>Plagiobothrys hirtus</i>	\$5,300	\$0
Poppy, Sacramento prickly	<i>Argemone pleiakantha</i> ssp. <i>pinnatisecta</i>	\$2,000	\$0
Reed-mustard, clay	<i>Schoenocrambe argillacea</i>	\$3,000	\$0
Rock-cress, McDonald's	<i>Arabis mcdonaldiana</i>	\$4,000	\$0
Sedge, Navajo	<i>Carex specuicola</i>	\$200	\$0
Spineflower, Monterey	<i>Chorizanthe pungens</i> var. <i>pungens</i>	\$1,000	\$0
Spurge, Hoover's	<i>Chamaesyce hooveri</i>	\$1,000	\$0
Sunburst, San Joaquin adobe	<i>Pseudobahia peirsonii</i>	\$500	\$0
Sunflower, Pecos (=puzzle, =paradox)	<i>Helianthus paradoxus</i>	\$5,000	\$0
Sunray, Ash Meadows	<i>Enceliopsis nudicaulis</i> var. <i>corrugata</i>	\$36,000	\$0
Thelypody, Howell's spectacular	<i>Thelypodium howellii</i> <i>spectabilis</i>	\$700	\$0
Townsendia, Last Chance	<i>Townsendia aprica</i>	\$22,800	\$0
Tuctoria, Greene's	<i>Tuctoria greenei</i>	\$1,000	\$0
Twinpod, Dudley Bluffs	<i>Physaria obcordata</i>	\$9,000	\$0
Vervain, Red Hills	<i>Verbena californica</i>	\$1,000	\$0
Wallflower, Menzies'	<i>Erysimum menziesii</i>	\$69,000	\$0
Water-umbel, Huachuca	<i>Lilaeopsis schaffneriana</i> var. <i>recurva</i>	\$3,000	\$48,000
Wild-buckwheat, clay-loving	<i>Eriogonum pelinophilum</i>	\$16,500	\$0
Wild-buckwheat, gypsum	<i>Eriogonum gypsophilum</i>	\$6,920	\$0
Wire-lettuce, Malheur	<i>Stephanomeria malheurensis</i>	\$6,000	\$0
Woolly-threads, San Joaquin	<i>Monolopia</i> (=Lembertia) <i>congdonii</i>	\$3,000	\$0
Flowering Plants Total		\$2,079,518	\$50,000

Common Name	Scientific Name	General Expenditures	Land Expenditures
Other ESA Expenses not including Foreign Species		\$2,643,000	\$3,043,000
Expenses from Foreign Species		\$0	\$0
Total Other ESA Expenses		\$2,643,000	\$3,043,000
All Species Total		\$18,543,977	\$6,665,000

DOI Bureau of Reclamation FY05

Common Name	Scientific Name	General Expenditures	Land Expenditures
Mammals			
Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>	\$490,000	\$259,500
Jaguarundi, Gulf Coast	<i>Herpailurus (=Felis) yagouaroundi cacomitli</i>	\$31,500	\$0
Kangaroo rat, Fresno	<i>Dipodomys nitratooides exilis</i>	\$42,000	\$0
Kangaroo rat, giant	<i>Dipodomys ingens</i>	\$17,500	\$259,500
Kangaroo rat, Tipton	<i>Dipodomys nitratooides nitratooides</i>	\$42,500	\$0
Mouse, Preble's meadow jumping Colorado	<i>Zapus hudsonius preblei</i>	\$2,500	\$0
Ocelot	<i>Leopardus (=Felis) pardalis</i>	\$31,500	\$0
Rabbit, riparian brush	<i>Sylvilagus bachmani riparius</i>	\$535,000	\$0
Shrew, Buena Vista Lake ornate	<i>Sorex ornatus relictus</i>	\$85,000	\$0
Woodrat, riparian (=San Joaquin Valley)	<i>Neotoma fuscipes riparia</i>	\$72,000	\$0
Mammals Total		\$1,349,500	\$519,000
Birds			
Crane, whooping, except where EXPN	<i>Grus americana</i>	\$583,000	\$0
Eagle, bald, lower 48 States	<i>Haliaeetus leucocephalus</i>	\$206,000	\$0
Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	\$6,799,000	\$383,000
Gnatcatcher, coastal California	<i>Polioptila californica californica</i>	\$20,000	\$0
Plover, piping except Great Lakes watershed	<i>Charadrius melodus</i>	\$570,500	\$0
Pygmy-owl, cactus ferruginous, AZ pop.	<i>Glaucidium brasilianum cactorum</i>	\$19,000	\$0
Rail, Yuma clapper, U.S.A. only	<i>Rallus longirostris yumanensis</i>	\$111,500	\$0
Tern, least, interior pop.	<i>Sterna antillarum</i>	\$563,000	\$0
Birds Total		\$8,872,000	\$383,000
Reptiles			
Lizard, blunt-nosed leopard	<i>Gambelia silus</i>	\$74,500	\$259,500
Snake, giant garter	<i>Thamnophis gigas</i>	\$669,000	\$0
Whipsnake (=striped racer), Alameda	<i>Masticophis lateralis euryxanthus</i>	\$1,500	\$0
Reptiles Total		\$745,000	\$259,500
Amphibians			
Frog, California red-legged subspecies range clarified	<i>Rana aurora draytonii</i>	\$78,000	\$0
Salamander, California tiger U.S.A. (Central CA DPS)	<i>Ambystoma californiense</i>	\$1,500	\$0
Amphibians Total		\$79,500	\$0
Fishes			
Chub, bonytail, entire	<i>Gila elegans</i>	\$5,409,500	\$153,500
Chub, humpback, entire	<i>Gila cypha</i>	\$5,125,000	\$0
Cui-ui	<i>Chasmistes cujus</i>	\$547,500	\$0
Gambusia, Pecos	<i>Gambusia nobilis</i>	\$11,000	\$0
Minnow, loach	<i>Tiaroga cobitis</i>	\$201,000	\$0
Minnow, Rio Grande silvery	<i>Hybognathus amarus</i>	\$6,940,000	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Pikeminnow (=squawfish), Colorado except Salt and Verde R. drainages, AZ	<i>Ptychocheilus lucius</i>	\$6,212,500	\$365,000
Pupfish, Comanche Springs	<i>Cyprinodon elegans</i>	\$11,000	\$0
Salmon, chinook, fall Snake R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$115,000	\$1,683,500
Salmon, chinook, spring/summer Snake R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$1,391,000	\$1,683,500
Salmon, chinook, winter Sacramento R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$5,310,500	\$0
Salmon, chinook, upper Willamette R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$31,000	\$0
Salmon, chinook, spring upper Columbia R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$2,078,000	\$1,683,500
Salmon, chinook CA Central Valley spring-run	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$4,651,000	\$0
Salmon, coho, OR, CA pop.	<i>Oncorhynchus (=Salmo) kisutch</i>	\$10,327,000	\$0
Salmon, sockeye, U.S.A. (Snake River, ID stock wherever found.)	<i>Oncorhynchus (=Salmo) nerka</i>	\$115,000	\$1,683,500
Shiner, Arkansas River Arkansas R. Basin	<i>Notropis girardi</i>	\$15,500	\$0
Shiner, Pecos bluntnose	<i>Notropis simus pecosensis</i>	\$660,000	\$0
Shiner, Topeka	<i>Notropis topeka (=tristis)</i>	\$4,000	\$0
Smelt, delta	<i>Hypomesus transpacificus</i>	\$1,505,500	\$0
Spikedace	<i>Meda fulgida</i>	\$201,000	\$0
Steelhead, Central Valley CA	<i>Oncorhynchus (=Salmo) mykiss</i>	\$2,192,000	\$0
Steelhead, Snake R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$1,487,000	\$1,683,500
Steelhead, southern CA coast	<i>Oncorhynchus (=Salmo) mykiss</i>	\$4,000	\$0
Steelhead, upper Columbia R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$2,078,000	\$1,683,500
Steelhead, upper Willamette R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$31,000	\$0
Steelhead, middle Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$1,278,500	\$1,683,500
Sturgeon, pallid	<i>Scaphirhynchus albus</i>	\$779,000	\$0
Sucker, June	<i>Chasmistes liorus</i>	\$282,500	\$0
Sucker, Lost River	<i>Deltistes luxatus</i>	\$4,072,000	\$0
Sucker, razorback, entire	<i>Xyrauchen texanus</i>	\$8,068,000	\$672,000
Sucker, shortnose	<i>Chasmistes brevirostris</i>	\$4,072,000	\$0
Topminnow, Gila (incl. Yaqui) U.S.A. only	<i>Poeciliopsis occidentalis</i>	\$221,000	\$0
Trout, bull U.S.A., conterminous, lower 48 states	<i>Salvelinus confluentus</i>	\$1,283,000	\$0
Trout, Lahontan cutthroat	<i>Oncorhynchus clarki henshawi</i>	\$257,500	\$0
Fishes Total		\$76,967,500	\$12,975,000
Snails			
Ambersnail, Kanab	<i>Oxyloma haydeni kanabensis</i>	\$79,000	\$0
Limpet, Banbury Springs	<i>Lanx sp.</i>	\$5,000	\$0
Snail, Bliss Rapids	<i>Taylorconcha serpenticola</i>	\$5,000	\$0
Snail, Snake River physa	<i>Physa natricina</i>	\$85,000	\$0
Snail, Utah valvata	<i>Valvata utahensis</i>	\$138,000	\$0
Springsnail, Idaho	<i>Pyrgulopsis idahoensis</i>	\$5,000	\$0
Snails Total		\$317,000	\$0
Insects			
Beetle, American burying	<i>Nicrophorus americanus</i>	\$1,000	\$0
Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>	\$766,000	\$0
Butterfly, bay checkerspot	<i>Euphydryas editha bayensis</i>	\$1,500	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Insects Total		\$768,500	\$0
Crustaceans			
Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>	\$440,500	\$0
Tadpole shrimp, vernal pool	<i>Lepidurus packardi</i>	\$58,000	\$0
Crustaceans Total		\$498,500	\$0
Flowering Plants			
Bird's beak, palmate-bracted	<i>Cordylanthus palmatus</i>	\$96,500	\$0
Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>	\$4,500	\$0
Meadowfoam, Butte County	<i>Limnanthes floccosa ssp. californica</i>	\$0	\$343,500
Orchid, western prairie fringed	<i>Platanthera praeclara</i>	\$7,000	\$0
Spurge, Hoover's	<i>Chamaesyce hooveri</i>	\$53,000	\$0
Wooly-threads, San Joaquin	<i>Monolopia (=Lembertia) congdonii</i>	\$0	\$259,500
Flowering Plants Total		\$161,000	\$603,000
Other ESA Expenses not including Foreign Species		\$2,234,500	\$0
Expenses from Foreign Species		\$0	\$0
Total Other ESA Expenses		\$2,234,500	\$0
All Species Total		\$91,993,000	\$14,739,500

DOI Bureau of Reclamation FY06

Common Name	Scientific Name	General Expenditures	Land Expenditures
Mammals			
Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>	\$279,500	\$0
Jaguarundi, Gulf Coast	<i>Herpailurus (=Felis) yagouaroundi cacomitli</i>	\$5,500	\$0
Kangaroo rat, Fresno	<i>Dipodomys nitratooides exilis</i>	\$17,000	\$437,500
Kangaroo rat, giant	<i>Dipodomys ingens</i>	\$162,500	\$0
Kangaroo rat, Tipton	<i>Dipodomys nitratooides nitratooides</i>	\$52,000	\$189,500
Mouse, Preble's meadow jumping Colorado	<i>Zapus hudsonius preblei</i>	\$2,000	\$0
Ocelot	<i>Leopardus (=Felis) pardalis</i>	\$5,500	\$0
Rabbit, riparian brush	<i>Sylvilagus bachmani riparius</i>	\$68,000	\$59,500
Woodrat, riparian (=San Joaquin Valley)	<i>Neotoma fuscipes riparia</i>	\$0	\$59,500
Mammals Total		\$592,000	\$746,000
Birds			
Crane, whooping, except where EXPN	<i>Grus americana</i>	\$591,000	\$0
Eagle, bald, lower 48 States	<i>Haliaeetus leucocephalus</i>	\$186,000	\$0
Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	\$11,227,500	\$58,000
Gnatcatcher, coastal California	<i>Poliophtila californica californica</i>	\$16,000	\$0
Owl, northern spotted	<i>Strix occidentalis caurina</i>	\$5,500	\$0
Plover, piping except Great Lakes watershed	<i>Charadrius melodus</i>	\$583,500	\$0
Pygmy-owl, cactus ferruginous, AZ pop.	<i>Glaucidium brasilianum cactorum</i>	\$14,000	\$0
Rail, Yuma clapper, U.S.A. only	<i>Rallus longirostris yumanensis</i>	\$671,000	\$0
Tern, least, interior pop.	<i>Sterna antillarum</i>	\$585,000	\$0
Vireo, least Bell's	<i>Vireo bellii pusillus</i>	\$93,500	\$59,500
Birds Total		\$13,973,000	\$117,500
Reptiles			
Lizard, blunt-nosed leopard	<i>Gambelia silus</i>	\$53,000	\$142,000
Snake, giant garter	<i>Thamnophis gigas</i>	\$651,000	\$0
Whipsnake (=striped racer), Alameda	<i>Masticophis lateralis euryxanthus</i>	\$0	\$248,000
Reptiles Total		\$704,000	\$390,000
Amphibians			
Frog, California red-legged subspecies range clarified	<i>Rana aurora draytonii</i>	\$35,000	\$248,000
Salamander, California tiger U.S.A. (Central CA DPS)	<i>Ambystoma californiense</i>	\$80,000	\$248,000
Amphibians Total		\$115,000	\$496,000
Fishes			
Chub, bonytail, entire	<i>Gila elegans</i>	\$4,231,500	\$1,249,000
Chub, humpback, entire	<i>Gila cypha</i>	\$3,715,000	\$0
Gambusia, Pecos	<i>Gambusia nobilis</i>	\$7,500	\$0
Minnow, loach	<i>Tiaroga cobitis</i>	\$353,000	\$0
Minnow, Rio Grande silvery	<i>Hybognathus amarus</i>	\$9,129,000	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Pikeminnow (=squawfish), Colorado except Salt and Verde R. drainages, AZ	<i>Ptychocheilus lucius</i>	\$6,987,500	\$367,500
Pupfish, Comanche Springs	<i>Cyprinodon elegans</i>	\$7,500	\$0
Pupfish, Owens	<i>Cyprinodon radiosus</i>	\$35,000	\$0
Salmon, chinook, fall Snake R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$276,500	\$995,000
Salmon, chinook, spring/summer Snake R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$1,277,000	\$995,000
Salmon, chinook, winter Sacramento R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$6,095,500	\$210,500
Salmon, chinook, Puget Sound	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$59,000	\$0
Salmon, chinook, upper Willamette R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$32,000	\$0
Salmon, chinook, spring upper Columbia River	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$2,648,000	\$995,000
Salmon, chinook CA Central Valley spring-run	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$5,676,500	\$210,500
Salmon, chum summer-run Hood Canal	<i>Oncorhynchus (=Salmo) keta</i>	\$77,500	\$0
Salmon, coho, OR, CA pop.	<i>Oncorhynchus (=Salmo) kisutch</i>	\$10,433,500	\$1,736,500
Salmon, sockeye, U.S.A. (Snake River, ID stock wherever found.)	<i>Oncorhynchus (=Salmo) nerka</i>	\$276,500	\$995,000
Salmon, sockeye U.S.A. (Ozette Lake, WA)	<i>Oncorhynchus (=Salmo) nerka</i>	\$7,500	\$0
Shiner, Arkansas River Arkansas R. Basin	<i>Notropis girardi</i>	\$9,500	\$0
Shiner, Pecos bluntnose	<i>Notropis simus pecosensis</i>	\$722,000	\$0
Shiner, Topeka	<i>Notropis topeka (=tristis)</i>	\$2,000	\$0
Smelt, delta	<i>Hypomesus transpacificus</i>	\$2,352,500	\$116,500
Spikedace	<i>Meda fulgida</i>	\$353,000	\$0
Spinedace, Little Colorado	<i>Lepidomeda vittata</i>	\$4,000	\$0
Steelhead, Central Valley CA	<i>Oncorhynchus (=Salmo) mykiss</i>	\$3,009,000	\$210,500
Steelhead, Snake R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$1,455,000	\$995,000
Steelhead, southern CA coast	<i>Oncorhynchus (=Salmo) mykiss</i>	\$89,000	\$0
Steelhead, upper Columbia R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$8,582,500	\$1,160,000
Steelhead, upper Willamette R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$148,000	\$0
Steelhead, middle Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$2,375,500	\$995,000
Sturgeon, pallid	<i>Scaphirhynchus albus</i>	\$936,500	\$0
Sucker, June	<i>Chasmistes liorus</i>	\$282,000	\$0
Sucker, Lost River	<i>Deltistes luxatus</i>	\$3,376,000	\$0
Sucker, razorback, entire	<i>Xyrauchen texanus</i>	\$7,477,000	\$1,616,500
Sucker, shortnose	<i>Chasmistes brevirostris</i>	\$3,376,000	\$0
Topminnow, Gila (incl. Yaqui), U.S.A. only	<i>Poeciliopsis occidentalis</i>	\$365,000	\$0
Trout, bull U.S.A., conterminous, lower 48 states	<i>Salvelinus confluentus</i>	\$828,500	\$0
Fishes Total		\$87,068,500	\$12,847,500
Snails			
Ambersnail, Kanab	<i>Oxyloma haydeni kanabensis</i>	\$79,000	\$0
Snail, Snake River physa	<i>Physa natricina</i>	\$90,000	\$0
Snail, Utah valvata	<i>Valvata utahensis</i>	\$54,000	\$0
Snails Total		\$223,000	\$0
Insects			

Common Name	Scientific Name	General Expenditures	Land Expenditures
Beetle, American burying	<i>Nicrophorus americanus</i>	\$23,500	\$0
Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>	\$899,000	\$59,500
Insects Total		\$922,500	\$59,500
Crustaceans			
Fairy shrimp, Conservancy	<i>Branchinecta conservatio</i>	\$0	\$42,000
Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>	\$88,500	\$42,000
Tadpole shrimp, vernal pool	<i>Lepidurus packardii</i>	\$8,000	\$42,000
Crustaceans Total		\$96,500	\$126,000
Flowering Plants			
Bedstraw, El Dorado	<i>Galium californicum ssp. sierrae</i>	\$1,000	\$0
Bird's beak, palmate-bracted	<i>Cordylanthus palmatus</i>	\$158,500	\$111,000
Butterfly plant, Colorado	<i>Gaura neomexicana var. coloradensis</i>	\$2,000	\$0
Butterweed, Layne's	<i>Senecio layneae</i>	\$30,500	\$0
Cactus, Pima pineapple	<i>Coryphantha scheeri var. robustispina</i>	\$39,000	\$0
Ceanothus, Pine Hill	<i>Ceanothus roderickii</i>	\$29,500	\$0
Checker-mallow, Keck's	<i>Sidalcea keckii</i>	\$22,000	\$0
Checker-mallow, Nelson's	<i>Sidalcea nelsoniana</i>	\$5,500	\$0
Daisy, Willamette	<i>Erigeron decumbens var. decumbens</i>	\$5,500	\$0
Desert-parsley, Bradshaw's	<i>Lomatium bradshawii</i>	\$5,500	\$0
Flannelbush, Pine Hill	<i>Fremontodendron californicum ssp. decumbens</i>	\$29,500	\$0
Grass, Colusa	<i>Neostapfia colusana</i>	\$0	\$70,000
Grass, Solano	<i>Tuctoria mucronata</i>	\$0	\$112,000
Howellia, water	<i>Howellia aquatilis</i>	\$5,500	\$0
Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>	\$6,500	\$0
Lupine, Kincaid's	<i>Lupinus sulphureus (=oreganus) ssp. kincaidii (=var. kincaidii)</i>	\$5,500	\$0
Morning-glory, Stebbins'	<i>Calystegia stebbinsii</i>	\$29,500	\$0
Orchid, western prairie fringed	<i>Platanthera praeclara</i>	\$22,000	\$0
Orcutt grass, hairy	<i>Orcuttia pilosa</i>	\$22,000	\$42,000
Orcutt grass, San Joaquin	<i>Orcuttia inaequalis</i>	\$22,000	\$0
Owl's-clover, fleshy	<i>Castilleja campestris ssp. succulenta</i>	\$22,000	\$0
Penstemon, blowout	<i>Penstemon haydenii</i>	\$19,000	\$0
Spurge, Hoover's	<i>Chamaesyce hooveri</i>	\$0	\$42,000
Sunburst, Hartweg's golden	<i>Pseudobahia bahiifolia</i>	\$22,000	\$1,007,500
Wooly-threads, San Joaquin	<i>Monolopia (=Lembertia) congdonii</i>	\$49,000	\$0
Flowering Plants Total		\$553,500	\$1,384,500
Other ESA Expenses not including Foreign Species		\$1,250,500	\$0
Expenses from Foreign Species		\$0	\$0
Total Other ESA Expenses		\$1,250,500	\$0
All Species Total		\$105,498,500	\$16,167,000

DOI Minerals Management Service FY05

Common Name	Scientific Name	General Expenditures	Land Expenditures
Mammals			
Whale, bowhead	<i>Balaena mysticetus</i>	\$721,000	\$0
Whale, sperm	<i>Physeter catodon</i> (= <i>macrocephalus</i>)	\$2,386,000	\$0
Mammals Total		\$3,107,000	\$0
Birds			
Eider, Steller's AK breeding pop.	<i>Polysticta stelleri</i>	\$58,000	\$0
Plover, piping except Great Lakes watershed	<i>Charadrius melodus</i>	\$5,000	\$0
Birds Total		\$63,000	\$0
Other ESA Expenses not including Foreign Species		\$100,000	\$0
Expenses from Foreign Species		\$0	\$0
Total Other ESA Expenses		\$100,000	\$0
All Species Total		\$3,270,000	\$0

DOI Minerals Management Service FY06

Common Name	Scientific Name	General Expenditures	Land Expenditures
Mammals			
Whale, bowhead	<i>Balaena mysticetus</i>	\$3,619,040	\$0
Whale, sperm	<i>Physeter catodon</i> (= <i>macrocephalus</i>)	\$695,957	\$0
Mammals Total		\$4,314,997	\$0
Other ESA Expenses not including Foreign Species		\$450,000	\$0
Expenses from Foreign Species		\$0	\$0
Total Other ESA Expenses		\$450,000	\$0
All Species Total		\$4,764,997	\$0

DOI National Park Service FY05

Common Name	Scientific Name	General Expenditures	Land Expenditures
Mammals			
Bat, gray	<i>Myotis grisescens</i>	\$17,760	\$0
Bat, Hawaiian hoary	<i>Lasiurus cinereus semotus</i>	\$6,000	\$0
Bat, Indiana	<i>Myotis sodalis</i>	\$42,911	\$0
Bat, lesser long-nosed	<i>Leptonycteris curasoae yerbabuena</i>	\$23,700	\$0
Bat, Mexican long-nosed	<i>Leptonycteris nivalis</i>	\$3,000	\$0
Bat, Ozark big-eared	<i>Corynorhinus (=Plecotus) townsendii ingens</i>	\$3,000	\$0
Bat, Virginia big-eared	<i>Corynorhinus (=Plecotus) townsendii virginianus</i>	\$5,490	\$0
Bear, grizzly, lower 48 States, except where listed as an experimental population or delisted	<i>Ursus arctos horribilis</i>	\$1,557,000	\$0
Bear, Louisiana black	<i>Ursus americanus luteolus</i>	\$2,450	\$0
Ferret, black-footed entire population, except where EXPN	<i>Mustela nigripes</i>	\$26,000	\$0
Ferret, black-footed, U.S.A. (specific portions of AZ, CO, MT, SD, UT, and WY)	<i>Mustela nigripes</i>	\$134,000	\$0
Fox, San Miguel Island	<i>Urocyon littoralis littoralis</i>	\$375,000	\$0
Fox, Santa Cruz Island	<i>Urocyon littoralis santacruzae</i>	\$100,000	\$0
Fox, Santa Rosa Island	<i>Urocyon littoralis santarosae</i>	\$375,000	\$0
Jaguar	<i>Panthera onca</i>	\$11,300	\$0
Lynx, Canada, lower 48 States DPS	<i>Lynx canadensis</i>	\$254,500	\$0
Manatee, West Indian	<i>Trichechus manatus</i>	\$18,976	\$0
Mouse, Anastasia Island beach	<i>Peromyscus polionotus phasma</i>	\$1,200	\$0
Mouse, Perdido Key beach	<i>Peromyscus polionotus trissyllepsis</i>	\$21,000	\$0
Mouse, southeastern beach	<i>Peromyscus polionotus niveiventris</i>	\$6,748	\$0
Otter, southern sea, south of Pt. Conception, CA	<i>Enhydra lutris nereis</i>	\$300	\$0
Panther, Florida	<i>Puma (=Felis) concolor coryi</i>	\$299,812	\$0
Prairie dog, Utah	<i>Cynomys parvidens</i>	\$20,000	\$0
Pronghorn, Sonoran	<i>Antilocapra americana sonoriensis</i>	\$34,000	\$0
Puma (=cougar), eastern	<i>Puma (=Felis) concolor cougar</i>	\$27,935	\$0
Rabbit, pygmy, Columbia Basin DPS	<i>Brachylagus idahoensis</i>	\$500	\$0
Sea-lion, Steller, western pop.	<i>Eumetopias jubatus</i>	\$6,750	\$0
Seal, Hawaiian monk	<i>Monachus schauinslandi</i>	\$10,100	\$0
Sheep, Sierra Nevada bighorn Sierra Nevada	<i>Ovis canadensis sierrae</i>	\$3,000	\$0
Squirrel, Carolina northern flying	<i>Glaucomys sabrinus coloratus</i>	\$20,500	\$0
Whale, finback	<i>Balaenoptera physalus</i>	\$1,500	\$0
Whale, humpback	<i>Megaptera novaeangliae</i>	\$146,710	\$0
Whale, sperm	<i>Physeter catodon (=macrocephalus)</i>	\$1,000	\$0
Wolf, gray, Lower 48 States, except where delisted and where EXPN. Mexico.	<i>Canis lupus</i>	\$19,500	\$0
Wolf, gray, MN	<i>Canis lupus</i>	\$93,375	\$0
Wolf, gray, WY, ID, MT	<i>Canis lupus</i>	\$200,000	\$0
Wolf, red, U.S.A. (portions of NC and TN)	<i>Canis rufus</i>	\$1,000	\$0
Mammals Total		\$3,871,017	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Birds			
Akepa, Hawaii (honeycreeper)	<i>Loxops coccineus coccineus</i>	\$5,000	\$0
Akepa, Maui (honeycreeper)	<i>Loxops coccineus ochraceus</i>	\$2,000	\$0
Akiapola`au (honeycreeper)	<i>Hemignathus munroi</i>	\$5,000	\$0
Condor, California, U.S.A. only	<i>Gymnogyps californianus</i>	\$290,000	\$0
Condor, California, U.S.A. (specific portions of Arizona, Nevada, and Utah)	<i>Gymnogyps californianus</i>	\$45,150	\$0
Coot, Hawaiian	<i>Fulica americana alai</i>	\$1,000	\$0
Eagle, bald, lower 48 States	<i>Haliaeetus leucocephalus</i>	\$241,353	\$0
Eider, Steller's, AK breeding pop.	<i>Polysticta stelleri</i>	\$46,500	\$0
Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	\$30,200	\$0
Goose, Hawaiian	<i>Branta (=Nesochen) sandvicensis</i>	\$183,817	\$0
Honeycreeper, crested	<i>Palmeria dolei</i>	\$2,000	\$0
Jay, Florida scrub	<i>Aphelocoma coerulescens</i>	\$11,256	\$0
Murrelet, marbled, CA, OR, WA	<i>Brachyramphus marmoratus</i>	\$42,000	\$0
Nukupu`u (honeycreeper)	<i>Hemignathus lucidus</i>	\$2,000	\$0
Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	\$237,754	\$0
Owl, northern spotted	<i>Strix occidentalis caurina</i>	\$478,712	\$0
Parrotbill, Maui (honeycreeper)	<i>Pseudonestor xanthophrys</i>	\$89,000	\$0
Pelican, brown, except U.S. Atlantic coast, FL, AL	<i>Pelecanus occidentalis</i>	\$36,500	\$0
Petrel, Hawaiian dark-rumped	<i>Pterodroma phaeopygia sandwichensis</i>	\$217,817	\$0
Plover, piping, Great Lakes watershed	<i>Charadrius melodus</i>	\$52,544	\$0
Plover, piping, except Great Lakes watershed	<i>Charadrius melodus</i>	\$631,044	\$0
Plover, western snowy, Pacific coastal pop.	<i>Charadrius alexandrinus nivosus</i>	\$163,500	\$0
Po`ouli (honeycreeper)	<i>Melamprosops phaeosoma</i>	\$2,000	\$0
Pygmy-owl, cactus ferruginous, AZ pop.	<i>Glaucidium brasilianum cactorum</i>	\$56,200	\$0
Shearwater, Newell's Townsend's	<i>Puffinus auricularis newelli</i>	\$4,000	\$0
Sparrow, Cape Sable seaside	<i>Ammodramus maritimus mirabilis</i>	\$250,000	\$0
Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>	\$1,000	\$0
Stork, wood, AL, FL, GA, SC	<i>Mycteria americana</i>	\$4,500	\$0
Tern, least, interior pop.	<i>Sterna antillarum</i>	\$40,077	\$0
Tern, roseate, northeast U.S. nesting pop.	<i>Sterna dougallii dougallii</i>	\$7,500	\$0
Thrush, Molokai	<i>Myadestes lanaiensis rutha</i>	\$3,000	\$0
Vireo, black-capped	<i>Vireo atricapilla</i>	\$5,800	\$0
Warbler (=wood), Bachman's	<i>Vermivora bachmanii</i>	\$3,000	\$0
Warbler (=wood), Kirtland's	<i>Dendroica kirtlandii</i>	\$100	\$0
Woodpecker, ivory-billed	<i>Campephilus principalis</i>	\$3,000	\$0
Woodpecker, red-cockaded	<i>Picoides borealis</i>	\$52,800	\$0
Birds Total		\$3,247,124	\$0
Reptiles			
Alligator, American	<i>Alligator mississippiensis</i>	\$1,200	\$0
Crocodile, American, FL pop.	<i>Crocodylus acutus</i>	\$75,000	\$0
Sea turtle, green, FL, Mexico nesting pops.	<i>Chelonia mydas</i>	\$39,968	\$0
Sea turtle, green, except where endangered	<i>Chelonia mydas</i>	\$137,100	\$0
Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	\$230,050	\$0
Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>	\$640,100	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Sea turtle, leatherback	<i>Dermochelys coriacea</i>	\$65,400	\$0
Sea turtle, loggerhead	<i>Caretta caretta</i>	\$401,932	\$0
Sea turtle, olive ridley, except where endangered	<i>Lepidochelys olivacea</i>	\$220	\$0
Snake, eastern indigo	<i>Drymarchon corais couperi</i>	\$8,323	\$0
Snake, San Francisco garter	<i>Thamnophis sirtalis tetrataenia</i>	\$66,000	\$0
Tortoise, desert, U.S.A., except in Sonoran Desert	<i>Gopherus agassizii</i>	\$510,500	\$0
Tortoise, gopher, W of of Mobile/Tombigbee Rs.	<i>Gopherus polyphemus</i>	\$11,000	\$0
Turtle, bog (=Muhlenberg), northern	<i>Clemmys muhlenbergii</i>	\$24,530	\$0
Turtle, ringed map	<i>Graptemys oculifera</i>	\$450	\$0
Reptiles Total		\$2,211,773	\$0
Amphibians			
Frog, California red-legged subspecies range clarified	<i>Rana aurora draytonii</i>	\$51,730	\$0
Frog, mountain yellow-legged southern California DPS	<i>Rana muscosa</i>	\$59,000	\$0
Amphibians Total		\$110,730	\$0
Fishes			
Chub, bonytail, Entire	<i>Gila elegans</i>	\$9,500	\$0
Chub, Mohave tui	<i>Gila bicolor mohavensis</i>	\$89,000	\$0
Chub, spotfin, Entire	<i>Erimonax monachus</i>	\$4,082	\$0
Dace, blackside	<i>Phoxinus cumberlandensis</i>	\$500	\$0
Darter, bayou	<i>Etheostoma rubrum</i>	\$450	\$0
Darter, duskytail, Entire	<i>Etheostoma percnurum</i>	\$1,510	\$0
Darter, slackwater	<i>Etheostoma boschungii</i>	\$5,200	\$0
Gambusia, Big Bend	<i>Gambusia gaigei</i>	\$40,000	\$0
Goby, tidewater, Entire	<i>Eucyclogobius newberryi</i>	\$16,500	\$0
Minnow, Rio Grande silvery	<i>Hybognathus amarus</i>	\$2,000	\$0
Pikeminnow (=squawfish), Colorado except Salt and Verde R. drainages, AZ	<i>Ptychocheilus lucius</i>	\$1,000	\$0
Pupfish, desert	<i>Cyprinodon macularius</i>	\$18,600	\$0
Pupfish, Devils Hole	<i>Cyprinodon diabolis</i>	\$132,525	\$0
Salmon, chinook, Puget Sound	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$13,500	\$0
Salmon, chinook, CA Central Valley spring-run	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$5,000	\$0
Salmon, chinook, CA coastal	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$35,000	\$0
Salmon, chum, summer-run Hood Canal	<i>Oncorhynchus (=Salmo) keta</i>	\$2,500	\$0
Salmon, coho, central CA coast	<i>Oncorhynchus (=Salmo) kisutch</i>	\$90,230	\$0
Salmon, coho, OR, CA pop.	<i>Oncorhynchus (=Salmo) kisutch</i>	\$37,500	\$0
Salmon, sockeye, U.S.A. (Ozette Lake, WA)	<i>Oncorhynchus (=Salmo) nerka</i>	\$20,000	\$0
Shiner, Arkansas River, Arkansas R. Basin	<i>Notropis girardi</i>	\$5,000	\$0
Shiner, Topeka	<i>Notropis topeka (=tristis)</i>	\$36,015	\$0
Steelhead, Central Valley CA	<i>Oncorhynchus (=Salmo) mykiss</i>	\$5,000	\$0
Steelhead, central CA coast	<i>Oncorhynchus (=Salmo) mykiss</i>	\$80,230	\$0
Steelhead, southern CA coast	<i>Oncorhynchus (=Salmo) mykiss</i>	\$100,000	\$0
Steelhead, middle Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$1,000	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Steelhead, northern CA	<i>Oncorhynchus (=Salmo) mykiss</i>	\$37,000	\$0
Sturgeon, pallid	<i>Scaphirhynchus albus</i>	\$10,000	\$0
Sturgeon, shortnose	<i>Acipenser brevirostrum</i>	\$112,600	\$0
Sucker, razorback, Entire	<i>Xyrauchen texanus</i>	\$23,000	\$0
Trout, bull U.S.A., conterminous, lower 48 states	<i>Salvelinus confluentus</i>	\$179,437	\$0
Trout, greenback cutthroat	<i>Oncorhynchus clarki stomias</i>	\$67,700	\$0
Fishes Total		\$1,181,579	\$0
Clams			
Bean, Cumberland (pearlymussel), Entire Range; Except where listed as Experimental Populations	<i>Villosa trabalis</i>	\$5,142	\$0
Bean, purple	<i>Villosa perpurpurea</i>	\$3,632	\$0
Clubshell, Entire Range; Except where listed as Experimental Populations	<i>Pleurobema clava</i>	\$39,000	\$0
Combshell, Cumberlandian, Entire Range; Except where listed as Experimental Populations	<i>Epioblasma brevidens</i>	\$3,470	\$0
Elktoe, Cumberland	<i>Alasmidonta atropurpurea</i>	\$1,510	\$0
Higgins eye (pearlymussel)	<i>Lampsilis higginsii</i>	\$20,000	\$0
Lilliput, pale (pearlymussel)	<i>Toxolasma cylindrellus</i>	\$450	\$0
Mapleleaf, winged, Entire; except where listed as experimental populations	<i>Quadrula fragosa</i>	\$78,500	\$0
Mucket, orangenacre	<i>Lampsilis perovalis</i>	\$450	\$0
Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>	\$10,000	\$0
Mussel, oyster, Entire Range; Except where listed as Experimental Populations	<i>Epioblasma capsaeformis</i>	\$1,510	\$0
Pearlymussel, birdwing, Entire Range; Except where listed as Experimental Populations	<i>Conradilla caelata</i>	\$450	\$0
Pearlymussel, cracking, Entire Range; Except where listed as Experimental Populations	<i>Hemistena lata</i>	\$16,000	\$0
Pearlymussel, littlewing	<i>Pegias fabula</i>	\$3,020	\$0
Pigtoe, rough	<i>Pleurobema plenum</i>	\$39	\$0
Pigtoe, shiny, Entire Range; Except where listed as Experimental Populations	<i>Fusconaia cor</i>	\$450	\$0
Pimpleback, orangefoot (pearlymussel)	<i>Plethobasus cooperianus</i>	\$450	\$0
Riffleshell, tan	<i>Epioblasma florentina walkeri (=E. walkeri)</i>	\$1,960	\$0
Ring pink (mussel)	<i>Obovaria retusa</i>	\$12,000	\$0
Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>	\$27,290	\$0
Clams Total		\$225,323	\$0
Snails			
Abalone, White, North America (West Coast from Point Conception, CA, U.S.A., to Punta Abreojos, Baja California, Mexico)	<i>Haliotis sorenseni</i>	\$500	\$0
Snails Total		\$500	\$0
Insects			
Beetle, American burying	<i>Nicrophorus americanus</i>	\$1,140	\$0
Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>	\$75,499	\$0
Butterfly, mission blue	<i>Icaricia icarioides missionensis</i>	\$17,000	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Butterfly, Myrtle's silverspot	<i>Speyeria zerene myrtleae</i>	\$5,000	\$0
Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>	\$500	\$0
Tiger beetle, northeastern beach	<i>Cicindela dorsalis dorsalis</i>	\$1,000	\$0
Insects Total		\$100,139	\$0
Arachnids			
Spider, spruce-fir moss	<i>Microhexura montivaga</i>	\$500	\$0
Arachnids Total		\$500	\$0
Crustaceans			
Shrimp, California freshwater	<i>Syncaris pacifica</i>	\$4,500	\$0
Shrimp, Kentucky cave	<i>Palaemonias ganteri</i>	\$10,000	\$0
Crustaceans Total		\$14,500	\$0
Flowering Plants			
Alani	<i>Melicope zahlbruckneri</i>	\$3,000	\$0
Alopecurus, Sonoma	<i>Alopecurus aequalis var. sonomensis</i>	\$2,400	\$0
Amaranth, seabeach	<i>Amaranthus pumilus</i>	\$110,250	\$0
Avens, spreading	<i>Geum radiatum</i>	\$3,060	\$0
Bladderpod, Missouri	<i>Lesquerella filiformis</i>	\$30,000	\$0
Blazingstar, Heller's	<i>Liatris helleri</i>	\$2,560	\$0
Cactus, Brady pincushion	<i>Pediocactus bradyi</i>	\$3,500	\$0
Cactus, Chisos Mountain hedgehog	<i>Echinocereus chisoensis var. chisoensis</i>	\$3,000	\$0
Cactus, Lee pincushion	<i>Coryphantha sneedii var. leei</i>	\$11,000	\$0
Cactus, Lloyd's Mariposa	<i>Echinomastus mariposensis</i>	\$1,000	\$0
Cactus, Sneed pincushion	<i>Coryphantha sneedii var. sneedii</i>	\$11,000	\$0
Cactus, Uinta Basin hookless	<i>Sclerocactus glaucus</i>	\$1,406	\$0
Cactus, Wright fishhook	<i>Sclerocactus wrightiae</i>	\$2,500	\$0
Chaff-flower, round-leaved	<i>Achyranthes splendens var. rotundata</i>	\$100	\$0
Chaffseed, American	<i>Schwalbea americana</i>	\$250	\$0
Clarkia, Presidio	<i>Clarkia franciscana</i>	\$9,250	\$0
Coneflower, Tennessee purple	<i>Echinacea tennesseensis</i>	\$1,815	\$0
Cory cactus, bunched	<i>Coryphantha ramillosa</i>	\$500	\$0
Daisy, Parish's	<i>Erigeron parishii</i>	\$500	\$0
Dudleya, Conejo	<i>Dudleya abramsii ssp. parva</i>	\$1,000	\$0
Dudleya, marcescent	<i>Dudleya cymosa ssp. marcescens</i>	\$1,000	\$0
Dudleya, Verity's	<i>Dudleya verityi</i>	\$1,000	\$0
Dudleyea, Santa Monica Mountains	<i>Dudleya cymosa ssp. ovatifolia</i>	\$1,000	\$0
Dwarf-flax, Marin	<i>Hesperolinon congestum</i>	\$2,500	\$0
Evening-primrose, Eureka Valley	<i>Oenothera avita ssp. eurekaensis</i>	\$500	\$0
Grass, Eureka Dune	<i>Swallenia alexandrae</i>	\$500	\$0
Grass, Tennessee yellow-eyed	<i>Xyris tennesseensis</i>	\$450	\$0
Ground-plum, Guthrie's (=Pyne's)	<i>Astragalus bibullatus</i>	\$1,960	\$0
Haha	<i>Cyanea copelandii ssp. haleakalaensis</i>	\$3,000	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Haha	<i>Cyanea glabra</i>	\$4,000	\$0
Haha	<i>Cyanea hamatiflora ssp. hamatiflora</i>	\$4,000	\$0
Haha	<i>Cyanea stictophylla</i>	\$4,000	\$0
Harperella	<i>Ptilimnium nodosum</i>	\$9,626	\$0
Hau kuahiwi	<i>Hibiscadelphus giffardianus</i>	\$2,000	\$0
Heartleaf, dwarf-flowered	<i>Hexastylis naniflora</i>	\$22,600	\$0
Ischaemum, Hilo	<i>Ischaemum byrone</i>	\$5,000	\$0
Joint-vetch, sensitive	<i>Aeschynomene virginica</i>	\$500	\$0
Kiponapona	<i>Phyllostegia racemosa</i>	\$3,000	\$0
Koki`o ke`oke`o	<i>Hibiscus arnottianus ssp. immaculatus</i>	\$1,000	\$0
Ko`oko`olau	<i>Bidens micrantha ssp. kalealaha</i>	\$3,785	\$0
Kuahiwi laukahi	<i>Plantago hawaiiensis</i>	\$2,000	\$0
Kuahiwi laukahi	<i>Plantago princeps</i>	\$5,000	\$0
Layia, beach	<i>Layia carnosa</i>	\$29,920	\$0
Lessingia, San Francisco	<i>Lessingia germanorum (=L.g. var. germanorum)</i>	\$15,000	\$0
Liveforever, Santa Barbara Island	<i>Dudleya traskiae</i>	\$2,000	\$0
Lo`ulu	<i>Pritchardia affinis</i>	\$1,212	\$0
Lupine, clover	<i>Lupinus tidestromii</i>	\$30,250	\$0
Makou	<i>Peucedanum sandwicense</i>	\$3,300	\$0
Manzanita, Presidio	<i>Arctostaphylos hookeri var. ravenii</i>	\$2,000	\$0
Manzanita, Santa Rosa Island	<i>Arctostaphylos confertiflora</i>	\$5,000	\$0
Ma`o hau hele, (=native yellow hibiscus)	<i>Hibiscus brackenridgei</i>	\$250	\$0
Milk-vetch, Braunton's	<i>Astragalus brauntonii</i>	\$1,000	\$0
Milk-vetch, Sentry	<i>Astragalus cremnophylax var. cremnophylax</i>	\$9,000	\$0
Milk-vetch, Shivwits	<i>Astragalus ampullarioides</i>	\$2,000	\$0
Monkey-flower, Michigan	<i>Mimulus glabratus var. michiganensis</i>	\$3,032	\$0
No common name	<i>Calyptanthus thomasiana</i>	\$500	\$0
No common name	<i>Neraudia ovata</i>	\$5,000	\$0
No common name	<i>Schiedea haleakalensis</i>	\$3,000	\$0
No common name	<i>Spermolepis hawaiiensis</i>	\$3,000	\$0
No common name	<i>Stenogyne angustifolia var. angustifolia</i>	\$3,000	\$0
No common name	<i>Tetramolopium rockii</i>	\$2,500	\$0
Nohoanu	<i>Geranium multiflorum</i>	\$1,000	\$0
Ohai	<i>Sesbania tomentosa</i>	\$500	\$0
Orchid, western prairie fringed	<i>Platanthera praeclara</i>	\$16,736	\$0
Paintbrush, golden	<i>Castilleja levisecta</i>	\$700	\$0
Paintbrush, soft-leaved	<i>Castilleja mollis</i>	\$300	\$0
Panicgrass, Carter's	<i>Panicum fauriei var. carteri</i>	\$2,000	\$0
Pentachaeta, Lyon's	<i>Pentachaeta lyonii</i>	\$25,000	\$0
Phlox, Texas trailing	<i>Phlox nivalis ssp. texensis</i>	\$10,000	\$0
Pink, swamp	<i>Helonias bullata</i>	\$2,080	\$0
Pitcher-plant, green	<i>Sarracenia oreophila</i>	\$15,982	\$0
Pogonia, small whorled	<i>Isotria medeoloides</i>	\$13,720	\$0
Potato-bean, Price's	<i>Apios priceana</i>	\$450	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Prairie-clover, leafy	<i>Dalea foliosa</i>	\$450	\$0
Prickly-ash, St. Thomas	<i>Zanthoxylum thomasianum</i>	\$500	\$0
Pua`ala	<i>Brighamia rockii</i>	\$7,500	\$0
Reed-mustard, Barneby	<i>Schoenocrambe barnebyi</i>	\$1,750	\$0
Rock-cress, Braun's	<i>Arabis perstellata</i>	\$450	\$0
Rock-cress, Hoffmann's	<i>Arabis hoffmannii</i>	\$22,000	\$0
Rosemary, Cumberland	<i>Conradina verticillata</i>	\$5,257	\$0
Sandwort, Cumberland	<i>Arenaria cumberlandensis</i>	\$1,625	\$0
Silversword, Mauna Loa (=Ka'u)	<i>Argyroxiphium kauense</i>	\$20,000	\$0
Spineflower, Robust (incl. Scotts Valley)	<i>Chorizanthe robusta (incl. vars. robusta and hartwegii)</i>	\$190	\$0
Spineflower, Sonoma	<i>Chorizanthe valida</i>	\$4,940	\$0
Spiraea, Virginia	<i>Spiraea virginiana</i>	\$5,257	\$0
Sunflower, Eggert's	<i>Helianthus eggertii</i>	\$9,082	\$0
Thistle, Pitcher's	<i>Cirsium pitcheri</i>	\$2,417	\$0
Townsendia, Last Chance	<i>Townsendia aprica</i>	\$1,500	\$0
`Ahinahina	<i>Argyroxiphium sandwicense ssp. macrocephalum</i>	\$4,000	\$0
`Aiea	<i>Nothocestrum breviflorum</i>	\$5,000	\$0
`Awikiwiki	<i>Canavalia molokaiensis</i>	\$3,000	\$0
`Oha wai	<i>Clermontia lindseyana</i>	\$4,000	\$0
`Oha wai	<i>Clermontia peleana</i>	\$3,000	\$0
`Oha wai	<i>Clermontia samuelii</i>	\$4,000	\$0
Flowering Plants Total		\$591,862	\$0
Ferns and Allies			
Wawae`iole	<i>Huperzia mannii</i>	\$5,000	\$0
Ferns and Allies Total		\$5,000	\$0
Expenses from Foreign Species		\$0	\$0
Total Other ESA Expenses		\$0	\$0
All Species Total		\$11,560,047	\$0

DOI National Park Service FY06

Common Name	Scientific Name	General Expenditures	Land Expenditures
Mammals			
Bat, gray	<i>Myotis grisescens</i>	\$17,760	\$0
Bat, Indiana	<i>Myotis sodalis</i>	\$59,530	\$0
Bat, lesser long-nosed	<i>Leptonycteris curasoae yerbabuena</i>	\$14,000	\$0
Bat, Mexican long-nosed	<i>Leptonycteris nivalis</i>	\$1,000	\$0
Bat, Ozark big-eared	<i>Corynorhinus (=Plecotus) townsendii ingens</i>	\$3,000	\$0
Bat, Virginia big-eared	<i>Corynorhinus (=Plecotus) townsendii virginianus</i>	\$5,500	\$0
Bear, grizzly lower 48 States, except where listed as an experimental population or delisted	<i>Ursus arctos horribilis</i>	\$1,743,800	\$0
Bear, Louisiana black	<i>Ursus americanus luteolus</i>	\$850	\$0
Ferret, black-footed entire population, except where EXPN	<i>Mustela nigripes</i>	\$41,980	\$0
Ferret, black-footed, U.S.A. (specific portions of AZ, CO, MT, SD, UT, and WY)	<i>Mustela nigripes</i>	\$131,517	\$0
Fox, San Miguel Island	<i>Urocyon littoralis littoralis</i>	\$370,000	\$0
Fox, Santa Cruz Island	<i>Urocyon littoralis santacruzae</i>	\$370,000	\$0
Fox, Santa Rosa Island	<i>Urocyon littoralis santarosae</i>	\$80,000	\$0
Jaguar	<i>Panthera onca</i>	\$9,000	\$0
Lynx, Canada, lower 48 States DPS	<i>Lynx canadensis</i>	\$177,500	\$0
Manatee, West Indian	<i>Trichechus manatus</i>	\$24,870	\$0
Mouse, Anastasia Island beach	<i>Peromyscus polionotus phasma</i>	\$530	\$0
Mouse, Perdido Key beach	<i>Peromyscus polionotus trissyllepsis</i>	\$15,000	\$0
Mouse, southeastern beach	<i>Peromyscus polionotus niveiventris</i>	\$899	\$0
Panther, Florida	<i>Puma (=Felis) concolor coryi</i>	\$326,985	\$0
Prairie dog, Utah	<i>Cynomys parvidens</i>	\$10,000	\$0
Pronghorn, Sonoran	<i>Antilocapra americana sonoriensis</i>	\$49,000	\$0
Puma (=cougar), eastern	<i>Puma (=Felis) concolor cougar</i>	\$2,351	\$0
Rabbit, pygmy, Columbia Basin DPS	<i>Brachylagus idahoensis</i>	\$500	\$0
Sea-lion, Steller, western pop.	<i>Eumetopias jubatus</i>	\$16,000	\$0
Seal, Hawaiian monk	<i>Monachus schauinslandi</i>	\$10,100	\$0
Sheep, Sierra Nevada bighorn, Sierra Nevada	<i>Ovis canadensis sierrae</i>	\$1,000	\$0
Squirrel, Carolina northern flying	<i>Glaucomys sabrinus coloratus</i>	\$10,000	\$0
Whale, finback	<i>Balaenoptera physalus</i>	\$300	\$0
Whale, humpback	<i>Megaptera novaeangliae</i>	\$168,000	\$0
Whale, right	<i>Balaena glacialis (incl. australis)</i>	\$500	\$0
Wolf, gray, Lower 48 States, except where delisted and where EXPN. Mexico.	<i>Canis lupus</i>	\$111,100	\$0
Wolf, gray, WY, ID, MT	<i>Canis lupus</i>	\$208,000	\$0
Mammals Total		\$3,980,572	\$0
Birds			
Akepa, Maui (honeycreeper)	<i>Loxops coccineus ochraceus</i>	\$2,000	\$0
Condor, California, U.S.A. only	<i>Gymnogyps californianus</i>	\$275,000	\$0
Condor, California, U.S.A. (specific portions of Arizona, Nevada, and Utah)	<i>Gymnogyps californianus</i>	\$5,880	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Coot, Hawaiian	<i>Fulica americana alai</i>	\$1,000	\$0
Crane, whooping, except where EXPN	<i>Grus americana</i>	\$150	\$0
Eagle, bald, lower 48 States	<i>Haliaeetus leucocephalus</i>	\$232,426	\$0
Eider, Steller's, AK breeding pop.	<i>Polysticta stelleri</i>	\$47,000	\$0
Falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>	\$7,880	\$0
Flycatcher, southwestern willow	<i>Empidonax trailii extimus</i>	\$33,980	\$0
Gnatcatcher, coastal California	<i>Polioptila californica californica</i>	\$900	\$0
Goose, Hawaiian	<i>Branta (=Nesochen) sandvicensis</i>	\$194,944	\$0
Honeycreeper, crested	<i>Palmeria dolei</i>	\$2,000	\$0
Jay, Florida scrub	<i>Aphelocoma coerulescens</i>	\$11,850	\$0
Murrelet, marbled, CA, OR, WA	<i>Brachyramphus marmoratus</i>	\$35,500	\$0
Nukupu`u (honeycreeper)	<i>Hemignathus lucidus</i>	\$2,000	\$0
Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	\$232,351	\$0
Owl, northern spotted	<i>Strix occidentalis caurina</i>	\$484,436	\$0
Parrotbill, Maui (honeycreeper)	<i>Pseudonestor xanthophrys</i>	\$2,000	\$0
Pelican, brown except U.S. Atlantic coast, FL, AL	<i>Pelecanus occidentalis</i>	\$25,090	\$0
Petrel, Hawaiian dark-rumped	<i>Pterodroma phaeopygia sandwichensis</i>	\$149,944	\$0
Plover, piping Great Lakes watershed	<i>Charadrius melodus</i>	\$59,284	\$0
Plover, piping, except Great Lakes watershed	<i>Charadrius melodus</i>	\$721,402	\$0
Plover, western snowy, Pacific coastal pop.	<i>Charadrius alexandrinus nivosus</i>	\$128,500	\$0
Po`ouli (honeycreeper)	<i>Melamprosops phaeosoma</i>	\$2,000	\$0
Sparrow, Cape Sable seaside	<i>Ammodramus maritimus mirabilis</i>	\$200,000	\$0
Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>	\$1,000	\$0
Stork, wood, AL, FL, GA, SC	<i>Mycteria americana</i>	\$10,400	\$0
Tern, least, interior pop.	<i>Sterna antillarum</i>	\$43,670	\$0
Tern, roseate, northeast U.S. nesting pop.	<i>Sterna dougallii dougallii</i>	\$7,466	\$0
Tern, roseate Western Hemisphere except NE U.S.	<i>Sterna dougallii dougallii</i>	\$500	\$0
Vireo, black-capped	<i>Vireo atricapilla</i>	\$8,580	\$0
Vireo, least Bell's	<i>Vireo bellii pusillus</i>	\$1,000	\$0
Warbler (=wood), Kirtland's	<i>Dendroica kirtlandii</i>	\$100	\$0
Woodpecker, ivory-billed	<i>Campephilus principalis</i>	\$22,328	\$0
Woodpecker, red-cockaded	<i>Picoides borealis</i>	\$67,450	\$0
Birds Total		\$3,020,011	\$0
Reptiles			
Alligator, American	<i>Alligator mississippiensis</i>	\$5,880	\$0
Crocodile, American, FL pop.	<i>Crocodylus acutus</i>	\$27,000	\$0
Sea turtle, green, FL, Mexico nesting pops.	<i>Chelonia mydas</i>	\$20,574	\$0
Sea turtle, green, except where endangered	<i>Chelonia mydas</i>	\$56,040	\$0
Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	\$166,957	\$0
Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>	\$502,350	\$0
Sea turtle, leatherback	<i>Dermochelys coriacea</i>	\$17,020	\$0
Sea turtle, loggerhead	<i>Caretta caretta</i>	\$277,186	\$0
Snake, eastern indigo	<i>Drymarchon corais couperi</i>	\$9,344	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Snake, San Francisco garter	<i>Thamnophis sirtalis tetrataenia</i>	\$4,000	\$0
Tortoise, desert, U.S.A., except in Sonoran Desert	<i>Gopherus agassizii</i>	\$453,000	\$0
Tortoise, gopher, W of Mobile/Tombigbee Rs.	<i>Gopherus polyphemus</i>	\$6,000	\$0
Turtle, bog (=Muhlenberg), northern	<i>Clemmys muhlenbergii</i>	\$23,500	\$0
Turtle, ringed map	<i>Graptemys oculifera</i>	\$450	\$0
Reptiles Total		\$1,569,301	\$0
Amphibians			
Frog, California red-legged subspecies range clarified	<i>Rana aurora draytonii</i>	\$44,500	\$0
Salamander, Shenandoah	<i>Plethodon shenandoah</i>	\$3,200	\$0
Amphibians Total		\$47,700	\$0
Fishes			
Chub, bonytail, Entire	<i>Gila elegans</i>	\$5,000	\$0
Chub, humpback, Entire	<i>Gila cypha</i>	\$172,000	\$0
Chub, Mohave tui	<i>Gila bicolor mohavensis</i>	\$89,000	\$0
Chub, spotfin, Entire	<i>Erimonax monachus</i>	\$6,283	\$0
Dace, blackside	<i>Phoxinus cumberlandensis</i>	\$5,100	\$0
Darter, bayou	<i>Etheostoma rubrum</i>	\$450	\$0
Darter, duskytail, Entire	<i>Etheostoma percnurum</i>	\$6,510	\$0
Darter, slackwater	<i>Etheostoma boschungii</i>	\$2,600	\$0
Gambusia, Big Bend	<i>Gambusia gaigei</i>	\$5,000	\$0
Goby, tidewater, Entire	<i>Eucyclogobius newberryi</i>	\$16,000	\$0
Madtom, smoky, Entire	<i>Noturus baileyi</i>	\$5,000	\$0
Madtom, yellowfin, except where EXPN	<i>Noturus flavipinnis</i>	\$5,000	\$0
Minnow, Rio Grande silvery	<i>Hybognathus amarus</i>	\$2,500	\$0
Pupfish, desert	<i>Cyprinodon macularius</i>	\$8,000	\$0
Pupfish, Devils Hole	<i>Cyprinodon diabolis</i>	\$200,000	\$0
Salmon, chinook, Puget Sound	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$12,500	\$0
Salmon, chinook, CA Central Valley spring-run	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$5,000	\$0
Salmon, chinook, CA coastal	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$35,000	\$0
Salmon, chum, summer-run Hood Canal	<i>Oncorhynchus (=Salmo) keta</i>	\$500	\$0
Salmon, coho, central CA coast	<i>Oncorhynchus (=Salmo) kisutch</i>	\$106,000	\$0
Salmon, coho, OR, CA pop.	<i>Oncorhynchus (=Salmo) kisutch</i>	\$35,500	\$0
Salmon, sockeye, U.S.A. (Ozette Lake, WA)	<i>Oncorhynchus (=Salmo) nerka</i>	\$15,000	\$0
Sawfish, smalltooth	<i>Pristis pectinata</i>	\$2,000	\$0
Shiner, Topeka	<i>Notropis topeka (=tristis)</i>	\$36,070	\$0
Spinedace, Little Colorado	<i>Lepidomeda vittata</i>	\$2,680	\$0
Steelhead, Central Valley CA	<i>Oncorhynchus (=Salmo) mykiss</i>	\$45,000	\$0
Steelhead, central CA coast	<i>Oncorhynchus (=Salmo) mykiss</i>	\$45,000	\$0
Steelhead, lower Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$1,000	\$0
Steelhead, southern CA coast	<i>Oncorhynchus (=Salmo) mykiss</i>	\$20,000	\$0
Steelhead, middle Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$3,700	\$0
Steelhead, northern CA	<i>Oncorhynchus (=Salmo) mykiss</i>	\$37,000	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Sturgeon, pallid	<i>Scaphirhynchus albus</i>	\$2,100	\$0
Sturgeon, shortnose	<i>Acipenser brevirostrum</i>	\$129,001	\$0
Sucker, razorback, Entire	<i>Xyrauchen texanus</i>	\$15,000	\$0
Trout, bull U.S.A., conterminous, lower 48 states	<i>Salvelinus confluentus</i>	\$172,500	\$0
Trout, greenback cutthroat	<i>Oncorhynchus clarki stomias</i>	\$32,000	\$0
Fishes Total		\$1,280,994	\$0
Clams			
Bean, Cumberland (pearlymussel), Entire Range; Except where listed as Experimental Populations	<i>Villosa trabalis</i>	\$2,343	\$0
Bean, purple	<i>Villosa perpurpurea</i>	\$833	\$0
Clubshell, Entire Range; Except where listed as Experimental Populations	<i>Pleurobema clava</i>	\$3,000	\$0
Combshell, Cumberlandian, Entire Range; Except where listed as Experimental Populations	<i>Epioblasma brevidens</i>	\$3,470	\$0
Elktoe, Cumberland	<i>Alasmidonta atropurpurea</i>	\$1,510	\$0
Higgins eye (pearlymussel)	<i>Lampsilis higginsii</i>	\$850	\$0
Lilliput, pale (pearlymussel)	<i>Toxolasma cylindrellus</i>	\$450	\$0
Mapleleaf, winged, Entire; except where listed as experimental populations	<i>Quadrula fragosa</i>	\$75,270	\$0
Mucket, orangenacre	<i>Lampsilis perovalis</i>	\$450	\$0
Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>	\$3,000	\$0
Mussel, oyster, Entire Range; Except where listed as Experimental Populations	<i>Epioblasma capsaeformis</i>	\$1,510	\$0
Pearlymussel, birdwing, Entire Range; Except where listed as Experimental Populations	<i>Conradilla caelata</i>	\$450	\$0
Pearlymussel, cracking, Entire Range; Except where listed as Experimental Populations	<i>Hemistena lata</i>	\$3,000	\$0
Pearlymussel, littlewing	<i>Pegias fabula</i>	\$3,020	\$0
Pigtoe, rough	<i>Pleurobema plenum</i>	\$3,000	\$0
Pigtoe, shiny, Entire Range; Except where listed as Experimental Populations	<i>Fusconaia cor</i>	\$450	\$0
Pimpleback, orangefoot (pearlymussel)	<i>Plethobasus cooperianus</i>	\$450	\$0
Riffleshell, tan	<i>Epioblasma florentina walkeri</i> (=E. walkeri)	\$1,960	\$0
Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>	\$5,450	\$0
Clams Total		\$110,466	\$0
Snails			
Abalone, White, North America (West Coast from Point Conception, CA, U.S.A., to Punta Abreojos, Baja California, Mexico)	<i>Haliotis sorenseni</i>	\$500	\$0
Snails Total		\$500	\$0
Insects			
Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>	\$66,016	\$0
Butterfly, mission blue	<i>Icaricia icarioides missionensis</i>	\$312,000	\$0
Butterfly, Myrtle's silverspot	<i>Speyeria zerene myrtleae</i>	\$1,000	\$0
Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>	\$500	\$0
Tiger beetle, northeastern beach	<i>Cicindela dorsalis dorsalis</i>	\$1,200	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Insects Total		\$380,716	\$0
Crustaceans			
Shrimp, California freshwater	<i>Syncaris pacifica</i>	\$5,000	\$0
Shrimp, Kentucky cave	<i>Palaemonias ganteri</i>	\$10,465	\$0
Crustaceans Total		\$15,465	\$0
Flowering Plants			
Alani	<i>Melicope balloui</i>	\$123	\$0
Alani	<i>Melicope ovalis</i>	\$7,257	\$0
Alani	<i>Melicope zahlbruckneri</i>	\$1,000	\$0
Alopecurus, Sonoma	<i>Alopecurus aequalis</i> var. <i>sonomensis</i>	\$3,594	\$0
Amaranth, seabeach	<i>Amaranthus pumilus</i>	\$82,330	\$0
Avens, spreading	<i>Geum radiatum</i>	\$3,160	\$0
Awiwi	<i>Centaurium sebaeoides</i>	\$1,000	\$0
Bedstraw, island	<i>Galium buxifolium</i>	\$500	\$0
Bladderpod, Missouri	<i>Lesquerella filiformis</i>	\$21,500	\$0
Blazingstar, Heller's	<i>Liatris helleri</i>	\$2,560	\$0
Cactus, Chisos Mountain hedgehog	<i>Echinocereus chisoensis</i> var. <i>chisoensis</i>	\$3,000	\$0
Cactus, Lee pincushion	<i>Coryphantha sneedii</i> var. <i>leei</i>	\$2,800	\$0
Cactus, Winkler	<i>Pediocactus winkleri</i>	\$2,000	\$0
Catchfly, Spalding's	<i>Silene spaldingii</i>	\$6,300	\$0
Chaffseed, American	<i>Schwalbea americana</i>	\$300	\$0
Clarkia, Presidio	<i>Clarkia franciscana</i>	\$45,000	\$0
Coneflower, Tennessee purple	<i>Echinacea tennesseensis</i>	\$2,012	\$0
Cory cactus, bunched	<i>Coryphantha ramillosa</i>	\$500	\$0
Cycladenia, Jones	<i>Cycladenia jonesii</i> (= <i>humilis</i>)	\$2,000	\$0
Daisy, Maguire	<i>Erigeron maguirei</i>	\$16,000	\$0
Daisy, Parish's	<i>Erigeron parishii</i>	\$500	\$0
Dudleya, Conejo	<i>Dudleya abramsii</i> ssp. <i>parva</i>	\$1,000	\$0
Dudleya, marcescent	<i>Dudleya cymosa</i> ssp. <i>marcescens</i>	\$1,000	\$0
Dudleya, Santa Cruz Island	<i>Dudleya nesiotica</i>	\$500	\$0
Dudleya, Verity's	<i>Dudleya verityi</i>	\$1,000	\$0
Dudleyea, Santa Monica Mountains	<i>Dudleya cymosa</i> ssp. <i>ovatifolia</i>	\$1,000	\$0
Dwarf-flax, Marin	<i>Hesperolinon congestum</i>	\$35,000	\$0
Evening-primrose, Eureka Valley	<i>Oenothera avita</i> ssp. <i>eurekensis</i>	\$500	\$0
Fleabane, Zuni	<i>Erigeron rhizomatus</i>	\$2,680	\$0
Geranium, Hawaiian red-flowered	<i>Geranium arboreum</i>	\$8,610	\$0
Gilia, Hoffmann's slender-flowered	<i>Gilia tenuiflora</i> ssp. <i>hoffmannii</i>	\$250	\$0
Grass, Eureka Dune	<i>Swallenia alexandrae</i>	\$500	\$0
Grass, Tennessee yellow-eyed	<i>Xyris tennesseensis</i>	\$450	\$0
Ground-plum, Guthrie's (=Pyne's)	<i>Astragalus bibullatus</i>	\$262	\$0
Haha	<i>Cyanea copelandii</i> ssp. <i>haleakalaensis</i>	\$7,134	\$0
Haha	<i>Cyanea glabra</i>	\$7,257	\$0
Haha	<i>Cyanea grimesiana</i> ssp. <i>grimesiana</i>	\$123	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Haha	<i>Cyanea hamatiflora ssp. hamatiflora</i>	\$6,150	\$0
Hala pepe	<i>Pleomele hawaiiensis</i>	\$1,500	\$0
Harperella	<i>Ptilimnium nodosum</i>	\$1,613	\$0
Hau kuahiwi	<i>Hibiscadelphus giffardianus</i>	\$1,000	\$0
Heartleaf, dwarf-flowered	<i>Hexastylis naniflora</i>	\$30,000	\$0
Ischaemum, Hilo	<i>Ischaemum byrone</i>	\$6,150	\$0
Kiponapona	<i>Phyllostegia racemosa</i>	\$1,000	\$0
Koki`o	<i>Kokia drynarioides</i>	\$500	\$0
Koki`o ke`oke`o	<i>Hibiscus arnottianus ssp. immaculatus</i>	\$1,000	\$0
Ko`oko`olau	<i>Bidens micrantha ssp. kalealaha</i>	\$7,257	\$0
Ko`oloa`ula	<i>Abutilon menziesii</i>	\$500	\$0
Kuahiwi laukahi	<i>Plantago hawaiiensis</i>	\$1,000	\$0
Kuahiwi laukahi	<i>Plantago princeps</i>	\$7,257	\$0
Kula wahine noho	<i>Isodendrion pyriform</i>	\$500	\$0
Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>	\$2,500	\$0
Layia, beach	<i>Layia carnosa</i>	\$20,588	\$0
Lessingia, San Francisco	<i>Lessingia germanorum (=L.g. var. germanorum)</i>	\$17,500	\$0
Lo`ulu	<i>Pritchardia affinis</i>	\$4,021	\$0
Lupine, clover	<i>Lupinus tidestromii</i>	\$19,588	\$0
Makou	<i>Peucedanum sandwicense</i>	\$2,300	\$0
Malacothrix, Santa Cruz Island	<i>Malacothrix indecora</i>	\$500	\$0
Manzanita, Presidio	<i>Arctostaphylos hookeri var. ravenii</i>	\$2,000	\$0
Manzanita, Santa Rosa Island	<i>Arctostaphylos confertiflora</i>	\$5,000	\$0
Ma`o hau hele, (=native yellow hibiscus)	<i>Hibiscus brackenridgei</i>	\$400	\$0
Milk-vetch, Sentry	<i>Astragalus cremnophylax var. cremnophylax</i>	\$5,000	\$0
Milk-vetch, Shivwits	<i>Astragalus ampullarioides</i>	\$42,000	\$0
Milk-vetch, triple-ribbed	<i>Astragalus tricarinatus</i>	\$1,000	\$0
Monkey-flower, Michigan	<i>Mimulus glabratus var. michiganensis</i>	\$2,112	\$0
No common name	<i>Neraudia ovata</i>	\$6,200	\$0
No common name	<i>Phyllostegia parviflora</i>	\$5,000	\$0
No common name	<i>Platanthera holochila</i>	\$123	\$0
No common name	<i>Schiedea haleakalensis</i>	\$4,428	\$0
No common name	<i>Schiedea hookeri</i>	\$123	\$0
No common name	<i>Spermolepis hawaiiensis</i>	\$3,000	\$0
No common name	<i>Stenogyne angustifolia var. angustifolia</i>	\$5,000	\$0
No common name	<i>Tetramolopium rockii</i>	\$1,500	\$0
Nohoanu	<i>Geranium multiflorum</i>	\$8,610	\$0
Ohai	<i>Sesbania tomentosa</i>	\$6,500	\$0
Orchid, western prairie fringed	<i>Platanthera praeclara</i>	\$15,700	\$0
Paintbrush, golden	<i>Castilleja levisecta</i>	\$27,200	\$0
Paintbrush, soft-leaved	<i>Castilleja mollis</i>	\$800	\$0
Panicgrass, Carter's	<i>Panicum fauriei var. carteri</i>	\$2,000	\$0
Pentachaeta, Lyon's	<i>Pentachaeta lyonii</i>	\$20,000	\$0
Phlox, Texas trailing	<i>Phlox nivalis ssp. texensis</i>	\$15,000	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Pink, swamp	<i>Helonias bullata</i>	\$2,080	\$0
Pogonia, small whorled	<i>Isotria medeoloides</i>	\$12,450	\$0
Potato-bean, Price's	<i>Apios priceana</i>	\$450	\$0
Po'e	<i>Portulaca sclerocarpa</i>	\$1,000	\$0
Prairie-clover, leafy	<i>Dalea foliosa</i>	\$450	\$0
Prickly-ash, St. Thomas	<i>Zanthoxylum thomasianum</i>	\$500	\$0
Pua`ala	<i>Brighamia rockii</i>	\$10,000	\$0
Rock-cress, Braun's	<i>Arabis perstellata</i>	\$450	\$0
Rosemary, Cumberland	<i>Conradina verticillata</i>	\$2,933	\$0
Rush-rose, island	<i>Helianthemum greenei</i>	\$500	\$0
Sandwort, Cumberland	<i>Arenaria cumberlandensis</i>	\$1,625	\$0
Seablite, California	<i>Suaeda californica</i>	\$2,000	\$0
Sedge, Navajo	<i>Carex specuicola</i>	\$2,680	\$0
Silversword, Mauna Loa (=Ka'u)	<i>Argyroxiphium kauense</i>	\$38,000	\$0
Skullcap, large-flowered	<i>Scutellaria montana</i>	\$3,000	\$0
Spineflower, Orcutt's	<i>Chorizanthe orcuttiana</i>	\$4,320	\$0
Spineflower, Sonoma	<i>Chorizanthe valida</i>	\$3,594	\$0
Spiraea, Virginia	<i>Spiraea virginiana</i>	\$3,058	\$0
Thistle, Pitcher's	<i>Cirsium pitcheri</i>	\$2,283	\$0
Uhiuhi	<i>Caesalpinia kawaiense</i>	\$500	\$0
`Ahinahina	<i>Argyroxiphium sandwicense ssp. macrocephalum</i>	\$8,610	\$0
`Aiea	<i>Nothocestrum breviflorum</i>	\$6,200	\$0
`Anunu	<i>Sicyos alba</i>	\$1,000	\$0
`Awikiwiki	<i>Canavalia molokaiensis</i>	\$3,000	\$0
`Oha wai	<i>Clermontia lindseyana</i>	\$123	\$0
`Oha wai	<i>Clermontia oblongifolia ssp. mauiensis</i>	\$123	\$0
`Oha wai	<i>Clermontia peleana</i>	\$5,123	\$0
`Oha wai	<i>Clermontia samuelii</i>	\$4,059	\$0
Flowering Plants Total		\$701,933	\$0
Ferns and Allies			
No common name	<i>Asplenium fragile var. insulare</i>	\$123	\$0
No common name	<i>Diplazium molokaiense</i>	\$123	\$0
Pauoa	<i>Ctenitis squamigera</i>	\$123	\$0
Wawae`iole	<i>Huperzia mannii</i>	\$7,257	\$0
Ferns and Allies Total		\$7,626	\$0
Expenses from Foreign Species			
		\$0	\$0
Total Other ESA Expenses		\$0	\$0
All Species Total		\$11,115,284	\$0

DOI US Geological Survey FY05

Common Name	Scientific Name	General Expenditures	Land Expenditures
Mammals			
Bat, Hawaiian hoary	<i>Lasiurus cinereus semotus</i>	\$75,051	\$0
Bat, Indiana	<i>Myotis sodalis</i>	\$55,377	\$0
Bat, lesser long-nosed	<i>Leptonycteris curasoae yerbabuenae</i>	\$42,000	\$0
Bat, Mexican long-nosed	<i>Leptonycteris nivalis</i>	\$42,000	\$0
Bear, grizzly, lower 48 States, except where listed as an experimental population or delisted	<i>Ursus arctos horribilis</i>	\$531,516	\$0
Ferret, black-footed entire population, except where EXPN	<i>Mustela nigripes</i>	\$474,012	\$0
Kangaroo rat, Stephens'	<i>Dipodomys stephensi (incl. D. cascus)</i>	\$2,711	\$0
Lynx, Canada, lower 48 States DPS	<i>Lynx canadensis</i>	\$33,500	\$0
Manatee, West Indian	<i>Trichechus manatus</i>	\$1,089,202	\$0
Mouse, Alabama beach	<i>Peromyscus polionotus ammobates</i>	\$2,000	\$0
Mouse, Preble's meadow jumping Colorado	<i>Zapus hudsonius preblei</i>	\$192,986	\$0
Mouse, salt marsh harvest	<i>Reithrodontomys raviventris</i>	\$14,000	\$0
Otter, southern sea, except where EXPN	<i>Enhydra lutris nereis</i>	\$509,710	\$0
Prairie dog, Utah	<i>Cynomys parvidens</i>	\$4,200	\$0
Rabbit, pygmy, Columbia Basin DPS	<i>Brachylagus idahoensis</i>	\$2,000	\$0
Squirrel, Delmarva Peninsula fox Entire, except Sussex Co., DE	<i>Sciurus niger cinereus</i>	\$153,195	\$0
Wolf, gray, Lower 48 States, except where delisted and where EXPN. Mexico.	<i>Canis lupus</i>	\$449,010	\$0
Wolf, red, except where EXPN	<i>Canis rufus</i>	\$2,000	\$0
Woodrat, Key Largo	<i>Neotoma floridana smalli</i>	\$19,000	\$0
Mammals Total		\$3,693,470	\$0
Birds			
Akepa, Hawaii (honeycreeper)	<i>Loxops coccineus coccineus</i>	\$1,166,602	\$0
Akiapola`au (honeycreeper)	<i>Hemignathus munroi</i>	\$116,500	\$0
Condor, California, U.S.A. only	<i>Gymnogyps californianus</i>	\$200	\$0
Coot, Hawaiian	<i>Fulica americana alai</i>	\$800	\$0
Crane, black-necked	<i>Grus nigricollis</i> **	\$160	\$0
Crane, hooded	<i>Grus monacha</i> **	\$140	\$0
Crane, Japanese	<i>Grus japonensis</i> **	\$180	\$0
Crane, Mississippi sandhill	<i>Grus canadensis pulla</i>	\$680	\$0
Crane, Siberian white	<i>Grus leucogeranus</i> **	\$420	\$0
Crane, white-naped	<i>Grus vipio</i> **	\$160	\$0
Crane, whooping, except where EXPN	<i>Grus americana</i>	\$652,538	\$0
Creeper, Hawaii	<i>Oreomystis mana</i>	\$105,414	\$0
Crow, Hawaiian (=alala)	<i>Corvus hawaiiensis</i>	\$7,608	\$0
Crow, Mariana (=aga)	<i>Corvus kubaryi</i>	\$12,276	\$0
Duck, Hawaiian (=koloa)	<i>Anas wyvilliana</i>	\$2,963	\$0
Duck, Laysan	<i>Anas laysanensis</i>	\$107,017	\$0
Eagle, bald, lower 48 States	<i>Haliaeetus leucocephalus</i>	\$126,316	\$0
Eider, spectacled	<i>Somateria fischeri</i>	\$364,416	\$0
Eider, Steller's, AK breeding pop.	<i>Polysticta stelleri</i>	\$26,073	\$0
Falcon, Eurasian peregrine	<i>Falco peregrinus peregrinus</i> **	\$400	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Finch, Laysan (honeycreeper)	<i>Telespyza cantans</i>	\$200	\$0
Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	\$93,302	\$0
Gnatcatcher, coastal California	<i>Polioptila californica californica</i>	\$2,193	\$0
Goose, Hawaiian	<i>Branta (=Nesochen) sandvicensis</i>	\$800	\$0
Kingfisher, Guam Micronesian	<i>Halcyon cinnamomina cinnamomina</i>	\$11,000	\$0
Moorhen, Hawaiian common	<i>Gallinula chloropus sandvicensis</i>	\$1,000	\$0
Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	\$200	\$0
Owl, northern spotted	<i>Strix occidentalis caurina</i>	\$148,000	\$0
Palila (honeycreeper)	<i>Loxioides bailleui</i>	\$137,306	\$0
Parrot, Puerto Rican	<i>Amazona vittata</i>	\$5,000	\$0
Petrel, Hawaiian dark-rumped	<i>Pterodroma phaeopygia sandwichensis</i>	\$63,305	\$0
Plover, piping, except Great Lakes watershed	<i>Charadrius melodus</i>	\$26,715	\$0
Plover, western snowy, Pacific coastal pop.	<i>Charadrius alexandrinus nivosus</i>	\$36,650	\$0
Rail, California clapper	<i>Rallus longirostris obsoletus</i>	\$7,000	\$0
Sparrow, Cape Sable seaside	<i>Ammodramus maritimus mirabilis</i>	\$5,000	\$0
Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>	\$1,000	\$0
Swiftlet, Mariana gray	<i>Aerodramus vanikorensis bartschi</i>	\$11,000	\$0
Tern, least, interior pop.	<i>Sterna antillarum</i>	\$600	\$0
Tern, roseate Western Hemisphere except NE U.S.	<i>Sterna dougallii dougallii</i>	\$200,465	\$0
Vireo, least Bell's	<i>Vireo bellii pusillus</i>	\$54,000	\$0
Woodpecker, ivory-billed	<i>Campephilus principalis</i>	\$6,655	\$0
Birds Total		\$3,502,254	\$0
Reptiles			
Lizard, Island night	<i>Xantusia riversiana</i>	\$10,500	\$0
Sea turtle, green, FL, Mexico nesting pops.	<i>Chelonia mydas</i>	\$46,736	\$0
Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	\$600	\$0
Sea turtle, olive ridley except where endangered	<i>Lepidochelys olivacea</i>	\$1,000	\$0
Snake, eastern indigo	<i>Drymarchon corais couperi</i>	\$26,263	\$0
Snake, giant garter	<i>Thamnophis gigas</i>	\$87,229	\$0
Snake, San Francisco garter	<i>Thamnophis sirtalis tetrataenia</i>	\$30,500	\$0
Tortoise, desert outside/taken from Sonoran Desert	<i>Gopherus agassizii</i>	\$431,169	\$0
Reptiles Total		\$633,997	\$0
Amphibians			
Frog, California red-legged subspecies range clarified	<i>Rana aurora draytonii</i>	\$68,129	\$0
Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>	\$200	\$0
Frog, mountain yellow-legged southern California DPS	<i>Rana muscosa</i>	\$44,409	\$0
Toad, arroyo (=arroyo southwestern)	<i>Bufo californicus (=microscaphus)</i>	\$24,096	\$0
Toad, Wyoming	<i>Bufo baxteri (=hemiophrys)</i>	\$2,238	\$0
Amphibians Total		\$139,072	\$0
Fishes			
Chub, bonytail, entire	<i>Gila elegans</i>	\$138,584	\$0
Chub, humpback, entire	<i>Gila cypha</i>	\$56,676	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Cui-ui	<i>Chasmistes cujus</i>	\$94,484	\$0
Dace, Ash Meadows speckled	<i>Rhinichthys osculus nevadensis</i>	\$18,816	\$0
Dace, Clover Valley speckled	<i>Rhinichthys osculus oligoporus</i>	\$18,000	\$0
Dace, desert	<i>Eremichthys acros</i>	\$4,000	\$0
Darter, Okaloosa	<i>Etheostoma okaloosae</i>	\$102,000	\$0
Madtom, Neosho	<i>Noturus placidus</i>	\$80,392	\$0
Pikeminnow (=squawfish), Colorado except Salt and Verde R. drainages, AZ	<i>Ptychocheilus lucius</i>	\$212,737	\$0
Pupfish, Ash Meadows Amargosa	<i>Cyprinodon nevadensis mionectes</i>	\$8,000	\$0
Pupfish, desert	<i>Cyprinodon macularius</i>	\$9,500	\$0
Pupfish, Warm Springs	<i>Cyprinodon nevadensis pectoralis</i>	\$8,000	\$0
Salmon, Atlantic Gulf of Maine Atlantic Salmon DPS	<i>Salmo salar</i>	\$1,354,479	\$0
Salmon, chinook, fall Snake R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$33,128	\$0
Salmon, chinook, spring/summer Snake R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$33,128	\$0
Salmon, chinook, winter Sacramento R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$10,354	\$0
Salmon, chinook, Puget Sound	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$52,868	\$0
Salmon, chinook, lower Columbia R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$44,985	\$0
Salmon, chinook, upper Willamette R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$6,741	\$0
Salmon, chinook, spring upper Columbia R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$268,828	\$0
Salmon, coho, OR, CA pop.	<i>Oncorhynchus (=Salmo) kisutch</i>	\$56,643	\$0
Salmon, sockeye U.S.A. (Snake River, ID stock wherever found.)	<i>Oncorhynchus (=Salmo) nerka</i>	\$104,643	\$0
Shiner, blue	<i>Cyprinella caerulea</i>	\$317,276	\$0
Springfish, Railroad Valley	<i>Crenichthys nevadae</i>	\$27,000	\$0
Steelhead, lower Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$87,661	\$0
Steelhead, upper Columbia R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$53,579	\$0
Steelhead, northern CA	<i>Oncorhynchus (=Salmo) mykiss</i>	\$268,960	\$0
Stickleback, unarmored threespine	<i>Gasterosteus aculeatus williamsoni</i>	\$1,200	\$0
Sturgeon, gulf	<i>Acipenser oxyrinchus desotoi</i>	\$30,861	\$0
Sturgeon, pallid	<i>Scaphirhynchus albus</i>	\$674,830	\$0
Sturgeon, shortnose	<i>Acipenser brevirostrum</i>	\$772,303	\$0
Sturgeon, white, U.S.A. (ID, MT), Canada (B.C.), Kootenai R. system	<i>Acipenser transmontanus</i>	\$123,899	\$0
Sucker, Lost River	<i>Deltistes luxatus</i>	\$90,517	\$0
Sucker, razorback, entire	<i>Xyrauchen texanus</i>	\$351,322	\$0
Sucker, Santa Ana, 3 CA river basins	<i>Catostomus santaanae</i>	\$9,400	\$0
Sucker, shortnose	<i>Chasmistes brevirostris</i>	\$90,517	\$0
Trout, bull U.S.A., conterminous, lower 48 states	<i>Salvelinus confluentus</i>	\$37,105	\$0
Trout, Lahontan cutthroat	<i>Oncorhynchus clarki henshawi</i>	\$110,000	\$0
Fishes Total		\$5,763,416	\$0
Clams			
Bean, Cumberland (pearlymussel), Entire Range; Except where listed as Exp. Populations	<i>Villosa trabalis</i>	\$6,700	\$0
Clubshell, Entire Range; Except where listed as Experimental Populations	<i>Pleurobema clava</i>	\$62,300	\$0
Combshell, Cumberlandian, Entire Range; Except where listed as Exp. Populations	<i>Epioblasma brevidens</i>	\$6,700	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Elktoe, Cumberland	<i>Alasmidonta atropurpurea</i>	\$6,700	\$0
Mapleleaf, winged, Entire; except where listed as experimental populations	<i>Quadrula fragosa</i>	\$20,000	\$0
Monkeyface, Cumberland (pearlymussel) Entire Range; Except where listed as Experimental Populations	<i>Quadrula intermedia</i>	\$8,750	\$0
Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>	\$20,000	\$0
Mussel, scaleshell	<i>Leptodea leptodon</i>	\$20,000	\$0
Pearlymussel, cracking, Entire Range; Except where listed as Experimental Populations	<i>Hemistena lata</i>	\$8,750	\$0
Pearlymussel, Curtis	<i>Epioblasma florentina curtisii</i>	\$20,000	\$0
Pearlymussel, dromedary, Entire Range; Except where listed as Experimental Populations	<i>Dromus dromas</i>	\$8,750	\$0
Pearlymussel, littlewing	<i>Pegias fabula</i>	\$6,700	\$0
Pocketbook, speckled	<i>Lampsilis streckeri</i>	\$20,000	\$0
Riffleshell, northern	<i>Epioblasma torulosa rangiana</i>	\$52,600	\$0
Riffleshell, tan	<i>Epioblasma florentina walkeri</i> (=E. walkeri)	\$15,450	\$0
Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>	\$105,054	\$0
Clams Total		\$388,454	\$0
Snails			
Ambersnail, Kanab	<i>Oxyloma haydeni kanabensis</i>	\$15,785	\$0
Snails Total		\$15,785	\$0
Insects			
Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>	\$2,500	\$0
Naucorid, Ash Meadows	<i>Ambrysus amargosus</i>	\$8,000	\$0
Insects Total		\$10,500	\$0
Crustaceans			
Shrimp, California freshwater	<i>Syncaris pacifica</i>	\$78,000	\$0
Crustaceans Total		\$78,000	\$0
Flowering Plants			
Alani	<i>Melicope adscendens</i>	\$14,374	\$0
Alani	<i>Melicope knudsenii</i>	\$14,374	\$0
Alani	<i>Melicope zahlbruckneri</i>	\$7,060	\$0
A`e	<i>Zanthoxylum hawaiiense</i>	\$14,374	\$0
Barberry, island	<i>Berberis pinnata ssp. insularis</i>	\$6,940	\$0
Bear-poppy, dwarf	<i>Arctomecon humilis</i>	\$1,500	\$0
Bedstraw, island	<i>Galium buxifolium</i>	\$6,840	\$0
Bush-mallow, Santa Cruz Island	<i>Malacothamnus fasciculatus var. nesioticus</i>	\$6,940	\$0
Dudleya, Santa Cruz Island	<i>Dudleya nesiotica</i>	\$6,940	\$0
Fringepod, Santa Cruz Island	<i>Thysanocarpus conchuliferus</i>	\$6,940	\$0
Gilia, Hoffmann's slender-flowered	<i>Gilia tenuiflora ssp. hoffmannii</i>	\$1,000	\$0
Haha	<i>Cyanea stictophylla</i>	\$1,842	\$0
Hau kuahiwi	<i>Hibiscadelphus giffardianus</i>	\$7,060	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Ha`iwale	<i>Cyrtandra giffardii</i>	\$7,060	\$0
Ha`iwale	<i>Cyrtandra tintinnabula</i>	\$7,060	\$0
Ko`oko`olau	<i>Bidens micrantha ssp. kalealaha</i>	\$1,842	\$0
Kuahiwi laukahi	<i>Plantago hawaiensis</i>	\$1,842	\$0
Lupine, scrub	<i>Lupinus aridorum</i>	\$14,374	\$0
Malacothrix, island	<i>Malacothrix squalida</i>	\$6,940	\$0
Malacothrix, Santa Cruz Island	<i>Malacothrix indecora</i>	\$6,940	\$0
Manzanita, Santa Rosa Island	<i>Arctostaphylos confertiflora</i>	\$1,000	\$0
Milk-vetch, Lane Mountain	<i>Astragalus jaegerianus</i>	\$8,616	\$0
Milk-vetch, Shivwits	<i>Astragalus ampullarioides</i>	\$1,500	\$0
No common name	<i>Phyllostegia parviflora</i>	\$7,060	\$0
No common name	<i>Silene hawaiiensis</i>	\$17,423	\$0
No common name	<i>Vigna o-wahuensis</i>	\$14,374	\$0
Ohai	<i>Sesbania tomentosa</i>	\$7,060	\$0
Paintbrush, soft-leaved	<i>Castilleja mollis</i>	\$6,940	\$0
Phacelia, island	<i>Phacelia insularis ssp. insularis</i>	\$1,000	\$0
Po`e	<i>Portulaca sclerocarpa</i>	\$7,060	\$0
Rock-cress, Hoffmann's	<i>Arabis hoffmannii</i>	\$6,940	\$0
Rush-rose, island	<i>Helianthemum greenei</i>	\$6,940	\$0
Sandalwood, Lanai (= `iliahi)	<i>Santalum freycinetianum var. lanaiense</i>	\$14,374	\$0
Silversword, Mauna Loa (=Ka'u)	<i>Argyroxiphium kauense</i>	\$10,362	\$0
Thistle, Pitcher's	<i>Cirsium pitcheri</i>	\$1,000	\$0
`Anunu	<i>Sicyos alba</i>	\$7,060	\$0
Flowering Plants Total		\$260,951	\$0
Other ESA Expenses not including Foreign Species		\$410,584	\$0
Expenses from Foreign Species		\$1,460	\$0
Total Other ESA Expenses		\$412,044	\$0
All Species Total		\$14,896,483	\$0

** denotes Foreign Species; totals from Foreign Species are included in Other ESA Expenses

DOI US Geological Survey FY06

Common Name	Scientific Name	General Expenditures	Land Expenditures
Mammals			
Bat, Hawaiian hoary	<i>Lasiurus cinereus semotus</i>	\$61,700	\$0
Bat, Indiana	<i>Myotis sodalis</i>	\$87,387	\$0
Bat, Mexican long-nosed	<i>Leptonycteris nivalis</i>	\$23,004	\$0
Bear, grizzly, lower 48 States, except where listed as an experimental population or delisted	<i>Ursus arctos horribilis</i>	\$536,158	\$0
Bear, grizzly, Yellowstone DPS	<i>Ursus arctos horribilis</i>	\$596,264	\$0
Ferret, black-footed entire population, except where EXPN	<i>Mustela nigripes</i>	\$292,192	\$0
Lynx, Canada, lower 48 States DPS	<i>Lynx canadensis</i>	\$600	\$0
Manatee, West Indian	<i>Trichechus manatus</i>	\$1,134,634	\$0
Mouse, Preble's meadow jumping, Colorado	<i>Zapus hudsonius preblei</i>	\$17,818	\$0
Mouse, salt marsh harvest	<i>Reithrodontomys raviventris</i>	\$1,000	\$0
Ocelot	<i>Leopardus (=Felis) pardalis</i>	\$300	\$0
Otter, Northern Sea, southwest Alaska DPS	<i>Enhydra lutris kenyoni</i>	\$22,000	\$0
Otter, southern sea, except where EXPN	<i>Enhydra lutris nereis</i>	\$679,224	\$0
Prairie dog, Utah	<i>Cynomys parvidens</i>	\$9,599	\$0
Pronghorn, Sonoran	<i>Antilocapra americana sonoriensis</i>	\$8,725	\$0
Rabbit, pygmy, Columbia Basin DPS	<i>Brachylagus idahoensis</i>	\$30,000	\$0
Rabbit, riparian brush	<i>Sylvilagus bachmani riparius</i>	\$268	\$0
Sheep, Sierra Nevada bighorn, Sierra Nevada	<i>Ovis canadensis sierrae</i>	\$49,883	\$0
Squirrel, Delmarva Peninsula fox Entire, except Sussex Co., DE	<i>Sciurus niger cinereus</i>	\$86,763	\$0
Squirrel, northern Idaho ground	<i>Spermophilus brunneus brunneus</i>	\$1,610	\$0
Wolf, gray, Lower 48 States, except where delisted and where EXPN. Mexico.	<i>Canis lupus</i>	\$3,600	\$0
Wolf, gray, Mexican gray wolf, EXPN population	<i>Canis lupus</i>	\$900	\$0
Wolf, red, U.S.A. (portions of NC and TN)	<i>Canis rufus</i>	\$600	\$0
Mammals Total		\$3,644,229	\$0
Birds			
Albatross, short-tailed	<i>Phoebastria (=Diomedea) albatrus</i>	\$300	\$0
Coot, Hawaiian	<i>Fulica americana alai</i>	\$1,800	\$0
Crane, hooded	<i>Grus monacha</i>	\$108	\$0
Crane, Japanese	<i>Grus japonensis</i>	\$246	\$0
Crane, Siberian white	<i>Grus leucogeranus</i>	\$276	\$0
Crane, white-naped	<i>Grus vipio</i>	\$108	\$0
Crane, whooping, except where EXPN	<i>Grus americana</i>	\$4,493	\$0
Creep, Hawaii	<i>Oreomystis mana</i>	\$16,000	\$0
Duck, Hawaiian (=koloa)	<i>Anas wyvilliana</i>	\$800	\$0
Duck, Laysan	<i>Anas laysanensis</i>	\$121,420	\$0
Eagle, bald, lower 48 States	<i>Haliaeetus leucocephalus</i>	\$31,500	\$0
Eider, spectacled	<i>Somateria fischeri</i>	\$21,600	\$0
Eider, Steller's, AK breeding pop.	<i>Polysticta stelleri</i>	\$126,621	\$0
Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	\$119,543	\$0
Gnatcatcher, coastal California	<i>Poliottila californica californica</i>	\$20,000	\$0
Goose, Hawaiian	<i>Branta (=Nesochen) sandvicensis</i>	\$3,200	\$0

Jay, Florida scrub	<i>Aphelocoma coerulescens</i>	\$58,039	\$0
Kingfisher, Guam Micronesian	<i>Halcyon cinnamomina cinnamomina</i>	\$4,000	\$0
Moorhen, Hawaiian common	<i>Gallinula chloropus sandvicensis</i>	\$1,000	\$0
Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	\$300	\$0
Owl, northern spotted	<i>Strix occidentalis caurina</i>	\$206,600	\$0
Palila (honeycreeper)	<i>Loxioides bailleui</i>	\$119,100	\$0
Parrot, Puerto Rican	<i>Amazona vittata</i>	\$7,000	\$0
Pelican, brown except U.S. Atlantic coast, FL, AL	<i>Pelecanus occidentalis</i>	\$21,000	\$0
Petrel, Hawaiian dark-rumped	<i>Pterodroma phaeopygia sandwichensis</i>	\$200	\$0
Plover, piping, except Great Lakes watershed	<i>Charadrius melodus</i>	\$74,431	\$0
Plover, western snowy, Pacific coastal pop.	<i>Charadrius alexandrinus nivosus</i>	\$55,386	\$0
Sparrow, Cape Sable seaside	<i>Ammodramus maritimus mirabilis</i>	\$28,358	\$0
Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>	\$3,000	\$0
Swiftlet, Mariana gray	<i>Aerodramus vanikorensis bartschi</i>	\$7,000	\$0
Tern, California least	<i>Sterna antillarum browni</i>	\$42,500	\$0
Tern, least, interior pop.	<i>Sterna antillarum</i>	\$21,500	\$0
Tern, roseate, northeast U.S. nesting pop.	<i>Sterna dougallii dougallii</i>	\$4,500	\$0
Vireo, least Bell's	<i>Vireo bellii pusillus</i>	\$43,000	\$0
Warbler (=wood), golden-cheeked	<i>Dendroica chrysoparia</i>	\$140,169	\$0
Woodpecker, ivory-billed	<i>Campephilus principalis</i>	\$327,300	\$0
Woodpecker, red-cockaded	<i>Picoides borealis</i>	\$100	\$0
Birds Total		\$1,632,498	\$0
Reptiles			
Alligator, American	<i>Alligator mississippiensis</i>	\$237,289	\$0
Lizard, Island night	<i>Xantusia riversiana</i>	\$4,000	\$0
Sea turtle, green, FL, Mexico nesting pops.	<i>Chelonia mydas</i>	\$13,022	\$0
Sea turtle, green, except where endangered	<i>Chelonia mydas</i>	\$24,200	\$0
Sea turtle, loggerhead	<i>Caretta caretta</i>	\$23,620	\$0
Snake, giant garter	<i>Thamnophis gigas</i>	\$100,940	\$0
Snake, San Francisco garter	<i>Thamnophis sirtalis tetrataenia</i>	\$1,000	\$0
Tortoise, desert outside/taken from Sonoran Desert	<i>Gopherus agassizii</i>	\$341,636	\$0
Tortoise, desert U.S.A., except in Sonoran Desert	<i>Gopherus agassizii</i>	\$59,000	\$0
Whipsnake (=striped racer), Alameda	<i>Masticophis lateralis euryxanthus</i>	\$5,000	\$0
Reptiles Total		\$809,707	\$0
Amphibians			
Frog, California red-legged subspecies range clarified	<i>Rana aurora draytonii</i>	\$163,400	\$0
Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>	\$52,013	\$0
Frog, mountain yellow-legged, southern CA DPS	<i>Rana muscosa</i>	\$168,000	\$0
Salamander, desert slender	<i>Batrachoseps aridus</i>	\$2,000	\$0
Salamander, flatwoods	<i>Ambystoma cingulatum</i>	\$11,749	\$0
Toad, arroyo (=arroyo southwestern)	<i>Bufo californicus (=microscaphus)</i>	\$49,000	\$0
Amphibians Total		\$446,162	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Fishes			
Cavefish, Ozark	<i>Amblyopsis rosae</i>	\$25,000	\$0
Chub, bonytail, entire	<i>Gila elegans</i>	\$86,210	\$0
Chub, humpback, entire	<i>Gila cypha</i>	\$24,569	\$0
Cui-ui	<i>Chasmistes cujus</i>	\$49,000	\$0
Dace, Independence Valley speckled	<i>Rhinichthys osculus lethoporus</i>	\$24,000	\$0
Darter, amber	<i>Percina antesella</i>	\$14,874	\$0
Darter, Okaloosa	<i>Etheostoma okaloosae</i>	\$64,224	\$0
Goby, tidewater, entire	<i>Eucyclogobius newberryi</i>	\$31,000	\$0
Logperch, Conasauga	<i>Percina jenkinsi</i>	\$14,874	\$0
Minnnow, Rio Grande silvery	<i>Hybognathus amarus</i>	\$86,700	\$0
Pupfish, Ash Meadows Amargosa	<i>Cyprinodon nevadensis mionectes</i>	\$11,000	\$0
Pupfish, desert	<i>Cyprinodon macularius</i>	\$73,500	\$0
Pupfish, Devils Hole	<i>Cyprinodon diabolis</i>	\$48,000	\$0
Salmon, Atlantic Gulf of Maine Atlantic Salmon DPS	<i>Salmo salar</i>	\$41,000	\$0
Salmon, chinook, lower Columbia R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$505,321	\$0
Salmon, chum, Columbia R.	<i>Oncorhynchus (=Salmo) keta</i>	\$75,000	\$0
Salmon, coho, OR, CA pop.	<i>Oncorhynchus (=Salmo) kisutch</i>	\$205,500	\$0
Salmon, sockeye U.S.A. (Snake River, ID stock wherever found.)	<i>Oncorhynchus (=Salmo) nerka</i>	\$150,000	\$0
Shiner, blue	<i>Cyprinella caerulea</i>	\$51,564	\$0
Steelhead, lower Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$172,309	\$0
Steelhead, upper Columbia R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$56,102	\$0
Steelhead, middle Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$9,830	\$0
Stickleback, unarmored threespine	<i>Gasterosteus aculeatus williamsoni</i>	\$1,000	\$0
Sturgeon, pallid	<i>Scaphirhynchus albus</i>	\$400,409	\$0
Sturgeon, shortnose	<i>Acipenser brevirostrum</i>	\$4,000	\$0
Sucker, Lost River	<i>Deltistes luxatus</i>	\$200,000	\$0
Sucker, razorback, entire	<i>Xyrauchen texanus</i>	\$127,735	\$0
Sucker, Santa Ana, 3 CA river basins	<i>Catostomus santaanae</i>	\$5,000	\$0
Trout, bull, U.S.A., conterminous, lower 48 states	<i>Salvelinus confluentus</i>	\$36,978	\$0
Fishes Total		\$2,594,699	\$0
Clams			
Bean, Cumberland (pearlymussel), Entire Range; Except where listed as Experimental Populations	<i>Villosa trabalis</i>	\$3,500	\$0
Bean, Cumberland (pearlymussel), AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	<i>Villosa trabalis</i>	\$3,500	\$0
Combshell, Cumberlandian, Entire Range; Except where listed as Experimental Populations	<i>Epioblasma brevidens</i>	\$3,500	\$0
Combshell, Cumberlandian AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	<i>Epioblasma brevidens</i>	\$3,500	\$0
Elktoe, Cumberland	<i>Alasmodonta atropurpurea</i>	\$7,000	\$0
Mapleleaf, winged Entire; except where listed as exp. populations	<i>Quadrula fragosa</i>	\$20,900	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>	\$21,000	\$0
Mussel, oyster, Entire Range; Except where listed as Experimental Populations	<i>Epioblasma capsaeformis</i>	\$36,603	\$0
Mussel, scaleshell	<i>Leptodea leptodon</i>	\$21,000	\$0
Pearlymussel, birdwing, Entire Range; Except where listed as Experimental Populations	<i>Conradilla caelata</i>	\$3,500	\$0
Pearlymussel, birdwing AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert, and Lauderdale Counties, AL	<i>Conradilla caelata</i>	\$3,500	\$0
Riffleshell, tan	<i>Epioblasma florentina walkeri</i> (=E. walkeri)	\$22,603	\$0
Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>	\$21,000	\$0
Clams Total		\$171,106	\$0
Snails			
Abalone, White, North America (West Coast from Point Conception, CA, U.S.A., to Punta Abreojos, Baja California, Mexico)	<i>Haliotis sorenseni</i>	\$1	\$0
Ambersnail, Kanab	<i>Oxyloma haydeni kanabensis</i>	\$18,185	\$0
Snail, Bliss Rapids	<i>Taylorconcha serpenticola</i>	\$27,000	\$0
Springsnail, Idaho	<i>Pyrgulopsis idahoensis</i>	\$27,000	\$0
Snails Total		\$72,186	\$0
Insects			
Butterfly, Quino checkerspot	<i>Euphydryas editha quino</i> (=E. e. wrighti)	\$1,000	\$0
Insects Total		\$1,000	\$0
Crustaceans			
Fairy shrimp, San Diego	<i>Branchinecta sandiegonensis</i>	\$5,000	\$0
Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>	\$5,000	\$0
Crustaceans Total		\$10,000	\$0
Flowering Plants			
Alani	<i>Melicope zahlbruckneri</i>	\$8,600	\$0
Ambrosia, south Texas	<i>Ambrosia cheiranthifolia</i>	\$8,498	\$0
A`e	<i>Zanthoxylum dipetalum</i> var. <i>tomentosum</i>	\$8,600	\$0
Barberry, island	<i>Berberis pinnata</i> ssp. <i>insularis</i>	\$6,833	\$0
Bedstraw, island	<i>Galium buxifolium</i>	\$6,833	\$0
Bladderpod, Zapata	<i>Lesquerella thamnophila</i>	\$8,498	\$0
Bush-mallow, Santa Cruz Island	<i>Malacothamnus fasciculatus</i> var. <i>nesioticus</i>	\$6,833	\$0
Cactus, star	<i>Astrophytum asterias</i>	\$8,498	\$0
Dudleya, Santa Cruz Island	<i>Dudleya nesiotica</i>	\$6,833	\$0
Fringepod, Santa Cruz Island	<i>Thysanocarpus conchuliferus</i>	\$6,833	\$0
Gilia, Hoffmann's slender-flowered	<i>Gilia tenuiflora</i> ssp. <i>hoffmannii</i>	\$6,833	\$0
Hau kuahiwi	<i>Hibiscadelphus giffardianus</i>	\$8,600	\$0
Ha`iwale	<i>Cyrtandra giffardii</i>	\$8,600	\$0
Ha`iwale	<i>Cyrtandra tintinnabula</i>	\$8,600	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Lupine, Kincaid's	<i>Lupinus sulphureus</i> (=oreganus) <i>ssp. kincaidii</i> (=var. kincaidii)	\$17,000	\$0
Malacothrix, island	<i>Malacothrix squalida</i>	\$2,103	\$0
Manzanita, Santa Rosa Island	<i>Arctostaphylos confertiflora</i>	\$6,833	\$0
Milk-vetch, Lane Mountain	<i>Astragalus jaegerianus</i>	\$3,796	\$0
Milk-vetch, Shivwits	<i>Astragalus ampullarioides</i>	\$66,793	\$0
No common name	<i>Phyllostegia parviflora</i>	\$8,600	\$0
No common name	<i>Silene hawaiiensis</i>	\$8,600	\$0
Ohai	<i>Sesbania tomentosa</i>	\$8,600	\$0
Paintbrush, soft-leaved	<i>Castilleja mollis</i>	\$6,833	\$0
Phacelia, island	<i>Phacelia insularis ssp. insularis</i>	\$6,833	\$0
Po`e	<i>Portulaca sclerocarpa</i>	\$8,600	\$0
Rush-rose, island	<i>Helianthemum greenei</i>	\$6,833	\$0
Thistle, Pitcher's	<i>Cirsium pitcheri</i>	\$3,796	\$0
Flowering Plants Total		\$264,712	\$0
Other ESA Expenses not including Foreign Species		\$2,082,374	\$0
Expenses from Foreign Species		\$0	\$0
Total Other ESA Expenses		\$2,082,374	\$0
All Species Total		\$11,728,673	\$0

DOT Federal Aviation Administration FY05

Common Name	Scientific Name	General Expenditures	Land Expenditures
Mammals			
Bat, Indiana	<i>Myotis sodalis</i>	\$14,000	\$0
Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>	\$15,000	\$0
Sea-lion, Steller, western pop.	<i>Eumetopias jubatus</i>	\$9,500	\$0
Whale, finback	<i>Balaenoptera physalus</i>	\$1,200	\$0
Whale, humpback	<i>Megaptera novaeangliae</i>	\$4,500	\$0
Mammals Total		\$44,200	\$0
Birds			
Eider, spectacled	<i>Somateria fischeri</i>	\$200	\$0
Eider, Steller's, AK breeding pop.	<i>Polysticta stelleri</i>	\$36,500	\$0
Petrel, Hawaiian dark-rumped	<i>Pterodroma phaeopygia sandwichensis</i>	\$4,500	\$0
Rail, California clapper	<i>Rallus longirostris obsoletus</i>	\$6,000	\$0
Woodpecker, red-cockaded	<i>Picoides borealis</i>	\$10,000	\$0
Birds Total		\$57,200	\$0
Reptiles			
Snake, eastern indigo	<i>Drymarchon corais couperi</i>	\$3,000	\$0
Tortoise, gopher W of Mobile/Tombigbee Rs.	<i>Gopherus polyphemus</i>	\$3,000	\$0
Reptiles Total		\$6,000	\$0
Amphibians			
Salamander, California tiger U.S.A. (CA - Santa Barbara County)	<i>Ambystoma californiense</i>	\$6,000	\$0
Amphibians Total		\$6,000	\$0
Fishes			
Trout, bull U.S.A., conterminous, lower 48 states	<i>Salvelinus confluentus</i>	\$20,000	\$0
Fishes Total		\$20,000	\$0
Insects			
Beetle, American burying	<i>Nicrophorus americanus</i>	\$500	\$0
Insects Total		\$500	\$0
Flowering Plants			
Gerardia, sandplain	<i>Agalinis acuta</i>	\$2,500	\$0
Gilia, Monterey	<i>Gilia tenuiflora ssp. arenaria</i>	\$3,500	\$0
Spineflower, Monterey	<i>Chorizanthe pungens var. pungens</i>	\$3,500	\$0
Flowering Plants Total		\$9,500	\$0
Other ESA Expenses not including Foreign Species		\$35,200	\$0
Expenses from Foreign Species		\$0	\$0
Total Other ESA Expenses		\$35,200	\$0
All Species Total		\$178,600	\$0

DOT Federal Aviation Administration FY06

Common Name	Scientific Name	General Expenditures	Land Expenditures
Mammals			
Bat, Indiana	<i>Myotis sodalis</i>	\$77,000	\$0
Otter, Northern Sea, southwest Alaska DPS	<i>Enhydra lutris kenyoni</i>	\$16,700	\$0
Sea-lion, Steller, western pop.	<i>Eumetopias jubatus</i>	\$16,800	\$0
Wolf, gray, Lower 48 States, except where delisted and where EXPN. Mexico.	<i>Canis lupus</i>	\$10,000	\$0
Mammals Total		\$120,500	\$0
Birds			
Albatross, short-tailed	<i>Phoebastria (=Diomedea) albatrus</i>	\$100	\$0
Eagle, bald, lower 48 States	<i>Haliaeetus leucocephalus</i>	\$12,000	\$0
Eider, Steller's, AK breeding pop.	<i>Polysticta stelleri</i>	\$152,000	\$0
Murrelet, marbled, CA, OR, WA	<i>Brachyramphus marmoratus</i>	\$500	\$0
Owl, northern spotted	<i>Strix occidentalis caurina</i>	\$100	\$0
Pelican, brown except U.S. Atlantic coast, FL, AL	<i>Pelecanus occidentalis</i>	\$100	\$0
Plover, western snowy, Pacific coastal pop.	<i>Charadrius alexandrinus nivosus</i>	\$100	\$0
Tern, California least	<i>Sterna antillarum browni</i>	\$2,500	\$0
Birds Total		\$167,400	\$0
Reptiles			
Tortoise, desert U.S.A., except in Sonoran Desert	<i>Gopherus agassizii</i>	\$11,500	\$0
Tortoise, gopher W of of Mobile/Tombigbee Rs.	<i>Gopherus polyphemus</i>	\$5,000	\$0
Reptiles Total		\$16,500	\$0
Amphibians			
Salamander, California tiger U.S.A. (Central CA DPS)	<i>Ambystoma californiense</i>	\$13,000	\$0
Amphibians Total		\$13,000	\$0
Fishes			
Salmon, chinook, Puget Sound	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$75,000	\$0
Salmon, chum, summer-run Hood Canal	<i>Oncorhynchus (=Salmo) keta</i>	\$75,000	\$0
Sturgeon, shortnose	<i>Acipenser brevirostrum</i>	\$5,000	\$0
Sucker, Lost River	<i>Deltistes luxatus</i>	\$1,000	\$0
Sucker, shortnose	<i>Chasmistes brevirostris</i>	\$1,000	\$0
Trout, bull U.S.A., conterminous, lower 48 states	<i>Salvelinus confluentus</i>	\$75,000	\$0
Fishes Total		\$232,000	\$0
Insects			
Butterfly, El Segundo blue	<i>Euphilotes battoides allyni</i>	\$3,000	\$0
Insects Total		\$3,000	\$0
Crustaceans			
Fairy shrimp, Riverside	<i>Streptocephalus woottoni</i>	\$13,500	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Fairy shrimp, San Diego	<i>Branchinecta sandiegonensis</i>	\$4,000	\$0
Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>	\$2,000	\$0
Crustaceans Total		\$19,500	\$0
Flowering Plants			
Lily, Western	<i>Lilium occidentale</i>	\$100	\$0
Milk-vetch, Applegate's	<i>Astragalus applegatei</i>	\$2,000	\$0
Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>	\$5,000	\$0
Spineflower, Monterey	<i>Chorizanthe pungens var. pungens</i>	\$12,500	\$0
Flowering Plants Total		\$19,600	\$0
Other ESA Expenses not including Foreign Species		\$30,500	\$0
Expenses from Foreign Species		\$0	\$0
Total Other ESA Expenses		\$30,500	\$0
All Species Total		\$622,000	\$0

DOT Federal Highway Administration FY05

Common Name	Scientific Name	General Expenditures	Land Expenditures
Mammals			
Bat, gray	<i>Myotis grisescens</i>	\$211,900	\$0
Bat, Indiana	<i>Myotis sodalis</i>	\$10,598,494	\$1,304,415
Bat, lesser long-nosed	<i>Leptonycteris curasoae yerbabuena</i>	\$20,000	\$0
Bat, Virginia big-eared	<i>Corynorhinus (=Plecotus) townsendii virginianus</i>	\$37,000	\$0
Bear, American black, County range of LA b.bear	<i>Ursus americanus</i>	\$35,000	\$0
Bear, grizzly, lower 48 States, except where listed as an experimental population or delisted	<i>Ursus arctos horribilis</i>	\$78,498	\$0
Caribou, woodland, Selkirk Mountain population	<i>Rangifer tarandus caribou</i>	\$605	\$0
Deer, Columbian white-tailed, Columbia River DPS	<i>Odocoileus virginianus leucurus</i>	\$3,464	\$0
Ferret, black-footed, U.S.A. (specific portions of AZ, CO, MT, SD, UT, and WY)	<i>Mustela nigripes</i>	\$8,000	\$0
Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>	\$1,029,000	\$0
Kangaroo rat, Fresno	<i>Dipodomys nitratooides exilis</i>	\$98,300	\$0
Kangaroo rat, giant	<i>Dipodomys ingens</i>	\$36,200	\$0
Kangaroo rat, Tipton	<i>Dipodomys nitratooides nitratooides</i>	\$56,200	\$0
Lynx, Canada, lower 48 States DPS	<i>Lynx canadensis</i>	\$136,092	\$0
Manatee, West Indian	<i>Trichechus manatus</i>	\$109,100	\$0
Mountain beaver, Point Arena	<i>Aplodontia rufa nigra</i>	\$14,000	\$0
Mouse, Preble's meadow jumping, Colorado	<i>Zapus hudsonius preblei</i>	\$80,600	\$0
Otter, southern sea, except where EXPN	<i>Enhydra lutris nereis</i>	\$1,050	\$0
Panther, Florida	<i>Puma (=Felis) concolor coryi</i>	\$166,500	\$0
Prairie dog, Utah	<i>Cynomys parvidens</i>	\$800	\$0
Puma (=cougar), eastern	<i>Puma (=Felis) concolor cougar</i>	\$1,000	\$0
Rabbit, pygmy, Columbia Basin DPS	<i>Brachylagus idahoensis</i>	\$5,572	\$0
Rabbit, riparian brush	<i>Sylvilagus bachmani riparius</i>	\$3,000	\$0
Sea-lion, Steller, western pop.	<i>Eumetopias jubatus</i>	\$72,800	\$0
Squirrel, Carolina northern flying	<i>Glaucomys sabrinus coloratus</i>	\$1,000	\$0
Wolf, gray, Lower 48 States, except where delisted and where EXPN. Mexico.	<i>Canis lupus</i>	\$500	\$0
Wolf, gray, WY, ID, MT	<i>Canis lupus</i>	\$65,342	\$0
Mammals Total		\$12,870,017	\$1,304,415
Birds			
Albatross, short-tailed	<i>Phoebastria (=Diomedea) albatrus</i>	\$5,727	\$0
Caracara, Audubon's crested, FL pop.	<i>Polyborus plancus audubonii</i>	\$136,000	\$0
Crane, whooping, except where EXPN	<i>Grus americana</i>	\$1,300	\$0
Crane, whooping, U.S.A.(AL, AR, GA, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, OH, SC, TN, VA, WI, WV)	<i>Grus americana</i>	\$500	\$0
Curlew, Eskimo	<i>Numenius borealis</i>	\$500	\$0
Eagle, bald, lower 48 States	<i>Haliaeetus leucocephalus</i>	\$1,039,477	\$9,500
Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	\$128,800	\$0
Gnatcatcher, coastal California	<i>Polioptila californica californica</i>	\$170,000	\$0
Jay, Florida scrub	<i>Aphelocoma coerulescens</i>	\$36,300	\$0
Kite, Everglade snail, FL pop.	<i>Rostrhamus sociabilis plumbeus</i>	\$53,400	\$0
Murrelet, marbled, CA, OR, WA	<i>Brachyramphus marmoratus</i>	\$428,192	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	\$126,500	\$0
Owl, northern spotted	<i>Strix occidentalis caurina</i>	\$664,030	\$0
Palila (honeycreeper)	<i>Loxioides bailleui</i>	\$3,500,000	\$2,929,000
Pelican, brown, except U.S. Atlantic coast, FL, AL	<i>Pelecanus occidentalis</i>	\$6,427	\$0
Plover, piping, Great Lakes watershed	<i>Charadrius melodus</i>	\$5,200	\$0
Plover, piping, except Great Lakes watershed	<i>Charadrius melodus</i>	\$100	\$0
Plover, western snowy, Pacific coastal pop.	<i>Charadrius alexandrinus nivosus</i>	\$22,841	\$0
Prairie-chicken, Attwater's greater	<i>Tympanuchus cupido attwateri</i>	\$7,200	\$0
Rail, California clapper	<i>Rallus longirostris obsoletus</i>	\$10,000	\$0
Sparrow, Florida grasshopper	<i>Ammodramus savannarum floridanus</i>	\$5,200	\$0
Stork, wood, AL, FL, GA, SC	<i>Mycteria americana</i>	\$23,500	\$0
Tern, least, interior pop.	<i>Sterna antillarum</i>	\$48,700	\$0
Vireo, black-capped	<i>Vireo atricapilla</i>	\$50,100	\$0
Vireo, least Bell's	<i>Vireo bellii pusillus</i>	\$153,000	\$0
Warbler (=wood), golden-cheeked	<i>Dendroica chrysoparia</i>	\$50,000	\$0
Warbler (=wood), Kirtland's	<i>Dendroica kirtlandii</i>	\$6,000	\$0
Woodpecker, red-cockaded	<i>Picoides borealis</i>	\$31,400	\$0
Birds Total		\$6,710,394	\$2,938,500
Reptiles			
Lizard, blunt-nosed leopard	<i>Gambelia silus</i>	\$162,000	\$0
Sea turtle, green, FL, Mexico nesting pops.	<i>Chelonia mydas</i>	\$100	\$0
Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	\$134,100	\$0
Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>	\$100	\$0
Sea turtle, leatherback	<i>Dermochelys coriacea</i>	\$23,010	\$0
Sea turtle, loggerhead	<i>Caretta caretta</i>	\$100	\$0
Skink, sand	<i>Neoseps reynoldsi</i>	\$5,800	\$0
Snake, copperbelly water, MI, OH, IN N of 400 N. Lat.	<i>Nerodia erythrogaster neglecta</i>	\$6,000	\$0
Snake, eastern indigo	<i>Drymarchon corais couperi</i>	\$30,500	\$0
Snake, giant garter	<i>Thamnophis gigas</i>	\$250,000	\$0
Tortoise, desert, outside/taken from Sonoran Desert	<i>Gopherus agassizii</i>	\$58,000	\$0
Tortoise, desert, U.S.A., except in Sonoran Desert	<i>Gopherus agassizii</i>	\$100,000	\$0
Tortoise, gopher, W of of Mobile/Tombigbee Rs.	<i>Gopherus polyphemus</i>	\$135,000	\$0
Turtle, bog (=Muhlenberg), northern	<i>Clemmys muhlenbergii</i>	\$426,500	\$0
Turtle, bog (=Muhlenberg), southern	<i>Clemmys muhlenbergii</i>	\$56,000	\$0
Reptiles Total		\$1,387,210	\$0
Amphibians			
Frog, California red-legged, subspecies range clarified	<i>Rana aurora draytonii</i>	\$251,000	\$0
Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>	\$57,000	\$0
Salamander, Barton Springs	<i>Eurycea sosorum</i>	\$25,000	\$0
Salamander, California tiger, Central CA DPS	<i>Ambystoma californiense</i>	\$257,000	\$0
Salamander, flatwoods	<i>Ambystoma cingulatum</i>	\$13,800	\$0
Salamander, Santa Cruz long-toed	<i>Ambystoma macrodactylum croceum</i>	\$37,000	\$0
Toad, arroyo (=arroyo southwestern)	<i>Bufo californicus (=microscaphus)</i>	\$808,000	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Toad, Houston	<i>Bufo houstonensis</i>	\$42,000	\$0
Amphibians Total		\$1,490,800	\$0
Fishes			
Cavefish, Ozark	<i>Amblyopsis rosae</i>	\$8,000	\$0
Chub, bonytail, entire	<i>Gila elegans</i>	\$500	\$0
Chub, humpback, entire	<i>Gila cypha</i>	\$500	\$0
Chub, Oregon	<i>Oregonichthys crameri</i>	\$14,000	\$0
Chub, Owens tui	<i>Gila bicolor snyderi</i>	\$32,000	\$0
Chub, slender	<i>Erimystax cahni</i>	\$1,000	\$0
Chub, spotfin, entire	<i>Erimonax monachus</i>	\$1,900	\$0
Dace, blackside	<i>Phoxinus cumberlandensis</i>	\$26,000	\$0
Darter, amber	<i>Percina antesella</i>	\$61,500	\$0
Darter, bluemask (=jewel)	<i>Etheostoma sp.</i>	\$1,000	\$0
Darter, boulder	<i>Etheostoma wapiti</i>	\$1,000	\$0
Darter, boulder, Shoal Creek	<i>Etheostoma wapiti</i>	\$1,000	\$0
Darter, Cherokee	<i>Etheostoma scotti</i>	\$134,000	\$0
Darter, duskytail, entire	<i>Etheostoma percunurum</i>	\$13,000	\$0
Darter, Etowah	<i>Etheostoma etowahae</i>	\$76,000	\$0
Darter, goldline	<i>Percina aurolineata</i>	\$12,000	\$0
Darter, Niangua	<i>Etheostoma nianguae</i>	\$3,000	\$0
Darter, relict	<i>Etheostoma chienense</i>	\$12,000	\$0
Darter, slackwater	<i>Etheostoma boschungii</i>	\$120,000	\$0
Darter, snail	<i>Percina tanasi</i>	\$1,000	\$0
Goby, tidewater, entire	<i>Eucyclogobius newberryi</i>	\$122,000	\$0
Logperch, Conasauga	<i>Percina jenkinsi</i>	\$3,500	\$0
Logperch, Roanoke	<i>Percina rex</i>	\$11,500	\$0
Madtom, Neosho	<i>Noturus placidus</i>	\$1,200	\$0
Madtom, pygmy	<i>Noturus stanauli</i>	\$1,000	\$0
Madtom, smoky, entire	<i>Noturus baileyi</i>	\$1,000	\$0
Madtom, yellowfin, except where EXPN	<i>Noturus flavipinnis</i>	\$1,000	\$0
Minnow, loach	<i>Tiaroga cobitis</i>	\$12,000	\$0
Pikeminnow (=squawfish), Colorado except Salt and Verde R. drainages, AZ	<i>Ptychocheilus lucius</i>	\$500	\$0
Pupfish, Owens	<i>Cyprinodon radiosus</i>	\$5,000	\$0
Salmon, chinook, fall Snake R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$25,682	\$0
Salmon, chinook, spring/summer Snake R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$25,681	\$0
Salmon, chinook, winter Sacramento R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$28,000	\$0
Salmon, chinook, Puget Sound	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$461,437	\$0
Salmon, chinook, lower Columbia R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$15,571	\$0
Salmon, chinook, spring upper Columbia R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$78,010	\$0
Salmon, chinook, CA Central Valley spring-run	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$132,000	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Salmon, chinook, CA coastal	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$70,000	\$0
Salmon, chum, Columbia R.	<i>Oncorhynchus (=Salmo) keta</i>	\$22,921	\$0
Salmon, chum, summer-run Hood Canal	<i>Oncorhynchus (=Salmo) keta</i>	\$78,010	\$0
Salmon, coho, Lower Columbia River	<i>Oncorhynchus (=Salmo) kisutch</i>	\$80,571	\$0
Salmon, sockeye U.S.A. (Snake River, ID stock wherever found.)	<i>Oncorhynchus (=Salmo) nerka</i>	\$25,681	\$0
Shiner, Arkansas River, Arkansas R. Basin	<i>Notropis girardi</i>	\$1,200	\$0
Shiner, blue	<i>Cyprinella caerulea</i>	\$13,000	\$0
Shiner, palezone	<i>Notropis albizonatus</i>	\$6,000	\$0
Shiner, Topeka	<i>Notropis topeka (=tristis)</i>	\$85,600	\$0
Smelt, delta	<i>Hypomesus transpacificus</i>	\$35,000	\$0
Spikedace	<i>Meda fulgida</i>	\$12,000	\$0
Spinedace, Little Colorado	<i>Lepidomeda vittata</i>	\$223,000	\$0
Steelhead, Central Valley CA	<i>Oncorhynchus (=Salmo) mykiss</i>	\$44,000	\$0
Steelhead, central CA coast	<i>Oncorhynchus (=Salmo) mykiss</i>	\$277,000	\$0
Steelhead, lower Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$44,571	\$0
Steelhead, south central CA coast	<i>Oncorhynchus (=Salmo) mykiss</i>	\$16,000	\$0
Steelhead, upper Columbia R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$33,433	\$0
Steelhead, middle Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$77,043	\$0
Steelhead, northern CA	<i>Oncorhynchus (=Salmo) mykiss</i>	\$70,000	\$0
Sturgeon, gulf	<i>Acipenser oxyrinchus desotoi</i>	\$1,500	\$0
Sturgeon, pallid	<i>Scaphirhynchus albus</i>	\$65,800	\$0
Sturgeon, shortnose	<i>Acipenser brevirostrum</i>	\$28,200	\$0
Sucker, razorback, entire	<i>Xyrauchen texanus</i>	\$500	\$0
Topminnow, Gila (incl. Yaqui), U.S.A. only	<i>Poeciliopsis occidentalis</i>	\$75,000	\$0
Trout, bull, U.S.A., conterminous, lower 48 states	<i>Salvelinus confluentus</i>	\$851,441	\$0
Trout, greenback cutthroat	<i>Oncorhynchus clarki stomias</i>	\$7,100	\$0
Fishes Total		\$3,689,052	\$0
Clams			
Acornshell, southern	<i>Epioblasma othcaloogensis</i>	\$4,000	\$0
Bankclimber, purple (mussel)	<i>Elliptoideus sloatianus</i>	\$55,000	\$0
Bean, Cumberland (pearlymussel), Entire Range; Except where listed as Experimental Populations	<i>Villosa trabalis</i>	\$40,000	\$0
Bean, Cumberland (pearlymussel), AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	<i>Villosa trabalis</i>	\$22,900	\$0
Bean, purple	<i>Villosa perpurpurea</i>	\$1,000	\$0
Blossom, green (pearlymussel)	<i>Epioblasma torulosa gubernaculum</i>	\$1,900	\$0
Blossom, tubercled (pearlymussel), Entire Range; Except where listed as Experimental Populations	<i>Epioblasma torulosa torulosa</i>	\$3,900	\$0
Blossom, turgid (pearlymussel), Entire Range; Except where listed as Experimental Populations	<i>Epioblasma turgidula</i>	\$1,900	\$0
Blossom, yellow (pearlymussel), Entire Range; Except where listed as Experimental Populations	<i>Epioblasma florentina florentina</i>	\$1,900	\$0
Catspaw (=purple cat's paw pearlymussel) Entire Range; Except where listed as EXPN	<i>Epioblasma obliquata obliquata</i>	\$36,000	\$0
Catspaw (=purple cat's paw pearlymussel), AL; Free- Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	<i>Epioblasma obliquata obliquata</i>	\$10,000	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Clubshell Entire Range; Except where listed as Exp. Populations	<i>Pleurobema clava</i>	\$75,000	\$0
Clubshell, AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	<i>Pleurobema clava</i>	\$42,000	\$0
Clubshell, ovate	<i>Pleurobema perovatum</i>	\$35,000	\$0
Clubshell, southern	<i>Pleurobema decisum</i>	\$40,000	\$0
Combshell, Cumberlandian, Entire Range; Except where listed as Experimental Populations	<i>Epioblasma brevidens</i>	\$1,000	\$0
Combshell, Cumberlandian, AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	<i>Epioblasma brevidens</i>	\$11,000	\$0
Combshell, upland	<i>Epioblasma metastriata</i>	\$3,900	\$0
Elktoe, Appalachian	<i>Alasmidonta raveneliana</i>	\$1,000	\$0
Elktoe, Cumberland	<i>Alasmidonta atropurpurea</i>	\$12,000	\$0
Fanshell	<i>Cyprogenia stegaria</i>	\$79,900	\$0
Fatmucket, Arkansas	<i>Lampsilis powelli</i>	\$2,700	\$0
Heelsplitter, Alabama (=inflated)	<i>Potamilus inflatus</i>	\$11,200	\$0
Heelsplitter, Carolina	<i>Lasmigona decorata</i>	\$138,000	\$0
Kidneyshell, triangular	<i>Ptychobranthus greenii</i>	\$6,000	\$0
Lampmussel, Alabama, Entire Range; Except where listed as Experimental Populations	<i>Lampsilis virescens</i>	\$1,000	\$0
Lilliput, pale (pearlymussel)	<i>Toxolasma cylindrellus</i>	\$1,900	\$0
Mapleleaf, winged, Entire; except where listed as experimental populations	<i>Quadrula fragosa</i>	\$1,000	\$0
Moccasinshell, Alabama	<i>Medionidus acutissimus</i>	\$3,000	\$0
Moccasinshell, Coosa	<i>Medionidus parvulus</i>	\$4,000	\$0
Moccasinshell, Gulf	<i>Medionidus penicillatus</i>	\$71,500	\$0
Moccasinshell, Ochlockonee	<i>Medionidus simpsonianus</i>	\$8,000	\$0
Monkeyface, Appalachian (pearlymussel)	<i>Quadrula sparsa</i>	\$1,900	\$0
Monkeyface, Cumberland (pearlymussel), Entire Range; Except where listed as Experimental Populations	<i>Quadrula intermedia</i>	\$1,900	\$0
Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>	\$85,000	\$0
Mussel, oyster, AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	<i>Epioblasma capsaeformis</i>	\$13,900	\$0
Mussel, scaleshell	<i>Leptodea leptodon</i>	\$5,000	\$0
Pearlymussel, birdwing, Entire Range; Except where listed as Experimental Populations	<i>Conradilla caelata</i>	\$1,900	\$0
Pearlymussel, cracking, Entire Range; Except where listed as Experimental Populations	<i>Hemistena lata</i>	\$1,900	\$0
Pearlymussel, dromedary, Entire Range; Except where listed as Experimental Populations	<i>Dromus dromas</i>	\$1,900	\$0
Pearlymussel, littlewing	<i>Pegias fabula</i>	\$16,000	\$0
Pigtoe, Cumberland	<i>Pleurobema gibberum</i>	\$1,900	\$0
Pigtoe, finerayed, Entire Range; Except where listed as Experimental Populations	<i>Fusconaia cuneolus</i>	\$1,900	\$0
Pigtoe, oval	<i>Pleurobema pyriforme</i>	\$10,000	\$0
Pigtoe, rough	<i>Pleurobema plenum</i>	\$40,900	\$0
Pigtoe, shiny, AL; Free-Flowing Reach of the Tenn. R. below Wilson Dam, Colbert and Lauderdale Co.	<i>Fusconaia cor</i>	\$1,900	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Pigtoe, southern	<i>Pleurobema georgianum</i>	\$1,000	\$0
Pimpleback, orangefoot (pearlymussel)	<i>Plethobasus cooperianus</i>	\$39,900	\$0
Pocketbook, fat	<i>Potamilus capax</i>	\$64,000	\$0
Pocketbook, finelined	<i>Lampsilis altilis</i>	\$5,500	\$0
Pocketbook, shinyrayed	<i>Lampsilis subangulata</i>	\$77,000	\$0
Pocketbook, speckled	<i>Lampsilis streckeri</i>	\$500	\$0
Rabbitsfoot, rough	<i>Quadrula cylindrica strigillata</i>	\$1,900	\$0
Riffleshell, northern	<i>Epioblasma torulosa rangiana</i>	\$125,000	\$0
Riffleshell, tan	<i>Epioblasma florentina walkeri</i> (=E. walkeri)	\$6,900	\$0
Ring pink (mussel)	<i>Obovaria retusa</i>	\$44,000	\$0
Spinymussel, James	<i>Pleurobema collina</i>	\$9,500	\$0
Three-ridge, fat (mussel)	<i>Amblyma neislerii</i>	\$30,000	\$0
Wartyback, white (pearlymussel)	<i>Plethobasus cicatricosus</i>	\$31,000	\$0
Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>	\$20,450	\$0
Clams Total		\$1,370,250	\$0
Snails			
Cavesnail, Tumbling Creek	<i>Antrobia culveri</i>	\$1,600	\$0
Lioplax, cylindrical (snail)	<i>Lioplax cyclostomaformis</i>	\$7,500	\$0
Marstonia, royal (snail)	<i>Pyrgulopsis ogmorhaphe</i>	\$1,000	\$0
Riversnail, Anthony's, AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	<i>Athearnia anthonyi</i>	\$1,000	\$0
Snail, Morro shoulderband (=Banded dune)	<i>Helminthoglypta walkeriana</i>	\$5,000	\$0
Snail, painted snake coiled forest	<i>Anguispira picta</i>	\$1,000	\$0
Snails Total		\$17,100	\$0
Insects			
Beetle, American burying	<i>Nicrophorus americanus</i>	\$50,200	\$0
Beetle, Coffin Cave mold	<i>Batrisodes texanus</i>	\$32,000	\$0
Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>	\$442,755	\$0
Butterfly, Fender's blue	<i>Icaricia icarioides fenderi</i>	\$2,800	\$0
Butterfly, Mitchell's satyr	<i>Neonympha mitchellii mitchellii</i>	\$1,000	\$0
Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>	\$1,750	\$0
Butterfly, Quino checkerspot	<i>Euphydryas editha quino</i> (=E. e. wrighti)	\$90,000	\$0
Butterfly, Schaus swallowtail	<i>Heraclides aristodemus ponceanus</i>	\$200	\$0
Dragonfly, Hine's emerald	<i>Somatochlora hineana</i>	\$4,800	\$0
Insects Total		\$625,505	\$0
Arachnids			
Spider, spruce-fir moss	<i>Microhexura montivaga</i>	\$1,000	\$0
Arachnids Total		\$1,000	\$0
Crustaceans			
Crayfish, Nashville	<i>Orconectes shoupi</i>	\$10,500	\$0
Fairy shrimp, Conservancy	<i>Branchinecta conservatio</i>	\$32,000	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Fairy shrimp, Riverside	<i>Streptocephalus woottoni</i>	\$80,000	\$0
Fairy shrimp, San Diego	<i>Branchinecta sandiegonensis</i>	\$60,000	\$0
Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>	\$2,144,000	\$0
Shrimp, Kentucky cave	<i>Palaemonias ganteri</i>	\$26,000	\$0
Tadpole shrimp, vernal pool	<i>Lepidurus packardii</i>	\$2,102,000	\$0
Crustaceans Total		\$4,454,500	\$0
Flowering Plants			
Ambrosia, San Diego	<i>Ambrosia pumila</i>	\$6,000	\$0
Aster, Ruth's golden	<i>Pityopsis ruthii</i>	\$1,000	\$0
Avens, spreading	<i>Geum radiatum</i>	\$1,000	\$0
Bear-poppy, dwarf	<i>Arctomecon humilis</i>	\$800	\$0
Beargrass, Britton's	<i>Nolina brittoniana</i>	\$250	\$0
Bladderpod, Spring Creek	<i>Lesquerella perforata</i>	\$10,000	\$0
Bluet, Roan Mountain	<i>Hedyotis purpurea var. montana</i>	\$1,000	\$0
Bonamia, Florida	<i>Bonamia grandiflora</i>	\$250	\$0
Brodiaea, thread-leaved	<i>Brodiaea filifolia</i>	\$1,000	\$0
Buckwheat, lone (incl. Irish Hill)	<i>Eriogonum apricum (incl. var. prostratum)</i>	\$4,000	\$0
Butterfly plant, Colorado	<i>Gaura neomexicana var. coloradensis</i>	\$7,600	\$0
Button-celery, San Diego	<i>Eryngium aristulatum var. parishii</i>	\$6,000	\$0
Cactus, Brady pincushion	<i>Pediocactus bradyi</i>	\$30,000	\$0
Cactus, Kuenzler hedgehog	<i>Echinocereus fendleri var. kuenzleri</i>	\$5,000	\$20,000
Cactus, Mesa Verde	<i>Sclerocactus mesae-verdae</i>	\$7,000	\$0
Cactus, Uinta Basin hookless	<i>Sclerocactus glaucus</i>	\$800	\$0
Chaffseed, American	<i>Schwalbea americana</i>	\$8,000	\$0
Checker-mallow, Nelson's	<i>Sidalcea nelsoniana</i>	\$6,500	\$0
Checkermallow, Wenatchee Mountains	<i>Sidalcea oregana var. calva</i>	\$11,144	\$0
Clover, running buffalo	<i>Trifolium stoloniferum</i>	\$12,100	\$0
Coneflower, Tennessee purple	<i>Echinacea tennesseensis</i>	\$2,000	\$0
Daisy, Maguire	<i>Erigeron maguirei</i>	\$1,600	\$0
Daisy, Willamette	<i>Erigeron decumbens var. decumbens</i>	\$2,450	\$0
Desert-parsley, Bradshaw's	<i>Lomatium bradshawii</i>	\$350	\$0
Goldenrod, Blue Ridge	<i>Solidago spithamea</i>	\$2,000	\$0
Goldenrod, Houghton's	<i>Solidago houghtonii</i>	\$4,000	\$0
Goldenrod, Short's	<i>Solidago shortii</i>	\$11,000	\$0
Goldenrod, white-haired	<i>Solidago albopilosa</i>	\$12,000	\$0
Grass, Tennessee yellow-eyed	<i>Xyris tennesseensis</i>	\$2,000	\$0
Ground-plum, Guthrie's (=Pyne's)	<i>Astragalus bibullatus</i>	\$1,000	\$0
Howellia, water	<i>Howellia aquatilis</i>	\$15,779	\$0
Iris, dwarf lake	<i>Iris lacustris</i>	\$2,000	\$0
Jewelflower, California	<i>Caulanthus californicus</i>	\$56,200	\$0
Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>	\$120,119	\$0
Leather flower, Alabama	<i>Clematis socialis</i>	\$6,000	\$0
Lomatium, Cook's	<i>Lomatium cookii</i>	\$3,449	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Lupine, Kincaid's	<i>Lupinus sulphureus</i> (=oreganus) ssp. <i>kincaidii</i> (=var. <i>kincaidii</i>)	\$5,564	\$0
Meadowfoam, Butte County	<i>Limnanthes floccosa</i> ssp. <i>californica</i>	\$385,000	\$0
Meadowfoam, large-flowered woolly	<i>Limnanthes floccosa</i> ssp. <i>grandiflora</i>	\$350	\$0
Mesa-mint, San Diego	<i>Pogogyne abramsii</i>	\$6,000	\$0
Milk-vetch, Osterhout	<i>Astragalus osterhoutii</i>	\$900	\$0
Milkweed, Mead's	<i>Asclepias meadii</i>	\$13,600	\$0
Monkey-flower, Michigan	<i>Mimulus glabratus</i> var. <i>michiganensis</i>	\$1,000	\$0
Monkshood, northern wild	<i>Aconitum noveboracense</i>	\$700	\$0
Navarretia, spreading	<i>Navarretia fossalis</i>	\$6,000	\$0
No common name	<i>Silene lanceolata</i>	\$1,211	\$0
Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>	\$8,000	\$0
Orchid, western prairie fringed	<i>Platanthera praeclara</i>	\$15,500	\$0
Orcutt grass, California	<i>Orcuttia californica</i>	\$6,000	\$0
Paintbrush, golden	<i>Castilleja levisecta</i>	\$5,727	\$0
Penstemon, blowout	<i>Penstemon haydenii</i>	\$5,480	\$0
Pinkroot, gentian	<i>Spigelia gentianoides</i>	\$1,400	\$0
Pitcher-plant, green	<i>Sarracenia oreophila</i>	\$1,000	\$0
Pogonia, small whorled	<i>Isotria medeoloides</i>	\$4,000	\$0
Popcornflower, rough	<i>Plagiobothrys hirtus</i>	\$350	\$0
Potato-bean, Price's	<i>Apios priceana</i>	\$14,500	\$0
Prairie-clover, leafy	<i>Dalea foliosa</i>	\$1,000	\$0
Rock-cress, Braun's	<i>Arabis perstellata</i>	\$9,000	\$0
Rosemary, Cumberland	<i>Conradina verticillata</i>	\$11,000	\$0
Sandwort, Cumberland	<i>Arenaria cumberlandensis</i>	\$9,000	\$0
Sandwort, Marsh	<i>Arenaria paludicola</i>	\$3,114	\$0
Skullcap, large-flowered	<i>Scutellaria montana</i>	\$2,000	\$0
Sneezeweed, Virginia	<i>Helenium virginicum</i>	\$8,000	\$0
Spineflower, Monterey	<i>Chorizanthe pungens</i> var. <i>pungens</i>	\$34,000	\$0
Spineflower, Robust (incl. Scotts Valley)	<i>Chorizanthe robusta</i> (incl. vars. <i>robusta</i> and <i>hartwegii</i>)	\$26,500	\$0
Spiraea, Virginia	<i>Spiraea virginiana</i>	\$17,000	\$0
Spurge, Garber's	<i>Chamaesyce garberi</i>	\$300	\$0
Sunflower, Eggert's	<i>Helianthus eggertii</i>	\$11,500	\$0
Sunflower, Pecos (=puzzle, =paradox)	<i>Helianthus paradoxus</i>	\$50,000	\$0
Tarplant, Gaviota	<i>Deinandra increscens</i> ssp. <i>villosa</i>	\$10,000	\$0
Tarplant, Otay	<i>Deinandra</i> (=Hemizonia) <i>conjugens</i>	\$59,000	\$0
Tarplant, Santa Cruz	<i>Holocarpha macradenia</i>	\$41,500	\$0
Thistle, Pitcher's	<i>Cirsium pitcheri</i>	\$6,000	\$0
Townsendia, Last Chance	<i>Townsendia aprica</i>	\$1,600	\$0
Trillium, persistent	<i>Trillium persistens</i>	\$3,000	\$0
Flowering Plants Total		\$1,147,187	\$20,000
Ferns and Allies			
Fern, American hart's-tongue	<i>Asplenium scolopendrium</i> var. <i>americanum</i>	\$1,000	\$0
Ferns and Allies Total		\$1,000	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Lichens			
Lichen, rock gnome	<i>Gymnoderma lineare</i>	\$4,000	\$0
Lichens Total		\$4,000	\$0
Other ESA Expenses not including Foreign Species		\$9,401,216	\$0
Expenses from Foreign Species		\$0	\$0
Total Other ESA Expenses		\$9,401,216	\$0
All Species Total		\$43,169,231	\$4,262,915

DOT Federal Highway Administration FY06

Common Name	Scientific Name	General Expenditures	Land Expenditures
Mammals			
Bear, grizzly, Yellowstone DPS	<i>Ursus arctos horribilis</i>	\$10,500	\$0
Ferret, black-footed, U.S.A. (specific portions of AZ, CO, MT, SD, UT, and WY)	<i>Mustela nigripes</i>	\$7,500	\$0
Lynx, Canada, lower 48 States DPS	<i>Lynx canadensis</i>	\$33,000	\$0
Mouse, Preble's meadow jumping, Colorado	<i>Zapus hudsonius preblei</i>	\$6,500	\$0
Wolf, gray, Lower 48 States, except where delisted and where EXPN. Mexico.	<i>Canis lupus</i>	\$500	\$0
Mammals Total		\$58,000	\$0
Birds			
Eagle, bald, lower 48 States	<i>Haliaeetus leucocephalus</i>	\$14,000	\$0
Birds Total		\$14,000	\$0
Amphibians			
Toad, Wyoming	<i>Bufo baxteri (=hemiophrys)</i>	\$600	\$0
Amphibians Total		\$600	\$0
Flowering Plants			
Butterfly plant, Colorado	<i>Gaura neomexicana var. coloradensis</i>	\$500	\$0
Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>	\$17,500	\$0
Flowering Plants Total		\$18,000	\$0
Expenses from Foreign Species		\$0	\$0
Total Other ESA Expenses		\$0	\$0
All Species Total		\$90,600	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Mammals			
Bat, gray	<i>Myotis grisescens</i>	\$22,200	\$0
Bat, Indiana	<i>Myotis sodalis</i>	\$22,375	\$0
Bear, grizzly, lower 48 States, except where listed as an experimental population or delisted	<i>Ursus arctos horribilis</i>	\$180	\$0
Ferret, black-footed entire population, except where EXPN	<i>Mustela nigripes</i>	\$257	\$0
Lynx, Canada, lower 48 States DPS	<i>Lynx canadensis</i>	\$1,834	\$0
Manatee, West Indian	<i>Trichechus manatus</i>	\$4,200	\$0
Mouse, Alabama beach	<i>Peromyscus polionotus ammobates</i>	\$800	\$0
Mouse, Key Largo cotton	<i>Peromyscus gossypinus allapaticola</i>	\$2,100	\$0
Mouse, Perdido Key beach	<i>Peromyscus polionotus trissyllepsis</i>	\$2,100	\$0
Mouse, Preble's meadow jumping, Colorado	<i>Zapus hudsonius preblei</i>	\$28	\$0
Mouse, southeastern beach	<i>Peromyscus polionotus niveiventris</i>	\$800	\$0
Panther, Florida	<i>Puma (=Felis) concolor coryi</i>	\$4,200	\$0
Rabbit, Lower Keys marsh	<i>Sylvilagus palustris hefneri</i>	\$2,100	\$0
Rice rat, lower FL Keys	<i>Oryzomys palustris natator</i>	\$2,100	\$0
Vole, Florida salt marsh	<i>Microtus pennsylvanicus dukecampbelli</i>	\$4,200	\$0
Whale, blue	<i>Balaenoptera musculus</i>	\$2,100	\$0
Whale, bowhead	<i>Balaena mysticetus</i>	\$2,100	\$0
Whale, finback	<i>Balaenoptera physalus</i>	\$2,100	\$0
Whale, humpback	<i>Megaptera novaeangliae</i>	\$2,100	\$0
Whale, right	<i>Balaena glacialis (incl. australis)</i>	\$4,200	\$0
Whale, Sei	<i>Balaenoptera borealis</i>	\$2,100	\$0
Whale, sperm	<i>Physeter catodon (=macrocephalus)</i>	\$2,100	\$0
Wolf, gray, Lower 48 States, except where delisted and where EXPN. Mexico.	<i>Canis lupus</i>	\$2,110	\$0
Wolf, red, except where EXPN	<i>Canis rufus</i>	\$400	\$0
Woodrat, Key Largo	<i>Neotoma floridana smalli</i>	\$800	\$0
Mammals Total		\$89,584	\$0
Birds			
Caracara, Audubon's crested, FL pop.	<i>Polyborus plancus audubonii</i>	\$800	\$0
Crane, Mississippi sandhill	<i>Grus canadensis pulla</i>	\$2,100	\$0
Crane, whooping, except where EXPN	<i>Grus americana</i>	\$2,100	\$0
Crane, whooping, U.S.A. (CO, ID, FL, NM, UT, and the western half of Wyoming)	<i>Grus americana</i>	\$279	\$0
Eagle, bald, lower 48 States	<i>Haliaeetus leucocephalus</i>	\$17,894	\$0
Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	\$46	\$0
Jay, Florida scrub	<i>Aphelocoma coerulescens</i>	\$800	\$0
Kite, Everglade snail, FL pop.	<i>Rostrhamus sociabilis plumbeus</i>	\$4,200	\$0
Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	\$52	\$0
Pelican, brown, except U.S. Atlantic coast, FL, AL	<i>Pelecanus occidentalis</i>	\$4,200	\$0
Plover, piping, except Great Lakes watershed	<i>Charadrius melodus</i>	\$996	\$0
Sparrow, Cape Sable seaside	<i>Ammodramus maritimus mirabilis</i>	\$4,200	\$0
Sparrow, Florida grasshopper	<i>Ammodramus savannarum floridanus</i>	\$400	\$0
Stork, wood, AL, FL, GA, SC	<i>Mycteria americana</i>	\$4,200	\$0
Tern, least, interior pop.	<i>Sterna antillarum</i>	\$1,813	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Tern, roseate, Western Hemisphere except NE U.S.	<i>Sterna dougallii dougallii</i>	\$800	\$0
Vireo, least Bell's	<i>Vireo bellii pusillus</i>	\$18,000	\$0
Warbler (=wood), Bachman's	<i>Vermivora bachmanii</i>	\$400	\$0
Warbler (=wood), Kirtland's	<i>Dendroica kirtlandii</i>	\$18,000	\$0
Woodpecker, red-cockaded	<i>Picoides borealis</i>	\$2,100	\$0
Birds Total		\$83,380	\$0
Reptiles			
Alligator, American	<i>Alligator mississippiensis</i>	\$400	\$0
Crocodile, American, FL pop.	<i>Crocodylus acutus</i>	\$2,100	\$0
Sea turtle, green, FL, Mexico nesting pops.	<i>Chelonia mydas</i>	\$4,200	\$0
Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	\$4,200	\$0
Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>	\$4,200	\$0
Sea turtle, leatherback	<i>Dermochelys coriacea</i>	\$4,200	\$0
Sea turtle, loggerhead	<i>Caretta caretta</i>	\$4,200	\$0
Sea turtle, olive ridley, except where endangered	<i>Lepidochelys olivacea</i>	\$4,200	\$0
Skink, bluetail mole	<i>Eumeces egregius lividus</i>	\$400	\$0
Skink, sand	<i>Neoseps reynoldsi</i>	\$400	\$0
Snake, Atlantic salt marsh	<i>Nerodia clarkii taeniata</i>	\$2,100	\$0
Snake, eastern indigo	<i>Drymarchon corais couperi</i>	\$4,200	\$0
Tortoise, gopher, W of Mobile/Tombigbee Rs.	<i>Gopherus polyphemus</i>	\$4,200	\$0
Turtle, Alabama red-belly	<i>Pseudemys alabamensis</i>	\$4,200	\$0
Turtle, bog (=Muhlenberg), southern	<i>Clemmys muhlenbergii</i>	\$2,100	\$0
Turtle, flattened musk, species range clarified	<i>Sternotherus depressus</i>	\$4,200	\$0
Turtle, ringed map	<i>Graptemys oculifera</i>	\$4,200	\$0
Turtle, yellow-blotched map	<i>Graptemys flavimaculata</i>	\$4,200	\$0
Reptiles Total		\$57,900	\$0
Amphibians			
Frog, California red-legged subspecies range clarified	<i>Rana aurora draytonii</i>	\$100,000	\$0
Frog, Mississippi gopher, Wherever found west of Mobile and Tombigbee Rivers in AL, MS, and LA	<i>Rana capito sevosia</i>	\$2,100	\$0
Salamander, Barton Springs	<i>Eurycea sosorum</i>	\$100,000	\$0
Salamander, flatwoods	<i>Ambystoma cingulatum</i>	\$400	\$0
Salamander, Red Hills	<i>Phaeognathus hubrichti</i>	\$400	\$0
Amphibians Total		\$202,900	\$0
Fishes			
Cavefish, Alabama	<i>Speoplatyrhinus poulsoni</i>	\$800	\$0
Chub, bonytail, entire	<i>Gila elegans</i>	\$73	\$0
Chub, humpback, entire	<i>Gila cypha</i>	\$73	\$0
Chub, slender	<i>Erimystax cahni</i>	\$800	\$0
Chub, spotfin, entire	<i>Erimonax monachus</i>	\$800	\$0
Dace, blackside	<i>Phoxinus cumberlandensis</i>	\$4,200	\$0
Dace, Kendall Warm Springs	<i>Rhinichthys osculus thermalis</i>	\$28	\$0
Darter, amber	<i>Percina antesella</i>	\$2,100	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Darter, bayou	<i>Etheostoma rubrum</i>	\$800	\$0
Darter, bluemask (=jewel)	<i>Etheostoma sp.</i>	\$800	\$0
Darter, boulder	<i>Etheostoma wapiti</i>	\$4,200	\$0
Darter, Cherokee	<i>Etheostoma scotti</i>	\$2,100	\$0
Darter, duskytail, entire	<i>Etheostoma percnum</i>	\$800	\$0
Darter, Etowah	<i>Etheostoma etowahae</i>	\$2,100	\$0
Darter, goldline	<i>Percina aurolineata</i>	\$4,200	\$0
Darter, Okaloosa	<i>Etheostoma okaloosae</i>	\$2,100	\$0
Darter, relict	<i>Etheostoma chienense</i>	\$2,100	\$0
Darter, slackwater	<i>Etheostoma boschungii</i>	\$4,200	\$0
Darter, snail	<i>Percina tanasi</i>	\$2,100	\$0
Darter, vermilion	<i>Etheostoma chermockii</i>	\$2,100	\$0
Darter, watercress	<i>Etheostoma nuchale</i>	\$2,100	\$0
Logperch, Conasauga	<i>Percina jenkinsi</i>	\$2,100	\$0
Logperch, Roanoke	<i>Percina rex</i>	\$800	\$0
Madtom, pygmy	<i>Noturus stanauli</i>	\$800	\$0
Madtom, smoky, entire	<i>Noturus baileyi</i>	\$800	\$0
Madtom, yellowfin, Holston River, VA, TN	<i>Noturus flavipinnis</i>	\$800	\$0
Madtom, yellowfin, Tellico River, TN	<i>Noturus flavipinnis</i>	\$800	\$0
Pikeminnow (=squawfish), Colorado except Salt and Verde R. drainages, AZ	<i>Ptychocheilus lucius</i>	\$91	\$0
Salmon, chinook, fall Snake R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$4,500	\$0
Salmon, chinook, spring/summer Snake R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$4,500	\$0
Salmon, chinook, winter Sacramento R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$4,500	\$0
Salmon, chinook, Puget Sound	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$4,500	\$0
Salmon, chinook, lower Columbia R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$4,500	\$0
Salmon, chinook, upper Willamette R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$4,500	\$0
Salmon, chinook, spring upper Columbia R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$4,500	\$0
Salmon, chinook, CA Central Valley spring-run	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$4,500	\$0
Salmon, chinook, CA coastal	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$4,500	\$0
Salmon, chum, Columbia R.	<i>Oncorhynchus (=Salmo) keta</i>	\$4,500	\$0
Salmon, chum, summer-run Hood Canal	<i>Oncorhynchus (=Salmo) keta</i>	\$4,500	\$0
Salmon, coho, central CA coast	<i>Oncorhynchus (=Salmo) kisutch</i>	\$4,500	\$0
Salmon, coho, OR, CA pop.	<i>Oncorhynchus (=Salmo) kisutch</i>	\$4,500	\$0
Salmon, sockeye U.S.A. (Snake River, ID stock wherever found.)	<i>Oncorhynchus (=Salmo) nerka</i>	\$4,500	\$0
Salmon, sockeye, U.S.A. (Ozette Lake, WA)	<i>Oncorhynchus (=Salmo) nerka</i>	\$4,500	\$0
Sawfish, smalltooth	<i>Pristis pectinata</i>	\$4,200	\$0
Sculpin, pygmy	<i>Cottus paulus (=pygmaeus)</i>	\$2,100	\$0
Shiner, Arkansas River, Arkansas R. Basin	<i>Notropis girardi</i>	\$800	\$0
Shiner, blue	<i>Cyprinella caerulea</i>	\$2,100	\$0
Shiner, Cahaba	<i>Notropis cahabae</i>	\$4,200	\$0
Shiner, Cape Fear	<i>Notropis mekistocholas</i>	\$4,200	\$0
Shiner, palezone	<i>Notropis albizonatus</i>	\$2,100	\$0
Shiner, Topeka	<i>Notropis topeka (=tristis)</i>	\$46	\$0
Silverside, Waccamaw	<i>Menidia extensa</i>	\$2,100	\$0
Steelhead, Central Valley CA	<i>Oncorhynchus (=Salmo) mykiss</i>	\$4,500	\$0
Steelhead, Snake R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$4,500	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Steelhead, central CA coast	<i>Oncorhynchus (=Salmo) mykiss</i>	\$4,500	\$0
Steelhead, lower Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$4,500	\$0
Steelhead, south central CA coast	<i>Oncorhynchus (=Salmo) mykiss</i>	\$4,500	\$0
Steelhead, southern CA coast	<i>Oncorhynchus (=Salmo) mykiss</i>	\$4,500	\$0
Steelhead, upper Columbia R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$4,500	\$0
Steelhead, upper Willamette R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$4,500	\$0
Steelhead, middle Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$4,500	\$0
Steelhead, northern CA	<i>Oncorhynchus (=Salmo) mykiss</i>	\$4,500	\$0
Sturgeon, Alabama	<i>Scaphirhynchus suttkusi</i>	\$4,200	\$0
Sturgeon, gulf	<i>Acipenser oxyrinchus desotoi</i>	\$4,200	\$0
Sturgeon, pallid	<i>Scaphirhynchus albus</i>	\$3,092	\$0
Sturgeon, shortnose	<i>Acipenser brevirostrum</i>	\$2,815	\$0
Sturgeon, white, U.S.A. (ID, MT), Canada (B.C.), Kootenai R. system	<i>Acipenser transmontanus</i>	\$101	\$0
Sucker, June	<i>Chasmistes liorus</i>	\$194	\$0
Sucker, razorback, entire	<i>Xyrauchen texanus</i>	\$91	\$0
Trout, bull, U.S.A., conterminous, lower 48 states	<i>Salvelinus confluentus</i>	\$391	\$0
Trout, greenback cutthroat	<i>Oncorhynchus clarki stomias</i>	\$28	\$0
Trout, Lahontan cutthroat	<i>Oncorhynchus clarki henshawi</i>	\$28	\$0
Fishes Total		\$194,251	\$0
Clams			
Acornshell, southern	<i>Epioblasma othcaloogensis</i>	\$2,100	\$0
Bankclimber, purple (mussel)	<i>Elliptoideus sloatianus</i>	\$2,100	\$0
Bean, Cumberland (pearlymussel), Entire Range; Except where listed as Experimental Populations	<i>Villosa trabalis</i>	\$2,100	\$0
Blossom, green (pearlymussel)	<i>Epioblasma torulosa gubernaculum</i>	\$2,100	\$0
Blossom, tubercled (pearlymussel), Entire Range; Except where listed as Experimental Populations	<i>Epioblasma torulosa torulosa</i>	\$2,100	\$0
Blossom, turgid (pearlymussel), Entire Range; Except where listed as Experimental Populations	<i>Epioblasma turgidula</i>	\$2,100	\$0
Blossom, yellow (pearlymussel), Entire Range; Except where listed as Experimental Populations	<i>Epioblasma florentina florentina</i>	\$2,100	\$0
Catspaw (=purple cat's paw pearlymussel) Entire Range; Except where listed as Experimental Populations	<i>Epioblasma obliquata obliquata</i>	\$2,100	\$0
Clubshell, Entire Range; Except where listed as Experimental Populations	<i>Pleurobema clava</i>	\$2,100	\$0
Clubshell, black	<i>Pleurobema curtum</i>	\$2,100	\$0
Clubshell, ovate	<i>Pleurobema perovatum</i>	\$2,100	\$0
Clubshell, southern	<i>Pleurobema decisum</i>	\$2,100	\$0
Combshell, Cumberlandian, Entire Range; Except where listed as Experimental Populations	<i>Epioblasma brevidens</i>	\$2,100	\$0
Combshell, southern	<i>Epioblasma penita</i>	\$2,100	\$0
Combshell, upland	<i>Epioblasma metastrata</i>	\$2,100	\$0
Elktoe, Appalachian	<i>Alasmidonta raveneliana</i>	\$2,100	\$0
Elktoe, Cumberland	<i>Alasmidonta atropurpurea</i>	\$2,100	\$0
Fanshell	<i>Cyprogenia stegaria</i>	\$2,100	\$0
Fatmucket, Arkansas	<i>Lampsilis powelli</i>	\$2,100	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Heelsplitter, Alabama (=inflated)	<i>Potamilus inflatus</i>	\$2,100	\$0
Heelsplitter, Carolina	<i>Lasmigona decorata</i>	\$2,100	\$0
Kidneyshell, triangular	<i>Ptychobranthus greenii</i>	\$2,100	\$0
Lampmussel, Alabama, Entire Range; Except where listed as Experimental Populations	<i>Lampsilis virescens</i>	\$2,100	\$0
Lilliput, pale (pearlymussel)	<i>Toxolasma cylindrellus</i>	\$2,100	\$0
Mapleleaf, winged, Entire; except where listed as experimental populations	<i>Quadrula fragosa</i>	\$2,100	\$0
Moccasinshell, Alabama	<i>Medionidus acutissimus</i>	\$2,100	\$0
Moccasinshell, Coosa	<i>Medionidus parvulus</i>	\$2,100	\$0
Moccasinshell, Gulf	<i>Medionidus penicillatus</i>	\$2,100	\$0
Monkeyface, Cumberland (pearlymussel) Entire Range; Except where listed as Experimental Populations	<i>Quadrula intermedia</i>	\$2,100	\$0
Mucket, orangenacre	<i>Lampsilis perovalis</i>	\$2,100	\$0
Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>	\$2,100	\$0
Mussel, oyster, Entire Range; Except where listed as Experimental Populations	<i>Epioblasma capsaeformis</i>	\$2,100	\$0
Mussel, scaleshell	<i>Leptodea leptodon</i>	\$2,100	\$0
Pearlshell, Louisiana	<i>Margaritifera hembeli</i>	\$2,100	\$0
Pearlymussel, birdwing, Entire Range; Except where listed as Experimental Populations	<i>Conradilla caelata</i>	\$2,100	\$0
Pearlymussel, cracking, Entire Range; Except where listed as Experimental Populations	<i>Hemistena lata</i>	\$2,100	\$0
Pearlymussel, Curtis	<i>Epioblasma florentina curtisii</i>	\$2,100	\$0
Pearlymussel, dromedary, Entire Range; Except where listed as Experimental Populations	<i>Dromus dromas</i>	\$2,100	\$0
Pearlymussel, littlewing	<i>Pegias fabula</i>	\$2,100	\$0
Pigtoe, Cumberland	<i>Pleurobema gibberum</i>	\$2,100	\$0
Pigtoe, dark	<i>Pleurobema furvum</i>	\$2,100	\$0
Pigtoe, finerayed, Entire Range; Except where listed as Experimental Populations	<i>Fusconaia cuneolus</i>	\$2,100	\$0
Pigtoe, flat	<i>Pleurobema marshalli</i>	\$2,100	\$0
Pigtoe, heavy	<i>Pleurobema taitianum</i>	\$2,100	\$0
Pigtoe, oval	<i>Pleurobema pyriforme</i>	\$2,100	\$0
Pigtoe, rough	<i>Pleurobema plenum</i>	\$2,100	\$0
Pigtoe, shiny, Entire Range; Except where listed as Experimental Populations	<i>Fusconaia cor</i>	\$2,100	\$0
Pigtoe, southern	<i>Pleurobema georgianum</i>	\$2,100	\$0
Pimpleback, orangefoot (pearlymussel)	<i>Plethobasus cooperianus</i>	\$2,100	\$0
Pocketbook, fat	<i>Potamilus capax</i>	\$2,100	\$0
Pocketbook, finelined	<i>Lampsilis altilis</i>	\$2,100	\$0
Pocketbook, shinyrayed	<i>Lampsilis subangulata</i>	\$2,100	\$0
Pocketbook, speckled	<i>Lampsilis streckeri</i>	\$2,100	\$0
Riffleshell, tan	<i>Epioblasma florentina walkeri</i> (=E. walkeri)	\$2,100	\$0
Ring pink (mussel)	<i>Obovaria retusa</i>	\$2,100	\$0
Slabshell, Chipola	<i>Elliptio chipolaensis</i>	\$2,100	\$0
Spinymussel, Tar River	<i>Elliptio steinstansana</i>	\$2,100	\$0
Stirrupshell	<i>Quadrula stapes</i>	\$2,100	\$0
Three-ridge, fat (mussel)	<i>Amblema neislerii</i>	\$2,100	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Wartyback, white (pearlymussel)	<i>Plethobasus cicatricosus</i>	\$2,100	\$0
Clams Total		\$126,000	\$0
Snails			
Campeloma, slender	<i>Campeloma decampi</i>	\$2,100	\$0
Cavesnail, Tumbling Creek	<i>Antrobia culveri</i>	\$95	\$0
Elimia, lacy (snail)	<i>Elimia crenatella</i>	\$2,100	\$0
Lioplax, cylindrical (snail)	<i>Lioplax cyclostomaformis</i>	\$2,100	\$0
Marstonia, royal (snail)	<i>Pyrgulopsis ogmorhaphe</i>	\$2,100	\$0
Pebblesnail, flat	<i>Lepyrium showalteri</i>	\$2,100	\$0
Riversnail, Anthony's, Entire Range; Except where listed as Experimental Populations	<i>Athearnia anthonyi</i>	\$2,100	\$0
Rocksail, painted	<i>Leptoxis taeniata</i>	\$2,100	\$0
Rocksail, plicate	<i>Leptoxis plicata</i>	\$2,100	\$0
Rocksail, round	<i>Leptoxis ampla</i>	\$2,100	\$0
Snail, armored	<i>Pyrgulopsis (=Marstonia) pachyta</i>	\$400	\$0
Snail, noonday	<i>Mesodon clarki nantahala</i>	\$400	\$0
Snail, painted snake coiled forest	<i>Anguispira picta</i>	\$400	\$0
Snail, Stock Island tree	<i>Orthalicus reses (not incl. nesodryas)</i>	\$400	\$0
Snail, tulotoma	<i>Tulotoma magnifica</i>	\$400	\$0
Snails Total		\$20,995	\$0
Insects			
Beetle, American burying	<i>Nicrophorus americanus</i>	\$7,028	\$0
Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>	\$18,762	\$0
Butterfly, Saint Francis' satyr	<i>Neonympha mitchellii francisci</i>	\$800	\$0
Butterfly, Schaus swallowtail	<i>Heraclides aristodemus ponceanus</i>	\$2,100	\$0
Butterfly, Uncompahgre fritillary	<i>Boloria acrocneuma</i>	\$30	\$0
Dragonfly, Hine's emerald	<i>Somatochlora hineana</i>	\$2,142	\$0
Insects Total		\$30,862	\$0
Arachnids			
Spider, spruce-fir moss	<i>Microhexura montivaga</i>	\$400	\$0
Arachnids Total		\$400	\$0
Crustaceans			
Amphipod, Illinois cave	<i>Gammarus acherondytes</i>	\$857	\$0
Crayfish, cave	<i>Cambarus aculabrum</i>	\$2,100	\$0
Crayfish, cave	<i>Cambarus zophonastes</i>	\$2,100	\$0
Crayfish, Nashville	<i>Orconectes shoupi</i>	\$2,100	\$0
Shrimp, Alabama cave	<i>Palaemonias alabamae</i>	\$2,100	\$0
Shrimp, Kentucky cave	<i>Palaemonias ganteri</i>	\$2,100	\$0
Shrimp, Squirrel Chimney Cave	<i>Palaemonetes cummingi</i>	\$2,100	\$0
Crustaceans Total		\$13,457	\$0
Flowering Plants			
Amaranth, seabeach	<i>Amaranthus pumilus</i>	\$2,100	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Amphianthus, little	<i>Amphianthus pusillus</i>	\$2,100	\$0
Arrowhead, bunched	<i>Sagittaria fasciculata</i>	\$2,100	\$0
Aster, decurrent false	<i>Boltonia decurrens</i>	\$857	\$0
Aster, Florida golden	<i>Chrysopsis floridana</i>	\$400	\$0
Aster, Ruth's golden	<i>Pityopsis ruthii</i>	\$400	\$0
Avens, spreading	<i>Geum radiatum</i>	\$400	\$0
Bariaco	<i>Trichilia triacantha</i>	\$400	\$0
Beauty, Harper's	<i>Harperocallis flava</i>	\$400	\$0
Birds-in-a-nest, white	<i>Macbridea alba</i>	\$400	\$0
Bittercress, small-anthered	<i>Cardamine micranthera</i>	\$400	\$0
Bladderpod, lyrate	<i>Lesquerella lyrata</i>	\$400	\$0
Bladderpod, Spring Creek	<i>Lesquerella perforata</i>	\$2,100	\$0
Blazingstar, Heller's	<i>Liatis helleri</i>	\$400	\$0
Blazingstar, scrub	<i>Liatis ohlingerae</i>	\$400	\$0
Bush-clover, prairie	<i>Lespedeza leptostachya</i>	\$952	\$0
Butterwort, Godfrey's	<i>Pinguicula ionantha</i>	\$400	\$0
Button, Mohr's Barbara	<i>Marshallia mohrii</i>	\$400	\$0
Cactus, San Rafael	<i>Pediocactus despainii</i>	\$28	\$0
Cactus, Uinta Basin hookless	<i>Sclerocactus glaucus</i>	\$6	\$0
Cactus, Winkler	<i>Pediocactus winkleri</i>	\$28	\$0
Cactus, Wright fishhook	<i>Sclerocactus wrightiae</i>	\$28	\$0
Campion, fringed	<i>Silene polypetala</i>	\$400	\$0
Capa rosa	<i>Callicarpa ampla</i>	\$400	\$0
Catchfly, Spalding's	<i>Silene spaldingii</i>	\$83	\$0
Coneflower, smooth	<i>Echinacea laevigata</i>	\$400	\$0
Coneflower, Tennessee purple	<i>Echinacea tennesseensis</i>	\$400	\$0
Cycladenia, Jones	<i>Cycladenia jonesii (=humilis)</i>	\$28	\$0
Daisy, lakeside	<i>Hymenoxys herbacea</i>	\$2,047	\$0
Daisy, Maguire	<i>Erigeron maguirei</i>	\$28	\$0
Dropwort, Canby's	<i>Oxypolis canbyi</i>	\$2,100	\$0
Gooseberry, Miccosukee	<i>Ribes echinellum</i>	\$400	\$0
Gourd, Okeechobee	<i>Cucurbita okeechobeensis ssp. okeechobeensis</i>	\$400	\$0
Grass, Tennessee yellow-eyed	<i>Xyris tennesseensis</i>	\$800	\$0
Ground-plum, Guthrie's (=Pyne's)	<i>Astragalus bibullatus</i>	\$400	\$0
Heartleaf, dwarf-flowered	<i>Hexastylis naniflora</i>	\$400	\$0
Heather, mountain golden	<i>Hudsonia montana</i>	\$400	\$0
Howellia, water	<i>Howellia aquatilis</i>	\$46	\$0
Irisette, white	<i>Sisyrinchium dichotomum</i>	\$400	\$0
Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>	\$387	\$0
Lead-plant, Crenulate	<i>Amorpha crenulata</i>	\$800	\$0
Leather flower, Alabama	<i>Clematis socialis</i>	\$400	\$0
Leather flower, Morefield's	<i>Clematis morefieldii</i>	\$400	\$0
Loosestrife, rough-leaved	<i>Lysimachia asperulaefolia</i>	\$2,100	\$0
Meadowrue, Cooley's	<i>Thalictrum cooleyi</i>	\$400	\$0
Milk-vetch, Deseret	<i>Astragalus desereticus</i>	\$83	\$0
Mustard, Penland alpine fen	<i>Eutrema penlandii</i>	\$34	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
No common name	<i>Ilex sintenisii</i>	\$400	\$0
Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>	\$4,903	\$0
Orchid, western prairie fringed	<i>Platanthera praeclara</i>	\$73	\$0
Pawpaw, four-petal	<i>Asimina tetramera</i>	\$2,100	\$0
Penstemon, blowout	<i>Penstemon haydenii</i>	\$28	\$0
Phacelia, clay	<i>Phacelia argillacea</i>	\$83	\$0
Phacelia, North Park	<i>Phacelia formosula</i>	\$6	\$0
Pitcher-plant, Alabama canebrake	<i>Sarracenia rubra alabamensis</i>	\$400	\$0
Pitcher-plant, green	<i>Sarracenia oreophila</i>	\$800	\$0
Pitcher-plant, mountain sweet	<i>Sarracenia rubra ssp. jonesii</i>	\$400	\$0
Pogonia, small whorled	<i>Isotria medeoloides</i>	\$857	\$0
Pondberry	<i>Lindera melissifolia</i>	\$2,100	\$0
Prairie-clover, leafy	<i>Dalea foliosa</i>	\$4,903	\$0
Reed-mustard, Barneby	<i>Schoenocrambe barnebyi</i>	\$28	\$0
Sedge, golden	<i>Carex lutea</i>	\$2,100	\$0
Skullcap, Florida	<i>Scutellaria floridana</i>	\$800	\$0
Skullcap, large-flowered	<i>Scutellaria montana</i>	\$800	\$0
Snakeroot	<i>Eryngium cuneifolium</i>	\$2,100	\$0
Sunflower, Schweinitz's	<i>Helianthus schweinitzii</i>	\$800	\$0
Thistle, Pitcher's	<i>Cirsium pitcheri</i>	\$762	\$0
Townsendia, Last Chance	<i>Townsendia aprica</i>	\$28	\$0
Trillium, persistent	<i>Trillium persistens</i>	\$400	\$0
Trillium, relict	<i>Trillium reliquum</i>	\$400	\$0
Water-plantain, Kral's	<i>Sagittaria secundifolia</i>	\$2,100	\$0
Water-willow, Cooley's	<i>Justicia cooleyi</i>	\$2,100	\$0
Whitlow-wort, papery	<i>Paronychia chartacea</i>	\$400	\$0
Yellowhead, desert	<i>Yermo xanthocephalus</i>	\$28	\$0
Flowering Plants Total		\$58,734	\$0
Ferns and Allies			
Quillwort, black spored	<i>Isoetes melanospora</i>	\$800	\$0
Quillwort, Louisiana	<i>Isoetes louisianensis</i>	\$2,100	\$0
Quillwort, mat-forming	<i>Isoetes tegetiformans</i>	\$400	\$0
Ferns and Allies Total		\$3,300	\$0
Lichens			
Cladonia, Florida perforate	<i>Cladonia perforata</i>	\$400	\$0
Lichens Total		\$400	\$0
Other ESA Expenses not including Foreign Species			
Other ESA Expenses not including Foreign Species		\$3,809,385	\$0
Expenses from Foreign Species		\$0	\$0
Total Other ESA Expenses		\$3,809,385	\$0
All Species Total		\$4,691,548	\$0

Environmental Protection Agency FY06

Common Name	Scientific Name	General Expenditures	Land Expenditures
Mammals			
Bat, gray	<i>Myotis grisescens</i>	\$4,154	\$0
Bat, Indiana	<i>Myotis sodalis</i>	\$29,637	\$0
Bear, grizzly, lower 48 States, except where listed as an experimental population or delisted	<i>Ursus arctos horribilis</i>	\$60	\$0
Ferret, black-footed entire population, except where EXPN	<i>Mustela nigripes</i>	\$152	\$0
Lynx, Canada, lower 48 States DPS	<i>Lynx canadensis</i>	\$174	\$0
Manatee, West Indian	<i>Trichechus manatus</i>	\$4,154	\$0
Mouse, Alabama beach	<i>Peromyscus polionotus ammobates</i>	\$830	\$0
Mouse, Key Largo cotton	<i>Peromyscus gossypinus allapaticola</i>	\$2,078	\$0
Mouse, Perdido Key beach	<i>Peromyscus polionotus trissyllepsis</i>	\$2,077	\$0
Mouse, Preble's meadow jumping, Colorado	<i>Zapus hudsonius preblei</i>	\$30	\$0
Mouse, southeastern beach	<i>Peromyscus polionotus niveiventris</i>	\$831	\$0
Otter, southern sea, except where EXPN	<i>Enhydra lutris nereis</i>	\$2,720	\$0
Panther, Florida	<i>Puma (=Felis) concolor coryi</i>	\$4,154	\$0
Prairie dog, Utah	<i>Cynomys parvidens</i>	\$60	\$0
Rabbit, Lower Keys marsh	<i>Sylvilagus palustris hefneri</i>	\$2,077	\$0
Rice rat, lower FL Keys	<i>Oryzomys palustris natator</i>	\$2,077	\$0
Vole, Florida salt marsh	<i>Microtus pennsylvanicus dukecampbelli</i>	\$4,154	\$0
Whale, blue	<i>Balaenoptera musculus</i>	\$2,077	\$0
Whale, bowhead	<i>Balaena mysticetus</i>	\$2,077	\$0
Whale, finback	<i>Balaenoptera physalus</i>	\$2,077	\$0
Whale, humpback	<i>Megaptera novaeangliae</i>	\$2,077	\$0
Whale, right	<i>Balaena glacialis (incl. australis)</i>	\$4,154	\$0
Whale, sperm	<i>Physeter catodon (=macrocephalus)</i>	\$2,077	\$0
Wolf, gray, Lower 48 States, except where delisted and where EXPN. Mexico.	<i>Canis lupus</i>	\$127	\$0
Wolf, red, except where EXPN	<i>Canis rufus</i>	\$415	\$0
Woodrat, Key Largo	<i>Neotoma floridana smalli</i>	\$831	\$0
Mammals Total		\$75,331	\$0
Birds			
Caracara, Audubon's crested, FL pop.	<i>Polyborus plancus audubonii</i>	\$831	\$0
Condor, California, U.S.A. only	<i>Gymnogyps californianus</i>	\$36	\$0
Crane, Mississippi sandhill	<i>Grus canadensis pulla</i>	\$2,077	\$0
Crane, whooping U.S.A.(AL, AR, GA, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, OH, SC, TN, VA, WI, WV)	<i>Grus americana</i>	\$3,061	\$0
Eagle, bald, lower 48 States	<i>Haliaeetus leucocephalus</i>	\$21,974	\$0
Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	\$161	\$0
Jay, Florida scrub	<i>Aphelocoma coerulescens</i>	\$831	\$0
Kite, Everglade snail, FL pop.	<i>Rostrhamus sociabilis plumbeus</i>	\$4,154	\$0
Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	\$142	\$0
Pelican, brown, except U.S. Atlantic coast, FL, AL	<i>Pelecanus occidentalis</i>	\$5,754	\$0
Plover, piping, Great Lakes watershed	<i>Charadrius melodus</i>	\$5,705	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Sparrow, Cape Sable seaside	<i>Ammodramus maritimus mirabilis</i>	\$4,154	\$0
Sparrow, Florida grasshopper	<i>Ammodramus savannarum floridanus</i>	\$415	\$0
Stork, wood, AL, FL, GA, SC	<i>Mycteria americana</i>	\$4,154	\$0
Tern, least, interior pop.	<i>Sterna antillarum</i>	\$2,688	\$0
Tern, roseate, northeast U.S. nesting pop.	<i>Sterna dougallii dougallii</i>	\$831	\$0
Warbler (=wood), Bachman's	<i>Vermivora bachmanii</i>	\$415	\$0
Woodpecker, red-cockaded	<i>Picoides borealis</i>	\$2,077	\$0
Birds Total		\$59,460	\$0
Reptiles			
Alligator, American	<i>Alligator mississippiensis</i>	\$416	\$0
Boa, Puerto Rican	<i>Epicrates inornatus</i>	\$74	\$0
Crocodile, American, FL pop.	<i>Crocodylus acutus</i>	\$2,077	\$0
Sea turtle, green, except where endangered	<i>Chelonia mydas</i>	\$21,654	\$0
Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	\$4,154	\$0
Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>	\$21,654	\$0
Sea turtle, leatherback	<i>Dermochelys coriacea</i>	\$21,654	\$0
Sea turtle, loggerhead	<i>Caretta caretta</i>	\$21,654	\$0
Sea turtle, olive ridley, except where endangered	<i>Lepidochelys olivacea</i>	\$4,154	\$0
Skink, bluetail mole	<i>Eumeces egregius lividus</i>	\$416	\$0
Skink, sand	<i>Neoseps reynoldsi</i>	\$416	\$0
Snake, Atlantic salt marsh	<i>Nerodia clarkii taeniata</i>	\$2,077	\$0
Snake, eastern indigo	<i>Drymarchon corais couperi</i>	\$4,154	\$0
Tortoise, desert outside/taken from Sonoran Desert	<i>Gopherus agassizii</i>	\$6	\$0
Tortoise, gopher, W of Mobile/Tombigbee Rs.	<i>Gopherus polyphemus</i>	\$4,154	\$0
Turtle, Alabama red-belly	<i>Pseudemys alabamensis</i>	\$4,154	\$0
Turtle, bog (=Muhlenberg), northern	<i>Clemmys muhlenbergii</i>	\$2,559	\$0
Turtle, flattened musk, species range clarified	<i>Sternotherus depressus</i>	\$4,154	\$0
Turtle, ringed map	<i>Graptemys oculifera</i>	\$4,154	\$0
Turtle, yellow-blotched map	<i>Graptemys flavimaculata</i>	\$4,154	\$0
Reptiles Total		\$127,889	\$0
Amphibians			
Frog, California red-legged subspecies range clarified	<i>Rana aurora draytonii</i>	\$615,000	\$0
Frog, Mississippi gopher, Wherever found west of Mobile and Tombigbee Rivers in AL, MS, and LA	<i>Rana capito sevosa</i>	\$2,077	\$0
Salamander, Barton Springs	<i>Eurycea sosorum</i>	\$10,600	\$0
Salamander, flatwoods	<i>Ambystoma cingulatum</i>	\$416	\$0
Salamander, Red Hills	<i>Phaeognathus hubrichti</i>	\$416	\$0
Toad, Wyoming	<i>Bufo baxteri (=hemiophrys)</i>	\$60	\$0
Amphibians Total		\$628,569	\$0
Fishes			
Cavefish, Alabama	<i>Speoplatyrhinus poulsoni</i>	\$831	\$0
Chub, bonytail, entire	<i>Gila elegans</i>	\$167	\$0
Chub, humpback, entire	<i>Gila cypha</i>	\$167	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Chub, slender	<i>Erimystax cahni</i>	\$831	\$0
Chub, spotfin, entire	<i>Erimonax monachus</i>	\$831	\$0
Chub, Virgin River	<i>Gila seminuda (=robusta)</i>	\$36	\$0
Dace, blackside	<i>Phoxinus cumberlandensis</i>	\$4,154	\$0
Dace, Kendall Warm Springs	<i>Rhinichthys osculus thermalis</i>	\$60	\$0
Darter, amber	<i>Percina antesella</i>	\$2,077	\$0
Darter, bayou	<i>Etheostoma rubrum</i>	\$831	\$0
Darter, bluemask (=jewel)	<i>Etheostoma sp.</i>	\$831	\$0
Darter, boulder	<i>Etheostoma wapiti</i>	\$4,154	\$0
Darter, Cherokee	<i>Etheostoma scotti</i>	\$2,077	\$0
Darter, duskytail, entire	<i>Etheostoma percnum</i>	\$328	\$0
Darter, duskytail, Tellico River, TN	<i>Etheostoma percnum</i>	\$831	\$0
Darter, Etowah	<i>Etheostoma etowahae</i>	\$2,077	\$0
Darter, goldline	<i>Percina aurolineata</i>	\$4,154	\$0
Darter, Okaloosa	<i>Etheostoma okaloosae</i>	\$2,077	\$0
Darter, relict	<i>Etheostoma chienense</i>	\$2,077	\$0
Darter, slackwater	<i>Etheostoma boschungii</i>	\$4,154	\$0
Darter, snail	<i>Percina tanasi</i>	\$2,077	\$0
Darter, vermilion	<i>Etheostoma chermocki</i>	\$2,077	\$0
Darter, watercress	<i>Etheostoma nuchale</i>	\$2,077	\$0
Logperch, Conasauga	<i>Percina jenkinsi</i>	\$2,077	\$0
Madtom, pygmy	<i>Noturus stanauli</i>	\$831	\$0
Madtom, smoky, entire	<i>Noturus baileyi</i>	\$831	\$0
Madtom, yellowfin, Holston River, VA, TN	<i>Noturus flavipinnis</i>	\$831	\$0
Madtom, yellowfin, Tellico River, TN	<i>Noturus flavipinnis</i>	\$831	\$0
Minnnow, Rio Grande silvery	<i>Hybognathus amarus</i>	\$9,250	\$0
Pikeminnow (=squawfish), Colorado except Salt and Verde R. drainages, AZ	<i>Ptychocheilus lucius</i>	\$167	\$0
Salmon, Atlantic Gulf of Maine Atlantic Salmon DPS	<i>Salmo salar</i>	\$4,898	\$0
Salmon, chinook, fall Snake R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$2,000	\$0
Salmon, chinook, spring/summer Snake R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$2,000	\$0
Salmon, chinook, winter Sacramento R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$2,000	\$0
Salmon, chinook, Puget Sound	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$2,000	\$0
Salmon, chinook, lower Columbia R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$2,000	\$0
Salmon, chinook, upper Willamette R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$2,000	\$0
Salmon, chinook, spring upper Columbia R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$2,000	\$0
Salmon, chinook, CA Central Valley spring-run	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$2,000	\$0
Salmon, chinook, CA coastal	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$2,000	\$0
Salmon, chum, Columbia R.	<i>Oncorhynchus (=Salmo) keta</i>	\$2,000	\$0
Salmon, chum, summer-run Hood Canal	<i>Oncorhynchus (=Salmo) keta</i>	\$2,000	\$0
Salmon, coho, central CA coast	<i>Oncorhynchus (=Salmo) kisutch</i>	\$2,000	\$0
Salmon, coho, OR, CA pop.	<i>Oncorhynchus (=Salmo) kisutch</i>	\$4,000	\$0
Salmon, sockeye U.S.A. (Snake River, ID stock wherever found.)	<i>Oncorhynchus (=Salmo) nerka</i>	\$2,000	\$0
Salmon, sockeye, U.S.A. (Ozette Lake, WA)	<i>Oncorhynchus (=Salmo) nerka</i>	\$2,000	\$0
Sawfish, smalltooth	<i>Pristis pectinata</i>	\$4,154	\$0
Sculpin, pygmy	<i>Cottus paulus (=pygmaeus)</i>	\$2,077	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Shiner, blue	<i>Cyprinella caerulea</i>	\$2,077	\$0
Shiner, Cahaba	<i>Notropis cahabae</i>	\$4,154	\$0
Shiner, Cape Fear	<i>Notropis mekistocholas</i>	\$4,154	\$0
Shiner, palezone	<i>Notropis albizonatus</i>	\$2,077	\$0
Shiner, Pecos bluntnose	<i>Notropis simus pecosensis</i>	\$9,250	\$0
Shiner, Topeka	<i>Notropis topeka (=tristis)</i>	\$2,738	\$0
Silverside, Waccamaw	<i>Menidia extensa</i>	\$2,077	\$0
Steelhead, Central Valley CA	<i>Oncorhynchus (=Salmo) mykiss</i>	\$2,000	\$0
Steelhead, Snake R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$2,000	\$0
Steelhead, central CA coast	<i>Oncorhynchus (=Salmo) mykiss</i>	\$2,000	\$0
Steelhead, lower Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$2,000	\$0
Steelhead, south central CA coast	<i>Oncorhynchus (=Salmo) mykiss</i>	\$2,000	\$0
Steelhead, southern CA coast	<i>Oncorhynchus (=Salmo) mykiss</i>	\$2,000	\$0
Steelhead, upper Columbia R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$2,000	\$0
Steelhead, upper Willamette R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$2,000	\$0
Steelhead, middle Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$2,000	\$0
Steelhead, northern CA	<i>Oncorhynchus (=Salmo) mykiss</i>	\$2,000	\$0
Sturgeon, Alabama	<i>Scaphirhynchus suttkusi</i>	\$21,654	\$0
Sturgeon, gulf	<i>Acipenser oxyrinchus desotoi</i>	\$4,154	\$0
Sturgeon, pallid	<i>Scaphirhynchus albus</i>	\$4,394	\$0
Sturgeon, shortnose	<i>Acipenser brevirostrum</i>	\$21,374	\$0
Sturgeon, white U.S.A. (ID, MT), Canada (B.C.), Kootenai R. system	<i>Acipenser transmontanus</i>	\$36	\$0
Sucker, June	<i>Chasmistes liorus</i>	\$30	\$0
Sucker, razorback, entire	<i>Xyrauchen texanus</i>	\$167	\$0
Trout, bull U.S.A., conterminous, lower 48 states	<i>Salvelinus confluentus</i>	\$142	\$0
Trout, greenback cutthroat	<i>Oncorhynchus clarki stomias</i>	\$6	\$0
Trout, Lahontan cutthroat	<i>Oncorhynchus clarki henshawi</i>	\$30	\$0
Woundfin, except Gila R. drainage, AZ, NM	<i>Plagopterus argentissimus</i>	\$30	\$0
Woundfin, Gila R. drainage, AZ, NM	<i>Plagopterus argentissimus</i>	\$6	\$0
Fishes Total		\$195,473	\$0
Clams			
Acornshell, southern	<i>Epioblasma othcaloogensis</i>	\$2,077	\$0
Bankclimber, purple (mussel)	<i>Elliptoideus sloatianus</i>	\$2,077	\$0
Bean, Cumberland (pearlymussel), Entire Range; Except where listed as Experimental Populations	<i>Villosa trabalis</i>	\$2,077	\$0
Blossom, green (pearlymussel)	<i>Epioblasma torulosa gubernaculum</i>	\$2,077	\$0
Blossom, tubercled (pearlymussel), Entire Range; Except where listed as Experimental Populations	<i>Epioblasma torulosa torulosa</i>	\$2,077	\$0
Blossom, turgid (pearlymussel), Entire Range; Except where listed as Experimental Populations	<i>Epioblasma turgidula</i>	\$2,077	\$0
Blossom, yellow (pearlymussel), Entire Range; Except where listed as Experimental Populations	<i>Epioblasma florentina florentina</i>	\$2,077	\$0
Catspaw, white (pearlymussel)	<i>Epioblasma obliquata perobliqua</i>	\$2,077	\$0
Clubshell, Entire Range; Except where listed as Experimental Populations	<i>Pleurobema clava</i>	\$2,077	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Clubshell, black	<i>Pleurobema curtum</i>	\$2,077	\$0
Clubshell, ovate	<i>Pleurobema perovatum</i>	\$17,577	\$0
Clubshell, southern	<i>Pleurobema decisum</i>	\$17,577	\$0
Combshell, Cumberlandian, Entire Range; Except where listed as Experimental Populations	<i>Epioblasma brevidens</i>	\$2,077	\$0
Combshell, southern	<i>Epioblasma penita</i>	\$2,077	\$0
Combshell, upland	<i>Epioblasma metastrata</i>	\$2,077	\$0
Elktoe, Appalachian	<i>Alasmidonta raveneliana</i>	\$2,077	\$0
Elktoe, Cumberland	<i>Alasmidonta atropurpurea</i>	\$2,077	\$0
Fanshell	<i>Cyprogenia stegaria</i>	\$2,077	\$0
Fatmucket, Arkansas	<i>Lampsilis powelli</i>	\$2,077	\$0
Heelsplitter, Alabama (=inflated)	<i>Potamilus inflatus</i>	\$2,077	\$0
Heelsplitter, Carolina	<i>Lasmigona decorata</i>	\$2,077	\$0
Higgins eye (pearlymussel)	<i>Lampsilis higginsii</i>	\$2,531	\$0
Kidneyshell, triangular	<i>Ptychobranhus greenii</i>	\$2,077	\$0
Lampmussel, Alabama, Entire Range; Except where listed as Experimental Populations	<i>Lampsilis virescens</i>	\$2,077	\$0
Lilliput, pale (pearlymussel)	<i>Toxolasma cylindrellus</i>	\$2,077	\$0
Mapleleaf, winged, Entire; except where listed as experimental populations	<i>Quadrula fragosa</i>	\$2,077	\$0
Moccasinshell, Alabama	<i>Medionidus acutissimus</i>	\$2,077	\$0
Moccasinshell, Coosa	<i>Medionidus parvulus</i>	\$2,077	\$0
Moccasinshell, Gulf	<i>Medionidus penicillatus</i>	\$2,077	\$0
Moccasinshell, Ochlockonee	<i>Medionidus simpsonianus</i>	\$2,077	\$0
Monkeyface, Cumberland (pearlymussel), Entire Range; Except where listed as Experimental Populations	<i>Quadrula intermedia</i>	\$2,077	\$0
Mucket, orangenacre	<i>Lampsilis perovalis</i>	\$2,077	\$0
Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>	\$17,823	\$0
Mussel, oyster, Entire Range; Except where listed as Experimental Populations	<i>Epioblasma capsaeformis</i>	\$53,773	\$0
Mussel, scaleshell	<i>Leptodea leptodon</i>	\$2,077	\$0
Pearlshell, Louisiana	<i>Margaritifera hembeli</i>	\$2,077	\$0
Pearlymussel, birdwing, Entire Range; Except where listed as Experimental Populations	<i>Conradilla caelata</i>	\$2,077	\$0
Pearlymussel, cracking, Entire Range; Except where listed as Experimental Populations	<i>Hemistena lata</i>	\$2,077	\$0
Pearlymussel, Curtis	<i>Epioblasma florentina curtisii</i>	\$2,077	\$0
Pearlymussel, dromedary, Entire Range; Except where listed as Experimental Populations	<i>Dromus dromas</i>	\$2,077	\$0
Pearlymussel, littlewing	<i>Pegias fabula</i>	\$2,077	\$0
Pigtoe, Cumberland	<i>Pleurobema gibberum</i>	\$2,077	\$0
Pigtoe, dark	<i>Pleurobema furvum</i>	\$2,077	\$0
Pigtoe, finerayed, Entire Range; Except where listed as Experimental Populations	<i>Fusconaia cuneolus</i>	\$2,077	\$0
Pigtoe, flat	<i>Pleurobema marshalli</i>	\$2,077	\$0
Pigtoe, heavy	<i>Pleurobema taitianum</i>	\$2,077	\$0
Pigtoe, oval	<i>Pleurobema pyriforme</i>	\$2,077	\$0
Pigtoe, rough	<i>Pleurobema plenum</i>	\$2,077	\$0
Pigtoe, shiny, Entire Range; Except where listed as Experimental Populations	<i>Fusconaia cor</i>	\$17,577	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Pigtoe, southern	<i>Pleurobema georgianum</i>	\$2,077	\$0
Pimpleback, orangefoot (pearlymussel)	<i>Plethobasus cooperianus</i>	\$2,077	\$0
Pocketbook, fat	<i>Potamilus capax</i>	\$2,077	\$0
Pocketbook, finelined	<i>Lampsilis altilis</i>	\$2,077	\$0
Pocketbook, shinyrayed	<i>Lampsilis subangulata</i>	\$2,077	\$0
Pocketbook, speckled	<i>Lampsilis streckeri</i>	\$2,077	\$0
Riffleshell, tan	<i>Epioblasma florentina walkeri</i> (=E. walkeri)	\$2,077	\$0
Ring pink (mussel)	<i>Obovaria retusa</i>	\$2,077	\$0
Slabshell, Chipola	<i>Elliptio chipolaensis</i>	\$2,077	\$0
Spinymussel, Tar River	<i>Elliptio steinstansana</i>	\$2,077	\$0
Stirrupshell	<i>Quadrula stapes</i>	\$17,577	\$0
Three-ridge, fat (mussel)	<i>Amblema neislerii</i>	\$2,077	\$0
Wartyback, white (pearlymussel)	<i>Plethobasus cicatricosus</i>	\$2,077	\$0
Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>	\$18,826	\$0
Clams Total		\$277,496	\$0
Snails			
Ambersnail, Kanab	<i>Oxyloma haydeni kanabensis</i>	\$30	\$0
Campeloma, slender	<i>Campeloma decampi</i>	\$2,077	\$0
Elimia, lacy (snail)	<i>Elimia crenatella</i>	\$2,077	\$0
Lioplax, cylindrical (snail)	<i>Lioplax cyclostomaformis</i>	\$2,077	\$0
Marstonia, royal (snail)	<i>Pyrgulopsis ogmorhappe</i>	\$2,077	\$0
Pebblesnail, flat	<i>Lepyrium showalteri</i>	\$2,077	\$0
Riversnail, Anthony's, Entire Range; Except where listed as Experimental Populations	<i>Athearnia anthonyi</i>	\$2,077	\$0
Rocksnailed, painted	<i>Leptoxis taeniata</i>	\$2,077	\$0
Rocksnailed, plicate	<i>Leptoxis plicata</i>	\$2,077	\$0
Rocksnailed, round	<i>Leptoxis ampla</i>	\$2,077	\$0
Snail, armored	<i>Pyrgulopsis</i> (=Marstonia) <i>pachyta</i>	\$416	\$0
Snail, noonday	<i>Mesodon clarki nantahala</i>	\$416	\$0
Snail, painted snake coiled forest	<i>Anguispira picta</i>	\$416	\$0
Snail, Stock Island tree	<i>Orthalicus reses</i> (not incl. <i>nesodryas</i>)	\$416	\$0
Snail, tulotoma	<i>Tulotoma magnifica</i>	\$2,077	\$0
Snail, Utah valvata	<i>Valvata utahensis</i>	\$15	\$0
Snails Total		\$22,479	\$0
Insects			
Beetle, American burying	<i>Nicrophorus americanus</i>	\$36	\$0
Beetle, Comal Springs riffle	<i>Heterelmis comalensis</i>	\$6	\$0
Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>	\$7,971	\$0
Butterfly, Mitchell's satyr	<i>Neonympha mitchellii mitchellii</i>	\$3,813	\$0
Butterfly, Saint Francis' satyr	<i>Neonympha mitchellii francisci</i>	\$831	\$0
Butterfly, Schaus swallowtail	<i>Heraclides aristodemus ponceanus</i>	\$2,077	\$0
Butterfly, Uncompahgre fritillary	<i>Boloria acrocneuma</i>	\$6	\$0
Dragonfly, Hine's emerald	<i>Somatochlora hineana</i>	\$244	\$0
Skipper, Pawnee montane	<i>Hesperia leonardus montana</i>	\$11	\$0
Insects Total		\$14,995	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Arachnids			
Spider, spruce-fir moss	<i>Microhexura montivaga</i>	\$416	\$0
Arachnids Total		\$416	\$0
Crustaceans			
Crayfish, cave	<i>Cambarus aculabrum</i>	\$2,077	\$0
Crayfish, cave	<i>Cambarus zophonastes</i>	\$2,077	\$0
Crayfish, Nashville	<i>Orconectes shoupi</i>	\$2,077	\$0
Shrimp, Alabama cave	<i>Palaemonias alabamiae</i>	\$2,077	\$0
Shrimp, Kentucky cave	<i>Palaemonias ganteri</i>	\$2,077	\$0
Shrimp, Squirrel Chimney Cave	<i>Palaemonetes cummingi</i>	\$2,077	\$0
Crustaceans Total		\$12,462	\$0
Flowering Plants			
Amaranth, seabeach	<i>Amaranthus pumilus</i>	\$2,077	\$0
Amphianthus, little	<i>Amphianthus pusillus</i>	\$2,077	\$0
Arrowhead, bunched	<i>Sagittaria fasciculata</i>	\$2,077	\$0
Aster, Florida golden	<i>Chrysopsis floridana</i>	\$416	\$0
Aster, Ruth's golden	<i>Pityopsis ruthii</i>	\$416	\$0
Avens, spreading	<i>Geum radiatum</i>	\$416	\$0
Bariaco	<i>Trichilia triacantha</i>	\$416	\$0
Beauty, Harper's	<i>Harperocallis flava</i>	\$416	\$0
Birds-in-a-nest, white	<i>Macbridea alba</i>	\$416	\$0
Bittercress, small-anthered	<i>Cardamine micranthera</i>	\$416	\$0
Bladderpod, Dudley Bluffs	<i>Lesquerella congesta</i>	\$30	\$0
Bladderpod, lyrate	<i>Lesquerella lyrata</i>	\$416	\$0
Bladderpod, Spring Creek	<i>Lesquerella perforata</i>	\$2,077	\$0
Blazingstar, Heller's	<i>Liatris helleri</i>	\$416	\$0
Blazingstar, scrub	<i>Liatris ohlingerae</i>	\$416	\$0
Buttercup, autumn	<i>Ranunculus aestivalis (=acriformis)</i>	\$60	\$0
Butterfly plant, Colorado	<i>Gaura neomexicana var. coloradensis</i>	\$6	\$0
Butterwort, Godfrey's	<i>Pinguicula ionantha</i>	\$416	\$0
Button, Mohr's Barbara	<i>Marshallia mohrii</i>	\$416	\$0
Cactus, San Rafael	<i>Pediocactus despainii</i>	\$6	\$0
Cactus, Siler pincushion	<i>Pediocactus (=Echinocactus,=Utahia) sileri</i>	\$6	\$0
Cactus, Uinta Basin hookless	<i>Sclerocactus glaucus</i>	\$101	\$0
Cactus, Winkler	<i>Pediocactus winkleri</i>	\$66	\$0
Cactus, Wright fishhook	<i>Sclerocactus wrightiae</i>	\$66	\$0
Campion, fringed	<i>Silene polypetala</i>	\$416	\$0
Capa rosa	<i>Callicarpa ampla</i>	\$416	\$0
Clover, Monterey	<i>Trifolium trichocalyx</i>	\$244	\$0
Coneflower, smooth	<i>Echinacea laevigata</i>	\$416	\$0
Coneflower, Tennessee purple	<i>Echinacea tennesseensis</i>	\$416	\$0
Cycladenia, Jones	<i>Cycladenia jonesii (=humilis)</i>	\$36	\$0
Daisy, lakeside	<i>Hymenoxys herbacea</i>	\$244	\$0
Daisy, Maguire	<i>Erigeron maguirei</i>	\$36	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Dropwort, Canby's	<i>Oxypolis canbyi</i>	\$2,077	\$0
Gooseberry, Miccosukee	<i>Ribes echinellum</i>	\$416	\$0
Gourd, Okeechobee	<i>Cucurbita okeechobeensis ssp. okeechobeensis</i>	\$416	\$0
Grass, Tennessee yellow-eyed	<i>Xyris tennesseensis</i>	\$831	\$0
Ground-plum, Guthrie's (=Pyne's)	<i>Astragalus bibullatus</i>	\$416	\$0
Heartleaf, dwarf-flowered	<i>Hexastylis naniflora</i>	\$416	\$0
Heather, mountain golden	<i>Hudsonia montana</i>	\$416	\$0
Howellia, water	<i>Howellia aquatilis</i>	\$30	\$0
Irisette, white	<i>Sisyrinchium dichotomum</i>	\$416	\$0
Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>	\$411	\$0
Lead-plant, Crenulate	<i>Amorpha crenulata</i>	\$831	\$0
Leather flower, Alabama	<i>Clematis socialis</i>	\$416	\$0
Leather flower, Morefield's	<i>Clematis morefieldii</i>	\$416	\$0
Loosestrife, rough-leaved	<i>Lysimachia asperulaefolia</i>	\$2,077	\$0
Meadowrue, Cooley's	<i>Thalictrum cooleyi</i>	\$416	\$0
Milk-vetch, heliotrope	<i>Astragalus montii</i>	\$90	\$0
Milk-vetch, Holmgren	<i>Astragalus holmgreniorum</i>	\$6	\$0
Milk-vetch, Shivwits	<i>Astragalus ampullarioides</i>	\$6	\$0
Mustard, Carter's	<i>Warea carteri</i>	\$180	\$0
No common name	<i>Ilex sintenisii</i>	\$416	\$0
Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>	\$602	\$0
Orchid, western prairie fringed	<i>Platanthera praeclara</i>	\$454	\$0
Pawpaw, four-petal	<i>Asimina tetramera</i>	\$2,077	\$0
Pink, swamp	<i>Helonias bullata</i>	\$705	\$0
Pitcher-plant, Alabama canebrake	<i>Sarracenia rubra alabamensis</i>	\$416	\$0
Pitcher-plant, green	<i>Sarracenia oreophila</i>	\$831	\$0
Pitcher-plant, mountain sweet	<i>Sarracenia rubra ssp. jonesii</i>	\$416	\$0
Pondberry	<i>Lindera melissifolia</i>	\$2,077	\$0
Poppy-mallow, Texas	<i>Callirhoe scabriuscula</i>	\$6	\$0
Primrose, Maguire	<i>Primula maguirei</i>	\$11	\$0
Reed-mustard, Barneby	<i>Schoenocrambe barnebyi</i>	\$6	\$0
Ridge-cress, Barneby	<i>Lepidium barnebyanum</i>	\$90	\$0
Rush-pea, slender	<i>Hoffmannseggia tenella</i>	\$408	\$0
Sedge, golden	<i>Carex lutea</i>	\$2,077	\$0
Sedge, Navajo	<i>Carex specuicola</i>	\$30	\$0
Skullcap, Florida	<i>Scutellaria floridana</i>	\$831	\$0
Skullcap, large-flowered	<i>Scutellaria montana</i>	\$831	\$0
Snakeroot	<i>Eryngium cuneifolium</i>	\$2,077	\$0
Sunflower, Schweinitz's	<i>Helianthus schweinitzii</i>	\$831	\$0
Thistle, Pitcher's	<i>Cirsium pitcheri</i>	\$781	\$0
Townsendia, Last Chance	<i>Townsendia aprica</i>	\$36	\$0
Trillium, persistent	<i>Trillium persistens</i>	\$416	\$0
Trillium, relict	<i>Trillium reliquum</i>	\$416	\$0
Twinpod, Dudley Bluffs	<i>Physaria obcordata</i>	\$30	\$0
Water-plantain, Kral's	<i>Sagittaria secundifolia</i>	\$2,077	\$0
Water-willow, Cooley's	<i>Justicia cooleyi</i>	\$2,077	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Whitlow-wort, papery	<i>Paronychia chartacea</i>	\$416	\$0
Flowering Plants Total		\$47,589	\$0
Lichens			
Cladonia, Florida perforate	<i>Cladonia perforata</i>	\$416	\$0
Lichen, rock gnome	<i>Gymnoderma lineare</i>	\$416	\$0
Lichens Total		\$832	\$0
Other ESA Expenses not including Foreign Species		\$2,531,129	\$0
Expenses from Foreign Species		\$0	\$0
Total Other ESA Expenses		\$2,531,129	\$0
All Species Total		\$3,994,120	\$0

Federal Energy Regulatory Commission FY05

Common Name	Scientific Name	General Expenditures	Land Expenditures
Mammals			
Bat, gray	<i>Myotis grisescens</i>	\$600	\$0
Bat, Indiana	<i>Myotis sodalis</i>	\$3,000	\$0
Bat, Virginia big-eared	<i>Corynorhinus (=Plecotus) townsendii virginianus</i>	\$500	\$0
Bear, grizzly, lower 48 States, except where listed as an experimental population or delisted	<i>Ursus arctos horribilis</i>	\$1,400	\$0
Bear, grizzly experimental, non-essential, portions of ID and MT	<i>Ursus arctos horribilis</i>	\$300	\$0
Bear, Louisiana black	<i>Ursus americanus luteolus</i>	\$200	\$0
Ferret, black-footed, U.S.A. (specific portions of AZ, CO, MT, SD, UT, and WY)	<i>Mustela nigripes</i>	\$800	\$0
Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>	\$300	\$0
Jaguarundi, Gulf Coast	<i>Herpailurus (=Felis) yagouaroundi cacomitti</i>	\$100	\$0
Kangaroo rat, Tipton	<i>Dipodomys nitratoides nitratoides</i>	\$100	\$0
Lynx, Canada, lower 48 States DPS	<i>Lynx canadensis</i>	\$400	\$0
Manatee, West Indian	<i>Trichechus manatus</i>	\$900	\$0
Mouse, Preble's meadow jumping, Colorado	<i>Zapus hudsonius preblei</i>	\$900	\$0
Panther, Florida	<i>Puma (=Felis) concolor coryi</i>	\$100	\$0
Puma (=mountain lion), FL	<i>Puma (=Felis) concolor (all subsp. except coryi)</i>	\$100	\$0
Rabbit, pygmy, Columbia Basin DPS	<i>Brachylagus idahoensis</i>	\$200	\$0
Whale, blue	<i>Balaenoptera musculus</i>	\$700	\$0
Whale, finback	<i>Balaenoptera physalus</i>	\$900	\$0
Whale, humpback	<i>Megaptera novaeangliae</i>	\$900	\$0
Whale, right	<i>Balaena glacialis (incl. australis)</i>	\$2,700	\$0
Whale, Sei	<i>Balaenoptera borealis</i>	\$800	\$0
Whale, sperm	<i>Physeter catodon (=macrocephalus)</i>	\$1,100	\$0
Wolf, gray, Lower 48 States, except where delisted and where EXPN. Mexico.	<i>Canis lupus</i>	\$1,100	\$0
Wolf, red, U.S.A. (portions of NC and TN)	<i>Canis rufus</i>	\$100	\$0
Mammals Total		\$18,200	\$0
Birds			
Condor, California, U.S.A. only	<i>Gymnogyps californianus</i>	\$400	\$0
Crane, Mississippi sandhill	<i>Grus canadensis pulla</i>	\$100	\$0
Crane, whooping, except where EXPN	<i>Grus americana</i>	\$500	\$0
Crane, whooping, U.S.A. (CO, ID, FL, NM, UT, and the western half of Wyoming)	<i>Grus americana</i>	\$500	\$0
Curlew, Eskimo	<i>Numenius borealis</i>	\$500	\$0
Eagle, bald, lower 48 States	<i>Haliaeetus leucocephalus</i>	\$17,000	\$0
Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	\$700	\$0
Jay, Florida scrub	<i>Aphelocoma coerulescens</i>	\$100	\$0
Kite, Everglade snail, FL pop.	<i>Rostrhamus sociabilis plumbeus</i>	\$100	\$0
Murrelet, marbled, CA, OR, WA	<i>Brachyramphus marmoratus</i>	\$400	\$0
Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	\$300	\$0
Owl, northern spotted	<i>Strix occidentalis caurina</i>	\$800	\$0
Pelican, brown, except US Atlantic coast, FL, AL	<i>Pelecanus occidentalis</i>	\$1,500	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Plover, piping, Great Lakes watershed	<i>Charadrius melodus</i>	\$2,000	\$0
Rail, Yuma clapper, U.S.A. only	<i>Rallus longirostris yumanensis</i>	\$100	\$0
Stork, wood, AL, FL, GA, SC	<i>Mycteria americana</i>	\$2,500	\$0
Tern, least, interior pop.	<i>Sterna antillarum</i>	\$700	\$0
Woodpecker, red-cockaded	<i>Picoides borealis</i>	\$3,500	\$0
Birds Total		\$31,700	\$0
Reptiles			
Alligator, American	<i>Alligator mississippiensis</i>	\$700	\$0
Crocodile, American, FL pop.	<i>Crocodylus acutus</i>	\$100	\$0
Lizard, blunt-nosed leopard	<i>Gambelia silus</i>	\$300	\$0
Sea turtle, green, FL, Mexico nesting pops.	<i>Chelonia mydas</i>	\$300	\$0
Sea turtle, green, except where endangered	<i>Chelonia mydas</i>	\$1,800	\$0
Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	\$1,600	\$0
Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>	\$3,000	\$0
Sea turtle, leatherback	<i>Dermochelys coriacea</i>	\$1,900	\$0
Sea turtle, loggerhead	<i>Caretta caretta</i>	\$2,000	\$0
Snake, eastern indigo	<i>Drymarchon corais couperi</i>	\$100	\$0
Tortoise, desert outside/taken from Sonoran Desert	<i>Gopherus agassizii</i>	\$300	\$0
Tortoise, gopher, W of Mobile/Tombigbee Rs.	<i>Gopherus polyphemus</i>	\$300	\$0
Turtle, bog (=Muhlenberg), northern	<i>Clemmys muhlenbergii</i>	\$700	\$0
Reptiles Total		\$13,100	\$0
Amphibians			
Frog, California red-legged subspecies range clarified	<i>Rana aurora draytonii</i>	\$1,400	\$0
Frog, mountain yellow-legged southern California DPS	<i>Rana muscosa</i>	\$400	\$0
Salamander, flatwoods	<i>Ambystoma cingulatum</i>	\$100	\$0
Salamander, Shenandoah	<i>Plethodon shenandoah</i>	\$100	\$0
Toad, arroyo (=arroyo southwestern)	<i>Bufo californicus (=microscaphus)</i>	\$3,500	\$0
Toad, Wyoming	<i>Bufo baxteri (=hemiophrys)</i>	\$200	\$0
Amphibians Total		\$5,700	\$0
Fishes			
Cavefish, Ozark	<i>Amblyopsis rosae</i>	\$100	\$0
Chub, bonytail, entire	<i>Gila elegans</i>	\$1,100	\$0
Chub, humpback, entire	<i>Gila cypha</i>	\$1,100	\$0
Chub, spotfin, entire	<i>Erimonax monachus</i>	\$400	\$0
Darter, Niangua	<i>Etheostoma nianguae</i>	\$100	\$0
Logperch, Roanoke	<i>Percina rex</i>	\$700	\$0
Pikeminnow (=squawfish), Colorado except Salt and Verde R. drainages, AZ	<i>Ptychocheilus lucius</i>	\$1,300	\$0
Salmon, Atlantic Gulf of Maine Atlantic Salmon DPS	<i>Salmo salar</i>	\$800	\$0
Salmon, chinook, fall Snake R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$300	\$0
Salmon, chinook, spring/summer Snake R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$13,500	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Salmon, chinook, Puget Sound	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$1,700	\$0
Salmon, chinook, lower Columbia R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$2,000	\$0
Salmon, chinook, upper Willamette R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$1,000	\$0
Salmon, chinook, CA Central Valley spring-run	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$19,000	\$0
Salmon, chinook, CA coastal	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$2,500	\$0
Salmon, chum, Columbia R.	<i>Oncorhynchus (=Salmo) keta</i>	\$300	\$0
Salmon, coho, Lower Columbia River	<i>Oncorhynchus (=Salmo) kisutch</i>	\$500	\$0
Salmon, sockeye U.S.A. (Snake River, ID stock wherever found.)	<i>Oncorhynchus (=Salmo) nerka</i>	\$300	\$0
Sawfish, smalltooth	<i>Pristis pectinata</i>	\$600	\$0
Steelhead, Central Valley CA	<i>Oncorhynchus (=Salmo) mykiss</i>	\$17,000	\$0
Steelhead, lower Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$900	\$0
Steelhead, upper Willamette R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$12,500	\$0
Steelhead, middle Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$1,300	\$0
Sturgeon, Alabama	<i>Scaphirhynchus suttkusi</i>	\$1,200	\$0
Sturgeon, gulf	<i>Acipenser oxyrinchus desotoi</i>	\$2,500	\$0
Sturgeon, pallid	<i>Scaphirhynchus albus</i>	\$500	\$0
Sturgeon, shortnose	<i>Acipenser brevirostrum</i>	\$7,000	\$0
Sucker, razorback, entire	<i>Xyrauchen texanus</i>	\$1,500	\$0
Trout, bull, U.S.A., conterminous, lower 48 states	<i>Salvelinus confluentus</i>	\$10,000	\$0
Fishes Total		\$101,700	\$0
Clams			
Bean, purple	<i>Villosa perpurpurea</i>	\$1,500	\$0
Elktoe, Appalachian	<i>Alasmidonta raveneliana</i>	\$400	\$0
Heelsplitter, Carolina	<i>Lasmigona decorata</i>	\$400	\$0
Higgins eye (pearlymussel)	<i>Lampsilis higginsii</i>	\$5,500	\$0
Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>	\$400	\$0
Mussel, scaleshell	<i>Leptodea leptodon</i>	\$400	\$0
Pearlymussel, littlewing	<i>Pegias fabula</i>	\$1,500	\$0
Pigtoe, shiny, Entire Range; Except where listed as Experimental Populations	<i>Fusconaia cor</i>	\$1,500	\$0
Pocketbook, fat	<i>Potamilus capax</i>	\$100	\$0
Rabbitsfoot, rough	<i>Quadrula cylindrica strigillata</i>	\$1,500	\$0
Riffleshell, tan	<i>Epioblasma florentina walkeri (=E. walkeri)</i>	\$3,500	\$0
Spinymussel, James	<i>Pleurobema collina</i>	\$100	\$0
Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>	\$100	\$0
Clams Total		\$16,900	\$0
Snails			
Snail, Bliss Rapids	<i>Taylorconcha serpenticola</i>	\$1,300	\$0
Snail, Snake River physa	<i>Physa natricina</i>	\$200	\$0
Snail, Utah valvata	<i>Valvata utahensis</i>	\$100	\$0
Springsnail, Idaho	<i>Pyrgulopsis idahoensis</i>	\$200	\$0
Snails Total		\$1,800	\$0
Insects			

Common Name	Scientific Name	General Expenditures	Land Expenditures
Beetle, American burying	<i>Nicrophorus americanus</i>	\$200	\$0
Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>	\$3,500	\$0
Tiger beetle, northeastern beach	<i>Cicindela dorsalis dorsalis</i>	\$100	\$0
Tiger beetle, Puritan	<i>Cicindela puritana</i>	\$200	\$0
Insects Total		\$4,000	\$0
Crustaceans			
Crayfish, Nashville	<i>Orconectes shoupi</i>	\$100	\$0
Crayfish, Shasta	<i>Pacifastacus fortis</i>	\$100	\$0
Isopod, Madison Cave	<i>Antrolana lira</i>	\$100	\$0
Crustaceans Total		\$300	\$0
Flowering Plants			
Agave, Arizona	<i>Agave arizonica</i>	\$200	\$0
Ambrosia, south Texas	<i>Ambrosia cheiranthifolia</i>	\$100	\$0
Aster, decurrent false	<i>Boltonia decurrens</i>	\$400	\$0
Avens, spreading	<i>Geum radiatum</i>	\$100	\$0
Bladderpod, Dudley Bluffs	<i>Lesquerella congesta</i>	\$700	\$0
Blazingstar, Heller's	<i>Liatris helleri</i>	\$100	\$0
Bulrush, Northeastern	<i>Scirpus ancistrochaetus</i>	\$400	\$0
Butterfly plant, Colorado	<i>Gaura neomexicana var. coloradensis</i>	\$400	\$0
Cactus, Bakersfield	<i>Opuntia treleasei</i>	\$600	\$0
Chaffseed, American	<i>Schwalbea americana</i>	\$600	\$0
Clarkia, Vine Hill	<i>Clarkia imbricata</i>	\$900	\$0
Clover, Monterey	<i>Trifolium trichocalyx</i>	\$200	\$0
Heartleaf, dwarf-flowered	<i>Hexastylis naniflora</i>	\$2,500	\$0
Heather, mountain golden	<i>Hudsonia montana</i>	\$100	\$0
Howellia, water	<i>Howellia aquatilis</i>	\$1,100	\$0
Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>	\$2,000	\$0
Milkweed, Mead's	<i>Asclepias meadii</i>	\$100	\$0
Paintbrush, golden	<i>Castilleja levisecta</i>	\$100	\$0
Penstemon, blowout	<i>Penstemon haydenii</i>	\$400	\$0
Pink, swamp	<i>Helonias bullata</i>	\$100	\$0
Pogonia, small whorled	<i>Isotria medeoloides</i>	\$100	\$0
Polygala, tiny	<i>Polygala smallii</i>	\$100	\$0
Pondberry	<i>Lindera melissifolia</i>	\$100	\$0
Rock-cress, shale barren	<i>Arabis serotina</i>	\$100	\$0
Rush-pea, slender	<i>Hoffmannseggia tenella</i>	\$100	\$0
Sandwort, Marsh	<i>Arenaria paludicola</i>	\$100	\$0
Seagrass, Johnson's	<i>Halophila johnsonii</i>	\$100	\$0
Sneezeweed, Virginia	<i>Helenium virginicum</i>	\$100	\$0
Spiraea, Virginia	<i>Spiraea virginiana</i>	\$400	\$0
Sumac, Michaux's	<i>Rhus michauxii</i>	\$100	\$0
Trillium, relict	<i>Trillium reliquum</i>	\$2,000	\$0
Twinpod, Dudley Bluffs	<i>Physaria obcordata</i>	\$1,000	\$0
Flowering Plants Total		\$15,400	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Expenses from Foreign Species		\$0	\$0
Total Other ESA Expenses		\$0	\$0
All Species Total		\$208,800	\$0

Federal Energy Regulatory Commission FY06

Common Name	Scientific Name	General Expenditures	Land Expenditures
Mammals			
Bat, gray	<i>Myotis grisescens</i>	\$500	\$0
Bat, Indiana	<i>Myotis sodalis</i>	\$2,200	\$0
Bat, lesser long-nosed	<i>Leptonycteris curasoae yerbabuenae</i>	\$700	\$0
Bat, Mexican long-nosed	<i>Leptonycteris nivalis</i>	\$700	\$0
Bat, Virginia big-eared	<i>Corynorhinus (=Plecotus) townsendii virginianus</i>	\$200	\$0
Bear, American black County range of LA b.bear	<i>Ursus americanus</i>	\$80	\$0
Bear, grizzly, lower 48 States, except where listed as an experimental population or delisted	<i>Ursus arctos horribilis</i>	\$1,000	\$0
Bear, grizzly, experimental, non-essential, portions of ID and MT	<i>Ursus arctos horribilis</i>	\$300	\$0
Bear, Louisiana black	<i>Ursus americanus luteolus</i>	\$800	\$0
Ferret, black-footed entire population, except where EXPN	<i>Mustela nigripes</i>	\$1,100	\$0
Jaguar	<i>Panthera onca</i>	\$700	\$0
Jaguarundi, Gulf Coast	<i>Herpailurus (=Felis) yagouaroundi cacomitti</i>	\$100	\$0
Kangaroo rat, Stephens'	<i>Dipodomys stephensi (incl. D. cascus)</i>	\$56	\$0
Lynx, Canada, lower 48 States DPS	<i>Lynx canadensis</i>	\$500	\$0
Manatee, West Indian	<i>Trichechus manatus</i>	\$2,000	\$0
Mouse, Preble's meadow jumping, Colorado	<i>Zapus hudsonius preblei</i>	\$200	\$0
Ocelot	<i>Leopardus (=Felis) pardalis</i>	\$80	\$0
Rabbit, riparian brush	<i>Sylvilagus bachmani riparius</i>	\$200	\$0
Squirrel, northern Idaho ground	<i>Spermophilus brunneus brunneus</i>	\$200	\$0
Whale, blue	<i>Balaenoptera musculus</i>	\$300	\$0
Whale, finback	<i>Balaenoptera physalus</i>	\$1,300	\$0
Whale, humpback	<i>Megaptera novaeangliae</i>	\$1,300	\$0
Whale, right	<i>Balaena glacialis (incl. australis)</i>	\$6,000	\$0
Whale, Sei	<i>Balaenoptera borealis</i>	\$1,600	\$0
Whale, sperm	<i>Physeter catodon (=macrocephalus)</i>	\$1,000	\$0
Wolf, gray, Lower 48 States, except where delisted and where EXPN. Mexico.	<i>Canis lupus</i>	\$1,800	\$0
Wolf, gray Mexican gray wolf, EXPN population	<i>Canis lupus</i>	\$700	\$0
Wolf, gray, Western Great Lakes DPS	<i>Canis lupus</i>	\$500	\$0
Mammals Total		\$26,116	\$0
Birds			
Caracara, Audubon's crested, FL pop.	<i>Polyborus plancus audubonii</i>	\$200	\$0
Crane, whooping, except where EXPN	<i>Grus americana</i>	\$400	\$0
Crane, whooping U.S.A.(AL, AR, GA, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, OH, SC, TN, VA, WI, WV)	<i>Grus americana</i>	\$110	\$0
Curlew, Eskimo	<i>Numenius borealis</i>	\$200	\$0
Eagle, bald, lower 48 States	<i>Haliaeetus leucocephalus</i>	\$20,000	\$0
Falcon, northern aplomado Southwestern population	<i>Falco femoralis septentrionalis</i>	\$700	\$0
Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	\$600	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Gnatcatcher, coastal California	<i>Poliophtila californica californica</i>	\$300	\$0
Jay, Florida scrub	<i>Aphelocoma coerulescens</i>	\$63	\$0
Murrelet, marbled, CA, OR, WA	<i>Brachyramphus marmoratus</i>	\$1,000	\$0
Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	\$300	\$0
Owl, northern spotted	<i>Strix occidentalis caurina</i>	\$200	\$0
Pelican, brown except U.S. Atlantic coast, FL, AL	<i>Pelecanus occidentalis</i>	\$1,300	\$0
Plover, piping except Great Lakes watershed	<i>Charadrius melodus</i>	\$1,200	\$0
Plover, western snowy, Pacific coastal pop.	<i>Charadrius alexandrinus nivosus</i>	\$22	\$0
Prairie-chicken, Attwater's greater	<i>Tympanuchus cupido attwateri</i>	\$80	\$0
Pygmy-owl, cactus ferruginous, AZ pop.	<i>Glaucidium brasilianum cactorum</i>	\$700	\$0
Rail, Yuma clapper, U.S.A. only	<i>Rallus longirostris yumanensis</i>	\$200	\$0
Stork, wood, AL, FL, GA, SC	<i>Mycteria americana</i>	\$300	\$0
Tern, least, interior pop.	<i>Sterna antillarum</i>	\$600	\$0
Vireo, least Bell's	<i>Vireo bellii pusillus</i>	\$600	\$0
Woodpecker, red-cockaded	<i>Picoides borealis</i>	\$5,300	\$0
Birds Total		\$34,375	\$0
Reptiles			
Alligator, American	<i>Alligator mississippiensis</i>	\$140	\$0
Rattlesnake, New Mexican ridge-nosed	<i>Crotalus willardi obscurus</i>	\$80	\$0
Sea turtle, green, FL, Mexico nesting pops.	<i>Chelonia mydas</i>	\$400	\$0
Sea turtle, green, except where endangered	<i>Chelonia mydas</i>	\$1,100	\$0
Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	\$1,400	\$0
Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>	\$3,000	\$0
Sea turtle, leatherback	<i>Dermochelys coriacea</i>	\$2,200	\$0
Sea turtle, loggerhead	<i>Caretta caretta</i>	\$2,200	\$0
Snake, eastern indigo	<i>Drymarchon corais couperi</i>	\$1,300	\$0
Tortoise, desert outside/taken from Sonoran Desert	<i>Gopherus agassizii</i>	\$500	\$0
Tortoise, desert U.S.A., except in Sonoran Desert	<i>Gopherus agassizii</i>	\$700	\$0
Tortoise, gopher, W of Mobile/Tombigbee Rs.	<i>Gopherus polyphemus</i>	\$700	\$0
Turtle, bog (=Muhlenberg), northern	<i>Clemmys muhlenbergii</i>	\$156	\$0
Turtle, ringed map	<i>Graptemys oculifera</i>	\$156	\$0
Turtle, yellow-blotched map	<i>Graptemys flavimaculata</i>	\$156	\$0
Reptiles Total		\$14,188	\$0
Amphibians			
Frog, California red-legged subspecies range clarified	<i>Rana aurora draytonii</i>	\$450	\$0
Frog, mountain yellow-legged southern California DPS	<i>Rana muscosa</i>	\$300	\$0
Salamander, flatwoods	<i>Ambystoma cingulatum</i>	\$400	\$0
Salamander, San Marcos	<i>Eurycea nana</i>	\$60	\$0
Salamander, Texas blind	<i>Typhlomolge rathbuni</i>	\$60	\$0
Toad, arroyo (=arroyo southwestern)	<i>Bufo californicus (=microscaphus)</i>	\$700	\$0
Amphibians Total		\$1,970	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Fishes			
Cavefish, Ozark	<i>Amblyopsis rosae</i>	\$100	\$0
Chub, bonytail, entire	<i>Gila elegans</i>	\$2,000	\$0
Chub, humpback, entire	<i>Gila cypha</i>	\$2,000	\$0
Chub, spotfin, entire	<i>Erimonax monachus</i>	\$30	\$0
Darter, bayou	<i>Etheostoma rubrum</i>	\$30	\$0
Darter, duskytail, entire	<i>Etheostoma percnurum</i>	\$30	\$0
Darter, fountain	<i>Etheostoma fonticola</i>	\$43	\$0
Gambusia, San Marcos	<i>Gambusia georgei</i>	\$74	\$0
Logperch, Roanoke	<i>Percina rex</i>	\$120	\$0
Madtom, Scioto	<i>Noturus trautmani</i>	\$20	\$0
Madtom, smoky, entire	<i>Noturus baileyi</i>	\$30	\$0
Madtom, yellowfin, except where EXPN	<i>Noturus flavipinnis</i>	\$30	\$0
Pikeminnow (=squawfish), Colorado except Salt and Verde R. drainages, AZ	<i>Ptychocheilus lucius</i>	\$2,000	\$0
Pupfish, desert	<i>Cyprinodon macularius</i>	\$40	\$0
Salmon, Atlantic Gulf of Maine Atlantic Salmon DPS	<i>Salmo salar</i>	\$300	\$0
Salmon, chinook, fall Snake R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$1,400	\$0
Salmon, chinook, spring/summer Snake R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$1,400	\$0
Salmon, chinook, Puget Sound	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$900	\$0
Salmon, chinook, lower Columbia R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$2,000	\$0
Salmon, chinook, upper Willamette R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$3,000	\$0
Salmon, chinook, spring upper Columbia R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$10,000	\$0
Salmon, chinook, CA Central Valley spring-run	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$200	\$0
Salmon, coho, OR, CA pop.	<i>Oncorhynchus (=Salmo) kisutch</i>	\$86	\$0
Salmon, coho, Lower Columbia River	<i>Oncorhynchus (=Salmo) kisutch</i>	\$1,900	\$0
Sawfish, smalltooth	<i>Pristis pectinata</i>	\$90	\$0
Shiner, Topeka	<i>Notropis topeka (=tristis)</i>	\$200	\$0
Steelhead, Central Valley CA	<i>Oncorhynchus (=Salmo) mykiss</i>	\$40	\$0
Steelhead, lower Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$2,000	\$0
Steelhead, upper Columbia R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$10,000	\$0
Sturgeon, gulf	<i>Acipenser oxyrinchus desotoi</i>	\$1,700	\$0
Sturgeon, pallid	<i>Scaphirhynchus albus</i>	\$500	\$0
Sturgeon, shortnose	<i>Acipenser brevirostrum</i>	\$3,000	\$0
Sucker, razorback, entire	<i>Xyrauchen texanus</i>	\$2,200	\$0
Trout, bull U.S.A., conterminous, lower 48 states	<i>Salvelinus confluentus</i>	\$20,000	\$0
Fishes Total		\$67,463	\$0
Clams			
Bankclimber, purple (mussel)	<i>Elliptoideus sloatianus</i>	\$300	\$0
Bean, purple	<i>Villosa perpurpurea</i>	\$900	\$0
Clubshell, Entire Range; Except where listed as Experimental Populations	<i>Pleurobema clava</i>	\$400	\$0
Clubshell, AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	<i>Pleurobema clava</i>	\$300	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Combshell, Cumberlandian, AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	<i>Epioblasma brevidens</i>	\$200	\$0
Fanshell	<i>Cyprogenia stegaria</i>	\$200	\$0
Heelsplitter, Alabama (=inflated)	<i>Potamilus inflatus</i>	\$30	\$0
Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>	\$110	\$0
Pearlymussel, dromedary, Entire Range; Except where listed as Experimental Populations	<i>Dromus dromas</i>	\$100	\$0
Pigtoe, rough	<i>Pleurobema plenum</i>	\$42	\$0
Pigtoe, shiny, Entire Range; Except where listed as Experimental Populations	<i>Fusconaia cor</i>	\$200	\$0
Pocketbook, fat	<i>Potamilus capax</i>	\$41	\$0
Pocketbook, Ouachita rock	<i>Arkansia wheeleri</i>	\$60	\$0
Riffleshell, northern	<i>Epioblasma torulosa rangiana</i>	\$200	\$0
Riffleshell, tan	<i>Epioblasma florentina walkeri</i> (=E. walkeri)	\$600	\$0
Ring pink (mussel)	<i>Obovaria retusa</i>	\$200	\$0
Spiny mussel, James	<i>Pleurobema collina</i>	\$97	\$0
Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>	\$2,000	\$0
Clams Total		\$5,980	\$0
Snails			
Snail, Bliss Rapids	<i>Taylorconcha serpenticola</i>	\$100	\$0
Snail, Virginia fringed mountain	<i>Polygyriscus virginianus</i>	\$50	\$0
Snails Total		\$150	\$0
Insects			
Beetle, American burying	<i>Nicrophorus americanus</i>	\$800	\$0
Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>	\$300	\$0
Butterfly, Saint Francis' satyr	<i>Neonympha mitchellii francisci</i>	\$200	\$0
Insects Total		\$1,300	\$0
Crustaceans			
Crayfish, Nashville	<i>Orconectes shoupi</i>	\$120	\$0
Crustaceans Total		\$120	\$0
Flowering Plants			
Ambrosia, San Diego	<i>Ambrosia pumila</i>	\$56	\$0
Barberry, Nevin's	<i>Berberis nevinii</i>	\$56	\$0
Bladderpod, Dudley Bluffs	<i>Lesquerella congesta</i>	\$200	\$0
Brodiaea, thread-leaved	<i>Brodiaea filifolia</i>	\$56	\$0
Buckwheat, scrub	<i>Eriogonum longifolium</i> var. <i>gnaphalifolium</i>	\$80	\$0
Bulrush, Northeastern	<i>Scirpus ancistrochaetus</i>	\$67	\$0
Butterfly plant, Colorado	<i>Gaura neomexicana</i> var. <i>coloradensis</i>	\$80	\$0
Button-celery, San Diego	<i>Eryngium aristulatum</i> var. <i>parishii</i>	\$56	\$0
Cactus, Arizona hedgehog	<i>Echinocereus triglochidiatus</i> var. <i>arizonicus</i>	\$120	\$0
Cactus, Cochise pincushion	<i>Coryphantha robbinsorum</i>	\$80	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Cactus, Nichol's Turk's head	<i>Echinocactus horizonthalonius var. nicholii</i>	\$120	\$0
Cactus, Sneed pincushion	<i>Coryphantha sneedii var. sneedii</i>	\$80	\$0
Cactus, Uinta Basin hookless	<i>Sclerocactus glaucus</i>	\$100	\$0
Catchfly, Spalding's	<i>Silene spaldingii</i>	\$300	\$0
Chaffseed, American	<i>Schwalbea americana</i>	\$400	\$0
Checker-mallow, Nelson's	<i>Sidalcea nelsoniana</i>	\$80	\$0
Crownscale, San Jacinto Valley	<i>Atriplex coronata var. notatior</i>	\$56	\$0
Daisy, Willamette	<i>Erigeron decumbens var. decumbens</i>	\$80	\$0
Desert-parsley, Bradshaw's	<i>Lomatium bradshawii</i>	\$80	\$0
Four-o'clock, MacFarlane's	<i>Mirabilis macfarlanei</i>	\$300	\$0
Heartleaf, dwarf-flowered	<i>Hexastylis naniflora</i>	\$40	\$0
Howellia, water	<i>Howellia aquatilis</i>	\$140	\$0
Ladies'-tresses, Canelo Hills	<i>Spiranthes delitescens</i>	\$80	\$0
Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>	\$200	\$0
Lupine, Kincaid's	<i>Lupinus sulphureus (=oreganus) ssp. kincaidii (=var. kincaidii)</i>	\$80	\$0
Milk-vetch, Peirson's	<i>Astragalus magdalenae var. peirsonii</i>	\$500	\$0
Monkshood, northern wild	<i>Aconitum noveboracense</i>	\$500	\$0
Navarretia, spreading	<i>Navarretia fossalis</i>	\$56	\$0
Onion, Munz's	<i>Allium munzii</i>	\$56	\$0
Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>	\$67	\$0
Orchid, western prairie fringed	<i>Platanthera praeclara</i>	\$170	\$0
Orcutt grass, California	<i>Orcuttia californica</i>	\$56	\$0
Paintbrush, golden	<i>Castilleja levisecta</i>	\$80	\$0
Pondberry	<i>Lindera melissifolia</i>	\$80	\$0
Spineflower, Sonoma	<i>Chorizanthe valida</i>	\$56	\$0
Spiraea, Virginia	<i>Spiraea virginiana</i>	\$60	\$0
Sunflower, Schweinitz's	<i>Helianthus schweinitzii</i>	\$200	\$0
Thornmint, San Diego	<i>Acanthomintha ilicifolia</i>	\$56	\$0
Twinpod, Dudley Bluffs	<i>Physaria obcordata</i>	\$200	\$0
Wild-rice, Texas	<i>Zizania texana</i>	\$1,100	\$0
Flowering Plants Total		\$6,224	\$0
Expenses from Foreign Species		\$0	\$0
Total Other ESA Expenses		\$0	\$0
All Species Total		\$157,886	\$0

Nuclear Regulatory Commission FY05

Common Name	Scientific Name	General Expenditures	Land Expenditures
Mammals			
Bat, gray	<i>Myotis grisescens</i>	\$2,682	\$0
Bat, Indiana	<i>Myotis sodalis</i>	\$15,112	\$0
Bear, Louisiana black	<i>Ursus americanus luteolus</i>	\$4,294	\$0
Manatee, West Indian	<i>Trichechus manatus</i>	\$1,659	\$0
Panther, Florida	<i>Puma (=Felis) concolor coryi</i>	\$1,504	\$0
Puma (=cougar), eastern	<i>Puma (=Felis) concolor cougar</i>	\$1,349	\$0
Sea-lion, Steller, eastern pop.	<i>Eumetopias jubatus</i>	\$566	\$0
Seal, Guadalupe fur	<i>Arctocephalus townsendi</i>	\$566	\$0
Whale, blue	<i>Balaenoptera musculus</i>	\$1,930	\$0
Whale, finback	<i>Balaenoptera physalus</i>	\$3,372	\$0
Whale, humpback	<i>Megaptera novaeangliae</i>	\$6,193	\$0
Whale, right	<i>Balaena glacialis (incl. australis)</i>	\$5,627	\$0
Whale, Sei	<i>Balaenoptera borealis</i>	\$1,930	\$0
Whale, sperm	<i>Physeter catodon (=macrocephalus)</i>	\$1,930	\$0
Wolf, gray, Lower 48 States, except where delisted and where EXPN. Mexico.	<i>Canis lupus</i>	\$14,803	\$0
Mammals Total		\$63,517	\$0
Birds			
Eagle, bald, lower 48 States	<i>Haliaeetus leucocephalus</i>	\$38,114	\$0
Plover, piping, Great Lakes watershed	<i>Charadrius melodus</i>	\$14,849	\$0
Plover, piping, except Great Lakes watershed	<i>Charadrius melodus</i>	\$5,611	\$0
Stork, wood, AL, FL, GA, SC	<i>Mycteria americana</i>	\$3,054	\$0
Tern, least, interior pop.	<i>Sterna antillarum</i>	\$1,504	\$0
Tern, roseate, northeast U.S. nesting pop.	<i>Sterna dougallii dougallii</i>	\$4,263	\$0
Woodpecker, red-cockaded	<i>Picoides borealis</i>	\$4,185	\$0
Birds Total		\$71,580	\$0
Reptiles			
Alligator, American	<i>Alligator mississippiensis</i>	\$4,747	\$0
Plymouth Red-Bellied Turtle	<i>Pseudemys rubriventris bangsi</i>	\$2,821	\$0
Sea turtle, green, except where endangered	<i>Chelonia mydas</i>	\$13,160	\$0
Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	\$9,935	\$0
Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>	\$14,321	\$0
Sea turtle, leatherback	<i>Dermochelys coriacea</i>	\$16,105	\$0
Sea turtle, loggerhead	<i>Caretta caretta</i>	\$15,950	\$0
Sea turtle, olive ridley, except where endangered	<i>Lepidochelys olivacea</i>	\$1,784	\$0
Snake, copperbelly water, MI, OH, IN N of 400 N. Lat.	<i>Nerodia erythrogaster neglecta</i>	\$388	\$0
Snake, eastern indigo	<i>Drymarchon corais couperi</i>	\$155	\$0
Turtle, bog (=Muhlenberg), northern	<i>Clemmys muhlenbergii</i>	\$3,565	\$0
Turtle, bog (=Muhlenberg), southern	<i>Clemmys muhlenbergii</i>	\$914	\$0
Reptiles Total		\$83,845	\$0
Amphibians			
Salamander, flatwoods	<i>Ambystoma cingulatum</i>	\$155	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Amphibians Total		\$155	\$0
Fishes			
Chub, spotfin, entire	<i>Erimonax monachus</i>	\$1,287	\$0
Darter, boulder	<i>Etheostoma wapiti</i>	\$1,287	\$0
Darter, slackwater	<i>Etheostoma boschungii</i>	\$1,287	\$0
Sawfish, smalltooth	<i>Pristis pectinata</i>	\$3,915	\$0
Shiner, Arkansas River, Arkansas R. Basin	<i>Notropis girardi</i>	\$1,240	\$0
Silverside, Waccamaw	<i>Menidia extensa</i>	\$1,349	\$0
Steelhead, south central CA coast	<i>Oncorhynchus (=Salmo) mykiss</i>	\$305	\$0
Steelhead, southern CA coast	<i>Oncorhynchus (=Salmo) mykiss</i>	\$566	\$0
Sturgeon, gulf	<i>Acipenser oxyrinchus desotoi</i>	\$1,659	\$0
Sturgeon, pallid	<i>Scaphirhynchus albus</i>	\$4,294	\$0
Sturgeon, shortnose	<i>Acipenser brevirostrum</i>	\$6,180	\$0
Fishes Total		\$23,369	\$0
Clams			
Bankclimber, purple (mussel)	<i>Elliptoideus sloatianus</i>	\$155	\$0
Bean, Cumberland (pearlymussel) Entire Range; Except where listed as Experimental Populations	<i>Villosa trabalis</i>	\$1,752	\$0
Blossom, tubercled (pearlymussel), Entire Range; Except where listed as Experimental Populations	<i>Epioblasma torulosa torulosa</i>	\$1,752	\$0
Blossom, turgid (pearlymussel), Entire Range; Except where listed as Experimental Populations	<i>Epioblasma turgidula</i>	\$1,752	\$0
Blossom, yellow (pearlymussel), Entire Range; Except where listed as Experimental Populations	<i>Epioblasma florentina florentina</i>	\$1,752	\$0
Catspaw, white (pearlymussel)	<i>Epioblasma obliquata perobliqua</i>	\$388	\$0
Clubshell, Entire Range; Except where listed as Experimental Populations	<i>Pleurobema clava</i>	\$2,270	\$0
Clubshell, black	<i>Pleurobema curtum</i>	\$1,752	\$0
Clubshell, ovate	<i>Pleurobema perovatum</i>	\$1,752	\$0
Clubshell, southern	<i>Pleurobema decisum</i>	\$1,287	\$0
Combshell, Cumberlandian, Entire Range; Except where listed as Experimental Populations	<i>Epioblasma brevidens</i>	\$1,752	\$0
Combshell, southern	<i>Epioblasma penita</i>	\$1,752	\$0
Fanshell	<i>Cyprogenia stegaria</i>	\$3,255	\$0
Higgins eye (pearlymussel)	<i>Lampsilis higginsii</i>	\$18,228	\$0
Lampmussel, Alabama, Entire Range; Except where listed as Experimental Populations	<i>Lampsilis virescens</i>	\$1,752	\$0
Lilliput, pale (pearlymussel)	<i>Toxolasma cylindrellus</i>	\$1,752	\$0
Moccasinshell, Gulf	<i>Medionidus penicillatus</i>	\$155	\$0
Monkeyface, Cumberland (pearlymussel), Entire Range; Except where listed as Exp. Populations	<i>Quadrula intermedia</i>	\$1,752	\$0
Mucket, orangenacre	<i>Lampsilis perovalis</i>	\$1,752	\$0
Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>	\$1,752	\$0
Mussel, oyster, Entire Range; Except where listed as Experimental Populations	<i>Epioblasma capsaeformis</i>	\$1,752	\$0
Pearlymussel, birdwing, Entire: Except where EXPN	<i>Conradilla caelata</i>	\$1,752	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Pearl mussel, cracking, Entire Range; Except where listed as Experimental Populations	<i>Hemistena lata</i>	\$1,752	\$0
Pearl mussel, dromedary, Entire Range; Except where listed as Experimental Populations	<i>Dromus dromas</i>	\$1,752	\$0
Pigtoe, finereyed, AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	<i>Fusconaia cuneolus</i>	\$1,752	\$0
Pigtoe, heavy	<i>Pleurobema taitianum</i>	\$1,752	\$0
Pigtoe, oval	<i>Pleurobema pyriforme</i>	\$155	\$0
Pigtoe, rough	<i>Pleurobema plenum</i>	\$1,752	\$0
Pigtoe, shiny, Entire Range; Except where listed as Experimental Populations	<i>Fusconaia cor</i>	\$1,752	\$0
Pimpleback, orangefoot (pearl mussel)	<i>Plethobasus cooperianus</i>	\$1,752	\$0
Pocketbook, fat	<i>Potamilus capax</i>	\$1,504	\$0
Pocketbook, shinyrayed	<i>Lampsilis subangulata</i>	\$155	\$0
Riffleshell, northern	<i>Epioblasma torulosa rangiana</i>	\$519	\$0
Riffleshell, tan	<i>Epioblasma florentina walkeri</i> (=E. walkeri)	\$1,752	\$0
Ring pink (mussel)	<i>Obovaria retusa</i>	\$1,752	\$0
Slabshell, Chipola	<i>Elliptio chipolaensis</i>	\$155	\$0
Three-ridge, fat (mussel)	<i>Amblema neislerii</i>	\$155	\$0
Wartyback, white (pearl mussel)	<i>Plethobasus cicatricosus</i>	\$1,752	\$0
Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>	\$1,790	\$0
Clams Total		\$73,971	\$0
Snails			
Campeloma, slender	<i>Campeloma decampi</i>	\$1,287	\$0
Riversnail, Anthony's, AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	<i>Athearnia anthonyi</i>	\$1,287	\$0
Snail, armored	<i>Pyrgulopsis</i> (=Marstonia) <i>pachyta</i>	\$1,287	\$0
Snail, Iowa Pleistocene	<i>Discus macclintocki</i>	\$3,426	\$0
Snails Total		\$7,287	\$0
Insects			
Beetle, American burying	<i>Nicrophorus americanus</i>	\$3,875	\$0
Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>	\$7,688	\$0
Butterfly, Mitchell's satyr	<i>Neonympha mitchellii mitchellii</i>	\$4,263	\$0
Butterfly, Saint Francis' satyr	<i>Neonympha mitchellii francisci</i>	\$1,395	\$0
Dragonfly, Hine's emerald	<i>Somatochlora hineana</i>	\$3,426	\$0
Insects Total		\$20,647	\$0
Crustaceans			
Shrimp, Alabama cave	<i>Palaemonias alabamae</i>	\$1,287	\$0
Crustaceans Total		\$1,287	\$0
Flowering Plants			
Amaranth, seabeach	<i>Amaranthus pumilus</i>	\$1,395	\$0
Aster, decurrent false	<i>Boltonia decurrens</i>	\$3,426	\$0
Bladderpod, lyrate	<i>Lesquerella lyrata</i>	\$1,287	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Bulrush, Northeastern	<i>Scirpus ancistrochaetus</i>	\$131	\$0
Bush-clover, prairie	<i>Lespedeza leptostachya</i>	\$3,426	\$0
Campion, fringed	<i>Silene polypetala</i>	\$155	\$0
Chaffseed, American	<i>Schwalbea americana</i>	\$3,054	\$0
Coneflower, smooth	<i>Echinacea laevigata</i>	\$1,504	\$0
Daisy, lakeside	<i>Hymenoxys herbacea</i>	\$3,426	\$0
Dropwort, Canby's	<i>Oxypolis canbyi</i>	\$1,504	\$0
Grass, Tennessee yellow-eyed	<i>Xyris tennesseensis</i>	\$1,287	\$0
Harperella	<i>Ptilimnium nodosum</i>	\$1,659	\$0
Iris, dwarf lake	<i>Iris lacustris</i>	\$9,533	\$0
Joint-vetch, sensitive	<i>Aeschynomene virginica</i>	\$1,504	\$0
Loosestrife, rough-leaved	<i>Lysimachia asperulaefolia</i>	\$1,395	\$0
Meadowrue, Cooley's	<i>Thalictrum cooleyi</i>	\$1,550	\$0
Milkweed, Mead's	<i>Asclepias meadii</i>	\$3,426	\$0
Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>	\$4,209	\$0
Orchid, western prairie fringed	<i>Platanthera praeclara</i>	\$3,426	\$0
Pink, swamp	<i>Helonias bullata</i>	\$1,504	\$0
Pinkroot, gentian	<i>Spigelia gentianoides</i>	\$155	\$0
Pogonia, small whorled	<i>Isotria medeoloides</i>	\$9,207	\$0
Pondberry	<i>Lindera melissifolia</i>	\$1,659	\$0
Potato-bean, Price's	<i>Apios priceana</i>	\$1,287	\$0
Prairie-clover, leafy	<i>Dalea foliosa</i>	\$4,712	\$0
Sedge, golden	<i>Carex lutea</i>	\$1,395	\$0
Sumac, Michaux's	<i>Rhus michauxii</i>	\$1,395	\$0
Sunflower, Eggert's	<i>Helianthus eggertii</i>	\$1,287	\$0
Thistle, Pitcher's	<i>Cirsium pitcheri</i>	\$20,786	\$0
Trillium, relict	<i>Trillium reliquum</i>	\$1,659	\$0
Whitlow-wort, papery	<i>Paronychia chartacea</i>	\$155	\$0
Flowering Plants Total		\$92,498	\$0
Conifers and Cycads			
Torreya, Florida	<i>Torreya taxifolia</i>	\$155	\$0
Conifers and Cycads Total		\$155	\$0
Ferns and Allies			
Fern, American hart's-tongue	<i>Asplenium scolopendrium var. americanum</i>	\$4,697	\$0
Ferns and Allies Total		\$4,697	\$0
Other ESA Expenses not including Foreign Species		\$5,000	\$0
Expenses from Foreign Species		\$0	\$0
Total Other ESA Expenses		\$5,000	\$0
All Species Total		\$448,008	\$0

Nuclear Regulatory Commission FY06

Common Name	Scientific Name	General Expenditures	Land Expenditures
Mammals			
Bat, gray	<i>Myotis grisescens</i>	\$380	\$0
Bat, Indiana	<i>Myotis sodalis</i>	\$4,933	\$0
Bear, Louisiana black	<i>Ursus americanus luteolus</i>	\$788	\$0
Manatee, West Indian	<i>Trichechus manatus</i>	\$350	\$0
Puma (=cougar), eastern	<i>Puma (=Felis) concolor cougar</i>	\$350	\$0
Sea-lion, Steller, eastern pop.	<i>Eumetopias jubatus</i>	\$205	\$0
Seal, Guadalupe fur	<i>Arctocephalus townsendi</i>	\$205	\$0
Whale, blue	<i>Balaenoptera musculus</i>	\$746	\$0
Whale, finback	<i>Balaenoptera physalus</i>	\$2,496	\$0
Whale, humpback	<i>Megaptera novaeangliae</i>	\$3,283	\$0
Whale, right	<i>Balaena glacialis (incl. australis)</i>	\$2,888	\$0
Whale, Sei	<i>Balaenoptera borealis</i>	\$2,496	\$0
Whale, sperm	<i>Physeter catodon (=macrocephalus)</i>	\$2,496	\$0
Wolf, gray, MN	<i>Canis lupus</i>	\$9,030	\$0
Mammals Total		\$30,646	\$0
Birds			
Eagle, bald, lower 48 States	<i>Haliaeetus leucocephalus</i>	\$23,973	\$0
Plover, piping, except Great Lakes watershed	<i>Charadrius melodus</i>	\$5,243	\$0
Stork, wood, AL, FL, GA, SC	<i>Mycteria americana</i>	\$438	\$0
Tern, least, interior pop.	<i>Sterna antillarum</i>	\$175	\$0
Tern, roseate, northeast U.S. nesting pop.	<i>Sterna dougallii dougallii</i>	\$3,403	\$0
Warbler (=wood), Bachman's	<i>Vermivora bachmanii</i>	\$175	\$0
Warbler (=wood), Kirtland's	<i>Dendroica kirtlandii</i>	\$175	\$0
Woodpecker, red-cockaded	<i>Picoides borealis</i>	\$848	\$0
Birds Total		\$34,430	\$0
Reptiles			
Alligator, American	<i>Alligator mississippiensis</i>	\$438	\$0
Crocodile, American FL pop.	<i>Crocodylus acutus</i>	\$19,475	\$0
Plymouth Red-Bellied Turtle	<i>Pseudemys rubriventris bangsi</i>	\$3,008	\$0
Sea turtle, green, FL, Mexico nesting pops.	<i>Chelonia mydas</i>	\$6,998	\$0
Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	\$1,858	\$0
Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>	\$10,655	\$0
Sea turtle, leatherback	<i>Dermochelys coriacea</i>	\$6,760	\$0
Sea turtle, loggerhead	<i>Caretta caretta</i>	\$7,785	\$0
Sea turtle, olive ridley, except where endangered	<i>Lepidochelys olivacea</i>	\$410	\$0
Turtle, bog (=Muhlenberg), northern	<i>Clemmys muhlenbergii</i>	\$2,500	\$0
Reptiles Total		\$59,887	\$0
Fishes			
Chub, spotfin, entire	<i>Erimonax monachus</i>	\$205	\$0
Darter, boulder	<i>Etheostoma wapiti</i>	\$205	\$0
Darter, slackwater	<i>Etheostoma boschungii</i>	\$410	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Sawfish, smalltooth	<i>Pristis pectinata</i>	\$34,000	\$0
Silverside, Waccamaw	<i>Menidia extensa</i>	\$350	\$0
Steelhead, south central CA coast	<i>Oncorhynchus (=Salmo) mykiss</i>	\$205	\$0
Steelhead, southern CA coast	<i>Oncorhynchus (=Salmo) mykiss</i>	\$205	\$0
Sturgeon, gulf	<i>Acipenser oxyrinchus desotoi</i>	\$175	\$0
Sturgeon, pallid	<i>Scaphirhynchus albus</i>	\$788	\$0
Sturgeon, shortnose	<i>Acipenser brevirostrum</i>	\$6,683	\$0
Fishes Total		\$43,226	\$0
Clams			
Bankclimber, purple (mussel)	<i>Elliptoideus sloatianus</i>	\$175	\$0
Bean, Cumberland (pearlymussel), Entire Range; Except where listed as Experimental Populations	<i>Villosa trabalis</i>	\$205	\$0
Blossom, tubercled (pearlymussel), , Entire Range; Except where listed as Experimental Populations	<i>Epioblasma torulosa torulosa</i>	\$205	\$0
Blossom, turgid (pearlymussel), Entire Range; Except where listed as Experimental Populations	<i>Epioblasma turgidula</i>	\$205	\$0
Blossom, yellow (pearlymussel), Entire Range; Except where listed as Experimental Populations	<i>Epioblasma florentina florentina</i>	\$205	\$0
Clubshell, Entire Range; Except where listed as Experimental Populations	<i>Pleurobema clava</i>	\$410	\$0
Clubshell, black	<i>Pleurobema curtum</i>	\$205	\$0
Clubshell, ovate	<i>Pleurobema perovatum</i>	\$205	\$0
Clubshell, southern	<i>Pleurobema decisum</i>	\$205	\$0
Combshell, Cumberlandian, Entire Range; Except where listed as Experimental Populations	<i>Epioblasma brevidens</i>	\$205	\$0
Combshell, southern	<i>Epioblasma penita</i>	\$205	\$0
Fanshell	<i>Cyprogenia stegaria</i>	\$205	\$0
Higgins eye (pearlymussel)	<i>Lampsilis higginsii</i>	\$9,555	\$0
Lampmussel, Alabama, AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	<i>Lampsilis virescens</i>	\$205	\$0
Lilliput, pale (pearlymussel)	<i>Toxolasma cylindrellus</i>	\$205	\$0
Moccasinshell, Gulf	<i>Medionidus penicillatus</i>	\$175	\$0
Monkeyface, Cumberland (pearlymussel) Entire Range; Except where listed as Experimental Populations	<i>Quadrula intermedia</i>	\$205	\$0
Mucket, orangenacre	<i>Lampsilis perovalis</i>	\$205	\$0
Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>	\$205	\$0
Mussel, oyster, Entire Range; Except where listed as Experimental Populations	<i>Epioblasma capsaeformis</i>	\$205	\$0
Pearlymussel, birdwing, Entire Range; Except where listed as Experimental Populations	<i>Conradilla caelata</i>	\$205	\$0
Pearlymussel, cracking, Entire Range; Except where listed as Experimental Populations	<i>Hemistena lata</i>	\$205	\$0
Pearlymussel, dromedary, AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	<i>Dromus dromas</i>	\$205	\$0
Pigtoe, finerayed, Entire Range; Except where listed as Experimental Populations	<i>Fusconaia cuneolus</i>	\$205	\$0
Pigtoe, heavy	<i>Pleurobema taitianum</i>	\$205	\$0
Pigtoe, oval	<i>Pleurobema pyriforme</i>	\$175	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Pigtoe, rough	<i>Pleurobema plenum</i>	\$410	\$0
Pigtoe, shiny, Entire Range; Except where listed as Experimental Populations	<i>Fusconaia cor</i>	\$205	\$0
Pimpleback, orangefoot (pearlymussel)	<i>Plethobasus cooperianus</i>	\$205	\$0
Pocketbook, shinyrayed	<i>Lampsilis subangulata</i>	\$175	\$0
Riffleshell, northern	<i>Epioblasma torulosa rangiana</i>	\$308	\$0
Riffleshell, tan	<i>Epioblasma florentina walkeri</i> (=E. walkeri)	\$410	\$0
Ring pink (mussel)	<i>Obovaria retusa</i>	\$205	\$0
Slabshell, Chipola	<i>Elliptio chipolaensis</i>	\$175	\$0
Three-ridge, fat (mussel)	<i>Amblyma neislerii</i>	\$175	\$0
Wartyback, white (pearlymussel)	<i>Plethobasus cicatricosus</i>	\$205	\$0
Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>	\$4,145	\$0
Clams Total		\$21,413	\$0
Snails			
Campeloma, slender	<i>Campeloma decampi</i>	\$205	\$0
Riversnail, Anthony's, Entire Range; Except where listed as Experimental Populations	<i>Athearnia anthonyi</i>	\$205	\$0
Rocksnailed, painted	<i>Leptoxis taeniata</i>	\$175	\$0
Snail, armored	<i>Pyrgulopsis</i> (=Marstonia) <i>pachyta</i>	\$205	\$0
Snail, Iowa Pleistocene	<i>Discus macclintocki</i>	\$525	\$0
Snail, tulotoma	<i>Tulotoma magnifica</i>	\$175	\$0
Snails Total		\$1,490	\$0
Insects			
Beetle, American burying	<i>Nicrophorus americanus</i>	\$3,430	\$0
Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>	\$3,150	\$0
Butterfly, Mitchell's satyr	<i>Neonympha mitchellii mitchellii</i>	\$2,625	\$0
Butterfly, Saint Francis' satyr	<i>Neonympha mitchellii francisci</i>	\$350	\$0
Dragonfly, Hine's emerald	<i>Somatochlora hineana</i>	\$525	\$0
Tiger beetle, Puritan	<i>Cicindela puritana</i>	\$2,233	\$0
Insects Total		\$12,313	\$0
Crustaceans			
Shrimp, Alabama cave	<i>Palaemonias alabamae</i>	\$205	\$0
Crustaceans Total		\$205	\$0
Flowering Plants			
Amaranth, seabeach	<i>Amaranthus pumilus</i>	\$1,155	\$0
Aster, decurrent false	<i>Boltonia decurrens</i>	\$525	\$0
Beaked-rush, Knieskern's	<i>Rhynchospora knieskernii</i>	\$805	\$0
Bladderpod, lyrate	<i>Lesquerella lyrata</i>	\$205	\$0
Bulrush, Northeastern	<i>Scirpus ancistrochaetus</i>	\$2,540	\$0
Bush-clover, prairie	<i>Lespedeza leptostachya</i>	\$525	\$0
Campion, fringed	<i>Silene polypetala</i>	\$175	\$0
Chaffseed, American	<i>Schwalbea americana</i>	\$1,225	\$0
Coneflower, smooth	<i>Echinacea laevigata</i>	\$175	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Daisy, lakeside	<i>Hymenoxys herbacea</i>	\$525	\$0
Dropwort, Canby's	<i>Oxypolis canbyi</i>	\$175	\$0
Grass, Tennessee yellow-eyed	<i>Xyris tennesseensis</i>	\$205	\$0
Harperella	<i>Ptilimnium nodosum</i>	\$175	\$0
Loosestrife, rough-leaved	<i>Lysimachia asperulaefolia</i>	\$350	\$0
Meadowrue, Cooley's	<i>Thalictrum cooleyi</i>	\$438	\$0
Milk-vetch, Jesup's	<i>Astragalus robbinsii</i> var. <i>jesupi</i>	\$2,233	\$0
Milkweed, Mead's	<i>Asclepias meadii</i>	\$525	\$0
Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>	\$1,038	\$0
Orchid, western prairie fringed	<i>Platanthera praeclara</i>	\$525	\$0
Pink, swamp	<i>Helonias bullata</i>	\$805	\$0
Pinkroot, gentian	<i>Spigelia gentianoides</i>	\$175	\$0
Pitcher-plant, Alabama canebrake	<i>Sarracenia rubra alabamensis</i>	\$175	\$0
Pitcher-plant, green	<i>Sarracenia oreophila</i>	\$175	\$0
Pogonia, small whorled	<i>Isotria medeoloides</i>	\$2,045	\$0
Polygonum, Scotts Valley	<i>Polygonum hickmanii</i>	\$350	\$0
Pondberry	<i>Lindera melissifolia</i>	\$175	\$0
Potato-bean, Price's	<i>Apios priceana</i>	\$205	\$0
Prairie-clover, leafy	<i>Dalea foliosa</i>	\$205	\$0
Rattleweed, hairy	<i>Baptisia arachnifera</i>	\$175	\$0
Sedge, golden	<i>Carex lutea</i>	\$350	\$0
Sumac, Michaux's	<i>Rhus michauxii</i>	\$350	\$0
Sunflower, Schweinitz's	<i>Helianthus schweinitzii</i>	\$205	\$0
Thistle, Pitcher's	<i>Cirsium pitcheri</i>	\$4,025	\$0
Trillium, relict	<i>Trillium reliquum</i>	\$175	\$0
Whitlow-wort, papery	<i>Paronychia chartacea</i>	\$175	\$0
Flowering Plants Total		\$23,284	\$0
Conifers and Cycads			
Torreya, Florida	<i>Torreya taxifolia</i>	\$175	\$0
Conifers and Cycads Total		\$175	\$0
Ferns and Allies			
Fern, American hart's-tongue	<i>Asplenium scolopendrium</i> var. <i>americanum</i>	\$1,080	\$0
Ferns and Allies Total		\$1,080	\$0
Other ESA Expenses not including Foreign Species		\$197,000	\$0
Expenses from Foreign Species		\$0	\$0
Total Other ESA Expenses		\$197,000	
All Species Total		\$425,149	\$0

Smithsonian Institution FY05

Common Name	Scientific Name	General Expenditures	Land Expenditures
Mammals			
Cheetah	<i>Acinonyx jubatus</i> **	\$115,500	\$0
Deer, Eld's brow-antlered	<i>Cervus eldi</i> **	\$91,800	\$0
Dog, African wild	<i>Lycaon pictus</i> **	\$21,000	\$0
Elephant, Asian	<i>Elephas maximus</i> **	\$62,000	\$0
Ferret, black-footed entire population, except where EXPN	<i>Mustela nigripes</i>	\$193,400	\$0
Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>	\$61,200	\$0
Horse, Przewalski's	<i>Equus przewalskii</i> **	\$61,000	\$0
Leopard, clouded	<i>Neofelis nebulosa</i> **	\$62,000	\$0
Lynx, Spanish	<i>Felis pardina</i> **	\$7,500	\$0
Macaque, Toque	<i>Macaca sinica</i> **	\$2,000	\$0
Otter, southern sea, except where EXPN	<i>Enhydra lutris nereis</i>	\$36,200	\$0
Panda, giant	<i>Ailuropoda melanoleuca</i> **	\$105,900	\$0
Panther, Florida	<i>Puma (=Felis) concolor coryi</i>	\$2,200	\$0
Rhinoceros, northern white	<i>Ceratotherium simum cottoni</i> **	\$8,800	\$0
Tamarin, golden-rumped	<i>Leontopithecus spp.</i> **	\$56,500	\$0
Tiger	<i>Panthera tigris</i> **	\$55,000	\$0
Wolf, gray Mexican gray wolf, EXPN population	<i>Canis lupus</i>	\$11,600	\$0
Wolf, maned	<i>Chrysocyon brachyurus</i> **	\$37,500	\$0
Mammals Total		\$991,100	\$0
Birds			
Condor, California, U.S.A. only	<i>Gymnogyps californianus</i>	\$2,200	\$0
Crow, Hawaiian (=alala)	<i>Corvus hawaiiensis</i>	\$2,200	\$0
Crow, Mariana (=aga)	<i>Corvus kubaryi</i>	\$5,200	\$0
Kingfisher, Guam Micronesian	<i>Halcyon cinnamomina cinnamomina</i>	\$29,900	\$0
Rail, Guam, except Rota	<i>Rallus owstoni</i>	\$18,600	\$0
White-eye, Rota bridled	<i>Zosterops rotensis</i>	\$31,200	\$0
Birds Total		\$89,300	\$0
Reptiles			
Tortoise, desert U.S.A., except in Sonoran Desert	<i>Gopherus agassizii</i>	\$33,500	\$0
Reptiles Total		\$33,500	\$0
Other ESA Expenses not including Foreign Species		\$29,700	\$0
Expenses from Foreign Species		\$686,500	\$0
Total Other ESA Expenses		\$716,200	\$0
All Species Total		\$1,143,600	\$0

** denotes Foreign Species; totals from Foreign Species are included in Other ESA Expenses

Smithsonian Institution FY06

Common Name	Scientific Name	General Expenditures	Land Expenditures
Mammals			
Cheetah	<i>Acinonyx jubatus</i> **	\$133,900	\$0
Deer, Eld's brow-antlered	<i>Cervus eldi</i> **	\$104,560	\$0
Dog, African wild	<i>Lycaon pictus</i> **	\$22,200	\$0
Elephant, Asian	<i>Elephas maximus</i> **	\$61,900	\$0
Ferret, black-footed entire population, except where EXPN	<i>Mustela nigripes</i>	\$219,880	\$0
Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>	\$31,720	\$0
Fox, San Miguel Island	<i>Urocyon littoralis littoralis</i>	\$12,200	\$0
Horse, Przewalski's	<i>Equus przewalskii</i> **	\$95,400	\$0
Leopard, clouded	<i>Neofelis nebulosa</i> **	\$66,400	\$0
Lynx, Spanish	<i>Felis pardina</i> **	\$8,100	\$0
Macaque, Toque	<i>Macaca sinica</i> **	\$2,000	\$0
Otter, southern sea, except where EXPN	<i>Enhydra lutris nereis</i>	\$42,700	\$0
Panda, giant	<i>Ailuropoda melanoleuca</i> **	\$116,040	\$0
Panther, Florida	<i>Puma (=Felis) concolor coryi</i>	\$2,440	\$0
Rhinoceros, northern white	<i>Ceratotherium simum cottoni</i> **	\$10,980	\$0
Tamarin, golden-rumped	<i>Leontopithecus spp.</i> **	\$115,900	\$0
Tiger	<i>Panthera tigris</i> **	\$61,000	\$0
Wolf, gray Mexican gray wolf, EXPN population	<i>Canis lupus</i>	\$12,540	\$0
Wolf, maned	<i>Chrysocyon brachyurus</i> **	\$45,000	\$0
Mammals Total		\$1,164,860	\$0
Birds			
Condor, California, U.S.A. only	<i>Gymnogyps californianus</i>	\$7,320	\$0
Crow, Hawaiian (=alala)	<i>Corvus hawaiiensis</i>	\$3,660	\$0
Crow, Mariana (=aga)	<i>Corvus kubaryi</i>	\$5,840	\$0
Kingfisher, Guam Micronesian	<i>Halcyon cinnamomina cinnamomina</i>	\$32,540	\$0
Rail, Guam, except Rota	<i>Rallus owstoni</i>	\$21,600	\$0
Warbler (=wood), Kirtland's	<i>Dendroica kirtlandii</i>	\$32,200	\$0
White-eye, Rota bridled	<i>Zosterops rotensis</i>	\$18,440	\$0
Birds Total		\$121,600	\$0
Reptiles			
Tortoise, desert,U.S.A., except in Sonoran Desert	<i>Gopherus agassizii</i>	\$23,740	\$0
Reptiles Total		\$23,740	\$0
Other ESA Expenses not including Foreign Species		\$61,120	\$0
Expenses from Foreign Species		\$843,380	\$0
Total Other ESA Expenses		\$904,500	\$0
All Species Total		\$1,371,320	\$0

** denotes Foreign Species; totals from Foreign Species are included in Other ESA Expenses

Tennessee Valley Authority FY05

Common Name	Scientific Name	General Expenditures	Land Expenditures
Mammals			
Bat, gray	<i>Myotis grisescens</i>	\$6,500	\$0
Mammals Total		\$6,500	\$0
Birds			
Eagle, bald, lower 48 States	<i>Haliaeetus leucocephalus</i>	\$6,500	\$0
Birds Total		\$6,500	\$0
Fishes			
Darter, snail	<i>Percina tanasi</i>	\$10,000	\$0
Fishes Total		\$10,000	\$0
Flowering Plants			
Aster, Ruth's golden	<i>Pityopsis ruthii</i>	\$3,500	\$0
Pitcher-plant, green	<i>Sarracenia oreophila</i>	\$2,000	\$0
Pogonia, small whorled	<i>Isotria medeoloides</i>	\$1,000	\$0
Skullcap, large-flowered	<i>Scutellaria montana</i>	\$13,000	\$0
Flowering Plants Total		\$19,500	\$0
Other ESA Expenses not including Foreign Species		\$121,500	\$0
Expenses from Foreign Species		\$0	\$0
Total Other ESA Expenses		\$121,500	\$0
All Species Total		\$164,000	\$0

Tennessee Valley Authority FY06

Common Name	Scientific Name	General Expenditures	Land Expenditures
Mammals			
Bat, gray	<i>Myotis grisescens</i>	\$3,500	\$0
Bat, Indiana	<i>Myotis sodalis</i>	\$10,000	\$0
Mammals Total		\$13,500	\$0
Birds			
Eagle, bald, lower 48 States	<i>Haliaeetus leucocephalus</i>	\$10,000	\$0
Birds Total		\$10,000	\$0
Fishes			
Darter, snail	<i>Percina tanasi</i>	\$10,000	\$0
Fishes Total		\$10,000	\$0
Flowering Plants			
Aster, Ruth's golden	<i>Pityopsis ruthii</i>	\$3,500	\$0
Pitcher-plant, green	<i>Sarracenia oreophila</i>	\$8,000	\$0
Rock-cress, Braun's	<i>Arabis perstellata</i>	\$2,000	\$0
Skullcap, large-flowered	<i>Scutellaria montana</i>	\$13,000	\$0
Flowering Plants Total		\$26,500	\$0
Other ESA Expenses not including Foreign Species		\$80,000	\$0
Expenses from Foreign Species		\$0	\$0
Total Other ESA Expenses		\$80,000	\$0
All Species Total		\$140,000	\$0

Appendix C. Expenditures Reported by the States for FY 2005

Common Name	Scientific Name	General Expenditures	Land Expenditures
Mammals			
Bat, gray	<i>Myotis grisescens</i>	\$37,060	\$0
Bat, Indiana	<i>Myotis sodalis</i>	\$203,291	\$0
Bat, lesser long-nosed	<i>Leptonycteris curasoae yerbabuenae</i>	\$16,000	\$0
Bat, Mexican long-nosed	<i>Leptonycteris nivalis</i>	\$5,195	\$0
Bat, Ozark big-eared	<i>Corynorhinus (=Plecotus) townsendii ingens</i>	\$11,400	\$0
Bat, Virginia big-eared	<i>Corynorhinus (=Plecotus) townsendii virginianus</i>	\$7,751	\$0
Bear, American black County range of LA b.bear	<i>Ursus americanus</i>	\$22,655	\$0
Bear, grizzly lower 48 States, except where listed as an experimental population or delisted	<i>Ursus arctos horribilis</i>	\$1,265,027	\$0
Bear, Louisiana black	<i>Ursus americanus luteolus</i>	\$30,113	\$0
Caribou, woodland Selkirk Mountain population	<i>Rangifer tarandus caribou</i>	\$5,000	\$0
Deer, Columbian white-tailed Columbia River DPS	<i>Odocoileus virginianus leucurus</i>	\$7,050	\$0
Ferret, black-footed entire population, except where EXPN	<i>Mustela nigripes</i>	\$620,552	\$0
Ferret, black-footed U.S.A. (specific portions of AZ, CO, MT, SD, UT, and WY)	<i>Mustela nigripes</i>	\$112,441	\$0
Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>	\$12,000	\$0
Fox, Santa Cruz Island	<i>Urocyon littoralis santacruzae</i>	\$4,000	\$0
Jaguar	<i>Panthera onca</i>	\$10,000	\$0
Jaguarundi, Gulf Coast	<i>Herpailurus (=Felis) yagouaroundi cacomitli</i>	\$4,300	\$0
Kangaroo rat, Fresno	<i>Dipodomys nitratooides exilis</i>	\$1,000	\$0
Kangaroo rat, giant	<i>Dipodomys ingens</i>	\$12,000	\$0
Kangaroo rat, Morro Bay	<i>Dipodomys heermanni morroensis</i>	\$500	\$0
Kangaroo rat, San Bernardino Merriam's	<i>Dipodomys merriami parvus</i>	\$2,000	\$0
Kangaroo rat, Stephens'	<i>Dipodomys stephensi (incl. D. cascus)</i>	\$4,000	\$0
Kangaroo rat, Tipton	<i>Dipodomys nitratooides nitratooides</i>	\$30,000	\$0
Lynx, Canada lower 48 States DPS	<i>Lynx canadensis</i>	\$826,939	\$0
Manatee, West Indian	<i>Trichechus manatus</i>	\$4,570	\$0
Mountain beaver, Point Arena	<i>Aplodontia rufa nigra</i>	\$7,500	\$0
Mouse, Pacific pocket	<i>Perognathus longimembris pacificus</i>	\$2,000	\$0
Mouse, Preble's meadow jumping	<i>Zapus hudsonius preblei</i>	\$10,317	\$0
Mouse, salt marsh harvest	<i>Reithrodontomys raviventris</i>	\$45,000	\$0
Ocelot	<i>Leopardus (=Felis) pardalis</i>	\$8,195	\$0
Otter, southern sea south of Pt. Conception, CA	<i>Enhydra lutris nereis</i>	\$75,000	\$0
Pronghorn, Sonoran	<i>Antilocapra americana sonoriensis</i>	\$207,000	\$0
Puma (=cougar), eastern	<i>Puma (=Felis) concolor cougar</i>	\$1,690	\$0
Rabbit, pygmy Columbia Basin DPS	<i>Brachylagus idahoensis</i>	\$86,000	\$0
Rabbit, riparian brush	<i>Sylvilagus bachmani riparius</i>	\$10,000	\$0
Sea-lion, Steller, eastern pop.	<i>Eumetopias jubatus</i>	\$35,700	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Sea-lion, Steller western pop.	<i>Eumetopias jubatus</i>	\$560	\$0
Sheep, bighorn Peninsular CA pop.	<i>Ovis canadensis</i>	\$100,000	\$0
Sheep, Sierra Nevada bighorn Sierra Nevada DPS	<i>Ovis canadensis californiana</i>	\$75,000	\$0
Shrew, Buena Vista Lake ornate	<i>Sorex ornatus relictus</i>	\$500	\$0
Squirrel, Carolina northern flying	<i>Glaucomys sabrinus coloratus</i>	\$4,200	\$0
Squirrel, Delmarva Peninsula fox Entire population, except Assawoman Wildlife Area in Sussex Co., DE	<i>Sciurus niger cinereus</i>	\$34,750	\$0
Squirrel, Mount Graham red	<i>Tamiasciurus hudsonicus grahamensis</i>	\$12,000	\$0
Squirrel, northern Idaho ground	<i>Spermophilus brunneus brunneus</i>	\$14,800	\$0
Squirrel, Virginia northern flying	<i>Glaucomys sabrinus fuscus</i>	\$20,042	\$0
Whale, blue	<i>Balaenoptera musculus</i>	\$37,917	\$0
Whale, finback	<i>Balaenoptera physalus</i>	\$38,417	\$0
Whale, humpback	<i>Megaptera novaeangliae</i>	\$40,417	\$0
Whale, right	<i>Balaena glacialis (incl. australis)</i>	\$46,417	\$0
Whale, Sei	<i>Balaenoptera borealis</i>	\$37,917	\$0
Whale, sperm	<i>Physeter catodon (=macrocephalus)</i>	\$37,917	\$0
Wolf, gray Mexican gray wolf, EXPN population	<i>Canis lupus</i>	\$143,611	\$0
Wolf, gray MN	<i>Canis lupus</i>	\$7,473	\$0
Wolf, gray WY, ID, MT	<i>Canis lupus</i>	\$126,572	\$0
Wolf, gray Lower 48 States, except where delisted and where EXPN. Mexico.	<i>Canis lupus</i>	\$469,886	\$0
Wolf, red except where EXPN	<i>Canis rufus</i>	\$645	\$0
Woodrat, riparian (=San Joaquin Valley)	<i>Neotoma fuscipes riparia</i>	\$1,000	\$0
Mammals Total		\$4,993,287	\$0
Birds			
Blackbird, yellow-shouldered	<i>Agelaius xanthomus</i>	\$48,800	\$0
Bobwhite, masked (quail)	<i>Colinus virginianus ridgwayi</i>	\$500	\$0
Condor, California U.S.A. only	<i>Gymnogyps californianus</i>	\$222,000	\$0
Crane, whooping except where EXPN	<i>Grus americana</i>	\$18,298	\$0
Crane, whooping U.S.A.(AL, AR, GA, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, OH, SC, TN, VA, WI, WV)	<i>Grus americana</i>	\$1,345	\$0
Curlew, Eskimo	<i>Numenius borealis</i>	\$4,300	\$0
Eagle, bald lower 48 States	<i>Haliaeetus leucocephalus</i>	\$1,084,846	\$0
Falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>	\$5,790	\$0
Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	\$71,507	\$0
Gnatcatcher, coastal California	<i>Polioptila californica californica</i>	\$4,000	\$0
Murrelet, marbled CA, OR, WA	<i>Brachyramphus marmoratus</i>	\$596,930	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	\$7,396	\$0
Owl, northern spotted	<i>Strix occidentalis caurina</i>	\$358,560	\$0
Parrot, Puerto Rican	<i>Amazona vittata</i>	\$187,200	\$0
Parrot, thick-billed Mexico	<i>Rhynchopsitta pachyrhyncha</i> **	\$1,500	\$0
Pelican, brown except U.S. Atlantic coast, FL, AL	<i>Pelecanus occidentalis</i>	\$10,745	\$0
Plover, piping except Great Lakes watershed	<i>Charadrius melodus</i>	\$234,130	\$0
Plover, piping Great Lakes watershed	<i>Charadrius melodus</i>	\$50,790	\$0
Plover, western snowy Pacific coastal pop.	<i>Charadrius alexandrinus nivosus</i>	\$16,133	\$0
Prairie-chicken, Attwater's greater	<i>Tympanuchus cupido attwateri</i>	\$28,258	\$0
Pygmy-owl, cactus ferruginous AZ pop.	<i>Glaucidium brasilianum cactorum</i>	\$102,000	\$0
Rail, California clapper	<i>Rallus longirostris obsoletus</i>	\$16,000	\$0
Rail, light-footed clapper U.S.A. only	<i>Rallus longirostris levipes</i>	\$20,000	\$0
Rail, Yuma clapper U.S.A. only	<i>Rallus longirostris yumanensis</i>	\$16,000	\$0
Shrike, San Clemente loggerhead	<i>Lanius ludovicianus mearnsi</i>	\$500	\$0
Sparrow, San Clemente sage	<i>Amphispiza belli clementeae</i>	\$500	\$0
Stork, wood AL, FL, GA, SC	<i>Mycteria americana</i>	\$3,780	\$0
Tern, California least	<i>Sterna antillarum browni</i>	\$20,000	\$0
Tern, least interior pop.	<i>Sterna antillarum</i>	\$68,270	\$0
Tern, roseate northeast U.S. nesting pop.	<i>Sterna dougallii dougallii</i>	\$36,670	\$0
Tern, roseate Western Hemisphere except NE U.S.	<i>Sterna dougallii dougallii</i>	\$200	\$0
Towhee, Inyo California	<i>Pipilo crissalis eremophilus</i>	\$1,000	\$0
Vireo, black-capped	<i>Vireo atricapilla</i>	\$56,300	\$0
Vireo, least Bell's	<i>Vireo bellii pusillus</i>	\$3,000	\$0
Warbler (=wood), Bachman's	<i>Vermivora bachmanii</i>	\$750	\$0
Warbler (=wood), golden-cheeked	<i>Dendroica chrysoparia</i>	\$4,300	\$0
Warbler (=wood), Kirtland's	<i>Dendroica kirtlandii</i>	\$175,800	\$0
Woodpecker, ivory-billed entire	<i>Campephilus principalis</i>	\$28,100	\$0
Woodpecker, red-cockaded	<i>Picoides borealis</i>	\$242,806	\$4,310,976
Birds Total		\$3,749,004	\$4,310,976
Reptiles			
Alligator, American	<i>Alligator mississippiensis</i>	\$4,100	\$0
Iguana, Mona ground	<i>Cyclura cornuta stejnegeri</i>	\$35,700	\$0
Lizard, blunt-nosed leopard	<i>Gambelia silus</i>	\$9,000	\$0
Plymouth Red-Bellied Turtle	<i>Pseudemys rubriventris bangsi</i>	\$3,000	\$0
Sea turtle, green except where endangered	<i>Chelonia mydas</i>	\$1,125	\$0
Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	\$23,360	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>	\$9,553	\$0
Sea turtle, leatherback	<i>Dermochelys coriacea</i>	\$13,225	\$0
Sea turtle, loggerhead	<i>Caretta caretta</i>	\$58,000	\$0
Snake, Concho water	<i>Nerodia paucimaculata</i>	\$5,642	\$0
Snake, copperbelly water MI, OH, IN N of 400 N. Lat.	<i>Nerodia erythrogaster neglecta</i>	\$17,800	\$0
Snake, eastern indigo	<i>Drymarchon corais couperi</i>	\$480	\$0
Snake, giant garter	<i>Thamnophis gigas</i>	\$6,000	\$0
Snake, Lake Erie water subspecies range clarified	<i>Nerodia sipedon insularum</i>	\$18,000	\$0
Tortoise, desert U.S.A., except in Sonoran Desert	<i>Gopherus agassizii</i>	\$6,500	\$0
Turtle, bog (=Muhlenberg) southern	<i>Clemmys muhlenbergii</i>	\$39,550	\$0
Turtle, bog (=Muhlenberg) northern	<i>Clemmys muhlenbergii</i>	\$122,595	\$0
Reptiles Total		\$373,630	\$0
Amphibians			
Frog, California red-legged subspecies range clarified	<i>Rana aurora draytonii</i>	\$8,000	\$0
Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>	\$26,523	\$0
Frog, mountain yellow-legged southern California DPS	<i>Rana muscosa</i>	\$5,000	\$0
Salamander, Barton Springs	<i>Eurycea sosorum</i>	\$7,283	\$0
Salamander, California tiger U.S.A. (CA - Sonoma County)	<i>Ambystoma californiense</i>	\$1,000	\$0
Salamander, Cheat Mountain	<i>Plethodon nettingi</i>	\$9,859	\$0
Salamander, flatwoods	<i>Ambystoma cingulatum</i>	\$7,100	\$0
Salamander, San Marcos	<i>Eurycea nana</i>	\$5,493	\$0
Salamander, Santa Cruz long-toed	<i>Ambystoma macrodactylum croceum</i>	\$2,000	\$0
Salamander, Shenandoah	<i>Plethodon shenandoah</i>	\$800	\$0
Salamander, Sonora tiger	<i>Ambystoma tigrinum stebbinsi</i>	\$10,000	\$0
Salamander, Texas blind	<i>Typhlomolge rathbuni</i>	\$5,790	\$0
Toad, arroyo (=arroyo southwestern)	<i>Bufo californicus (=microscaphus)</i>	\$1,000	\$0
Toad, Houston	<i>Bufo houstonensis</i>	\$16,430	\$0
Toad, Puerto Rican crested	<i>Peltophryne lemur</i>	\$12,000	\$0
Toad, Wyoming	<i>Bufo baxteri (=hemiohryns)</i>	\$702	\$0
Amphibians Total		\$118,980	\$0
Fishes			
Catfish, Yaqui	<i>Ictalurus pricei</i>	\$3,000	\$0
Cavefish, Alabama	<i>Speoplatyrhinus poulsoni</i>	\$5,307	\$0
Cavefish, Ozark	<i>Amblyopsis rosae</i>	\$72,500	\$0
Chub, bonytail entire	<i>Gila elegans</i>	\$145,761	\$0
Chub, Borax Lake	<i>Gila boraxobius</i>	\$600	\$0
Chub, Chihuahua	<i>Gila nigrescens</i>	\$3,250	\$0
Chub, humpback, entire	<i>Gila cypha</i>	\$128,761	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Chub, Hutton tui	<i>Gila bicolor ssp.</i>	\$7,500	\$0
Chub, Oregon	<i>Oregonichthys crameri</i>	\$5,500	\$0
Chub, slender	<i>Erimystax cahni</i>	\$500	\$0
Chub, Sonora	<i>Gila ditaenia</i>	\$4,000	\$0
Chub, spotfin Entire	<i>Erimonax monachus</i>	\$5,703	\$0
Chub, Virgin River	<i>Gila seminuda (=robusta)</i>	\$4,000	\$0
Chub, Yaqui	<i>Gila purpurea</i>	\$3,000	\$0
Dace, Foskett speckled Foskett	<i>Rhinichthys osculus ssp.</i>	\$7,510	\$0
Darter, amber	<i>Percina antesella</i>	\$8,000	\$0
Darter, bluemask (=jewel)	<i>Etheostoma sp.</i>	\$8,969	\$0
Darter, boulder	<i>Etheostoma wapiti</i>	\$1,781	\$0
Darter, boulder Shoal Creek	<i>Etheostoma wapiti</i>	\$1,133	\$0
Darter, Cherokee	<i>Etheostoma scotti</i>	\$4,500	\$0
Darter, duskytail Entire	<i>Etheostoma percnurum</i>	\$1,133	\$0
Darter, Etowah	<i>Etheostoma etowahae</i>	\$12,250	\$0
Darter, fountain	<i>Etheostoma fonticola</i>	\$4,300	\$0
Darter, Niangua	<i>Etheostoma nianguae</i>	\$50,000	\$0
Darter, vermilion	<i>Etheostoma chermocki</i>	\$4,100	\$0
Gambusia, Big Bend	<i>Gambusia gaigei</i>	\$4,300	\$0
Gambusia, Clear Creek	<i>Gambusia heterochir</i>	\$4,300	\$0
Gambusia, Pecos	<i>Gambusia nobilis</i>	\$5,865	\$0
Gambusia, San Marcos	<i>Gambusia georgei</i>	\$4,300	\$0
Goby, tidewater Entire	<i>Eucyclogobius newberryi</i>	\$5,000	\$0
Logperch, Conasauga	<i>Percina jenkinsi</i>	\$11,347	\$0
Logperch, Roanoke	<i>Percina rex</i>	\$17,000	\$0
Madtom, Neosho	<i>Noturus placidus</i>	\$4,700	\$0
Madtom, pygmy	<i>Noturus stanauli</i>	\$1,133	\$0
Madtom, smoky Entire	<i>Noturus baileyi</i>	\$1,133	\$0
Madtom, yellowfin except where EXPN	<i>Noturus flavipinnis</i>	\$8,119	\$0
Madtom, yellowfin Holston River, VA, TN	<i>Noturus flavipinnis</i>	\$3,000	\$0
Minnow, Devils River	<i>Dionda diaboli</i>	\$8,476	\$0
Minnow, loach	<i>Tiaroga cobitis</i>	\$5,000	\$0
Minnow, Rio Grande silvery	<i>Hybognathus amarus</i>	\$12,291	\$0
Pikeminnow (=squawfish), Colorado Salt and Verde R. drainages, AZ	<i>Ptychocheilus lucius</i>	\$21,000	\$0
Pikeminnow (=squawfish), Colorado except Salt and Verde R. drainages, AZ	<i>Ptychocheilus lucius</i>	\$129,761	\$0
Pupfish, Comanche Springs	<i>Cyprinodon elegans</i>	\$5,790	\$0
Pupfish, desert	<i>Cyprinodon macularius</i>	\$17,000	\$0
Pupfish, Leon Springs	<i>Cyprinodon bovinus</i>	\$4,300	\$0
Salmon, chinook fall Snake R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$1,113,925	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Salmon, chinook spring/summer Snake R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$2,282,625	\$0
Salmon, chinook spring upper Columbia R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$2,002,025	\$0
Salmon, chinook CA coastal	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$5,000	\$0
Salmon, chinook Puget Sound	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$3,652,325	\$0
Salmon, chinook upper Willamette R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$114,000	\$0
Salmon, chinook CA Central Valley spring-run	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$5,000	\$0
Salmon, chinook lower Columbia R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$1,269,353	\$0
Salmon, chinook winter Sacramento R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$75,000	\$0
Salmon, chum Columbia R.	<i>Oncorhynchus (=Salmo) keta</i>	\$789,725	\$0
Salmon, chum summer-run Hood Canal	<i>Oncorhynchus (=Salmo) keta</i>	\$864,825	\$0
Salmon, coho Lower Columbia River	<i>Oncorhynchus (=Salmo) kisutch</i>	\$391,478	\$0
Salmon, coho OR, CA pop.	<i>Oncorhynchus (=Salmo) kisutch</i>	\$1,100,000	\$0
Salmon, sockeye U.S.A. (Ozette Lake, WA)	<i>Oncorhynchus (=Salmo) nerka</i>	\$351,625	\$0
Salmon, sockeye U.S.A. (Snake River, ID stock wherever found.)	<i>Oncorhynchus (=Salmo) nerka</i>	\$774,200	\$0
Shiner, Arkansas River Arkansas R. Basin	<i>Notropis girardi</i>	\$8,488	\$0
Shiner, beautiful	<i>Cyprinella formosa</i>	\$3,000	\$0
Shiner, Cape Fear	<i>Notropis mekistocholas</i>	\$2,545	\$0
Shiner, Topeka	<i>Notropis topeka (=tristis)</i>	\$102,220	\$0
Spikedace	<i>Meda fulgida</i>	\$12,000	\$0
Spinedace, Little Colorado	<i>Lepidomeda vittata</i>	\$10,000	\$0
Steelhead upper Columbia R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$1,939,425	\$0
Steelhead Central Valley CA	<i>Oncorhynchus (=Salmo) mykiss</i>	\$5,000	\$0
Steelhead lower Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$1,086,673	\$0
Steelhead middle Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$684,248	\$0
Steelhead Snake River Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$2,388,825	\$0
Steelhead upper Willamette R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$160,725	\$0
Stickleback, unarmored threespine	<i>Gasterosteus aculeatus williamsoni</i>	\$15,000	\$0
Sturgeon, gulf	<i>Acipenser oxyrinchus desotoi</i>	\$1,771	\$0
Sturgeon, pallid	<i>Scaphirhynchus albus</i>	\$273,173	\$0
Sturgeon, shortnose	<i>Acipenser brevirostrum</i>	\$76,102	\$0
Sturgeon, white, U.S.A. (ID, MT), Canada (B.C.), Kootenai R. system	<i>Acipenser transmontanus</i>	\$144,700	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Sucker, Lost River	<i>Deltistes luxatus</i>	\$29,000	\$0
Sucker, Modoc	<i>Catostomus microps</i>	\$10,510	\$0
Sucker, razorback entire	<i>Xyrauchen texanus</i>	\$233,761	\$0
Sucker, Santa Ana 3 CA river basins	<i>Catostomus santaanae</i>	\$20,000	\$0
Sucker, shortnose	<i>Chasmistes brevirostris</i>	\$28,000	\$0
Sucker, Warner	<i>Catostomus warnerensis</i>	\$7,510	\$0
Topminnow, Gila (incl. Yaqui) U.S.A. only	<i>Poeciliopsis occidentalis</i>	\$54,000	\$0
Trout, Apache	<i>Oncorhynchus apache</i>	\$240,000	\$0
Trout, bull U.S.A., conterminous, lower 48 states	<i>Salvelinus confluentus</i>	\$1,696,833	\$0
Trout, Gila	<i>Oncorhynchus gilae</i>	\$59,725	\$0
Trout, greenback cutthroat	<i>Oncorhynchus clarki stomias</i>	\$197,449	\$0
Trout, Lahontan cutthroat	<i>Oncorhynchus clarki henshawi</i>	\$18,500	\$0
Trout, Little Kern golden	<i>Oncorhynchus aguabonita whitei</i>	\$2,000	\$0
Trout, Paiute cutthroat	<i>Oncorhynchus clarki seleniris</i>	\$2,500	\$0
Woundfin Gila R. drainage, AZ, NM	<i>Plagopterus argentissimus</i>	\$3,000	\$0
Fishes Total		\$25,074,662	\$0
Clams			
Bankclimber, purple (mussel)	<i>Elliptoideus sloatianus</i>	\$1,000	\$0
Bean, Cumberland (pearlymussel) Entire Range; Except where listed as Experimental Populations	<i>Villosa trabalis</i>	\$26,429	\$0
Bean, Cumberland (pearlymussel) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	<i>Villosa trabalis</i>	\$4,000	\$0
Bean, purple	<i>Villosa perpurpurea</i>	\$1,581	\$0
Blossom, green (pearlymussel)	<i>Epioblasma torulosa gubernaculum</i>	\$500	\$0
Catspaw (=purple cat's paw pearlymussel) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	<i>Epioblasma obliquata obliquata</i>	\$100	\$0
Clubshell Entire Range; Except where listed as Experimental Populations	<i>Pleurobema clava</i>	\$65,604	\$0
Clubshell, ovate	<i>Pleurobema perovatum</i>	\$3,734	\$0
Clubshell, southern	<i>Pleurobema decisum</i>	\$1,936	\$0
Combshell, Cumberlandian AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	<i>Epioblasma brevidens</i>	\$3,493	\$0
Combshell, Cumberlandian Entire Range; Except where listed as Experimental Populations	<i>Epioblasma brevidens</i>	\$8,927	\$0
Elktoe, Appalachian	<i>Alasmidonta raveneliana</i>	\$47,579	\$0
Fanshell	<i>Cyprogenia stegaria</i>	\$13,127	\$0
Fatmucket, Arkansas	<i>Lampsilis powelli</i>	\$800	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Heelsplitter, Carolina	<i>Lasmigona decorata</i>	\$408,449	\$0
Higgins eye (pearlymussel)	<i>Lampsilis higginsii</i>	\$38,500	\$0
Kidneyshell, triangular	<i>Ptychobranchus greenii</i>	\$1,936	\$0
Lilliput, pale (pearlymussel)	<i>Toxolasma cylindrellus</i>	\$7,046	\$0
Mapleleaf, winged Entire; except where listed as experimental populations	<i>Quadrula fragosa</i>	\$5,300	\$0
Moccasinshell, Alabama	<i>Medionidus acutissimus</i>	\$500	\$0
Moccasinshell, Coosa	<i>Medionidus parvulus</i>	\$500	\$0
Moccasinshell, Gulf	<i>Medionidus penicillatus</i>	\$1,000	\$0
Monkeyface, Appalachian (pearlymussel)	<i>Quadrula sparsa</i>	\$800	\$0
Monkeyface, Cumberland (pearlymussel) Entire Range; Except where listed as Experimental Populations	<i>Quadrula intermedia</i>	\$8,167	\$0
Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>	\$44,011	\$0
Mussel, oyster Entire Range; Except where listed as Experimental Populations	<i>Epioblasma capsaeformis</i>	\$31,668	\$0
Mussel, scaleshell	<i>Leptodea leptodon</i>	\$28,000	\$0
Pearlymussel, birdwing AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert, and Lauderdale Counties, AL	<i>Conradilla caelata</i>	\$800	\$0
Pearlymussel, cracking Entire Range; Except where listed as Experimental Populations	<i>Hemistena lata</i>	\$1,181	\$0
Pearlymussel, Curtis	<i>Epioblasma florentina curtisii</i>	\$1,000	\$0
Pearlymussel, dromedary Entire Range; Except where listed as Experimental Populations	<i>Dromus dromas</i>	\$911	\$0
Pearlymussel, littlewing	<i>Pegias fabula</i>	\$22,370	\$0
Pigtoe, finerayed Entire Range; Except where listed as Experimental Populations	<i>Fusconaia cuneolus</i>	\$1,500	\$0
Pigtoe, oval	<i>Pleurobema pyriforme</i>	\$1,000	\$0
Pigtoe, rough	<i>Pleurobema plenum</i>	\$5,411	\$0
Pigtoe, shiny Entire Range; Except where listed as Experimental Populations	<i>Fusconaia cor</i>	\$800	\$0
Pigtoe, southern	<i>Pleurobema georgianum</i>	\$500	\$0
Pimpleback, orangefoot (pearlymussel)	<i>Plethobasus cooperianus</i>	\$7,367	\$0
Pocketbook, fat	<i>Potamilus capax</i>	\$28,600	\$0
Pocketbook, finelined	<i>Lampsilis altilis</i>	\$5,699	\$0
Pocketbook, Ouachita rock	<i>Arkansia wheeleri</i>	\$10,167	\$0
Pocketbook, shinyrayed	<i>Lampsilis subangulata</i>	\$1,000	\$0
Rabbitsfoot, rough	<i>Quadrula cylindrica strigillata</i>	\$1,881	\$0
Riffleshell, northern	<i>Epioblasma torulosa rangiana</i>	\$41,887	\$0
Riffleshell, tan	<i>Epioblasma florentina walkeri</i> (=E. walkeri)	\$10,427	\$0
Ring pink (mussel)	<i>Obovaria retusa</i>	\$4,500	\$0
Spinymussel, James	<i>Pleurobema collina</i>	\$41,200	\$0
Spinymussel, Tar River	<i>Elliptio steinstansana</i>	\$36,780	\$0
Wartyback, white (pearlymussel)	<i>Plethobasus cicatricosus</i>	\$111	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>	\$97,613	\$0
Clams Total		\$1,077,392	\$0
Snails			
Abalone, White North America (West Coast from Point Conception, CA, U.S.A., to Punta Abreojos, Baja California, Mexico)	<i>Haliotis sorenseni</i>	\$21,000	\$0
Ambersnail, Kanab	<i>Oxyloma haydeni kanabensis</i>	\$12,000	\$0
Cavesnail, Tumbling Creek	<i>Antrobia culveri</i>	\$5,000	\$0
Lioplax, cylindrical (snail)	<i>Lioplax cyclostomaformis</i>	\$1,798	\$0
Pebblesnail, flat	<i>Lepyrium showalteri</i>	\$1,798	\$0
Riversnail, Anthony's AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	<i>Athearnia anthonyi</i>	\$111	\$0
Rocksnaail, round	<i>Leptoxis ampla</i>	\$1,798	\$0
Snail, Chittenango ovate amber	<i>Succinea chittenangoensis</i>	\$4,000	\$0
Snail, flat-spired three-toothed	<i>Triodopsis platysayoides</i>	\$9,692	\$0
Snail, Iowa Pleistocene	<i>Discus macclintocki</i>	\$2,120	\$0
Snail, Virginia fringed mountain	<i>Polygyriscus virginianus</i>	\$1,400	\$0
Springsnail, Alamosa	<i>Tryonia alamosae</i>	\$60	\$0
Springsnail, Socorro	<i>Pyrgulopsis neomexicana</i>	\$60	\$0
Snails Total		\$60,837	\$0
Insects			
Beetle, American burying	<i>Nicrophorus americanus</i>	\$32,087	\$0
Beetle, Coffin Cave mold	<i>Batrisodes texanus</i>	\$4,752	\$0
Beetle, Comal Springs dryopid	<i>Stygoparnus comalensis</i>	\$5,348	\$0
Beetle, Comal Springs riffle	<i>Heterelmis comalensis</i>	\$5,348	\$0
Beetle, Helotes mold	<i>Batrisodes venyivi</i>	\$4,900	\$0
Beetle, Hungerford's crawling water	<i>Brychius hungerfordi</i>	\$200	\$0
Beetle, Kretschmarr Cave mold	<i>Texamaurops reddelli</i>	\$4,752	\$0
Beetle, Tooth Cave ground	<i>Rhadine persephone</i>	\$4,752	\$0
Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>	\$230,655	\$0
Butterfly, Mitchell's satyr	<i>Neonympha mitchellii mitchellii</i>	\$17,200	\$0
Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>	\$3,000	\$0
Butterfly, Saint Francis' satyr	<i>Neonympha mitchellii francisci</i>	\$1,400	\$0
Dragonfly, Hine's emerald	<i>Somatochlora hineana</i>	\$46,960	\$392,250
Ground beetle, [unnamed]	<i>Rhadine infernalis</i>	\$4,752	\$0
Ground beetle, [unnamed]	<i>Rhadine exilis</i>	\$4,752	\$0
Skipper, Carson wandering	<i>Pseudocopaodes eunus obscurus</i>	\$10,000	\$0
Tiger beetle, northeastern beach	<i>Cicindela dorsalis dorsalis</i>	\$28,000	\$0
Tiger beetle, Puritan	<i>Cicindela puritana</i>	\$4,097	\$0
Insects Total		\$412,955	\$392,250

Common Name	Scientific Name	General Expenditures	Land Expenditures
Arachnids			
Harvestman, Bee Creek Cave	<i>Texella reddelli</i>	\$4,900	\$0
Harvestman, Bone Cave	<i>Texella reyesi</i>	\$4,900	\$0
Harvestman, Cokendolpher Cave	<i>Texella cokendolpheri</i>	\$5,438	\$0
Meshweaver, Braken Bat Cave	<i>Cicurina venii</i>	\$4,900	\$0
Meshweaver, Government Canyon Bat Cave	<i>Cicurina vespera</i>	\$4,900	\$0
Meshweaver, Madla's Cave	<i>Cicurina madla</i>	\$5,050	\$0
Meshweaver, Robber Baron Cave	<i>Cicurina baronia</i>	\$5,438	\$0
Pseudoscorpion, Tooth Cave	<i>Tartarocreagris texana</i>	\$5,438	\$0
Spider, Government Canyon Bat Cave	<i>Neoleptoneta microps</i>	\$5,050	\$0
Spider, Tooth Cave	<i>Leptoneta myopica</i>	\$5,438	\$0
Arachnids Total		\$51,452	\$0
Crustaceans			
Amphipod, Illinois cave	<i>Gammarus acherondytes</i>	\$135	\$0
Amphipod, Noel's	<i>Gammarus desperatus</i>	\$6,688	\$0
Amphipod, Peck's cave	<i>Stygebromus (=Stygonectes) pecki</i>	\$5,050	\$0
Crayfish, cave	<i>Cambarus zophonastes</i>	\$300	\$0
Crayfish, Shasta	<i>Pacifastacus fortis</i>	\$10,000	\$0
Isopod, Lee County cave	<i>Lirceus usdagalun</i>	\$750	\$0
Isopod, Madison Cave	<i>Antrolana lira</i>	\$528	\$0
Isopod, Socorro	<i>Thermosphaeroma thermophilus</i>	\$60	\$0
Crustaceans Total		\$23,511	\$0
Flowering Plants			
Agave, Arizona	<i>Agave arizonica</i>	\$500	\$0
Alani	<i>Melicope lydgatei</i>	\$1,370	\$0
Alani	<i>Melicope balloui</i>	\$68	\$0
Alani	<i>Melicope reflexa</i>	\$68	\$0
Alani	<i>Melicope pallida</i>	\$2,221	\$0
Alani	<i>Melicope haupuensis</i>	\$68	\$0
Alani	<i>Melicope mucronulata</i>	\$107	\$0
Alani	<i>Melicope ovalis</i>	\$68	\$0
Alani	<i>Melicope zahlbruckneri</i>	\$326	\$0
Alani	<i>Melicope quadrangularis</i>	\$68	\$0
Alani	<i>Melicope munroi</i>	\$68	\$0
Alani	<i>Melicope adscendens</i>	\$107	\$0
Alani	<i>Melicope saint-johnii</i>	\$236	\$0
Alani	<i>Melicope knudsenii</i>	\$68	\$0
Amaranth, seabeach	<i>Amaranthus pumilus</i>	\$500	\$0
Ambrosia, south Texas	<i>Ambrosia cheiranthifolia</i>	\$9,383	\$0
Amphianthus, little	<i>Amphianthus pusillus</i>	\$2,520	\$0
Aster, decurrent false	<i>Boltonia decurrens</i>	\$9,600	\$0
Aupaka	<i>Isodendrion longifolium</i>	\$2,221	\$0
Aupaka	<i>Isodendrion hosakae</i>	\$326	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Aupaka	<i>Isodendrion laurifolium</i>	\$2,389	\$0
Awiwi	<i>Hedyotis cookiana</i>	\$326	\$0
Awiwi	<i>Centaureum sebaeoides</i>	\$922	\$0
Ayenia, Texas	<i>Ayenia limitaris</i>	\$7,295	\$0
A`e	<i>Zanthoxylum hawaiiense</i>	\$978	\$0
A`e	<i>Zanthoxylum dipetalum var. tomentosum</i>	\$326	\$0
Beaked-rush, Knieskern's	<i>Rhynchospora knieskernii</i>	\$520	\$0
Bittercress, small-anthered	<i>Cardamine micranthera</i>	\$500	\$0
Bladderpod, Missouri	<i>Lesquerella filiformis</i>	\$6,100	\$0
Bladderpod, white	<i>Lesquerella pallida</i>	\$7,593	\$0
Bladderpod, Zapata	<i>Lesquerella thamnophila</i>	\$10,875	\$0
Blue-star, Kearney's	<i>Amsonia kearneyana</i>	\$500	\$0
Bluegrass, Hawaiian	<i>Poa sandvicensis</i>	\$68	\$0
Bluegrass, Mann's	<i>Poa mannii</i>	\$68	\$0
Bulrush, Northeastern	<i>Scirpus ancistrochaetus</i>	\$3,218	\$175,000
Bush-clover, prairie	<i>Lespedeza leptostachya</i>	\$9,040	\$51,000
Cactus, Arizona hedgehog	<i>Echinocereus triglochidiatus var. arizonicus</i>	\$500	\$0
Cactus, black lace	<i>Echinocereus reichenbachii var. albertii</i>	\$7,295	\$0
Cactus, Brady pincushion	<i>Pediocactus bradyi</i>	\$500	\$0
Cactus, Chisos Mountain hedgehog	<i>Echinocereus chisoensis var. chisoensis</i>	\$2,100	\$0
Cactus, Cochise pincushion	<i>Coryphantha robbinsorum</i>	\$500	\$0
Cactus, Lloyd's Mariposa	<i>Echinomastus mariposensis</i>	\$7,892	\$0
Cactus, Nellie cory	<i>Coryphantha minima</i>	\$2,100	\$0
Cactus, Nichol's Turk's head	<i>Echinocactus horzonthalonius var. nicholii</i>	\$500	\$0
Cactus, Peebles Navajo	<i>Pediocactus peeblesianus peeblesianus</i>	\$500	\$0
Cactus, Pima pineapple	<i>Coryphantha scheeri var. robustispina</i>	\$7,000	\$0
Cactus, Siler pincushion	<i>Pediocactus (=Echinocactus,=Utahia) sileri</i>	\$500	\$0
Cactus, Sneed pincushion	<i>Coryphantha sneedii var. sneedii</i>	\$6,698	\$0
Cactus, star	<i>Astrophytum asterias</i>	\$15,350	\$0
Cactus, Tobusch fishhook	<i>Ancistrocactus tobuschii</i>	\$32,386	\$0
Campion, fringed	<i>Silene polypetala</i>	\$2,000	\$0
Cat's-eye, Terlingua Creek	<i>Cryptantha crassipes</i>	\$7,892	\$0
Chaff-flower, round-leaved	<i>Achyranthes splendens var. rotundata</i>	\$922	\$0
Chaffseed, American	<i>Schwalbea americana</i>	\$3,620	\$0
Cliff-rose, Arizona	<i>Purshia (=Cowania) subintegra</i>	\$500	\$0
Clover, running buffalo	<i>Trifolium stoloniferum</i>	\$4,778	\$0
Coneflower, smooth	<i>Echinacea laevigata</i>	\$1,000	\$630,000
Cory cactus, bunched	<i>Coryphantha ramillosa</i>	\$2,100	\$0
Cycladenia, Jones	<i>Cycladenia jonesii (=humilis)</i>	\$500	\$0
Daisy, lakeside	<i>Hymenoxys herbacea</i>	\$200	\$0
Dawn-flower, Texas prairie	<i>Hymenoxys texana</i>	\$10,875	\$0
Dogweed, ashy	<i>Thymophylla tephroleuca</i>	\$6,997	\$0
Dropwort, Canby's	<i>Oxypolis canbyi</i>	\$1,020	\$0
Fleabane, Zuni	<i>Erigeron rhizomatus</i>	\$500	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Frankenia, Johnston's	<i>Frankenia johnstonii</i>	\$6,997	\$0
Gardenia (=Na`u), Hawaiian	<i>Gardenia brighamii</i>	\$4,094	\$0
Geranium, Hawaiian red-flowered	<i>Geranium arboreum</i>	\$810	\$0
Gerardia, sandplain	<i>Agalinis acuta</i>	\$9,843	\$0
Goldenrod, Houghton's	<i>Solidago houghtonii</i>	\$300	\$0
Groundsel, San Francisco Peaks	<i>Senecio franciscanus</i>	\$500	\$0
Haha	<i>Cyanea acuminata</i>	\$236	\$0
Haha	<i>Cyanea recta</i>	\$68	\$0
Haha	<i>Cyanea asarifolia</i>	\$68	\$0
Haha	<i>Cyanea hamatiflora ssp. carlsonii</i>	\$10,516	\$0
Haha	<i>Cyanea lobata</i>	\$107	\$0
Haha	<i>Cyanea shipmannii</i>	\$326	\$0
Haha	<i>Cyanea mceldowneyi</i>	\$68	\$0
Haha	<i>Cyanea macrostegia ssp. gibsonii</i>	\$68	\$0
Haha	<i>Cyanea copelandii ssp. haleakalaensis</i>	\$68	\$0
Haha	<i>Cyanea koolauensis</i>	\$236	\$0
Haha	<i>Cyanea grimesiana ssp. obatae</i>	\$1,202	\$0
Haha	<i>Cyanea truncata</i>	\$1,370	\$0
Haha	<i>Cyanea procera</i>	\$107	\$0
Haha	<i>Cyanea grimesiana ssp. grimesiana</i>	\$1,409	\$0
Haha	<i>Cyanea hamatiflora ssp. hamatiflora</i>	\$68	\$0
Haha	<i>Cyanea remyi</i>	\$68	\$0
Haha	<i>Cyanea copelandii ssp. copelandii</i>	\$326	\$0
Haha	<i>Cyanea stictophylla</i>	\$3,338	\$0
Haha	<i>Cyanea mannii</i>	\$68	\$0
Haha	<i>Cyanea platyphylla</i>	\$326	\$0
Haha	<i>Cyanea undulata</i>	\$68	\$0
Haha	<i>Cyanea longiflora</i>	\$236	\$0
Haha	<i>Cyanea superba</i>	\$1,202	\$0
Haha	<i>Cyanea dunbarii</i>	\$107	\$0
Haha	<i>Cyanea humboldtiana</i>	\$236	\$0
Haha	<i>Cyanea pinnatifida</i>	\$1,202	\$0
Haha	<i>Cyanea st-johnii</i>	\$1,370	\$0
Haha	<i>Cyanea glabra</i>	\$68	\$0
Hala pepe	<i>Pleomele hawaiiensis</i>	\$3,461	\$0
Harperella	<i>Ptilimnium nodosum</i>	\$5,139	\$0
Hau kuahiwi	<i>Hibiscadelphus woodii</i>	\$68	\$0
Hau kuahiwi	<i>Hibiscadelphus hualalaiensis</i>	\$1,720	\$0
Hau kuahiwi	<i>Hibiscadelphus giffardianus</i>	\$326	\$0
Ha`iwale	<i>Cyrtandra polyantha</i>	\$1,370	\$0
Ha`iwale	<i>Cyrtandra subumbellata</i>	\$236	\$0
Ha`iwale	<i>Cyrtandra viridiflora</i>	\$236	\$0
Ha`iwale	<i>Cyrtandra tintinnabula</i>	\$326	\$0
Ha`iwale	<i>Cyrtandra giffardii</i>	\$2,067	\$0
Ha`iwale	<i>Cyrtandra dentata</i>	\$236	\$0
Ha`iwale	<i>Cyrtandra munroi</i>	\$68	\$0
Ha`iwale	<i>Cyrtandra crenata</i>	\$1,202	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Ha`iwale	<i>Cyrtandra limahuliensis</i>	\$68	\$0
Heau	<i>Exocarpos luteolus</i>	\$2,221	\$0
Hedyotis, Na Pali beach	<i>Hedyotis st.-johnii</i>	\$68	\$0
Hibiscus, Clay's	<i>Hibiscus clayi</i>	\$2,221	\$0
Holei	<i>Ochrosia kilauaeensis</i>	\$326	\$0
Honohono	<i>Haplostachys haplostachya</i>	\$326	\$0
Iliau, dwarf	<i>Wilkesia hobdyi</i>	\$2,221	\$0
Iris, dwarf lake	<i>Iris lacustris</i>	\$200	\$340,000
Ischaemum, Hilo	<i>Ischaemum byrone</i>	\$326	\$0
Joint-vetch, sensitive	<i>Aeschynomene virginica</i>	\$1,320	\$0
Kamakahala	<i>Labordia tinifolia var. wahiawaensis</i>	\$68	\$0
Kamakahala	<i>Labordia lydgatei</i>	\$68	\$0
Kamakahala	<i>Labordia triflora</i>	\$107	\$0
Kamakahala	<i>Labordia tinifolia var. lanaiensis</i>	\$68	\$0
Kamakahala	<i>Labordia cyrtandrae</i>	\$1,370	\$0
Kamanomano	<i>Cenchrus agrimonioides</i>	\$922	\$0
Kauai hau kuahiwi	<i>Hibiscadelphus distans</i>	\$3,485	\$0
Kauila	<i>Colubrina oppositifolia</i>	\$12,145	\$0
Kaulu	<i>Pteralyxia kauaiensis</i>	\$2,221	\$0
Kio`ele	<i>Hedyotis coriacea</i>	\$365	\$0
Kiponapona	<i>Phyllostegia racemosa</i>	\$2,686	\$0
Koki`o	<i>Kokia kauaiensis</i>	\$2,221	\$0
Koki`o	<i>Kokia drynarioides</i>	\$9,550	\$0
Koki`o ke`oke`o	<i>Hibiscus waimeae ssp. hannerae</i>	\$2,221	\$0
Koki`o ke`oke`o	<i>Hibiscus arnottianus ssp. immaculatus</i>	\$68	\$0
Koki`o, Cooke's	<i>Kokia cookei</i>	\$849	\$0
Kolea	<i>Myrsine linearifolia</i>	\$2,221	\$0
Kolea	<i>Myrsine juddii</i>	\$236	\$0
Kopa	<i>Hedyotis schlechtendahliaana var. remyi</i>	\$107	\$0
Ko`oko`olau	<i>Bidens wiebkei</i>	\$68	\$0
Ko`oko`olau	<i>Bidens micrantha ssp. kalealaha</i>	\$68	\$0
Ko`oloa`ula	<i>Abutilon menziesii</i>	\$101,683	\$0
Kuahiwi laukahi	<i>Plantago hawaiensis</i>	\$1,597	\$0
Kuahiwi laukahi	<i>Plantago princeps</i>	\$2,647	\$0
Kuawawaenohu	<i>Alsindendron lychnoides</i>	\$2,221	\$0
Kula wahine noho	<i>Isodendron pyriform</i>	\$326	\$0
Kulu`i	<i>Nototrichium humile</i>	\$68	\$0
Ladies'-tresses, Canelo Hills	<i>Spiranthes delitescens</i>	\$500	\$0
Ladies'-tresses, Navasota	<i>Spiranthes parksii</i>	\$9,383	\$0
Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>	\$5,745	\$0
Lau`ehu	<i>Panicum niuhauense</i>	\$68	\$0
Lauhilihi	<i>Schiedea stellarioides</i>	\$68	\$0
Leather flower, Alabama	<i>Clematis socialis</i>	\$1,500	\$0
Liliwai	<i>Acaena exigua</i>	\$107	\$0
Lily, Minnesota dwarf trout	<i>Erythronium propullans</i>	\$4,500	\$0
Lily, Western	<i>Lilium occidentale</i>	\$10,000	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Love grass, Fosberg's	<i>Eragrostis fosbergii</i>	\$68	\$0
Lo`ulu	<i>Pritchardia remota</i>	\$68	\$0
Lo`ulu	<i>Pritchardia munroi</i>	\$107	\$0
Lo`ulu	<i>Pritchardia napaliensis</i>	\$590	\$0
Lo`ulu	<i>Pritchardia schattaueri</i>	\$2,686	\$0
Lo`ulu	<i>Pritchardia viscosa</i>	\$2,221	\$0
Lo`ulu	<i>Pritchardia affinis</i>	\$1,068	\$0
Lo`ulu	<i>Pritchardia kaalae</i>	\$68	\$0
Mahoe	<i>Alectryon macrococcus</i>	\$107	\$0
Makou	<i>Peucedanum sandwicense</i>	\$2,221	\$0
Mallow, Peter's Mountain	<i>Iliamna corei</i>	\$2,000	\$0
Manioc, Walker's	<i>Manihot walkerae</i>	\$8,190	\$0
Mapele	<i>Cyrtandra cyaneoides</i>	\$68	\$0
Ma`o hau hele, (=native yellow hibiscus)	<i>Hibiscus brackenridgei</i>	\$5,449	\$0
Ma`oli`oli	<i>Schiedea apokremnos</i>	\$68	\$0
Ma`oli`oli	<i>Schiedea kealiae</i>	\$68	\$0
Mehamehame	<i>Flueggea neowawraea</i>	\$6,827	\$0
Milk-vetch, Holmgren	<i>Astragalus holmgreniorum</i>	\$500	\$0
Milk-vetch, Jesup's	<i>Astragalus robbinsii</i> var. <i>jesupi</i>	\$1,500	\$0
Milk-vetch, Peirson's	<i>Astragalus magdalenae</i> var. <i>peirsonii</i>	\$500	\$0
Milk-vetch, Sentry	<i>Astragalus cremnophylax</i> var. <i>cremnophylax</i>	\$500	\$0
Milkweed, Mead's	<i>Asclepias meadii</i>	\$3,665	\$0
Milkweed, Welsh's	<i>Asclepias welshii</i>	\$500	\$0
Monkey-flower, Michigan	<i>Mimulus glabratus</i> var. <i>michiganensis</i>	\$100	\$0
Monkshood, northern wild	<i>Aconitum noveboracense</i>	\$1,000	\$7,000
Nani wai`ale`ale	<i>Viola kauaiensis</i> var. <i>wahiawaensis</i>	\$68	\$0
Nanu	<i>Gardenia mannii</i>	\$1,370	\$0
Naupaka, dwarf	<i>Scaevola coriacea</i>	\$922	\$0
Na`ena`e	<i>Dubautia pauciflora</i>	\$68	\$0
Na`ena`e	<i>Dubautia latifolia</i>	\$2,221	\$0
Na`ena`e	<i>Dubautia plantaginea</i> ssp. <i>humilis</i>	\$68	\$0
Na`ena`e	<i>Dubautia herbstobatae</i>	\$68	\$0
Nehe	<i>Lipochaeta micrantha</i>	\$2,221	\$0
Nehe	<i>Lipochaeta kamolensis</i>	\$68	\$0
Nehe	<i>Lipochaeta tenuifolia</i>	\$68	\$0
Nehe	<i>Lipochaeta lobata</i> var. <i>leptophylla</i>	\$68	\$0
Nehe	<i>Lipochaeta waimeaensis</i>	\$2,221	\$0
Nehe	<i>Lipochaeta fauriei</i>	\$2,221	\$0
Nioi	<i>Eugenia koolauensis</i>	\$1,202	\$0
No common name	<i>Munroidendron racemosum</i>	\$2,221	\$0
No common name	<i>Stenogyne campanulata</i>	\$68	\$0
No common name	<i>Phyllostegia knudsenii</i>	\$68	\$0
No common name	<i>Mariscus pennatiformis</i>	\$326	\$0
No common name	<i>Neraudia ovata</i>	\$2,686	\$0
No common name	<i>Silene alexandri</i>	\$107	\$0
No common name	<i>Viola helenae</i>	\$68	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
No common name	<i>Schiedea helleri</i>	\$68	\$0
No common name	<i>Gouania vitifolia</i>	\$2,079	\$0
No common name	<i>Phyllostegia parviflora</i>	\$1,628	\$0
No common name	<i>Hedyotis degeneri</i>	\$68	\$0
No common name	<i>Spermolepis hawaiiensis</i>	\$326	\$0
No common name	<i>Stenogyne bifida</i>	\$68	\$0
No common name	<i>Hedyotis parvula</i>	\$68	\$0
No common name	<i>Phyllostegia warshaueri</i>	\$2,067	\$0
No common name	<i>Sanicula purpurea</i>	\$1,370	\$0
No common name	<i>Gahnia lanaiensis</i>	\$68	\$0
No common name	<i>Schiedea kauaiensis</i>	\$2,221	\$0
No common name	<i>Phyllostegia mollis</i>	\$1,202	\$0
No common name	<i>Geocarpon minimum</i>	\$13,392	\$36,000
No common name	<i>Delissea undulata</i>	\$326	\$0
No common name	<i>Schiedea verticillata</i>	\$68	\$0
No common name	<i>Neraudia sericea</i>	\$68	\$0
No common name	<i>Silene lanceolata</i>	\$326	\$0
No common name	<i>Lysimachia maxima</i>	\$107	\$0
No common name	<i>Achyranthes mutica</i>	\$1,809	\$0
No common name	<i>Lysimachia lydgatei</i>	\$68	\$0
No common name	<i>Delissea rhytidosperra</i>	\$3,485	\$0
No common name	<i>Cyanea (=Rollandia) crispa</i>	\$1,202	\$0
No common name	<i>Phyllostegia hirsuta</i>	\$236	\$0
No common name	<i>Schiedea membranacea</i>	\$2,221	\$0
No common name	<i>Phyllostegia velutina</i>	\$2,686	\$0
No common name	<i>Poa siphonoglossa</i>	\$68	\$0
No common name	<i>Viola oahuensis</i>	\$236	\$0
No common name	<i>Gouania meyenii</i>	\$2,221	\$0
No common name	<i>Schiedea lydgatei</i>	\$68	\$0
No common name	<i>Xylosma crenatum</i>	\$590	\$0
No common name	<i>Schiedea spergulina var. leiopoda</i>	\$68	\$0
No common name	<i>Mariscus fauriei</i>	\$326	\$0
No common name	<i>Schiedea kaalae</i>	\$1,370	\$0
No common name	<i>Tetramolopium rockii</i>	\$68	\$0
No common name	<i>Sanicula mariversa</i>	\$68	\$0
No common name	<i>Schiedea spergulina var. spergulina</i>	\$68	\$0
No common name	<i>Hesperomannia arborescens</i>	\$1,370	\$0
No common name	<i>Hesperomannia arbuscula</i>	\$1,202	\$0
No common name	<i>Phyllostegia glabra var. lanaiensis</i>	\$68	\$0
No common name	<i>Platanthera holochila</i>	\$68	\$0
No common name	<i>Hesperomannia lydgatei</i>	\$68	\$0
No common name	<i>Tetramolopium filiforme</i>	\$68	\$0
No common name	<i>Silene perlmanii</i>	\$1,202	\$0
No common name	<i>Phyllostegia wawrana</i>	\$68	\$0
No common name	<i>Tetramolopium remyi</i>	\$107	\$0
No common name	<i>Abutilon sandwicense</i>	\$1,202	\$0
No common name	<i>Lobelia niihauensis</i>	\$1,202	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
No common name	<i>Phyllostegia waimeae</i>	\$68	\$0
No common name	<i>Schiedea hookeri</i>	\$68	\$0
No common name	<i>Schiedea sarmentosa</i>	\$68	\$0
No common name	<i>Schiedea haleakalensis</i>	\$68	\$0
No common name	<i>Remya montgomeryi</i>	\$2,221	\$0
No common name	<i>Alsinidendron obovatum</i>	\$1,202	\$0
No common name	<i>Alsinidendron trinerve</i>	\$1,202	\$0
No common name	<i>Stenogyne kanehoana</i>	\$1,202	\$0
No common name	<i>Bonamia menziesii</i>	\$3,131	\$0
No common name	<i>Viola lanaiensis</i>	\$68	\$0
No common name	<i>Chamaesyce halemanui</i>	\$2,221	\$0
No common name	<i>Gouania hillebrandii</i>	\$1,809	\$0
No common name	<i>Phyllostegia mannii</i>	\$107	\$0
No common name	<i>Lobelia monostachya</i>	\$1,370	\$0
No common name	<i>Stenogyne angustifolia</i> var. <i>angustifolia</i>	\$326	\$0
No common name	<i>Neraudia angulata</i>	\$68	\$0
No common name	<i>Amaranthus brownii</i>	\$68	\$0
No common name	<i>Trematolobelia singularis</i>	\$236	\$0
No common name	<i>Lobelia gaudichaudii</i> ssp. <i>koolauensis</i>	\$236	\$0
No common name	<i>Alsinidendron viscosum</i>	\$2,743	\$0
No common name	<i>Lysimachia filifolia</i>	\$68	\$0
No common name	<i>Abutilon eremitopetalum</i>	\$810	\$0
No common name	<i>Silene hawaiiensis</i>	\$326	\$0
No common name	<i>Remya kauaiensis</i>	\$2,221	\$0
No common name	<i>Tetramolopium lepidotum</i> ssp. <i>lepidotum</i>	\$1,202	\$0
No common name	<i>Lipochaeta venosa</i>	\$326	\$0
No common name	<i>Tetramolopium arenarium</i>	\$978	\$0
No common name	<i>Phyllostegia kaalaensis</i>	\$1,370	\$0
No common name	<i>Vigna o-wahuensis</i>	\$326	\$0
No common name	<i>Schiedea nuttallii</i>	\$3,355	\$0
No common name	<i>Lobelia oahuensis</i>	\$1,370	\$0
Nohoanu	<i>Geranium multiflorum</i>	\$68	\$0
Oak, Hinckley	<i>Quercus hinckleyi</i>	\$6,400	\$0
Oha	<i>Delissea subcordata</i>	\$1,370	\$0
Oha	<i>Delissea rivularis</i>	\$68	\$0
Ohai	<i>Sesbania tomentosa</i>	\$1,922	\$0
Olulu	<i>Brighamia insignis</i>	\$68	\$0
Opuhe	<i>Urera kaalae</i>	\$1,202	\$0
Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>	\$8,180	\$101,625
Orchid, western prairie fringed	<i>Platanthera praeclara</i>	\$17,400	\$0
Pamakani	<i>Viola chamissoniana</i> ssp. <i>chamissoniana</i>	\$68	\$0
Panicgrass, Carter's	<i>Panicum fauriei</i> var. <i>carteri</i>	\$68	\$0
Phlox, Texas trailing	<i>Phlox nivalis</i> ssp. <i>texensis</i>	\$7,892	\$0
Pilo	<i>Hedyotis mannii</i>	\$68	\$0
Pink, swamp	<i>Helonias bullata</i>	\$1,020	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Pitaya, Davis' green	<i>Echinocereus viridiflorus var. davisii</i>	\$6,400	\$0
Pogonia, small whorled	<i>Isotria medeoloides</i>	\$6,020	\$0
Pondberry	<i>Lindera melissifolia</i>	\$3,300	\$0
Pondweed, Little Aguja (=Creek)	<i>Potamogeton clystocarpus</i>	\$6,400	\$0
Popolo ku mai	<i>Solanum incompletum</i>	\$365	\$0
Poppy-mallow, Texas	<i>Callirhoe scabriuscula</i>	\$10,875	\$0
Potato-bean, Price's	<i>Apios priceana</i>	\$860	\$0
Prairie-clover, leafy	<i>Dalea foliosa</i>	\$160	\$0
Pua `ala	<i>Brighamia rockii</i>	\$68	\$0
Pu`uka`a	<i>Cyperus trachysanthos</i>	\$236	\$0
Rattleweed, hairy	<i>Baptisia arachnifera</i>	\$4,000	\$0
Remya, Maui	<i>Remya mauiensis</i>	\$107	\$0
Rock-cress, shale barren	<i>Arabis serotina</i>	\$1,654	\$0
Roseroot, Leedy's	<i>Sedum integrifolium ssp. leedyi</i>	\$2,000	\$0
Rush-pea, slender	<i>Hoffmannseggia tenella</i>	\$7,892	\$0
Sand-verbena, large-fruited	<i>Abronia macrocarpa</i>	\$6,997	\$0
Sandalwood, Lanai (= `iliahi)	<i>Santalum freycinetianum var. lanaiense</i>	\$68	\$0
Schiedea, Diamond Head	<i>Schiedea adamantis</i>	\$1,090	\$0
Sedge, Navajo	<i>Carex specuicola</i>	\$500	\$0
Silversword, Mauna Loa (=Ka'u)	<i>Argyroxiphium kauense</i>	\$8,156	\$0
Skullcap, large-flowered	<i>Scutellaria montana</i>	\$400	\$0
Sneezeweed, Virginia	<i>Helenium virginicum</i>	\$5,000	\$0
Snowbells, Texas	<i>Styrax texanus</i>	\$40,858	\$0
Spiraea, Virginia	<i>Spiraea virginiana</i>	\$930	\$0
Sumac, Michaux's	<i>Rhus michauxii</i>	\$1,200	\$0
Sunflower, Eggert's	<i>Helianthus eggertii</i>	\$7,046	\$0
Sunflower, Pecos (=puzzle, =paradox)	<i>Helianthus paradoxus</i>	\$7,892	\$0
Sunflower, Schweinitz's	<i>Helianthus schweinitzii</i>	\$0	\$160,000
Thistle, Pitcher's	<i>Cirsium pitcheri</i>	\$300	\$0
Trillium, persistent	<i>Trillium persistens</i>	\$1,000	\$0
Trillium, relict	<i>Trillium reliquum</i>	\$5,000	\$0
Uhiuhi	<i>Caesalpinia kawaiense</i>	\$13,691	\$0
Vetch, Hawaiian	<i>Vicia menziesii</i>	\$2,461	\$0
Wahane	<i>Pritchardia aylmer-robinsonii</i>	\$2,221	\$0
Water-umbel, Huachuca	<i>Lilaeopsis schaffneriana var. recurva</i>	\$500	\$0
Wild-rice, Texas	<i>Zizania texana</i>	\$24,300	\$0
`Ahinahina	<i>Argyroxiphium sandwicense ssp. macrocephalum</i>	\$68	\$0
`Ahinahina	<i>Argyroxiphium sandwicense ssp. sandwicense</i>	\$8,156	\$0
`Aiakeakua, popolo	<i>Solanum sandwicense</i>	\$3,877	\$0
`Aiea	<i>Nothocestrum peltatum</i>	\$68	\$0
`Aiea	<i>Nothocestrum breviflorum</i>	\$3,461	\$0
`Akoko	<i>Chamaesyce deppeana</i>	\$1,202	\$0
`Akoko	<i>Chamaesyce rockii</i>	\$236	\$0
`Akoko	<i>Euphorbia haeleeleana</i>	\$4,209	\$0
`Akoko	<i>Chamaesyce kuwaleana</i>	\$68	\$0
`Akoko	<i>Chamaesyce herbstii</i>	\$1,202	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
`Akoko	<i>Chamaesyce celastroides var. kaenana</i>	\$1,202	\$0
`Akoko, Ewa Plains	<i>Chamaesyce skottsbergii var. kalaeloana</i>	\$922	\$0
`Anaunau	<i>Lepidium arbuscula</i>	\$1,202	\$0
`Anunu	<i>Sicyos alba</i>	\$2,067	\$0
`Awikiwiki	<i>Canavalia molokaiensis</i>	\$68	\$0
`Oha wai	<i>Clermontia oblongifolia ssp. brevipes</i>	\$107	\$0
`Oha wai	<i>Clermontia oblongifolia ssp. mauiensis</i>	\$107	\$0
`Oha wai	<i>Clermontia samuelii</i>	\$68	\$0
`Oha wai	<i>Clermontia peleana</i>	\$2,067	\$0
`Oha wai	<i>Clermontia drepanomorpha</i>	\$2,067	\$0
`Oha wai	<i>Clermontia pyrularia</i>	\$326	\$0
`Oha wai	<i>Clermontia lindseyana</i>	\$2,686	\$0
`Ohe`ohe	<i>Tetraplasandra gymnocarpa</i>	\$1,370	\$0
Flowering Plants Total		\$862,612	\$1,500,625
Ferns and Allies			
Diellia, asplenium-leaved	<i>Diellia erecta</i>	\$2,011	\$0
Fern, pendant kihi	<i>Adenophorus periens</i>	\$258	\$0
Ihi`ihi	<i>Marsilea villosa</i>	\$854	\$0
No common name	<i>Pteris lidgatei</i>	\$168	\$0
No common name	<i>Diplazium molokaiense</i>	\$258	\$0
Wawae`iole	<i>Lycopodium (=Phlegmariurus) nutans</i>	\$1,302	\$0
Wawae`iole	<i>Huperzia mannii</i>	\$258	\$0
Ferns and Allies Total		\$5,109	\$0
Other ESA Expenses not including Foreign Species		\$645,819	\$12,223,000
Expenses from Foreign Species		\$1,500	\$0
Total Other ESA Expenses		\$647,319	\$12,223,000
All Species Total		\$37,449,250	\$18,426,851

** denotes Foreign Species; totals from Foreign Species are included in Other ESA Expenses

Appendix C. Expenditures Reported by the States for FY 2006

Common Name	Scientific Name	General Expenditures	Land Expenditures
Mammals			
Bat, gray	<i>Myotis grisescens</i>	\$27,914	\$0
Bat, Indiana	<i>Myotis sodalis</i>	\$124,780	\$0
Bat, lesser long-nosed	<i>Leptonycteris curasoae yerbabuenae</i>	\$16,000	\$0
Bat, Mexican long-nosed	<i>Leptonycteris nivalis</i>	\$5,610	\$0
Bat, Ozark big-eared	<i>Corynorhinus (=Plecotus) townsendii ingens</i>	\$4,100	\$12,000
Bat, Virginia big-eared	<i>Corynorhinus (=Plecotus) townsendii virginianus</i>	\$7,042	\$0
Bear, American black County range of LA b.bear	<i>Ursus americanus</i>	\$12,354	\$0
Bear, grizzly lower 48 States, except where listed as an experimental population or delisted	<i>Ursus arctos horribilis</i>	\$1,531,298	\$0
Bear, Louisiana black	<i>Ursus americanus luteolus</i>	\$26,544	\$0
Caribou, woodland Selkirk Mountain population	<i>Rangifer tarandus caribou</i>	\$800	\$0
Ferret, black-footed entire population, except where EXPN	<i>Mustela nigripes</i>	\$110,336	\$0
Ferret, black-footed U.S.A. (specific portions of AZ, CO, MT, SD, UT, and WY)	<i>Mustela nigripes</i>	\$378,023	\$0
Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>	\$28,000	\$0
Fox, Santa Cruz Island	<i>Urocyon littoralis santacruzae</i>	\$3,000	\$0
Jaguar	<i>Panthera onca</i>	\$10,000	\$0
Jaguarundi, Gulf Coast	<i>Herpailurus (=Felis) yagouaroundi cacomitli</i>	\$4,650	\$0
Kangaroo rat, giant	<i>Dipodomys ingens</i>	\$20,000	\$0
Kangaroo rat, Stephens'	<i>Dipodomys stephensi (incl. D. cascus)</i>	\$2,000	\$0
Kangaroo rat, Tipton	<i>Dipodomys nitratoides nitratoides</i>	\$45,000	\$0
Lynx, Canada lower 48 States DPS	<i>Lynx canadensis</i>	\$676,960	\$0
Manatee, West Indian	<i>Trichechus manatus</i>	\$5,374,284	\$0
Mountain beaver, Point Arena	<i>Aplodontia rufa nigra</i>	\$7,500	\$0
Mouse, Pacific pocket	<i>Perognathus longimembris pacificus</i>	\$2,000	\$0
Mouse, Preble's meadow jumping	<i>Zapus hudsonius preblei</i>	\$18,129	\$250,661
Mouse, salt marsh harvest	<i>Reithrodontomys raviventris</i>	\$45,000	\$0
Ocelot	<i>Leopardus (=Felis) pardalis</i>	\$7,610	\$0
Panther, Florida	<i>Puma (=Felis) concolor coryi</i>	\$1,603,973	\$0
Pronghorn, Sonoran	<i>Antilocapra americana sonoriensis</i>	\$250,000	\$0
Puma (=cougar), eastern	<i>Puma (=Felis) concolor cougar</i>	\$1,200	\$0
Rabbit, riparian brush	<i>Sylvilagus bachmani riparius</i>	\$10,000	\$0
Sheep, bighorn Peninsular CA pop.	<i>Ovis canadensis</i>	\$65,000	\$0
Sheep, Sierra Nevada bighorn Sierra Nevada DPS	<i>Ovis canadensis californiana</i>	\$75,000	\$0
Shrew, Buena Vista Lake ornate	<i>Sorex ornatus relictus</i>	\$1,000	\$0
Squirrel, Carolina northern flying	<i>Glaucomys sabrinus coloratus</i>	\$6,050	\$0
Squirrel, Delmarva Peninsula fox Entire population, except Assawoman Wildlife Area in Sussex Co., DE	<i>Sciurus niger cinereus</i>	\$5,500	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Squirrel, Mount Graham red	<i>Tamiasciurus hudsonicus grahamensis</i>	\$12,000	\$0
Squirrel, northern Idaho ground	<i>Spermophilus brunneus brunneus</i>	\$78,900	\$0
Squirrel, Virginia northern flying	<i>Glaucomys sabrinus fuscus</i>	\$44,284	\$0
Vole, Amargosa	<i>Microtus californicus scirpensis</i>	\$500	\$0
Whale, blue	<i>Balaenoptera musculus</i>	\$333	\$0
Whale, finback	<i>Balaenoptera physalus</i>	\$1,333	\$0
Whale, humpback	<i>Megaptera novaeangliae</i>	\$2,953	\$0
Whale, right	<i>Balaena glacialis (incl. australis)</i>	\$598,582	\$0
Whale, Sei	<i>Balaenoptera borealis</i>	\$333	\$0
Whale, sperm	<i>Physeter catodon (=macrocephalus)</i>	\$333	\$0
Wolf, gray WY, ID, MT	<i>Canis lupus</i>	\$353,228	\$0
Wolf, gray MN	<i>Canis lupus</i>	\$4,107	\$0
Wolf, gray Lower 48 States, except where delisted and where EXPN. Mexico.	<i>Canis lupus</i>	\$265,626	\$0
Wolf, gray Mexican gray wolf, EXPN population	<i>Canis lupus</i>	\$167,523	\$0
Wolf, red U.S.A. (portions of NC and TN)	<i>Canis rufus</i>	\$25	\$0
Woodrat, riparian (=San Joaquin Valley)	<i>Neotoma fuscipes riparia</i>	\$1,000	\$0
Mammals Total		\$12,037,717	\$262,661
Birds			
Akepa, Hawaii (honeycreeper)	<i>Loxops coccineus coccineus</i>	\$8,818	\$0
Akepa, Maui (honeycreeper)	<i>Loxops coccineus ochraceus</i>	\$556	\$0
Akialoa, Kauai (honeycreeper)	<i>Hemignathus procerus</i>	\$556	\$0
Akiapola`au (honeycreeper)	<i>Hemignathus munroi</i>	\$10,556	\$0
Blackbird, yellow-shouldered	<i>Agelaius xanthomus</i>	\$53,800	\$0
Bobwhite, masked (quail)	<i>Colinus virginianus ridgwayi</i>	\$750	\$0
Condor, California U.S.A. only	<i>Gymnogyps californianus</i>	\$329,000	\$0
Coot, Hawaiian	<i>Fulica americana alai</i>	\$9,128	\$0
Crane, whooping U.S.A.(AL, AR, GA, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, OH, SC, TN, VA, WI, WV)	<i>Grus americana</i>	\$3,064	\$0
Crane, whooping U.S.A. (CO, ID, FL, NM, UT, and the western half of Wyoming)	<i>Grus americana</i>	\$149,445	\$0
Crane, whooping except where EXPN	<i>Grus americana</i>	\$14,966	\$50,000
Creeper, Hawaii	<i>Oreomystis mana</i>	\$556	\$0
Creeper, Molokai	<i>Paroreomyza flammea</i>	\$556	\$0
Creeper, Oahu	<i>Paroreomyza maculata</i>	\$556	\$0
Crow, Hawaiian (=alala)	<i>Corvus hawaiiensis</i>	\$94,645	\$0
Curlew, Eskimo	<i>Numenius borealis</i>	\$4,650	\$0
Duck, Hawaiian (=koloa)	<i>Anas wyvilliana</i>	\$9,128	\$0
Eagle, bald lower 48 States	<i>Haliaeetus leucocephalus</i>	\$803,085	\$0
Elepaio, Oahu	<i>Chasiempis sandwichensis ibidis</i>	\$11,556	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Falcon, northern aplomado Southwestern population	<i>Falco femoralis septentrionalis</i>	\$12,004	\$0
Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	\$37,385	\$335,619
Gnatcatcher, coastal California	<i>Polioptila californica californica</i>	\$50,000	\$0
Goose, Hawaiian	<i>Branta (=Nesochen) sandvicensis</i>	\$44,335	\$0
Hawk, Hawaiian (=’lo)	<i>Buteo solitarius</i>	\$556	\$0
Honeycreeper, crested	<i>Palmeria dolei</i>	\$556	\$0
Jay, Florida scrub	<i>Aphelocoma coerulescens</i>	\$75,353	\$0
Kite, Everglade snail FL pop.	<i>Rostrhamus sociabilis plumbeus</i>	\$2,894	\$0
Moorhen, Hawaiian common	<i>Gallinula chloropus sandvicensis</i>	\$9,128	\$0
Murrelet, marbled CA, OR, WA	<i>Brachyramphus marmoratus</i>	\$50,000	\$0
Nukupū u (honeycreeper)	<i>Hemignathus lucidus</i>	\$556	\$0
Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	\$6,526	\$0
Owl, northern spotted	<i>Strix occidentalis caurina</i>	\$52,795	\$0
Palila (honeycreeper)	<i>Loxioides bailleui</i>	\$93,786	\$0
Parrot, Puerto Rican	<i>Amazona vittata</i>	\$223,200	\$0
Parrot, thick-billed Mexico	<i>Rhynchopsitta pachyrhyncha</i>	\$5,000	\$0
Parrotbill, Maui (honeycreeper)	<i>Pseudonestor xanthophrys</i>	\$80,818	\$0
Pelican, brown except U.S. Atlantic coast, FL, AL	<i>Pelecanus occidentalis</i>	\$11,360	\$0
Petrel, Hawaiian dark-rumped	<i>Pterodroma phaeopygia sandwichensis</i>	\$13,000	\$0
Plover, piping except Great Lakes watershed	<i>Charadrius melodus</i>	\$237,046	\$150,000
Plover, piping Great Lakes watershed	<i>Charadrius melodus</i>	\$50,814	\$0
Plover, western snowy Pacific coastal pop.	<i>Charadrius alexandrinus nivosus</i>	\$19,263	\$0
Po’ouli (honeycreeper)	<i>Melamprosops phaeosoma</i>	\$556	\$0
Prairie-chicken, Attwater’s greater	<i>Tympanuchus cupido attwateri</i>	\$33,543	\$0
Pygmy-owl, cactus ferruginous AZ pop.	<i>Glaucidium brasilianum cactorum</i>	\$100,000	\$0
Rail, California clapper	<i>Rallus longirostris obsoletus</i>	\$15,000	\$0
Rail, light-footed clapper U.S.A. only	<i>Rallus longirostris levipes</i>	\$15,000	\$0
Rail, Yuma clapper U.S.A. only	<i>Rallus longirostris yumanensis</i>	\$76,000	\$0
Shrike, San Clemente loggerhead	<i>Lanius ludovicianus mearnsi</i>	\$500	\$0
Sparrow, Florida grasshopper	<i>Ammodramus savannarum floridanus</i>	\$48,308	\$0
Sparrow, San Clemente sage	<i>Amphispiza belli clementeae</i>	\$500	\$0
Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>	\$9,128	\$0
Stork, wood AL, FL, GA, SC	<i>Mycteria americana</i>	\$130,577	\$0
Tern, California least	<i>Sterna antillarum browni</i>	\$20,000	\$0
Tern, least interior pop.	<i>Sterna antillarum</i>	\$83,854	\$50,000
Tern, roseate Western Hemisphere except NE U.S.	<i>Sterna dougallii dougallii</i>	\$200	\$0
Tern, roseate northeast U.S. nesting pop.	<i>Sterna dougallii dougallii</i>	\$43,240	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Thrush, large Kauai (=kamao)	<i>Myadestes myadestinus</i>	\$556	\$0
Thrush, Molokai	<i>Myadestes lanaiensis rutha</i>	\$556	\$0
Thrush, small Kauai (=puaiohi)	<i>Myadestes palmeri</i>	\$43,175	\$0
Towhee, Inyo California	<i>Pipilo crissalis eremophilus</i>	\$1,000	\$0
Vireo, black-capped	<i>Vireo atricapilla</i>	\$53,654	\$0
Vireo, least Bell's	<i>Vireo bellii pusillus</i>	\$3,000	\$0
Warbler (=wood), Bachman's	<i>Vermivora bachmanii</i>	\$750	\$0
Warbler (=wood), golden-cheeked	<i>Dendroica chrysoparia</i>	\$4,650	\$0
Warbler (=wood), Kirtland's	<i>Dendroica kirtlandii</i>	\$183,000	\$0
Woodpecker, ivory-billed entire	<i>Campephilus principalis</i>	\$104,985	\$180,500
Woodpecker, red-cockaded	<i>Picoides borealis</i>	\$396,363	\$567,817
`O'o, Kauai (honeyeater)	<i>Moho braccatus</i>	\$556	\$0
`O'u (honeycreeper)	<i>Psittirostra psittacea</i>	\$556	\$0
Birds Total		\$3,950,953	\$1,333,936
Reptiles			
Alligator, American	<i>Alligator mississippiensis</i>	\$1,100	\$0
Crocodile, American FL pop.	<i>Crocodylus acutus</i>	\$3,303	\$0
Iguana, Mona ground	<i>Cyclura cornuta stejnegeri</i>	\$35,700	\$0
Lizard, blunt-nosed leopard	<i>Gambelia silus</i>	\$12,000	\$0
Lizard, Coachella Valley fringe-toed	<i>Uma inornata</i>	\$3,000	\$0
Plymouth Red-Bellied Turtle	<i>Pseudemys rubriventris bangsi</i>	\$6,000	\$0
Sea turtle, green except where endangered	<i>Chelonia mydas</i>	\$1,025	\$0
Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	\$23,660	\$0
Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>	\$10,539	\$0
Sea turtle, leatherback	<i>Dermochelys coriacea</i>	\$19,425	\$0
Sea turtle, loggerhead	<i>Caretta caretta</i>	\$57,800	\$0
Snake, Concho water	<i>Nerodia paucimaculata</i>	\$5,992	\$0
Snake, copperbelly water MI, OH, IN N of 400 N. Lat.	<i>Nerodia erythrogaster neglecta</i>	\$200	\$0
Snake, eastern indigo	<i>Drymarchon corais couperi</i>	\$2,000	\$590,000
Snake, giant garter	<i>Thamnophis gigas</i>	\$7,000	\$0
Snake, Lake Erie water subspecies range clarified	<i>Nerodia sipedon insularum</i>	\$23,200	\$0
Snake, San Francisco garter	<i>Thamnophis sirtalis tetrataenia</i>	\$3,000	\$0
Tortoise, desert U.S.A., except in Sonoran Desert	<i>Gopherus agassizii</i>	\$20,000	\$0
Turtle, bog (=Muhlenberg) southern	<i>Clemmys muhlenbergii</i>	\$31,450	\$0
Turtle, bog (=Muhlenberg) northern	<i>Clemmys muhlenbergii</i>	\$132,149	\$0
Reptiles Total		\$398,543	\$590,000
Amphibians			
Frog, California red-legged subspecies range clarified	<i>Rana aurora draytonii</i>	\$10,000	\$0
Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>	\$10,000	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Frog, mountain yellow-legged southern California DPS	<i>Rana muscosa</i>	\$8,000	\$0
Salamander, Barton Springs	<i>Eurycea sosorum</i>	\$9,177	\$0
Salamander, California tiger U.S.A. (CA - Sonoma County)	<i>Ambystoma californiense</i>	\$2,000	\$0
Salamander, Cheat Mountain	<i>Plethodon nettingi</i>	\$17,980	\$0
Salamander, desert slender	<i>Batrachoseps aridus</i>	\$500	\$0
Salamander, flatwoods	<i>Ambystoma cingulatum</i>	\$48,251	\$0
Salamander, Red Hills	<i>Phaeognathus hubrichti</i>	\$57,941	\$0
Salamander, San Marcos	<i>Eurycea nana</i>	\$6,177	\$0
Salamander, Santa Cruz long-toed	<i>Ambystoma macrodactylum croceum</i>	\$2,000	\$1,500,000
Salamander, Shenandoah	<i>Plethodon shenandoah</i>	\$800	\$0
Salamander, Sonora tiger	<i>Ambystoma tigrinum stebbinsi</i>	\$10,000	\$0
Salamander, Texas blind	<i>Typhlomolge rathbuni</i>	\$6,536	\$0
Toad, Houston	<i>Bufo houstonensis</i>	\$17,655	\$0
Toad, Puerto Rican crested	<i>Peltophryne lemur</i>	\$12,000	\$0
Toad, Wyoming	<i>Bufo baxteri (=hemiophrys)</i>	\$1,135	\$0
Amphibians Total		\$220,152	\$1,500,000
Fishes			
Catfish, Yaqui	<i>Ictalurus pricei</i>	\$2,500	\$0
Cavefish, Ozark	<i>Amblyopsis rosae</i>	\$47,000	\$0
Chub, bonytail entire	<i>Gila elegans</i>	\$208,592	\$0
Chub, Borax Lake	<i>Gila boraxobius</i>	\$1,200	\$0
Chub, Chihuahua	<i>Gila nigrescens</i>	\$6,353	\$0
Chub, humpback entire	<i>Gila cypha</i>	\$188,592	\$0
Chub, Mohave tui	<i>Gila bicolor mohavensis</i>	\$1,000	\$0
Chub, Oregon	<i>Oregonichthys crameri</i>	\$700	\$0
Chub, slender	<i>Erimystax cahni</i>	\$500	\$0
Chub, Sonora	<i>Gila ditaenia</i>	\$5,000	\$0
Chub, spotfin entire	<i>Erimonax monachus</i>	\$11,130	\$0
Chub, Virgin River	<i>Gila seminuda (=robusta)</i>	\$3,500	\$0
Chub, Yaqui	<i>Gila purpurea</i>	\$3,000	\$0
Darter, amber	<i>Percina antesella</i>	\$3,000	\$0
Darter, boulder Shoal Creek	<i>Etheostoma wapiti</i>	\$5,490	\$0
Darter, boulder	<i>Etheostoma wapiti</i>	\$1,934	\$0
Darter, Cherokee	<i>Etheostoma scotti</i>	\$2,500	\$0
Darter, duskytail entire	<i>Etheostoma percnurum</i>	\$5,490	\$0
Darter, Etowah	<i>Etheostoma etowahae</i>	\$2,500	\$0
Darter, fountain	<i>Etheostoma fonticola</i>	\$4,650	\$0
Darter, goldline	<i>Percina aurolineata</i>	\$500	\$0
Darter, Niangua	<i>Etheostoma nianguae</i>	\$341,300	\$0
Darter, snail	<i>Percina tanasi</i>	\$800	\$0
Gambusia, Big Bend	<i>Gambusia gaigei</i>	\$4,650	\$0
Gambusia, Clear Creek	<i>Gambusia heterochir</i>	\$4,650	\$0
Gambusia, Pecos	<i>Gambusia nobilis</i>	\$4,650	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Gambusia, San Marcos	<i>Gambusia georgei</i>	\$4,650	\$0
Goby, tidewater entire	<i>Eucyclogobius newberryi</i>	\$3,000	\$0
Logperch, Conasauga	<i>Percina jenkinsi</i>	\$800	\$0
Logperch, Roanoke	<i>Percina rex</i>	\$17,000	\$0
Madtom, Neosho	<i>Noturus placidus</i>	\$4,000	\$0
Madtom, smoky entire	<i>Noturus baileyi</i>	\$5,490	\$0
Madtom, yellowfin Holston River, VA, TN	<i>Noturus flavipinnis</i>	\$3,000	\$0
Madtom, yellowfin except where EXPN	<i>Noturus flavipinnis</i>	\$5,490	\$0
Minnow, Devils River	<i>Dionda diaboli</i>	\$8,826	\$0
Minnow, loach	<i>Tiaroga cobitis</i>	\$7,100	\$0
Minnow, Rio Grande silvery	<i>Hybognathus amarus</i>	\$8,826	\$0
Pikeminnow (=squawfish), Colorado except Salt and Verde R. drainages, AZ	<i>Ptychocheilus lucius</i>	\$10,000	\$0
Pikeminnow (=squawfish), Colorado Salt and Verde R. drainages, AZ	<i>Ptychocheilus lucius</i>	\$139,833	\$0
Pupfish, Comanche Springs	<i>Cyprinodon elegans</i>	\$6,141	\$0
Pupfish, desert	<i>Cyprinodon macularius</i>	\$37,000	\$0
Pupfish, Leon Springs	<i>Cyprinodon bovinus</i>	\$4,650	\$0
Pupfish, Owens	<i>Cyprinodon radiosus</i>	\$1,000	\$0
Salmon, chinook CA coastal	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$1,641,000	\$0
Salmon, chinook lower Columbia R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$60,075	\$0
Salmon, chinook winter Sacramento R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$81,000	\$0
Salmon, chinook upper Willamette R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$36,000	\$0
Salmon, chinook CA Central Valley spring-run	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$317,000	\$0
Salmon, chinook spring/summer Snake R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$275,000	\$0
Salmon, chinook fall Snake R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$2,184,700	\$0
Salmon, chum Columbia R.	<i>Oncorhynchus (=Salmo) keta</i>	\$2,000	\$0
Salmon, coho OR, CA pop.	<i>Oncorhynchus (=Salmo) kisutch</i>	\$2,720,000	\$0
Salmon, coho central CA coast	<i>Oncorhynchus (=Salmo) kisutch</i>	\$240,000	\$0
Salmon, coho Lower Columbia River	<i>Oncorhynchus (=Salmo) kisutch</i>	\$70,075	\$0
Salmon, sockeye U.S.A. (Snake River, ID stock wherever found.)	<i>Oncorhynchus (=Salmo) nerka</i>	\$1,430,000	\$0
Shiner, Arkansas River Arkansas R. Basin	<i>Notropis girardi</i>	\$11,238	\$0
Shiner, beautiful	<i>Cyprinella formosa</i>	\$1,000	\$0
Shiner, blue	<i>Cyprinella caerulea</i>	\$1,000	\$0
Shiner, Cape Fear	<i>Notropis mekistocholas</i>	\$3,800	\$0
Shiner, Pecos bluntnose	<i>Notropis simus pecosensis</i>	\$1,217	\$0
Shiner, Topeka	<i>Notropis topeka (=tristis)</i>	\$115,700	\$0
Silverside, Waccamaw	<i>Menidia extensa</i>	\$250	\$0
Spikedace	<i>Meda fulgida</i>	\$7,100	\$0
Spinedace, Little Colorado	<i>Lepidomeda vittata</i>	\$10,000	\$0
Steelhead middle Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$21,075	\$0
Steelhead Central Valley CA	<i>Oncorhynchus (=Salmo) mykiss</i>	\$45,000	\$0
Steelhead Snake R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$1,898,000	\$0
Steelhead upper Willamette R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$80,648	\$0
Steelhead northern CA	<i>Oncorhynchus (=Salmo) mykiss</i>	\$1,093,000	\$0
Steelhead southern CA coast	<i>Oncorhynchus (=Salmo) mykiss</i>	\$233,113	\$0
Steelhead lower Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$70,075	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Stickleback, unarmored threespine	<i>Gasterosteus aculeatus williamsoni</i>	\$32,500	\$0
Sturgeon, gulf	<i>Acipenser oxyrinchus desotoi</i>	\$5,595	\$0
Sturgeon, pallid	<i>Scaphirhynchus albus</i>	\$177,631	\$0
Sturgeon, shortnose	<i>Acipenser brevirostrum</i>	\$79,324	\$0
Sturgeon, white U.S.A. (ID, MT), Canada (B.C.), Kootenai R. system	<i>Acipenser transmontanus</i>	\$536,000	\$0
Sucker, Lost River	<i>Deltistes luxatus</i>	\$5,500	\$0
Sucker, Modoc	<i>Catostomus microps</i>	\$4,500	\$0
Sucker, razorback entire	<i>Xyrauchen texanus</i>	\$290,592	\$0
Sucker, Santa Ana 3 CA river basins	<i>Catostomus santaanae</i>	\$23,500	\$0
Sucker, shortnose	<i>Chasmistes brevirostris</i>	\$4,000	\$0
Topminnow, Gila (incl. Yaqui) U.S.A. only	<i>Poeciliopsis occidentalis</i>	\$25,000	\$300,000
Trout, Apache	<i>Oncorhynchus apache</i>	\$300,000	\$0
Trout, bull U.S.A., conterminous, lower 48 states	<i>Salvelinus confluentus</i>	\$1,103,524	\$0
Trout, Gila	<i>Oncorhynchus gilae</i>	\$76,800	\$0
Trout, greenback cutthroat	<i>Oncorhynchus clarki stomias</i>	\$159,901	\$0
Trout, Lahontan cutthroat	<i>Oncorhynchus clarki henshawi</i>	\$9,500	\$0
Trout, Little Kern golden	<i>Oncorhynchus aguabonita whitei</i>	\$22,000	\$0
Trout, Paiute cutthroat	<i>Oncorhynchus clarki seleniris</i>	\$3,000	\$0
Woundfin except Gila R. drainage, AZ, NM	<i>Plagopterus argentissimus</i>	\$3,000	\$0
Fishes Total		\$16,638,920	\$300,000
Clams			
Bankclimber, purple (mussel)	<i>Elliptoideus sloatianus</i>	\$2,500	\$0
Bean, Cumberland (pearlymussel) Entire Range; Except where listed as Experimental Populations	<i>Villosa trabalis</i>	\$26,329	\$0
Bean, Cumberland (pearlymussel) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	<i>Villosa trabalis</i>	\$8,000	\$0
Bean, purple	<i>Villosa perpurpurea</i>	\$4,079	\$0
Blossom, green (pearlymussel)	<i>Epioblasma torulosa gubernaculum</i>	\$500	\$0
Catspaw, white (pearlymussel)	<i>Epioblasma obliquata perobliqua</i>	\$100	\$0
Clubshell AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	<i>Pleurobema clava</i>	\$3,000	\$0
Clubshell Entire Range; Except where listed as Experimental Populations	<i>Pleurobema clava</i>	\$55,276	\$0
Clubshell, southern	<i>Pleurobema decisum</i>	\$500	\$0
Combshell, Cumberlandian Entire Range; Except where listed as Experimental Populations	<i>Epioblasma brevidens</i>	\$4,879	\$0
Elktoe, Appalachian	<i>Alasmidonta raveneliana</i>	\$46,479	\$0
Fanshell	<i>Cyprogenia stegaria</i>	\$14,333	\$0
Heelsplitter, Carolina	<i>Lasmigona decorata</i>	\$236,699	\$0
Higgins eye (pearlymussel)	<i>Lampsilis higginsii</i>	\$59,670	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Mapleleaf, winged Entire; except where listed as experimental populations	<i>Quadrula fragosa</i>	\$1,400	\$0
Moccasinshell, Alabama	<i>Medionidus acutissimus</i>	\$800	\$8,000
Moccasinshell, Coosa	<i>Medionidus parvulus</i>	\$800	\$8,000
Moccasinshell, Gulf	<i>Medionidus penicillatus</i>	\$1,000	\$0
Moccasinshell, Ochlockonee	<i>Medionidus simpsonianus</i>	\$1,000	\$0
Monkeyface, Appalachian (pearlymussel)	<i>Quadrula sparsa</i>	\$800	\$0
Monkeyface, Cumberland (pearlymussel) Entire Range; Except where listed as Experimental Populations	<i>Quadrula intermedia</i>	\$800	\$0
Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>	\$33,842	\$0
Mussel, oyster Entire Range; Except where listed as Experimental Populations	<i>Epioblasma capsaeformis</i>	\$27,151	\$0
Mussel, scaleshell	<i>Leptodea leptodon</i>	\$30,000	\$0
Pearlymussel, birdwing Entire Range; Except where listed as Experimental Populations	<i>Conradilla caelata</i>	\$3,679	\$0
Pearlymussel, cracking Entire Range; Except where listed as Experimental Populations	<i>Hemistena lata</i>	\$3,679	\$0
Pearlymussel, Curtis	<i>Epioblasma florentina curtisii</i>	\$5,000	\$0
Pearlymussel, dromedary Entire Range; Except where listed as Experimental Populations	<i>Dromus dromas</i>	\$842	\$0
Pearlymussel, littlewing	<i>Pegias fabula</i>	\$22,015	\$0
Pigtoe, fineryed Entire Range; Except where listed as Experimental Populations	<i>Fusconaia cuneolus</i>	\$1,500	\$0
Pigtoe, oval	<i>Pleurobema pyriforme</i>	\$1,000	\$0
Pigtoe, rough	<i>Pleurobema plenum</i>	\$2,842	\$0
Pigtoe, shiny Entire Range; Except where listed as Experimental Populations	<i>Fusconaia cor</i>	\$800	\$0
Pigtoe, southern	<i>Pleurobema georgianum</i>	\$1,000	\$0
Pimpleback, orangefoot (pearlymussel)	<i>Plethobasus cooperianus</i>	\$5,000	\$0
Pocketbook, fat	<i>Potamilus capax</i>	\$12,000	\$0
Pocketbook, finelined	<i>Lampsilis altilis</i>	\$5,112	\$0
Pocketbook, Ouachita rock	<i>Arkansia wheeleri</i>	\$10,050	\$0
Pocketbook, shinyrayed	<i>Lampsilis subangulata</i>	\$1,000	\$0
Rabbitsfoot, rough	<i>Quadrula cylindrica strigillata</i>	\$1,500	\$0
Riffleshell, northern	<i>Epioblasma torulosa rangiana</i>	\$42,640	\$0
Riffleshell, tan	<i>Epioblasma florentina walkeri</i> (=E. walkeri)	\$3,200	\$0
Spinymussel, James	<i>Pleurobema collina</i>	\$41,647	\$0
Spinymussel, Tar River	<i>Elliptio steinstansana</i>	\$37,200	\$0
Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>	\$90,832	\$0
Clams Total		\$852,475	\$16,000
Snails			
Ambersnail, Kanab	<i>Oxyloma haydeni kanabensis</i>	\$12,000	\$0
Cavesnail, Tumbling Creek	<i>Antrobia culveri</i>	\$24,500	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Riversnail, Anthony's AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	<i>Athearnia anthonyi</i>	\$42	\$0
Snail, Chittenango ovate amber	<i>Succinea chittenangoensis</i>	\$10,000	\$0
Snail, flat-spined three-toothed	<i>Triodopsis platysayoides</i>	\$18,160	\$0
Snail, Iowa Pleistocene	<i>Discus macclintocki</i>	\$2,500	\$16,500
Snail, Morro shoulderband (=Banded dune)	<i>Helminthoglypta walkeriana</i>	\$500	\$0
Snail, Pecos assiminea	<i>Assiminea pecos</i>	\$4,650	\$0
Snail, Virginia fringed mountain	<i>Polygyriscus virginianus</i>	\$5,625	\$0
Springsnail, Alamosa	<i>Tryonia alamosae</i>	\$350	\$0
Springsnail, Socorro	<i>Pyrgulopsis neomexicana</i>	\$350	\$0
Snails Total		\$78,677	\$16,500
Insects			
Beetle, American burying	<i>Nicrophorus americanus</i>	\$35,497	\$0
Beetle, Coffin Cave mold	<i>Batrisodes texanus</i>	\$5,102	\$0
Beetle, Comal Springs dryopid	<i>Stygoparnus comalensis</i>	\$5,734	\$0
Beetle, Comal Springs riffle	<i>Heterelmis comalensis</i>	\$5,734	\$0
Beetle, Helotes mold	<i>Batrisodes venyivi</i>	\$5,251	\$0
Beetle, Hungerford's crawling water	<i>Brychius hungerfordi</i>	\$100	\$0
Beetle, Kretschmarr Cave mold	<i>Texamaurops reddelli</i>	\$5,102	\$0
Beetle, Tooth Cave ground	<i>Rhadine persephone</i>	\$5,102	\$0
Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>	\$2,500	\$0
Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>	\$247,064	\$0
Butterfly, Mitchell's satyr	<i>Neonympha mitchellii mitchellii</i>	\$25,500	\$0
Butterfly, Saint Francis' satyr	<i>Neonympha mitchellii francisci</i>	\$1,717	\$0
Dragonfly, Hine's emerald	<i>Somatochlora hineana</i>	\$28,598	\$547,000
Ground beetle, [unnamed]	<i>Rhadine exilis</i>	\$5,102	\$0
Ground beetle, [unnamed]	<i>Rhadine infernalis</i>	\$5,102	\$0
Skipper, Carson wandering	<i>Pseudocopaodes eunus obscurus</i>	\$15,000	\$0
Tiger beetle, northeastern beach	<i>Cicindela dorsalis dorsalis</i>	\$3,500	\$0
Tiger beetle, Puritan	<i>Cicindela puritana</i>	\$4,147	\$0
Tiger beetle, Salt Creek	<i>Cicindela nevadica lincolniana</i>	\$12,700	\$0
Insects Total		\$418,552	\$547,000
Arachnids			
Harvestman, Bee Creek Cave	<i>Texella reddelli</i>	\$5,251	\$0
Harvestman, Bone Cave	<i>Texella reyesi</i>	\$5,251	\$0
Harvestman, Cokendolpher Cave	<i>Texella cokendolpheri</i>	\$5,788	\$0
Meshweaver, Braken Bat Cave	<i>Cicurina venii</i>	\$5,251	\$0
Meshweaver, Government Canyon Bat Cave	<i>Cicurina vespera</i>	\$6,925	\$0
Meshweaver, Madla's Cave	<i>Cicurina madla</i>	\$5,400	\$0
Meshweaver, Robber Baron Cave	<i>Cicurina baronia</i>	\$5,788	\$0
Pseudoscorpion, Tooth Cave	<i>Tartarocreagris texana</i>	\$5,788	\$0
Spider, Government Canyon Bat Cave	<i>Neoleptoneta microps</i>	\$6,925	\$0
Spider, Tooth Cave	<i>Leptoneta myopica</i>	\$5,788	\$0
Arachnids Total		\$58,155	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Crustaceans			
Amphipod, Illinois cave	<i>Gammarus acherondytes</i>	\$270	\$0
Amphipod, Peck's cave	<i>Stygobromus (=Stygonectes) pecki</i>	\$5,400	\$0
Crayfish, cave	<i>Cambarus aculabrum</i>	\$700	\$0
Crayfish, cave	<i>Cambarus zophonastes</i>	\$500	\$0
Crayfish, Shasta	<i>Pacifastacus fortis</i>	\$23,000	\$0
Fairy shrimp, Conservancy	<i>Branchinecta conservatio</i>	\$1,500	\$0
Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>	\$4,500	\$0
Isopod, Lee County cave	<i>Lirceus usdagalun</i>	\$750	\$0
Isopod, Madison Cave	<i>Antrolana lira</i>	\$533	\$0
Isopod, Socorro	<i>Thermosphaeroma thermophilus</i>	\$350	\$0
Crustaceans Total		\$37,503	\$0
Flowering Plants			
Agave, Arizona	<i>Agave arizonica</i>	\$750	\$0
Alani	<i>Melicope knudsenii</i>	\$79	\$0
Alani	<i>Melicope lydgatei</i>	\$987	\$0
Alani	<i>Melicope zahlbruckneri</i>	\$753	\$0
Alani	<i>Melicope haupuensis</i>	\$79	\$0
Alani	<i>Melicope ovalis</i>	\$79	\$0
Alani	<i>Melicope saint-johnii</i>	\$79	\$0
Alani	<i>Melicope quadrangularis</i>	\$79	\$0
Alani	<i>Melicope balloui</i>	\$79	\$0
Alani	<i>Melicope adscendens</i>	\$79	\$0
Alani	<i>Melicope munroi</i>	\$79	\$0
Alani	<i>Melicope pallida</i>	\$3,825	\$0
Alani	<i>Melicope mucronulata</i>	\$79	\$0
Alani	<i>Melicope reflexa</i>	\$79	\$0
Amaranth, seabeach	<i>Amaranthus pumilus</i>	\$1,750	\$0
Ambrosia, San Diego	<i>Ambrosia pumila</i>	\$15,000	\$0
Ambrosia, south Texas	<i>Ambrosia cheiranthifolia</i>	\$10,033	\$0
Amole, purple	<i>Chlorogalum purpureum</i>	\$2,000	\$0
Amphianthus, little	<i>Amphianthus pusillus</i>	\$500	\$0
Aster, decurrent false	<i>Boltonia decurrens</i>	\$16,904	\$0
Aupaka	<i>Isodendron hosakae</i>	\$753	\$0
Aupaka	<i>Isodendron laurifolium</i>	\$3,825	\$0
Aupaka	<i>Isodendron longifolium</i>	\$3,825	\$0
Awiwi	<i>Hedyotis cookiana</i>	\$753	\$0
Awiwi	<i>Centaurium sebaeoides</i>	\$554	\$0
Ayenia, Texas	<i>Ayenia limitaris</i>	\$7,965	\$0
A`e	<i>Zanthoxylum hawaiiense</i>	\$2,570	\$0
A`e	<i>Zanthoxylum dipetalum var. tomentosum</i>	\$5,518	\$0
Bird's beak, palmate-bracted	<i>Cordylanthus palmatus</i>	\$2,000	\$0
Bittercress, small-anthered	<i>Cardamine micranthera</i>	\$500	\$0
Bladderpod, Missouri	<i>Lesquerella filiformis</i>	\$5,000	\$0
Bladderpod, white	<i>Lesquerella pallida</i>	\$7,943	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Bladderpod, Zapata	<i>Lesquerella thamnophila</i>	\$11,735	\$0
Blue-star, Kearney's	<i>Amsonia kearneyana</i>	\$750	\$0
Bluegrass, Hawaiian	<i>Poa sandvicensis</i>	\$79	\$0
Bluegrass, Mann's	<i>Poa mannii</i>	\$79	\$0
Brodiaea, thread-leaved	<i>Brodiaea filifolia</i>	\$17,300	\$0
Buckwheat, lone (incl. Irish Hill)	<i>Eriogonum apricum (incl. var. prostratum)</i>	\$6,500	\$0
Bulrush, Northeastern	<i>Scirpus ancistrochaetus</i>	\$3,030	\$0
Bush-clover, prairie	<i>Lespedeza leptostachya</i>	\$11,002	\$25,000
Button, Mohr's Barbara	<i>Marshallia mohrii</i>	\$600	\$0
Cactus, Arizona hedgehog	<i>Echinocereus triglochidiatus var. arizonicus</i>	\$750	\$0
Cactus, Bakersfield	<i>Opuntia treleasei</i>	\$5,000	\$0
Cactus, black lace	<i>Echinocereus reichenbachii var. albertii</i>	\$7,745	\$0
Cactus, Chisos Mountain hedgehog	<i>Echinocereus chisoensis var. chisoensis</i>	\$3,200	\$0
Cactus, Lloyd's Mariposa	<i>Echinomastus mariposensis</i>	\$8,752	\$0
Cactus, Nellie cory	<i>Coryphantha minima</i>	\$2,450	\$0
Cactus, Nichol's Turk's head	<i>Echinocactus horzonthalonius var. nicholii</i>	\$750	\$0
Cactus, Peebles Navajo	<i>Pediocactus peeblesianus peeblesianus</i>	\$750	\$0
Cactus, Pima pineapple	<i>Coryphantha scheeri var. robustispina</i>	\$750	\$0
Cactus, Siler pincushion	<i>Pediocactus (=Echinocactus,=Utahia) sileri</i>	\$750	\$0
Cactus, Sneed pincushion	<i>Coryphantha sneedii var. sneedii</i>	\$7,048	\$0
Cactus, star	<i>Astrophytum asterias</i>	\$26,546	\$0
Cactus, Tobusch fishhook	<i>Ancistrocactus tobuschii</i>	\$34,564	\$0
Campion, fringed	<i>Silene polypetala</i>	\$2,000	\$0
Cat's-eye, Terlingua Creek	<i>Cryptantha crassipes</i>	\$8,242	\$0
Catchfly, Spalding's	<i>Silene spaldingii</i>	\$16,200	\$0
Ceanothus, Pine Hill	<i>Ceanothus roderickii</i>	\$800	\$0
Chaff-flower, round-leaved	<i>Achyranthes splendens var. rotundata</i>	\$554	\$0
Chaffseed, American	<i>Schwalbea americana</i>	\$3,450	\$0
Checker-mallow, pedate	<i>Sidalcea pedata</i>	\$900	\$0
Clarkia, Springville	<i>Clarkia springvillensis</i>	\$400	\$0
Cliff-rose, Arizona	<i>Purshia (=Cowania) subintegra</i>	\$750	\$0
Clover, running buffalo	<i>Trifolium stoloniferum</i>	\$4,153	\$0
Coneflower, smooth	<i>Echinacea laevigata</i>	\$2,000	\$1,686,100
Cory cactus, bunched	<i>Coryphantha ramillosa</i>	\$2,450	\$0
Crownbeard, big-leaved	<i>Verbesina dissita</i>	\$15,000	\$0
Cycladenia, Jones	<i>Cycladenia jonesii (=humilis)</i>	\$750	\$0
Daisy, lakeside	<i>Hymenoxys herbacea</i>	\$4,004	\$0
Dawn-flower, Texas prairie	<i>Hymenoxys texana</i>	\$8,970	\$0
Dogweed, ashy	<i>Thymophylla tephroleuca</i>	\$7,347	\$0
Dropwort, Canby's	<i>Oxypolis canbyi</i>	\$500	\$0
Dudleyea, Santa Monica Mountains	<i>Dudleya cymosa ssp. ovatifolia</i>	\$200	\$0
Fleabane, Zuni	<i>Erigeron rhizomatus</i>	\$750	\$0
Four-o'clock, MacFarlane's	<i>Mirabilis macfarlanei</i>	\$12,200	\$0
Frankenia, Johnston's	<i>Frankenia johnstonii</i>	\$7,657	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Fritillary, Gentner's	<i>Fritillaria gentneri</i>	\$100	\$0
Gardenia (=Na`u), Hawaiian	<i>Gardenia brighamii</i>	\$3,490	\$0
Geranium, Hawaiian red-flowered	<i>Geranium arboreum</i>	\$79	\$0
Gerardia, sandplain	<i>Agalinis acuta</i>	\$10,498	\$0
Goldenrod, Houghton's	<i>Solidago houghtonii</i>	\$100	\$0
Goldfields, Burke's	<i>Lasthenia burkei</i>	\$400	\$0
Goldfields, Contra Costa	<i>Lasthenia conjugens</i>	\$6,800	\$0
Groundsel, San Francisco Peaks	<i>Senecio franciscanus</i>	\$750	\$0
Haha	<i>Cyanea grimesiana ssp. grimesiana</i>	\$987	\$0
Haha	<i>Cyanea superba</i>	\$1,448	\$0
Haha	<i>Cyanea mannii</i>	\$79	\$0
Haha	<i>Cyanea koolauensis</i>	\$247	\$0
Haha	<i>Cyanea copelandii ssp. haleakalaensis</i>	\$79	\$0
Haha	<i>Cyanea hamatiflora ssp. hamatiflora</i>	\$79	\$0
Haha	<i>Cyanea acuminata</i>	\$79	\$0
Haha	<i>Cyanea glabra</i>	\$79	\$0
Haha	<i>Cyanea copelandii ssp. copelandii</i>	\$753	\$0
Haha	<i>Cyanea pinnatifida</i>	\$987	\$0
Haha	<i>Cyanea mceldowneyi</i>	\$79	\$0
Haha	<i>Cyanea undulata</i>	\$79	\$0
Haha	<i>Cyanea grimesiana ssp. obatae</i>	\$1,448	\$0
Haha	<i>Cyanea humboldtiana</i>	\$247	\$0
Haha	<i>Cyanea longiflora</i>	\$247	\$0
Haha	<i>Cyanea recta</i>	\$79	\$0
Haha	<i>Cyanea dunbarii</i>	\$79	\$0
Haha	<i>Cyanea stictophylla</i>	\$5,246	\$0
Haha	<i>Cyanea macrostegia ssp. gibsonii</i>	\$79	\$0
Haha	<i>Cyanea truncata</i>	\$987	\$0
Haha	<i>Cyanea lobata</i>	\$79	\$0
Haha	<i>Cyanea remyi</i>	\$79	\$0
Haha	<i>Cyanea hamatiflora ssp. carlsonii</i>	\$4,594	\$0
Haha	<i>Cyanea platyphylla</i>	\$3,701	\$0
Haha	<i>Cyanea procera</i>	\$79	\$0
Haha	<i>Cyanea st-johnii</i>	\$987	\$0
Haha	<i>Cyanea shipmannii</i>	\$3,701	\$0
Haha	<i>Cyanea asarifolia</i>	\$79	\$0
Hala pepe	<i>Pleomele hawaiiensis</i>	\$6,411	\$0
Harperella	<i>Ptilimnium nodosum</i>	\$2,435	\$0
Hau kuahiwi	<i>Hibiscadelphus hualalaiensis</i>	\$5,518	\$0
Hau kuahiwi	<i>Hibiscadelphus giffardianus</i>	\$753	\$0
Hau kuahiwi	<i>Hibiscadelphus woodii</i>	\$79	\$0
Ha`iwale	<i>Cyrtandra munroi</i>	\$79	\$0
Ha`iwale	<i>Cyrtandra tintinnabula</i>	\$3,701	\$0
Ha`iwale	<i>Cyrtandra polyantha</i>	\$987	\$0
Ha`iwale	<i>Cyrtandra subumbellata</i>	\$79	\$0
Ha`iwale	<i>Cyrtandra giffardii</i>	\$4,594	\$0
Ha`iwale	<i>Cyrtandra viridiflora</i>	\$79	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Ha`iwale	<i>Cyrtandra limahuliensis</i>	\$79	\$0
Ha`iwale	<i>Cyrtandra dentata</i>	\$79	\$0
Ha`iwale	<i>Cyrtandra crenata</i>	\$987	\$0
Heau	<i>Exocarpos luteolus</i>	\$3,825	\$0
Hedyotis, Na Pali beach	<i>Hedyotis st.-johnii</i>	\$79	\$0
Hibiscus, Clay's	<i>Hibiscus clayi</i>	\$3,825	\$0
Holei	<i>Ochrosia kilauaeensis</i>	\$753	\$0
Honohono	<i>Haplostachys haplostachya</i>	\$5,518	\$0
Howellia, water	<i>Howellia aquatilis</i>	\$200	\$0
Iliau, dwarf	<i>Wilkesia hobdyi</i>	\$3,825	\$0
Iris, dwarf lake	<i>Iris lacustris</i>	\$200	\$474,000
Irisette, white	<i>Sisyrinchium dichotomum</i>	\$0	\$1,325,000
Ischaemum, Hilo	<i>Ischaemum byrone</i>	\$753	\$0
Joint-vetch, sensitive	<i>Aeschynomene virginica</i>	\$300	\$0
Kamakahala	<i>Labordia triflora</i>	\$79	\$0
Kamakahala	<i>Labordia tinifolia var. lanaiensis</i>	\$79	\$0
Kamakahala	<i>Labordia tinifolia var. wahiawaensis</i>	\$79	\$0
Kamakahala	<i>Labordia lydgatei</i>	\$79	\$0
Kamakahala	<i>Labordia cyrtandrae</i>	\$987	\$0
Kamanomano	<i>Cenchrus agrimonioides</i>	\$554	\$0
Kauai hau kuahiwi	<i>Hibiscadelphus distans</i>	\$4,347	\$0
Kauila	<i>Colubrina oppositifolia</i>	\$6,886	\$0
Kaulu	<i>Pteralyxia kauaiensis</i>	\$3,825	\$0
Kio`ele	<i>Hedyotis coriacea</i>	\$753	\$0
Kiponapona	<i>Phyllostegia racemosa</i>	\$4,594	\$0
Kohe malama malama o kanaloa	<i>Kanaloa kahoolawensis</i>	\$79	\$0
Koki`o	<i>Kokia kauaiensis</i>	\$3,825	\$0
Koki`o	<i>Kokia drynarioides</i>	\$5,518	\$0
Koki`o ke`oke`o	<i>Hibiscus arnottianus ssp. immaculatus</i>	\$79	\$0
Koki`o ke`oke`o	<i>Hibiscus waimeae ssp. hanneriae</i>	\$3,825	\$0
Koki`o, Cooke's	<i>Kokia cookei</i>	\$79	\$0
Kolea	<i>Myrsine linearifolia</i>	\$3,825	\$0
Kolea	<i>Myrsine juddii</i>	\$79	\$0
Kopa	<i>Hedyotis schlechtendahliana var. remyi</i>	\$79	\$0
Ko`oko`olau	<i>Bidens micrantha ssp. kalealaha</i>	\$79	\$0
Ko`oko`olau	<i>Bidens wiebkei</i>	\$79	\$0
Ko`oloa`ula	<i>Abutilon menziesii</i>	\$75,993	\$0
Kuahiwi laukahi	<i>Plantago princeps</i>	\$4,499	\$0
Kuahiwi laukahi	<i>Plantago hawaiiensis</i>	\$3,701	\$0
Kuawawaenuhu	<i>Alsinidendron lychnoides</i>	\$3,825	\$0
Kula wahine noho	<i>Isodendron pyriformium</i>	\$5,518	\$0
Kulu`i	<i>Nototrichium humile</i>	\$79	\$0
Ladies'-tresses, Canelo Hills	<i>Spiranthes delitescens</i>	\$750	\$0
Ladies'-tresses, Navasota	<i>Spiranthes parksii</i>	\$8,456	\$0
Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>	\$6,550	\$0
Larkspur, Baker's	<i>Delphinium bakeri</i>	\$6,500	\$0
Lau`ehu	<i>Panicum niihauense</i>	\$79	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Lauhilihi	<i>Schiedea stellarioides</i>	\$79	\$0
Layia, beach	<i>Layia carnosa</i>	\$700	\$0
Leather flower, Alabama	<i>Clematis socialis</i>	\$500	\$50,000
Liliwai	<i>Acaena exigua</i>	\$79	\$0
Lily, Minnesota dwarf trout	<i>Erythronium propullans</i>	\$5,500	\$0
Lily, Western	<i>Lilium occidentale</i>	\$1,700	\$0
Love grass, Fosberg's	<i>Eragrostis fosbergii</i>	\$79	\$0
Lo`ulu	<i>Pritchardia viscosa</i>	\$3,825	\$0
Lo`ulu	<i>Pritchardia kaalae</i>	\$79	\$0
Lo`ulu	<i>Pritchardia remota</i>	\$79	\$0
Lo`ulu	<i>Pritchardia munroi</i>	\$79	\$0
Lo`ulu	<i>Pritchardia schattaueri</i>	\$4,594	\$0
Lo`ulu	<i>Pritchardia affinis</i>	\$753	\$0
Lo`ulu	<i>Pritchardia napaliensis</i>	\$601	\$0
Mahoe	<i>Alectryon macrococcus</i>	\$79	\$0
Makou	<i>Peucedanum sandwicense</i>	\$3,825	\$0
Mallow, Kern	<i>Eremalche kernensis</i>	\$4,000	\$0
Mallow, Peter's Mountain	<i>Iliamna corei</i>	\$2,000	\$0
Manioc, Walker's	<i>Manihot walkerae</i>	\$8,540	\$0
Manzanita, lone	<i>Arctostaphylos myrtifolia</i>	\$15,000	\$0
Manzanita, pallid	<i>Arctostaphylos pallida</i>	\$3,500	\$0
Mapele	<i>Cyrtandra cyaneoides</i>	\$79	\$0
Ma`o hau hele, (=native yellow hibiscus)	<i>Hibiscus brackenridgei</i>	\$8,255	\$0
Ma`oli`oli	<i>Schiedea apokremnos</i>	\$79	\$0
Ma`oli`oli	<i>Schiedea kealiae</i>	\$540	\$0
Meadowfoam, Butte County	<i>Limnanthes floccosa ssp. californica</i>	\$5,000	\$0
Meadowfoam, Sebastopol	<i>Limnanthes vinculans</i>	\$6,000	\$0
Mehamehame	<i>Flueggea neowawraea</i>	\$10,184	\$0
Milk-vetch, Braunton's	<i>Astragalus brauntonii</i>	\$800	\$0
Milk-vetch, Coachella Valley	<i>Astragalus lentiginosus var. coachellae</i>	\$2,000	\$0
Milk-vetch, Holmgren	<i>Astragalus holmgreniorum</i>	\$750	\$0
Milk-vetch, Jesup's	<i>Astragalus robbinsii var. jesupi</i>	\$1,100	\$0
Milk-vetch, Lane Mountain	<i>Astragalus jaegerianus</i>	\$200	\$0
Milk-vetch, Peirson's	<i>Astragalus magdalenae var. peirsonii</i>	\$1,250	\$0
Milk-vetch, Sentry	<i>Astragalus cremnophylax var. cremnophylax</i>	\$750	\$0
Milk-vetch, triple-ribbed	<i>Astragalus tricarinatus</i>	\$2,200	\$0
Milk-vetch, Ventura Marsh	<i>Astragalus pycnostachyus var. lanosissimus</i>	\$18,000	\$0
Milkweed, Mead's	<i>Asclepias meadii</i>	\$5,966	\$0
Milkweed, Welsh's	<i>Asclepias welshii</i>	\$750	\$0
Monkey-flower, Michigan	<i>Mimulus glabratus var. michiganensis</i>	\$500	\$0
Monkshood, northern wild	<i>Aconitum noveboracense</i>	\$1,500	\$16,100
Morning-glory, Stebbins'	<i>Calystegia stebbinsii</i>	\$100	\$0
Nani wai`ale`ale	<i>Viola kauaiensis var. wahiawaensis</i>	\$79	\$0
Nanu	<i>Gardenia manni</i>	\$1,448	\$0
Naupaka, dwarf	<i>Scaevola coriacea</i>	\$554	\$0
Navarretia, many-flowered	<i>Navarretia leucocephala ssp. pliantha</i>	\$1,500	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Na`ena`e	<i>Dubautia plantaginea ssp. humilis</i>	\$79	\$0
Na`ena`e	<i>Dubautia herbstobatae</i>	\$79	\$0
Na`ena`e	<i>Dubautia latifolia</i>	\$3,825	\$0
Na`ena`e	<i>Dubautia pauciflorula</i>	\$79	\$0
Nehe	<i>Lipochaeta tenuifolia</i>	\$79	\$0
Nehe	<i>Lipochaeta fauriei</i>	\$3,825	\$0
Nehe	<i>Lipochaeta kamolensis</i>	\$79	\$0
Nehe	<i>Lipochaeta waimeaensis</i>	\$3,825	\$0
Nehe	<i>Lipochaeta micrantha</i>	\$3,825	\$0
Nehe	<i>Lipochaeta lobata var. leptophylla</i>	\$79	\$0
Nioi	<i>Eugenia koolauensis</i>	\$987	\$0
No common name	<i>Mariscus fauriei</i>	\$753	\$0
No common name	<i>Platanthera holochila</i>	\$79	\$0
No common name	<i>Lobelia oahuensis</i>	\$987	\$0
No common name	<i>Hesperomannia arbuscula</i>	\$1,448	\$0
No common name	<i>Hesperomannia arborescens</i>	\$987	\$0
No common name	<i>Schiedea haleakalensis</i>	\$79	\$0
No common name	<i>Schiedea spergulina var. spergulina</i>	\$79	\$0
No common name	<i>Silene perlmanii</i>	\$987	\$0
No common name	<i>Stenogyne campanulata</i>	\$79	\$0
No common name	<i>Amaranthus brownii</i>	\$79	\$0
No common name	<i>Phyllostegia parviflora</i>	\$1,661	\$0
No common name	<i>Alsinidendron trinerve</i>	\$1,448	\$0
No common name	<i>Schiedea helleri</i>	\$79	\$0
No common name	<i>Tetramolopium remyi</i>	\$79	\$0
No common name	<i>Phyllostegia waimeae</i>	\$79	\$0
No common name	<i>Phyllostegia wawrana</i>	\$79	\$0
No common name	<i>Poa siphonoglossa</i>	\$79	\$0
No common name	<i>Lobelia monostachya</i>	\$987	\$0
No common name	<i>Phyllostegia mollis</i>	\$987	\$0
No common name	<i>Silene hawaiiensis</i>	\$753	\$0
No common name	<i>Lysimachia maxima</i>	\$79	\$0
No common name	<i>Achyranthes mutica</i>	\$4,594	\$0
No common name	<i>Mariscus pennatiformis</i>	\$753	\$0
No common name	<i>Silene lanceolata</i>	\$753	\$0
No common name	<i>Neraudia sericea</i>	\$79	\$0
No common name	<i>Remya montgomeryi</i>	\$3,825	\$0
No common name	<i>Stenogyne angustifolia var. angustifolia</i>	\$5,518	\$0
No common name	<i>Trematolobelia singularis</i>	\$79	\$0
No common name	<i>Hedyotis degeneri</i>	\$79	\$0
No common name	<i>Lobelia gaudichaudii ssp. koolauensis</i>	\$79	\$0
No common name	<i>Viola helenae</i>	\$79	\$0
No common name	<i>Schiedea kaalae</i>	\$1,448	\$0
No common name	<i>Gahnia lanaiensis</i>	\$79	\$0
No common name	<i>Schiedea hookeri</i>	\$79	\$0
No common name	<i>Bonamia menziesii</i>	\$9,264	\$0
No common name	<i>Gouania vitifolia</i>	\$5,502	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
No common name	<i>Sanicula purpurea</i>	\$987	\$0
No common name	<i>Phyllostegia warshaueri</i>	\$4,594	\$0
No common name	<i>Schiedea nuttallii</i>	\$4,733	\$0
No common name	<i>Schiedea sarmentosa</i>	\$79	\$0
No common name	<i>Viola oahuensis</i>	\$79	\$0
No common name	<i>Schiedea lydgatei</i>	\$79	\$0
No common name	<i>Phyllostegia hirsuta</i>	\$79	\$0
No common name	<i>Phyllostegia knudsenii</i>	\$79	\$0
No common name	<i>Abutilon eremitopetalum</i>	\$79	\$0
No common name	<i>Gouania hillebrandii</i>	\$79	\$0
No common name	<i>Hesperomannia lydgatei</i>	\$79	\$0
No common name	<i>Neraudia ovata</i>	\$6,411	\$0
No common name	<i>Alsinidendron obovatum</i>	\$987	\$0
No common name	<i>Schiedea kauaiensis</i>	\$3,825	\$0
No common name	<i>Schiedea membranacea</i>	\$3,825	\$0
No common name	<i>Schiedea spergulina</i> var. <i>leiopoda</i>	\$79	\$0
No common name	<i>Cyanea (=Rollandia) crispa</i>	\$987	\$0
No common name	<i>Stenogyne kanehoana</i>	\$987	\$0
No common name	<i>Phyllostegia velutina</i>	\$3,463	\$0
No common name	<i>Phyllostegia glabra</i> var. <i>lanaiensis</i>	\$79	\$0
No common name	<i>Abutilon sandwicense</i>	\$1,448	\$0
No common name	<i>Hedyotis parvula</i>	\$79	\$0
No common name	<i>Tetramolopium rockii</i>	\$79	\$0
No common name	<i>Munroidendron racemosum</i>	\$3,825	\$0
No common name	<i>Schiedea verticillata</i>	\$79	\$0
No common name	<i>Chamaesyce halemanui</i>	\$3,825	\$0
No common name	<i>Sanicula mariversa</i>	\$79	\$0
No common name	<i>Vigna o-wahuensis</i>	\$5,518	\$0
No common name	<i>Alsinidendron viscosum</i>	\$4,347	\$0
No common name	<i>Remya kauaiensis</i>	\$3,825	\$0
No common name	<i>Xylosma crenatum</i>	\$601	\$0
No common name	<i>Tetramolopium lepidotum</i> ssp. <i>lepidotum</i>	\$987	\$0
No common name	<i>Tetramolopium arenarium</i>	\$753	\$0
No common name	<i>Delissea undulata</i>	\$5,518	\$0
No common name	<i>Lipochaeta venosa</i>	\$3,701	\$0
No common name	<i>Phyllostegia mannii</i>	\$79	\$0
No common name	<i>Geocarpon minimum</i>	\$22,242	\$0
No common name	<i>Phyllostegia kaalaensis</i>	\$987	\$0
No common name	<i>Spermolepis hawaiiensis</i>	\$753	\$0
No common name	<i>Neraudia angulata</i>	\$79	\$0
No common name	<i>Tetramolopium filiforme</i>	\$79	\$0
No common name	<i>Delissea rhytidosperra</i>	\$4,347	\$0
No common name	<i>Lobelia niihauensis</i>	\$1,448	\$0
No common name	<i>Lysimachia filifolia</i>	\$79	\$0
No common name	<i>Stenogyne bifida</i>	\$79	\$0
No common name	<i>Gouania meyenii</i>	\$3,825	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
No common name	<i>Silene alexandri</i>	\$79	\$0
No common name	<i>Lysimachia lydgatei</i>	\$79	\$0
No common name	<i>Viola lanaiensis</i>	\$79	\$0
Nohoanu	<i>Geranium multiflorum</i>	\$79	\$0
Oak, Hinckley	<i>Quercus hinckleyi</i>	\$6,750	\$0
Oha	<i>Delissea subcordata</i>	\$1,448	\$0
Oha	<i>Delissea rivularis</i>	\$79	\$0
Ohai	<i>Sesbania tomentosa</i>	\$3,045	\$0
Olulu	<i>Brighamia insignis</i>	\$79	\$0
Opuhe	<i>Urera kaalae</i>	\$987	\$0
Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>	\$4,894	\$0
Orchid, western prairie fringed	<i>Platanthera praeclara</i>	\$5,600	\$0
Orcutt grass, California	<i>Orcuttia californica</i>	\$400	\$0
Orcutt grass, hairy	<i>Orcuttia pilosa</i>	\$1,000	\$0
Orcutt grass, Sacramento	<i>Orcuttia viscida</i>	\$1,700	\$0
Orcutt grass, San Joaquin	<i>Orcuttia inaequalis</i>	\$300	\$0
Orcutt grass, slender	<i>Orcuttia tenuis</i>	\$18,100	\$0
Owl's-clover, fleshy	<i>Castilleja campestris ssp. succulenta</i>	\$500	\$0
Pamakani	<i>Viola chamissoniana ssp. chamissoniana</i>	\$79	\$0
Panicgrass, Carter's	<i>Panicum fauriei var. carteri</i>	\$79	\$0
Penny-cress, Kneeland Prairie	<i>Thlaspi californicum</i>	\$700	\$0
Penstemon, blowout	<i>Penstemon haydenii</i>	\$1,000	\$0
Pentachaeta, Lyon's	<i>Pentachaeta lyonii</i>	\$2,600	\$0
Phlox, Texas trailing	<i>Phlox nivalis ssp. texensis</i>	\$8,550	\$0
Phlox, Yreka	<i>Phlox hirsuta</i>	\$4,400	\$0
Pilo	<i>Hedyotis mannii</i>	\$79	\$0
Pink, swamp	<i>Helonias bullata</i>	\$1,500	\$650,000
Pitaya, Davis' green	<i>Echinocereus viridiflorus var. davisii</i>	\$6,750	\$0
Pogonia, small whorled	<i>Isotria medeoloides</i>	\$4,614	\$0
Pondberry	<i>Lindera melissifolia</i>	\$5,000	\$128,650
Pondweed, Little Aguja (=Creek)	<i>Potamogeton clystocarpus</i>	\$6,750	\$0
Popolo ku mai	<i>Solanum incompletum</i>	\$753	\$0
Poppy-mallow, Texas	<i>Callirhoe scabriuscula</i>	\$11,521	\$0
Prairie-clover, leafy	<i>Dalea foliosa</i>	\$339	\$0
Pua`ala	<i>Brighamia rockii</i>	\$79	\$0
Pu`uka`a	<i>Cyperus trachysanthos</i>	\$79	\$0
Rattleweed, hairy	<i>Baptisia arachnifera</i>	\$3,000	\$0
Remya, Maui	<i>Remya mauiensis</i>	\$79	\$0
Rock-cress, McDonald's	<i>Arabis mcdonaldiana</i>	\$1,100	\$0
Rock-cress, shale barren	<i>Arabis serotina</i>	\$634	\$0
Roseroot, Leedy's	<i>Sedum integrifolium ssp. leedyi</i>	\$100	\$0
Rush-pea, slender	<i>Hoffmannseggia tenella</i>	\$8,358	\$0
Sand-verbena, large-fruited	<i>Abronia macrocarpa</i>	\$7,347	\$0
Sandalwood, Lanai (=`iliahi)	<i>Santalum freycinetianum var. lanaiense</i>	\$79	\$0
Sandwort, Marsh	<i>Arenaria paludicola</i>	\$200	\$0
Schiedea, Diamond Head	<i>Schiedea adamantis</i>	\$554	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
Sedge, Navajo	<i>Carex specuicola</i>	\$750	\$0
Sedge, white	<i>Carex albida</i>	\$100	\$0
Silversword, Mauna Loa (=Ka'u)	<i>Argyroxiphium kauense</i>	\$3,701	\$0
Skullcap, large-flowered	<i>Scutellaria montana</i>	\$400	\$0
Sneezeweed, Virginia	<i>Helenium virginicum</i>	\$800	\$0
Snowbells, Texas	<i>Styrax texanus</i>	\$38,752	\$0
Spineflower, Howell's	<i>Chorizanthe howellii</i>	\$2,600	\$0
Spineflower, slender-horned	<i>Dodecahema leptoceras</i>	\$300	\$0
Spiraea, Virginia	<i>Spiraea virginiana</i>	\$935	\$0
Spurge, Hoover's	<i>Chamaesyce hooveri</i>	\$800	\$0
Stonecrop, Lake County	<i>Parvisedum leiocarpum</i>	\$100	\$0
Sumac, Michaux's	<i>Rhus michauxii</i>	\$800	\$0
Sunflower, Pecos (=puzzle, =paradox)	<i>Helianthus paradoxus</i>	\$8,242	\$0
Sunshine, Sonoma	<i>Blennosperma bakeri</i>	\$6,500	\$0
Tarplant, Gaviota	<i>Deinandra increscens ssp. villosa</i>	\$5,500	\$0
Thistle, La Graciosa	<i>Cirsium loncholepis</i>	\$600	\$0
Thistle, Pitcher's	<i>Cirsium pitcheri</i>	\$1,202	\$0
Thistle, Suisun	<i>Cirsium hydrophilum var. hydrophilum</i>	\$20,000	\$0
Thornmint, San Diego	<i>Acanthomintha ilicifolia</i>	\$1,000	\$0
Trillium, persistent	<i>Trillium persistens</i>	\$3,000	\$0
Trillium, relict	<i>Trillium reliquum</i>	\$2,000	\$0
Tuctoria, Greene's	<i>Tuctoria greenei</i>	\$1,000	\$0
Uhiuhi	<i>Caesalpinia kavaense</i>	\$11,108	\$0
Vetch, Hawaiian	<i>Vicia menziesii</i>	\$5,737	\$0
Wahane	<i>Pritchardia aylmer-robinsonii</i>	\$3,825	\$0
Wallflower, Menzies'	<i>Erysimum menziesii</i>	\$1,000	\$0
Water-umbel, Huachuca	<i>Lilaeopsis schaffneriana var. recurva</i>	\$750	\$0
Watercress, Gambel's	<i>Rorippa gambellii</i>	\$100	\$0
Wild-rice, Texas	<i>Zizania texana</i>	\$22,790	\$0
Woolly-star, Santa Ana River	<i>Eriastrum densifolium ssp. sanctorum</i>	\$20,000	\$0
Wooly-threads, San Joaquin	<i>Monolopia (=Lembertia) congdonii</i>	\$300	\$0
Yerba santa, Lompoc	<i>Eriodictyon capitatum</i>	\$200	\$0
`Ahinahina	<i>Argyroxiphium sandwicense ssp. sandwicense</i>	\$8,583	\$0
`Ahinahina	<i>Argyroxiphium sandwicense ssp. macrocephalum</i>	\$79	\$0
`Aiakeakua, popolo	<i>Solanum sandwicense</i>	\$5,255	\$0
`Aiea	<i>Nothocestrum peltatum</i>	\$79	\$0
`Aiea	<i>Nothocestrum breviflorum</i>	\$6,411	\$0
`Akoko	<i>Euphorbia haelealeana</i>	\$5,669	\$0
`Akoko	<i>Chamaesyce kuwaleana</i>	\$79	\$0
`Akoko	<i>Chamaesyce celastroides var. kaenana</i>	\$554	\$0
`Akoko	<i>Chamaesyce herbstii</i>	\$987	\$0
`Akoko	<i>Chamaesyce deppeana</i>	\$987	\$0
`Akoko	<i>Chamaesyce rockii</i>	\$79	\$0
`Akoko, Ewa Plains	<i>Chamaesyce skottsbergii var. kalaeloana</i>	\$554	\$0
`Anaunau	<i>Lepidium arbuscula</i>	\$1,448	\$0

Common Name	Scientific Name	General Expenditures	Land Expenditures
`Anunu	<i>Sicyos alba</i>	\$4,594	\$0
`Oha wai	<i>Clermontia oblongifolia ssp. mauiensis</i>	\$79	\$0
`Oha wai	<i>Clermontia oblongifolia ssp. brevipes</i>	\$79	\$0
`Oha wai	<i>Clermontia drepanomorpha</i>	\$1,646	\$0
`Oha wai	<i>Clermontia lindseyana</i>	\$4,594	\$0
`Oha wai	<i>Clermontia pyrularia</i>	\$3,701	\$0
`Oha wai	<i>Clermontia peleana</i>	\$4,594	\$0
`Oha wai	<i>Clermontia samuelii</i>	\$79	\$0
`Ohe`ohe	<i>Tetraplasandra gymnocarpa</i>	\$987	\$0
Flowering Plants Total		\$1,217,497	\$4,354,850
Conifers and Cycads			
Torreya, Florida	<i>Torreya taxifolia</i>	\$500	\$0
Conifers and Cycads Total		\$500	\$0
Ferns and Allies			
Diellia, asplenium-leaved	<i>Diellia erecta</i>	\$2,554	\$0
Fern, American hart's-tongue	<i>Asplenium scolopendrium var. americanum</i>	\$300	\$0
Fern, pendant kihi	<i>Adenophorus periens</i>	\$1,646	\$0
Ihi`ihi	<i>Marsilea villosa</i>	\$554	\$0
No common name	<i>Pteris lidgatei</i>	\$79	\$0
No common name	<i>Diplazium molokaiense</i>	\$753	\$0
Quillwort, black spored	<i>Isoetes melanospora</i>	\$500	\$0
Quillwort, mat-forming	<i>Isoetes tegetiformans</i>	\$500	\$0
Wawae`iole	<i>Lycopodium (=Phlegmariurus) nutans</i>	\$987	\$0
Wawae`iole	<i>Huperzia mannii</i>	\$753	\$0
Ferns and Allies Total		\$8,626	\$0
Lichens			
Lichen, rock gnome	<i>Gymnoderma lineare</i>	\$500	\$0
Lichens Total		\$500	\$0
Other ESA Expenses not including Foreign Species			
		\$3,954,684	\$4,977,796
Expenses from Foreign Species			
		\$0	\$0
Total Other ESA Expenses			
		\$3,954,684	\$4,977,796
All Species Total			
		\$39,873,454	\$13,898,743

Appendix D. FY2005 Comments on Species Expenditures

Agency	Species	Expenditure	Comments
DOI Minerals Management Service	Whale, bowhead (<i>Balaena mysticetus</i>)	\$721,000	two studies- (1) Bowhead whale (<i>Balaena mysticetus</i>) aerial survey and (2) Bowhead whale feeding study
DOI Minerals Management Service	Whale, sperm (<i>Physeter catodon</i> (=macrocephalus))	\$2,386,000	Sperm whale (<i>Physeter catodon</i>) seismic study in the Gulf of Mexico
DOI Minerals Management Service	Eider, Steller's AK breeding pop. (<i>Polysticta stelleri</i>)	\$58,000	survey of Steller's eiders wintering in lower Cook Inlet, Alaska
DOI Minerals Management Service	Plover, piping except Great Lakes watershed (<i>Charadrius melodus</i>)	\$5,000	support of piping plover conservation meeting in Gulf of Mexico
DOT Federal Aviation Administration	Bat, Indiana (<i>Myotis sodalis</i>)	\$14,000	Airports expenditure
DOT Federal Aviation Administration	Fox, San Joaquin kit (<i>Vulpes macrotis mutica</i>)	\$15,000	ATO-Terminal
DOT Federal Aviation Administration	Sea-lion, Steller western pop. (<i>Eumetopias jubatus</i>)	\$9,500	Airports expenditure
DOT Federal Aviation Administration	Whale, finback (<i>Balaenoptera physalus</i>)	\$1,200	Airports expenditure
DOT Federal Aviation Administration	Whale, humpback (<i>Megaptera novaeangliae</i>)	\$4,500	Airports expenditure
DOT Federal Aviation Administration	Eider, Steller's AK breeding pop. (<i>Polysticta stelleri</i>)	\$36,500	Airports expenditure
DOT Federal Aviation Administration	Eider, spectacled (<i>Somateria fischeri</i>)	\$200	Airports expenditure
DOT Federal Aviation Administration	Petrel, Hawaiian dark-rumped (<i>Pterodroma phaeopygia sandwichensis</i>)	\$4,500	ATO-Terminal
DOT Federal Aviation Administration	Rail, California clapper (<i>Rallus longirostris obsoletus</i>)	\$6,000	ANI-900 expenditure
DOT Federal Aviation Administration	Woodpecker, red-cockaded (<i>Picoides borealis</i>)	\$10,000	ATO-Terminal
DOT Federal Aviation Administration	Snake, eastern indigo (<i>Drymarchon corais couperi</i>)	\$3,000	ATO-Terminal
DOT Federal Aviation Administration	Tortoise, gopher W of of Mobile/Tombigbee Rs. (<i>Gopherus polyphemus</i>)	\$3,000	ATO-Terminal
DOT Federal Aviation Administration	Salamander, California tiger U.S.A. (CA - Santa Barbara County) (<i>Ambystoma californiense</i>)	\$6,000	ATO-Terminal
DOT Federal Aviation Administration	Trout, bull U.S.A., conterminous, lower 48 states (<i>Salvelinus confluentus</i>)	\$20,000	ANM-600 expenditure
DOT Federal Aviation Administration	Beetle, American burying (<i>Nicrophorus americanus</i>)	\$500	Airports expenditure

Agency	Species	Expenditure	Comments
DOT Federal Aviation Administration	Gerardia, sandplain (<i>Agalinis acuta</i>)	\$2,500	Per AEA-55B (Real Estate), FAA annually pays the DOI who forwards the money to The Nature Conservancy, Cold Spring Harbor, NY, to maintain the areas in the vicinity of the endangered flower.
DOT Federal Aviation Administration	Gilia, Monterey (<i>Gilia tenuiflora ssp. arenaria</i>)	\$3,500	ATO-Terminal
DOT Federal Aviation Administration	Spineflower, Monterey (<i>Chorizanthe pungens var. pungens</i>)	\$3,500	ATO-Terminal
Vermont	Puma (=cougar), eastern (<i>Puma (=Felis) concolor cougar</i>)	\$1,000	responding to public sightings
Vermont	Wolf, gray Lower 48 States, except where delisted and where EXPN. Mexico. (<i>Canis lupus</i>)	\$500	testing of wolf-like canids found in VT
Vermont	Eagle, bald lower 48 States (<i>Haliaeetus leucocephalus</i>)	\$55,000	eagle hacking project
Wisconsin	Dragonfly, Hine's emerald (<i>Somatochlora hineana</i>)	\$392,250	Acquired 128 acres in Door County WI
Wisconsin	Iris, dwarf lake (<i>Iris lacustris</i>)	\$340,000	Acquired 82 acre Door County WI
Wisconsin	Orchid, eastern prairie fringed (<i>Platanthera leucophaea</i>)	\$33,625	Acquired 1 acre in Kenosha County WI

Appendix D. FY 2006 Comments on Species Expenditures

Agency	Species	Expenditure	Comments
DOI Minerals Management Service	Whale, bowhead (<i>Balaena mysticetus</i>)	\$3,619,040	bowhead whale studies in Arctic Alaska waters (feeding, monitoring distribution and migration, population estimates); funding of workshop to address potential impacts from drilling operations in Chukchi Sea, including focus on impacts to bowhead whales
DOI Minerals Management Service	Whale, sperm (<i>Physeter catodon</i> (=macrocephalus))	\$695,957	funding of Sperm Whale Seismic Study and trophic aspects of sperm whales in the Gulf of Mexico
DOI US Geological Survey	Frog, mountain yellow-legged southern California DPS (<i>Rana muscosa</i>)	\$168,000	There are two additional projects totalling \$84,000 dedicated to species outside the California DPS
DOI US Geological Survey	Abalone, White North America (West Coast from Point Conception, CA, U.S.A., to Punta Abreojos, Baja California, Mexico) (<i>Haliotis sorenseni</i>)	\$1	\$374,000 expended by USGS for habitat studies applicable to this species.
DOT Federal Aviation Administration	Bat, Indiana (<i>Myotis sodalis</i>)	\$77,000	Airports Expenditure (ARP)
DOT Federal Aviation Administration	Otter, Northern Sea southwest Alaska DPS (<i>Enhydra lutris kenyoni</i>)	\$16,700	ARP
DOT Federal Aviation Administration	Sea-lion, Steller western pop. (<i>Eumetopias jubatus</i>)	\$16,800	ARP
DOT Federal Aviation Administration	Wolf, gray Lower 48 States, except where delisted and where EXPN. Mexico. (<i>Canis lupus</i>)	\$10,000	ARP non-specific location
DOT Federal Aviation Administration	Albatross, short-tailed (<i>Phoebastria</i> (=Diomedea) albatrus)	\$100	ARP
DOT Federal Aviation Administration	Eagle, bald lower 48 States (<i>Haliaeetus leucocephalus</i>)	\$12,000	ARP
DOT Federal Aviation Administration	Eider, Steller's AK breeding pop. (<i>Polysticta stelleri</i>)	\$152,000	ARP
DOT Federal Aviation Administration	Owl, northern spotted (<i>Strix occidentalis caurina</i>)	\$100	ARP
DOT Federal Aviation Administration	Pelican, brown except U.S. Atlantic coast, FL, AL (<i>Pelecanus occidentalis</i>)	\$100	ARP
DOT Federal Aviation Administration	Plover, western snowy Pacific coastal pop. (<i>Charadrius alexandrinus nivosus</i>)	\$100	ARP
DOT Federal Aviation Administration	Tern, California least (<i>Sterna antillarum browni</i>)	\$2,500	ARP
DOT Federal Aviation Administration	Tortoise, desert U.S.A., except in Sonoran Desert (<i>Gopherus agassizii</i>)	\$11,500	ARP and ATO Terminal
DOT Federal Aviation Administration	Tortoise, gopher W of of Mobile/Tombigbee Rs. (<i>Gopherus polyphemus</i>)	\$5,000	ATO Terminal
DOT Federal Aviation Administration	Salamander, California tiger U.S.A. (Central CA DPS) (<i>Ambystoma californiense</i>)	\$13,000	ARP and ATO Terminal (non-specific as to location)

Agency	Species	Expenditure	Comments
DOT Federal Aviation Administration	Salmon, chinook Puget Sound (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>)	\$75,000	ARP
DOT Federal Aviation Administration	Salmon, chum summer-run Hood Canal (<i>Oncorhynchus</i> (=Salmo) <i>keta</i>)	\$75,000	ARP
DOT Federal Aviation Administration	Sturgeon, shortnose (<i>Acipenser brevirostrum</i>)	\$5,000	ARP
DOT Federal Aviation Administration	Sucker, Lost River (<i>Deltistes luxatus</i>)	\$1,000	ARP
DOT Federal Aviation Administration	Sucker, shortnose (<i>Chasmistes brevirostris</i>)	\$1,000	ARP
DOT Federal Aviation Administration	Trout, bull U.S.A., conterminous, lower 48 states (<i>Salvelinus confluentus</i>)	\$75,000	ARP
DOT Federal Aviation Administration	Butterfly, El Segundo blue (<i>Euphilotes battoides allyni</i>)	\$3,000	ARP
DOT Federal Aviation Administration	Fairy shrimp, Riverside (<i>Streptocephalus woottoni</i>)	\$13,500	ARP
DOT Federal Aviation Administration	Fairy shrimp, San Diego (<i>Branchinecta sandiegonensis</i>)	\$4,000	ARP
DOT Federal Aviation Administration	Lily, Western (<i>Lilium occidentale</i>)	\$100	ARP
DOT Federal Aviation Administration	Milk-vetch, Applegate's (<i>Astragalus applegatei</i>)	\$2,000	ARP
DOT Federal Aviation Administration	Orchid, eastern prairie fringed (<i>Platanthera leucophaea</i>)	\$5,000	ARP
DOT Federal Aviation Administration	Spineflower, Monterey (<i>Chorizanthe pungens</i> var. <i>pungens</i>)	\$12,500	ARP and ATO Terminal
DOT Federal Highway Administration	Bear, grizzly Yellowstone DPS (<i>Ursus arctos horribilis</i>)	\$10,500	Wyoming DOT
DOT Federal Highway Administration	Ferret, black-footed U.S.A. (specific portions of AZ, CO, MT, SD, UT, and WY) (<i>Mustela nigripes</i>)	\$7,500	Wyoming DOT
DOT Federal Highway Administration	Lynx, Canada lower 48 States DPS (<i>Lynx canadensis</i>)	\$33,000	Wyoming DOT
DOT Federal Highway Administration	Mouse, Preble's meadow jumping Colorado (<i>Zapus hudsonius preblei</i>)	\$6,500	Wyoming DOT
DOT Federal Highway Administration	Wolf, gray Lower 48 States, except where delisted and where EXPN. Mexico. (<i>Canis lupus</i>)	\$500	Wyoming DOT
DOT Federal Highway Administration	Eagle, bald lower 48 States (<i>Haliaeetus leucocephalus</i>)	\$14,000	Wyoming DOT
DOT Federal Highway Admin.	Toad, Wyoming (<i>Bufo baxteri</i> (=hemiophrys))	\$600	Wyoming DOT

Agency	Species	Expenditure	Comments
DOT Federal Highway Administration	Butterfly plant, Colorado (<i>Gaura neomexicana</i> var. <i>coloradensis</i>)	\$500	Wyoming DOT
DOT Federal Highway Administration	Ladies'-tresses, Ute (<i>Spiranthes diluvialis</i>)	\$17,500	Wyoming DOT
Idaho	Salmon, chinook fall Snake R. (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>)	\$2,184,700	Includes Spring/Summer
Smithsonian Institution	Fox, San Miguel Island (<i>Urocyon littoralis littoralis</i>)	\$12,200	Funds spent on research dealing with all sub-species of Island Fox (<i>Urocyon littoralis</i>)
Smithsonian Institution	Otter, southern sea except where EXPN (<i>Enhydra lutris nereis</i>)	\$42,700	May also include funds spent on sea otters in Alaska
Vermont	Puma (=cougar), eastern (<i>Puma</i> (=Felis) <i>concolor cougar</i>)	\$1,000	responding to sighting reports from public
Vermont	Wolf, gray Lower 48 States, except where delisted and where EXPN. Mexico. (<i>Canis lupus</i>)	\$500	testing wolf-like canids found in VT
Vermont	Eagle, bald lower 48 States (<i>Haliaeetus leucocephalus</i>)	\$50,000	eagle hacking project
Vermont	Milk-vetch, Jesup's (<i>Astragalus robbinsii</i> var. <i>jesupi</i>)	\$600	working with NH on this species along Conn R.
Wisconsin	Dragonfly, Hine's emerald (<i>Somatochlora hineana</i>)	\$547,000	Acquired 131 acres in Door County WI
Wisconsin	Iris, dwarf lake (<i>Iris lacustris</i>)	\$474,000	Acquired 87 acres in Door County WI

Appendix E. FY2005 Comments on Other ESA Expenditures

Agency	Expenditure	Comments
DOD Army	\$1,002,000	The expenditures for Desert Tortoise increased this year due to land expansion at the National Training Center, Fort Irwin, CA
DOE Bonneville Power Administration	\$292,900,000	Forgone Revenues - \$182,100,000 Power Purchases - \$110,800,000
DOI Minerals Management Service	\$100,000	Joint Marine Mammal Research Initiative under the National Oceanographic Partnership Program (NOPP), resulted in digital library of marine mammal sounds (including threatened and endangered species)
Indiana	\$10,500	For survey and monitoring of freshwater mollusks (including 10 federally listed species and 2 candidate species)
Smithsonian Institution	\$29,700	Surrogate Hawaiian birds
USFWS Region 9	\$10,409,977	R9 Endangered Species data based on 13th month (year end) FFS Report #FWS33101 FY 2005. Grants information includes \$23987 for Federal Assistance, \$12060 for training branch, and \$19280 for Federal Aid.

Appendix E. FY2006 Comments on Other ESA Expenditures

Agency	Expenditure	Comments
DOE Bonneville Power Administration	\$565,600,000	Foregone Revenues: \$397,400,000 Power Purchases: \$168,200,000 The larger volume of water through the river system in 2006 than in 2005 increased the potential for energy production. This potential was not able to be fully captured due to the limitations imposed by operations for fish. The effects of the operations for fish caused an increase in lost opportunity sales of about 5.2 million megawatt-hours and a small reduction in additional purchases of about 0.2 million megawatt-hours. Those changes in energy production occurred in an energy market that was experiencing higher prices so the revenue effects of the energy production were further amplified. The cost of purchases increased from \$110.8M to \$168.2M and the lost opportunity sales revenues increased from \$182.1M to \$397.4M.
DOI Minerals Management Service	\$450,000	funding of workshop to address study needs to assess potential impacts of oil and gas activities in the North Aleutian basin, including a focus on ESA-listed species (i.e., North Pacific right whales, Steller sea lions, Steller's and Spectacled eiders); also staff time devoted to ESA consultations
DOT Federal Aviation Administration	\$30,500	AST submitted costs of 500. ARP identified <i>Ludwigia alternifolia</i> (seedbox) as threatened - cost 15000. Used 15000 as "other" because ARP confusion over <i>Ludwigia</i> . ATO Terminal included 15000 of "other."
Idaho	\$205,500	Expenditures that were identified as T&E General. Not documented as applying towards a specific project or species. General breakdown is as follows: T&E Invertebrates - 25,815 T&E Plants - 2,994 T&E Wildlife - 154,247 T&E General - 22,435
Indiana	\$10,500	For freshwater mollusks survey and monitoring which includes 10 federally endangered species and two candidate species.
Smithsonian Institution	\$61,120	\$34,940 spent for research on captive surrogate Hawaiian birds (specific species not listed) \$26,180 spent for research on other Endang/Threatened marine mammals
USFWS Region 6	\$785,028	Gunnison's prairie dog, American Dipper (Black Hills), sage grouse, Black Hills mountain snail and Grahams penstemon were included in Other ESA Costs.

U.S. Fish and Wildlife Service
Endangered Species Program
1849 C Street NW (MS-420 ARLSQ)
Washington, DC 20240
<http://www.fws.gov/endangered>



Photo Credits:

Puerto Rican parrot – Leo Miranda, USFWS

Valley Elderberry longhorn beetle – Theresa Talley, University of California (Davis)

Black-footed ferret – Seth Willey, USFWS

Antioch Dunes evening primrose – USFWS

Gila trout – Elizabeth Slown, USFWS