

**Environmental Protection Agency  
2009 Annual Performance Plan and Congressional Justification**

**Table of Contents - Program Performance and Assessment**

---

<b>PART Improvement Plans – Spring Update Report</b> .....	<b>749</b>
<b>Supplemental PART Information</b> .....	<b>772</b>
<b>GOAL 1: CLEAN AIR AND GLOBAL CLIMATE CHANGE</b> .....	<b>780</b>
<b>GOAL 2: CLEAN AND SAFE WATER</b> .....	<b>794</b>
<b>GOAL 3: LAND PRESERVATION AND RESTORATION</b> .....	<b>804</b>
<b>GOAL 4: HEALTHY COMMUNITIES AND ECOSYSTEMS</b> .....	<b>813</b>
<b>GOAL 5: COMPLIANCE AND ENVIRONMENTAL STEWARDSHIP</b> .....	<b>842</b>
<b>ANNUAL PERFORMANCE GOALS AND MEASURES</b> .....	<b>851</b>
<b>Enabling Support Programs</b> .....	<b>851</b>
<b>NPM: OFFICE OF ADMINISTRATION AND RESOURCES MANAGEMENT</b> .....	<b>851</b>
<b>NPM: OFFICE OF ENVIRONMENTAL INFORMATION</b> .....	<b>853</b>
<b>NPM: OFFICE OF THE INSPECTOR GENERAL</b> .....	<b>855</b>
<b>VERIFICATION AND VALIDATION</b> .....	<b>857</b>



# PART Improvement Plans- Spring Update Report

## PART Improvement Plans – Spring Update Report

PART Code	PART Title	Year of Assessment	Improvement Plans	
10000218	Drinking Water State Revolving Fund	2007 SPR	<b>Improvement Plan</b>	<b>Action Taken</b>
			Implement recommendations from the second triennial drinking water data quality review which are designed to improve the overall quality of the data in EPA's drinking water compliance reporting system.	Action taken, but not completed
			Develop a new long-term outcome performance measure to assess the impact of drinking water compliance improvements on public health.	Action taken, but not completed
			Develop an efficiency measure that is more useful and meaningful for tracking annual programmatic efficiency.	Action taken, but not completed
10000220	EPA Enforcement of Environmental Laws (Civil)	2007 SPR	<b>Improvement Plan</b>	<b>Action Taken</b>
			Continue to expand and improve use of statistically valid non-compliance rates.	Action taken, but not completed
			Develop meaningful baseline and targets for outcome oriented performance measures, with particular emphasis on pounds of pollutants reduced characterized for risk.	Action taken, but not completed
			Target resources based on workload analysis and take into account recommendations by the intra-agency Superfund Review completed in April 2004.	Action taken, but not completed
			Direct funds toward completion of the Permit Compliance System (PCS)	Action taken, but not completed
			EPA will consider contracting for an independent evaluation of the program that can serve as the basis for further improvements.	Action taken, but not completed
			Calculate and evaluate recidivism rates.	Action taken, but not completed

# PART Improvement Plans- Spring Update Report

PART Code	PART Title	Year of Assessment	Improvement Plans	
			Direct funds toward completion of the Permit Compliance System (PCS)	Action taken, but not completed
			Begin to transition from a tool-oriented to a problem-oriented GPRA Architecture; and incorporate in the next EPA Strategic Plan.	Action taken, but not completed
10000222	EPA Tribal General Assistance Program	2007 SPR	<b>Improvement Plan</b>	<b>Action Taken</b>
			Implementation of the GAP tracking system proceeds. Regional training will occur Sept-Dec. 2007. System evaluation and updated recommendations are scheduled for Feb. 2008, with any necessary system updates occurring in March-May 2008.	Action taken, but not completed
			Implementation of the GAP tracking system proceeds. Regional training will occur Sept-Dec. 2007. System evaluation and updated recommendations are scheduled for Feb. 2008, with any necessary system updates occurring in March-May 2008.	Action taken, but not completed
			A long term measure for GAP related to solid waste issues and activities is being developed.	Action taken, but not completed
10000224	Nonpoint Source Pollution Control Grants	2007 SPR	<b>Improvement Plan</b>	<b>Action Taken</b>
			To continue to improve this program and meet its long-term goals, EPA will focus on ensuring its funds are used for the most beneficial projects.	Action taken, but not completed
			EPA will consider contracting for an independent evaluation of the program that can serve as the basis for further improvements.	Action taken, but not completed
10000226	Toxic Air Pollutants - Regulations and Federal Support	2007 SPR	<b>Improvement Plan</b>	<b>Action Taken</b>
			Increase funding for toxic air pollutant programs by \$7 million in State grants for monitoring to help fill data gaps.	Completed

# PART Improvement Plans- Spring Update Report

PART Code	PART Title	Year of Assessment	Improvement Plans	
			Focus on maximizing programmatic net benefits and minimizing the cost per deleterious health effect avoided.	Action taken, but not completed
			Establish better performance measures, including an appropriate efficiency measure.	Action taken, but not completed
			Use the newly developed efficiency measure to demonstrate efficiency improvements.	No action taken
10000228	Leaking Underground Storage Tank Cleanup Program	2007 SPR	<b>Improvement Plan</b>	<b>Action Taken</b>
			In response to initial findings that the program needed better long-term outcome goals with adequate baselines and targets, the program has been participating in an Office of Pesticide	Completed
			Seek out regular independent evaluations and a systematic process to review the program's strategic planning.	Action taken, but not completed
			Programs initiative on performance indicators. The program has proposed new measures for this reassessment.	Completed
			Backlog characterization study and potential refinement of LUST efficiency measure.	Action taken, but not completed
10000234	Pesticide Registration	2007 SPR	<b>Improvement Plan</b>	<b>Action Taken</b>
			The Administration recommends maintaining funding at the 2004 President's Budget level adjusted for the annual pay increase.	Completed
			The program will develop long-term risk-based outcome performance measures that will supplement the existing long-term measures.	Completed
			The program will also work on long-term outcome efficiency measures.	Completed

# PART Improvement Plans- Spring Update Report

PART Code	PART Title	Year of Assessment	Improvement Plans	
			Implement new strategic plan architecture into FY 08 management activities and day-to-day operations.	Action taken, but not completed
			Establish executive leads to provide senior leadership for each of the 3 mission areas in the new Strategic Plan.	Completed
			Brief staff on new Strategic Plan in order to incorporate stronger alignment between Strategic Plan individual Performance Agreement and Recognition System (PARS) agreements.	Action taken, but not completed
			Executive leads working toward the development and refinement of meaningful outcome oriented measures for each of the three mission area in the new Strategic Plan	Action taken, but not completed
10000236	Pesticide Reregistration	2007 SPR	<b>Improvement Plan</b>	<b>Action Taken</b>
			The original PART assessment found that the program was not measuring its level of efficiency. As a result, the program has proposed new output efficiency measures that will promote better management and a more direct focus on efficiently achieving outcomes.	Completed
			To address the issue of not meeting annual targets and concerns about meeting statutorily-required deadlines, the program did use additional resources for reviewing antimicrobial pesticides and inert ingredients as proposed in the FY 2004 President's Budget.	Completed
			The original PART assessment found that the program was not measuring its level of efficiency. As a result, the program has proposed new output efficiency measures that will promote better management and a more direct focus on efficiently achieving outcomes.	Completed
			Per the Agency targets develop and finalize appropriate regional performance targets.	Completed
			Implement new strategic plan architecture into FY 08 management activities and day-to-day operations.	Action taken, but not completed
			Establish executive leads to provide senior leadership for each of the 3 mission areas in the new Strategic Plan.	Completed

# PART Improvement Plans- Spring Update Report

PART Code	PART Title	Year of Assessment	Improvement Plans	
			Brief staff on new Strategic Plan in order to incorporate stronger alignment between Strategic Plan individual Performance Agreement and Recognition System (PARS) agreements.	Action taken, but not completed
			Executive leads working toward the development and refinements of meaningful outcome-oriented measures for each of the three mission areas in the new Strategic Plan	Action taken, but not completed
10000238	Superfund Removal	2007 SPR	<b>Improvement Plan</b>	<b>Action Taken</b>
			Investigate the feasibility of outcome-oriented measures that test the linkage between program activities and impacts on human health and the environment.	Action taken, but not completed
			Modernize the program's data repository (CERCLIS) to ensure accurate and complete information on program performance and financial management.	Action taken, but not completed
			Develop a plan for regular, comprehensive and independent assessments of program performance.	Action taken, but not completed
10001131	EPA Acid Rain Program	2007 SPR	<b>Improvement Plan</b>	<b>Action Taken</b>
			Program should develop efficiency measures to track and improve overall program efficiency. Measures should consider the full cost of the program, not just the federal contribution.	Action taken, but not completed
			Remove statutory requirements that prevent program from having more impact including (but not limited to) barriers that; set maximum emissions reduction targets, exempt certain viable facilities from contributing, and limit the scope of emission reduction credit trading. The Administration's Clear Skies proposal adequately addresses these and other statutory impediments. Program should work as appropriate to promote the enactment of the Clear Skies legislation.	Action taken, but not completed
10001132	Brownfields Revitalization	2007 SPR	<b>Improvement Plan</b>	<b>Action Taken</b>
			Improve grantee use of electronic reporting systems to reduce data lags in performance information.	Action taken, but not completed

# PART Improvement Plans- Spring Update Report

PART Code	PART Title	Year of Assessment	Improvement Plans	
			Conduct regional program reviews to share and implement best practices among regional offices that will improve the program's overall performance and efficiency.	Action taken, but not completed
			Complete performance measures that are under development including a new cross-agency measure that tracks brownfields redevelopment.	Action taken, but not completed
10001133	Clean Water State Revolving Fund	2007 SPR	<b>Improvement Plan</b>	<b>Action Taken</b>
			EPA will focus on improving the quality and breadth of CWSRF performance data. In particular, EPA needs to focus on collecting data on minor systems, which receive a significant proportion of CWSRF funding, and waterborne disease.	Action taken, but not completed
10001134	EPA Enforcement of Environmental Laws (Criminal)	2007 SPR	<b>Improvement Plan</b>	<b>Action Taken</b>
			Developing a baseline and targets for the outcome measure, pounds of pollutants reduced, that is characterized as to risk.	Action taken, but not completed
			Created standardized definitions (completed) and merging databases from within the agency to allow easier implementation and evaluation of measures.	Action taken, but not completed
			Developing baselines and targets to measure recidivism.	Action taken, but not completed
10001135	EPA Ecological Research	2007 SPR	<b>Improvement Plan</b>	<b>Action Taken</b>
			Refine the questions used in independent scientific reviews to improve EPA's understanding of program utility and performance in relationship to environmental outcomes.	Action taken, but not completed
			Increase the transparency of budget, program, and performance information in budget documents.	No action taken



# PART Improvement Plans- Spring Update Report

PART Code	PART Title	Year of Assessment	Improvement Plans	
			Develop and publish a revised multi-year research plan clearly demonstrating how the program's research supports the EPA mission and avoids duplication with other research programs.	Action taken, but not completed
10001136	EPA Environmental Education	2007 SPR	<b>Improvement Plan</b>	<b>Action Taken</b>
			The administration is continuing its recommendation to terminate the program at EPA and rely on NSF programs to fulfill scientific education initiatives.	Action taken, but not completed
			The administration is continuing its recommendation to terminate the program at EPA and rely on NSF programs to fulfill scientific education initiatives.	No action taken
10001137	National Ambient Air Quality Standards Research	2007 SPR	<b>Improvement Plan</b>	<b>Action Taken</b>
			Convene annual program reviews in which extramural expert discipline scientists and clients will assess the state of ORD science, ensure progress toward outcome goals, and determine the need for strategic mid-course adjustments to maximize program efficiency and assist with outyear planning.	Action taken, but not completed
			The program must develop at least one efficiency measure that adequately reflects the efficiency of the program.	Completed
			Improve multi-year plan (MYP) and financial data tracking systems and procedures to better and more transparently integrate grantee and program performance with financial information.	Action taken, but not completed
			Develop an annual measure that more directly demonstrates progress on toward the long-term goal of reducing uncertainty in identified research areas of high priority.	Action taken, but not completed

# PART Improvement Plans- Spring Update Report

PART Code	PART Title	Year of Assessment	Improvement Plans	
			Develop and implement adequate methods for determining progress on the program's two new long-term measures (uncertainty and source-to-health linkage measures) as well as for the new annual measure (customer survey measure).	Action taken, but not completed
			Assess the current efficiency measure, and revise it, if necessary, to best capture the cost effectiveness of research activities.	Action taken, but not completed
10001138	Pollution Prevention and New Technologies Research	2007 SPR	<b>Improvement Plan</b>	<b>Action Taken</b>
			Shift funding from this research program to another Environmental Protection Agency pollution prevention program that has shown results (see New Chemicals PART).	Completed
			Improve the program's strategic planning. These improvements should include a plan for independent evaluation of the program, responses to previous evaluations, and should clearly explain why the program should pursue projects instead of other capable parties.	Completed
			Establish performance measures, including efficiency measures.	Action taken, but not completed
			Develop and publish a revised multi-year research plan with an improved strategic focus and clear goals and priorities. This plan must include explicit statements of: specific issues motivating the program; broad goals and more specific tasks meant to address the issue; priorities among goals and activities; human and capital resources anticipated; and intended program outcomes against which success may later be assessed.	Action taken, but not completed
			Institute a plan for regular, external reviews of the quality of the program's research and research performers, including a plan to use the results from these reviews to guide future program decisions.	Completed
			Assess the current efficiency measure, and revise it, if necessary, to best capture the cost effectiveness of research activities.	Action taken, but not completed

# PART Improvement Plans- Spring Update Report

PART Code	PART Title	Year of Assessment	Improvement Plans	
			Implement follow-up recommendations resulting from the Technology for Sustainability Subcommittee Board of Scientific Counselors (BOSC) review. Follow up actions are those actions committed to in the Pollution Prevention and New Technologies Research Assessment program's formal response to the BOSC	No action taken
10001139	Resource Conservation and Recovery Act Corrective Action	2007 SPR	<b>Improvement Plan</b>	<b>Action Taken</b>
			Program must define a new baseline for performance measures and establish appropriate annual targets to make goals more ambitious in achieving long-term objectives of the program.	Completed
			Program should establish appropriate efficiency measures to adequately track program efficiency over time.	Completed
10002272	Alaska Native Village Water Infrastructure	2007 SPR	<b>Improvement Plan</b>	<b>Action Taken</b>
			Correcting incomplete data fields and reporting deficiencies in database to support analysis for cost effectiveness and efficiency by January 30, 2007.	Action taken, but not completed
			Finalizing web based project reporting system to include all projects funded by EPA dollars by April 30, 2007.	Action taken, but not completed
			EPA will develop regulations for the management and oversight of the program, including all grant funds to the State of Alaska and any subsidiary recipients of EPA funds via the State of Alaska. By March 1, 2007, EPA shall provide a draft regulation to OMB for review and comment.	Action taken, but not completed
			The program will issue a contract for an independent review of the Alaska Native Tribal Health Consortium financial processes and records. The independent review will begin in January 2007.	Action taken, but not completed
			Develop an annual programmatic efficiency measure, which managers will find useful for improving operational performance of the program.	No action taken

# PART Improvement Plans- Spring Update Report

<b>PART Code</b>	<b>PART Title</b>	<b>Year of Assessment</b>	<b>Improvement Plans</b>	
10002274	EPA Climate Change Programs	2007 SPR	<b>Improvement Plan</b>	<b>Action Taken</b>
			EPA will complete an assessment and comparison of the potential benefits and efforts of the Clean Automotive Technology program to other agency's efforts with similar goals by April 1, 2005.	Action taken, but not completed
			The Clean Automotive Technology program will work to develop better performance measures that more clearly link to greenhouse gas reduction potential in the near term.	Action taken, but not completed
10002276	Public Water System Supervision Grant Program	2007 SPR	<b>Improvement Plan</b>	<b>Action Taken</b>
			Implement recommendations from the second triennial drinking water data quality review which are designed to improve the overall quality of the data in EPA's drinking water compliance reporting system.	Action taken, but not completed
			Develop a new long-term outcome performance measure to assess the impact of drinking water compliance improvements on public health.	Action taken, but not completed
			Develop an efficiency measure that is more useful and meaningful for tracking annual programmatic efficiency.	No action taken
10002278	Underground Injection Control Grant Program	2007 SPR	<b>Improvement Plan</b>	<b>Action Taken</b>
			Develop an outcome-based annual performance measure and an efficiency measure, which demonstrate the protection of source water quality.	Action taken, but not completed
			Implement recommendations from the second triennial drinking water data quality review which are designed to improve the overall quality of the data in EPA's drinking water compliance reporting system.	Action taken, but not completed
			Develop an efficiency measure that is more useful and meaningful for tracking annual programmatic efficiency.	No action taken

# PART Improvement Plans- Spring Update Report

PART Code	PART Title	Year of Assessment	Improvement Plans	Action Taken
10002280	Endocrine Disruptors	2007 SPR	<b>Improvement Plan</b>	<b>Action Taken</b>
			Maintain funding at approximately the FY 2005 President's Budget level.	Completed
			Articulate clearly R&D priorities to ensure compelling, merit-based justifications for funding allocations.	Completed
			By the end of CY 2006, develop baseline data for an efficiency measure that compares dollars/labor hours in validating chemical assays.	Completed
			By the end of CY 2007, collect data for first year of new contracts and compare to baseline efficiency measures.	Action taken, but not completed
10002282	U. S.-Mexico Border Water Infrastructure	2007 SPR	<b>Improvement Plan</b>	<b>Action Taken</b>
			Develop baselines and targets for its long-term and efficiency measures.	Completed
			Follow-up on the results of the business process review to help EPA implement program changes that could improve effectiveness.	Completed
			Implement a new program requirement that detailed project schedules be included in future subgrant agreements.	Action taken, but not completed
			Implement program management controls that expedite project completions.	Action taken, but not completed
10002284	Mobile Source Air Pollution Standards and Certification	2007 SPR	<b>Improvement Plan</b>	<b>Action Taken</b>
			Request \$66 million for EPA's mobile source programs, \$1.5 million more than the 2005 President's Budget request.	Completed
			Systematically review existing regulations to maintain consistency and ensure that regulations maximize net benefits. Conduct thorough ex ante economic analyses and evaluations of alternatives in support of regulatory development.	Action taken, but not completed

# PART Improvement Plans- Spring Update Report

PART Code	PART Title	Year of Assessment	Improvement Plans	
			Begin collecting data to support two new efficiency measures - one long and one short-term - to enable the program to measure further efficiency improvements.	Action taken, but not completed
10002286	EPA Pesticide Enforcement Grant Program	2007 SPR	<b>Improvement Plan</b>	<b>Action Taken</b>
			Work to develop appropriate outcome performance measures.	Completed
			Develop targets and baselines.	Action taken, but not completed
			Evaluate why cost effectiveness appears inversely proportional to amount of Federal funding.	Action taken, but not completed
10002288	EPA's Recycling, Waste Minimization, and Waste Management Program	2007 SPR	<b>Improvement Plan</b>	<b>Action Taken</b>
			Develop an efficiency measure for the waste minimization component of the RCRA base program.	Action taken, but not completed
			Continuously improving the program by identifying where compliance costs are excessive and reducing the cost of compliance where appropriate (i.e. RCRA manifest rule).	Action taken, but not completed
			Develop a new regulatory definition of solid waste that satisfies the judicial requirements while ensuring that costs are not inappropriately shifted to the Superfund or other corrective action programs by narrowing the exclusion of previously regulated substances.	Action taken, but not completed
10002290	Stratospheric Ozone Protection	2007 SPR	<b>Improvement Plan</b>	<b>Action Taken</b>
			Convert long-term health effects measure into a rate of skin cancer prevalence so that an actual baseline can be established once statistics are available.	Completed
			Continue to support the Multilateral Fund for the Implementation of the Montreal Protocol.	Action taken, but not completed

# PART Improvement Plans- Spring Update Report

PART Code	PART Title	Year of Assessment	Improvement Plans	
			Continue to monitor progress to ensure that the program is on track to meet goals.	Action taken, but not completed
			Program will develop a performance measure and targets to track intermediate outcomes by measuring "thickness" of the ozone layer in the atmosphere. Many of the program's outcome performance measures are extremely long-term, so it is important to establish measurable performance objectives for the near term.	Action taken, but not completed
			Program will develop a long-term performance measure and set ambitious targets for reduced incidence of non-melanoma skin cancers.	Action taken, but not completed
10002292	Superfund Remedial Action	2007 SPR	<b>Improvement Plan</b>	<b>Action Taken</b>
			Implement the recommendations of the Agency's 120-day study on management of the Superfund program.	Action taken, but not completed
			Modernize the program's data repository (CERCLIS) to ensure accurate and complete information on program performance and financial management.	Action taken, but not completed
			Validate the reporting method for performance data and develop a new Superfund cleanup efficiency measure.	Action taken, but not completed
10002426	Pesticide Field Programs	2007 SPR	<b>Improvement Plan</b>	<b>Action Taken</b>
			Include a \$1 million reduction in funding for the Field Programs WQ program in the FY 2006 President's Budget. EPA must ensure that WQ program activities affected by this reduction are adequately addressed in the Office of Water's Surface Water Protection program.	Completed
			Make the Field Programs budgeting more transparent and more clearly link to adequate and relevant program-specific measures.	Completed
			Develop and implement annual goals and efficiency measures and continue development of baselines and targets for long-term outcome measures for all Field Programs.	Completed

# PART Improvement Plans- Spring Update Report

PART Code	PART Title	Year of Assessment	Improvement Plans	
			Develop and implement a method of compiling and disseminating Field Programs grantee performance data in a manner easily accessible to the public. EPA worked with states to develop a simplified, electronic, EOY reporting system for worker safety activities. Will expand to other field programs by EOY 2007.	Completed
			Implement new strategic plan architecture into FY 08 management activities and day-to-day operations.	Action taken, but not completed
			Establish executive leads to provide senior leadership for each of the 3 mission areas in the new Strategic Plan.	Completed
			Establish executive leads to provide senior leadership for each of the 3 mission areas in the new Strategic Plan.	Action taken, but not completed
			Brief staff on new Strategic Plan in order to incorporate stronger alignment between Strategic Plan individual Performance Agreement and Recognition System (PARS) agreements.	Action taken, but not completed
			Executive leads working toward the development and refinement of meaningful outcome oriented measures for each of the three mission areas in the new Strategic Plan	Action taken, but not completed
10004301	Drinking Water Protection Program	2007 SPR	<b>Improvement Plan</b>	<b>Action Taken</b>
			Developing a long-term outcome performance measure to assess the public health impacts of improvements in drinking water compliance.	Action taken, but not completed
			Revising the current drinking water small system affordability methodology to address negative distributional impacts.	Action taken, but not completed
			Implementing data quality review recommendations to improve the overall quality of the data in EPA's drinking water compliance reporting system.	Action taken, but not completed
			The program is developing an efficiency measure that is more useful and meaningful for tracking annual programmatic efficiency.	Action taken, but not completed



# PART Improvement Plans- Spring Update Report

<b>PART Code</b>	<b>PART Title</b>	<b>Year of Assessment</b>	<b>Improvement Plans</b>	
10004302	Chesapeake Bay Program	2007 SPR	<b>Improvement Plan</b>	<b>Action Taken</b>
			Investigating potential methods to more transparently characterize the uncertainty of the watershed and water quality models, ideally leading to implementation of a method, if feasible.	Action taken, but not completed
			Developing a comprehensive implementation strategy that is coordinated between program partners and accurately accounts for available resources.	Action taken, but not completed
			Promoting and tracking implementation of the most cost effective restoration activities to maximize water quality improvements.	Action taken, but not completed
10004303	Underground Storage Tank Program	2007 SPR	<b>Improvement Plan</b>	<b>Action Taken</b>
			Underground Storage Tanks Improvement Plan	Action taken, but not completed
10004304	Pollution Prevention Program	2007 SPR	<b>Improvement Plan</b>	<b>Action Taken</b>
			Evaluate Science Advisory Board Report recommendations for improving performance measures to better demonstrate P2 results.	Action taken, but not completed
			Identifying and reducing barriers associated with core EPA activities that limit implementation of pollution prevention practices by industry.	Action taken, but not completed
			Developing additional P2 Program efficiency measures to expand the portion of the program's resources that are addressed.	Action taken, but not completed
			Fully implement Grant Trak and P2 State Reporting System. Obtain consistent 2007 results from Regions.	Action taken, but not completed
10004305	Land Protection and Restoration Research	2007 SPR	<b>Improvement Plan</b>	<b>Action Taken</b>
			Finalize ambitious, long-term outcome performance measures that assess the utility of the program's research products and services with respect to the outcome goals of its clients.	Action taken, but not completed

# PART Improvement Plans- Spring Update Report

PART Code	PART Title	Year of Assessment	Improvement Plans	
			Develop and implement a protocol for more frequent review and use of financial and performance tracking data to improve budget-performance integration.	Action taken, but not completed
			Develop a new efficiency measure that captures the cost effectiveness of research activities.	Action taken, but not completed
10004306	Water Quality Research	2007 SPR	<b>Improvement Plan</b>	<b>Action Taken</b>
			Finalize ambitious long-term outcome performance measures, which assess the utility of the program's research products and services with respect to the outcome goals of its clients.	Action taken, but not completed
			Developing and implementing a protocol for more frequent review and use of financial and performance tracking data to improve budget and performance integration.	Action taken, but not completed
			Develop a new outcome efficiency measure that captures the cost effectiveness of research activities.	Action taken, but not completed
			Improve the collection of partner performance information to more clearly link to programmatic goals so managers can take appropriate actions to improve overall program performance.	Action taken, but not completed
10004307	Global Change Research	2007 SPR	<b>Improvement Plan</b>	<b>Action Taken</b>
			Finalize ambitious long-term outcome measures that assess the utility of the program's research products and services with respect to the outcome goals of its clients.	Action taken, but not completed
			More clearly define the program's framework and mission to help focus assessment efforts and provide structure for setting priorities.	Action taken, but not completed
			Develop an efficiency measure that captures the cost effectiveness of research activities.	Action taken, but not completed

# PART Improvement Plans- Spring Update Report

PART Code	PART Title	Year of Assessment	Improvement Plans	
			Develop and implement a protocol for more frequent review and use of financial and performance tracking data to improve budget-performance integration.	Action taken, but not completed
10004308	Human Health Risk Assessment Program	2007 SPR	<b>Improvement Plan</b>	<b>Action Taken</b>
			Expand efficiency measure to include all major work products.	Action taken, but not completed
			Implement new IRIS review process.	Action taken, but not completed
			Implement regular, independent evaluations that assess the program's effectiveness specifically related to its influence on key risk management decisions made by the Agency's environmental media offices.	Action taken, but not completed
			Investigate alternative approaches for measuring progress related to providing timely, high quality scientific assessments.	Action taken, but not completed
10004370	Ocean, Coastal, and Estuary Protection	2007 SPR	<b>Improvement Plan</b>	<b>Action Taken</b>
			Develop an annual performance measure for the Ocean Dumping Program.	Action taken, but not completed
			Develop an additional performance measure for non-estuary program activities.	Action taken, but not completed
			Developing more ambitious targets for the National Estuary Program's annual and long term measures on habitat acres protected and restored.	Action taken, but not completed
10004371	Drinking Water Research	2007 SPR	<b>Improvement Plan</b>	<b>Action Taken</b>
			Develop baselines and targets for all long term and annual performance measures. These will allow the program to set quantitative goals and assess progress through time.	Action taken, but not completed

# PART Improvement Plans- Spring Update Report

PART Code	PART Title	Year of Assessment	Improvement Plans	
			Develop a performance measure which tracks the efficiency with which the program delivers its services to its primary client, the EPA Office of Water.	Completed
			Improve oversight of non-grant partners and require non-grant partners to work towards the annual and long term goals of the program.	Action taken, but not completed
			Assess the current efficiency measure, and revise it, if necessary, to best capture the cost effectiveness of research activities.	Action taken, but not completed
10004372	EPA Support for Cleanup of Federal Facilities	2007 SPR	<b>Improvement Plan</b>	<b>Action Taken</b>
			Work with other Federal agencies to support attainment of long-term environmental and human health goals.	Completed
			Conduct one evaluation on an aspect of the program to identify areas and means for program improvements.	Completed
			Explore with DOE and DOD the development of cross-program revitalization measures.	Action taken, but not completed
			Work with Fed. Fac. to evaluate their progress toward achieving environmental goals.	Action taken, but not completed
			Improve program management	Action taken, but not completed
10004373	EPA Human Health Research	2007 SPR	<b>Improvement Plan</b>	<b>Action Taken</b>
			Improve ability to link budget resources to annual and long-term performance targets by requesting and reporting Human Health research and Ecosystem research funding as separate program-projects.	Completed
			Develop ambitious long-term performance targets that clearly define what outcomes would represent a successful program.	Completed

# PART Improvement Plans- Spring Update Report

PART Code	PART Title	Year of Assessment	Improvement Plans	
			Implement follow up recommendations resulting from external expert review by the Human Health Subcommittee of the Board of Scientific Counselors (BOSC). Follow up actions are those actions committed to in the Human Health Research program's formal response to the BOSC in September 2005.	Completed
			Implement follow-up recommendations resulting from the Human Health Subcommittee Board of Scientific Counselors (BOSC) mid-cycle review. Follow up actions are those actions committed to in the Human Health Research program's formal response to the BOSC.	Action taken, but not completed
			Establish formal baselines for the program's BOSC-informed long-term measures at the next comprehensive BOSC review.	Action taken, but not completed
			Increase the transparency of budget, program, and performance information in budget documents.	No action taken
10004374	EPA Indoor Air Quality	2007 SPR	<b>Improvement Plan</b>	<b>Action Taken</b>
			Link budget requests more explicitly to accomplishment of performance goals, specifically by stipulating how adjustments to resource levels would impact performance.	Action taken, but not completed
			Improve transparency by making State radon grantee performance data available to the public via a website or other easily accessible means.	Action taken, but not completed
			Use efficiency measures to demonstrate improved efficiencies or cost effectiveness in achieving program goals.	Action taken, but not completed
10004375	EPA Lead-Based Paint Risk Reduction Program	2007 SPR	<b>Improvement Plan</b>	<b>Action Taken</b>
			Develop and implement a method of measuring the impacts of the program's outreach and education efforts.	Action taken, but not completed

# PART Improvement Plans- Spring Update Report

PART Code	PART Title	Year of Assessment	Improvement Plans	
			Improve the consistency of grantee and regional office accountability mechanisms and develop a system that ensures all relevant performance data from grantees and the Regional offices is being collected for the purposes of focusing program actions.	Completed
			Improve the linkage between program funding and the associated contributions towards progress in achieving program goals, especially for program grant and contractor funding.	Completed
			Refine/Improve measures used in State Grant Reporting Template to improve accountability of program partners for achievement of program goals.	Action taken, but not completed
			Further improve results reporting from program partners.	Action taken, but not completed
10004376	National Ambient Air Quality Standards and Regional Haze Programs	2007 SPR	<b>Improvement Plan</b>	<b>Action Taken</b>
			Implement improvements within current statutory limitations that address deficiencies in design and implementation and identify and evaluate needed improvements that are beyond current statutory authority.	Action taken, but not completed
			Improve the linkage between program funding and the associated contributions towards progress in achieving program goals.	Action taken, but not completed
			Develop at least one efficiency measure that adequately reflects program efficiency.	Action taken, but not completed
10004377	Air Quality Grants and Permitting	2007 SPR	<b>Improvement Plan</b>	<b>Action Taken</b>
			Develop at least one efficiency measure that adequately reflects program efficiency.	Action taken, but not completed

# PART Improvement Plans- Spring Update Report

PART Code	PART Title	Year of Assessment	Improvement Plans	
			Develop a measure that assesses the State permitting programs' quality, efficiency, and compliance.	Action taken, but not completed
			Develop policy and criteria for transitioning the fine particulate matter (PM2.5) monitoring program from Clean Air Act Section 103 grant funding to Clean Air Act Section 105 grant funding.	Action taken, but not completed
			Review and update current grant allocation processes to ensure resources are properly targeted.	Action taken, but not completed
10004378	EPA Oil Spill Control	2007 SPR	<b>Improvement Plan</b>	<b>Action Taken</b>
			Develop a second long-term outcome measure and at least one annual outcome measure.	Action taken, but not completed
			Develop stronger strategic planning procedures to ensure continuous improvement in the program, including regular procedures that will track and document key decisions and work products.	Action taken, but not completed
			Evaluate the data quality of key data sources used by the program to improve the accuracy and reliability of performance information.	Action taken, but not completed
			Develop a forum for sharing and implementing best practices among regional offices that will improve the program's overall performance and efficiency.	Action taken, but not completed
10004379	Water Pollution Control Grants	2007 SPR	<b>Improvement Plan</b>	<b>Action Taken</b>
			Target additional program funding to States implementing probabilistic monitoring activities in support of the national probabilistic monitoring survey.	Action taken, but not completed
			Require that State workplans and performance data are formatted and reported consistently and directly support specific goals in EPA's strategic plan.	Completed

# PART Improvement Plans- Spring Update Report

PART Code	PART Title	Year of Assessment	Improvement Plans	
			Provide incentives for States to implement or improve their permit fee programs, increasing the resources available for water quality programs.	Action taken, but not completed
10004380	Surface Water Protection	2007 SPR	<b>Improvement Plan</b>	<b>Action Taken</b>
			Require that 106 State workplans and performance data are formatted and reported consistently and directly support specific goals in EPA's strategic plan.	Action taken, but not completed
			Working with States and other partners, EPA will assess 100% of rivers, lakes, and streams in the lower 48 states using statistically-valid surveys by 2010.	Action taken, but not completed
			Working with States and other partners, EPA will issue water quality reports based on the statistically-valid surveys in the lower 48 states by 2011.	Action taken, but not completed
10009010	EPA Great Lakes Program	2007 SPR	<b>Improvement Plan</b>	<b>Action Taken</b>
			By the end of September, the program will present and analysis of major radiological monitoring activities at EPA and other federal agencies, exploring complementary efficiencies and potential redundancies.	No action taken
10009011	EPA Radiation Protection Program	2007 SPR	<b>Improvement Plan</b>	<b>Action Taken</b>
			By the end of September, the program will present an analysis of major radiological monitoring activity at EPA and other Federal agencies, exploring complementary efficiencies and potential redundancies.	No action taken
10009012	EPA Pesticides and Toxics Research	2007 SPR	<b>Improvement Plan</b>	<b>Action Taken</b>
			Develop a formal response to the Board of Scientific Counselors (BOSC) independent expert review report, address action items, and make progress toward long-term and annual targets.	No action taken
			Assess the current efficiency measure and revise it, if necessary, to best capture the cost effectiveness of research activities.	Action taken, but not completed



# PART Improvement Plans- Spring Update Report

PART Code	PART Title	Year of Assessment	Improvement Plans	
			Develop a system to utilize quarterly performance measurement reporting to improve program performance rather than solely revising annual and long-term plans.	No action taken
			Develop a system to utilize quarterly performance measurement reporting to improve program performance rather than solely revising annual and long-term plans.	No action taken
10009064	EPA Chemical Risk Review and Reduction	2007 SPR	<b>Improvement Plan</b>	<b>Action Taken</b>
			Program will develop a biomonitoring performance measure with NHANES data from the Center for Disease Control or other biomonitoring data (NATA) for chemicals of concern.	No action taken
			Risk Screening Environmental Model will be updated annually to reflect updated TRI data to ensure performance measures are updated within 2 years that rely on TRI data.	Action taken, but not completed
			Develop long-term and annual performance measures to reflect risk-based recommendations for HPV Chemicals	Action taken, but not completed

**Environmental Protection Agency**

**FY 2009 Annual Performance Plan and Congressional Justification**

**Supplemental PART Information**

<b>PART Measures</b>	<b>Year Data Available</b>
<b>Supplemental PART Information</b>	
<b>Goal 1: Clean Air and Global Climate Change</b>	
<i>Long-Term Performance Measure</i>	
Elimination of U.S. consumption of Class II Ozone Depleting substances measured in tons/yr. of Ozone Depleting Potential (ODP).	FY 2010
Estimated future premature lung cancer deaths prevented annually through lowered radon exposure.	FY 2012
Million metric tons of carbon equivalent (mmcte) of greenhouse gas in the building sector.	FY 2012
Million metric tons of carbon equivalent (mmtce) of greenhouse gas in the industry sector.	FY 2012
Million metric tons of carbon equivalent (mmtce) of greenhouse gas reductions in the transportation sector.	FY 2012
Millions of tons of nitrogen oxides (NOX) reduced since 2000 from mobile sources.	FY 2010
Millions of tons of volatile organic compounds (VOCs) reduced since 2000 from mobile sources.	FY 2010
Percent improvement in visibility on 20% worst days, on average for all eastern Class I areas.	FY 2018
Percent of change in number of chronically acidic waterbodies in acid sensitive regions.	FY 2030
Percent reduction in population-weighted ambient concentration of fine particulate matter (PM 2.5) in all monitored counties from 2003 baseline.	FY 2015
Percent reduction in population-weighted ambient concentration of ozone in all monitored counties from 2003 baseline.	FY 2015
Percentage of ORD-developed outputs appearing in the Office of Air and Radiation National Ambient Air Quality Standard Staff Paper (SP)	None
Percentage reduction in tons toxicity-weighted cancer risk emissions from 1993 baseline.	FY 2010
Percentage reduction in tons toxicity-weighted of non-cancer risk emissions from 1993 baseline.	FY 2010
Progress in assessing the linkage between health impacts and air pollutant sources and reducing the uncertainties that impede the	UD

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### Supplemental PART Information

<b>PART Measures</b>	<b>Year Data Available</b>
understanding and usefulness of these linkages.	
Progress toward reducing uncertainty in the science that supports standard setting and air quality management decisions.	UD
Reductions in melanoma and non-melanoma skin cancers, measured by millions of skin cancer cases avoided (melanoma and nonmelanoma).	FY 2010
Tons of fine particulate matter (PM 2.5) since 2000 from mobile sources.	FY 2010
Tons of sulfur dioxide emissions reduced from electric power generating sources.	FY 2010
<b><i>Annual Performance Measure</i></b>	
Percent progress toward completion of a hierarchy of air pollutant sources based on the risk they pose to human health.	70
<b><i>Efficiency Performance Measure</i></b>	
Percent reduction in time (days) per certificate approval for large engines (nonroad Compression Ignition , Heavy duty gas and diesel engines)	FY 2012
Tons of pollutants (VOC, NOX, PM, CO) reduced per total emission reduction dollars spent.	UD
Tons of toxicity-wieghted (for cancer and noncancer risk) emissions reduced per total cost (\$).	UD
<b>Goal 2: Clean and Safe Water</b>	
<b><i>Long-Term Performance Measure</i></b>	
100% percent of serviceable rural Alaska homes will have access to drinking water supply and wastewater disposal.	FY 2011
CWSRF Long-Term Revolving Level (\$billions/yr)	FY 2011
DWSRF Long-Term Revolving Level (\$billions/yr)	FY 2018
Indep. Exp. Rev. Panel summary score on tool designed to measure the use of ORD data, tools, and technologies for key decisions leading to scientifically-sound 6 Year Review Decisions made by OW	UD
Indep. Exp. Rev. Panel summary score on tool designed to measure the use of ORD data, tools, and technologies for key decisions leading to scientifically-sound CCL decisions made by the OW	UD
National Coastal Condition Report (NCCR) score for overall aquatic	FY2011

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### Supplemental PART Information

<b>PART Measures</b>	<b>Year Data Available</b>
ecosystem health of coastal waters nationally (1-5 scale).	
Number of baseline monitoring stations showing improved water quality in tribal waters.	FY 2012
Number of waterbodies identified by States (in 2000 or subsequent years) as being primarily NPS-impaired that are partially or fully restored.	FY2012
Number of waterbody segments identified in 2002 as not attaining standards, where water quality standards are now fully attained.	FY 2012
Percent of Alaska population served by public water systems in compliance with Safe Drinking Water Act regulatory requirements.	FY 2011
Percent of community water systems for which minimized risk to public health through source water protection is achieved.	FY 2011
Percent of homes on tribal lands lacking access to basic sanitation.	FY 2011
Percent of homes on tribal lands lacking access to safe drinking water.	FY 2011
Percentage of WQRP publications in high impact journals.	None
Percentage of WQRP publications rated as highly cited publications.	None
Section 319 funds (\$ million) expended per partially or fully restored waterbody.	FY2012
<b><i>Annual Performance Measure</i></b>	
Percent of data for violations of health-based standards at public water systems that is accurate and complete in SDWIS/FED for all MCL and TT rules.	FY 2011
Percentage of research products used by the Office of Water as the basis of or in support of Contaminant Candidate List Decisions.	UD
Percentage of research products used by the Office of Water as the basis of or in support of Six Year Review Decisions.	UD
<b><i>Efficiency Performance Measure</i></b>	
Average funding (millions of dollars) per project initiating operations	FY 2012
Dollars per well to move Class V wells back into compliance	FY2011
Number of waterbodies protected per million dollars of CWSRF assistance provided (under development)	FY2011
Number of waterbodies restored or improved per million dollars of	FY2011

# Environmental Protection Agency

## FY 2009 Annual Performance Plan and Congressional Justification

### Supplemental PART Information

<b>PART Measures</b>	<b>Year Data Available</b>
CWSRF assistance provided (under development)	
People receiving drinking water that meets all applicable health-based standards per million dollars spent to manage the national drinking water program.	FY 2011
<b>Goal 3: Land Preservation and Restoration</b>	
<i>Long-Term Performance Measure</i>	
Acres of land ready for re-use at Superfund sites.	FY 2010
Federal Facility Superfund sites with contaminated groundwater under control (exposure pathways eliminated or potential exposures under health-based levels for current use of land/water resources).	FY 2011
Federal Facility Superfund sites with human exposures under control (exposure pathways are eliminated or potential exposures are under health-based levels for current use of land or water resources).	FY 2011
Gallons of oil spilled to navigable waters by facilities subject to the Facility Response Plan (FRP) regulations.	FY 2011
Increase the number of cleanups that meet state risk-based standards for human exposure and groundwater migration on Indian County.	FY 2011
Percent of all FRP facilities inspected (and presumed then to be in compliance).	FY 2011
Percentage of Land publications in high impact journals.	None
Percentage of Land publications rated as highly cited publications.	None
Total Superfund-lead removal actions completed.	FY 2011
Total voluntary removal actions, overseen by EPA, completed.	FY 2011
<i>Efficiency Performance Measure</i>	
Cleanups complete (3-year rolling average) per total cleanup dollars.	UD
Number of annual confirmed UST releases per federal, state and territorial costs.	UD
<b>Goal 4: Healthy Communities and Ecosystems</b>	
<i>Long-Term Performance Measure</i>	
% of peer-reviewed EPA RAs where ORD methods, models or data for assessing risk to susceptible subpops is cited as supporting a decision to move away from or apply default risk assessment assumptions	3.5

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### Supplemental PART Information

<b>PART Measures</b>	<b>Year Data Available</b>
% of peer-reviewed EPA risk assessments in which ORD's characterization of aggregate/cumulative risk is cited as supporting a decision to move away from or to apply default risk assessment assumptions	5.5
Acres protected or restored in NEP study areas. (incremental)	FY2011
Assessed or cleaned Brownfields properties redeveloped.	UD
Average cost and average time to produce or update an Endangered Species Bulletin	FY2011
By 2012, provide safe drinking water to 25% of homes in the U.S. Mexico border area that lacked access to safe drinking water in 2003.	FY 2011
By 2012, provide wastewater sanitation to 25% of homes in the U.S. Mexico border area that lacked access to wastewater sanitation in 2003.	FY 2011
Cumulative number of chemicals for which proposed values for Acute Exposure Guidelines Levels (AEGL) have been developed.	FY2011
Cumulative reduction in the production adjusted risk based score of releases and transfers of toxic chemicals from manufacturing facilities.	FY2011
Cumulative reduction in the production-adjusted risk-based score of releases and transfers of High Production Volume (HPV) chemicals from manufacturing facilities.	FY2011
Determination of the extent of the impact of endocrine disruptors on humans, wildlife, and the environment to better inform the federal and scientific communities.	UD
Improve the overall ecosystem health of the Great Lakes by preventing water pollution and protecting aquatic systems.	FY2011
Number of Areas of Concern in the Great Lakes Basin which are restored and de-listed.	FY2011
Number of Beneficial Use Impairments removed within Areas of Concern.	FY2011
Number of cases of children (aged 1-5 years) with elevated blood lead levels (>10ug/dl)	FY2010
Percent difference in the geometric mean blood level in low-income children 1-5 years old as compared to the geometric mean for non-low income children 1-5 years old.	FY2012
Percent of Dissolved Oxygen goal of 100% standards attainment achieved, based on annual monitoring from the previous calendar year	FY 2011

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### Supplemental PART Information

<b>PART Measures</b>	<b>Year Data Available</b>
and the preceding 2 years.	
Percent of agricultural watersheds that exceeds EPA aquatic life benchmarks for two key pesticides of concern.	FY2011
Percent of new chemicals or organisms introduced into commerce that do not pose unreasonable risks to workers, consumers, or the environment.	FY2011
Percent of submerged Aquatic Vegetation goal of 185,000 acres achieved, based on annual monitoring from previous goal.	FY 2011
Percentage of Global publications in high impact journals.	24.6
Percentage of Global publications rated as highly cited publications.	23
Percentage of peer-reviewed EPA risk assessments in which ORD's mechanistic information is cited as supporting a decision to move away from or to apply default risk assessment assumptions.	16.5
Percentage of regulatory decisions in which decision-makers used HHRA peer-reviewed health assessments.	None
Reduce the number of currently exceeded water quality standards met in shared and transboundary surface waters.	FY 2012
Reduced cost per pesticide occupational incident avoided	FY2011
Reduction in PFOA, PFOA precursors, and related higher homologue chemicals in facility emissions by PFOA Stewardship program participants.	FY2010
Reduction in uncertainty regarding the effects, exposure, assessment, and management of endocrine disruptors so that EPA has a sound scientific foundation for environmental decision-making	UD
States use a common monitoring design and appropriate indicators to determine the status and trends of ecological resources and the effectiveness of programs and policies.	None
Usefulness of HHRA's Air Quality Criteria Documents (AQCDs), represented by the number of days between the completion of AQCD peer review and publication of the EPA staff document that relies on AQCD	>60
Utility of ORD's causal diagnosis tools and methods for States, tribes, and relevant EPA offices to determine causes of ecological degradation and achieve positive environmental outcomes.	Exceeds Exp
Utility of ORD's environmental forecasting tools and methods for	Exceeds Exp

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### Supplemental PART Information

<b>PART Measures</b>	<b>Year Data Available</b>
States, tribes, and relevant EPA offices to forecast the ecological impacts of various actions and achieve environmental outcomes.	
Utility of ORD's environmental restoration and services tools and methods for States, tribes, and relevant EPA offices to protect and restore ecological condition and services.	Exceeds Exp
Utility of ORD's methods and models for risk assessors and risk managers to evaluate the effectiveness of public health outcomes.	None
Utility of ORD's methods, model, and data for risk assessors/risk managers to characterize aggregate and cumulative risk in order to manage risk of humans exposed to multiple environmental stressors.	None
Utility of ORD's methods, models, and data for OPPTS and other organizations to make decisions related to products of biotechnology.	None
Utility of ORD's methods, models, and data for OPPTS and other organizations to make probabilistic risk assessments to protect natural populations of birds, fish, other wildlife, and non-target plants	None
Utility of ORD's methods, models, and data for risk assessors and risk managers to characterize and provide adequate protection for susceptible subpopulations.	None
Utility of ORD's methods, models, and data for risk assessors and risk managers to use mechanistic (mode of action) information to reduce uncertainty in risk assessment .	None
Utility of ORD's methods, models, and data under SP2's long-term goal one for OPPTS and other organizations.	None
<b><i>Efficiency Performance Measure</i></b>	
Acres of brownfields made ready for reuse per million dollars.	UD
<b>Goal 5: Compliance and Environmental Stewardship</b>	
<b><i>Long-Term Performance Measure</i></b>	
Change in behavior to use Improved management practices. (criminal enf)	FY 2007
Cumulative business, institutional and government costs reduced by P2 program participants	FY2011
Cumulative pounds of hazardous materials reduced by P2 program participants	FY2011
Number of states adopting or aligning Guidelines for Learning curricula	FY 2008



## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### Supplemental PART Information

<b>PART Measures</b>	<b>Year Data Available</b>
and standards to state academic standards or number of states developing new env edu standards based on Guidelines for Learning.	
Percent of all students and teachers targeted demonstrate increased environmental knowledge, as measured by Guidelines for Learning K-12, developed by North American Assoc for Environmental Education.	FY 2008
Pounds of pollution reduced, treated, or eliminated. (civil enf)	FY 2007
Pounds of pollution reduced, treated, or eliminated. (criminal enf)	FY 2007
Reduction in recidivism. (criminal enf)	FY 2007
<b><i>Annual Performance Measure</i></b>	
Number of NNEMS fellows who pursue environmental careers.	FY 2007
Change in behavior to use Improved Management practices. (criminal enf)	FY 2007
Percent of compliance actions taken as a result of inspection/enforcement. (pest. enf)	FY 2007
Percent of violators committing subsequent violations. (pest. enf)	FY 2007
Pollutant impact.	FY2008
Pounds of pollution reduced, treated or eliminated. (criminal enf)	FY 2007
Reduction in recidivism (criminal enf).	FY 2007
<b><i>Efficiency Performance Measure</i></b>	
Increase the efficiency of reducing, treating, or eliminating pollutants and generating enforcement outcomes through the effective allocation and utilization of resources.	2009
Number of enforcement actions taken (Federal + State) per million dollars of cost (Federal + State). (pest enf)	FY 2007
Pounds of pollutant reduction per FTE. (criminal enf)	FY 2007
Pounds of pollutants reduced, treated, or eliminated per FTE. (civil enf)	FY 2007
Ratio of number of students/teachers that have improved environmental knowledge per total dollars expended.	FY 2008

**Environmental Protection Agency**

**FY 2009 Annual Performance Plan and Congressional Justification**

**4-Year Performance Data  
Annual Performance Goals and Measures**

**GOAL 1: CLEAN AIR AND GLOBAL CLIMATE CHANGE**

Protect and improve the air so it is healthy to breathe and risks to human health and the environment are reduced. Reduce greenhouse gas intensity by enhancing partnerships with businesses and other sectors.

**OBJECTIVE: HEALTHIER OUTDOOR AIR**

Through 2011, working with partners, protect human health and the environment by attaining and maintaining health-based air-quality standards and reducing the risk from toxic air pollutants.

**Air Quality Index**

- In 2009 Cumulative percent reduction in the number of days with Air Quality Index (AQI) values over 100 since 2003, weighted by population and AQI value.*
- In 2008 Cumulative percent reduction in the number of days with Air Quality Index (AQI) values over 100 since 2003, weighted by population and AQI value.*
- In 2007 Cumulative percent reduction in the number of days with Air Quality Index (AQI) values over 100 since 2003, weighted by population and AQI value.*
- In 2006 Cumulative percent reduction in the number of days with Air Quality Index (AQI) values over 100 since 2003, weighted by population and AQI value.*

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
Cumulative percent reduction in the number of days with Air Quality Index (AQI) values over 100 since 2003, weighted by population and AQI value.	17	39	21	Data Avail 2008	26	29	Percentage

Background: Baseline was zero in 2003.

**GOAL 1: CLEAN AIR AND GLOBAL CLIMATE CHANGE**

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

##### Reduce Exposure to Unhealthy PM Levels - PM-10

*In 2009*            *Tons of particulate matter (PM-10) reduced since 2000 from mobile sources.*

*In 2008*            *Tons of particulate matter (PM-10) reduced since 2000 from mobile sources.*

*In 2007*            *Tons of particulate matter (PM-10) reduced since 2000 from mobile sources.*

*In 2006*            *The number of people living in areas with monitored ambient PM concentrations below the NAAQS for the PM-10 standard will increase by 4% (relative to 2005) for a cumulative total of 11% (relative to 1992).*

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
Tons of PM-10 Reduced since 2000 from Mobile Sources	74,594	74,594	87,026	Data Avail 2008	99,458	110,190	Tons

Background:    In FY 2005, the 2000 Mobile6 inventory is used as the baseline for mobile source emissions. The 2000 baseline for PM-10 from mobile source is 613,000 tons.

##### Reduce Exposure to Unhealthy Ozone Levels - 8 Hour

*In 2009*            *Cumulative percent reduction in population-weighted ambient concentration of ozone in all monitored counties from 2003 baseline.*

*In 2008*            *Cumulative percent reduction in population-weighted ambient concentration of ozone in all monitored counties from 2003 baseline.*

*In 2007*            *The number of people living in areas with monitored ambient ozone concentrations below the NAAQS for the 8-hour ozone standard.*

*In 2006*            *The number of people living in areas with monitored ambient ozone concentrations below the NAAQS for the 8-hour ozone standard will increase by 1% (relative to 2005) for a cumulative total of 8% (relative to 2001).*

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
Cumulative percent reduction in population-weighted	5	7	6	Data Avail 2008	8	10	Percentage

#### GOAL 1: CLEAN AIR AND GLOBAL CLIMATE CHANGE

*(non-Program Assessment Rating Tool (PART) measures are italicized)*

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
ambient concentration of ozone in monitored counties from 2003 baseline.							
Limit the increase of CO emissions (in tons) from mobile sources compared to a 2000 baseline.	1.01 M	1.01 M	1.18M	Data Avail 2008	1.35M	1.52M	Tons
Millions of Tons of Volatile Organic Compounds (VOCs) Reduced since 2000 from Mobile Sources	1.03 M	1.03 M	1.20M	Data Avail 2008	1.37M	1.54M	Tons
Millions of Tons of Nitrogen Oxides (NOx) Reduced since 2000 Reduced from Mobile Sources	2.03 M	2.03	2.37M	Data Avail 2008	2.71M	3.05M	Tons

**Background:** The ozone concentration measure reflects improvements (reductions) in ambient ozone concentrations across all monitored counties, weighted by the populations in those areas. To calculate the weighting, pollutant concentrations in monitored counties are multiplied by the associated county populations. The units for this measure are therefore, "million people parts per billion. The 2003 baseline is 15,972 million people-ppb. In FY 2005, the Mobile6 inventory is used as the baseline year for mobile source emissions. The 2000 baseline was 7.7M tons for mobile source VOC emissions, and 11.8M tons for mobile source NOx emissions. In FY 2005, the 2000 Mobile6 inventory is used as the baseline for mobile source emission. The 2000 baseline was 79.2M tons for mobile source CO emissions. While on-road CO emissions continue to decrease, there is an overall increase in mobile source CO emissions due to a growth in nonroad CO.

#### **Reduce Exposure to Unhealthy PM Levels - PM- 2.5**

- In 2009 Cumulative percent reduction in population-weighted ambient concentration of fine particulate matter (PM-2.5) in all monitored counties from 2003 baseline.*
- In 2008 Cumulative percent reduction in population-weighted ambient concentration of fine particulate matter (PM-2.5) in all monitored counties from 2003 baseline.*
- In 2007 The number of people living in areas with monitored ambient PM concentrations below the NAAQS for the PM-2.5 standard.*
- In 2006 The number of people living in areas with monitored ambient PM concentrations below the NAAQS for the PM-2.5 standard will increase by 1% (relative to 2005) for a cumulative total of less than 1% (relative to 2001).*

#### **GOAL 1: CLEAN AIR AND GLOBAL CLIMATE CHANGE**

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
Cumulative percent reduction in population-weighted ambient concentration of fine particulate matter (PM-2.5) in all monitored counties from 2003 baseline.	2	7	3	Data Avail 2008	4	5	Percentage
Tons of PM-2.5 Reduced since 2000 from Mobile Sources	73,460	73,460	85,704	Data Avail 2008	97,947	110,890	Tons

**Background:** The PM 2.5 concentration reduction annual measure reflects improvements (reductions) in the ambient concentration of fine particulate matter PM2.5 pollution across all monitored counties, weighted by the populations in those areas. To calculate this weighting, pollutant concentrations in monitored counties are multiplied by the associated county populations. Therefore, the units for this measure are "million people micrograms per meter cubed: (million people ug/mg3. The 2003 baseline is 2.581 million people-ug/mg3. In FY 2005, the 2000 Mobile6 inventory is used as the baseline for mobile source emissions. The 2000 baseline for PM 2.5 from mobile sources is 613,000 tons.

#### **Acid Rain**

*In 2009* Keep annual emissions below level authorized by allowance holdings and make progress towards achieving the year 2010 SO2 emissions cap for utilities. Annual emissions reduction target is 7.5million tons from the 1980 baseline.

*In 2009* Reduce total annual average nitrogen deposition and total ambient nitrate concentrations 10% from baseline. Baseline for annual targets up through 2010 is 1990 monitored levels.

*In 2009* Reduce total annual average sulfur deposition and total ambient sulfate concentrations 10% from baseline. Baseline for annual targets up through 2010 is 1990 monitored levels.

*In 2008* Keep annual emissions below level authorized by allowance holdings and make progress towards achieving the year 2010 SO2 emissions cap for utilities. Annual emissions reduction target is 7.5million tons from the 1980 baseline.

*In 2008* Reduce total annual average nitrogen deposition and total ambient nitrate concentrations 10% from baseline. Baseline for annual targets up through 2010 is 1990 monitored levels.

#### GOAL 1: CLEAN AIR AND GLOBAL CLIMATE CHANGE

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

- In 2008 Reduce total annual average sulfur deposition and ambient sulfate concentrations 29% from baseline.*
- In 2007 Reduce total annual average nitrogen deposition and total ambient nitrate concentrations 10% from baseline. Baseline for annual targets up through 2010 is 1990 monitored levels.*
- In 2007 Reduce total annual average sulfur deposition and ambient sulfate concentrations 29% from baseline.*
- In 2006 Reduce total annual average nitrogen deposition and ambient nitrate concentrations 5% from baseline. Baseline for annual targets up through 2010 is 1990 monitored levels.*
- In 2006 Reduce total annual average sulfur deposition and ambient sulfate concentrations 27% from baseline. Baseline for annual targets up through 2010 is 1990 monitored levels.*

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
Tons of sulfur dioxide emissions from electric power generation sources	7,000,000	8,000,000	7,500,000	Data Avail 2008	8,000,000	8,000,000	Tons Reduced
Percent change in average nitrogen deposition and mean total ambient nitrate concentrations.	No Target Established	No Target Established	10	Data Avail 2009	No Target Established	No Target Established	Percentage
Percent change in average sulfur deposition and mean ambient sulfate concentrations.	No Target Established	No Target Established	29	Data Avail 2009	No Target Established	No Target Established	Percentage

**Background:** The baseline year is 1980. The 1980 SO<sub>2</sub> emissions inventory totals 17.4 million tons for electric utility sources. This inventory was developed by National Acid Precipitation Assessment Program (NAPAP) and is used as the basis for reductions in Title IV of the Clean Air Act Amendments. This data is also contained in EPA's National Air Pollutant Emissions Trends Report. Statutory SO<sub>2</sub> emissions cap for year 2010 and later is at 8.95 million tons, approximately 8.5 million tons below 1980 emissions level. "Allowable SO<sub>2</sub> emission level" consists of allowance allocations granted to sources each year under several provisions of the Act and additional allowances carried over, or banked, from previous years. Sulfur and nitrogen deposition contribute to acidification of lakes and streams, making them unable to support fish and other aquatic life. Reductions in sulfur and nitrogen deposition are critical to reducing the number of chronically acidic water bodies. Ambient sulfate and ambient nitrate ("acid rain" particulate") contribute to unhealthy air and respiratory problems in humans, especially children and other sensitive populations. The baseline is established from monitored site

#### GOAL 1: CLEAN AIR AND GLOBAL CLIMATE CHANGE

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

levels based on consolidated map of 1989-1991 showing a three year of deposition levels produced from the CASTNET sites (<http://www.epa.gov/castnet/sites.html>).

#### Air Toxicity-Weighted

- In 2009 Cumulative reduction in tons of toxicity-weighted for non-cancer emissions of air toxics from 1993 baseline.*
- In 2009 Cumulative reduction in tons of toxicity-weighted for cancer emissions of air toxics from 1993 baseline.*
- In 2008 Cumulative reduction in tons of toxicity-weighted for non-cancer emissions of air toxics from 1993 baseline.*
- In 2008 Cumulative reduction in tons of toxicity-weighted for cancer emissions of air toxics from 1993 baseline.*
- In 2007 Reduction in tons of toxicity-weighted for cancer and non-cancer emissions of air toxics from 1993 baseline.*
- In 2006 Reduction in tons of toxicity-weighted for cancer and non-cancer emissions of air toxics from 1993 baseline.*

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
Cumulative percentage reduction in tons of toxicity-weighted (for cancer risk) emissions of air toxics from 1993 baseline.	34	Data Avail 2009	35	Data Avail 2009	35	36	Percentage
Cumulative percentage reduction in tons of toxicity-weighted (for noncancer risk) emissions of air toxics from 1993 baseline.	58	Data Avail 2009	58	Data Avail 2009	59	59	Percentage

**Background:** The toxicity-weighted emission inventory will also utilize the NEI for air toxics along with the Agency's compendium of cancer and noncancer health risk criteria to develop a risk metric that can be tabulated and tracked on an annual basis. The baseline is based on emission inventory data from 1990-1993. The baseline is in 1993. Air toxics emissions data are revised every three years to generate inventories for the National Emissions Inventory (NEI), which replaced the National Toxics Inventory (NTI). In intervening years between updates of the NEI, the model EMS-HAP (Emissions Modeling System for Hazardous Air Pollutants) is used to estimate and project annual emissions of air toxics. As new inventories are completed and improved inventory data is added, the baseline (or total tons of air toxics) is adjusted. The toxicity-weighted emission inventory will also utilize the NEI

#### GOAL 1: CLEAN AIR AND GLOBAL CLIMATE CHANGE

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

for air toxics along with the Agency's compendium of cancer and noncancer health risk criteria to develop a risk metric that can be tabulated and tracked on an annual basis. the baseline is based on emission inventory data from 1990-1993. The 2002 NEI was completed in fall of 2006 so there is a 4yr. lag. 2005 NEI will be an improvement so we should have actuals in early 2009.

#### **New Source Review**

*In 2009*      *Percent of major NSR permits issued within one year of receiving a complete permit application.*

*In 2008*      *Percent of major NSR permits issued within one year of receiving a complete permit application.*

*In 2007*      *Percent of major NSR permits issued within one year of receiving a complete permit application.*

*In 2006*      *Percent of major NSR permits issued within one year of receiving a complete permit application.*

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
Percent of major NSR permits issued within one year of receiving a complete permit application.	70	70	75	Data Avail 2008	78	78	Percentage

Background:      The baseline for NSR permits issued within one year of receiving a complete permit application is 61% in 2004.

#### **Title V**

*In 2009*      *Percent of significant and new Title V operating permit revisions issued within 18 months of receiving a complete permit application.*

*In 2008*      *Percent of significant and new Title V operating permit revisions issued within 18 months of receiving a complete permit application.*

*In 2007*      *Percent of significant and new Title V operating permit revisions issued within 18 months of receiving a complete permit application.*

*In 2006*      *Percent of significant and new Title V operating permit revisions issued within 18 months of receiving a complete permit application.*

#### GOAL 1: CLEAN AIR AND GLOBAL CLIMATE CHANGE



## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
Percent of significant Title V operating permit revisions issued within 18 months of receiving a complete permit application.	91	91	94	Data Avail 2008	97	100	Percentage
Percent of new Title V operating permits issued within 18 months of receiving a complete permit application.	83	83	87	Data Avail 2008	91	95	Percentage

Background: The 2004 baseline for significant title V operating permit revisions issued within 18 months of receiving a complete permit application is 100% and the baseline for new title V operating permits issued within 18 months of receiving a complete permit application is 95%.

#### **OBJECTIVE: HEALTHIER INDOOR AIR**

Through 2012, working with partners, reduce human health risks by reducing exposure to indoor air contaminants through the promotion of voluntary actions by the public.

##### **Healthier Residential Indoor Air**

*In 2009 Additional people will be living in homes with healthier indoor air.*

*In 2008 Additional people will be living in homes with healthier indoor air.*

*In 2007 Additional people will be living in homes with healthier indoor air.*

*In 2006 850,000 additional people will be living in homes with healthier indoor air.*

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
Number of additional homes (new and existing) with radon reducing features	180,000	Data Avail 2008	190,000	Data Avail 2008	225,000	265,000	Homes
Number of people taking all essential actions to reduce	4,100,000	Data Avail	No Target		No Target	5,300,000	Number

#### GOAL 1: CLEAN AIR AND GLOBAL CLIMATE CHANGE

*(non-Program Assessment Rating Tool (PART) measures are italicized)*

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
exposure to indoor environmental asthma triggers.		2008	Established		Established		
Percent of public that is aware of the asthma program's media campaign.	>20	33	>20	Data Avail 2008	>20	>20	Percentage
Additional health care professionals trained annually by EPA and its partner on the environmental management of asthma triggers.	2000	3,582	2000	Data Avail 2008	2000	2000	Number

**Background:** This performance measure includes EPA radon, and asthma work. By 2008, number of people living in homes built (new or existing) with radon reducing features will be 225,000. The baseline for the performance measure was 1996 (107,000 homes). Annual Surveys are conducted by our partners to gather information such as types of houses built, lot sizes, foundation designs, types of lumber used, types of doors and windows used. End-of-year performance for the asthma program is a best professional estimate using all data sources (including annual measures on partner performance and advertising awareness outlined below). The survey provides statistically sound results every three years for one period of time. Also, the surveys gather information on the use of radon-resistant design features in new houses. Each year, the survey of building practices is typically mailed out to home builders. The survey responses are analyzed, with respect to State market areas and Census Division in the U.S., to assess the percentage and number of homes built each year that incorporate radon-reducing features. The data are also used to assess the percentage and number of homes built with radon-reducing features in high radon potential areas in the United States (high risk areas). Other analyses include radon-reducing features as a function of housing type, foundation type, and different techniques for radon-resistant new home construction.

#### **Healthier Indoor Air in Schools**

*In 2009 Estimated annual number of schools establishing indoor air quality programs based on EPA's Tools for Schools guidance.*

*In 2008 Students, faculty and staff will experience improved indoor air quality in their schools.*

*In 2007 Students, faculty and staff will experience improved indoor air quality in their schools.*

*In 2006 630,000 students, faculty and staff will experience improved indoor air quality in their schools.*

#### GOAL 1: CLEAN AIR AND GLOBAL CLIMATE CHANGE

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
Estimated annual number of schools establishing indoor air quality programs based on EPA's Tools for Schools guidance.	1200	1200	1100	Data Avail 2008	1100	1000	Number

Background: The nation has approximately 118,000 (updated to include new construction)\* schools. Each school has an average of 525 students, faculty, and staff for a total estimated population of 62,000,000. The IAQ "Tools for Schools" Guidance implementation began in 1997. Results from a 2002 IAQ practices in schools survey suggest that approximately 20-22% of U.S. schools report an adequate effective IAQ management plan that is in accordance with EPA guidelines.

#### **OBJECTIVE: PROTECT THE OZONE LAYER**

By 2030, through worldwide action, ozone concentrations in the stratosphere will have stopped declining and slowly begun the process of recovery, and overexposure to ultraviolet radiation, particularly among susceptible subpopulations, such as children, will be reduced.

#### **Restrict Domestic Consumption of Class II HCFCs**

*In 2009 Remaining US consumption of class II HCFCs below 9,900 ODP-weighted metric tonnes (ODP MTs).*

*In 2008 Remaining US consumption of class II HCFCs below 9,900 ODP-weighted metric tonnes (ODP MTs).*

*In 2007 Remaining US consumption of class II HCFCs below 9,900 ODP-weighted metric tonnes (ODP MTs).*

*In 2006 Restrict domestic annual consumption of class II HCFCs below 9,906 ODP-weighted metric tonnes (ODP MTs) and restrict domestic exempted production and import of newly produced class I CFCs and halons below 10,000 ODP MTs.*

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
Remaining US Consumption of HCFCs in tons of Ozone Depleting Potential (ODP).	<9,900	Data Avail 2008	<9,900	Data Avail 2008	<9,900	<9,900	ODP MTs

#### GOAL 1: CLEAN AIR AND GLOBAL CLIMATE CHANGE

*(non-Program Assessment Rating Tool (PART) measures are italicized)*

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**Background:** The base of comparison for assessing progress on the 2005 annual performance goal is the domestic consumption cap of class II HCFCs as set by the Parties to the Montreal Protocol. Each Ozone Depleting Substance (ODS) is weighted based on the damage it does to the stratospheric ozone - this is its ozone-depletion potential (ODP). Beginning on January 1, 1996, the cap was set at the sum of 2.8 percent of the domestic ODP-weighted consumption of CFCs in 1989 plus the ODP-weighted level of HCFCs in 1989. Consumption equals production plus import minus export.

#### **OBJECTIVE: RADIATION**

Through 2011, working with partners, minimize unnecessary releases of radiation and be prepared to minimize impacts to human health and the environment should unwanted releases occur.

#### **Radiation**

In 2009            Percentage of most populous US cities with a radiation air monitoring system, which will provide data to assist in protective action determinations.

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
Percentage of most populous US cities with a RadNet ambient radiation air monitoring system, which will provide data to assist in protective action determinations.	65	67	80	87	85	90	Percentage
Level of readiness of radiation program personnel and assets to support federal radiological emergency response and recovery operations.	75	78	80	83	85	90	Percentage
Average time of availability of quality assured ambient radiation air monitoring data during an emergency.	1.9	1.9	1.3	1.3	1	.8	Days
Time to approve site changes affecting waste characterization at DOE waste generator sites to ensure safe disposal of transuranic radioactive waste at WIPP.	30	33	40	43	46	53	Percentage

#### GOAL 1: CLEAN AIR AND GLOBAL CLIMATE CHANGE

*(non-Program Assessment Rating Tool (PART) measures are italicized)*

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
Level of readiness of national environmental radiological laboratory capacity (measured as percentage of laboratories adhering to EPA quality criteria for emergency response and recovery decisions.	7	7	20	21	35	50	Percentage

Background: The baseline is 55%.

#### **OBJECTIVE: REDUCE GREENHOUSE GAS INTENSITY**

By 2012, 160 million metric tons of carbon equivalent (MMTCE) of emissions will be reduced through EPA's voluntary climate protection programs.

#### **Reduce Greenhouse Gas Emissions**

*In 2009* Million metric tons of carbon equivalent (mmtce) of greenhouse gas reductions in the building, industrial, and transportation sectors.

*In 2008* Million metric tons of carbon equivalent (mmtce) of greenhouse gas reductions in the building, industrial, and transportation sectors.

*In 2007* Greenhouse gas emissions will be reduced from projected levels by approximately 96.2 MMTCE per year through EPA partnerships with businesses, schools, state and local governments, and other organizations.

*In 2006* Greenhouse gas emissions will be reduced from projected levels by approximately 102 MMTCE per year through EPA partnerships with businesses, schools, state and local governments, and other organizations.

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
Million metric tons of carbon equivalent (mmtce) of greenhouse gas reductions in the buildings sector.	26.5	31.10	29.4	Data Avail 2008	32.4	35.5	MMTCE

#### GOAL 1: CLEAN AIR AND GLOBAL CLIMATE CHANGE

(non-Program Assessment Rating Tool (PART) measures are italicized)

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
Million metric tons of carbon equivalent (mmtce) of greenhouse gas reductions in the transportation sector.	0.6	0.6	0.9	Data Avail 2008	1.5	2.6	MMTCE
Million metric tons of carbon equivalent (mmtce) of greenhouse gas reductions in the industry sector.	57.5	69.0	62.6	Data Avail 2008	67.7	72.9	MMCTE

**Background:** The baseline for evaluating program performance is a projection of U.S. greenhouse gas emissions in the absence of the U.S. climate change programs. The baseline was developed as part of an interagency evaluation of the U.S. climate change programs in 2002, which built on similar baseline forecasts developed in 1997 and 1993. Baseline data for carbon emissions related to energy use is based on data from the Energy Information Agency (EIA) and from EPA's Integrated Planning Model of the U.S. electric power sector. Baseline data for non-carbon dioxide (CO<sub>2</sub>) emissions, including nitrous oxide and other high global warming potential gases are maintained by EPA. Baseline information is discussed at length in the U.S. Climate Action Report 2002 (<http://yosemite.epa.gov/oar/GlobalWarming.nsf/content/ResourceCenterPublicationsUSClimateActionReport.html>), which provides a discussion of differences in assumptions between the 1997 baseline and the 2002 update, including which portion of energy efficiency programs are included in the estimates. EPA develops the non-CO<sub>2</sub> emissions baselines and projections using information from partners and other sources. EPA continues to develop annual inventories as well as update methodologies as new information becomes available.

#### **OBJECTIVE: ENHANCE SCIENCE AND RESEARCH**

Through 2012, provide sound science to support EPA's goal of clean air by conducting leading-edge research and developing a better understanding and characterization of human health and environmental outcomes.

#### **Research**

##### **Clean Air Research**

*In 2009 Increased use of clean air research program products.*

*In 2008 Increased use of clean air research program products*

*In 2007 Increased use of particulate matter research program products*

#### **GOAL 1: CLEAN AIR AND GLOBAL CLIMATE CHANGE**

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

*In 2006*      *BY 2006, develop and report on new data on the effects of different PM sizes or components to improve understanding of the health risks associated with short-term exposure to PM in healthy and select susceptible populations so that, by 2010, OAR has improved assessments of health risks to develop PM standards that maximize protection of human health, as determined by independent expert review.*

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
<i>Integrated report on the health effects of different particle sizes or particle components in healthy and select susceptible subgroups. (Research)</i>	<i>1</i>	<i>Report</i>					<i>Report</i>
Percentage of NAAQS program publications rated as highly cited papers (Research)			35.7	32.9	No Target Established	33.9	Percent
Percent progress toward completion of a hierarchy of air pollutant sources based on the risk they pose to human health. (Research)	10	10	30	No Target Established	50	70	Percent
Percent planned actions accomplished toward the long-term goal of reducing uncertainty in the science that support standard setting and air quality management decisions. (Research)	100	94	100	100	100	100	Percent

Background:      The program aims to make measurable progress in 1) assessing the linkage between health impacts and air pollutant sources and reducing the uncertainties that impede the understanding and usefulness of these linkages, and 2) reducing uncertainty in the science that supports standard setting and air quality management decisions. EPA's Board of Scientific Counselors (BOSC) rates the program on its progress periodically, and the program responds to BOSC suggestions to ensure continued improvement. Additionally, the program aims to increase 1) the number of planned outputs completed on time (a measure of timeliness); 2) the number of its papers deemed "highly cited" in bibliometric analyses (a measure of the quality and use of ORD's research); and 3) the percentage of ORD-developed outputs appearing in the Office of Air and Radiation National Ambient Air Quality Standard Staff Paper (a measure of the utility and use of ORD's research). The program is also working toward completion of a hierarchy of air pollutant sources based on the risk they pose to human health.

#### GOAL 1: CLEAN AIR AND GLOBAL CLIMATE CHANGE

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

#### GOAL 2: CLEAN AND SAFE WATER

Ensure drinking water is safe. Restore and maintain oceans, watersheds, and their aquatic ecosystems to protect human health, support economic and recreational activities, and provide healthy habitat for fish, plants, and wildlife.

#### OBJECTIVE: PROTECT HUMAN HEALTH

Protect human health by reducing exposure to contaminants in drinking water (including protecting source waters), in fish and shellfish, and in recreational waters.

#### Safe Drinking Water

- In 2009*      *Increase the population served by community water systems that meets all applicable health-based drinking water standards through approaches including effective treatment and source water protection.*
- In 2008*      *90 % of the population served by community water systems that meets all applicable health-based drinking water standards through approaches including effective treatment and source water protection.*
- In 2007*      *94% of the population will be served by community water systems in compliance with health-based drinking water standards.*
- In 2006*      *90% of the population served by community water systems in Indian country will receive drinking water that meets all applicable health-based drinking water standards.*
- In 2006*      *93% of the population served by community water systems will receive drinking water that meets all applicable health-based drinking water standards through effective treatment and source water protection.*

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
<i>Percent of the population in Indian country served by community water systems that receive drinking water that meets all applicable health-based drinking water standards (4: Ambient Conditions)</i>	90	86.6	87	87	87	87	<i>Percent Population</i>

#### GOAL 2: CLEAN AND SAFE WATER



## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
Percent of population served by CWSs that will receive drinking water that meets all applicable health-based drinking water standards through approaches incl. effective treatment & source water protection. (4: Ambient Conditions)	93	89.4	94	91.5	90	90	Percent Population
Fund utilization rate for the DWSRF. (1B: Service Delivery)	83.3	86.9	85	88	86	89	Rate
Number of additional projects initiating operations. (0: Indeterminate)	425	399	433	438	440	445	Projects
Percent of community water systems that have undergone a sanitary survey within the past three years (five years for outstanding performance.) (1C: Fed/State/Tribal Gov. Activities)	95	94	95	92	95	95	Percent CWS
Percentage of identified Class V motor vehicle waste disposal wells closed or permitted. (1C: Fed/State/Tribal Gov. Activities)					90	75	Wells
Percentage of Class I, II, and III wells that maintain mechanical integrity without a failure that releases contaminants to underground sources of drinking water. (3: Pollution Reduction/Prevention)					98	98	Wells
Percentage of prohibited Class IV and high-priority, identified, potentially endangering Class V wells closed or permitted in ground-water based source water areas. (3: Pollution Reduction/Prevention)					96	86	Wells
Percent of community water systems that meet all applicable health-based standards through approaches that include effective treatment and source water protection. (1C: Fed/State/Tribal Gov. Activities)	93.5	89.3	89	89	89.5	90	Percent Systems

#### GOAL 2: CLEAN AND SAFE WATER

*(non-Program Assessment Rating Tool (PART) measures are italicized)*

795

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
Percent of person months during which community water systems provide drinking water that meets all applicable health-based standards. (3: Pollution Reduction/Prevention)					95	95	Percent CWS

Background: In 1998, 85% of the population that was served by community water systems and 96% of the population served by non-community, non-transient drinking water systems received drinking water for which no violations of Federally enforceable health standards had occurred during the year. Year-to-year performance is expected to change as new standards take effect. Covered standards include: Stage 1 disinfection by-products/interim enhanced surface water treatment rule/long-term enhanced surface water treatment rule/arsenic.

#### River/Lake Assessments for Fish Consumption

*In 2009 Improve the quality of recreation waters.*

*In 2008 Improve the quality of recreation waters.*

*In 2008 Reduce public health risk and allow increased consumption of fish and shellfish.*

*In 2007 Coastal and Great Lakes beaches monitored by State beach safety programs will be open and safe for swimming in over 95% of the days of the beach season.*

*In 2006 Coastal and Great Lakes beaches monitored by State beach safety programs will be open and safe for swimming in over 94% of the days of the beach season.*

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
<i>Percentage of women of childbearing age having mercury levels in blood above the level of concern. (5: Exposure or Body Burden)</i>					5.5	5.2	<i>Percent of Women</i>
<i>Percent of state-monitored shellfish-growing acres impacted by anthropogenic sources that are approved or</i>					65-85	65-85	<i>Percent Areas</i>

#### GOAL 2: CLEAN AND SAFE WATER

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
<i>conditionally approved for use. (4: Ambient Conditions)</i>							
<i>Number of waterborne disease outbreaks attributable to swimming in or other recreational contact with coastal and Great Lakes waters measured as a 5-year average. (5: Exposure or Body Burden)</i>					2	2	<i>Outbreaks</i>
<i>Percent of days of beach season that coastal and Great Lakes beaches monitored by State beach safety programs are open and safe for swimming. (4: Ambient Conditions)</i>	94	97	92.6	95.2	92.6	93	<i>Percent Days/Season</i>

Background: For shellfish consumption, 77% of assessed estuary square miles met this designated use. For days of beach season monitoring, Guam, American Samoa, and the Northern Marianas were included for the first time in 2006. These territories have a higher percentage of beach season day closures resulting in a lower percentage of days at the regional and national levels.

### OBJECTIVE: PROTECT WATER QUALITY

Protect the quality of rivers, lakes, and streams on a watershed basis and protect coastal and ocean waters.

#### Watershed Protection

- In 2009 Use pollution prevention and restoration approaches to protect the quality of rivers, lakes, and streams on a watershed basis.*
- In 2008 Use pollution prevention and restoration approaches to protect the quality of rivers, lakes, and streams on a watershed basis.*
- In 2007 Water quality standards are fully attained in over 25% of miles/acres of waters by 2012, with an interim milestone of restoring 8.0% of these waters - identified in 2000 as not attaining standards - by 2005.*
- In 2006 Water quality standards are fully attained in over 25% of miles/acres of waters by 2012, with an interim milestone of restoring 5% of these waters - identified in 2000 as not attaining standards - by 2005.*

#### GOAL 2: CLEAN AND SAFE WATER

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
Number of waterbody segments identified by States in 2002 as not attaining standards, where water quality standards are now fully attained (cumulative). (4: Ambient Conditions)		924	1,166	1,409	1,550	1,660	Number of Segments
Fund utilization rate for the CWSRF. (1B: Service Delivery)	93.3	94.7	93.4	96.7	93.5	93.7	Percent Rate
Percentage of all major publicly-owned treatment works (POTWs) that comply with their permitted wastewater discharge standards (4: Ambient Conditions)					86	86	Percent POTWs
Reduction in phosphorus loadings (millions of pounds). (3: Pollution Reduction/Prevention)	4.5	11.8	4.5	Data Avail Mid-2008	4.5	4.5	Lbs in Millions
Additional pounds (in millions) of reduction to total nitrogen loadings. (3: Pollution Reduction/Prevention)	8.5	14.50	8.5	Data Avail Mid-2008	8.5	8.5	Lbs in Millions
Additional tons of reduction to total sediment loadings. (3: Pollution Reduction/Prevention)	700,000	1,200,000	700,000	Data Avail Mid-2008	700,000	700,000	Tons
Number of TMDLs that are established by States and approved by EPA on schedule consistent with national policy (cumulative). (1B: Service Delivery)	15,428	17,682	20,232	21,685	28,527	31,587	TMDLs
Percentage of high priority state NPDES permits that are scheduled to be reissued. (1C: Fed/State/Tribal Gov. Activities)	95	96.4	95	112	95	95	Percent Permits
Percentage of major dischargers in Significant Noncompliance (SNC) at any time during the fiscal year. (3: Pollution Reduction/Prevention)	22.5	20.2	22.5	Data Avail 2008	22.5	22.5	Percent Dischargers
Percentage of submissions of new or revised water quality standards from States and Territories that are approved by	90.9	89.1	85	85.6	87	83	Percent Submissions
<b>GOAL 2: CLEAN AND SAFE WATER</b>							
<i>(non-Program Assessment Rating Tool (PART) measures are italicized)</i>						798	

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
<b>EPA. (1C: Fed/State/Tribal Gov. Activities)</b>							
Number of TMDLs that are established or approved by EPA on a schedule consistent with national policy (cummulative). (1B: Service Delivery)	20,275	22,648	25,274	26,844	33,828	36,941	TMDLs
Percentage of waters assessed using statistically valid surveys. (1B: Service Delivery)	54	54	54	54	65	65	Percent Waters
Percent of high priority EPA and state NPDES permits that are reissued on schedule. (1C: Fed/State/Tribal Gov. Activities)	95	98.5	95	104	95	95	Percent Permits
% of States & Terr. that, within the preceding 3-yr. period, submitted new or revised wq criteria acceptable to EPA that reflect new scientific info from EPA or sources not considered in prev stnds. (1C: Fed/State/Tribal Gov. Activities)	66	66.1	67	66.1	68	68	Percent States/Terr.
<i>Remove the specific causes of waterbody impairment identified by states in 2002 (cumulative). (3: Pollution Reduction/Prevention)</i>						5,075	<i>Causes</i>
<i>Improve water quality conditions in impaired watersheds nationwide using the watershed approach (cumulative). (3: Pollution Reduction/Prevention)</i>						64	<i>Watersheds</i>

Background: As of 2002 state reports 453 watersheds had met the criteria that greater than 80% of assessed waters met all water quality standards. For a watershed to be counted toward this goal, at least 25% of the segments in the watershed must be assessed within the past 4 years consistent with assessment guidelines developed pursuant to section 305(b) of the Clean Water Act. In 2002, 0% of the 255,408 miles/and 6,803,419 acres of waters identified on 1998/2000 lists of impaired waters developed by States and approved by EPA under section 303(d) of the Clean Water Act.

#### GOAL 2: CLEAN AND SAFE WATER

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

##### Coastal and Ocean Waters

- In 2009*      *Improve National Coastal Condition Report (NCCR) score for overall aquatic ecosystem health of coastal waters nationally*
- In 2008*      *Improve National Coastal Condition Report (NCCR) score for overall aquatic ecosystem health of coastal waters nationally (1-5 scale.)*
- In 2006*      *Improve ratings reported on the national "good/fair/poor" scale of the National Coastal Condition Report for: coastal wetlands loss by at least 0.2 point; contamination of sediments in coastal waters by at least 0.7 point; benthic quality by at least 0.5 point; & eutrophic condition by at least 1.2 point*

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
<i>Percent of active dredged material ocean dumping sites that will have achieved environmentally acceptable conditions (as reflected in each site's management plan). (3: Pollution Reduction/Prevention)</i>					95	95	<i>Percent Sites</i>

Background: National rating of "fair/poor" or 2.4 where the rating is based on a 5-point system where 1 is poor and 5 is good and is expressed as an aerially weighted mean of regional scores using the National Coastal Condition Report indicators [i.e., water clarity, dissolved oxygen, coastal wetlands loss, eutrophic conditions, sediment contamination, benthic health, and fish tissue contamination]. The 2002 National Coastal Condition Report indicated 4.3 for water clarity and 4.5 for dissolved oxygen, 1.4 for coastal wetlands loss; 1.3 for contamination of sediments in coastal waters; 1.4 for benthic quality; & 1.7 for eutrophic condition.

##### Alaska Native Villages

- In 2009*      *Percent serviceable rural Alaska homes with access to drinking water supply and wastewater disposal.*
- In 2008*      *Percent serviceable rural Alaska homes with access to drinking water supply and wastewater disposal.*
- In 2007*      *Percent serviceable rural Alaska homes with access to drinking water supply and wastewater disposal.*

#### GOAL 2: CLEAN AND SAFE WATER

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
Percent of serviceable rural Alaska homes with access to drinking water supply and wastewater disposal. (3: Pollution Reduction/Prevention)			92	Data Avail Late 2008	94	96	Percent Homes

Background: In 2003, 77% of serviceable rural Alaska homes had access to drinking water supply and wastewater disposal.

#### OBJECTIVE: ENHANCE SCIENCE AND RESEARCH

By 2011, conduct leading-edge, sound scientific research to support the protection of human health through the reduction of human exposure to contaminants in drinking water, fish and shellfish, and recreational waters and to support the protection of aquatic ecosystems-specifically, the quality of rivers, lakes, and streams, and coastal and ocean waters.

#### Research

##### Drinking Water Research

*In 2009 Increased use of drinking water research products.*

*In 2008 Increased use of drinking water research products*

*In 2007 Increased use of drinking water research products*

*In 2006 By 2006, provide results of full-scale treatment demonstration projects and evaluations of other approaches for managing arsenic in drinking water, so that by 2010, the Office of Water, states, local authorities and utilities have scientifically sound data and approaches to manage risks to human health posed by exposure to arsenic, as determined by independent expert review.*

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
Percentage of planned outputs delivered in support of Six Year Review decisions. (Research)	100	94	100	100	100	100	Percent

#### GOAL 2: CLEAN AND SAFE WATER

*(non-Program Assessment Rating Tool (PART) measures are italicized)*

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
Percentage of planned outputs delivered in support of Contaminate Candidate List Decisions. (Research)	100	100	100	100	100	100	Percent

**Background:** The program aims to make measurable progress in 1) developing data, tools, and technologies to support scientifically sound Six Year Review decisions; and 2) developing data, tools, and technologies to support scientifically sound Contaminant Candidate List (CCL) decisions. EPA's Board of Scientific Counselors (BOSC) rates the program on its progress periodically, and the program responds to BOSC suggestions to ensure continued improvement. Additionally, the program aims to increase 1) the number of planned outputs completed on time (a measure of timeliness); and 2) the number of its papers actually used by EPA's Office of Water in Six Year Review and CCL decisions (a measure of the quality and use of ORD's research).

#### Water Quality Research

*In 2009 Increased use of water quality research products.*

*In 2008 Increased use of water quality research products*

*In 2007 Increased use of water quality research products*

*In 2006 By 2006, provide demonstrations of bioassessment methods for Mid-Western U.S. rivers, so that, by 2010, the Office of Water, states, and tribes have approaches and methods to develop and apply criteria for habitat alteration, nutrients, suspended and bedded sediments, pathogens, and toxic chemicals that will support designated uses for aquatic ecosystems, as determined by independent expert review.*

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
Percentage of planned outputs (in support of WQRP long-term goal #1) delivered (Research)	100	100	100	100	100	100	Percent
Percentage of planned outputs (in support of WQRP long-term goal #2) delivered (Research)	100	100	100	100	100	100	Percent
Percentage of planned outputs (in support of WQRP long-term goal #3) delivered (Research)	100	92	100	100	100	100	Percent

#### GOAL 2: CLEAN AND SAFE WATER

*(non-Program Assessment Rating Tool (PART) measures are italicized)*



## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

Background: The program aims to make measurable progress in 1) supporting water quality criteria development; 2) developing diagnostic tools that aid in establishing causal relationships between pollution and water quality impairments; and 3) providing information that supports sustainable watershed management practices through the demonstration of technologies, the application of decision tools and for forecasting restoration and benefits of management practices. Research under these three rubrics is designed to lead to the promulgation of protective standards, the identification of contaminant contributions to impaired waters, and the tools needed to restore and protect the nation's waters. EPA's Board of Scientific Counselors (BOSC) rates the program on its progress periodically, and the program responds to BOSC suggestions to ensure continued improvement. Additionally, the program aims to increase 1) the number of planned outputs completed on time (a measure of timeliness); and 2) the number of its papers deemed "highly cited" and of "high impact" in bibliometric analyses (a measure of the quality and use of ORD's research).

GOAL 2: CLEAN AND SAFE WATER

*(non-Program Assessment Rating Tool (PART) measures are italicized)*

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

#### GOAL 3: LAND PRESERVATION AND RESTORATION

Preserve and restore the land by using innovative waste management practices and cleaning up contaminated properties to reduce risks posed by releases of harmful substances.

##### **OBJECTIVE: PRESERVE LAND**

By 2011, reduce adverse effects to land by reducing waste generation, increasing recycling, and ensuring proper management of waste and petroleum products at facilities in ways that prevent releases.

##### **Municipal Solid Waste Source Reduction**

- |                |   |
|----------------|---|
| <i>In 2009</i> | <i>Increase the number of tribes covered by an adequate and recently-approved integrated solid waste management plan, and close, clean up, or upgrade open dumps in Indian Country and on other tribal lands.</i> |
| <i>In 2009</i> | <i>Increase use of coal combustion ash rather than disposing of it.</i>   |
| <i>In 2008</i> | <i>Divert 35% (87.3 million tons) of municipal solid waste from land filling and combustion, and maintain per capita generation of RCRA municipal solid waste at 4.5 pounds per day.</i>                          |
| <i>In 2008</i> | <i>Increase the number of tribes covered by an adequate and recently-approved integrated solid waste management plan, and close, clean up, or upgrade open dumps in Indian Country and on other tribal lands.</i> |
| <i>In 2008</i> | <i>Increase use of coal combustion ash rather than disposing of it.</i>   |
| <i>In 2007</i> | <i>Divert 34.2% (85.2 million tons) of municipal solid waste from land filling and combustion, and maintain per capita generation of RCRA municipal solid waste at 4.5 pounds per day.</i>                        |
| <i>In 2007</i> | <i>Increase the number of tribes covered by an adequate and recently-approved integrated solid waste management plan, and close, clean up, or upgrade open dumps in Indian Country and on other tribal lands.</i> |
| <i>In 2007</i> | <i>Increase use of coal combustion ash rather than disposing of it.</i>   |

#### GOAL 3: LAND PRESERVATION AND RESTORATION

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

*In 2006*      *Divert 33.4% (83.1 million tons) of municipal solid waste from land filling and combustion, and maintain per capita generation of RCRA municipal solid waste at 4.5 pounds per day.*

*In 2006*      *Divert 33.4% (83.1 million tons) of municipal solid waste from land filling and combustion, and maintain per capita generation of RCRA municipal solid waste at 4.5 pounds per day.*

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
<i>Percentage of coal combustion ash that is used instead of disposed. (3: Pollution Reduction/Prevention)</i>			1.8	<i>Data Avail 2009</i>	1.8	1.8	<i>percent</i>
Daily per capita generation of municipal solid waste. (0: Indeterminate)	4.5	4.6	4.5	<i>Data Avail 2009</i>	4.5	4.5	lbs. MSW
<i>Number of closed, cleaned up, or upgraded open dumps in Indian Country or on other tribal lands. (1C: Fed/State/Tribal Gov. Activities)</i>			30	107	30	27	<i>open dumps</i>
<i>Number of tribes covered by an integrated solid waste management plan. (1C: Fed/State/Tribal Gov. Activities)</i>			27	28	26	16	<i>tribes</i>

Background: An analysis conducted at the end of FY 2006 shows approximately 4.6 lbs of MSW per person daily generation. For coal combustion ash, approximately 125 millions tons are generated annually, and in 2001, 32% was used rather than landfilled. The annual increase in use is targeted although associated increases in generation are also expected annually. There is a one-year data lag in reporting these data. With respect to the tribal data, targets are established relative to 2006 when new criteria for reporting were identified.

#### Waste and Petroleum Management Controls

*In 2009*      *Reduce releases to the environment by managing hazardous wastes and petroleum products properly.*

*In 2008*      *Reduce releases to the environment by managing hazardous wastes and petroleum products properly.*

*In 2007*      *Reduce releases to the environment by managing hazardous wastes and petroleum products properly.*

*In 2006*      *Reduce releases to the environment by managing hazardous wastes and petroleum products properly.*

#### GOAL 3: LAND PRESERVATION AND RESTORATION

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
Number of hazardous waste facilities with new controls or updated controls. (2: Regulated Party Activities)						100	facilities
<i>No more than 10,000 confirmed releases per year. (0: Indeterminate)</i>	<i>&lt;10,000</i>	<i>8,361</i>	<i>&lt;10,000</i>	<i>7,570</i>	<i>&lt;10,000</i>	<i>&lt;10,000</i>	<i>UST releases</i>
<i>Increase the rate of significant operational compliance by 1% over the previous year's target. (2: Regulated Party Activities)</i>	<i>66</i>	<i>62</i>	<i>67</i>	<i>63</i>	<i>68</i>	<i>69</i>	<i>percent</i>

**Background:** Since FY 2004, states and regional offices have reported the percentage of UST facilities that are in significant operational compliance with both release detection and release prevention (spill, overflow, and corrosion protection) requirements, out of a total estimated universe of approximately 256,000 facilities. At the end of FY 2006, 62 percent of USTs were in significant operational compliance with both release detection and release prevention requirements. Given the inspection requirements of the Energy Policy Act of 2005, some states are now targeting previously un-inspected facilities, and these are more likely to be out-of-compliance. Between FY 1999 and FY 2006, confirmed UST releases averaged 10,534. By 2011, 500 RCRA hazardous waste facilities will have initial approved controls or upgraded controls. Although the universe of facilities requiring these controls will be reassessed in 2009, this number is currently estimated at 820.

#### **OBJECTIVE: RESTORE LAND**

By 2011, control the risks to human health and the environment by mitigating the impact of accidental or intentional releases and by cleaning up and restoring contaminated sites or properties to appropriate levels.

#### **Superfund Cost Recovery**

*In 2009*      *Ensure trust fund stewardship by getting PRPs to initiate or fund the work and recover costs from PRPs when EPA expends trust fund monies. Address cost recovery at all NPL and non-NPL sites with a statute of limitations (SOL) on total past costs equal to or greater than \$200,000.*

*In 2008*      *Ensure trust fund stewardship by getting PRPs to initiate or fund the work and recover costs from PRPs when EPA expends trust fund monies. Address cost recovery at all NPL and non-NPL sites with a statute of limitations (SOL) on total past costs equal to or greater than \$200,000.*

#### **GOAL 3: LAND PRESERVATION AND RESTORATION**

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

*In 2007*      *Ensure trust fund stewardship by getting PRPs to initiate or fund the work and recover costs from PRPs when EPA expends trust fund monies. Address cost recovery at all NPL and non-NPL sites with a statute of limitations (SOL) on total past costs equal to or greater than \$200,000.*

*In 2006*      *Ensure trust fund stewardship by getting PRPs to initiate or fund the work and recover costs from PRPs when EPA expends trust fund monies. Address cost recovery at all NPL and non-NPL sites with a statute of limitations (SOL) on total past costs equal to or greater than \$200,000.*

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
<i>Refer to DOJ, settle, or write off 100% of Statute of Limitations (SOLs) cases for SF sites with total unaddressed past costs equal to or greater than \$200,000 and report value of costs recovered. (2: Regulated Party Activities)</i>	<i>100</i>	<i>100</i>	<i>100</i>	<i>98</i>	<i>100</i>	<i>100</i>	<i>Percent</i>

Background:      In FY 98 the Agency will have addressed 100% of Cost Recovery at all NPL & non-NPL sites with total past costs equal or greater than \$200,000.

#### **Superfund Potentially Responsible Party Participat**

*In 2009*      *Reach a settlement or take an enforcement action by the time of the Remedial Action start at 95 percent of non-Federal Superfund sites that have viable, liable parties.*

*In 2008*      *Reach a settlement or take an enforcement action by the time of the Remedial Action start at 95 percent of non-Federal Superfund sites that have viable, liable parties.*

*In 2007*      *Reach a settlement or take an enforcement action by the time of the Remedial Action start at 95 percent of non-Federal Superfund sites that have viable, liable parties.*

*In 2006*      *Reach a settlement or take an enforcement action by the time of the Remedial Action start at 90 percent of non-Federal Superfund sites that have viable, liable parties.*

#### GOAL 3: LAND PRESERVATION AND RESTORATION

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
<i>Percentage of Superfund sites at which settlement or enforcement action taken before the start of RA. (2: Regulated Party Activities)</i>	90	100	95	98	95	95	Percent

Background: In FY 98 approximately 70% of new remedial work at NPL sites (excluding Federal facilities) was initiated by private parties. In FY2003, a settlement was reached or an enforcement action was taken with non-Federal PRPs before the start of the remedial action at approximately 90 percent of Superfund sites.

#### Assess and Cleanup Contaminated Land

*In 2009 Control the risks to human health and the environment at contaminated properties or sites through cleanup, stabilization, or other action, and make land available for reuse.*

*In 2008 Control the risks to human health and the environment at contaminated properties or sites through cleanup, stabilization, or other action, and make land available for reuse.*

*In 2007 Control the risks to human health and the environment at contaminated properties or sites through cleanup, stabilization, or other action, and make land available for reuse.*

*In 2006 Control the risks to human health and the environment at contaminated properties or sites through cleanup, stabilization, or other action, and make land available for reuse.*

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
Number of cleanups completed that meet state risk-based standards for human exposure and groundwater migration. (2: Regulated Party Activities)	13,600	14,493	13,000	13,862	13,000	13,000	cleanups
Number of cleanups completed that meet risk-based standards for human exposure and groundwater migration in Indian Country. (2: Regulated Party Activities)	30	43	30	54	30	30	cleanups

#### GOAL 3: LAND PRESERVATION AND RESTORATION

*(non-Program Assessment Rating Tool (PART) measures are italicized)* 808

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
Superfund final site assessment decisions completed. (2: Regulated Party Activities)	419	518	350	395	400	400	assessments
Annual number of Superfund sites with remedy construction completed. (0: Indeterminate)	40	40	24	24	30	35	completions
<i>Number of Superfund sites with human exposures under control. (0: Indeterminate)</i>	<i>10</i>	<i>34</i>	<i>10</i>	<i>13</i>	<i>10</i>	<i>10</i>	<i>sites</i>
<i>Superfund sites with contaminated groundwater migration under control. (0: Indeterminate)</i>	<i>10</i>	<i>21</i>	<i>10</i>	<i>19</i>	<i>15</i>	<i>15</i>	<i>sites</i>
Number of Federal Facility Superfund sites where all remedies have completed construction. (3: Pollution Reduction/Prevention)	51	55	56	59	60	64	sites
Number of Federal Facility Superfund sites where the final remedial decision for contaminants at the site has been determined. (3: Pollution Reduction/Prevention)	61	70	76	71	81	85	remedies
Number of RCRA facilities with final remedies constructed. (2: Regulated Party Activities)						100	facilities
Number of RCRA facilities with human exposures under control. (2: Regulated Party Activities)						60	facilities
Number of RCRA facilities with migration of contaminated groundwater under control. (2: Regulated Party Activities)						60	facilities
<i>Number of Superfund sites ready for anticipated use site-wide. (4: Ambient Conditions)</i>			<i>30</i>	<i>64</i>	<i>30</i>	<i>30</i>	<i>sites</i>

Background: Through the end of FY 2005, a total of 38,770 final assessment decisions had been made out of a universe of 44,700 potentially hazardous waste sites evaluated by EPA. Additionally, Superfund controlled human exposures at 1,266 of 1,543 eligible NPL sites and controlled groundwater migration at 937 of 1,381 eligible NPL sites, completed construction at 966 of 1,498 eligible NPL sites, and selected final remedies at 1,042 of 1,498 of the eligible NPL sites. Of the 1,714 RCRA Corrective Action highest-priority facilities, 96% (1,649) had human exposures controlled and 78% (1,342) had

#### GOAL 3: LAND PRESERVATION AND RESTORATION

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

groundwater migration controlled through the end of FY 2005, reflecting the strong EPA/state partnership in this program. The new measures for RCRA Corrective Action reflect a universe of 3,746 of the high National Corrective Action Prioritization System-ranked facilities, which was recently set. Through FY2006, EPA has completed more than 75% (or 350,818) leaking underground storage tank cleanups. The Agency has worked with state partners to evaluate multi-year cleanup goals in light of new pressures that have slowed the pace of cleanup in recent years. The result of this process has been a reduction of multi-year goals to a target number that better reflects the current challenges.

#### Prepare/Respond to Accidental/Intentional Release

- In 2009*      *Reduce and control the risks posed by accidental and intentional releases of harmful substances by improving our Nation's capability to prepare for and respond more effectively to these emergencies.*
- In 2008*      *Reduce and control the risks posed by accidental and intentional releases of harmful substances by improving our Nation's capability to prepare for and respond more effectively to these emergencies.*
- In 2007*      *Reduce and control the risks posed by accidental and intentional releases of harmful substances by improving our Nation's capability to prepare for and respond more effectively to these emergencies.*
- In 2006*      *Reduce and control the risks posed by accidental and intentional releases of harmful substances by improving our Nation's capability to prepare for and respond more effectively to these emergencies.*

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
Superfund-lead removal actions completed annually. (2: Regulated Party Activities)	195	157	195	200	195	195	removals
Voluntary removal actions, overseen by EPA, completed. (2: Regulated Party Activities)	115	93	120	151	125	130	removals
<i>Number of inspections and exercises conducted at oil storage facilities that are required to have Facility Response Plans. (1C: Fed/State/Tribal Gov. Activities)</i>	<i>100</i>	<i>345</i>	<i>200</i>	<i>335</i>	<i>250</i>	<i>250</i>	<i>inspections/ exercises</i>
Percentage of inspected facilities subject to Spill Prevention, Control and Countermeasures (SPCC) regulations found to be in compliance. (2: Regulated Party Activities)	100	50	53	40	55	58	percent

#### GOAL 3: LAND PRESERVATION AND RESTORATION

*(non-Program Assessment Rating Tool (PART) measures are italicized)*

810



## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
Percentage of inspected facilities subject to Facility Response Plan (FRP) regulations found to be in compliance. (2: Regulated Party Activities)	100	71	75	67	78	82	percent
<i>Score in annual Core Emergency Response assessment. (1C: Fed/State/Tribal Gov. Activities)</i>			55	96	65	75	<i>percent</i>

Background: Between 2000 and 2005 EPA completed an average 209 Superfund removal response actions and an average 97 removal actions were completed by responsible parties voluntarily (i.e., undertaken without EPA enforcement action). In FY 2004, the compliance rate of all facilities subject to FRP regulations (estimated number of facilities is 4,200) was 50% and the compliance rate of inspected facilities subject to SPCC regulations was approximately 75%. Beginning in FY 2007, EPA regional, HQ, and Special Teams scores were determined according to a set of readiness criteria to enhance and strengthen the core emergency response program.

#### **OBJECTIVE: ENHANCE SCIENCE AND RESEARCH**

Through 2011, provide and apply sound science for protecting and restoring land by conducting leading-edge research, which through collaboration, leads to preferred environmental outcomes

##### **Research**

##### **Land Protection and Restoration Research**

*In 2009 Increased use of land protection and restoration research products.*

*In 2008 Increased use of land protection and restoration research products*

*In 2007 Increased use of land protection and restoration research products*

*In 2006 Document the performance, including cost savings, of innovative characterization and remediation options, so that newer approaches with cost or performance advantages are applied for Superfund and other cleanup projects.*

#### GOAL 3: LAND PRESERVATION AND RESTORATION

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
Percentage of planned outputs delivered in support of the manage material streams, conserve resources and appropriately manage waste long-term goal. (Research)	100	100	100	100	100	100	Percent
Percentage of planned outputs delivered in support of the mitigation, management and long-term stewardship of contaminated sites long-term goal. (Research)	100	96	100	100	100	100	Percent

Background: The program aims to make measurable progress in providing timely, cutting edge, problem-driven research products to support sound science decisions by EPA offices engaged in activities to preserve land quality and remediate contaminated land for beneficial reuse. EPA's Board of Scientific Counselors (BOSC) rates the program on its progress periodically, and the program responds to BOSC suggestions to ensure continued improvement. Additionally, the program aims to increase 1) the number of planned outputs completed on time (a measure of timeliness); and 2) the number of its papers deemed "highly cited" and of "high impact" in bibliometric analyses (a measure of the quality and use of ORD's research).

#### GOAL 3: LAND PRESERVATION AND RESTORATION

*(non-Program Assessment Rating Tool (PART) measures are italicized)*

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

#### GOAL 4: HEALTHY COMMUNITIES AND ECOSYSTEMS

Protect, sustain, or restore the health of people, communities, and ecosystems using integrated and comprehensive approaches and partnerships.

##### **OBJECTIVE: CHEMICAL AND PESTICIDE RISKS**

By 2011, prevent and reduce pesticide and industrial chemical risks to humans, communities, and ecosystems.

##### **Protect Human Health from Pesticide Risk**

- |                |   |
|----------------|---|
| <i>In 2009</i> | <i>Protect human health by implementation our statutes and taking regulatory actions to ensure pesticides continue to be safe and available when used with the label.</i>                                     |
| <i>In 2008</i> | <i>Decrease cost per pesticide occupational incident avoided.</i>   |
| <i>In 2008</i> | <i>Ensure new pesticide registration actions (including new active ingredients, new uses) meet new health standards and are environmentally safe.</i>   |
| <i>In 2008</i> | <i>Improve the health of those who work in or around pesticides by reaching a 50% reduction in moderate to severe incidents for six acutely toxic agricultural pesticides with the highest incident rate.</i> |
| <i>In 2008</i> | <i>Percentage of acre treatments that will use applications of reduced-risk pesticides.</i>   |
| <i>In 2008</i> | <i>Protect those occupationally exposed to pesticides by improving or maintaining a rate of 3.5 or less incidents per 100,000 potential risk events.</i>  |
| <i>In 2008</i> | <i>Reduce concentration of pesticides detected in general population.</i>   |
| <i>In 2008</i> | <i>Reduce decision times for registration of reduced risk chemicals.</i>  |
| <i>In 2008</i> | <i>Register reduced risk pesticides, including biopesticides.</i>   |
| <i>In 2007</i> | <i>Decrease cost per pesticide occupational incident avoided.</i>   |
| <i>In 2007</i> | <i>Ensure new pesticide registration actions (including new active ingredients, new uses) meet new health standards and are environmentally safe.</i>   |

#### GOAL 4: HEALTHY COMMUNITIES AND ECOSYSTEMS

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

<i>In 2007</i>	<i>Improve the health of those who work in or around pesticides by reducing moderate to severe incidents for six acutely toxic agricultural pesticides with the highest incident rate.</i>
<i>In 2007</i>	<i>Percentage of acre treatments that will use applications of reduced-risk pesticides.</i>
<i>In 2007</i>	<i>Reduce concentration of pesticides detected in general population.</i>
<i>In 2007</i>	<i>Reduce decision times for registration of reduced risk chemicals.</i>
<i>In 2007</i>	<i>Register reduced risk pesticides, including biopesticides.</i>
<i>In 2006</i>	<i>Ensure new pesticide registration actions (including new active ingredients, new uses) meet new health standards and are environmentally safe.</i>
<i>In 2006</i>	<i>Percentage of acre treatments that will use applications of reduced-risk pesticides</i>
<i>In 2006</i>	<i>Reduce decision times for registration of reduced risk chemicals.</i>
<i>In 2006</i>	<i>Register reduced risk pesticides, including biopesticides.</i>

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
<i>Register reduced risk pesticides, including biopesticides. (1C: Fed/State/Tribal Gov. Activities)</i>	<i>14</i>	<i>15</i>	<i>14</i>	<i>14</i>	<i>10</i>	<i>11</i>	<i>Registrations</i>
<i>New Chemicals (Active Ingredients) (1C: Fed/State/Tribal Gov. Activities)</i>	<i>8</i>	<i>19</i>	<i>8</i>	<i>16</i>	<i>12</i>	<i>12</i>	<i>Registrations</i>
<i>New Uses (1C: Fed/State/Tribal Gov. Activities)</i>	<i>200</i>	<i>235</i>	<i>200</i>	<i>233</i>	<i>250</i>	<i>200</i>	<i>Actions</i>
Percentage of agricultural acres treated with reduced-risk pesticides. (3: Pollution Reduction/Prevention)	17	18	18	Data Avail 2008	18.5	19	Percent Acre-Treatments
Incidents per 100,000 potential risk events in population occupationally exposed to pesticides. (6: Ultimate Ecological/Health Impacts)					<= 3.5/100,00 0	<= 3.5/100,00 0	Incidents/100,000

#### GOAL 4: HEALTHY COMMUNITIES AND ECOSYSTEMS

*(non-Program Assessment Rating Tool (PART) measures are italicized)*

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
Percent reduction in concentrations of pesticides detected in general population. (5: Exposure or Body Burden)			10	Data Avail 2008	No Target Established	30	Percent Cum. Reduction
Percent reduction in moderate to severe incidents for six acutely toxic agricultural pesticides with the highest incident rate. (6: Ultimate Ecological/Health Impacts)					20	30	Percent Cum. Reduction

Background: There were 1,388 incidents out of 39,850,000 potential risk events for those occupationally exposed to pesticides in FY 2003. According to NHANES data for FY 1999-2002 the concentration of pesticides residues detected in blood samples from the general population are: Dimethylphosphate = 0.41 ug/L; Dimethylthiophosphate = 1.06 ug/L; Dimethyldithiophosphate = 0.07 ug/L; Diethylphosphate = 0.78 ug/L; Diethylthiophosphate = 0.5 ug/L; Diethyldithiophosphate = 0.07 ug/L; and 3,5,6-Trichloro-2-pyridinol = 1.9 ug/L. The rates for moderate to severe incidents for exposure to agricultural pesticides with the highest incident rates base on FY 1999 - 2003 data were: Chlorpyrifos, 67 incidents; diazinon, 51 incidents; malathion, 36 incidents; pyrethrins, 29 incidents; 2, 4-D, 27 incidents; carbofuran, 24 incidents, based on data from Poison Control Centers' Toxic Exposure Surveillance System (TESS), and NIOSH's Sentinel Event Notification System for Occupational Risk (SENSOR). The baseline for acres-treated is 3.6% of total acreage in 1998, when the reduced-risk pesticide acre treatments was 30,332,499 and total (all pesticides) was 843,063,644 acre-treatments. Zero reduced risk pesticides (including biopesticides) are registered in FY 1996; Cumulative total in FY 2007 is 200 registrations. Zero new chemicals (active ingredients) is registered in FY 1996; Cumulative total in FY 2007 is 117 new chemicals (AI). Zero new use actions in FY 1996; Cumulative total in FY 2007 is 3,774 new use actions.

#### Protect the Environment from Pesticide Risk

- In 2009*      *Protect the environment by implementing our statutes and taking regulatory actions to ensure pesticides continue to be safe and available when used with the label.*
- In 2008*      *Ensure that through ongoing data reviews, pesticide active ingredients, and products that contain them are reviewed to assure adequate protection for human health and the environment, taking into consideration exposure scenarios such as subsistence lifestyles of the Native Americans*
- In 2008*      *Reduce the average cost and average time to produce or update an Endangered Species Bulletin.*
- In 2008*      *Reduce the percent of urban watersheds sampled that exceeds EPA aquatic life benchmarks for three key pesticides of concern (diazinon, chlorpyrifos, malathion).*

#### GOAL 4: HEALTHY COMMUNITIES AND ECOSYSTEMS

*(non-Program Assessment Rating Tool (PART) measures are italicized)*

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

*In 2007*      *Ensure that through ongoing data reviews, pesticide active ingredients, and products that contain them are reviewed to assure adequate protection for human health and the environment, taking into consideration exposure scenarios such as subsistence lifestyles of the Native Americans*

*In 2007*      *Reduce the average cost and average time to produce or update an Endangered Species Bulletin.*

*In 2006*      *Ensure that through ongoing data reviews, pesticide active ingredients, and products that contain them are reviewed to assure adequate protection for human health and the environment, taking into consideration exposure scenarios such as subsistence lifestyles of the Native Americans*

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
<i>Product Reregistration (1C: Fed/State/Tribal Gov. Activities)</i>	545	545	545	962	1075	2000	Actions
Percent of urban watersheds that exceeds EPA aquatic life benchmarks for three key pesticides of concern. (4: Ambient Conditions)					25, 25, 30	20, 20, 25	Percent Reduction

Background:      The 1992-2001 baselines as a percentage of urban watersheds sampled that exceeded benchmarks are: diazinon, 40 percent; chlorpyrifos, 37 percent; and malathion, 30 percent. Zero product reregistraion in 200X; A total of 8,320 product reregistrations were completed in 2007.

#### **Endocrine Disruptors**

*In 2009*      *Endocrine Disruptor Screening Program will continue its progress toward completing the validation of endocrine test methods.*

*In 2008*      *Endocrine Disruptor Screening Program will continue its progress toward completing the validation of endocrine test methods.*

*In 2007*      *Endocrine Disruptor Screening Program will continue its progress toward completing the validation of endocrine test methods.*

*In 2006*      *Endocrine Disruptor Screening Program will continue its progress toward completing the validation of endocrine test methods.*

#### GOAL 4: HEALTHY COMMUNITIES AND ECOSYSTEMS

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
Cumulative number of assays that have been validated. (Research)	11/20	2/21	8/20	3/20	13/20	14/19	Assays

Background: Zero assays were validated in FY 2005.

#### Realize the Value from Pesticide Availability

- In 2009*      *Ensure the public health and socio-economic benefits of pesticide availability and use are achieved.*
- In 2008*      *Annually avoid \$900M in termite structural damage by ensuring safe and effective pesticides are registered/reregistered and available for termite treatment.*
- In 2008*      *Avoid \$1.5 billion of crop loss by ensuring that effective pesticides are available to address pest infestations.*
- In 2008*      *Maintain timeliness of S18 decisions.*
- In 2008*      *Number of acres using reduced risk pest management practices compared to the grant and/or contract funds expended on environmental stewardship.*
- In 2007*      *Maintain timeliness of S18 decisions.*
- In 2006*      *Maintain timeliness of S18 decisions.*

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
<i>Maintain timeliness of S18 decisions (1C: Fed/State/Tribal Gov. Activities)</i>	45	48	45	36.6	45	45	<i>Days</i>
Millions of dollars in termite structural damage avoided annually by ensuring safe and effective pesticides are registered/re-registered and available for termite treatment. (3: Pollution Reduction/Prevention)					900 M	900 M	Dollars/loss avoided

#### GOAL 4: HEALTHY COMMUNITIES AND ECOSYSTEMS

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
Billions of dollars in crop loss avoided by ensuring that effective pesticides are available to address pest infestations. (3: Pollution Reduction/Prevention)					1.5 B	1.5 B	Dollars/loss avoided

Background: Based on U.S Census housing data, industry data, and academic studies on damage valuation, EPA calculates that in FY 2003 there were \$900 million in annual savings from structural damage avoided due to availability of registered termiticides. According to EPA and USDA data for the years FY 2000-2005, emergency exemptions issued by EPA resulted in \$1.5 billion in avoided crop loss. Baseline for S18 decisions is 45 days in 2005

#### Lead Gasoline Phase-Out

*In 2009 Eliminate use of lead in gasoline in remaining countries that still use lead as an additive, affecting more than 700 million people.*

*In 2009 Increase access to low-sulfur fuels in developing countries.*

*In 2008 Eliminate use of lead in gasoline in remaining countries that still use lead as an additive, affecting more than 700 million people.*

*In 2008 Increase access to low-sulfur fuels in developing countries.*

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
<i>Number of countries completing phase out of leaded gasoline. (incremental) (2: Regulated Party Activities)</i>					7	4	<i>Countries</i>
<i>Number of countries introducing low sulfur in fuels. (incremental) (2: Regulated Party Activities)</i>					2	3	<i>Countries</i>

Background: As of June 2005, 122 countries have phased out the use of lead in gasoline. As of 2005, United States, Japan, Canada, and the European Community have introduced low-sulfur fuels.

#### GOAL 4: HEALTHY COMMUNITIES AND ECOSYSTEMS



## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

##### Lead-Based Paint Risk Reduction Program

*In 2009 Reduce exposure to and health effects from lead.*

*In 2008 Reduce exposure to and health effects from priority industrial/commercial chemicals*

*In 2007 Reduce exposure to and health effects from priority industrial/commercial chemicals*

*In 2006 Reduce exposure to and health effects from priority industrial/commercial chemicals*

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
Percent difference in the geometric mean blood level in low-income children 1-5 years old as compared to the geometric mean for non-low income children 1-5 years old. (5: Exposure or Body Burden)	29	Data Lag	No Target Established	No Target Established	29	No Target Established	Percent
Number of cases of children (aged 1-5 years) with elevated blood lead levels (>10ug/dl). (5: Exposure or Body Burden)	216,000	Data Lag	No Target Established	No Target Established	90,000	No Target Established	Children
Background:	Data released by CDC from the National Health and Nutritional Evaluation Survey (NHANES) in May of 2005 estimated a population of 310,000 children aged 1 - 5 with lead poisoning (blood lead levels of 10 ug/dl or greater). Baseline for percent difference in the geometric mean blood level in low-income children 1-5 years old as compared to the geometric mean for non-low income children 1-5 years old is 37% in 1991-1994.						

##### Chemical Risk Review and Reduction

*In 2009 Identify, restrict, and reduce risks associated with industrial/commercial chemicals.*

*In 2008 Identify, restrict, and reduce risks associated with industrial/commercial chemicals.*

*In 2007 Identify, restrict, and reduce risks associated with industrial/commercial chemicals.*

*In 2006 Identify, restrict, and reduce risks associated with industrial/commercial chemicals.*

#### GOAL 4: HEALTHY COMMUNITIES AND ECOSYSTEMS

*(non-Program Assessment Rating Tool (PART) measures are italicized)*

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
Annual number of chemicals with proposed values for Acute Exposure Guidelines Levels (AEGL) (1C: Fed/State/Tribal Gov. Activities)	24	23	24	33	24	18	Chemicals
<i>Percent of new chemicals or organisms introduced into commerce that do not pose unreasonable risks to workers, consumers, or the environment. (3: Pollution Reduction/Prevention)</i>	<i>100</i>	<i>100</i>	<i>100</i>	<i>100</i>	<i>100</i>	<i>100</i>	<i>Percent</i>
Reduction in the current year production-adjusted risk-based score of releases and transfers of toxic chemicals from manufacturing facilities. (6: Ultimate Ecological/Health Impacts)	4.5	Data Lag	4.0	Data Lag	3.5	3.2	Percent RSEI Rel risk
Cumulative number of High Production Volume (HPV) chemicals with Risk Based Decisions Completed. (3: Pollution Reduction/Prevention)					150	490	HPV Chemicals
Cumulative number of High Production Volume (HPV) chemicals with Screening Level Hazard Characterization Reports completed. (3: Pollution Reduction/Prevention)			889	931	1260	1585	HPV Chemicals
Annual reduction in the production-adjusted risk-based score of releases and transfers of High Production Volume (HPV) chemicals from manufacturing facilities. (3: Pollution Reduction/Prevention)	3	Data Lag	2.6	Data Avail 2009	2.5	2.4	Percent Reduction

Background: The baseline for percent of new chemicals or organisms introduced into commerce that do not pose unreasonable risks to workers, consumers, or the environment was developed from a 2 year analysis from 2004-2005 comparing 8(e) reports to New Chemical submissions and is 100%. The baseline for the number of proposed AEGL values was developed for 2002 because after September 11, 2001, EPA received a substantial increase in funding for this activity. EPA developed Proposed AEGL values for 78 chemicals through 2002. In 2007, a total of 218 chemicals with proposed AEGL Values were reported for the AEGL Program (cumulative count). Baseline for the Risk Screening Environmental Indicators Model Program in 2001 was zero percent. 2001 was selected as the baseline year because of changing TRI reporting thresholds for persistent, bioaccumulative, toxic chemicals that took

#### GOAL 4: HEALTHY COMMUNITIES AND ECOSYSTEMS

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

effect in 2001. These changes significantly affect the RSEI model, making comparisons with years prior to 2001 inappropriate. A consistent set of chemicals can be used from 2001 forward. Cumulative reduction reported through 2005 is 29.3%. The baseline for the number of chemicals with Screening Level Hazard Characterization Reports was developed using data from internationally sponsored HPV chemicals through 2006. EPA assisted with the development and finalization of reports for these 630 chemicals. The cumulative count of HPV chemicals with reports completed through FY 2007 is 931. The baseline for the percent reduction in the risk based score for HPV chemicals is zero percent in 1998, which was the year the HPV program began. A cumulative 30.3% reduction has been observed between 1998 and 2005. The baseline for the number of HPV chemicals with risk based decisions completed in 2007 is zero.

#### Chemical Facility Risk Reduction

*In 2009*      *Protect human health, communities, and ecosystems from chemical risks and releases through facility risk reduction efforts and building community infrastructures.*

*In 2008*      *Protect human health, communities, and ecosystems from chemical risks and releases through facility risk reduction efforts and building community infrastructures.*

*In 2007*      *Protect human health, communities, and ecosystems from chemical risks and releases through facility risk reduction efforts and building community infrastructures.*

*In 2006*      *Protect human health, communities, and ecosystems from chemical risks and releases through facility risk reduction efforts and building community infrastructures.*

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
<i>Number of risk management plan audits and inspections completed. (1C: Fed/State/Tribal Gov. Activities)</i>	400	550	400	628	400	400	<i>Audits</i>

Background:      3224 Risk Management Plan audits were completed between FY 2000 and FY 2006.

#### GOAL 4: HEALTHY COMMUNITIES AND ECOSYSTEMS

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

#### OBJECTIVE: COMMUNITIES

Sustain, clean up, and restore communities and the ecological systems that support them.

##### U.S.- Mexico Border Water/Wastewater Infrastructure

*In 2009 Sustain and restore the environmental health along the United States-Mexico Border through implementation of the "Border 2012" plan.*

*In 2008 Sustain and restore the environmental health along the United States-Mexico Border through implementation of the "Border 2012" plan.*

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
Number of additional homes provided safe drinking water in the Mexican border area that lacked access to drinking water in 2003. (4: Ambient Conditions)					2,500	2,500	More Homes
Number of additional homes provided adequate wastewater sanitation in the Mexican border area that lacked access to wastewater sanitation in 2003. (4: Ambient Conditions)					15,000	15,000	More Homes

**Background:** The US-Mexico border region extends more than 3,100 kilometers (2,000 miles) from the Gulf of Mexico to the Pacific Ocean, and 62.5 miles on each side of the international border. More than 11.8 million people reside along the border and this figure is expected to increase to 19.4 million by 2020. Ninety percent of the population reside in the 14 impaired, interdependent sister cities. Rapid population growth in urban areas has resulted in unplanned development, greater demand for land and energy, increased traffic congestion, increased waste generation, overburdened or unavailable waste treatment and disposal facilities, and more frequent chemical emergencies. Rural areas suffer from exposure to airborne dust, pesticide use, and inadequate water supply and treatment facilities. EPA, other US Federal agencies, and the Government of Mexico have partnered to address these environmental problems.

#### GOAL 4: HEALTHY COMMUNITIES AND ECOSYSTEMS

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

##### Environmental Justice

*In 2009*      *In FY 08, four communities with potential environmental justice concerns will achieve significant measurable environmental or public health improvement through collaborative problem-solving strategies.*

*In 2008*      *In FY 08, four communities with potential environmental justice concerns will achieve significant measurable environmental or public health improvement through collaborative problem-solving strategies.*

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
<i>Communities with Environmental Justice Concerns (3: Pollution Reduction/Prevention)</i>					4	4	<i>Communities</i>

**Background:**      The Agency works to address issues affecting disproportionately exposed and under-represented populations from adverse health or environmental effects. EPA identifies problem areas through: public comments received during the National Environmental Justice Advisory Committee (NEJAC) meetings; reviewing Environmental Impact Statements (EIS) filed under the National Environmental Policy Act (NEPA) in which environmental justice (EJ) indicators occur; concern from communities about new or renewals of permits under RCRA, CWA, CAA, etc.; and complaints filed under Title VI of the Civil Rights Act. EPA also works to address these issues through the Federal Interagency Working Group on Environmental Justice and by awarding grants to communities for addressing environmental problems.

##### Revitalize Properties

*In 2009*      *Assess, clean up and promote the reuse of Brownfields properties, and leverage jobs and cleanup/redevelopment funding.*

*In 2008*      *Assess, clean up and promote the reuse of Brownfields properties, and leverage jobs and cleanup/redevelopment funding.*

*In 2007*      *Assess, clean up and promote the reuse of Brownfields properties, and leverage jobs and cleanup/redevelopment funding.*

*In 2006*      *Assess, clean up and promote the reuse of Brownfields properties, and leverage jobs and cleanup/redevelopment funding.*

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
Brownfield properties assessed. (2: Regulated Party Activities)	1,000	2,139	1,000	Data Avail 2008	1,000	1000	Properties

#### GOAL 4: HEALTHY COMMUNITIES AND ECOSYSTEMS

*(non-Program Assessment Rating Tool (PART) measures are italicized)*

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
<i>Number of properties cleaned up using Brownfields funding. (2: Regulated Party Activities)</i>	60	88	60	<i>Data Avail 2008</i>	60	60	<i>Properties</i>
Acres of Brownfields properties made ready for reuse. (2: Regulated Party Activities)					225	225	Acres
<i>Jobs leveraged from Brownfields activities. (0: Indeterminate)</i>	5,000	5,504	5,000	<i>Data Avail 2008</i>	5,000	5000	<i>Jobs</i>
Billions of dollars of cleanup and redevelopment funds leveraged at Brownfields sites. (2: Regulated Party Activities)	1	1.4	0.9	<i>Data Avail 2008</i>	0.9	0.9	Billions of Dollars

Background: By the end of FY 2005, the Brownfields program assessed 1,381 properties, cleaned up 93 properties, leveraged 6,128 jobs, and leveraged \$1.0B in cleanup and redevelopment funding.

#### Pacific Island Territories

*In 2009 Sustain and restore the environmental health of the U.S. Pacific Island Territories of American Samoa, Guam, and the Commonwealth of the Northern Mariana Islands (CNMI).*

*In 2008 Sustain and restore the environmental health of the U.S. Pacific Island Territories of American Samoa, Guam, and the Commonwealth of the Northern Mariana Islands (CNMI).*

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
<i>Percent of population in each of U.S. Pacific Island Territories served by CWS will receive drinking water that meets all applicable health-based drinking water standards throughout the year. (3: Pollution Reduction/Prevention)</i>					72	72	<i>Percent Population</i>
<i>Percent of the time that the sewage treatment plants in the U.S. Pacific Island Territories will comply with permit</i>					67	64	<i>Percent of Time</i>

#### GOAL 4: HEALTHY COMMUNITIES AND ECOSYSTEMS

*(non-Program Assessment Rating Tool (PART) measures are italicized)*

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
<i>limits for biochemical oxygen demand (BOD) and total suspended solids (TSS). (3: Pollution Reduction/Prevention)</i>							
<i>Percent of days of the beach season that beaches in each of the U.S. Pacific Island Territories monitored under the Beach Safety Program will be open and safe for swimming. (3: Pollution Reduction/Prevention)</i>					70	86	<i>Percent Days</i>

Background: In 2005, 95% of the population in American Samoa, 10% in the Commonwealth of the Northern Mariana Islands (CNMI) and 80% of Guam served by CWS received drinking water that meets all applicable health-based standards. The sewage treatment plants in the Pacific Island Territories compiled 59% of the time with BOD & TSS permit limits. Beaches were open and safe 64% of the beach season in American Samoa, 97% in the CNMI & 76% in Guam.

#### **OBJECTIVE: RESTORE AND PROTECT CRITICAL ECOSYSTEMS**

Protect, sustain, and restore the health of critical natural habitats and ecosystems.

##### **Protecting and Enhancing Estuaries**

- In 2009 Working with partners, protect or restore additional (i.e., measuring from 2008 forward) acres of habitat within the study area for the 28 estuaries that are part of the National Estuary Program.*
- In 2008 Working with partners, protect or restore additional (i.e., measuring from 2008 forward) acres of habitat within the study area for the 28 estuaries that are part of the National Estuary Program.*
- In 2007 Working with NEP partners, protect or restore an additional 25,000 acres of habitat within the study areas for the 28 estuaries that are part of the National Estuary Program (NEP).*
- In 2006 Working with NEP partners, protect or restore an additional 25,000 acres of habitat within the study areas for the 28 estuaries that are part of the National Estuary Program (NEP).*

#### **GOAL 4: HEALTHY COMMUNITIES AND ECOSYSTEMS**

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
Acres protected or restored in NEP study areas. (4: Ambient Conditions)	25,000	140,033	50,000	102,462	50,000	75,000	Acres

Background: 2005 Baseline: 449,242 acres of habitat protected or restored; cumulative from 2002.

#### Gulf of Mexico

*In 2009 Improve the overall health of coastal waters of the Gulf of Mexico on the "good/fair/poor" scale of the National Coastal Condition Report.*

*In 2008 Improve the overall health of coastal waters of the Gulf of Mexico on the "good/fair/poor" scale of the National Coastal Condition Report.*

*In 2007 Prevent water pollution and protect aquatic species in order to improve the health of the Gulf of Mexico.*

*In 2006 Prevent water pollution and protect aquatic species in order to improve the health of the Gulf of Mexico.*

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
<i>Improve the overall health of coastal waters of the Gulf of Mexico on the "good/fair/poor" scale of the National Coastal Condition Report. (4: Ambient Conditions)</i>	<i>2.4</i>	<i>2.4</i>	<i>2.4</i>	<i>2.4</i>	<i>2.5</i>	<i>2.5</i>	<i>Scale</i>
<i>Restore water and habitat quality to meet water quality standards in impaired segments in 13 priority coastal areas (cumulative starting in FY 07). (6: Ultimate Ecological/Health Impacts)</i>					<i>64</i>	<i>96</i>	<i>Impaired Segments</i>
<i>Restore, enhance, or protect a cumulative number of acres of important coastal and marine habitats. (6: Ultimate Ecological/Health Impacts)</i>					<i>18,200</i>	<i>20,600</i>	<i>Acres</i>

#### GOAL 4: HEALTHY COMMUNITIES AND ECOSYSTEMS

*(non-Program Assessment Rating Tool (PART) measures are italicized)*



## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

Background: In 2004, the Gulf of Mexico rating of fair/poor was 2.4 where the rating is based on a 5-point system in which 1 is poor and 5 is good and is expressed as an aerielly weighted mean of regional scores using the National Coastal Condition Report II indicators: water quality index, sediment quality index, benthic index, coastal habitat index, and fish tissue contaminants.

The hypoxia running average size for 1996-2000 = 14,128 km2. The 2002-2006 running average size = 14,944 km2. No annual targets are set for 2007 and 2008 because hypoxia varies annually, depending on the timing and extent of spring and summer stratification, weather patterns, temperature, and precipitation in the Gulf and drainage basin.

In 2002, 812 impaired segments identified in Section 303(d) listings. In 2005, 16,000 acres restored, enhanced, or protected; Gulf of Mexico coastal wetlands habitats include 3,769,370 acres.

#### Great Lakes Implementation Actions

*In 2009 Prevent water pollution and protect aquatic systems so that overall ecosystem health of the Great Lakes is improved.*

*In 2008 Prevent water pollution and protect aquatic systems so that overall ecosystem health of the Great Lakes is improved.*

*In 2007 Prevent water pollution and protect aquatic systems so that overall ecosystem health of the Great Lakes is improved.*

*In 2006 Prevent water pollution and protect aquatic systems so that overall ecosystem health of the Great Lakes is improved.*

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
<i>Improve the overall ecosystem health of the Great Lakes by preventing water pollution and protecting aquatic systems. (4: Ambient Conditions)</i>	21	21.1	21	22.7	22	<i>No Target Established</i>	<i>Scale</i>
Cubic yards of contaminated sediment remediated (cumulative) in the Great Lakes. (3: Pollution Reduction/Prevention)	4.5	4.1	4.5	4.5	5.5	5.5	Million Cubic Yards
Average annual percentage decline for the long-term trend in concentrations of PCBs in whole lake trout and walleye samples. (5: Exposure or Body Burden)	5	6	5	6	5	5	Percent Annual Decrease
Average annual percentage decline for the long-term trend in concentrations of PCBs in the air in the Great Lakes Basin. (4: Ambient Conditions)	7	8	7	8	7	7	Percent Annual Decrease

#### GOAL 4: HEALTHY COMMUNITIES AND ECOSYSTEMS

*(non-Program Assessment Rating Tool (PART) measures are italicized)*

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
<i>Number of Areas of Concern in the Great Lakes Basin which are restored and de-listed. (1C: Fed/State/Tribal Gov. Activities)</i>	2	1	1	1	3	<i>No Target Established</i>	<i>Cum. Areas of Concern</i>
Number of Beneficial Use Impairments removed within Areas of Concern. (3: Pollution Reduction/Prevention)			No Target Established	9	16	21	Cum. Number of BUI Removed

Background: Great Lakes rating of 20.9 reported in 2003, based on most current data available, generally from 2001) on a 40 point scale where the rating uses select Great Lakes State of the Lakes Ecosystem indicators based on a 1 to 5 rating system for each indicator, where 1 is poor and 5 is good. (ii) 2.1 million cubic yards of contaminated sediments were remediated from 1997 through 2001 of the 40 million requiring remediation. (iii) On average, total PCB concentrations in whole Great Lakes top predator fish have recently declined 5 percent annually - average concentrations at Lake sites from 2002 were: L Superior-9ug/g; L Michigan- 1.6ug/g; L Huron- .8ug/g L Erie- 1.8ug/g; and L Ontario- 1.2ug/g. 9iv) Average concentrations of toxic chemicals in the air (PCBs) from 2002 were; L Superior- 60 pg/m2; L Michigan- 87 pg/m2; L Huron-19 pg/m2; L Erie- 183 pg/m2; and L Ontario- 36 pg/m2. (v) In 2002, no Areas of Concern had been delisted.

#### Wetland and River Corridor Projects

*In 2009 Working with partners, achieve a net increase in wetlands acres with additional focus on assessment of wetland condition.*

*In 2008 Working with partners, achieve a net increase in wetlands acres with additional focus on assessment of wetland condition.*

*In 2007 Working with partners, achieve no net loss of wetlands.*

*In 2006 Working with partners, achieve no net loss of wetlands.*

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
<i>In partnership with the U.S. Army Corps of Engineers, states, and tribes, achieve no net loss of wetlands each year under the Clean Water Act Section 404 regulatory</i>	<i>No Net Loss</i>	<i>N/A</i>	<i>No Net Loss</i>	<i>Data Lag</i>	<i>No Net Loss</i>	<i>No Net Loss</i>	<i>Acres</i>

#### GOAL 4: HEALTHY COMMUNITIES AND ECOSYSTEMS

*(non-Program Assessment Rating Tool (PART) measures are italicized)*

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
<i>program (4: Ambient Conditions)</i>							
<i>Working with partners, achieve a net increase of acres of wetlands per year with additional focus on biological and functional measures and assessment of wetland conditions. (cumulative) (4: Ambient Conditions)</i>	200,000	N/A	100,000	<i>Data Lag</i>	100,000	100,000	<i>Acres/year</i>

Background: Annual net wetland loss of an estimated 58,500 acres as measured by the U.S. Fish and Wildlife Service and reported in Status and Trends of Wetlands in the Conterminous United States, 1986-1997. The United States achieved a net cumulative increase of 32,000 acres per year of wetlands over a 6-year period, from 1998 through 2004, as measured by the U.S. Fish and Wildlife Service and reported in Status and Trends of Wetlands in the Conterminous United States, 1998 to 2004. (Dahl, T.E. 2006. Status and Trends of Wetlands in the Conterminous United States, 1998 to 2004. U.S. Department of the Interior; Fish and Wildlife Service, Washington, D.C. 112 pp.)

#### **Chesapeake Bay Habitat**

- In 2009 Prevent water pollution and protect aquatic systems so that the overall aquatic system health of the Chesapeake Bay is improved.*
- In 2008 Prevent water pollution and protect aquatic systems so that the overall aquatic system health of the Chesapeake Bay is improved.*
- In 2007 Prevent water pollution and protect aquatic systems so that overall aquatic system health of the Chesapeake Bay is improved enough so that there are 100,000 acres of submerged aquatic vegetation. (cumulative)*
- In 2007 Reduce nitrogen loads by 80 million pounds per year; phosphorus loads by 9.0 million pounds per year, and sediment loads by 1.16 million tons per year from entering the Chesapeake Bay, from 1985 levels.*
- In 2006 Prevent water pollution and protect aquatic systems so that overall aquatic system health of the Chesapeake Bay is improved enough so that there are 100,000 acres of submerged aquatic vegetation. (cumulative)*
- In 2006 Reduce nitrogen loads by 80 million pounds per year; phosphorus loads by 9.0 million pounds per year, and sediment loads by 1.16 million tons per year from entering the Chesapeake Bay, from 1985 levels*

#### GOAL 4: HEALTHY COMMUNITIES AND ECOSYSTEMS

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
<i>Reduction, from 1985 levels, of nitrogen (M/lbs), phosphorus (M/lbs), and sediment loads (tons) entering Chesapeake Bay. (cumulative) (3: Pollution Reduction/Prevention)</i>	<i>74/8.7/1.1</i>	<i>72.3/8.7/1.</i>	<i>80/9.0/1.16</i>				<i>Percent</i>
Percent of point source nitrogen reduction goal of 49.9 million pounds achieved. (3: Pollution Reduction/Prevention)	65	68	70	69	74	79	Percent Goal Achieved
Percent of point source phosphorus reduction goal of 6.16 million pounds achieved. (3: Pollution Reduction/Prevention)	82	84	84	87	85	87	Percent Goal Achieved
Percent of forest buffer planting goal of 10,000 miles achieved. (3: Pollution Reduction/Prevention)	46	46	53	53	60	68	Percent Goal Achieved
<i>Acres of submerged aquatic vegetation (SAV) present in the Chesapeake Bay. (cumulative) (4: Ambient Conditions)</i>	<i>90,000</i>	<i>78,259</i>	<i>90,000</i>	<i>59,090</i>			<i>Acres</i>
Percent of goal achieved for implementation of nitrogen reduction practices (expressed as progress meeting the nitrogen reduction goal of 162.5 million pounds). (3: Pollution Reduction/Prevention)	44	44	47	46	50	53	Percent Goal Achieved
Percent of goal achieved for implementation of phosphorus reduction practices (expressed as progress meeting the phosphorus reduction goal of 14.36 million pounds). (3: Pollution Reduction/Prevention)	61	61	64	62	66	69	Percent Goal Achieved
Percent of goal achieved for implementation of sediment reduction practices (expressed as progress meeting the sediment reduction goal of 1.69 million pounds). (3: Pollution Reduction/Prevention)	57	57	61	62	64	67	Percent Goal Achieved

#### GOAL 4: HEALTHY COMMUNITIES AND ECOSYSTEMS

(non-Program Assessment Rating Tool (PART) measures are italicized)

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

Background: In 1984, there were 38,230 acres of submerged aquatic vegetation in the Chesapeake Bay. In 2002, baseline for nitrogen load reductions was 53 million pounds per year; phosphorus load reductions was 8.0 million pounds per year; and sediment load reductions was 0.8 million tons per year. \*Fiscal year data in this table reflects prior calendar year performance data.

In 2006, there were 32.68 million lbs of point source nitrogen reduced, 65% towards the goal. There were 5.07 million lbs of point source phosphorus reduced, 82% towards the goal. Four thousand six hundred six miles of forest buffer were planted, 46% towards the goal.

#### Long Island Sound

*In 2009 Prevent water pollution, improve water quality, protect aquatic systems, and restore the habitat of Long Island Sound by working through the Long Island Sound Management Study Conference Partnership.*

*In 2008 Prevent water pollution, improve water quality, protect aquatic systems, and restore the habitat of Long Island Sound by working through the Long Island Sound Management Study Conference Partnership.*

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
<i>Reduce point source nitrogen discharges to Long Island Sound as measured by the Long Island Sound Nitrogen Total Maximum Daily Load (TMDL). (3: Pollution Reduction/Prevention)</i>					37,323	34,898	<i>Pounds per Day</i>
<i>Restore or protect acres of coastal habitat, including tidal wetlands, dunes, riparian buffers, and freshwater wetlands. (3: Pollution Reduction/Prevention)</i>					862	912	<i>Acres</i>
<i>Reopen miles of river and stream corridor to anadromous fish passage through removal of dams and barriers or installation of by-pass structures such as fishways. (1C: Fed/State/Tribal Gov. Activities)</i>					105.9	114	<i>Miles</i>

Background: In 2000, TMDL baseline is 213,151 pounds/day. In 2005, 562 acres restored (cumulative) and 150 acres protected (cumulative). Eighty-one miles of river and stream corridor re-opened.

#### GOAL 4: HEALTHY COMMUNITIES AND ECOSYSTEMS

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

#### South Florida Ecosystem

*In 2009 Protect and maintain the South Florida Ecosystem, including the Everglades and coral reef ecosystems.*

*In 2008 Protect and maintain the South Florida Ecosystem, including the Everglades and coral reef ecosystems.*

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
<i>Achieve "no net loss" of stony coral cover in FL Keys Nat'l Marine Sanctuary (FKNMS) and in the coastal waters of Dade, Broward, and Palm Beach Counties, FL working with all stakeholders. (1C: Fed/State/Tribal Gov. Activities)</i>					6.7/5.9	No Net Loss	Mean Percent of Area
<i>Annually maintain the overall health and functionality of sea grass beds in the Florida Keys Nat'l Marine Sanctuary (FKNMS) as measured by the long-term sea grass monitoring project. (3: Pollution Reduction/Prevention)</i>						Maintain	Sea Grass Health
<i>Maintain the overall water quality of the near shore and coastal waters of the Florida Keys Nat'l Marine Sanctuary (FKNMS). (4: Ambient Conditions)</i>					Maintain	Maintain	Water Quality
<i>Improve the water quality of the Everglades ecosystem as measured by total phosphorus, including meeting the 10 ppb total phosphorus criterion throughout the Everglades Protection Area marsh. (3: Pollution Reduction/Prevention)</i>					Maintain	Maintain	Parts per Billion

Background: In 2005, the mean percent of stony coral cover is was 6.8% in FKNMS and 5.9% in Southeast Florida. Total water quality was at chl < 0.2 ug/l, light attenuation < 0.13/meter, DIN < 0.75 micromolar, and TP < 0.2 micromolar. Florida Keys seagrasses were at 8.28 for N:P of Thalassia and 0.48 for relative abundance of Thalassia. The average annual geometric mean phosphorus concentrations were 5 ppb in the Everglades National Park, 10 ppb in Water Conservation 3A, 13 ppb in the Loxahatchee National Wildlife Refuge, and 18 ppb in Water Conservation Area 2A; annual average flow-weighted from total phosphorus discharges from storm water treatment areas ranged from 13 ppb for area 3/4 and 98 ppb for area 1W. Effluent limits will be established for all discharges, including storm water treatment areas.

#### GOAL 4: HEALTHY COMMUNITIES AND ECOSYSTEMS

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

##### **Puget Sound Basin**

*In 2009 Improve water and air quality, and minimize the adverse impacts of rapid development in the Puget Sound Basin.*

*In 2008 Improve water and air quality, and minimize the adverse impacts of rapid development in the Puget Sound Basin.*

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
<i>Improve water quality and enable the lifting of harvest restrictions in acres of shellfish bed growing areas impacted by degrading or declining water quality. (3: Pollution Reduction/Prevention)</i>						600	Acres
<i>Remediate acres of prioritized contaminated sediments. (3: Pollution Reduction/Prevention)</i>						125	Acres
<i>Restore the acres of tidally and seasonally influenced estuarine wetlands. (3: Pollution Reduction/Prevention)</i>						3,000	Acres

Background: In 2006, 100 acres of shellfish-bed growing areas improved water quality and lifted harvest restrictions. Additionally, 750 acres of tidally- and seasonally-influenced estuarine wetlands were restored. In 2007, 120 acres of prioritized contaminated sediments were remediated.

##### **Columbia River Basin**

*In 2009 Prevent water pollution and improve and protect water quality and ecosystems in the Columbia River Basin to reduce risks to human health and the environment.*

*In 2008 Prevent water pollution and improve and protect water quality and ecosystems in the Columbia River Basin to reduce risks to human health and the environment.*

#### GOAL 4: HEALTHY COMMUNITIES AND ECOSYSTEMS

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
<i>Protect, enhance, or restore acres of wetland habitat and acres of upland habitat in the Lower Columbia River watershed (cumulative starting FY 06). (3: Pollution Reduction/Prevention)</i>					3000	10,000	Acres
<i>Clean up acres of known contaminated sediments (cumulative starting FY 06). (1C: Fed/State/Tribal Gov. Activities)</i>						5	Acres

Background: In 2005, 96,770 acres of wetland and upland habitat available for protection, enhancement, or restoration. In 2008, 3,000 additional acres are expected to be protected, enhanced, or restored. In FY 2009, 2,000 additional acres are expected to be protected, enhanced, or restored, towards a cumulative 10,000 acres.

#### **OBJECTIVE: ENHANCE SCIENCE AND RESEARCH**

Through 2011, identify and synthesize the best available scientific information, models, methods, and analyses to support Agency guidance and policy decisions related to the health of people, communities, and ecosystems. Focus research on pesticides and chemical toxicology; global change; and comprehensive, cross-cutting studies of human, community, and ecosystem health.

#### **Research**

##### **Research on Endocrine Disrupting Chemicals**

*In 2009 Increased use of endocrine disruptors research program products.*

*In 2008 Increased use of endocrine disruptors research program products*

*In 2007 By 2007, develop improved protocols for screening and testing for the Agency's Endocrine Disruptors Screening Program and reduce scientific uncertainty on effects, exposure, and risk management issues*

#### **GOAL 4: HEALTHY COMMUNITIES AND ECOSYSTEMS**



## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

*In 2006*      *By 2006, develop and transfer standardized protocols for screening chemicals for their potential effects on the endocrine system, so that EPA's Office of Prevention, Pesticides, and Toxic Substances has the necessary protocols to validate for use in the Agency's Endocrine Disruptors Screening Program, mandated by the Food Quality Protection Act, as determined by independent expert review.*

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
Improved protocols for screening and testing (Research)	1	1	6	3	1	0	Reports
Effects and exposure milestones met (Research)	9	9	4	5	3	9	Reports
Assessment milestones met (Research)	1	0	0	0	0	0	Reports
Risk management milestones met (Research)	3	3	3	2	2	1	Reports

**Background:** The program aims to make measurable progress in 1) determining the extent of the impact of endocrine disruptors on humans, wildlife, and the environment to better inform the federal and scientific communities; and 2) reducing the uncertainty regarding the effects, exposure, assessment, and management of endocrine disruptors so that EPA has a sound scientific foundation for environmental decision-making. EPA's Board of Scientific Counselors (BOSC) rates the program on its progress periodically, and the program responds to BOSC suggestions to ensure continued improvement. Additionally, the program aims to complete on time each year its 1) improved protocols for screening and testing; 2) effects and exposure milestones; 3) assessment milestones; and 4) risk management milestones.

#### Homeland Security Research

*In 2009*      *Enhance public health and safety and mitigate adverse effects of the purposeful introduction of hazardous chemical, biological, or radiological materials into the environment.*

*In 2008*      *Enhance public health and safety and mitigate adverse effects of the purposeful introduction of hazardous chemical, biological, or radiological materials into the environment.*

*In 2007*      *Enhance public health and safety and mitigate adverse effects of the purposeful introduction of hazardous chemical, biological, or radiological materials into the environment.*

*In 2006*      *Provide methods, guidance documents, technologies and tools to first responders and decision-makers to enhance safety and to mitigate adverse effects of the purposeful introduction of hazardous chemical or biological materials into the environment.*

#### GOAL 4: HEALTHY COMMUNITIES AND ECOSYSTEMS

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
<i>Percentage of planned outputs delivered in support of efficient and effective clean-ups and safe disposal of contamination wastes. (Research)</i>	100	100	100	100	100	100	Percent
<i>Percentage of planned outputs delivered in support of water security initiatives. (Research)</i>	100	100	100	100	100	100	Percent
<i>% of planned outputs delivered in support of support risk assessors and decision-makers in the rapid assessment of risk and the determination of cleanup goals and procedures following contamination (Research)</i>	100	100	100	100	100	100	Percent
<i>Percentage of planned outputs delivered in support of establishment of the environmental National Laboratory Response Network (Research)</i>	100	100	100	100	100	100	Percent

**Background:** EPA's homeland security research provides appropriate, effective, and rapid risk assessment guidelines and technologies to help decision-makers prepare for, detect, contain, and decontaminate building and water treatment systems against which chemical and/or biological attacks have been directed. The Agency intends to expand the state of the knowledge of potential threats, as well as its response capabilities, by assembling and evaluating private sector tools and capabilities so that preferred response approaches can be identified, promoted, and evaluated for future use by first responders, decision-makers, and the public. These products will enable first responders to better deal with threats to the public and the environment posed by the intentional release of toxic or infectious materials.

#### **Human Health Research**

*In 2009 Increased use of human health research products.*

*In 2009 Reduce average time to process research grant proposals while maintaining a credible and efficient merit review system.*

*In 2008 HH (Human Health)*

*In 2007 Increased use of human health research products*

*In 2006 HH (Human Health)*

#### **GOAL 4: HEALTHY COMMUNITIES AND ECOSYSTEMS**

*(non-Program Assessment Rating Tool (PART) measures are italicized)*

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
Percentage of planned outputs delivered in support of public health outcomes long-term goal. (Research)	100	100	100	100	100	100	Percent
Percentage of planned outputs delivered in support of mechanistic data long-term goal. (Research)	100	92	100	100	100	100	Percent
Percentage of planned outputs delivered in support of aggregate and cumulative risk long-term goal. (Research)	100	100	100	100	100	100	Percent
Percentage of planned outputs delivered in support of the susceptible subpopulations long-term goal. (Research)	100	100	100	100	100	100	Percent

**Background:** The program aims to make measurable progress in reducing uncertainty in the science underlying human health risk assessment. The program also conducts research into methods of measuring public health outcomes resulting from risk management practices. EPA's Board of Scientific Counselors (BOSC) rates the program on its progress periodically, and the program responds to BOSC suggestions to ensure continued improvement. Additionally, the program aims to increase 1) the number of planned outputs completed on time (a measure of timeliness); 2) the number of its papers deemed "highly cited" (a measure of the quality and use of ORD's research); and 3) the percentage of peer-reviewed EPA risk assessments in which ORD research is cited in support of a decision.

#### Global Change Research

*In 2009 Increased use of global change research products.*

*In 2008 Increased use of global change research products*

*In 2006 Increased use of global change research products*

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
Percent progress toward completion of a framework linking global change to air quality. (Research)	60	65	75	75	85	95	Percent
Percentage of planned outputs delivered. (Research)			No Target Established	100	100	100	Percent

#### GOAL 4: HEALTHY COMMUNITIES AND ECOSYSTEMS

*(non-Program Assessment Rating Tool (PART) measures are italicized)*

# Environmental Protection Agency

## FY 2009 Annual Performance Plan and Congressional Justification

### 4-Year Performance Data Annual Performance Goals and Measures

**Background:** The program aims to make measurable progress in enhancing the understanding of potential impacts of climate variability and change on the environment. Accordingly, the program provides stakeholders and policy makers with information to help support decision-making. EPA's Board of Scientific Counselors (BOSC) rates the program on its progress periodically, and the program responds to BOSC suggestions to ensure continued improvement. Additionally, the program aims to increase 1) the number of planned outputs completed on time (a measure of timeliness); 2) the number of its papers deemed "highly cited" and of "high impact" in bibliometric analyses (a measure of the quality and use of ORD's research). The program is also measuring its progress toward completing a framework linking global change to air quality.

#### Human Health Risk Assessment

*In 2009 Increased use of human health risk assessment program products.*

*In 2008 Increased use of human health risk assessment program products*

*In 2007 Increased use of human health risk assessment program products*

*In 2006 By 2006, deliver at least 20 dose-response assessments, provisional values, or pathogen risk assessments so that by 2010, at least 100 assessments have been made available through the Integrated Risk Information System (IRIS) database and other communications to EPA program offices, regions, states and Tribes providing the necessary information to predict risk and make risk management decisions that protect public health.*

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
Percentage of planned outputs delivered in support of Air Quality Criteria/Science Assessment documents. (Research)	No Target Established	100	90	100	90	90	Percent
Percentage of planned outputs delivered in support of HHRA health assessments. (Research)	100	100	90	100	90	90	Percent
Percentage of planned outputs delivered in support of HHRA Technical Support Documents. (Research)	No Target Established	81	90	100	90	90	Percent
Usefulness of HHRA's Air Quality Criteria Documents (AQCDs), represented by the number of days between the completion of AQCD peer review and publication of the EPA staff document that relies on AQCD (Research)	No Target Established	158	106	68	90	90	Days

#### GOAL 4: HEALTHY COMMUNITIES AND ECOSYSTEMS

*(non-Program Assessment Rating Tool (PART) measures are italicized)*

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**Background:** The program aims to make measurable progress in providing timely, peer-reviewed health assessments of priority environmental contaminants to support science-based decision-making in EPA's regulatory and cleanup programs. EPA's Board of Scientific Counselors (BOSC) rates the program on its progress periodically, and the program responds to BOSC suggestions to ensure continued improvement. Additionally, the program aims to increase 1) the number of planned outputs completed on time (a measure of timeliness); 2) the percentage of regulatory decisions in which decision-makers used HHRA peer-reviewed health assessments; and 3) the usefulness of HHRA's Integrated Science Assessment (ISA) documents as represented by the number of days between the completion of ISA peer review and publication of the EPA staff document that relies on the ISAs.

#### Safe Pesticides/Safe Products Research

*In 2009 Increased use of Pesticides and Toxics research products.*

*In 2008 Increased use of Pesticides and Toxics research products.*

*In 2007 Increased use of safe pesticides/safe products*

*In 2006 Increased use of pesticides and toxics research products*

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
Percentage of planned outputs delivered in support of the SP2 program's long-term goal one. (Research)	100	80	100	86	100	100	Percent
Percentage of planned outputs delivered in support of the SP2 program's long-term goal two. (Research)	100	100	100	100	100	100	Percent
Percentage of planned outputs delivered in support of the SP2 program's long-term goal three. (Research)	100	100	100	80	100	100	Percent

**Background:** The program aims to make measurable progress in prioritizing testing requirements and enhancing interpretation of data; conducting spatially explicit probabilistic ecological risk assessments; and supporting decisionmaking related to products of biotechnology and specific high priority individual/classes of pesticides and toxic substances. EPA's Board of Scientific Counselors (BOSC) rates the program on its progress periodically, and the program responds to BOSC suggestions to ensure continued improvement. Additionally, the program aims to increase 1) the percentage of planned outputs completed on time; and 2) the percentage of program papers rated as "highly cited" and of "high impact" in its bibliometric analysis (a measure of quality and the use of ORDs research).

#### GOAL 4: HEALTHY COMMUNITIES AND ECOSYSTEMS

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

##### Ecosystems Research

*In 2009 Increased use of ecosystems research products.*

*In 2008 Increased use of ecosystems research products*

*In 2006 Increased use of ecosystems research products*

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
Number of states using a common monitoring design and appropriate indicators to determine the status and trends of ecological resources and the effectiveness of programs and policies. (Research)	25	25	30	30	35	40	States
Percentage of Ecological Research publications rated as highly-cited publications. (Research)	No Target Established	No Target Established	20.4	21.1	No Target Established	21.4	Percent
Percentage of Ecological research publications in "high-impact" journals. (Research)	No Target Established	No Target Established	20.3	20.8	No Target Established	21.3	Percent
Percentage of planned outputs delivered in support of State, tribe, and relevant EPA office needs for causal diagnosis tools and methods to determine causes of ecological degradation. (Research)	100	86	100	100	100	100	Percent
Percentage of planned outputs delivered in support of State, tribe, and relevant EPA office needs for environmental forecasting tools and methods to forecast the ecological impacts of various actions. (Research)	100	100	100	100	100	100	Percent
Percentage of planned outputs delivered in support of State, tribe, and EPA office needs for environmental restoration and services tools and methods to protect and restore ecological condition and services. (Research)	100	100	100	100	100	100	Percent

#### GOAL 4: HEALTHY COMMUNITIES AND ECOSYSTEMS

*(non-Program Assessment Rating Tool (PART) measures are italicized)*

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

Background: The program aims to make measurable progress in providing the scientific understanding to measure, model, maintain, and/or restore, at multiple scales, the integrity and sustainability of highly valued ecosystems now and in the future. EPA's Board of Scientific Counselors (BOSC) rates the program on its progress periodically, and the program responds to BOSC suggestions to ensure continued improvement. Additionally, the program aims to increase 1) the number of planned outputs completed on time (a measure of timeliness); 2) the number of its papers deemed "highly cited" and of "high impact" in bibliometric analyses (a measure of the quality and use of ORD's research); and 3) the number of states using a common monitoring design and appropriate indicators to determine the status and trends of ecological resources and the effectiveness of programs and policies.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

#### GOAL 5: COMPLIANCE AND ENVIRONMENTAL STEWARDSHIP

Protect human health and the environment through ensuring compliance with environmental requirements by enforcing environmental statutes, preventing pollution, and promoting environmental stewardship. Encourage innovation and provide incentives for governments, businesses, and the public that promote environmental stewardship and long-term sustainable outcomes.

#### **OBJECTIVE: ACHIEVE ENVIRONMENTAL PROTECTION THROUGH IMPROVED COMPLIANCE**

By 2011, maximize compliance to protect human health and the environment through enforcement and other compliance assurance activities by achieving a 5 percent increase in the pounds of pollution reduced, treated, or eliminated by regulated entities, including those in Indian country. (Baseline: 3-year rolling average FYs 2003-2005: 900,000,000 pounds.)

#### **Monitoring and Enforcement**

- In 2009 Through monitoring and enforcement actions, EPA will increase complying actions, pollutant reduction or treatment, and improve environmental management practices.*
- In 2008 Through monitoring and enforcement actions, EPA will increase complying actions, pollutant reduction or treatment, and improve environmental management practices.*
- In 2007 Through monitoring and enforcement actions, EPA will increase complying actions, pollutant reduction or treatment, and improve environmental management practices.*
- In 2006 Through monitoring and enforcement actions, EPA will increase complying actions, pollutant reduction or treatment, and improve environmental management practices.*

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
Pounds of pollution estimated to be reduced, treated, or eliminated as a result of concluded enforcement actions. (civil enf) (3: Pollution Reduction/Prevention)	450	890	500	890	890	890	Million pounds

#### GOAL 5: COMPLIANCE AND ENVIRONMENTAL STEWARDSHIP



## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
Percentage of concluded enforcement cases requiring that pollution be reduced, treated, or eliminated. (2: Regulated Party Activities)	30	Data Avail FY 2008	30	27	30	30	Percentage
Percentage of concluded enforcement cases requiring implementation of improved environmental management practices. (2: Regulated Party Activities)	65	82	70	70	70	70	Percentage
<i>Percentage of regulated entities taking complying actions as a result of on-site compliance inspections and evaluations. (2: Regulated Party Activities)</i>	25	16	30	18	30	25	<i>Percentage</i>
<i>Dollars invested in improved environmental performance or improved environmental management practices as a result of concluded enforcement actions (i.e., injunctive relief and SEPs) (2: Regulated Party Activities)</i>	4.1	5.0	4.2	10.6	4.3	4.4	<i>Billion dollars</i>

**Background:** The FY 2005-2007 rolling average baseline for pounds of pollution estimated to be reduced, treated, or eliminated is 960,000,000 pounds of pollutants. The FY 2007 baseline for the percentage of concluded enforcement cases requiring that pollutants estimated to be reduced, treated, or eliminated is the FY2007 result which is 27 percent. The reason for using the FY2005 result as the FY2006 baseline is due to the data lag in the FY2006 result. The FY 2007 baseline for the percentage of concluded enforcement cases requiring implementation of improved environmental management practices is 70 percent. The FY 2006 baseline for the percentage of regulated entities taking complying actions as a result of on-site compliance inspections and evaluations is 18 percent. The FY 2005-2007 rolling average baseline for dollars invested in improved environmental performance or improved environmental management practices is \$8,500,000,000.

#### **Compliance Incentives**

*In 2009 Identify and correct noncompliance and reduce environmental risks through an increase in the percent of facilities that use EPA incentive policies to conduct environmental audits or other actions that reduce, treat, or eliminate pollution or improve environmental management practices.*

*In 2008 Identify and correct noncompliance and reduce environmental risks through an increase in the percent of facilities that use EPA incentive policies to conduct environmental audits or other actions that reduce, treat, or eliminate pollution or improve environmental management practices.*

#### GOAL 5: COMPLIANCE AND ENVIRONMENTAL STEWARDSHIP

*(non-Program Assessment Rating Tool (PART) measures are italicized)*

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

*In 2007 Identify and correct noncompliance and reduce environmental risks through an increase in the percent of facilities that use EPA incentive policies to conduct environmental audits or other actions that reduce, treat, or eliminate pollution or improve environmental management practices.*

*In 2006 Through self-disclosure policies, EPA will increase the percentage of audits or other actions reducing pollutants or improving EMP.*

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
Pounds of pollutants estimated to be reduced, treated, or eliminated, as a result of audit agreements. (3: Pollution Reduction/Prevention)	0.4	0.05	0.4	1.20	0.4	0.4	Million pounds

Background: The FY2007 baseline for pounds of pollutants estimated to be reduced, treated, or eliminated as a result of audit agreements is 1.2 million pounds of pollutants.

#### Compliance Assistance

*In 2009 Prevent noncompliance or reduce environmental risks through EPA compliance assistance by achieving: an increase in the percent of regulated entities that improve their understanding of environmental requirements; an increase in the number of regulated entities that improve environmental management practices; and an increase in the percentage of regulated entities that reduce, treat, or eliminate pollution.*

*In 2008 Prevent noncompliance or reduce environmental risks through EPA compliance assistance by achieving: an increase in the percent of regulated entities that improve their understanding of environmental requirements; an increase in the number of regulated entities that improve environmental management practices; and an increase in the percentage of regulated entities that reduce, treat, or eliminate pollution.*

*In 2007 Prevent noncompliance or reduce environmental risks through EPA compliance assistance by achieving: an increase in the percent of regulated entities that improve their understanding of environmental requirements; an increase in the number of regulated entities that improve environmental management practices; and an increase in the percentage of regulated entities that reduce, treat, or eliminate pollution.*

*In 2006 Through compliance assistance, EPA will increase the understanding of regulated entities, improve Environmental Management Practices, and reduce pollutants.*

#### GOAL 5: COMPLIANCE AND ENVIRONMENTAL STEWARDSHIP

*(non-Program Assessment Rating Tool (PART) measures are italicized)*

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
<i>Percentage of regulated entities receiving direct compliance assistance from EPA reporting that they improved environmental management practices as a result of EPA assistance. (2: Regulated Party Activities)</i>	50	74	50	91	50	60	Percentage
<i>Percentage of regulated entities receiving direct assistance from EPA reporting that they reduced, treated, or eliminated pollution, as a result of EPA assistance. (2: Regulated Party Activities)</i>	15	28	15	50	15	20	Percentage

Background: The FY2007 baseline for the percentage of regulated entities receiving direct compliance assistance from EPA reporting that they improved EMP as a result of EPA assistance is 91%. The FY2007 baseline for the percentage of regulated entities receiving direct compliance assistance from EPA reporting that they reduced, treated, or eliminated pollution as a result of EPA compliance assistance is 50%. These measures are not calculated from a representative sample of the regulated entity universe. The percentages are based, in part, on the number of regulated entities that answered affirmatively to these questions on voluntary surveys. The percentages do not account for the number of regulated entities who chose not to answer these questions or the majority of entities who chose not to answer the surveys.

#### **OBJECTIVE: IMPROVE ENVIRONMENTAL PERFORMANCE THROUGH POLLUTION PREVENTION AND OTHER STEWARDSHIP PRACTICES**

By 2011, enhance public health and environmental protection and increase conservation of natural resources by promoting pollution prevention and the adoption of other stewardship practices by companies, communities, governmental organizations, and individuals.

##### **Reducing PBTs in Hazardous Waste Streams**

*In 2009 Reduce pollution in business operations.*

*In 2008 Reduce pollution in business operations.*

*In 2007 Reduce pollution in business operations.*

#### GOAL 5: COMPLIANCE AND ENVIRONMENTAL STEWARDSHIP

*(non-Program Assessment Rating Tool (PART) measures are italicized)*

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
Number of pounds (in millions) of priority chemicals reduced, as measured by National Partnership for Environmental Priorities members. (3: Pollution Reduction/Prevention)			0.5 M	1.3 M	1.0 M	1.0 M	Pounds

**Background:** The performance measure reflects the fact that the National Partnership for Environmental Priorities (NPEP) has quadrupled its members and now has over 100 partners, who have removed more than one million pounds of priority chemicals from the environment. As of August 2006, the NPEP program had also obtained industry commitments for 2.1 million pounds of priority chemical reductions through the year 2011. Reductions will be achieved primarily through source reduction made possible by safer chemical substitutes.

#### **Innovation Activities**

*In 2008* 75% of innovation projects completed under the State Innovation Grant (SIG) Program and through other piloting mechanisms will achieve, on average, an 8% or greater improvement in environmental results from a project initiation baseline measure for the sectors and facilities involved (e.g., reductions in air or water discharges, improvements in ambient water or air quality, or improvements in compliance rates), or a 5% or greater improvement in cost-effectiveness and efficiency.

*In 2008* Performance Track facilities collectively will meet 3 of the 5 annual performance improvement targets for reducing, on a normalized basis, water use, hazardous materials use, production of greenhouse gases, toxic discharges to water and combined NOx, SOx, VOC and PM emissions.

*In 2007* Performance Track facilities collectively will meet 4 of the 6 annual performance improvement targets for 3.7 billion gallons of water use, 16.3 million MMBTUs of energy use, 1,050 tons materials use, 460,000 tons of non-hazardous solid waste, 66,000 tons of air releases, and 12,400 tons of discharges to water.

*In 2006* Performance Track members collectively will achieve an annual reduction of: 600 million gallons in water use; 2.5 million MMBTUs in energy use; 15,000 tons of solid waste; 20,000 tons materials reduced; 6,000 tons of air releases; and 10,000 tons in water discharges, compared with 2001 results.

#### GOAL 5: COMPLIANCE AND ENVIRONMENTAL STEWARDSHIP

(non-Program Assessment Rating Tool (PART) measures are italicized)

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
<i>Specific annual reductions in six media/resource areas: water use, energy use, solid waste, air releases, water discharges, &amp; materials use. (3: Pollution Reduction/Prevention)</i>	6	3					<i>Media reduction</i>
<i>Reduce 3.7 billion gallons of water use; 16.3 million MMBTUs of energy use; 1,050 tons of materials use; 460,000 tons of solid waste; 66,000 tons of air releases; &amp; 12,400 tons of water discharges. (3: Pollution Reduction/Prevention)</i>			4	3			<i>Media reduction</i>
<i>Reduce water use at Performance Track facilities. (3: Pollution Reduction/Prevention)</i>					3,900,000,000	3,900,000,000	<i>Gallons</i>
<i>Reduce hazardous materials use at Performance Track facilities. (3: Pollution Reduction/Prevention)</i>					10,000	10,000	<i>Tons</i>
<i>Reduce production of greenhouse gases at Performance Track facilities. (3: Pollution Reduction/Prevention)</i>					175,000	175,000	<i>MTCO2E</i>
<i>Reduce toxic releases to water at Performance Track facilities. (3: Pollution Reduction/Prevention)</i>					220	220	<i>Tons</i>
<i>Reduce combined NOx, SOx, VOC and PM emissions at Performance Track facilities. (3: Pollution Reduction/Prevention)</i>					4,000	4,000	<i>Tons</i>
<i>75% of innov. proj. completed under the SIG prog. will achieve, on average, 8% or greater imp. in envtl results for sectors and facilities involved, or 5% or greater imp. in cost-effectiveness &amp; effc (3: Pollution Reduction/Prevention)</i>					75	75	<i>Percentage</i>

GOAL 5: COMPLIANCE AND ENVIRONMENTAL STEWARDSHIP

(non-Program Assessment Rating Tool (PART) measures are italicized)

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**Background:** For Performance Track, the baseline year is 2001 for FY 2005, 2006, and 2007. Performance will be measured against the 2001 baseline annual reduction of 475 M gallons of water conserved, 0.24 million MMBTUs of energy conserved, 150,000 tons of solid waste reduced, 1,113 tons of air emissions reduced, 6,870 tons of water discharged, and -2,154 tons of materials reduced. For FY 2008, the baseline year is 2005. The 2005 baseline annual normalized reductions are: 3,387,333,545 gallons of water reduced, 8,794 tons of hazardous materials reduced, 151,129 MTCO<sub>2</sub>E of greenhouse gas emissions reduced, 186 tons of toxic discharges to water reduced, and 3,533 tons of NO<sub>x</sub>, SO<sub>x</sub>, VOCs and PM emissions reduced.

EPA's State Innovation Grant program promotes the testing of innovative approaches in State environmental permitting programs. Individual projects are designed to test innovation that improves compliance rates, often within an entire business sector or across an entire permitting program, or improves the efficiency of permitting programs for either the regulated sector or the state environmental agency. Because each grant-supported project is unique, results can only be reported on a project-by project basis. EPA does not report program-wide results (e.g., total tons of air or water pollutants removed or prevented in a year) because not every project selected in a competition year focuses on a single environmental medium or pollutant. Rather, the EPA-funded projects help states test approaches that improve results, often in ways that address multi-media concerns. Similarly, these projects are demonstrations, or pilot tests of new approaches and the projects take 2-4 years to complete. Therefore, results for individual projects are reported at the end of each project. Results are usually described in terms such as an improvement in overall compliance rates at the end of a project above a baseline condition measured at the beginning of the project.

#### Reduction of Industrial / Commercial Chemicals

- In 2009 Prevent, reduce the need to recycle, treat, or dispose of hazardous industrial/commercial chemicals and enhance environmental stewardship and sustainability.*
- In 2008 Prevent, reduce and recycle hazardous industrial/commercial chemicals and improve environmental stewardship practices.*
- In 2007 Prevent, reduce and recycle hazardous industrial/commercial chemicals and municipal solid wastes.*
- In 2006 Prevent, reduce and recycle hazardous industrial/commercial chemicals and improve environmental stewardship practices.*

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
<i>BTUs of energy reduced, conserved or offset by P2 program participants. (3: Pollution Reduction/Prevention)</i>	<i>906.7B</i>	<i>4,442 B</i>	<i>1,106.8B</i>	<i>Data Avail 2008</i>	<i>1,217.4 B</i>	<i>1,580.9B</i>	<i>BTUs</i>
<i>Gallons of water reduced by P2 program participants. (3: Pollution Reduction/Prevention)</i>	<i>329M</i>	<i>2,272 M</i>	<i>1,790M</i>	<i>Data Avail 2008</i>	<i>1,640 M</i>	<i>1,791M</i>	<i>Gallons</i>

#### GOAL 5: COMPLIANCE AND ENVIRONMENTAL STEWARDSHIP

*(non-Program Assessment Rating Tool (PART) measures are italicized)*

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
Business, institutional and government costs reduced by P2 program participants. (3: Pollution Reduction/Prevention)	38.2 M	86.8 M	44.3 M	Data Avail 2008	45.9 M	67.8 M	Dollars saved
Pounds of hazardous materials reduced by P2 program participants. (3: Pollution Reduction/Prevention)	401 M	394 M	414	419 M	429 M	494 M	Pounds

Background: The baseline for the Pollution Prevention Program BTUs is 0 in FY 2002. Data currently available indicate that the P2 program has reduced, conserved, or offset 8 Billion BTUs since 2002. The baseline for the Pollution Prevention Program gallons of water was 220 millions gallons in FY 2000. Data currently available indicate that the P2 program has reduced 9.4 billion gallons of water since 2000. The baseline for the Pollution Prevention Program cost savings is 0 dollar in FY 2002. Data currently available indicate that the P2 program has saved \$178 million in business, government, and institutional costs since 2002. The baseline for the Pollution Prevention Program hazardous material reduced is 0.044 billion pounds in FY 2000. Data currently available indicate 2 billion pounds of hazardous materials have been reduced since FY 2000.

#### **OBJECTIVE: IMPROVE HUMAN HEALTH AND THE ENVIRONMENT IN INDIAN COUNTRY**

Protect human health and the environment on tribal lands by assisting federally-recognized tribes to build environmental management capacity, assess environmental conditions and measure results, and implement environmental programs in Indian country.

##### **Tribal Environmental Baseline/Environmental Priori**

- In 2009*      *Protect human health and the environment on tribal lands by assisting federally recognized tribes to: build environmental capacity; assess environmental conditions and measure results; and implement environmental programs in Indian country.*
- In 2008*      *Protect human health and the environment on tribal lands by assisting federally recognized tribes to: build environmental capacity; assess environmental conditions and measure results; and implement environmental programs in Indian country.*
- In 2007*      *Assist federally recognized tribes in assessing the condition of their environment, help in building their capacity to implement environmental programs where needed to improve tribal health and environments, and implement programs in Indian country where needed to address environmental issues.*
- In 2006*      *Assist federally recognized tribes in assessing the condition of their environment, help in building their capacity to implement environmental programs where needed to improve tribal health and environments, and implement programs in Indian country where needed to address environmental issues.*

#### **GOAL 5: COMPLIANCE AND ENVIRONMENTAL STEWARDSHIP**

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	Unit
	Target	Actual	Target	Actual	Target	Target	
Percent of Tribes implementing federal regulatory environmental programs in Indian country (cumulative). (1C: Fed/State/Tribal Gov. Activities)					6	7	Percent Tribes
Percent of Tribes conducting EPA approved environmental monitoring and assessment activities in Indian country (cumulative.) (1C: Fed/State/Tribal Gov. Activities)					21	23	Percent Tribes
Percent of Tribes with an environmental program (cumulative). (1C: Fed/State/Tribal Gov. Activities)					57	60	Percent Tribes
Percent of tribes with EPA-approved multimedia workplans. (2: Regulated Party Activities)	39	42	42	59			Percent Tribes
Percent of tribes with delegated and non-delegated programs (cumulative). (2: Regulated Party Activities)	48	57	49	73			Percent Tribes
Percent of Tribes with EPA-reviewed monitoring and assessment occurring. (2: Regulated Party Activities)	30	30.8	31	43			Percent Tribes

Background: There are 572 tribal entities that are eligible for GAP program funding. These entities are the ones for which environmental assessments of their lands will be conducted.

#### **OBJECTIVE: ENHANCE SOCIETIES CAPACITY FOR SUSTAINABILITY THROUGH SCIENCE AND RESEARCH**

Conduct leading-edge, sound scientific research on pollution prevention, new technology development, socioeconomic, sustainable systems, and decision-making tools. By 2011, the products of this research will be independently recognized as providing critical and key evidence in informing Agency polices and decisions and solving problems for the Agency and its partners and stakeholders.

#### GOAL 5: COMPLIANCE AND ENVIRONMENTAL STEWARDSHIP

*(non-Program Assessment Rating Tool (PART) measures are italicized)*



# Environmental Protection Agency

## FY 2009 Annual Performance Plan and Congressional Justification

### 4-Year Performance Data Annual Performance Goals and Measures

#### ANNUAL PERFORMANCE GOALS AND MEASURES

##### Enabling Support Programs

#### NPM: OFFICE OF ADMINISTRATION AND RESOURCES MANAGEMENT

##### Energy Consumption Reduction

- In 2009 As required by Executive Order 13423: Strengthening Federal Environment, Energy, and Transportation Management, EPA will achieve a 12% reduction in energy consumption from the Agency's 2003 baseline.*
- In 2008 As required by Executive Order 13423: Strengthening Federal Environment, Energy, and Transportation Management, EPA will achieve a 9% reduction in energy consumption from the Agency's 2003 baseline.*
- In 2007 As required by Executive Order 13423: Strengthening Federal Environment, Energy, and Transportation Management, EPA will achieve a 6% reduction in energy consumption from the Agency's 2003 baseline.*
- In 2006 As required by the Energy Policy Act of 2005, EPA will achieve a 2% reduction in energy consumption from the Agency's 2003 baseline.*

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	
	Target	Actual	Target	Actual			
<i>Cumulative percentage reduction in energy consumption.</i>	2	3	6	9	9	12	<i>Percent</i>

Background: On January 24, 2007, the President signed Executive Order: Strengthening Federal Environment, Energy, and Transportation Management, requiring all Federal Agencies to reduce its Green House Gas intensity and its energy use by 3% annually through FY 2015. For the Agency's 29 reporting facilities, the FY 2003 energy consumption of British Thermal Units (BTUs) per square foot is 346,518 BTUs per square foot.

##### Human Capital

- In 2009 EPA will develop workforce planning strategies that link current and future Human Capital needs to mission accomplishments which will result in significant reductions in skill gaps for Mission Critical Occupations (MCOs). In addition, EPA's recruitment strategy will focus on hiring needs that will encourage the use of hiring flexibilities, build on centralized and local recruitment approaches, and focus on attracting applicants who are talented, diverse, and committed to EPA's mission.*

NPM: OFFICE OF ADMINISTRATION AND RESOURCES MANAGEMENT

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

*In 2008 EPA will develop workforce planning strategies that link current and future Human Capital needs to mission accomplishments which will result in significant reductions in skill gaps for Mission Critical Occupations. In addition, EPA's recruitment strategy will focus on hiring needs that will encourage the use of hiring flexibilities, build on centralized and local recruitment approaches, and focus on attracting applicants who are talented, diverse, and committed to EPA's mission.*

*In 2007 EPA will develop workforce planning strategies that link current and future Human Capital needs to mission accomplishments which will result in significant reductions in skill gaps for Mission Critical Occupations. In addition, EPA's recruitment strategy will focus on hiring needs that will encourage the use of hiring flexibilities, build on centralized and local recruitment approaches, and focus on attracting applicants who are talented, diverse, and committed to EPA's mission.*

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	
	Target	Actual	Target	Actual			
<i>Average time to hire non-SES positions from date vacancy closes to date offer is extended, expressed in working days</i>			45	28	45	45	<i>Days</i>
<i>For SES positions, the average time from date vacancy closes to date offer is extended, expressed in working days</i>			90	66	73	68	<i>Days</i>
<i>Agency Manager's satisfaction with the initial stages of the human resources hiring process, as measured by the average score across 4 questions in the OPM Management Hiring Satisfaction Survey.</i>						90	<i>Percent</i>
<i>Maintenance and improvement of MCO employee competencies, as measured by proficiency levels of competencies in MCO's re-assessed in 2009.</i>						80	<i>Percent</i>

**Background:** Baselines for the new measures will be established in FY2007/08. For the average time to hire, these human capital performance measures and targets were selected from EPA's President's Management Agenda.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

#### NPM: OFFICE OF ENVIRONMENTAL INFORMATION

##### Information Exchange Network

- In 2009 Improve the quality, comparability, and availability of environmental data for sound environmental decision-making through the Central Data Exchange (CDX).*
- In 2008 Improve the quality, comparability, and availability of environmental data for sound environmental decision-making through the Central Data Exchange (CDX).*
- In 2007 Improve the quality, comparability, and availability of environmental data for sound environmental decision-making through the Central Data Exchange (CDX).*
- In 2006 Improve the quality, comparability, and availability of environmental data for sound environmental decision-making through the Central Data Exchange (CDX).*

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	
	Target	Actual	Target	Actual			
<i>Number of major EPA environmental systems that use the CDX electronic requirements enabling faster receipt, processing, and quality checking of data.</i>	29	32	36	37	45	60	<i>Systems</i>
<i>States, tribes and territories will be able to exchange data with CDX through nodes in real time, using standards and automated data-quality checking.</i>					55	55	<i>Users</i>
<i>Number of users from states, tribes, laboratories, and others that choose CDX to report environmental data electronically to EPA.</i>	47,000	62,000	55,000	88,516	100,000	110,000	<i>Users</i>

Background: The Central Data Exchange program began in FY 2001.

##### Information Security

- In 2009 OMB reports that all EPA information systems meet/exceed established standards for security.*

NPM: OFFICE OF ENVIRONMENTAL INFORMATION

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

*In 2008*            *OMB reports that all EPA information systems meet/exceed established standards for security.*

*In 2007*            *OMB reports that all EPA information systems meet/exceed established standards for security.*

*In 2006*            *OMB reports that all EPA information systems meet/exceed established standards for security.*

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	
	Target	Actual	Target	Actual			
<i>Percent of Federal Information Security Management Act reportable systems that are certified and accredited.</i>	<i>100</i>	<i>100</i>	<i>100</i>	<i>100</i>	<i>100</i>	<i>100</i>	<i>Percent</i>

Background:    In FY 2002, the Agency started planning an effort to expand and strengthen its information security infrastructure.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

#### NPM: OFFICE OF THE INSPECTOR GENERAL

##### Fraud Detection and Deterrence

- In 2009*      *In 2009, the OIG will improve public confidence and integrity in EPA program operations by detecting and preventing fraud, abuse and breaches of security.*
- In 2008*      *In 2008, the OIG will improve public confidence and integrity in EPA program operations by detecting and preventing fraud, abuse and breaches of security.*
- In 2007*      *In 2007, OIG will improve public confidence and integrity in EPA program operations by detecting and preventing fraud, abuse and breaches of security.*
- In 2006*      *In 2006, the OIG will improve public confidence and integrity in EPA program operations by detecting and preventing fraud, abuse and breaches of security.*

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	
	Target	Actual	Target	Actual			
<i>Criminal, civil, administrative, and fraud prevention actions.</i>	<i>80</i>	<i>121</i>	<i>80</i>	<i>103</i>	<i>80</i>	<i>80</i>	<i>Actions</i>

Background:      In FY 2005, the OIG established a baseline of 83 criminal, civil, administrative, and fraud prevention actions.

##### Audit and Advisory Services

- In 2009*      *In 2009, the OIG will contribute to human health and environmental quality through audits, evaluations, advisory services, inspections, and investigations for improved Agency business practices, accountability, and performance.*
- In 2008*      *In 2008, the OIG will contribute to human health and environmental quality through audits, evaluations, advisory services, inspections, and investigations for improved Agency business practices, accountability, and performance.*
- In 2007*      *In 2007, the OIG will contribute to human health and environmental quality through audits, evaluations, advisory services, inspections, and investigations for improved Agency business practices, accountability, and performance.*

NPM: OFFICE OF THE INSPECTOR GENERAL

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

*In 2006*      *In 2006, the OIG will contribute to human health and environmental quality through audits, evaluations, advisory services, inspections, and investigations for improved Agency business practices, accountability, and performance.*

Performance Measures	FY 2006		FY 2007		FY 2008	FY 2009	
	Target	Actual	Target	Actual			
<i>Environmental and business actions taken for improved performance or risk reduction.</i>	303	407	318	464	334	318	<i>Actions</i>
<i>Environmental and business recommendations or risks identified for corrective action.</i>	925	1,024	925	949	971	903	<i>Recommendations</i>
<i>Return on the annual dollar investment, as a percentage of the OIG budget, from audits and investigations.</i>	150	1,100	150	189	120	120	<i>Percentage</i>

**Background:** In FY 2005, the OIG established a revised baseline of 564 environmental and business actions taken for improved performance or risk reduction; 885 environmental and business risks or recommendations identified for corrective action; and 150% in potential dollar return on investment as a percentage of OIG budget, from savings, questioned costs, fines, recoveries, and settlements. The baselines increased because the OIG began including the non-monetary results of "Single Audits" and audits performed for the OIG in its targets and results by acknowledging the increasing number and significance of actionable recommendations in these audits to improve the management of assistance agreements.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

#### VERIFICATION AND VALIDATION

#### GOAL 1 OBJECTIVE 1

##### FY 2009 Performance Measures:

- **Tons of SO<sub>2</sub> emissions from electric power generation sources (tons/yr from 1980 baseline) (PART measure)**
- **Percent change in average sulfur deposition and mean ambient sulfate concentrations reduced (% from baseline) (PART measure)**
- **Percent change in average nitrogen deposition and mean ambient nitrate concentrations reduced (% from baseline) (PART measure)**

##### **Performance Databases:**

Emissions Tracking System (ETS) - SO<sub>2</sub> and NO<sub>x</sub> emissions

- Clean Air Status and Trends Network (CASTNET) - dry deposition
  - National Atmospheric Deposition Program (NADP) - wet deposition
  - Temporally Integrated Monitoring of Ecosystems program (TIME) - surface water chemistry
- Long-Term Monitoring Network program (LTM) – surface water chemistry

**Data Sources:** On a quarterly basis, ETS receives and processes hourly measurements of SO<sub>2</sub>, NO<sub>x</sub>, volumetric flow, CO<sub>2</sub>, and other emission-related parameters from more than 3,400 fossil fuel-fired utility units affected under the Title IV Acid Rain Program. These measurements are collected by certified continuous emission monitoring systems (CEMS) or equivalent continuous monitoring methods.

CASTNET measures particle and gas acidic deposition chemistry. Specifically, CASTNET measures sulfate and nitrate dry deposition and meteorological information at approximately 88 monitoring sites, primarily in the East. Two additional sites are planned as part of a multi-year network refurbishment and modernization project. These sites are scheduled to be in operation by 2007 and will help fill the coverage gap in the middle of country. CASTNET is a long-term dry deposition network funded, operated and maintained by EPA's Office of Air and Radiation (OAR). The National Park Service operates approximately 30 of the monitoring stations in cooperation with EPA.

NADP is a national long-term wet deposition network that measures precipitation chemistry and provides long-term geographic and temporal trends in concentration and deposition of precipitation components. Specifically, NADP provides measurements of sulfate and nitrate wet deposition at approximately 255 monitoring sites. EPA, along with several other Federal agencies, states, and private organizations, provide funding and support for NADP. The Illinois State Water Survey/University of Illinois maintains the NADP database.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

The deposition monitoring networks have been in operation for over 25 years. They provide invaluable measurements on long-term trends and episodes in acid deposition; such data are essential for assessing progress toward the program's intended environmental outcomes. These networks need to be modernized to ensure the continued availability of these direct environmental measures. Maintaining a robust long-term atmospheric deposition monitoring network is critical for the accountability of the Acid Rain and Clean Air Interstate Rule (CAIR) Programs (and/or Clear Skies if new legislation is enacted).

The TIME project measures surface water chemistry and is based on the concept of a probability sample, where each site is chosen to be statistically representative of a target population. In the Northeast (New England and the Adirondacks), this target population consists of lakes likely to be responsive to changes in rates of acidic deposition (i.e., those with Gran ANC < 100 µeq/L). In the Mid-Atlantic, the target population is upland streams with a high probability of responding to changes in acidic deposition (i.e., Northern Appalachian Plateau streams with Gran ANC < 100 µeq/L). Each lake or stream is sampled annually (in summer for lakes, in spring for streams), and results are extrapolated to the target population. The most recent (2003) TIME trends analysis reported data from 43 Adirondack lakes, 30 New England lakes, and 31 Appalachian Plateau streams.

The TIME project goals are to determine not only how a representative sample of water bodies is changing through time, but also whether the proportion of the population that is acidic has changed. The project is operated cooperatively with numerous collaborators in state agencies, academic institutions and other federal agencies.

The LTM project complements TIME's statistical approach to sampling lakes and streams. LTM samples a subset of sensitive lakes and streams with long-term data, most dating back to the early 1980s. These sites are sampled 3 to 15 times per year. This information is used to characterize how the most sensitive aquatic systems in each region are responding to changing deposition, as well as providing information on seasonal chemistry and episodic acidification. In most regions, a small number of higher ANC (e.g., GranANC >100 µeq/L) sites are also sampled, and help separate temporal changes due to acidic deposition from those attributable to other disturbances such as changes in land use. The most recent (2003) LTM trends analysis reported data from 48 Adirondack lakes, 24 New England lakes, 9 Northern Appalachian Plateau streams, and 69 streams in the Blue Ridge region of Virginia and West Virginia. The project is operated cooperatively with numerous collaborators in state agencies, academic institutions and other federal agencies.

**Methods, Assumption, and Suitability:** Promulgated methods are used to aggregate emissions data across all United States' utilities for each pollutant and related source operating parameters such as heat input.



## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**QA/QC Procedures:** Promulgated QA/QC requirements dictate performing a series of quality assurance tests of CEMS performance. For these tests, emissions data are collected under highly structured, carefully designed testing conditions, which involve either high quality standard reference materials or multiple instruments performing simultaneous emission measurements. The resulting data are screened and analyzed using a battery of statistical procedures, including one that tests for systematic bias. If a CEM fails the bias test, indicating a potential for systematic underestimation of emissions, the source of the error must be identified and corrected or the data are adjusted to minimize the bias. Each affected plant is required to maintain a written QA plan documenting performance of these procedures and tests. Further information is available at: <http://www.epa.gov/airmarkets/reporting/index.html>.

CASTNET established a Quality Assurance Project Plan (QAPP) in November 2001. The QAPP contains data quality objectives and quality control procedures for accuracy and precision. {U.S. EPA, Office of Air Quality Planning and Standards, *Clean Air Status and Trends Network (CASTNet) Quality Assurance Project Plan* (Research Triangle Park, NC: U.S. EPA, November 2001)}. In addition, the program publishes annual quality assurance reports. Both the CASTNET QAPP and 2003 Annual Quality Assurance Report may be found at <http://www.epa.gov/castnet/library.html>.

NADP has established data quality objectives and quality control procedures for accuracy, precision and representation, available on the Internet: <http://nadp.sws.uiuc.edu/QA/>. The intended use of these data is to establish spatial and temporal trends in wet deposition and precipitation chemistry.

For TIME and LTM, the field protocols, laboratory methods, and quality assurance procedures are specific to each research group. QA/QC information is contained in the cited publications of each research group and compiled in Newell et al. (1987). The EMAP and TIME protocols and quality assurance methods are generally consistent with those of the LTM cooperators, and are detailed in Peck (1992) and in Table 3 of Stoddard, *et al* (2003).

**Data Quality Review:** The ETS provides instant feedback to sources on data reporting problems, format errors, and inconsistencies. The electronic data file QA checks are described at <http://www.epa.gov/airmarkets/reporting/index.html> (see *Electronic Data Report Review Process, ETS Tolerance Tables, Active ETS Error Codes/Messages and Range Format Errors*). All quarterly reports are analyzed to detect deficiencies and to identify reports that must be resubmitted to correct problems. EPA also identifies reports that were not submitted by the appropriate reporting deadline. Revised quarterly reports, with corrected deficiencies found during the data review process, must be obtained from sources by a specified deadline. All data are reviewed, and preliminary and final emissions data reports are prepared for public release and compliance determination.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

CASTNET underwent formal peer review in 1997 by a panel of scientists from EPA and the National Oceanic Atmospheric Administration (NOAA). Findings are documented in *Examination of CASTNET: Data, Results, Costs, and Implications* (United States EPA, Office of Research and Development, National Exposure Research Laboratory, February 1997).

The NADP methods of determining wet deposition values have undergone extensive peer review; this process has been managed by NADP program office at the Illinois State Water Survey/University of Illinois. Assessments of changes in NADP methods are developed primarily through the academic community and reviewed through the technical literature process.

The TIME and LTM data used in EPA trends analysis reports are screened for internal consistency among variables, including ion balance and conductance balance. Samples with unexplained variation in these variables are deleted. Sites with mean Gran ANC greater than 200  $\mu\text{eq/L}$  also are deleted. EPA trends analyses exclude sites with chloride values that are outliers in their region, because high  $\text{Cl}^-$  is typically associated with human development in the watershed. The  $\text{Cl}^-$  and associated  $\text{Na}^+$  would alter normal soil ion exchange relationships, thus obscuring the response to acidic deposition.

**Data Limitations:** In order to improve the spatial resolution of CASTNET, additional monitoring sites are needed, particularly in the middle of the country.

**Error Estimate:** None

**New/Improved Data or Systems:** The program plans to modernize and enhance CASTNET to ensure network viability and enhance the monitoring capacity to support ongoing and future accountability needs, particularly relating to long range pollutant transport. The refurbishment of CASTNET will result in more comprehensive air quality data and information, made available faster by enabling real-time access to air quality information and promoting integration with other networks through regional/rural monitoring strategies. Refurbishment activities to be pursued in FY 2007 include: (1) completion of a pilot phase study to evaluate options for upgrading CASTNET with new advanced measurement instrumentation; (2) selection and procurement of advanced technology monitoring equipment for up to 10 sites; (3) establishment of 2 new sites in the middle of the country to improve geographic coverage and spatial resolution; and (4) implementation of new ecological indicators of air quality and atmospheric deposition to expand the suite of environmental metrics available for measuring the performance and efficiency of EPA's clean air programs.

**References:** For additional information about CASTNET, see <http://www.epa.gov/castnet.html> and for NADP, see <http://nadp.sws.uiuc.edu/>.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

For a description of EPA's Acid Rain program, see <http://www.epa.gov/airmarkets/arp/index.html/> and in the electronic Code of Federal Regulations at <http://www.epa.gov/docs/epacfr40/chapt-I.info/subch-C.html> (40 CFR parts 72-78.)

For TIME and LTM data quality and QA/QC procedures, see Newell, A. D., C. F. Powers, and S. J. Christie. 1987. Analysis of Data from Long-term monitoring of Lakes. U.S. Environmental Protection Agency, Corvallis, OR.

Peck, D. V. 1992. Environmental Monitoring and Assessment Program: Integrated Quality Assurance Project Plan for the Surface Waters Resource Group. EPA/600/X-91/080, U.S. Environmental Protection Agency.

Stoddard, J. L., J. S. Kahl, F. A. Deviney, D. R. DeWalle, C. T. Driscoll, A. T. Herlihy, J. H. Kellogg, P. S. Murdoch, J. R. Webb, and K. E. Webster. 2003. Response of surface water chemistry to the Clean Air Act Amendments of 1990. EPA/620/R-03/001, U.S. Environmental Protection Agency, Corvallis, Oregon.

#### **FY 2009 Performance Measures:**

- **Cumulative percent reduction in population-weighted ambient concentration of fine particulate matter (PM 2.5) in all monitored counties from 2003 baseline (PART measure)**
- **Cumulative percent reduction in population-weighted ambient concentration of ozone in monitored counties from 2003 baseline (PART measure)**

#### **Performance Databases:**

AQS —The Air Quality Subsystem (AQS) stores ambient air quality data used to evaluate an area's air quality levels relative to the NAAQS.

FREDS—The Findings and Required Elements Data System is used to track progress of states and Regions in reviewing and approving the required data elements of the State Implementation Plans (SIP). SIPs are clean air plans and define what actions a state will take to improve the air quality in areas that do not meet national ambient air quality standards

#### **Data Sources:**

AQS: State & local agency data from State and Local Air Monitoring Stations (SLAMS).

Population: Data from Census-Bureau/Department of Commerce

FREDS: Data are provided by EPA's Regional offices.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**Methods, Assumptions, and Suitability:** Design values are calculated for every county with adequate monitoring data (for more information on and a definition for design values, see [www.epa.gov/ttn/oarpg/t1/memoranda/cdv.pdf](http://www.epa.gov/ttn/oarpg/t1/memoranda/cdv.pdf)). Air quality levels are evaluated relative to the baseline level and the design value. The change in air quality concentrations is then multiplied by the number of people living in the county. This analysis assumes that the populations of the areas are held constant at 2000 Census levels. Data comparisons over several years allow assessment of the air program's success.

**QA/QC Procedures:** AQS: The QA/QC of the national air monitoring program has several major components: the Data Quality Objective (DQO) process, reference and equivalent methods program, EPA's National Performance Audit Program (NPAP), system audits, and network reviews (Available on the Internet: [www.epa.gov/ttn/amtic/npaplist.html](http://www.epa.gov/ttn/amtic/npaplist.html)). To ensure quality data, the SLAMS are required to meet the following: 1) each site must meet network design and site criteria; 2) each site must provide adequate QA assessment, control, and corrective action functions according to minimum program requirements; 3) all sampling methods and equipment must meet EPA reference or equivalent requirements; 4) acceptable data validation and record keeping procedures must be followed; and 5) data from SLAMS must be summarized and reported annually to EPA. Finally, there are system audits that regularly review the overall air quality data collection activity for any needed changes or corrections. Further information available on the Internet: <http://www.epa.gov/cludygxb/programs/namslam.html> and through United States EPA's Quality Assurance Handbook (EPA-454/R-98-004 Section 15)

Populations: No additional QA/QC beyond that done by the Census Bureau/Department of Commerce.

FREDS: No formal QA/QC procedures.

#### **Data Quality Review:**

AQS: No external audits have been done in the last 3 years. However, internal audits are regularly conducted.

Populations: No additional QA/QC beyond that done by the Census Bureau/Department of Commerce.

FREDS: None

#### **Data Limitations:**

AQS: None known

Populations: Not known

FREDS: None known

# Environmental Protection Agency

## FY 2009 Annual Performance Plan and Congressional Justification

### 4-Year Performance Data Annual Performance Goals and Measures

**Error Estimate:** At this time it is not possible to develop an error estimate. There is still too much uncertainty in the projections and near term variations in air quality (due to meteorological conditions, for example).

#### **New/Improved Data or Systems:**

**AQS:** In January 2002, EPA completed the reengineering of AQS to make it a more user friendly, Windows-based system. As a result, air quality data are more easily accessible via the Internet. AQS has also been enhanced to comply with the Agency's data standards (e.g., latitude/longitude, chemical nomenclature). Beginning in July 2003, agencies submitted air quality data to AQS thru the Agency's Central Data Exchange (CDX). CDX is intended to be the portal through which all environmental data coming to or leaving the Agency will pass.

**Population:** None

**FREDS:** None

**References:** For additional information about criteria pollutant data, non-attainment areas, and other related information, see: <http://www.epa.gov/airtrends/>.

#### **FY 2009 Performance Measure:**

- **Cumulative percent reduction in the number of days to process SIP revisions weighted by complexity [PART efficiency measure].**

**Performance Databases:** None

**Data Sources:** Data are provided by EPA's regional offices.

**Methods, Assumptions, and Suitability:** Baseline for processing SIP revisions is 420 days (The Clean Air Act (CAA) provides 60 days for completeness + 360 days for technical review)

Each Region will maintain a SIP tracking system. It will include the date of receipt, interim dates and the final Regional Administrator's signature for each SIP submission. At the end of the fiscal year, each Region will sum the total allowable SIP processing days and the total actual SIP processing days for SIP revisions processed to final action during the fiscal year. Each Region will then submit the totals to the National SIP processing work group chair who will then divide the total actual processing days by the total allowable processing days and calculate the percent difference from base year processing time.

The SIP revisions are weighted by complexity because it takes some areas longer than others to reach attainment.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**QA/QC Procedures:** EPA regional staff ensure the number of SIP revisions finalized is equal to or less than the total number of SIP revisions received.

**Data Quality Review:** Same as QA/QC procedures

**Data Limitations:** None known

**Error Estimate:** There is no estimate on the number of errors that could have been made during data entry.

**New/Improved Data or Systems:** None

**References:** None.

#### **FY 2009 Performance Measures:**

- **Percent of significant Title V operating permit revisions issued within 18 months of receiving a complete permit application. (PART measure)**
- **Percent of new Title V operating permits issued within 18 months of receiving a complete permit application. (PART measure)**

**Performance Databases:** TOPS (Title V Operating Permit System).

**Data Sources:** Permitting Agencies (State and Local) via EPA Regional Offices

**Methods, Assumptions, and Suitability:** The performance measure is calculated by comparing the number of new permits or significant permit modifications issued during past 18 months to the total number of new permits or significant permit modifications received during the same period. Data are collected every 6 months. There are no underlying assumptions in the development of this measure.

**QA/QC Procedures:** Some data quality checks include: 1) making sure the number of permits issued in 18 months is equal to or less than the total number of permits received. 2) ensuring the percentages seem reasonable compared to previous reporting periods, and 3) making sure clock does not restart when additional information is submitted after the application is received.

**Data Quality Review:** Same as QA procedures

**Data Limitations:** None

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**Error Estimate:** There is no estimate on the number of errors that could have been made during data entry.

**New/Improved Data or Systems:** TOPS has been revised and improved for 2006 to ensure better consistency between states and to specifically track PART measures.

**References:** For additional information about criteria pollutant data, non-attainment areas, and other related information, see: <http://www.epa.gov/airtrends/>.

#### **FY 2009 Performance Measure:**

- **Percent of major NSR permits issued within one year of receiving a complete permit application. (PART measure)**

**Performance Databases:** RBLC (RACT (Reasonably Available Control Technology) BACT (Best Available Control Technology) LAER (Lowest Achievable Emissions Rate) Clearinghouse)

**Data Sources:** Permitting Agencies (State and Local)

**Methods, Assumptions, and Suitability:** The performance measure is calculated by determining the time period between the date of complete permit application and permit issuance. The percentage represents the number of major NSR permits issued within one year of complete application to the total number of permits issued within that same period. There are no underlying assumptions in the development of this performance measure.

**QA/QC Procedures:** Some data quality checks include: 1) making sure the permit issuance dates are after the complete permit application dates and appear reasonable, 2) ensuring the permit processing times are similar for comparable permits in previous reporting periods and 3) making sure the time period does not restart when additional information is submitted after the application is received.

**Data Quality Review:** Same as QA procedures

**Data Limitations:** None

**Error Estimate:** There is no estimate on the number of errors that could have been made during data entry.

**New/Improved Data or Systems:** N/A

**References:** For additional information about criteria pollutant data, non-attainment areas, and other related information, see: <http://www.epa.gov/airtrends/>.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

##### **FY 2009 Performance Measure:**

- **Cumulative percent reduction in the number of days with Air Quality Index (AQI) values over 100 since 2003, weighted by population and AQI value. (PART measure)**

##### **Performance Databases:**

AQS —The Air Quality Subsystem (AQS) stores ambient air quality data used to evaluate an area's air quality levels relative to the NAAQS.

AIRNow DMC —The AIRNow Data Management System (DMC) stores real-time ambient air quality data used for the sole purpose of reporting real-time AQI and air quality forecasting.

##### **Data Sources:**

AQS/DMC: State & local agency data from State and Local Air Monitoring Stations (SLAMS) and National Air Monitoring Stations (NAMS).

##### **Methods, Assumptions, and Suitability:**

Data are gathered from monitors using EPA-approved federal reference and/or equivalent methods, all of which are published via the Federal Register. EPA assumes the collecting agency has properly maintained each monitor and that the data sent to EPA have passed at least an automated QA/QC check. The monitoring networks have been providing data for decades and the data are considered highly reliable. In addition these data form the basis of EPA's attainment decisions, trend analysis, and health impact assessments.

##### **QA/QC Procedures:**

AQS: The QA/QC of the national air monitoring program has several major components: the Data Quality Objective (DQO) process, reference and equivalent methods program, EPA's National Performance Audit Program (NPAP), system audits, and network reviews (Available on the Internet: [www.epa.gov/ttn/amtic/npaplist.html](http://www.epa.gov/ttn/amtic/npaplist.html)). To ensure quality data, the SLAMS are required to meet the following: 1) each site must meet network design and site criteria; 2) each site must provide adequate QA assessment, control, and corrective action functions according to minimum program requirements; 3) all sampling methods and equipment must meet EPA reference or equivalent requirements; 4) acceptable data validation and record keeping procedures must be followed; and 5) data from SLAMS must be summarized and reported annually to EPA. Finally, there are system audits that regularly review the overall air quality data collection activity for any needed changes or corrections. Further information available on the



## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

Internet: <http://www.epa.gov/cludygxb/programs/namslam.html> and through United States EPA's Quality Assurance Handbook (EPA-454/R-98-004 Section 15)

DMC: The QA/QC procedures at each State, local, Tribal, or Federal agency are the same as documented above. Because the DMC handles real-time data, additional QA/QC data checks are built into the data flow process to further guard against erroneous values being passed through the system. Data in the DMC are not considered final and are not used for any regulatory purpose. Data in the AQS system are the official values used for regulatory analyses.

#### Data Quality Review:

AQS: No external audits have been done in the last 3 years. However, internal audits are regularly conducted.

DMC: No external audits have been done in the last 3 years. However, internal audits are regularly conducted and data are routinely processed by external users where applicable.

#### Data Limitations:

AQS: None known

DMC: None known

**Error Estimate:** At this time it is not possible to develop an error estimate. There is still too much uncertainty in the projections and near term variations in air quality (due to meteorological conditions for example).

#### New/Improved Data or Systems:

AQS: In January 2002, EPA completed the reengineering of AQS to make it a more user friendly, Windows-based system. As a result, air quality data are more easily accessible via the Internet. AQS has also been enhanced to comply with the Agency's data standards (*e.g.*, latitude/longitude, chemical nomenclature). Beginning in July 2003, agencies submitted air quality data to AQS thru the Agency's Central Data Exchange (CDX). CDX is intended to be the portal through which all environmental data coming to or leaving the Agency will pass.

DMC: AIRNow Data Management Center was redesigned in 2004 to more efficiently handle additional pollutants and provide for easier access to real-time data. In addition, automated QA/QC procedures were updated and increased flexibility for state/local agencies to update information was included.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**References:** For additional information about criteria pollutant data, non-attainment areas, and other related information, see: <http://www.epa.gov/airtrends/>. For more information on the monitoring network, as well as reference and equivalent methods, see the Ambient Monitoring Technology Information Center (AMTIC) at: <http://www.epa.gov/ttn/amtic> . For information on the AIRNow real-time program, see: <http://www.airnow.gov/>.

#### **FY 2009 Performance Measures:**

- **Millions of tons of volatile organic compounds (VOCs) reduced since 2000 from mobile sources. (PART measure)**
- **Millions of tons of nitrogen oxide (NOx) reduced since 2000 from mobile sources. (PART measure)**
- **Tons of particulate matter (PM 10) reduced since 2000 from mobile sources (PART measure)**
- **Tons of particulate matter (PM 2.5) reduced since 2000 from mobile sources (PART measure)**
- **Limit the increase of CO Emissions (in tons) from mobile sources (PART measure)**

**Performance Database:** National Emissions Inventory Database. See: <http://www.epa.gov/ttn/chief/trends/>

**Data Source:** Mobile source emissions inventories and Regulatory Impact Analyses

Estimates for on-road, off-road mobile source emissions are built from inventories fed into the relevant models, which in turn provide input to the National Emissions Inventory Database.

The MOBILE vehicle emission factor model is a software tool for predicting gram per mile emissions of hydrocarbons, carbon monoxide, oxides of nitrogen, carbon dioxide, particulate matter, and toxics from cars, trucks, and motorcycles under various conditions. Inputs to the model include fleet composition, activity, temporal information, and control program characteristics.

The NONROAD emission inventory model is a software tool for predicting emissions of hydrocarbons, carbon monoxide, oxides of nitrogen, particulate matter, and sulfur dioxides from small and large off road vehicles, equipment, and engines. Inputs to the model include fleet composition, activity and temporal information.

Certain mobile source information is updated annually. Inputs are updated annually only if there is a rationale and readily available source of annual data. Generally, Vehicle Miles Traveled (VMT), the mix of VMT by type of vehicle (Federal Highway Administration (FHWA)-types), temperature, gasoline properties, and the designs of Inspection/Maintenance (I/M) programs are

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

updated each year. Emission factors for all mobile sources and activity estimates for non-road sources are changed only when the Office of Transportation and Air Quality requests that this be done and is able to provide the new information in a timely manner. The most recent models for mobile sources are Mobile 6 and Nonroad 2002. (Available on the Internet at <http://www.epa.gov/otaq/models.htm>.)

EPA regulatory packages always include detailed Regulatory Impact Analysis which estimates the costs industry is projected to accrue in meeting EPA regulations. These cost estimates will form the basis of the numbers in the EPA performance measures. Also, costs for the EPA mobile source program (including personnel costs) will be included also. Estimates will be made for various years for tons/dollar for pollutants (the total of HC, CO, NO<sub>x</sub>, and PM) removed.

**Methods, Assumptions, and Suitability:** EPA issues emissions standards that set limits on how much pollution can be emitted from a given mobile source. Mobile sources include vehicles that operate on roads and highways ("on road" or "highway" vehicles), as well as nonroad vehicles, engines, and equipment. Examples of mobile sources are cars, trucks, buses, earthmoving equipment, lawn and garden power tools, ships, railroad locomotives, and airplanes. Vehicle and equipment manufacturers have responded to many mobile source emission standards by redesigning vehicles and engines to reduce pollution.

EPA uses models to estimate mobile source emissions, for both past and future years. The estimates are used in a variety of different settings. The estimates are used for rulemaking.

The most complete and systematic process for making and recording such mobile source emissions is the "Trends" inventory process executed each year by the Office of Air Quality Planning and Standards' (OAQPS) Emissions, Monitoring, and Analysis Division (EMAD). The Assessment and Standards Division, within the Office of Transportation and Air Quality, provides EMAD information and methods for making the mobile source estimates. In addition, EMAD's contractors obtain necessary information directly from other sources; for example, weather data and the Federal Highway Administration's (FHWA) Vehicle Miles Traveled (VMT) estimates by state. EMAD creates and publishes the emission inventory estimate for the most recent historical year, detailed down to the county level and with over 30 line items representing mobile sources. At irregular intervals as required for regulatory analysis projects, EMAD creates estimates of emissions for future years. When the method for estimating emissions changes significantly, EMAD usually revises its older estimates of emissions in years prior to the most recent year, to avoid a sudden discontinuity in the apparent emissions trend. EMAD publishes the national emission estimates in hardcopy; county-level estimates are available electronically. Additional information about transportation and air quality related to estimating, testing for, and measuring emissions, as well as research being conducted on technologies for reducing emissions is available at <http://www.epa.gov/otaq/research.htm>

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

When major changes are made in the emission models or resulting inventories (and even the cost estimates), the performance measures will be reviewed to determine if they should be updated.

**QA/QC Procedures:** The emissions inventories are continuously improved.

**Data Quality Review:** The emissions inventories are reviewed by both internal and external parties, including the states, locals and industries.

**Data Limitations:** The limitations of the inventory estimates for mobile sources come from limitations in the modeled emission factors (based on emission factor testing and models predicting overall fleet emission factors in g/mile) and also in the estimated vehicle miles traveled for each vehicle class (derived from Department of Transportation data) <http://www.epa.gov/otaq/m6.htm>. For nonroad emissions, the estimates come from a model using equipment populations, emission factors per hour or unit of work, and an estimate of usage. This nonroad emissions model accounts for over 200 types of nonroad equipment. Any limitations in the input data will carry over into limitations in the emission inventory estimates.

**Error Estimate:** Additional information about data integrity is available on the Internet: <http://www.epa.gov/otaq/m6.htm>.

**New/Improved Data or Systems:** To keep pace with new analysis needs, new modeling approaches, and new data, EPA is currently working on a new modeling system termed the Multi-scale Motor Vehicles and Equipment Emission System (MOVES). This new system will estimate emissions for on road and off road sources, cover a broad range of pollutants, and allow multiple scale analysis, from fine scale analysis to national inventory estimation. When fully implemented, MOVES will serve as the replacement for MOBILE6 and NONROAD. The new system will not necessarily be a single piece of software, but instead will encompass the necessary tools, algorithms, underlying data and guidance necessary for use in all official analyses associated with regulatory development, compliance with statutory requirements, and national/regional inventory projections. Additional information is available on the Internet: <http://www.epa.gov/otaq/ngm.htm>.

**References:** For additional information about mobile source programs see: <http://www.epa.gov/otaq/>.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

##### FY 2009 Performance Measures:

- **Cumulative percentage reduction in tons of toxicity-weighted (for cancer risk) emissions of air toxics from 2003 baseline (PART measure)**
- **Cumulative percentage reduction in tons of toxicity-weighted (for noncancer risk) emissions of air toxics from 2003 baseline (PART measure)**

##### **Performance Databases:**

- National Emissions Inventory (NEI) for Hazardous Air Pollutants (HAPs)
- EPA's Health Criteria Data for Risk Characterization

##### **Data Source:**

To better measure the percentage change in cancer and noncancer risk to the public, a toxicity-weighted emission inventory performance measure has been developed. This measure utilizes data from the NEI for air toxics along with data from EPA's Health Criteria Data for Risk Characterization (found at [www.epa.gov/ttn/atw/toxsource/summary.html](http://www.epa.gov/ttn/atw/toxsource/summary.html)), which is a compendium of cancer and noncancer health risk criteria used to develop a risk metric. This compendium includes tabulated values for long-term (chronic) inhalation for many of the 188 hazardous air pollutants. These health risk data were obtained from various data sources including EPA, the U.S. Agency for Toxic Substances and Disease Registry, California Environmental Protection Agency, and the International Agency for Research on Cancer. The numbers from the health risk database are used for estimating the risk of contracting cancer and the level of hazard associated with adverse health effects other than cancer.

The NEI for HAPs includes emissions from large and small industrial sources inventoried as point sources, smaller stationary area and other sources, such as fires inventoried as non-point sources, and mobile sources. Prior to 1999 NEI for HAPs, there was the National Toxics Inventory (NTI). The baseline NTI (for base years 1990 - 1993) includes emissions information for 188 hazardous air pollutants from more than 900 stationary sources and from mobile sources. It is based on data collected during the development of Maximum Achievable Control Technology (MACT) standards, state and local data, Toxics Release Inventory (TRI) data, and emissions estimates using accepted emission inventory methodologies. The baseline NTI contains county level emissions data and cannot be used for modeling because it does not contain facility specific data.

The 1996 NTI and the 1999 NEI for HAPs contain stationary and mobile source estimates. These inventories also contain estimates of facility-specific HAP emissions and their source specific parameters such as location (latitude and longitude) and facility characteristics (stack height, exit velocity, temperature, etc).

The primary source of data in the 1996 and 1999 inventories are state and local air pollution control agencies and Tribes. These data vary in completeness, format, and quality. EPA

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

evaluates these data and supplements them with data gathered while developing MACT and residual risk standards, industry data, and TRI data.

For more information and references on the development of the 1996 NTI, please go to the following web site: [www.epa.gov/ttn/chief/nti/index.html#nti](http://www.epa.gov/ttn/chief/nti/index.html#nti). For more information and references on the development of the 1999 NEI for HAPs, please go to the following web site: [www.epa.gov/ttn/chief/net/index.html#1999](http://www.epa.gov/ttn/chief/net/index.html#1999).

**Methods, Assumptions and Suitability:** As the NEI is only developed every three years, EPA utilizes an emissions modeling system to project inventories for “off-years” and to project the inventory into the future. This model, the EMS-HAP (Emissions Modeling System for Hazardous Air Pollutants), can project future emissions, by adjusting stationary source emission data to account for growth and emission reductions resulting from emission reduction scenarios such as the implementation of the Maximum Achievable Control Technology (MACT) standards.

Once the EMS-HAP process has been performed, the EPA would tox-weight the inventory by “weighting” the emissions for each pollutant with the appropriate health risk criteria. This would be accomplished through a multi-step process. Initially, pollutant by pollutant values would be obtained from the NEI for the current year and the baseline year (1990/93). Conversion of actual tons for each pollutant for the current year and the baseline year to “toxicity-weighted” tons would be accomplished by multiplying the appropriate values from the health criteria database such as the unit risk estimate (URE) or lifetime cancer risk (defined at [www.epa.gov/ttn/atw/nata/gloss.htm#rfc](http://www.epa.gov/ttn/atw/nata/gloss.htm#rfc)) to get the noncancer tons. These toxicity-weighted values act as a surrogate for risk and allow EPA to compare the toxicity-weighted values against a 1990/1993 baseline of toxicity-weighted values to determine the percentage reduction in risk on an annual basis

Complete documentation on development of the NEI for HAPs can be found at <http://www.epa.gov/ttn/chief/net/index.html>. For more information and references on EMS-HAP, go to the following web sites: <http://www.epa.gov/scram001/tt22.htm#aspen> and <http://www.epa.gov/ttn/chief/emch/projection/emshap.html>. The growth and reduction information used for the projections are further described at <http://www.epa.gov/ttn/chief/emch/projection/emshap.html>.

**QA/QC Procedures:** The NTI and the NEI for HAPs are databases designed to house information from other primary sources. The EPA performs extensive quality assurance/quality control (QA/QC) activities, including checking data provided by other organizations, to improve the quality of the emission inventory. Some of these activities include: (1) the use of an automated format QC tool to identify potential errors of data integrity, code values, and range checks; (2) use of geographical information system (GIS) tools to verify facility locations; and (3) automated content analysis by pollutant, source category and facility to identify potential

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

problems with emission estimates such as outliers, duplicate sites, duplicate emissions, coverage of a source category, etc. The content analysis includes a variety of comparative and statistical analyses. The comparative analyses help reviewers prioritize which source categories and pollutants to review in more detail based on comparisons using current inventory data and prior inventories. The statistical analyses help reviewers identify potential outliers by providing the minimum, maximum, average, standard deviation, and selected percentile values based on current data. The EPA has developed an automated QC content tool for data providers to use prior to submitting their data to EPA. After investigating errors identified using the automated QC format and GIS tools, the EPA follows specific guidance on augmenting data for missing data fields. This guidance is available at the following web site: [http://www.epa.gov/ttn/chief/emch/invent/qaaugmentationmemo99nei\\_60603.pdf](http://www.epa.gov/ttn/chief/emch/invent/qaaugmentationmemo99nei_60603.pdf).

The NTI database contains data fields that indicate if a field has been augmented and identifies the augmentation method. After performing the content analysis, the EPA contacts data providers to reconcile potential errors. The draft NTI is posted for external review and includes a README file, with instructions on review of data and submission of revisions, state-by-state modeling files with all modeled data fields, and summary files to assist in the review of the data. One of the summary files includes a comparison of point source data submitted by different organizations. During the external review of the data, state and local agencies, Tribes, and industry provide external QA of the inventory. The EPA evaluates proposed revisions from external reviewers and prepares memos for individual reviewers documenting incorporation of revisions and explanations if revisions were not incorporated. All revisions are tracked in the database with the source of original data and sources of subsequent revision.

The external QA and the internal QC of the inventory have resulted in significant changes in the initial emission estimates, as seen by comparison of the initial draft NEI for HAPs and its final version. For more information on QA/QC of the NEI for HAPs, please refer to the following web site for a paper presented at the 2002 Emission Inventory Conference in Atlanta. "QA/QC - An Integral Step in the Development of the 1999 National Emission Inventory for HAPs", Anne Pope, et al. [www.epa.gov/ttn/chief/conference/ei11/qa/pope.pdf](http://www.epa.gov/ttn/chief/conference/ei11/qa/pope.pdf)

EPA's Office of Environmental Information (OEI) has created uniform data standards or elements, which provide "meta" information on the standard NEI Input Format (NIF) fields. These standards were developed by teams representing states, Tribes, EPA and other Federal agencies. The use of common data standards among partners fosters consistently defined and formatted data elements and sets of data values, and provides public access to more meaningful data. The standards relevant to the NEI for HAPs are the: SIC/NAICS, Latitude/Longitude, Chemical Identification, Facility Identification, Date, Tribal and Contact Data Standards. The 1999 NEI for HAPs is compliant with all new data standards except the Facility Identification Standard because OEI has not completed its assignment of Facility IDs to the 1999 NEI for HAPs facilities.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

For more information on compliance of the NEI for HAPs with new OMB Information Quality Guidelines and new EPA data standards, please refer to the following web site for a paper presented at the 2003 Emission Inventory Conference in San Diego. "The Challenge of Meeting New EPA Data Standards and Information Quality Guidelines in the Development of the 2002 NEI Point Source Data for HAPs", Anne Pope, et al.

[www.epa.gov/ttn/chief/conference/ei12/dm/pope.pdf](http://www.epa.gov/ttn/chief/conference/ei12/dm/pope.pdf). The 2002 NEI for HAPs will undergo scientific peer review in early 2005.

The tables used in the EPA's Health Criteria Data for Risk Characterization (found at [www.epa.gov/ttn/atw/toxsource/summary.html](http://www.epa.gov/ttn/atw/toxsource/summary.html)) are compiled assessments from various sources for many of the 188 substances listed as hazardous air pollutants under the Clean Air Act of 1990. Because different sources developed these assessments at different times for purposes that were similar but not identical, results are not totally consistent. To resolve these discrepancies and ensure the validity of the data, EPA applied a consistent priority scheme consistent with EPA risk assessment guidelines and various levels of scientific peer review. These risk assessment guidelines can be found at <http://www.epa.gov/ncea/raf/car2sab/preamble.pdf>.

**Data Quality Review:** EPA staff, state and local agencies, Tribes, industry and the public review the NTI and the NEI for HAPs. To assist in the review of the 1999 NEI for HAPs, the EPA provided a comparison of data from the three data sources (MACT/residual risk data, TRI, and state, local and Tribal inventories) for each facility. For the 1999 NEI for HAPs, two periods were available for external review - October 2001 - February 2002 and October 2002 - March 2003. The final 1999 NEI was completed and posted on the Agency website in the fall of 2003. Beginning in 2005, the NTI will undergo an external scientific peer review.

The EMS-HAP has been subjected to the scrutiny of leading scientists throughout the country in a process called "scientific peer review". This ensures that EPA uses the best available scientific methods and information. In 2001, EPA's Science Advisory Board (SAB) reviewed the EMS-HAP model as part of the 1996 national-scale assessment. The review was generally supportive of the assessment purpose, methods, and presentation; the committee considers this an important step toward a better understanding of air toxics. Additional information is available on the Internet: [www.epa.gov/ttn/atw/nata/peer.html](http://www.epa.gov/ttn/atw/nata/peer.html).

The data compiled in the Health Criteria Data for Risk Characterization (found at [www.epa.gov/ttn/atw/toxsource/summary.html](http://www.epa.gov/ttn/atw/toxsource/summary.html)) are reviewed to make sure they support hazard identification and dose-response assessment for chronic exposures as defined in the National Academy of Sciences (NAS) risk assessment paradigm ([www.epa.gov/ttn/atw/toxsource/paradigm.html](http://www.epa.gov/ttn/atw/toxsource/paradigm.html)). Because the health criteria data were obtained from various sources they are prioritized for use (in developing the performance measure, for example) according to 1) conceptual consistency with EPA risk assessment guidelines and 2) various levels of scientific peer review. The prioritization process is aimed at incorporating the best available scientific data.



## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**Data Limitations and Error Estimates:** While emissions estimating techniques have improved over the years, broad assumptions about the behavior of sources and serious data limitations still exist. The NTI and the NEI for HAPs contain data from other primary references. Because of the different data sources, not all information in the NTI and the NEI for HAPs has been developed using identical methods. Also, for the same reason, there are likely some geographic areas with more detail and accuracy than others. Because of the lesser level of detail in the baseline NTI, it is currently not suitable for input to dispersion models. For further discussion of the data limitations and the error estimates in the 1999 NEI for HAPs, please refer to the discussion of Information Quality Guidelines in the documentation at: [www.epa.gov/ttn/chief/net/index.html#haps99](http://www.epa.gov/ttn/chief/net/index.html#haps99) .

In 2004, the Office of the Inspector General (OIG) released a final evaluation report on “EPA’s Method for Calculating Air Toxics Emissions for Reporting Results Needs Improvement” (report can be found at [www.epa.gov/oig/reports/2004/20040331-2004-p-00012.pdf](http://www.epa.gov/oig/reports/2004/20040331-2004-p-00012.pdf)). The report stated that although the methods used have improved substantially, unvalidated assumptions and other limitations underlying the NTI continue to impact its use as a GPRA performance measure. As a result of this evaluation and the OIG recommendations for improvement, EPA prepared an action plan and is looking at ways to improve the accuracy and reliability of the data. EPA will meet bi-annually with OIG to report on its progress in completing the activities as outlined in the action plan.

While the Agency has made every effort to utilize the best available science in selecting appropriate health criteria data for toxicity-weighting calculations there are inherent limitations and errors (uncertainties) associated with this type of data. While it is not practical to expose humans to chemicals at target doses and observe subsequent health implications over long periods of time, most of the agencies health criteria is derived from response models and laboratory experiments involving animals. The parameter used to convert from exposure to cancer risk (i.e. the Unit Risk Estimate or URE) is based on default science policy processes used routinely in EPA assessments. First, some air toxics are known to be carcinogens in animals but lack data in humans. These have been assumed to be human carcinogens. Second, all the air toxics in this assessment were assumed to have linear relationships between exposure and the probability of cancer (i.e. effects at low exposures were extrapolated from higher, measurable, exposures by a straight line). Third, the URE used for some air toxics compounds represents a maximum likelihood estimate, which might be taken to mean the best scientific estimate. For other air toxics compounds, however, the URE used was an “upper bound” estimate, meaning that it probably leads to an overestimation of risk if it is incorrect. For these upper bound estimates, it is assumed that the URE continues to apply even at low exposures. It is likely, therefore, that this linear model over-predicts the risk at exposures encountered in the environment. The cancer weighting-values for this approach should be considered “upper bound” in the science policy sense.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

All of the noncancer risk estimates have a built-in margin of safety. All of the Reference Concentrations (RfCs) used in toxicity-weighting of noncancer are conservative, meaning that they represent exposures which probably do not result in any health effects, with a margin of safety built into the RfC to account for sources of uncertainty and variability. Like the URE used in cancer weighting the values are, therefore, considered “upper bound” in the science policy sense. Further details on limitations and uncertainties associated with the agencies health data can be found at: [www.epa.gov/ttn/atw/nata/roy/page9.html#L10](http://www.epa.gov/ttn/atw/nata/roy/page9.html#L10)

**New/Improved Data or Systems:** The 1996 NTI and 1999 NEI for HAPs are a significant improvement over the baseline NTI because of the added facility-level detail (e.g., stack heights, latitude/longitude locations), making it more useful for dispersion model input. Future inventories (2002 and later years) are expected to improve significantly because of increased interest in the NEI for HAPs by regulatory agencies, environmental interests, and industry, and the greater potential for modeling and trend analysis. During the development of the 1999 NEI for HAPs, all primary data submitters and reviewers were required to submit their data and revisions to EPA in a standardized format using the Agency’s Central Data Exchange (CDX). For more information on CDX, please go the following web site: [www.epa.gov/ttn/chief/nif/cdx.html](http://www.epa.gov/ttn/chief/nif/cdx.html)

Beginning in 2006, the toxicity-weighted emission inventory data will also be used as a measurement to predict exposure and risk to the public. This measure will utilize ambient monitoring of air toxics as a surrogate for population exposure and compare these values with health benchmarks to predict risks.

#### References:

The NTI and NEI data and documentation are available at the following sites:

Emissions Inventory Data: <ftp://ftp.epa.gov/EmisInventory/>  
Available inventories: 1996 NTI, 1999 NEI for HAPs  
Contents: Modeling data files for each state  
Summary data files for nation  
Documentation  
README file  
Audience: individuals who want full access to NTI files

NEON: <http://ttnwww.rtpnc.epa.gov/Neon/>  
Available inventories: 1996 NTI and 1999 NEI for HAPs  
Contents: Summary data files  
Audience: EPA staff

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

CHIEF: [www.epa.gov/ttn/chief](http://www.epa.gov/ttn/chief)  
1999 NEI for HAPs data development materials  
1999 Data Incorporation Plan - describes how EPA compiled the 1999 NEI for HAPs  
QC tool for data submitters  
Data Augmentation Memo describes procedures EPA will use to augment data  
99 NTI Q's and A's provides answers to frequently asked questions  
NIF (Input Format) files and descriptions  
CDX Data Submittal Procedures - instructions on how to submit data using CDX  
Training materials on development of HAP emission inventories  
Emission factor documents, databases, and models  
Audience: State/local/Tribal agencies, industry, EPA, and the public

Information on the Emissions Modeling System for Hazardous Air Pollutants:

EMS-HAP: <http://epa.gov/scram001/tt22.htm#aspen>  
<http://www.epa.gov/ttn/chief/emch/projection/emshap.html>  
Contents: 1996 NTI and 1999 NEI for HAPs  
Audience: public

Information on EPA's Health Criteria Data for Risk Characterization:

Health Criteria Data: <http://www.epa.gov/ttn/atw/toxsource/summary.html>  
Contents: Tabulated dose response values for long-term (chronic) inhalation and oral exposures; and values for short-term (acute) inhalation exposure  
Audience: public

#### GOAL 1 OBJECTIVE 2

##### **FY 2009 Performance Measures:**

- **Number of additional homes (new and existing) with radon reducing features (PART measure)**
- **Total cost (public and private) per future premature lung cancer death prevented through lowered radon exposure (PART efficiency measure)**

**Performance Database:** Annual industry survey data of home builders provided by the National Association of Home Builders and internal database of fan sales.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**Data Source:** The survey is an annual sample of home builders in the United States most of whom are members of the National Association of Home Builders (NAHB). NAHB members construct 80% of the homes built in the United States each year. Using a survey methodology reviewed by EPA, NAHB Research Center estimates the percentage of these homes that are built radon resistant. The percentage built radon resistant from the sample is then used to estimate what percent of all homes built nationwide are radon resistant. To calculate the number of people living in radon resistant homes, EPA assumes an average of 2.67 people per household. NAHB Research Center has been conducting this annual builder practices survey for over a decade, and has developed substantial expertise in the survey's design, implementation, and analysis. The statistical estimates are typically reported with a 95 percent confidence interval.

Radon fan manufacturers report fan sales to the Agency. EPA assumes one fan per radon mitigated home, and a fan life of 10 years, and then multiplies the assumed number of working fans by the assumed average of 2.67 people per household.

To estimate the reduced number of lung cancer deaths resulting from lowered radon exposure, EPA applies risk reduction estimates from its 2003 radon risk assessment to the number of existing homes mitigated for elevated radon levels and the number of new homes built with radon resistant new construction. Cost estimate includes both public and private sector costs, using EPA's 2003 estimate as a baseline.

**Methods, Assumptions, and Suitability:** NAHB Research Center conducts an annual survey of home builders in the United States to assess a wide range of builder practices. NAHB Research Center voluntarily conducts this survey to maintain an awareness of industry trends in order to improve American housing and to be responsive to the needs of the home building industry. The annual survey gathers information such as types of houses built, lot sizes, foundation designs, types of lumber used, types of doors and windows used, etc. The NAHB Research Center Builder Survey also gathers information on the use of radon-resistant design features in new houses, and these questions comprise about two percent of the survey questionnaire.

In January of each year, the survey of building practices for the preceding calendar year is typically mailed out to home builders. For the most-recently completed survey, for building practices during calendar year 2003, NAHB Research Center reported mailing the survey to about 45,000 active United States home building companies, and received about 2,300 responses, which translates to a response rate of about 5 percent. The survey responses are analyzed, with respect to State market areas and Census Divisions in the United States, to assess the percentage and number of homes built each year that incorporate radon-reducing features. The data are also used to assess the percentage and number of homes built with radon-reducing features in high radon potential areas in the United States (high risk areas). Other analyses include radon-reducing features as a function of housing type, foundation type, and different techniques for radon-resistant new home construction. The data are suitable for year-to-year comparisons.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

This measure is a combination of data that includes additional number of homes built with radon resistant new construction (RRNC), reported by industry on an annual basis, as well as additional radon mitigations which are estimated from annual radon fan sales.

**QA/QC Procedures:** Because data are obtained from an external organization, QA/QC procedures are not entirely known. According to NAHB Research Center, QA/QC procedures have been established, which include QA/QC by the vendor that is utilized for key entry of data. Because fan sales data are obtained from an external organization, EPA relies on the business practices of radon fan manufacturers for reporting the data.

**Data Quality Review:** Because data are obtained from an external organization, Data Quality Review procedures are not entirely known. NAHB Research Center indicates that each survey is manually reviewed, a process that requires several months to complete. The review includes data quality checks to ensure that the respondents understood the survey questions and answered the questions appropriately. NAHB Research Center also applies checks for open-ended questions to verify the appropriateness of the answers. In some cases, where open-ended questions request numerical information, the data are capped between the upper and lower three percent of the values provided in the survey responses. Also, a quality review of each year's draft report from NAHB Research Center is conducted by the EPA project officer. Fan sales data are obtained from an external organization and EPA reviews the data to ascertain their reliability and discusses any irregularities with the relevant manufacturer.

**Data Limitations:** The majority of home builders surveyed are NAHB members. The NAHB Research Center survey also attempts to capture the activities of builders that are not members of NAHB. Home builders that are not members of NAHB are typically smaller, sporadic builders that in some cases build homes as a secondary profession. To augment the list of NAHB members in the survey sample, NAHB Research Center sends the survey to home builders identified from mailing lists of builder trade publications, such as Professional Builder magazine. There is some uncertainty as to whether the survey adequately characterizes the practices of builders who are not members of NAHB. The effects on the findings are not known.

Although an overall response rate of 5 percent could be considered low, it is the response rate for the entire survey, of which the radon-resistant new construction questions are only a very small portion. Builders responding to the survey would not be doing so principally due to their radon activities. Thus, a low response rate does not necessarily indicate a strong potential for a positive bias under the speculation that builders using radon-resistant construction would be more likely to respond to the survey. NAHB Research Center also makes efforts to reduce the potential for positive bias in the way the radon-related survey questions are presented.

Reporting by radon fan manufacturers is voluntary and may underestimate the number of radon fans sold. Nevertheless, these are the best available data to determine the number of homes mitigated. There are other methods to mitigate radon including: passive mitigation techniques of

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

sealing holes and cracks in floors and foundation walls, installing sealed covers over sump pits, installing one-way drain valves in untrapped drains, and installing static venting and ground covers in areas like crawl spaces. Because there are no data on the occurrence of these methods, there is again the possibility that the number of radon mitigated homes has been underestimated.

No radon vent fan manufacturer, vent fan motor maker or distributor is required to report to EPA; they provide data/information voluntarily to EPA. There are only four (4) radon vent fan manufacturers of any significance; one of these accounts for an estimated 70% of the market. Radon vent fans are unlikely to be used for non-radon applications. However, vent fans typically used for non-radon applications are perhaps being installed as substitutes for radon vent fans in some instances; estimated to be less than 1% of the total market. Ascertaining the actual number of radon vent fans used for other applications, and the number of non-radon fans being substituted in radon applications, would be difficult and expensive at this time relative to the benefit of having such data.

**Error Estimate:** See Data Limitations

**New/Improved Data or Systems:** None

**References:** The results are published by the NAHB Research Center in annual reports of radon-resistant home building practices. See <http://www.nahbrc.org/> for more information about NAHB. The most recent report, "Builder Practices Report: Radon Reducing Features in New Construction 2003," Annual Builder and Consumer Practices Surveys by the NAHB Research Center, Inc., November, 2004. Similar report titles exist for prior years.

See <http://www.epa.gov/iaq/radon/pubs/index.html> for National performance/progress reporting (National Radon Results: 1985-to 2003) on radon, measurement, mitigation and radon-resistant new construction.

#### **FY 2009 Performance Measures:**

- **Number of people taking all essential actions to reduce exposure to indoor environmental asthma triggers (PART measure)**
- **Annual cost to EPA per person with asthma taking all essential actions to reduce exposure to indoor environmental asthma triggers (PART efficiency measure)**

**Performance Database:** The *National Survey on Environmental Management of Asthma and Children's Exposure to ETS* (NSEMA) provides information about the measures taken by people with asthma, and parents of children with asthma, to minimize exposure to indoor environmental asthma triggers, including environmental tobacco smoke (ETS). Additional information about asthma morbidity and mortality in the US is obtained from surveys conducted by the Centers for Disease Control and Prevention (CDC), including the National Health Interview Survey, the

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

National Health and Nutrition Examination Survey, and the Behavioral Risk Factor Surveillance Survey. Annual expenditures for health and lost productivity due to asthma are obtained from the National Heart Lung and Blood Institute (NHLBI) Chartbook [www.nhlbi.nih.gov/resources/docs/04\\_chtbk.pdf](http://www.nhlbi.nih.gov/resources/docs/04_chtbk.pdf).

EPA also collects data on children exposed to environmental tobacco smoke in the home. This information is used in supporting the asthma goals of the program. EPA focuses its work on ETS on children in low income and minority populations, and on children with asthma. In addition to NSEMA, information about ETS is obtained periodically from the CDC studies cited above

**Data Source:** The *NSEMA* (OMB control number 2060-0490) source is EPA. Data on asthma morbidity and mortality is available from the National Center for Health Statistics at the CDC ([www.cdc.gov/nchs](http://www.cdc.gov/nchs)). Data on annual expenditures for health and lost productivity due to asthma are obtained from the NHLBI Chartbook. ([www.nhlbi.nih.gov/resources/docs/04\\_chtbk.pdf](http://www.nhlbi.nih.gov/resources/docs/04_chtbk.pdf)). EPA will gather asthma trigger data through questions that are being integrated into a CDC survey. Essential actions address mold, dust mites, secondhand smoke, cockroaches, pets, nitrogen dioxide, and chemical irritants. Cost includes EPA full cost of implementing the asthma program.

**Methods, Assumptions and Suitability:** End-of-year performance for the asthma program is a best professional estimate using all data sources (including information on annual measures on partner performance and advertising awareness outlined below). The estimate of the number of people with asthma who have taken steps to reduce their exposure to indoor environmental asthma triggers as of 2007 will be based on a projection from previous surveys, and this estimate will be verified using a national survey instrument in 2009. EPA is collaborating with CDC to integrate questions on environmental management of asthma into an existing CDC national survey mechanism to provide performance results data in the future. Also, data provided for the annual measures are used to support progress towards the long term performance measure.

The *NSEMA* (OMB control number 2060-0490) is the most robust data set for this performance measure, but it is not administered annually. The first survey, administered in 2003, was designed in consultation with staff from EPA and the CDC National Center for Health Statistics (NCHS) to ensure that respondents will understand the questions asked and will provide the type of data necessary to measure the Agency's objectives. In addition, care has been taken to ensure that the survey questions target the population with asthma by using the same qualifier question that appears on other national surveys on asthma collected by the CDC.

**QA/QC Procedures:** The *NSEMA* was designed in accordance with approved Agency procedures. Additional information is available on the Internet: <http://www.epa.gov/icr/players.html>. The computer assisted telephone interview methodology used for this survey helps to limit errors in data collection. In addition, the QA/QC procedures associated with conducting the survey include pilot testing of interview questions, interviewer

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

training to ensure consistent gathering of information, and random data review to reduce the possibility of data entry error.

**Data Quality Review:** EPA reviews the data from all sources to ascertain reliability.

#### **Data Limitations:**

**Asthma:** The survey is subject to inherent limitations of voluntary telephone surveys of representative samples. For example, 1) survey is limited to those households with current telephone service; 2) interviewers may follow survey directions inconsistently. An interviewer might ask the questions incorrectly or inadvertently lead the interviewee to a response; or 3) the interviewer may call at an inconvenient time (i.e., the respondent might not want to be interrupted at the time of the call and may resent the intrusion of the phone call; the answers will reflect this attitude.).

**ETS:** Currently available cotinine (a chemical in environmental tobacco smoke) survey data do not address 50% of the age specific portion of EPA's target population. It does not include birth to three years old, the portion of children most susceptible to the effects of ETS.

**Error Estimate:** In 2003 collection with this instrument, the Agency achieved results within the following percentage points of the true value at the 95 percent confidence level (survey instrument):

Adult Asthmatics	plus or minus	2.4%
Child Asthmatics	plus or minus	3.7%
Low Income Adult Asthmatics	plus or minus	6.1%

These precision rates are sufficient to characterize the extent to which the results measured by the survey accurately reflect the characteristics of our nation's asthmatic population.

**New/Improved Data or Systems:** EPA is collaborating with CDC to integrate questions on environmental management of asthma into an existing CDC national survey mechanism to provide performance results data in the future. The 2003 NSEMA estimates, and the integration of the CDC survey population, will provide consistent tracking measures at a reduced cost, while reducing the burden to the public. This collaboration will improve national asthma surveillance efforts.



## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

##### References:

##### Asthma

National Center for Health Statistics, Centers for Disease Control and Prevention ([www.cdc.gov/nchs/](http://www.cdc.gov/nchs/))

EPA Indoor Environments Division ([www.epa.gov/iaq/](http://www.epa.gov/iaq/))

##### ETS

National Health Interview Survey and National Health and Nutrition Examination Survey are part of the National Center for Health Statistics, Centers for Disease Control and Prevention (<http://www.cdc.gov/nchs> last accessed )

Behavioral Risk Factor Surveillance Survey, Centers for Disease Control and Prevention (<http://www.cdc.gov/brfss/index.htm>),

US Surgeon General's report on tobacco (<http://www.cdc.gov/tobacco/sgr/index.htm/>),

National Cancer Institute's (NCI) *Tobacco Monograph Series* (<http://cancercontrol.cancer.gov/tcrb/monographs/>),

NCI funded *Tobacco Use Supplement* portion of the US Census Bureau's *Current Population Survey* (<http://riskfactor.cancer.gov/studies/tus-cps/>),

*Healthy People 2010* (<http://www.healthypeople.gov/>).

##### FY 2009 Performance Measure:

- **Additional health care professionals trained annually by EPA and its partners on the environmental management of asthma triggers (PART measure)**

**Performance Database:** The performance database consists of quarterly Partner status reports used to document the outcomes of individual projects.

**Data Source:** Partner status reports are generated by those organizations receiving funding from EPA and are maintained by individual EPA Project Officers.

**Methods, Assumptions and Suitability:** On an annual basis, EPA requires (programmatic terms and conditions of the award) all funded organizations to provide reports identifying how many health care professionals are educated about indoor asthma triggers.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**QA/QC Procedures:** It is assumed that organizations report data as accurately and completely as possible; site-visits are conducted by EPA project officers.

**Data Quality Review:** Project officers review data quality.

**Data Limitations:** N/A

**New/Improved Data or Systems:** EPA is exploring the development of a centralized data base.

**References:** N/A

#### **FY 2009 Performance Measure:**

- **Percent of public that is aware of the asthma program's media campaign (PART measure)**

**Performance Database:** A media tracking study used to assess behavior change within that sector of the public viewing the public service announcements.

**Data Source:** An independent initiative of the Advertising Council provides media tracking of outcomes of all their public service campaigns and this is publicly available information.

**Methods, Assumptions and Suitability:** Methods are those of the Advertising Council, and not controlled by EPA.

**QA/QC Procedures:** Methods are those of the Advertising Council, and not controlled by EPA.

**Data Quality Review:** Methods are those of the Advertising Council, and not controlled by EPA.

**Data Limitations:** Methods are those of the Advertising Council, and not controlled by EPA.

**New/Improved Data or Systems:** Methods are those of the Advertising Council, and not controlled by EPA.

**References:** Advertising Council Reporting. EPA Assistance Agreement number X-82820301. For additional information see the Ad Council web site <http://www.adcouncil.org/>.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

##### FY 2009 Performance Measures:

- **Estimated annual number of schools establishing Indoor Air Quality programs based on EPA's Tools for Schools guidance (PART measure)**
- **Total number of schools implementing an effective Indoor Air Quality plan (PART measure)**
- **Average cost to EPA per student per year in a school that is implementing an indoor air quality plan. (PART efficiency measure)**

##### **Performance Database:**

EPA collects national data by conducting a survey of indoor air quality management practices in schools approximately every three years. The first survey was administered in 2002. EPA is partnering with CDC to incorporate IAQ management practice indicators, consistent with the benchmark survey, into the School Health Policies and Programs Study (SHPPS) to be administered in 2006. The SHPPS survey is conducted at 6 year intervals so the next nationally representative data would be collected in 2012 and would measure progress against the long term 2012 program goal.

To measure annual progress, EPA estimates the number of schools who establish IAQ Tools for Schools (TfS) programs each year from reports from partner organizations and regional recruiters, supplemented by tracking the volume of guidances distributed and number of people trained by EPA and its partners. EPA also collects information on program benefits such as reduced school nurse visits, improved workplace satisfaction among staff, reduced absenteeism, and cost savings experienced by schools.

**Data Source:** The sources of the data include cooperative partners, USEPA and the statistical sample of all the public and private schools in the nation during the 1999 – 2000 school year (118,000); data are from the United States Department of Education National Center for Education Statistics.

On a 6 year basis, EPA collaborates with CDC to determine the number of schools implementing an IAQ plan. Effectiveness is defined as a plan that is consistent with EPA's Tool for Schools guidance and scores a 70 or higher on EPA's IAQ management index.

Total Number of students is derived from the number of schools multiplied by the nationwide average of 525 students, faculty and staff. Effectiveness is defined as a plan that is consistent with EPA's Tool for Schools guidance and scores a 70 or higher on EPA's indoor air quality (IAQ) management index. Cost includes EPA full cost of implementing IAQ programs.

**Methods, Assumptions and Suitability:** Calculations for the number of people experiencing improved IAQ are based upon an average 525 students, staff and faculty per school (data are

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

from the United States Department of Education National Center for Education Statistics). That number, along with the number of schools that are adopting/implementing TfS, are used to estimate the performance result.

End-of-year performance is a best professional estimate using all data sources. The survey provides more statistically sound results for one period of time; the next scheduled survey will provide performance results for year 2006. Key portions of EPA's 2006 survey will be included as part of CDC's 2006 School Health Policies and Programs Study, which is conducted every six years.

**QA/QC Procedures:** It is assumed that partner organizations report data as accurately and completely as possible; site visits and regular communication with grantees are conducted by EPA projects officers.

**Data Quality Review:** EPA reviews the data from all sources in the performance database to ascertain reliability and to resolve any discrepancies.

**Data Limitations:** The primary limitation associated with Cooperative Agreement Partner status reporting is the error introduced as a result of self-reporting.

**Error Estimate:** Not relevant for this year.

**New/Improved Data or Systems:** Prior to the 2002 survey, EPA tracked the number of schools receiving the TfS guidance and estimated the population of the school to determine the number of students/staff experiencing improved indoor air quality. The survey was administered to establish a baseline for schools implementing IAQ management practices. EPA queried a statistically representative sample of schools to estimate the number of schools that have actually adopted and implemented good IAQ management practices consistent with the TfS guidance. EPA has integrated key portions of the 2002 survey into CDC's School Health Policies and Programs Study, which will show progress from the baseline.

**References:** See the United States Department of Education National Center for Education Statistics, <http://nces.ed.gov/>. See also Indoor Air Quality Tools for Schools Kit (402-K-95-001) at <http://www.epa.gov/iaq/schools> and see [www.cdc.gov/nccdphp/dash/shpps/](http://www.cdc.gov/nccdphp/dash/shpps/). For additional information about the School Health Policies and Programs Study (SHPPS), a national survey periodically conducted to assess school health policies and programs at the state, district, school, and classroom levels.

# Environmental Protection Agency

## FY 2009 Annual Performance Plan and Congressional Justification

### 4-Year Performance Data Annual Performance Goals and Measures

#### GOAL 1 OBJECTIVE 3

##### **FY 2009 Performance Measure:**

- **Remaining US consumption of HCFCs, measured in tons of ozone depleting potential (ODP) (PART measure)**

**Performance Database:** The Allowance Tracking System (ATS) database is maintained by the Stratospheric Protection Division (SPD). ATS is used to compile and analyze quarterly information on U.S. production, imports, exports, transformations, and allowance trades of ozone-depleting substances (ODS).

**Data Source:** Progress on restricting domestic exempted consumption of Class II HCFCs is tracked by monitoring industry reports of compliance with EPA's phase-out regulations. Data are provided by U.S. companies producing, importing, and exporting ODS. Corporate data are typically submitted as quarterly reports. Specific requirements as outlined in the Clean Air Act are available on the Internet at: <http://www.epa.gov/oar/caa/caa603.txt>. Monthly information on domestic production, imports, and exports from the International Trade Commission is maintained in the ATS.

**Methods, Assumptions and Suitability:** Data are aggregated across all U.S. companies for each individual ODS to analyze U.S. total consumption and production.

**QA/QC Procedures:** Reporting and record-keeping requirements are published in 40 CFR Part 82, Subpart A, Sections 82.9 through 82.13. These sections of the Stratospheric Ozone Protection Rule specify the required data and accompanying documentation that companies must submit or maintain on-site to demonstrate their compliance with the regulation.

The ATS data are subject to a Quality Assurance Plan (Quality Assurance Plan, USEPA Office of Atmospheric Programs, July 2002). In addition, the data are subject to an annual quality assurance review, coordinated by Office of Air and Radiation (OAR) staff separate from those on the team normally responsible for data collection and maintenance. The ATS is programmed to ensure consistency of the data elements reported by companies. The tracking system flags inconsistent data for review and resolution by the tracking system manager. This information is then cross-checked with compliance data submitted by reporting companies. SPD maintains a user's manual for the ATS that specifies the standard operating procedures for data entry and data analysis. Regional inspectors perform inspections and audits on-site at the producers', importers', and exporters' facilities. These audits verify the accuracy of compliance data submitted to EPA through examination of company records.

**Data Quality Reviews:** The Government Accounting Office (GAO) completed a review of U.S. participation in five international environmental agreements, and analyzed data submissions

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

from the U.S. under the Montreal Protocol on Substances that Deplete the Ozone Layer. No deficiencies were identified in their January 2003 report.

**Data Limitations:** None, since companies are required by the Clean Air Act to report data. EPA's regulations specify a quarterly reporting system.

**Error Estimate:** None.

**New/Improved Data or Systems:** The Stratospheric Protection Division is developing a system to allow direct electronic reporting.

**References:** See <http://www.epa.gov/ozone/desc.html> for additional information on ODSs. See <http://www.unep.ch/ozone/montreal.shtml> for additional information about the Montreal Protocol. See <http://www.unmfs.org/> for more information about the Multilateral Fund. Quality Assurance Plan, USEPA Office of Atmospheric Programs, July 2002.

#### GOAL 1 OBJECTIVE 4

##### FY 2009 Performance Measure:

- **Percentage of most populous U.S. cities with a RadNet ambient radiation air monitoring system, which will provide data to assist in protective action determinations. (PART measure)**

**Performance Database:** EPA database of RadNet program expansion. Data from the near real time gamma component of the ambient air radiation monitoring system, RadNet, will be stored in the EPA RadNet database at the National Air and Radiation Environmental Laboratory (NAREL) in Montgomery, AL.

**Data Source:** Data on the number and location of monitors will be stored in the NAREL RadNet program expansion database; U.S. Census Bureau population data will be used to calculate 100 most populous cities; environmental data from the RadNet system will be stored in the NAREL RadNet database.

**Methods and Assumptions:** These monitors will provide data on ambient environmental levels of radiation on an ongoing basis and in the event of a radioactive contamination event.

**Suitability:** This measure was selected to show the implementation of the fixed monitoring network and the benefit to population. Over time, once the system is fully implemented, this measure will become obsolete.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**QA/QC Procedures:** Quality Assurance and Quality Control Procedures will follow Agency guidelines and be consistent with the RadNet Quality Assurance Project Plan once it is complete (scheduled to be finalized in early 2008). Laboratory analyses of air filters and other media, as well as all calibrations, are closely controlled in compliance with the NAREL Quality Management Plan and applicable Standard Operating Procedures (EPA Office of Radiation and Indoor Air (ORIA), National Air and Radiation Environmental Laboratory Quality Management Plan Revision 1, dated March 15, 2001 and reaffirmed August 23, 2006).

**Data Quality Review:** Science Advisory Review Board reviewed and analyzed the RadNet system and presented their suggestions for the expansion and upgrade of the system. Advice on siting of the monitors was presented to EPA. (EPA SAB Report, Review of 2005 Agency Draft entitled "Expansion and Upgrade of the RadNet Air Monitoring Network, Vol. 1 & 2, Concept and Plan," Quality Review Draft, 8/17/06) [http://epa.gov/sab/pdf/radnet\\_final\\_qual\\_rev\\_draft\\_08-17-06.pdf](http://epa.gov/sab/pdf/radnet_final_qual_rev_draft_08-17-06.pdf).

**Data Limitations:** N/A.

**Error Estimate:** It is not anticipated that significant error will occur in tracking the number of monitors placed in cities.

**New/Improved Data or Systems:** None planned at this time.

**References:** For more information about the system, see: [www.epa.gov/narel/radnet](http://www.epa.gov/narel/radnet)

#### **FY 2009 Performance Measure:**

- **Level of readiness of radiation program personnel and assets to support federal radiological emergency response and recovery operations (measured as percentage of radiation response team members and assets that meet scenario-based response criteria). (PART measure)**

**Performance Database:** Internal Database

**Data Source:** Annual measurement of readiness based on an evaluation of the emergency response assets.

**Methods and Assumptions:** EPA developed standardized criteria based on the functional requirements identified in the National Response Plan's Nuclear/Radiological Incident Annex and the National Oil and Hazardous Substances Pollution Contingency Plan (NCP). A baseline analysis for the Radiological Emergency Response Team (RERT) was performed in 2005, for EPA Headquarters and is based on the effectiveness of the RERT during incidents and national exercises.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**Suitability:** This measure and its criteria were developed to compliment Department of Homeland Security criteria as well as those of the EPA Core Emergency Response and Removal (Core ER) program evaluation measures.

**QA/QC Procedures:** An evaluation panel consisting of three representatives from the Radiological Emergency Response Team (RERT), one from each Office of Radiation and Indoor Air (ORIA) Laboratory and one from ORIA Headquarters, and ORIA management representatives (including at least one representative from outside the ORIA Radiological Emergency Response Program) annually perform a critical evaluation of ORIA's Radiological Emergency Response Program's capabilities versus the standardized criteria, resulting in an overall annual percentage score, as well as component percentage scores. Representatives will not be involved in the evaluation of their own location. Members are chosen based on volunteerism and by lottery on an annual basis. The Panel is chaired by the non-RERT management representative

**Data Quality Review:** Evaluation information is provided to the ORIA Office Director annually for use in evaluating progress. Data quality is certified by the Laboratory Directors at the Radiation and Indoor Environments National Laboratory and the National Air and Radiation Environmental Laboratory as well as by the Division Director of the Radiation Protection Division.

**Data Limitations:** None known

**Error Estimate:** None known

**New/Improved Data or Systems:** N/A

**References:** Radiological Emergency Response Measurement Implementation Plan: Long-Term Outcome Performance Measure, Readiness. FY 2007 Radiation PART Assessment (Draft: 7/25/2007)

#### **FY 2009 Performance Measure:**

- **Level of readiness of national environmental radiological laboratory capacity (measured as percentage of laboratories adhering to EPA quality criteria for emergency response and recovery decisions). (PART Measure)**

**Performance Database:** Internal Database.

**Data Source:** EPA will conduct laboratory assessments between years 2006 to 2011 to determine commercial, state and federal laboratory capability, capacity, and qualifications. This



## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

is a phased-in approach and initial work has already begun. In 2007, EPA has conducted an initial capacity and capability survey of select commercial radiation laboratories.

**Methods and Assumptions:** The percentage laboratory capacity that is needed is based on the Homeland Security Council Radiological Attack, Radiological Dispersal Device Scenario. Similarly, radiological scenario analytical needs will be based on the Homeland Security Council Radiological Dispersion Device (RDD) Scenario. Laboratory capacity determines, for example, equipment needs, whereas, analytical needs measurement determines expert modeling capability, etc. Both are important factors in determining level of readiness. Increased laboratory capacity for those laboratories assisted through EPA guidance and training will be calculated.

**Suitability:** This measure is critical to identifying level of readiness relative to radiological laboratory capacity in the event of an incident of national significance.

**QA/QC Procedures:** Quality Assurance and Quality Control Procedures will follow Agency guidelines and be consistent with EPA's Office of Radiation and Indoor Air Quality Management Plan Revision, dated October 2004.

**Data Quality Review:** Information gained from the laboratory assessments with respect to capacity and ability to meet method validation protocols will be used to determine laboratory capacity, which adheres to EPA quality criteria.

**Data Limitations:** None known

**Error Estimate:** N/A

**New/Improved Data or Systems:** N/A

**References:** Radiological Emergency Response Measurement Implementation Plan: Long-Term Outcome Performance Measure, Readiness. FY 2007 Radiation PART Assessment (Draft: 7/25/2007)

#### **FY 2009 Performance Measure:**

- **Average time of availability of quality assured ambient radiation air monitoring data during an emergency. (PART Measure)**

**Performance Database:** Data from the near real-time gamma component RadNet will be stored in an internal EPA database at the National Air and Radiation Environmental Laboratory (NAREL) in Montgomery, Alabama.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**Data Source:** The baseline for this measure is the current calculated response time which is based on shipment time and laboratory analysis time. As real-time monitors are put into service, the efficiency of the system will increase. Near real-time units will have reliable data in hours compared to days for conventional monitors, which are dependent on shipment and analysis time of samples.

**Methods and Assumptions:** The time between data collection at the monitoring sites and availability of data for release by EPA will be determined annually for the system as a whole, including existing (legacy) monitors and new near real-time monitors. The efficiency data will be compiled from existing and ongoing operational records of RadNet.

The monitoring system efficiency is based on two assumptions: (1) 43 conventional (non-real-time) monitoring stations exist in the system before the addition of any real-time monitors, and (2) a baseline of two and one-half days (60 hours) are required for data to become available (during emergency conditions) from the 43 non-real-time monitors. The initial interval of 2.5 days assumes the network is in alert status when time counting begins. Six (6) hours is the time required for data to become available from the near real-time monitors.

**Suitability:** This measure provides key data regarding availability of data and operational readiness of the nationwide RadNet ambient radiation monitoring network.

**QA/QC Procedures:** Quality Assurance and Quality Control Procedures will follow Agency guidelines and be consistent with the RadNet Quality Assurance Project Plan once it is complete (scheduled to be finalized in early 2008). Laboratory analyses of air filters and other media, as well as all calibrations, are closely controlled in compliance with the NAREL Quality Management Plan and applicable Standard Operating Procedures (EPA Office of Radiation and Indoor Air, National Air and Radiation Environmental Laboratory Quality Management Plan Revision 1, dated March 15, 2001 and reaffirmed August 23, 2006).

**Data Quality Review:** The database will screen all incoming data from the monitoring systems for abnormalities as an indicator of either a contamination event or an instrument malfunction. Data will be held in a secure portion of the database until verified by trained personnel. Copies of quality assurance and quality control testing will also be maintained to assure the quality of the data.

**Data Limitations:** None known

**Error Estimate:** N/A

**New/Improved Data or Systems:** This measure will use data from the enhanced RadNet ambient air radiation monitoring system.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

##### FY 2009 Performance Measure:

- **Time to approve site changes affecting waste characterization at DOE waste generator sites to ensure safe disposal of transuranic radioactive waste at WIPP**

**Performance Database:** Internal Database

**Data Source:** EPA has established a range of baseline data from existing records that indicate the date(s) of the EPA site inspection and the EPA approval date for waste streams and waste characterization equipment. EPA will measure the time between the DOE request for approval/notification of change (or the date of the inspection, if applicable) to the date of EPA approval, disapproval or concurrence of the change.

**Methods and Assumptions:** Under the new requirements of 40 CFR Part 194.8, EPA will perform a baseline inspection of each DOE waste generator site. If all requirements are met, EPA will approve the site's waste characterization program and assign tiers, based on abilities demonstrated during the baseline inspection. DOE will inform EPA of changes in the waste characterization program that can affect the quality of the data required by EPA to ensure the disposal regulations are met. The tiering protocol, which applies to waste streams, equipment, and procedures, will require DOE to either notify EPA of changes to the waste characterization program prior to implementation of the change (Tier 1) or to notify EPA of the changes upon implementation (Tier 2). For Tier 1 changes, EPA may request additional information or conduct an inspection prior to issuing an approval.

EPA assumes that adequate resources commensurate with the workload (which varies by up to 3 fold on an annual basis) are available and that sufficiently qualified EPA personnel and contractor consultants are available.

**Suitability:** This measure provides key information about the time required for EPA to approve DOE's request to dispose of transuranic waste at the WIPP site.

**QA/QC Procedures:** Quality Assurance and Quality Control Procedures will follow Agency guidelines and be consistent with EPA Office of Radiation and Indoor Air Quality Management Plan Revision, dated October 2004.

**Data Quality Review:** N/A

**Data Limitations:** None known

**Error Estimate:** N/A

**New/Improved Data or Systems:** N/A

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**References:** The Department of Energy National TRU Waste Management Plan Quarterly Supplement <http://www.wipp.energy.gov/shipments.htm> contains information on the volumes of waste that are received at the DOE WIPP.

#### **FY 2009 Performance Measure:**

- **Population covered by Radiation Protection Program monitors per million dollars invested. (PART efficiency measure)**

**Performance Database:** EPA database of RadNet program expansion. The percent of the U.S. population covered is dependent on the number of monitors deployed and includes everyone in the continental U.S. within 25 miles of an ambient radiation monitor. Dollars invested includes the full budget of the Radiation Protection Program.

**Data Source:** The performance measurement data—percentage of U.S. population covered by the program—will be calculated annually from operational records maintained at the National Air and Radiation Environmental Laboratory. These records are an inherent part of program oversight and will not require special data collection efforts. U.S. population numbers are based on the Census 2000 from the U.S. Census Bureau. Program dollars are based on the full budget of the Radiation Protection Program, which will be retrieved from the EPA Financial Data Warehouse. The costs and data points produced will be determined annually for the system as a whole, including existing (legacy) monitors and new near real-time monitors.

**Methods and Assumptions:** This measure reflects the population covered (i.e., within 25 miles of a monitor) under an expanded and more robust system of radiation monitoring and assessment per program dollar. As such, it is a very conservative estimate of “coverage.” In the event of a radiological emergency, the enhanced radiological monitoring system would support a number of response measures and activities that cover and apply to the population as a whole. This entails complete mobilization of EPA’s Radiological Emergency Response Program and full deployment of all monitoring capability, including up to 40 portable RadNet monitors. The efficiency measure is defined as the total costs (including FTE) to run both the legacy and near real-time systems, which will provide scientists, decision makers, and the public information on ambient radiation levels in airborne particulates under normal conditions or during radiological incidents. As real-time monitors are put into service, the efficiency of the system will increase dramatically. Near real-time units produce reliable data each hour as opposed to twice weekly for conventional (legacy) monitors, which are dependent on shipment and analysis time of samples.

**Suitability:** This measure provides key information about population covered (i.e., within 25 miles of a monitor) under an expanded and more robust system of radiation monitoring and assessment per program dollar.

**QA/QC Procedures:** N/A

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**Data Quality Review:** N/A

**Data Limitations:** None known

**Error Estimate:** N/A

**New/Improved Data or Systems:** N/A

**References:** N/A

#### GOAL 1 OBJECTIVE 5

##### FY 2009 Performance Measures:

- **Million metric tons of carbon equivalent (mmtce) of greenhouse gas emissions reduced in the buildings sector (PART measure)**
- **Million metric tons of carbon equivalent (mmtce) of greenhouse gas emissions reduced in the industry sector (PART measure)**
- **Million metric tons of carbon equivalent (mmtce) of greenhouse gas emissions reduced in the transportation sector (PART measure)**

**Performance Database:** Climate Protection Partnerships Division Tracking System. The tracking system's primary purpose is to maintain a record of the annual greenhouse gas emissions reduction goals and accomplishments for the voluntary climate program using information from partners and other sources. It also measures the electricity savings and contribution towards the President's greenhouse gas intensity goal.

**Data Source:** EPA develops carbon and non-CO<sub>2</sub> emissions baselines. A baseline is the "business-as-usual" case without the impact of EPA's voluntary climate programs. Baseline data for carbon emissions related to energy use comes from the Energy Information Agency (EIA) and from EPA's Integrated Planning Model (IPM) of the U.S. electric power sector. These data are used for both historical and projected greenhouse gas emissions and electricity generation, independent of partners' information to compute emissions reductions from the baseline and progress toward annual goals. The projections use a "Reference Case" for assumptions about growth, the economy, and regulatory conditions. Baseline data for non-carbon dioxide (CO<sub>2</sub>) emissions, including nitrous oxide and other high global warming potential gases, are maintained by EPA. The non-CO<sub>2</sub> data are compiled with input from industry and also independently from partners' information.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

Data collected by EPA's voluntary programs include partner reports on facility-specific improvements (e.g. space upgraded, kilowatt-hours (kWh) reduced), national market data on shipments of efficient products, and engineering measurements of equipment power levels and usage patterns

Baseline information is discussed at length in the U.S. Climate Action Report 2002. The report includes a complete chapter dedicated to the U.S. greenhouse gas inventory (sources, industries, emissions, volumes, changes, trends, etc.). A second chapter addresses projected greenhouse gases in the future (model assumptions, growth, sources, gases, sectors, etc.)

U.S. Department of State. 2002. "U.S. Climate Action Report—2002. Third National Communication of the United States of America under the United Nations Framework Convention on Climate Change."

Partners do contribute *actual* emissions data biannually after their facility-specific improvements but these emissions data are not used in tracking the performance measure. EPA, however, validates the estimates of greenhouse gas reductions based on the actual emissions data received.

**Methods, Assumptions, and Suitability:** Most of the voluntary climate programs' focus is on energy efficiency. For these programs, EPA estimates the expected reduction in electricity consumption in kilowatt-hours (kWh). Emissions prevented are calculated as the product of the kWh of electricity saved and an annual emission factor (e.g., metric tons carbon equivalent (MMTCE) prevented per kWh). Other programs focus on directly lowering greenhouse gas emissions (e.g., Natural Gas STAR, Landfill Methane Outreach, and Coalbed Methane Outreach); for these, greenhouse gas emission reductions are estimated on a project-by-project basis. EPA maintains a tracking system for emissions reductions.

The Integrated Planning Model, used to develop baseline data for carbon emissions, is an important analytical tool for evaluating emission scenarios affecting the U.S. power sector. The IPM has an approved quality assurance project plan that is available from EPA's program office.

**QA/QC Procedures:** EPA devotes considerable effort to obtaining the best possible information on which to evaluate emissions reductions from voluntary programs. Peer-reviewed carbon-conversion factors are used to ensure consistency with generally accepted measures of greenhouse gas (GHG) emissions, and peer-reviewed methodologies are used to calculate GHG reductions from these programs.

Partners do contribute *actual* emissions data biannually after their facility-specific improvements but these emissions data are not used in tracking the performance measure. EPA, however, validates the estimates of greenhouse gas reductions based on the actual emissions data received.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**Data Quality Review:** The Administration regularly evaluates the effectiveness of its climate programs through interagency evaluations. The second such interagency evaluation, led by the White House Council on Environmental Quality, examined the status of U.S. climate change programs. The review included participants from EPA and the Departments of State, Energy, Commerce, Transportation, and Agriculture. The results were published in the *U.S. Climate Action Report-2002* as part of the United States' submission to the Framework Convention on Climate Change (FCCC). The previous evaluation was published in the *U.S. Climate Action Report-1997*. A 1997 audit by EPA's Office of the Inspector General concluded that the climate programs examined "used good management practices" and "effectively estimated the impact their activities had on reducing risks to health and the environment..."

**Data Limitations:** These are indirect measures of GHG emissions (carbon conversion factors and methods to convert material-specific reductions to GHG emissions reductions). Also, the voluntary nature of the programs may affect reporting. Further research will be necessary in order to fully understand the links between GHG concentrations and specific environmental impacts, such as impacts on health, ecosystems, crops, weather events, and so forth.

**Error Estimate:** These are indirect measures of GHG emissions. Although EPA devotes considerable effort to obtaining the best possible information on which to evaluate emissions reductions from its voluntary programs, errors in the performance data could be introduced through uncertainties in carbon conversion factors, engineering analyses, and econometric analyses. The only programs at this time aimed at avoiding GHG emissions are voluntary.

**New/Improved Data or Systems:** The Administration regularly evaluates the effectiveness of its climate programs through interagency evaluations. EPA continues to update inventories and methodologies as new information becomes available.

**References:** The U.S. Climate Action Report 2002 is available at: [www.epa.gov/globalwarming/publications/car/index.html](http://www.epa.gov/globalwarming/publications/car/index.html). The accomplishments of many of EPA's voluntary programs are documented in the Climate Protection Partnerships Division Annual Report. The most recent version is *Protecting the Environment Together: ENERGY STAR and other Voluntary Programs*, Climate Protection Partnerships Division 2003 Annual Report.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

#### GOAL 1 OBJECTIVE 6

##### FY 2009 Performance Measures:

- **Percent progress toward completion of a hierarchy of air pollutant sources based on the risk they pose to human health (PART Measure)**
- **Percent of planned actions accomplished toward the long-term goal of reducing uncertainty in the science that supports the standard-setting and air quality management decisions (PART Measure)**

**Performance Database:** Integrated Resources Management System (internal database) and list of recommendations from the Board of Scientific Counselors (BOSC)

**Data Source:** Data are generated based on self-assessments of: 1) overall progress toward completing research goals, and 2) completion of distinct planned program outputs.

**Methods, Assumptions and Suitability:** To provide an indication of progress towards achievement of the Clean Air Research Program's long-term goals, the program annually develops a list of key research milestones and outputs in support of the Multi-Year Plan that are scheduled for completion by the end of each fiscal year. This list is finalized by the start of the fiscal year, after which no changes are made. The program then tracks quarterly the progress towards completion of these key outputs against pre-determined schedules and milestones. The final score is the percent of key outputs from the original list that are successfully completed on-time. Additionally, Clean Air research program "planned" actions include the completion of follow-up recommendations resulting from external peer reviews.

**QA/QC Procedures:** Procedures are now in place to require that all annual milestones be clearly defined and mutually agreed upon within ORD by the start of each fiscal year. Progress toward completing these activities is monitored by ORD management.

**Data Quality Reviews:** N/A

**Data Limitations:** Data do not capture the quality or impact of the research milestones and outputs being measured. However, long-term performance measures and independent program reviews are used to measure research quality and impact. Additionally, completion rates of research outputs are program-generated, though subject to ORD review.

**Error Estimate:** N/A

**New/Improved Data or Systems:** N/A

**References:** Air Toxics Multi-Year Plan, available at: <http://www.epa.gov/osp/myr/airtox.pdf>



## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

Particulate Matter Multi-Year Plan, available at: <http://www.epa.gov/osp/mypp/pm.pdf>  
National Ambient Air Quality Standards (NAAQS) Research PART Program Assessment, available at: <http://www.whitehouse.gov/omb/expectmore/summary/10001137.2005.html>

#### **FY 2009 Performance Measure:**

- **Percentage of NAAQS program publications rated as highly cited papers (PART Measure).**

**Performance Database:** No internal tracking system.

**Data Source:** Searches of Thomson Scientific's *Web of Science* and *Scopus* are conducted to obtain "times cited" data for programs' publications. Analyses are completed using Thomson's *Essential Science Indicators (ESI)* and *Journal Citation Reports (JCR)* as benchmarks. *ESI* provides access to a unique and comprehensive compilation of essential science performance statistics and science trends data derived from Thomson's databases.

**Methods, Assumptions and Suitability:** For influence and impact measures, *ESI* employs both total citation counts by field and cites per paper scores. The former reveals gross influence while the latter shows weighted influence, also called impact. *JCR* is a recognized authority for evaluating journals. It presents quantifiable statistical data that provide a systematic, objective way to evaluate the world's leading journals and their impact and influence in the global research community. The two key measures used in this analysis to assess the journals in which a program's papers are published are the Impact Factor and Immediacy Index. The Impact Factor is a measure of the frequency with which the "average article" in a journal has been cited in a particular year. The Impact Factor helps evaluate a journal's relative importance, especially when compared to other journals in the same field.

**QA/QC Procedures:** N/A

**Data Quality Reviews:** N/A

**Data Limitations:** Analyses do not capture citations within EPA regulations and other key agency documents.

**Error Estimate:** N/A

**New/Improved Data or Systems:** N/A

**References:** Bibliometric Analysis for the U.S. Environmental Protection Agency/Office of Research and Development's Particulate Matter Research Program, available at: [http://es.epa.gov/ncer/publications/bibliometrics/dw\\_bibliometric\\_pm\\_only\\_0907.pdf](http://es.epa.gov/ncer/publications/bibliometrics/dw_bibliometric_pm_only_0907.pdf).

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

##### **FY 2009 Performance Measure:**

- **Percent variance from planned cost and schedule (PART Efficiency Measure)**

**Performance Database:** Integrated Resources Management System (internal database).

**Data Source:** Data are generated based on 1) self-assessments of progress toward completing research goals, and 2) spending data.

**Methods, Assumptions and Suitability:** Using an approach similar to Earned Value Management, the data are calculated by: 1) determining the difference between planned and actual performance for each long-term goal (specifically, determining what percent of planned program outputs were successfully completed on time), 2) determining the difference between planned and actual cost for each long-term goal (specifically, determining the difference between what the program actually spent and what it intended to spend), and 3) dividing the difference between planned and actual performance by the difference between planned and actual cost.

**QA/QC Procedures:** N/A

**Data Quality Reviews:** N/A

**Data Limitations:** Program activity costs are calculated through both actual and estimated costs when activities are shared between programs. Performance data reflects only the key program outputs, and does not include every activity completed by a program. Additionally, completion rates of research outputs are program-generated, though subject to ORD review.

**Error Estimate:** N/A

**New/Improved Data or Systems:** N/A

##### **References:**

National Ambient Air Quality Standards (NAAQS) Research PART Program Assessment, available at: <http://www.whitehouse.gov/omb/expectmore/summary/10001137.2005.html>.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

##### GOAL 2 OBJECTIVE 1

###### FY 2009 Performance Measures:

- **Percent of the population served by community water systems that meet all applicable health-based drinking water standards through approaches including effective treatment and source water protection [PART measure]**
- **Percent of the population in Indian country served by community water systems that receive drinking water that meets all applicable health-based drinking water standards [PART measure]**
- **Percent of person months during which community water systems provide drinking water that meets all applicable health-based standards [PART measure]**
- **Percent of community water systems that meet all applicable health-based standards through approaches that include effective treatment and source water protection [PART measure]**
- **The percentage of community water systems that have undergone a sanitary survey within the past three years (five years for outstanding performance). [PART measure]**

**Performance Database:** Safe Drinking Water Information System - Federal Version (SDWIS or SDWIS/FED). SDWIS contains basic water system information, population served, and detailed records of violations of the Safe Drinking Water Act and the statute's implementing health-based drinking water regulations. The performance measures are based on the population served by community water systems and the number of community water systems that were active during any part of the performance year and did not have any violations designated as "health based." Exceedances of a maximum contaminant level (MCL) and violations of a treatment technique are health-based violations. SDWIS has provided annual results for ten years and reports on a fiscal year basis.

**Data Source:** Data are provided by agencies with primacy (primary enforcement authority) for the Public Water System Supervision (PWSS) program. These agencies are either: States, EPA for non-delegated states or territories, and the Navajo Nation Indian tribe, the only tribe with primacy. Primacy agencies collect the data from the regulated water systems, determine compliance, and report a subset of the data to EPA (primarily inventory and summary violations).

**Methods, Assumptions and Suitability:** Under the drinking water regulations, water systems must use approved analytical methods for testing for contaminants. State certified laboratories report contaminant occurrence to states that, in turn, determine exceedances of maximum contaminant levels or non-compliance with treatment techniques and report these violations to EPA. These results are subject to periodic performance audits and compared to results that states

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

report to SDWIS. Primacy agencies' information systems and compliance determinations are audited on an average schedule of once every 3 years, according to a protocol. To measure program performance, EPA aggregates the SDWIS data into national statistics on overall compliance with health-based drinking water standards using the measures identified above.

**QA/QC Procedures:** EPA conducts a number of Quality Assurance/Quality Control steps to provide high quality data for program use, including:

- (1) SDWIS/FED edit checks built into the software to reject erroneous data.
- (2) Quality assurance manuals for states and Regions, which provide standard operating procedures for conducting routine assessments of the quality of the data, including timely corrective action(s).
- (3) Training to states on reporting requirements, data entry, data retrieval, and error correction.
- (4) User and system documentation produced with each software release and maintained on EPA's web site. System, user, and reporting requirements documents can be found on the EPA web site, <http://www.epa.gov/safewater/>. System and user documents are accessed via the database link <http://www.epa.gov/safewater/databases.html>, and specific rule reporting requirements documents are accessed via the regulations, guidance, and policy documents link <http://www.epa.gov/safewater/regs.html>.
- (5) Specific error correction and reconciliation support through a troubleshooter's guide, a system-generated summary with detailed reports documenting the results of each data submission, and an error code database for states to use when they have questions on how to enter or correct data.
- (6) User support hotline available 5 days a week.

The SDWIS/FED equivalent of a quality assurance plan is the data reliability action plan<sup>1</sup> (DRAP). The DRAP contains the processes and procedures and major activities to be employed and undertaken for assuring the data in SDWIS meet required data quality standards. This plan has three major components: assurance, assessment, and control.

**Data Quality Review:** Data Quality Review: Routine data quality assurance and quality control analysis of SDWIS by the Agency revealed a degree of non-reporting of violations of health-based drinking water standards, and of violations of regulatory monitoring and reporting requirements. As a result, the Agency is now tracking and quantifying the quality of data reported to SDWIS/FED as part of the Agency's National Water Program Guidance. The Agency will continue follow and update the Data Reliability Implementation/Action Plan. EPA will continue to review the results of on-site data verification (and eDV) and initiate a discussion with individual states concerning any potential discrepancies with the data reported to

---

<sup>1</sup> *Data Reliability Action Plan*. U.S. EPA, October 2002. Office of Ground Water and Drinking Water internal work plan document. *Drinking Water Data Reliability Analysis and Action Plan (2003) For State Reported Public Water System Data In the EPA Safe Drinking Water Information System/Federal Version (SDWIS/FED)*

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

SDWIS/FED. The on-site DV will be conducted as described in the Data Verification Protocol. Even as improvements are made, SDWIS serves as the best source of national information on compliance with Safe Drinking Water Act requirements for program management, the development of drinking water regulations, trend analyses, and public information.

**Data Limitations:** Recent state data verification and other quality assurance analyses indicate that the most significant data quality problem is under-reporting by the states of monitoring and health-based standards violations and inventory characteristics. The most significant under-reporting occurs in monitoring violations. Even though those are not covered in the health based violation category, which is covered by the performance measure, failures to monitor could mask treatment technique and MCL violations. Such under-reporting of violations limits EPA's ability to: 1) accurately portray the amount of people affected by health-based violations, 2) undertake geo-spatial analysis, 3) integrate and share data with other data systems, and 4) precisely quantify the population served by systems, which are meeting the health-based standards. Therefore, the estimates of population-served could be high or low. As described in the Data Quality Review section above, EPA is currently changing the protocol to enhance the results of data audits as the best near-term option to improve these estimates, while continuing to explore other approaches, including use of contaminant occurrence data.

**Error Estimate:** EPA will be analyzing data, derived from the improved data audit protocol, with a robust statistical basis from which to extrapolate national results, and better aligned with requirements of the Data Quality Act. The long-term value of the improved audit process is that each year's results will be statistically representative and provide information closer in time to the needed performance reporting; for example, 2006 results, the first year of the improved audit process will be reported in 2007.

**New/Improved Data or Systems:** Several approaches are underway.

First, EPA will continue to work with states to implement the DRAP and ISP, which have already improved the completeness, accuracy, timeliness, and consistency of the data in SDWIS/FED through: 1) training courses for specific compliance determination and reporting requirements, 2) state-specific technical assistance, 3) increased number of data audits conducted each year, and 4) assistance to regions and states in the identification and reconciliation of missing, incomplete, or conflicting data.

Second, more states (as of January 2007, 53 States, Tribes, and territories are using SDWIS/STATE) will use SDWIS/STATE,<sup>2</sup> a software information system jointly designed by

---

<sup>2</sup> SDWIS/STATE (Version 8.1) is an optional Oracle data base application available for use by states and EPA regions to support implementation of their drinking water programs.

U.S. EPA, Office of Ground Water and Drinking Water. Data and Databases. Drinking Water Data & Databases – SDWIS/STATE, July 2002. Information available on the Internet: [http://www.epa.gov/safewater/sdwis\\_st/current.html](http://www.epa.gov/safewater/sdwis_st/current.html)

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

states and EPA, to support states as they implement the drinking water program.

Third, EPA has modified SDWIS/FED to (1) simplify the database, (2) minimize data entry options resulting in complex software, (3) enforce Agency data standards, and (4) ease the flow of data to EPA through a secure data exchange environment incorporating modern technologies, all of which will improve the accuracy of the data. In 2006, full use of SDWIS/FED for receiving state reports will be implemented. Data will be stored in a data warehouse system that is optimized for analysis, data retrieval, and data integration from other data sources. It will improve the program's ability to more efficiently use information to support decision-making and effectively manage the program.

Finally, EPA, in partnership with the states, is developing information modules or data systems on other drinking water programs: the Underground Injection Control Program (UIC) and the Drinking Water State Revolving Fund. These modules will be integrated with SDWIS to provide a more comprehensive data set with which to assess the nation's drinking water supplies, a key component of the goal. Plans have now been developed for design of systems to address these data flows. Developing the systems to receive the data is scheduled for 2007.

#### References:

##### Plans\*

- SDWIS/FED does not have a Quality Assurance Project Plan - it is a legacy system which has "evolved" since the early 80s prior to the requirement for a Plan. The SDWIS/FED equivalent is the Data Reliability Action Plan
- Information Strategy Plan – SDWIS/FED (see footnote 2)
- Office of Water Quality Management Plan, available at <http://www.epa.gov/water/info.html>
- Enterprise Architecture Plan

##### Reports\*

- 1999 SDWIS/FED Data Reliability
- 2003 SDWIS/FED Data Reliability Report - contains the Data Reliability Action Plan and status report

##### Guidance Manuals, and Tools

- PWSS SDWIS/FED Quality Assurance Manual

---

\* These are internal documents maintained by EPA's Office of Ground Water and Drinking Water. Please call 202-564-3751 for further information.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

- Various SDWIS/FED User and System Guidance Manuals (includes data entry instructions, data On-line Data Element Dictionary-a database application, Error Code Data Base (ECDB) - a database application, users guide, release notes, etc.) Available on the Internet at <http://www.epa.gov/safewater/sdwisfed/sdwis.htm>
- Regulation-Specific Reporting Requirements Guidance. Available on the Internet at <http://www.epa.gov/safewater/regs.html>

#### Web site addresses

- OGWDW Internet Site <http://www.epa.gov/safewater/databases.html> and contains access to the information systems and various guidance, manuals, tools, and reports.
- Sites of particular interest are:  
<http://www.epa.gov/safewater/data/getdata.html> contains information for users to better analyze the data, and  
<http://www.epa.gov/safewater/sdwisfed/sdwis.htm> contains reporting guidance, system and user documentation and reporting tools for the SDWIS/FED system.

#### FY 2009 Performance Measures:

- **Fund Utilization Rate for the DWSRF [PART measure]**
- **Number of additional projects initiating operations [PART measure]**

**Performance Database:** Drinking Water State Revolving Fund National Information Management System (DWNIMS.)

**Data Sources:** Data are entered by state regulatory agency personnel and by EPA's Regional staff; they are collected and reported once yearly.

**Methods, Assumptions and Suitability:** Data entered into DWNIMS directly represent the units of performance for the performance measure. These data are suitable for year-to-year comparison and trend indication.

**QA/QC Procedures:** EPA's headquarters and Regional offices are responsible for compiling the data and querying states as needed to assure data validity and conformance with expected trends. States receive data entry guidance from EPA headquarters in the form of annual memoranda (e.g., "2005 DWNIMS Data Collection.")

**Data Quality Reviews:** EPA's headquarters and Regional offices annually review the data submitted by the states. State data are publicly available at <http://www.epa.gov/safewater/dwsrf/dwnims.html> in individual state reports. Headquarters addresses significant data variability issues directly with states or through the appropriate EPA Regional office. Additionally, EPA's contractor tests the data for logical consistency. An annual

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

EPA headquarters' "DWNIMS Analysis" provides detailed data categorization and comparison. This analysis is used during:

1. Annual EPA Regional office and state reviews to identify potential problems with the program's pace which might affect the performance measure.
2. Reviews by EPA's headquarters of regional oversight of state revolving funds.
3. Annual reviews by EPA's Regional offices of their states' revolving funds operations.

State data quality is also evaluated during annual reviews performed by EPA Regions. Any inconsistencies that are found in need of correction are incorporated into future DWNIMS reports. These adjustments are historically rare and very minor.

**Data Limitations:** There are no known limitations in the performance data, which states submit voluntarily. Erroneous data can be introduced into the DWNIMS database by typographic or definitional error. Typographic errors are controlled and corrected through data testing performed by EPA's contractor. Definitional errors due to varying interpretations of information requested for specific data fields have been largely reduced. These definitions are publicly available at: <http://www.epa.gov/safewater/dwsrf/nims/dwdatadefs.pdf>. There is typically a lag of approximately two months from the date EPA asks states to enter their data into the DWNIMS database, and when the data are quality-checked and available for public use.

**New/Improved Data or Systems:** This system has been operative since 1999. It is updated annually, and data fields are changed or added as needed.

#### **References:**

State performance data as shown in NIMS are available by state at:

<http://www.epa.gov/safewater/dwsrf/dwnims.html>

Definitions of data requested for each data field in NIMS is available at:

<http://www.epa.gov/safewater/dwsrf/nims/dwdatadefs.pdf>

2005 DWNIMS Data Collection – memo from Jeff Bryan, 7/12/05

DWNIMS analysis

#### **FY 2009 Performance Measures:**

- **Percentage of identified Class V motor vehicle waste disposal wells closed or permitted.**
- **Percentage of Class I, II, and III wells that maintain mechanical integrity without a failure that releases contaminants to underground sources of drinking water.**
- **Percentage of prohibited Class IV and high-priority, identified, potentially endangering Class V wells closed or permitted in ground-water based source water areas.**



## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**Performance Database:** The Underground Injection Control (UIC) program is authorized under Part C Sections 1422 -1426 of the Safe Drinking Water Act (SDWA). Regulations for the UIC program are in 40 CFR Parts 144 - 148. Basic program information is collected from states and EPA's regional offices (regions) with direct implementation (DI) responsibilities through the 7520 Federal Reporting forms 1, 2A, 2B, 3 and 4. In July 2005, EPA issued a measures reporting assistance memorandum, "Information to Assist Regions and States to Report on Underground Injection Control Program's National Water Program Guidance Performance Activity Measures." Starting in FY 2005, including annual updates thereafter, states report to EPA the results of their UIC performance measures. In the initial 2005 reporting, states or the regions, if they have direct implementation of the program, report the following information: (1) The number of Class I, II, III, and V violations and significant violations that have been identified and addressed; (2) the number of Class I, II, III and V inspections; (3) The number of Class I, II and III salt solution mining wells that maintained mechanical integrity; (4) the number of Class V wells in Source Water Protection Areas (SWPAs) with surveys completed; and (5) the number of high priority wells in ground water based SWPAs that are closed or permitted. This information was reported to help determine the impact that the UIC program is having relative to public health protection. It also helps assess the progress being made to protect underground sources of drinking water (USDW).

In FY 2003, EPA maintained pilot state-level summary data for each of these reporting elements in a spreadsheet format. In FY 2005, states and/or regions reported summary measures information through a spreadsheet. In FY 2006, measures data was entered into a web-based reporting form which mirrored the spreadsheet from the previous year. The UIC program will begin collecting program information in a UIC national database in 2007; this system will electronically transfer information from state databases to EPA's national database using EPA's Exchange Network. EPA is currently working with the regions and several states to complete development of the system and to begin populating it.

**Data Source:** Until the UIC national database is deployed for use, states or DI programs will report to EPA using the UIC Inventory/Performance Activity Measures System. This is a web-base data entry system. Starting in 2007, states and DI programs will transition to the UIC national data system for reporting of UIC data. - See section "New/Improved Data or Systems."

**Methods, Assumptions and Suitability:** For these measures, the states' reporting of progress is based on EPA's 2005 guidance, "Information to Assist Regions and States to Report on Underground Injection Control Program's National Water Program Guidance Performance Activity Measures." States will only report state-level summary information, much of which is contained in state databases. State reporting will be based on definitions and procedures found in the guidance. EPA believes that the data will be reliable for use in making management decisions.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**QA/QC Procedures:** QA/QC procedures include validation of information in states' 7520 reporting forms. Additionally, a series of data checks are built into the web entry system. EPA's regional offices also will work with individual states to verify information. Additional checks are performed by EPA headquarters on randomly selected states.

**Data Quality Reviews:** EPA's regional offices will conduct data quality reviews of state data using the QA/QC procedures and work with states to resolve data issues. EPA headquarters will communicate any additional concerns that may occur. The national data system includes software to reject erroneous data. As a result, EPA expects the quality of data on the results of the assessments and source water protection activities to improve over time.

**Data Limitations:** Current reporting only provides summary-level information. There is no standard protocol for EPA to verify and validate this summary data against well-level information contained in state databases. Some of the information used for calculation of the measures has not been collected historically reducing the availability of information, which may cause the data to be incomplete and inconsistent across states.

**Error Estimate:** There is no basis for making an error estimate for these performance measures given the data limitations of state-level summary reporting described above.

**New/Improved Data or Systems:** The UIC national data base is being developed through consultation with regions and states. It will give EPA the ability to access the data directly from states through the Exchange Network using the Central Data Exchange (CDX). The data system will not only include the data for the measures but all of the data necessary for EPA to effectively manage the national program.

#### References:

##### Guidance, Regulations and Data Forms

- Information to Assist Regions and States to Report on Underground Injection Control Program's National Water Program Guidance Performance Activity Measures (Reporting Assistance Memo)--7/06/06
- Code of Federal Regulations at 40 CFR Parts 144 through 148
- UIC Inventory/Performance Activity Measures System
- 7520 Federal Reporting Forms (OGWDW Homepage-UIC Program)
  - Form 7520-1 (summary of permit and non permit actions taken by state)
  - Form 7520-2A (summary of state compliance evaluation actions)
  - Form 7520- 2B (summary of significant non-compliance)
  - Form 7520-3(mechanical integrity test/remedial actions)
  - Form 7520-4 (Quarterly Exceptions List)

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

##### Web site addresses

- *Safe Drinking Water Act Amendments of 1996*. P.L. 104-182. (Washington: 6 August 1996). Available on the Internet at: <http://www.epa.gov/safewater/sdwa/sdwa.html>
- For more detailed information on Underground Injection topics, US EPA Office of Ground Water and Drinking Water/UIC Program. Available on the website: <http://www.epa.gov/safewater/uic.html>

##### **FY 2009 Performance Measure:**

- **Percent of state-monitored shellfish-growing acres impacted by anthropogenic sources that are approved or conditionally approved for use.**

**Performance Database:** There is no database currently available, although one is under development (see below).<sup>2</sup> To date, data to support this measure have come from surveys of States that are members of the Interstate Shellfish Sanitation Conference (ISSC), conducted by NOAA at 5-year intervals and periodic updates requested from the Interstate Shellfish Sanitation Conference (most recent, 2005 data released in 2006).<sup>3</sup>

**Data Source:** The ISSC requests the data on approved acreages from shellfish producing states and prepares reports. Survey responses are voluntary.

**Methods and Assumptions:** The methods used by the state programs to produce the data used by the ISSC are based on the National Shellfish Sanitation Plan and Model Ordinance; the operation of those state programs is overseen by the FDA.<sup>4</sup>

**Suitability:** As water quality conditions are maintained or improved, “approved” or “conditionally approved” shellfish growing acres impacted by anthropogenic sources should not decrease. This measure is not suitable for annual comparison, but as reports are issued periodically by the ISSC, updates on progress can be provided. There is no other suitable surrogate.

**QA/QC Procedures:** States are responsible for the internal QA/QC of their data.

**Data Quality Reviews:** The ISSC reviews the state data during report preparation to ensure completeness and accuracy, and follows up with states where necessary.

**Data Limitations:** Based on NOAA’s previous surveys and the voluntary nature of the information collected, potential data limitations may include incomplete coverage of shellfish growing areas.

**Error Estimate:** No estimates are available.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**New/Improved Data or Systems:** The ISSC initiated development of the Shellfish Information Management System (SIMS) in July 2002. The database is being developed and implemented by the National Oceanographic and Atmospheric Administration (NOAA) on behalf of the Interstate Shellfish Sanitation Conference (ISSC), a Cooperative Program chartered by the Food and Drug Administration (FDA). The database will include relevant information that is collected by State Shellfish Control Authorities. Historically, NOAA collected shellfish-growing area data in 5-year intervals, 1985, 1990, and 1995. These data were not stored in a database. Once operational, SIMS will be the first national shellfish growing area database and will include NOAA's 1995<sup>5</sup> and the states' baseline (the ISSC is considering the most appropriate baseline year) and most current year data. State summary information can then be used to track trends relevant to the performance measure, with the 1995 data as against the baseline. The SIMS database is designed as a real time database. The ISSC plans to request data updates annually, but states may update their data any time. These data may be accessed at any time so timely status reports can be generated.

Currently, no long-term database management plan exists.

#### References:

1. U.S. Environmental Protection Agency. 2006 - 2011 EPA Strategic Plan. Washington, D.C. Pre-publication Copy, September 29, 2006. <http://www.epa.gov/ocfo/plan/plan.htm>
2. Kracker, L.M., Comar P.G., Meaburn, G.M., and K Murugesan. 2005. SIMS: A Shellfish Information Management System for Molluscan Shellfish. NOAA Technical Memorandum NOS NCCOS 17. 53 pp.
3. Interstate Shellfish Sanitation Conference. Analysis of Classified Shellfish Waters 1985-2005. Columbia, South Carolina. September 2006. (Amended March 2007) <http://www.issc.org>
4. U.S. Food and Drug Administration. National Shellfish Sanitation Program Guide for the Control of Molluscan Shellfish 2005. Washington D.C. <http://www.cfsan.fda.gov/~ear/nss3-toc.html>
5. National Oceanic and Atmospheric Administration (NOAA), 1997. The 1995 National Shellfish Register of Classified Growing Waters. Silver Spring, MD: Office of Ocean Resources Conservation and Assessment, Strategic Environmental Assessments Division. 398 pp.

#### **FY 2009 Performance Measure:**

- **Percentage of women of child-bearing age having mercury levels in blood above the level of concern identified by the National Health and Nutrition Examination Survey (NHANES).**

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**Performance Database:** There is no publicly accessible database that contains this information. Rather, the information is reported by the Centers for Disease Control and Prevention (CDC) every two years. The latest report is the *Third National Report on Human Exposure to Environmental Chemicals*, which presents findings for the years 2001 and 2002, and was published in 2005. In the report, CDC reported that 5.7% of the women of child-bearing age have mercury blood levels above the level of concern.<sup>1</sup>

**Data Source:** CDC's National Center for Health Statistics conducts the National Health and Nutrition Examination Survey (NHANES) in which chemicals or their metabolites are measured in blood and urine samples from a random sample of participants. NHANES is a series of surveys designed to collect data on the health and nutritional status of the U.S. population. CDC reports the NHANES results in the *National Report on Human Exposure to Environmental Chemicals*. The *Second National Report on Human Exposure to Environmental Chemicals* was released in 2003 and presented biomonitoring exposure data for 116 environmental chemicals for the civilian, non-institutionalized U.S. population over the 2-year period 1999-2000. The *Third National Report on Human Exposure to Environmental Chemicals* presents similar exposure data for the U.S. population for 148 environmental chemicals over the period 2001-2002. The Third Report also includes the data from the Second Report. A date for release of the Fourth National Report on Human Exposure to Environmental Chemicals has not been set, but current expectation is that it will be published in summer 2008.

**Methods and Assumptions:** Biomonitoring measurements for the Report were from samples from participants in NHANES. NHANES collects information about a wide range of health-related behaviors, performs a physical examination and collects samples for laboratory tests. Beginning in 1999, NHANES became a continuous survey, sampling the U.S. population annually and releasing the data in 2-year cycles. The sampling plan follows a complex, stratified, multistage, probability-cluster design to select a representative sample of the civilian, noninstitutionalized population in the United States. Additional detailed information on the design and conduct of the NHANES survey is available at <http://www.cdc.gov/nchs/nhanes.htm>. The CDC National Center for Health Statistics (NCHS) provides guidelines for the analysis of NHANES data at [http://www.cdc.gov/nchs/data/nhanes/nhanes\\_general\\_guidelines\\_june\\_04.pdf](http://www.cdc.gov/nchs/data/nhanes/nhanes_general_guidelines_june_04.pdf). Other details about the methodology including statistical methods are reported in the *Third National Report on Human Exposure to Environmental Chemicals*.

**Suitability:** This indicator was selected because it provides an indication of levels of exposure in the human population to organic mercury where the main source is the consumption of fish and shellfish contaminated with methylmercury. As consumers follow fish consumption advice, changes in mercury in blood levels will decrease. This measure is not suitable for annual comparison but the period reports from NHANES provides a direct measure of mercury in blood levels in a representative sample of the US population.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**QA/QC Procedures:** The CDC quality assurance and quality control procedures are not specified in the *Third National Report on Human Exposure to Environmental Chemicals*. However, the Data Sources and Data Analysis chapter in the report does delineate the assumptions inherent in the analysis.

**Data Quality Review:** The data comes from the NHANES study, which CDC has designed to have a high quality.

**Data Limitations:** NHANES is designed to provide estimates for the civilian, non-institutionalized U.S. population. The current design does not permit examination of exposure levels by locality, state, or region; seasons of the year; proximity to sources of exposure; or use of particular products. For example, it is not possible to extract a subset of the data and examine levels of blood lead that represent levels in a particular state's population.

**Error Estimate:** The *Third National Report on Human Exposure to Environmental Chemicals* provides 95% confidence intervals for all statistics. At the point of interest for this measure, the 95% confidence interval is roughly 1.2 ug/l.

**New/Improved Data or Systems:** None.

#### References:

1. Centers for Disease Control and Prevention. "Third National Report on Human Exposure to Environmental Chemicals." NCEH Pub. No. 05-0570. Atlanta, GA. July 2005. Available at <http://www.cdc.gov/exposurereport/>.

#### FY 2009 Performance Measure:

- **Number of waterborne disease outbreaks attributable to swimming in or other recreational contact with, coastal and Great Lakes waters measured as a five-year average.**

**Performance Database:** Data on waterborne disease outbreaks (WBDOs) are collected by the states and are submitted to the Centers for Disease Control (CDC) under an agreement with the Council of State and Territorial Epidemiologists, the organization that sponsors the collection of the data. EPA/ORD collaborates with CDC in the analysis of the data. The data are published every two years for the prior second and third years' occurrence of outbreaks as a Surveillance Summary in the CDC's Morbidity and Mortality Weekly Report (MMWR), e.g. data from 1997-1998 were published in 2000. Outbreaks of gastroenteritis, dermatitis, and other diseases are listed according to date of occurrence, state in which the outbreak occurred, etiological agent, the number of cases that resulted from the outbreak, class of the outbreak data (index of data quality for the reporting of the outbreak), and the type of source (e.g., lake, river, pool) involved.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**Data Source:** Since 1971, CDC and the U.S. Environmental Protection Agency have maintained a collaborative surveillance system for collecting and periodically reporting data that relate to occurrences and causes of WBDOs. The surveillance system includes data about outbreaks associated with drinking water and recreational water. State, territorial, and local public health departments are primarily responsible for detecting and investigating WBDOs and for voluntarily reporting them to CDC.

**Methods and Assumptions:** State, territorial, and local public health agencies report WBDOs to CDC on a standard form (CDC form 52.12). CDC annually requests reports from state and territorial epidemiologists or from persons designated as WBDO surveillance coordinators. As indicated above, the data are submitted to CDC by the states under an agreement with the Council of State and Territorial Epidemiologists. Original data forms and the primary database itself are not available for external review because of concerns about the integrity and confidentiality of the data, which include information such as the names of data reporters, specific identities of water bodies, and identities of facilities and properties, both public and private, at which the outbreaks occurred. Many, if not most outbreaks occur in treated man-made water environments which are not reflective of outcomes of Clean Water Act programs. Others occur in untreated natural waters in smaller water bodies not impacted by EPA programs or activities. Accordingly, cooperation of database managers is required to identify specific outbreaks which should be counted under this measure as occurring in waters of the United States.

The unit of analysis for the WBDO surveillance system is an outbreak, not an individual case of a waterborne disease, although this information is reported. Two criteria must be met for an event to be defined as a water-associated disease outbreak. First, two or more people must have experienced a similar illness after exposure to water. This criterion is waived for single cases of laboratory-confirmed primary amebic meningoencephalitis (PAM). WBDOs associated with cruise ships are not summarized in the CDC report.

**Suitability:** This indicator is suitable as a performance measure because it captures the increased incidence of outbreaks from recreational water contact due to poor water quality conditions. Controlling sources of water contamination would result in maintaining or improving water quality conditions, thereby avoiding an increase in outbreaks

**QA/QC Procedures:** Data are submitted to CDC on a standard reporting form in hard copy by mail. Procedures for reporting outbreaks on the Internet for web-entry electronic submission are currently under development. Upgrades to the reporting system to incorporate electronic data reporting are anticipated to be implemented within the next three years<sup>1</sup>. Currently, CDC annually obtains reports from state or territorial epidemiologists or persons designated as WBDO surveillance coordinators. Numeric and text data are abstracted from the outbreak form and supporting documents and entered into a database for analysis. Information on QA/QC

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

procedures employed by the individual states or other reporting entities is not included in the CDC reporting.

**Data Quality Review:** The CDC and EPA/ORD report team review the outbreak reports to ensure the information is complete, following up with the state or local government to obtain additional information where needed. There are currently no external party reviews of this information conducted prior to publication.

WBDOs reported to the surveillance system are classified according to the strength of the evidence implicating water as the vehicle of transmission. The classification scheme (i.e., Classes I-IV) is based on the epidemiologic and water-quality data provided on the outbreak report form. Epidemiologic data are weighted more than water-quality data. Although outbreaks without water-quality data might be included in this summary, reports that lack epidemiologic data were excluded. Single cases of PAM are not classified according to this scheme. Weighting of epidemiologic data does not preclude the relative importance of both types of data. The purpose of the outbreak reporting system is not only to implicate water as the vehicle for the outbreak but also to understand the circumstances that led to the outbreak.

**Data Limitations:** There are two primary limitations to the CDC WBDO data with respect to this performance measure. The first limitation relates to original data forms and the primary database itself not being available for external review. The implication of this limitation is that database managers or report authors will have to be consulted to identify which of the reported outbreaks have, in fact, occurred in Waters of the United States. The second limitation is the fact that very few outbreaks have been reported over the ten years of data that have been reviewed in consideration of a baseline for this measure.<sup>2-6</sup> The implication of this measure is that were a small number of outbreaks to occur within a given year, it may still be within the range of normal statistical variability and therefore not an effective performance measure.

One key limitation of the data collected as part of the WBDO surveillance system is that the information pertains only to disease outbreaks rather than endemic illness. The epidemiologic trends and water-quality concerns observed in outbreaks might not necessarily reflect or correspond with trends associated with endemic waterborne illness. To address this problem, EPA and CDC are collaborating on the NEEAR Water Study to assess the magnitude of waterborne illness associated with routine, non-outbreak-associated exposure to marine and freshwater recreational areas.

**Error Estimate:** The relative quality of data and the error estimate associated with data of a given quality are indicated by the classification of the outbreak report. A classification of I indicates that adequate epidemiologic and water-quality data were reported. Specifically, a classification of I indicates that adequate data were provided about exposed and unexposed persons with a relative risk or odds ratio of  $\geq 2$  or P value of  $\leq 0.05$ , which indicates statistical significance. Higher classification numbers (II-IV) indicate relatively higher error estimates



## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

based on factors such as completeness of data and sample size. For instance, outbreaks that affect fewer persons are more likely to receive a classification of III rather than I because of the relatively limited sample size available for analysis.

**New/Improved Performance Data or Systems:** The manual reporting of WBDOs has been practiced since the collaborative surveillance system for collecting and reporting data began in 1971. Plans are now in place to transform the outbreak reporting system over the next three years to incorporate electronic data reporting. It is anticipated that the implementation of these upgrades will increase the number of reported outbreaks substantially. An increased number of reported WBDOs resulting from electronic reporting would require the baseline for the performance measure to be reset to a baseline consistent with the new level of reporting in order to yield meaningful trends in the occurrence of waterborne outbreaks in the future.

#### References

1. U.S. EPA. Office of Research and Development. Personal Communication w/ Calderon RL, author. Washington, DC, December 2005.
2. Yoder JS, Blackburn BG, Craun GF, Hill V, Levy DA, Calderon RL, et al. Surveillance for waterborne-disease outbreaks---United States, 2001--2002. In: CDC Surveillance Summaries, October 22, 2004. MMWR 2004;53(SS-08): 1--22
3. Lee SH, Levy DA, Craun GF, Beach MJ, Calderon RL. Surveillance for waterborne-disease outbreaks---United States, 1999--2000. In: CDC Surveillance Summaries, November 22, 2002. MMWR 2002; 51(SS-8): 1--47.
4. Barwick RS, Levy DA, Craun GF, Beach MJ, Calderon RL. Surveillance for waterborne disease outbreaks---United States, 1997--1998. In: CDC Surveillance Summaries, May 26, 2000. MMWR 2000; 49 (No. SS-4):1--34.
5. Levy DA, Bens MS, Craun GF, Calderon RL, Herwaldt BL. Surveillance for waterborne-disease outbreaks---United States, 1995--1996. In: CDC Surveillance Summaries, December 11, 1998. MMWR 1998; 47(No. SS-5):1--34.
6. Kramer MH, Herwaldt BL, Craun GF, Calderon RL, Juranek DD. Surveillance for waterborne-disease outbreaks---United States, 1993--1994. In: CDC Surveillance Summaries, April 12, 1996. MMWR 1996; 45 (No. SS-1):1--33.

#### FY 2009 Performance Measure:

- **Percent of days of the beach season that coastal and Great Lakes beaches monitored by state beach safety programs are open and safe for swimming**

**Performance Database:** The data are stored in PRAWN (Program tracking, beach Advisories, Water quality standards, and Nutrients), a database that includes fields identifying the beaches for which monitoring and notification information are available and the date the advisory or closure was issued, thus enabling trend assessments to be made. The database also identifies

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

those states that have received a BEACH (Beaches Environmental Assessment and Coastal Health) Act [P.L. 106-284] grant. EPA reports the information annually, on a calendar year basis, each May. The calendar year data are then used to support fiscal year commitments (e.g., 2008 calendar year data are used to report against FY 2009 commitments). For the 2006 swimming season, States and Territories monitored for pathogens at 3,771 coastal and Great Lakes beaches. In re-evaluating their beach programs, several states combined small beaches into larger beaches during 2006, reducing the total number of beaches monitored (from 4,025 in 2005 to 3,771 in 2006), but maintaining the scope of their programs.<sup>1</sup>

**Data Source:** Since 1997 EPA has surveyed state and local governments for information on their monitoring programs and on their advisories or closures. The Agency created the PRAWN database to store this information. State and local governmental response to the survey was voluntary up through calendar year 2002. Starting in calendar year 2003, data for many beaches along the coast and Great Lakes had to be reported to EPA as a condition of grants awarded under the BEACH Act<sup>2</sup>. Since 2005, states have used an on-line process called eBeaches to electronically transmit beach water quality and swimming advisory information to EPA instead of using the paper survey. The latest information reported by a state or local government is accessible to the public through the BEACON (Beach Advisory Closing On-line Notification) system.

**Methods and Assumptions:** The data are an enumeration of the days of beach-specific advisories or closures issued by the reporting state or local governments during the year. Performance against the target is tracked using a simple count of the number of beaches responding to the survey and the days over which the advisory or closure actions were taken. This is compared to the total number of days that every beach could be open. Thus the data are suitable for the performance measure.

**Suitability:** This indicator is suitable as a performance measure because it captures the frequency of beach closings primarily due to poor water quality conditions. Controlling sources of contamination would result in water quality improvement at beach thereby leading to fewer closures.

**QA/QC Procedures:** Since 1997, EPA has distributed a standard survey form, approved by OMB, to coastal and Great Lake state and county environmental and public health beach program officials in hard copy by mail. The form is also available on the Internet for web-entry electronic submission. When a state or local official enters data using the web-entry format, a password is issued to ensure the appropriate party is completing the survey. Currently the Agency has procedures for information collection (see Office of Water's "Quality Management Plan," approved September 2001 and published July 2002<sup>3</sup>). In addition, coastal and Great Lakes states receiving BEACH Act grants are subject to the Agency's grant regulations under 40 CFR 31.45. These regulations require states and tribes to develop and implement quality assurance practices for the collection of environmental information.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**Data Quality Review:** EPA reviews the survey responses to ensure the information is complete, following up with the state or local government to obtain additional information where needed. The Agency also reviews the QA/QC reports submitted by States and Territories as part of their grant reporting. There have been no external party reviews of this information.

**Data Limitations:** From calendar year 1997 to calendar year 2002, participation in the survey and submission of data was voluntary. While the voluntary response rate has been high, it did not capture the complete universe of beaches. The voluntary response rate was 92% in calendar year 2002 (240 out of 261 contacted agencies responded). The number of beaches for which information was collected increased from 1,021 in calendar year 1997 to 2,823 in calendar year 2002. Participation in the survey is now a mandatory condition for implementation grants awarded under the BEACH Act program to coastal and Great Lakes states, with information now available for 3,771 of approximately 6,000 coastal and Great Lakes beaches. All coastal and Great Lakes states and territories utilize the implementation grants.

**Error Estimate:** Not all coastal and Great Lakes beaches are monitored. In 2006, States and Territories reported that they monitored at 3,771 of the approximately 6,000 coastal and Great Lakes beaches. This monitoring varies between States. For example, North Carolina monitors all its 243 beaches whereas South Carolina monitors 23 of 299 beaches it identified. Where monitoring is done, there is some chance that the monitoring may miss some instances of high pathogen concentrations. EPA's 2002 National Health Protection Survey of Beaches found that 90% of the nation's beaches are monitored once a week or less<sup>4</sup>. Studies in southern California found that weekly sampling missed 75% of the pathogen exceedances<sup>5</sup>, and that 70% of the exceedances lasted for only one day.<sup>6</sup> An EPA Office of Research and Development (ORD) beach monitoring study found a positive correlation between pathogen indicator densities one day as compared to densities the next day, but that the correlation was negligible when compared to densities after four days<sup>7</sup>. These studies indicate that weekly sampling most likely misses many pathogen events that can affect public health. This information is not sufficient to calculate the potential error in the reporting, but it is sufficient to indicate that the reporting may understate the number of days that beaches should be closed or under advisory.

**New/Improved Data or Systems:** Participation in the survey is now a mandatory condition for grants awarded under the BEACH Act program. As the Agency awards these implementation grants, it will require standard program procedures, sampling and assessment methods, and data elements for reporting. The amount, quality, and consistency of available data will improve to the extent that state governments apply for and receive these grants. In FY 2009, EPA expects all 35 coastal and Great Lakes states to again apply for grants to implement monitoring and notification programs.

#### References:

1. U.S. EPA. Office of Water. "EPA's Beach Report: 2006 Swimming Season." EPA-823-R-

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

- 07-005. Washington, DC, May 2007. Available at <http://www.epa.gov/waterscience/beaches/seasons/2006>
2. U.S. EPA. Office of Water. "National Beach Guidance and Required Performance Criteria for Grants." EPA-823-B-02-004. Washington DC: EPA, June 2002. Available at <http://www.epa.gov/waterscience/beaches/guidance/all.pdf>
3. U.S. EPA. Office of Water. "A Quality Management Plan." EPA 821-X-02-001. Washington, DC: EPA, July 2002. Available at [http://www.epa.gov/water/programs/qmp\\_july2002.pdf](http://www.epa.gov/water/programs/qmp_july2002.pdf)
4. U.S. EPA. Office of Water. "EPA's BEACH Watch Program: 2002 Swimming Season." EPA-823-F-03-007. Washington, DC, May 2003. Available at <http://www.epa.gov/waterscience/beaches/beachwatch2003-newformat.pdf>
5. Leecaster. M.K. and S.B. Weisberg, Effect of Sampling Frequency on Shoreline Microbiology Assessments, *Marine Pollution Bulletin*, 42(11), 2001.
6. Boehm, A.B., et. al., Decadal and Shorter Period Variability of Surf Zone Water Quality at Huntington Beach, California, *Environmental Science and Technology*, 36(18), 2002.
7. U.S. EPA. Office of Research and Development. "The EMPACT Beaches Project, Results and Recommendations from a Study on Microbiological Monitoring In Recreational Waters." EPA 600/9-02/xxx. Washington, DC, Sept. 2002. (Draft Report).

#### GOAL 2 OBJECTIVE 2

##### FY 2009 Performance Measure:

- **Percentage of waters assessed using statistically valid surveys [PART Annual Measure]**

**Performance Database:** Data generated from the national assessment will be housed in the EPA Office of Water's STORET (STOrage and RETrieval) data warehouse. Prior to entering the STORET warehouse, all datasets are housed in a temporary facility, such as ORD's SWIM database, where they are examined for QA purposes and undergo statistical analysis. Finalized datasets transferred to the STORET warehouse will include all water quality, physical and biological data and associated metadata for each survey. The STORET warehouse is available on the web at <http://www.epa.gov/STORET/index.html>. Once the data schema for biological and habitat data are developed and deployed for the Exchange Network-based water quality exchange (WQX) warehouse, these data will go directly to the WQX warehouse instead of STORET.

**Data Source:** Data are collected, processed and analyzed through EPA-State collaboration to assess and report on the condition of the nation's waters with documented confidence. Under this partnership, samples are collected across the country during a specified index period for each resource. Sites are sampled one time, with additional repeat samples collected at 10 percent of the sites to determine precision of methods. Surveys collect a suite of indicators relating to the

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

biological, physical habitat and water quality of the resource in order to assess the resource condition and determine the percentage meeting the goals of the CWA. Surveys will collect information on biological and abiotic factors at 30-50 sites on an ecoregion level II scale for each resource. Prior to sampling, field crews will undergo intensive training by EPA personnel on field sampling and collection techniques. Laboratory analysis will be conducted at either a state lab or contract lab following specified protocols for the survey. Data collection follows a Quality Assurance Project Plan (QAPP), with subsequent testing and auditing to ensure its application.

**Methods, Assumptions and Suitability:** The surveys are conducted using a probabilistic survey design, which allows extrapolation of results to the target population (specified water resource, e.g., wadeable streams, lakes, rivers, etc.). The collection design maximizes the spatial spread between sites, located by specific latitude and longitude combinations. The survey utilizes an indexed sampling period to increase the probability of accurately assessing condition and identifying any problems in water quality, physical or biological indices if they exist. Based on the QAPP and field protocol documents, a site is located by the sampling crew via Global Positioning System (GPS). Data are collected for each parameter following the protocols outlined in the field operations manual. Indices for the probabilistic surveys relate to the condition of the resource and the extent that the waters are supporting the fishable and swimmable goals of the Clean Water Act. Samples taken from the field are stored in accordance with field manual instructions and shipped to the processing laboratory. Laboratories will follow quality assurance (QA) plans and complete analysis and provide electronic information to the state or EPA. EPA and the state exchange data to ensure that each has a complete set. EPA and states analyze the data to assess regional and national condition of the water resource surveyed. Results of the analyses on a national and regional basis will be published in a publicly accessible peer reviewed report released within two years of sample collection. The overall change in condition of the water body type will be assessed on a five year cycle.

*Assumptions:* (1) The underlying target population (water resource sampled for the survey) has been correctly identified; (2) GPS is successful; (3) QAPP and field collection manuals are followed; (4) all samples are successfully collected; (5) all analyses are completed in accordance with the QAPP; and (6) a combination of data into indices is completed in a statistically rigorous manner.

*Suitability:* By design, all data are suitable to be aggregated up to the regional and national level to characterize the ecological condition of the waterbody resource and the associated stressors. Samples provide site specific point-in-time data and excellent representation of the entire resource (extrapolation to the entire resource supportable). Data will be used to characterize populations and subpopulations of waterbody resources through time and space. Data analysis and interpretation will be peer reviewed prior to completion of final report. The data are suitable for individual reports and to establish a baseline for subsequent surveys to evaluate trends.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**QA/QC Procedures:** Collection and processing of all samples are described in QAPP and Field Protocols documents associated with each survey. In addition, the QAPP will contain specific Data Quality Objectives (DQOs) and Measurement Quality Objectives (MQOs) associated with each survey. To ensure that the survey is obtaining the DQOs and MQOs, there are several QA steps built into each survey. Training for all crew members is required before sampling begins. Field evaluations are conducted for all crews to ensure methods are being followed. Each laboratory involved in the sample processing will adhere to the specified laboratory protocols and undergo a thorough and documented quality assurance/quality control (QA/QC) process. Submitted data will undergo a final QC check before analysis begins.

**Data Quality Reviews:** A peer review and public comment period will be held for each survey. During this time, the draft report will be posted on the web for interested parties to review and submit comments. An independent group of experts will be selected to serve on a peer review panel for the report. In house audits will also be conducted over the course of the survey.

**Data Limitations:** Because the data are collected in a manner to permit calculations of uncertainty and designed to meet specific Data Quality Objectives (DQOs), the results at the regional level are within about 2-4% of true values dependent upon the specific sample type. Detailed QA/QC checks throughout the survey reduce the data limitations and errors in sampling. The scale of the reporting units is limited by the number of samples taken in a specific region. To make a statistically valid statement about the condition of the resource, sample size should minimally include 30-50 sites per region. Since samples are collected one time at each site per survey, trends analysis will depend on future survey work. Lag time between sample collection and reporting will be between 1-2 years.

**Error Estimate:** The estimation of condition will vary for the national condition and the regional condition for each survey. The condition estimates are determined from the survey data using cumulative distribution functions and statistically-based uncertainty estimates.

**New/Improved Data or Systems:** Additional indicators, addressing regional specific needs can be added to the survey over time. QA requirements will be met by all laboratories participating in the surveys. Probabilistic surveys repeated on the same water body type utilizing a similar sample design will show condition trends for the resource on a broad geographic scale.

#### References:

- Olsen, A. R. et al. 1999. *Statistical Issues for Monitoring Ecological and Natural Resources in the United States*. Environmental Monitoring and Assessment 54, 1-45
- Stevens Jr., D. L. & Urqhart, N. S. 2000. *Response Designs and Support Regions in Sampling Continuous Domains*. Environmetrics 11, 11-41
- Stevens Jr., D. L. 1997. Variable Density Grid-based Sampling Designs for Continuous Spatial Populations. Environmetrics 8, 167-195
- STORET database website. <http://www.epa.gov/STORET/index.html>.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

U.S. Environmental Protection Agency. 2001. *National Coastal Condition Report*. EPA-620/R-01/005

U.S. Environmental Protection Agency. 2004. *National Coastal Condition Report II*. EPA-620/R-03/002

#### **FY 2009 Performance Measures:**

- **Number of water body segments identified by States in 2002 as not attaining standards, where water quality standards are now fully attained [PART Long-term and Annual Measure]**
- **Remove the specific causes of waterbody impairment identified by States in 2002**
- **Improve water quality conditions in impaired watersheds nationwide using the watershed approach**
- **Cost per water segment restored [PART Annual efficiency]**

**Performance Database:** The Watershed Assessment Tracking Environmental Results System (WATERS– found at <http://www.epa.gov/waters/>) is EPA’s approach for viewing water quality information related to these measures. WATERS can be used to view “303(d) Information,” compiled from, *States’ Listings of Impaired Waters as Required by Clean Water Act Section 303(d)* (referred to here in brief as “303(d) lists”), which are recorded in the National Total Maximum Daily Load (TMDL) Tracking System. This information (found at <http://www.epa.gov/owow/tmdl/>) is used to generate reports that identify waters that are not meeting water quality standards (“impaired waters”) and that need one or more TMDLs to be developed. EPA combined this information with information and comment from EPA Regions and States, on other impaired waters (those for which TMDLs have been completed but are not yet meeting standards) to create the baseline data for these measures. As discussed below under “New and Improved Data Systems,” EPA is creating a single database that will track all the impaired waters in the baseline for these measures.

There are several reasons why EPA or states may determine that specific water bodies listed as impaired in 2002, the baseline year, are no longer impaired in the reporting year. For example, water quality might improve due to EPA or state actions to reduce point and nonpoint source discharges of pollutants. In other cases, a state or EPA might conduct more robust monitoring studies and use these data to complete more accurate assessments of water quality conditions. In some cases, a state might modify its water quality standards, in accordance with EPA’s regulations, to update scientific criteria or to better reflect the highest attainable conditions for its waters. Each of these examples represents a case where a formerly impaired water no longer may be found to exceed water quality standards. Any such removals of water body impairments will be recorded based on reports from states scheduled every two years through 2012.

EPA’s measure that tracks the improvement of water quality conditions utilizes the information on impairments described above and incorporates two additional features: 12-digit hydrologic

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

unit code (HUC) boundaries and data on “watershed-wide water quality improvement.” In 2007 (with some most current work in 2008), 12-digit HUC code watersheds will be completed, certified and stored on USDA’s comprehensive website for HUC watershed information (see <http://www.ncgc.nrcs.usda.gov/products/datasets/watershed/index.html>). EPA’s \$1.1M + investment in boundary delineation and partner investments has ensured that all boundaries needed for EPA strategic plan reporting will be completed prior to reporting deadlines. Data on water quality improvements (e.g., a 20% reduction in nitrogen levels) will be documented via the extensive process laid out in computational guidance for this measure and for the measures on water quality standards and waterbody impairment (see [http://www.epa.gov/water/waterplan/documents/subobjective2\\_2\\_1.pdf](http://www.epa.gov/water/waterplan/documents/subobjective2_2_1.pdf))

The measure regarding the restoration of primarily NPS-impaired waters is being verified through a laborious and careful process, in which EPA Headquarters staff review and help prepare a detailed 2-page Fact Sheet that includes a description of the impairment and the causes of that impairment; a description of the activities that were undertaken to remove the impairment; the effect of those activities; and the partners involved in solving the problem. Each of these stories is uploaded to the public web site of [www.epa.gov/nps/success](http://www.epa.gov/nps/success), and only after uploaded is it counted towards this measure.

**Data Source:** The primary data source for these measures is State 303(d) lists of their impaired water bodies needing development of TMDLs and State Integrated Reports covering their required submittals of monitoring information pursuant to section 305(b) of the Clean Water Act. These lists/reports are submitted each biennial reporting cycle. The baseline for this measure is the 2002 list/2002 integrated reports. States prepare lists/reports using actual water quality monitoring data, probability-based monitoring information, and other existing and readily available information and knowledge the state has, in order to make comprehensive determinations addressing the total extent of the state’s water body impairments. Once EPA approves a state’s 303(d) list, the information is entered into WATERS, as described above. Throughout 2006 and 2007, EPA worked with States that did not submit Integrated Reports in 2002 to supplement their 2002 303(d) lists of impaired waters needing TMDLs with waters that were also impaired in 2002 but were not on 303(d) lists because all needed TMDLs were complete. Thus, EPA now has a more complete list of impaired waters for tracking under these measures.

The efficiency measure for the section 106 grant program is derived by dividing the actual expenditures or President Budget requests for the section 106 grant program, plus State funding matches for these grants (as reported to EPA by the States) by the cumulative number of water body segments restored.

**Methods, Assumptions, and Suitability:** States employ various analytical methods of data collection, compilation, and reporting including: 1) Direct water samples of chemical, physical, and biological parameters; 2) Predictive models of water quality standards attainment; 3)



## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

Probabilistic models of pollutant sources; and 4) Compilation of data from volunteer groups, academic interests and others. EPA-supported models include BASINS, QUAL2E, AQUATOX, and CORMIX. Descriptions of these models and instructions for their use can be found at [www.epa.gov/OST/wqm/](http://www.epa.gov/OST/wqm/). The standard operating procedures and deviations from standard methods for data sampling and prediction processes are stored by many States in the STORage and RETrieval (STORET) database.

States exercise considerable discretion in using monitoring data and other available information to make decisions about which waters meet their designated uses in accordance with state water quality standards. EPA then aggregates State data to generate national performance measures.

Delays are often encountered in state 303d lists and 305b submissions, and in EPA's approval of the 303(d) portion of these biennial submissions. EPA encourages States to effectively assess their waters and make all necessary efforts to ensure the timely submittal of required § 303(d) lists of impaired waters. EPA will work with States to facilitate State submission of accurate, georeferenced, and comprehensive data. Also, EPA is heightening efforts to ensure expeditious review of the 303(d) list submissions with national consistency.

**QA/QC Procedures:** QA/QC of data provided by States pursuant to individual State 303(d) lists (under CWA Section 303(d)) and/or Integrated 305(b)/303(d) Reports) is dependent on individual state procedures. EPA regional staff interact with the States during the process of approval of the lists and before the information is entered into the database to ensure the integrity of the data, consistent with the Office of Water Quality Management Plan (QMP). EPA requires that each organization prepare a document called a QMP that: documents the organization's quality policy; describes its quality system; and identifies the environmental programs to which the quality system applies (e.g., those programs involved in the collection or use of environmental data).

**Data Quality Review:** Recent independent reports have cited that weaknesses in monitoring and reporting of monitoring data undermine EPA's ability to depict the condition of the Nation's waters and to support scientifically sound water program decisions. The most recent reports include the 1998 *Report of the Federal Advisory Committee on the Total Maximum Daily Load (TMDL) Program*<sup>3</sup>, the March 15, 2000 Government Accounting Office report *Water Quality: Key Decisions Limited by Inconsistent and Incomplete Data*<sup>4</sup>, the 2001 National Academy of

---

<sup>3</sup> USEPA, National Advisory Council for Environmental Policy and Technology, *Report of the Federal Advisory Committee on the Total Maximum Daily Load Program*. EPA 100-R-09-8006 (1998).

<sup>4</sup> GAO. *Water Quality: Key EPA and State Decisions Limited by Inconsistent and Incomplete Data* (Washington, DC: 2000), RCED-00-54 and *Water Quality: Inconsistent State Approaches Complicate Nation's Efforts to Identify Its Most Polluted Waters*, GAO-02-186 (Washington, DC: 2002)

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

Sciences Report *Assessing the TMDL Approach to Water Quality Management*<sup>5</sup> and EPA's *Draft Report on the Environment*.<sup>6</sup>

In response to these evaluations, EPA has been working with states and other stakeholders to improve: 1) data coverage, so that state reports reflect the condition of all waters of the state; 2) data consistency to facilitate comparison and aggregation of state data to the national level; and 3) documentation so that data limitations and discrepancies are fully understood by data users.

First, EPA enhanced two existing data management tools (STORET and the National Assessment Database) so that they include documentation of data quality information.

Second, EPA has developed a GIS tool called WATERS that integrates many databases including STORET, the National Assessment Database, and a new water quality standards database. These integrated databases facilitate comparison and understanding of differences among state standards, monitoring activities, and assessment results.

Third, EPA and states have developed guidance. The 2006 Integrated Report Guidance (released August 3, 2005 at <http://www.epa.gov/owow/tmdl/2006IRG>)<sup>7</sup> provides comprehensive direction to states on fulfilling reporting requirements of Clean Water Act sections 305 (b) and 303(d). EPA also issued a 2008 Integrated Report clarification memo (released October 12, 2006; available at [http://www.epa.gov/owow/tmdl/2008\\_ir\\_memorandum.html](http://www.epa.gov/owow/tmdl/2008_ir_memorandum.html))<sup>8</sup> which includes best practices for timely development/submission of lists and expresses continued commitment to support and populate the Assessment Database (ADB) (State-level system which EPA compiles into the National Assessment Database available via WATERS) and/or compatible data management systems.

Also, the *Consolidated Assessment and Listing Methodology – Toward a Compendium of Best Practices*<sup>9</sup> (released on the Web July 31, 2002 at [www.epa.gov/owow/monitoring/calm.html](http://www.epa.gov/owow/monitoring/calm.html)) intended to facilitate increased consistency in monitoring program design and the data and decision criteria used to support water quality assessments.

---

<sup>5</sup> *Assessing the TMDL Approach to Water Quality Management*. 2001. Committee to Assess the Scientific Basis of the Total Maximum Daily Load Approach to Water Pollution Reduction, Water Science and Technology Board, National Research Council

<sup>6</sup> US EPA, *Draft Report on the Environment 2003*. EPA 260-R-02-006 (2003). Available at <http://www.epa.gov/indicators/roe/index.htm>

<sup>7</sup> USEPA, Office of Water, *2006 Guidance for Assessment, Listing, and Reporting Requirements Pursuant to Sections, 303(d), 305(b), and 314 of the Clean Water Act* (2005). Available at <http://www.epa.gov/owow/tmdl/2006IRG>

<sup>8</sup> USEPA, Office of Water, *Information Concerning 2008 Clean Water Act Sections 303(d), 305(b), and 314 Integrated Reporting and Listing Decisions* (2006). Available at [http://www.epa.gov/owow/tmdl/2008\\_ir\\_memorandum.html](http://www.epa.gov/owow/tmdl/2008_ir_memorandum.html)

<sup>9</sup> U.S. EPA, Office of Water, *Consolidated Assessment and Listing Methodology- Toward a Compendium of Best Practices*. (Washington, DC: 2002) Available at [www.epa.gov/owow/monitoring/calm.html](http://www.epa.gov/owow/monitoring/calm.html)

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

Fourth, the Office of Water (OW) and EPA's Regional Offices have developed the *Elements of a State Water Monitoring and Assessment Program*, (August 2002).<sup>10</sup> This guidance describes ten elements that each state water quality monitoring program should contain and directs states to develop monitoring strategies that propose time-frames for implementing all ten elements.

In addition, a recent evaluation by the EPA Office of the Inspector General<sup>11</sup> recommended that EPA focus on improving its watershed approach by:

- Facilitating stakeholder involvement in this approach,
- Better integrating the watershed approach into EPA core programs,
- Refining the Agency strategic plan to better evaluate key programs and activities, and
- Improving the measurement system by which watershed progress is assessed.

**Data Limitations:** Data may not precisely represent the extent of impaired waters because states do not employ a monitoring design that monitors all their waters. States, territories and tribes collect data and information on only a portion of their water bodies. States do not use a consistent suite of water quality indicators to assess attainment of water quality standards. For example, indicators of aquatic life use support range from biological community assessments to levels of dissolved oxygen to concentrations of toxic pollutants. These variations in state practices limit how the CWA Sections 305(b) reports and the 303(d) lists provided by states can be used to describe water quality at the national level. There are also differences among sampling techniques, and standards.

State assessments of water quality may include uncertainties associated with derived or modeled data. Differences in monitoring designs among and within states prevent the agency from aggregating water quality assessments at the national level with known statistical confidence. States, territories, and authorized tribes monitor to identify problems and typically lag times between data collection and reporting can vary by state.

Also, as noted above under Methods, Assumptions and Suitability, States exercise considerable discretion in using monitoring data and other available information to make decisions about which waters meet their designated uses in accordance with state water quality standards. EPA then aggregates these various State decisions to generate national performance measures.

**Error Estimate:** No error estimate is available for this data.

**New/Improved Data Systems:** The Office of Water has been working with states to improve the guidance under which 303(d) lists are prepared. EPA issued new listing guidance entitled *Guidance for 2006 Assessment, Listing, and Reporting Requirements Pursuant to Sections*

---

<sup>10</sup> USEPA, Office of Water, *Elements of a State Water Monitoring and Assessment Program*, EPA 841-B-03-003 (Washington, DC: 2003). Available at <http://www.epa.gov/owow/monitoirng/repguide.html>

<sup>11</sup> USEPA Office of the Inspector General, *Sustained Commitment Needed to Further Advance the Watershed Approach* (2005). Available at <http://www.epa.gov/oig/reports/2005/20050921-2005-P-00025.pdf>.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

*303(d) and 305(b) of the Clean Water Act* during summer 2005. The Guidance is a comprehensive compilation of relevant guidance EPA has issued to date regarding the Integrated Report. There are a few specific changes from the 2004 guidance. For example, the 2006 Integrated Report Guidance provides greater clarity on the content and format of those components of the Integrated Report that are recommended and required under Clean Water Act sections 303(d), 305(b), and 314. The guidance also gives additional clarity and flexibility on reporting alternatives to TMDLs for attaining water quality standards (e.g., utilization of reporting Category 4b).

EPA released *Information Concerning 2008 Clean Water Act Sections 303(d), 305(b), and 314 Integrated Reporting and Listing Decisions* in October 2006 18 months in advance of the April 2008 Integrated Report due date. The primary goal of the 2008 memo is to help achieve 100 percent on-time submittals of the Integrated Reports (all 56 states and territories by April 1, 2008). Timely submittal and EPA review of Integrated Reports is important to demonstrate state and EPA success in accomplishing Strategic Plan goals for restoring and maintaining water quality.

EPA is also combining the National TMDL Tracking System and the National Assessment Database into one integrated system (the Assessment, TMDL Tracking, and Implementation System) that tracks the status of all assessed waters and waterbody impairments, including impaired waterbodies. EPA is also in the process of releasing the Water Quality Exchange (WQX) which provides data warehousing capability to any organization that generates data of documented quality and would like to contribute that data to the national WQX data warehouse so that their data may be used in combination with other sources of data to track improvements in individual watersheds. Currently data providers must transmit data and required documentation through their own Central Data Exchange (CDX) node. In 2008, EPA plans to make a web data entry tool available for users who have not invested in the CDX node.

#### References:

USEPA, Office of Water. 2006. *Information Concerning 2008 Clean Water Act Sections 303(d), 305(b), and 314 Integrated Reporting and Listing Decisions*. Available at [http://www.epa.gov/owow/tmdl/2008\\_ir\\_memorandum.html](http://www.epa.gov/owow/tmdl/2008_ir_memorandum.html),

USEPA, Office of Water. 2005. *Draft Handbook for Developing Watershed Plans to Restore and Protect Our Waters*. Available at [http://www.epa.gov/owow/nps/watershed\\_handbook/](http://www.epa.gov/owow/nps/watershed_handbook/).

USEPA, Office of the Inspector General. 2005. *Sustained Commitment Needed to Further Advance the Watershed Approach*. Available at <http://www.epa.gov/oig/reports/2005/20050921-2005-P-00025.pdf>.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

USEPA, Office of Water. 2005. *Guidance for 2006 Assessment, Listing, and Reporting Requirements Pursuant to Sections 303(d), 305(b), and 314 of the Clean Water Act*. Available at <http://www.epa.gov/owow/tmdl/2006IRG>.

USEPA, Office of the Chief Financial Officer. 2003. *2003-2008 Strategic Plan: Direction for the Future*. Available at <http://www.epa.gov/ocfo/plan/2003sp.pdf>.

USEPA. 2003. *Draft Report on the Environment 2003*. EPA 260-R-02-006. Available at <http://www.epa.gov/indicators/roe/index.htm>.

USEPA, Office of Water. 2003. *Elements of a State Water Monitoring and Assessment Program*. EPA 841-B-03-003. Washington, DC. Available at <http://www.epa.gov/owow/monitoring/repguid.html>.

USEPA, National Advisory Council for Environmental Policy and Technology. 1998. *Report of the Federal Advisory Committee on the Total Maximum Daily Load Program*. EPA 100-R9-8006.

USEPA. 2002. *Consolidated Assessment and Listing Methodology – Toward a Compendium of Best Practices*. Washington, DC. Available at <http://www.epa.gov/owow/monitoring/calm.html>.

Government Accountability Office. 2002. *Water Quality: Inconsistent State Approaches Complicate Nation's Efforts to Identify its Most Polluted Waters*. GAO-02-186. Washington, DC.

Government Accountability Office. 2000. *Water Quality: Key EPA and State Decisions Limited by Inconsistent and Incomplete Data*. GAO-RCED-00-54. Washington, DC.

National Research Council, Committee to Assess the Scientific Basis of the Total Maximum Daily Load Approach to Water Pollution Reduction. 2001. *Assessing the TMDL Approach to Water Quality Management*. Washington, DC: National Academy Press.

#### **FY 2009 Performance Measures:**

- **Number of TMDLs that are established or approved by EPA [Total TMDLs] on a schedule consistent with national policy (cumulative) [PART annual measure]**
- **Number of TMDLs that are established by States and approved by EPA [State TMDLs] on a schedule consistent with national policy (cumulative) [PART annual measure]**

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

*Note: Because a TMDL is a plan for attaining water quality standards, the terms ‘approved’ and ‘established’ refer to the completion of the TMDL itself and not necessarily its implementation.*

**Performance Database:** The Assessment and Total Maximum Daily Load (TMDL) Tracking And Implementation System (ATTAINS) is a database which will capture water quality information related to this measure. This database is an upgrade to the existing National TMDL Tracking System (NTTS). ATTAINS will be an integrated system capable of documenting and managing the connections between state assessment and listing decisions reported under sections 305(b) and 303(d) (i.e., integrated reporting) and completed TMDL information. This system will allow seamless access to all information about assessment decisions and restoration actions across reporting cycles and over time until water quality standards are attained. Watershed Assessment Tracking Environmental Results System (WATERS— found at <http://www.epa.gov/waters/>) is EPA’s approach for viewing water quality information related to these measures. TMDL information (found at [http://oaspub.epa.gov/waters/national\\_rept.control](http://oaspub.epa.gov/waters/national_rept.control)) is used to generate reports that identify waters for which EPA has approved state-submitted TMDLs and for which EPA has established TMDLs. Annual TMDL totals, spanning 1996 to the present, are available from ATTAINS on a fiscal year basis. As TMDLs and other watershed-related activities are developed and implemented, water bodies which were once impaired will meet water quality standards. Thus these TMDL measures are closely tied to the PART measure, “Number of water body segments identified by States in 2002 as not attaining standards, where water quality standards are now fully attained.” Newly attaining water bodies will be removed from the list of impaired water segments.

**Data Source:** State-submitted and EPA-approved TMDLs and EPA-established TMDLs are the underlying data for these measures. Electronic and hard copies are made available by states and often linked to EPA Web sites. More specifically, WATERS allows search for TMDL documents at [http://www.epa.gov/waters/tmdl/tmdl\\_document\\_search.html](http://www.epa.gov/waters/tmdl/tmdl_document_search.html).

**Methods, Assumptions, and Suitability:** State and EPA TMDLs are thoroughly and publicly reviewed during their development. Upon approval by EPA, relevant information from each TMDL is entered into the ATTAINS by EPA Regional staff.

**QA/QC Procedures:** QA/QC of data is provided by EPA Regional staff and through cross-checks of WATERS information regarding impaired water listings, consistent with the Water Quality Management Plan (QMP). EPA requires that organizations prepare a document called a QMP that: documents the organization's quality policy; describes its quality system; and identifies the environmental programs to which the quality system applies (e.g., those programs involved in the collection or use of environmental data).

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**Data Quality Review:** Internal reviews of data quality have revealed some inconsistencies in the methodology of data entry between EPA Regional Offices. In 2005 and 2006, EPA convened a meeting of NTTS users to discuss how to improve the database. As a result, data field definitions were clarified, the users' group was reinstated, several training sessions were scheduled, and an ATTAINS design team is currently directing the database upgrades. One of the issues raised included the methodology used to count TMDLs. Previous methodology generated a TMDL "count" based on the causes of impairment removed from the 303(d) impaired waters list as well as the TMDL pollutant. EPA proposed to change the counting methodology to directly reflect only the pollutants given allocations in TMDLs. During a recent EPA Office of the Inspector General review they concurred with this recommendation. This proposed change was vetted during the TMDL Program's annual meeting in March 2007 and implemented in August 2007, resulting in a cumulative net reduction of 1,577 TMDLs. Current realization of targets shows the TMDL Program continues to attain PART and Strategic Plan targets despite the adjustment to the counting methodology.

**Data Limitations:** To meet the increasing need for readily accessible CWA information, EPA is both upgrading the current database and overseeing quality review of existing data. In the process of developing the new database existing data entry requirements and procedures are being reevaluated and communicated with data entry practitioners. Data quality has been improving and will continue to improve during this overhaul.

**Error Estimate:** No error estimate is currently available for these data.

**New/Improved Data Systems:** See above.

#### References:

USEPA, Office of the Inspector General. 2007. *Total Maximum Daily Load Program Needs Better Data and Measures to Demonstrate Environmental Results*. Available at <http://www.epa.gov/oig/reports/2007/20070919-2007-P-00036.pdf>.

USEPA, Office of the Inspector General. 2005. *Sustained Commitment Needed to Further Advance the Watershed Approach*. Available at <http://www.epa.gov/oig/reports/2005/20050921-2005-P-00025.pdf>.

National Research Council, Committee to Assess the Scientific Basis of the Total Maximum Daily Load Approach to Water Pollution Reduction. 2001. *Assessing the TMDL Approach to Water Quality Management*. Washington, DC: National Academy Press.

Link to TMDL report data can be found at: <http://www.epa.gov/owow/tmdl/>

Link to the Watershed Assessment Tracking Environmental Results System (WATERS) can be found at: [http://www.epa.gov/waters/tmdl/expert\\_query.html](http://www.epa.gov/waters/tmdl/expert_query.html)

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

##### FY 2009 Performance Measures:

- **Percentage of major dischargers in Significant Noncompliance at any time during the fiscal year (PART measure)**
- **Percentage of all major publicly-owned treatment works (POTWs) that comply with their permitted wastewater discharge standards (PART measure)**

**Performance Databases:** The Permit Compliance System, (PCS) tracks permit compliance and enforcement data for sources permitted under the Clean Water Act National Pollutant Discharge Elimination System (NPDES). Data in PCS include major permittee self reported data contained in Discharge Monitoring Reports (DMR), data on permittee compliance status, data on state and EPA inspection and enforcement response.

**Data Source:** Permittee self reported DMR data are entered into PCS by either state or EPA Regional offices. PCS automatically compares the entered DMR data with the pollutant limit parameters specified in the facility NPDES permit. This automated process identifies those facilities which have emitted effluent in excess of permitted levels. Facilities are designated as being in Significant Noncompliance (SNC) when reported effluent exceedances are 20% or more above permitted levels for toxic pollutants and/or 40% or more above permitted levels of conventional pollutants. PCS contains additional data obtained through reports and on-site inspections, which are used to determine SNC, including: non-effluent limit violations such as unauthorized bypasses, unpermitted discharges, and pass through of pollutants which cause water quality or health problems; permit schedule violations; non-submission of DMRs; submission of DMRs 30 or more days late; and violation of state or federal enforcement orders.

**Methods, Assumptions and Suitability:** There are established computer algorithms to compare DMR effluent data against permitted effluent levels. The algorithms also calculate the degree of permitted effluent exceedance to determine whether toxic/conventional pollutant SNC thresholds have been reached.

**QA/QC Procedures:** Quality Assurance/Quality Control procedures [See references] are in place for PCS data entry. State and regional PCS data entry staff are required to take PCS training courses [See references]. Quality Management Plans (QMPs) are prepared for each Office within The Office of Enforcement and Compliance Assurance (OECA). The Office of Compliance (OC) has established extensive processes for ensuring timely input, review and certification of PCS information. OC=s QMP, effective for 5 years, was approved July 29, 2003 by the Office of Environmental Information (OEI) and is required to be re-approved in 2008.

**Data Quality Review:** Information contained in PCS is required by policy to be reviewed by regional and headquarters= staff for completeness and accuracy. SNC data in PCS are reviewed quarterly.



## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**Data Limitations:** Legal requirements for permittees to self report data on compliance with effluent parameters in permits generally results in consistent data quality and accuracy. EPA monitors and measures the timeliness of DMR submissions and data entry quality. National trends over the past several years show an average of 94% of DMRs is entered timely and complete. Where data entry problems are observed, OECA works directly with regions and states to improve performance, and in limited circumstances has dedicated supplemental grant resources to help regions and states correct problems. As part of ICIS-NPDES implementation OECA is working to deploy an electronic DMR process to save resources on data entry workload and reduce data input errors.

**Error Estimate:** Not available

**New & Improved Data or Systems:** PCS was developed during the 1980s and has undergone periodic revision and upgrade since then. OECA is currently developing a modernized data system to replace PCS, utilizing modern data entry, storage, and analytical approaches. The replacement of PCS with ICIS-NPDES (Integrated Compliance Information System – NPDES), a modernized and user-friendly NPDES data system, began in June 2006 when eleven states began using the system; seven other states will be migrated to the new system in August. During phased implementation of ICIS-NPDES across the states a combination of PCS and ICIS-NPDES will be used to generate SNC data. Once fully implemented, ICIS-NPDES will be the sole source of NPDES SNC data.

#### References:

PCS information is publicly available at:  
<http://www.epa.gov/compliance/planning/data/water/pcssys.htm>

#### FY 2009 Performance Measures:

- **Percentage of States and Territories that within the preceding three year period submitted new or revised water quality criteria acceptable to EPA that reflect new scientific information from EPA or other sources not considered in the previous standards. [PART measure]**
- **Percentage of submissions of new or revised water quality standards from States and Territories that are approved by EPA [PART measure]**

**Performance Database:** The Water Quality Standards Action Tracking Application (WATA), an internal tracking application managed by the Office of Science and Technology described at <http://intranet.epa.gov/ost/div/shpd/wata-manual.pdf>, is the performance database for these measures. The information in this system provides the baseline and performance data for these measures.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**Data Source:** The underlying data sources for this measure are submissions from states and territories of water quality standards to EPA pursuant to the Clean Water Act and EPA's water quality standards regulation at 40 CFR Part 131. States and territories are required to review their water quality standards at least once every three years and submit any new or revised water quality standards to EPA for review and approval. Each submission is accompanied by a letter from an appropriate official, and includes a certification by the state or territorial attorney general that the standards were duly adopted pursuant to state or territorial law.

EPA Regional Office staff members compile information from each submission and enter it into the WATA system. The information includes identifying data (name of jurisdiction, date of submission), data concerning components of the submission, and data concerning EPA's action on the submission. EPA has delegated approval and disapproval decisions to the Regional Administrator; the Regional Administrator may re-delegate the decisions to the appropriate Division Director, but no further. Approval decisions are judicially reviewable, and are accompanied by an appropriate administrative record.

#### **Methods and Assumptions:**

The Office of Science and Technology has established computation metrics in the Water Quality Standards Action Tracking Application (WATA) system to produce the baselines and performance data for both measures. These metrics are as follows:

- Percentage of State and Territorial water quality standards submissions (received in the 12 month period ending April 30th of the fiscal year) that are approved by EPA. Partial approvals receive fractional credit.

This metric considers all new or revised submissions from May 1 of the previous year through April 30 of the current year. This reporting period provides regions at least five months to reach and document a valid approval decision. EPA management believes this is an adequate time for processing submissions. A "submission" is determined by the submitting jurisdiction, as described above. The metric then searches for whether the Regional Office has made any approval decision concerning the submission. If EPA approves the submission in full by the end of the reporting period, it will be counted with an approval value of 1. If EPA disapproves all provisions of the standards, it will be counted with an approval value of 0 (zero). In some cases the Regional decision official may decide to approve some portions of the standards provisions, disapprove some portions, or defer actions on some portions. To accommodate these possibilities, and to reflect the complex nature of some submissions, the WATA system allows Regional staff to track portions of a submission as separate parts with weights corresponding to the number of actual provisions involved. When different decisions are reached on different parts or provisions of a submission, the metric calculates a fractional approval value. The fractional approval value is a number between 0 and 1, equal to the number of provisions

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

approved, divided by the total number of provisions in the original submission. For example, if a submission contains 10 provisions and EPA approves 8 and disapproves 2, then the metric would count this as 0.8 submissions. The final performance metric is the sum of full or fractional approval values divided by the total number of submissions during the reporting period.

- Number of States and Territories that within the preceding three year period submitted new or revised water quality criteria acceptable to EPA that reflect new scientific information from EPA or other sources not considered in the previous standards

This measure utilizes a Regional Office entry in the WATA system which indicates whether a submission or submission part includes one or more new water quality criteria or revised criteria that reflect new scientific information from EPA or other sources not considered in the previous criteria. Biological criteria that are reflected explicitly in designated uses would count under this entry. If a state or territory has not adopted any such criteria, the jurisdiction can nevertheless be counted under this measure if (a) EPA has issued new or revised water quality criteria, including revisions to the published table of EPA recommended criteria at <http://www.epa.gov/waterscience/criteria/wqcriteria.html>, but the state has determined through a scientific assessment that such a change is not relevant for its waters, or (b) the jurisdiction could certify to EPA that it has completed a defensible scientific review of the new scientific information EPA has issued and has determined that no changes are needed to their existing water quality criteria. The metric searches for one or more qualifying submissions or submission parts for each jurisdiction during the three-year period ending five months before the end of the reporting period, and that have been approved by EPA by the end of the reporting period. For example, for FY 2009 any qualifying submissions from May 1, 2005, through April 30, 2009, that were approved by September 30, 2009, would enable the jurisdiction to be counted. Note the overlap from one reporting year to the next: a state that last made such a submittal, in, say, February 2005, would be counted in FY 2005, FY 2006, and FY 2007 but not in FY 2008 or FY 2009.

**Suitability:** These two performance measures provide important information about how well EPA and states/territories are carrying out their respective roles and responsibilities for establishing and approving up-to-date scientifically defensible WQS. The first measure describes how well EPA and states/territories are working together to set revised WQS that EPA can approve in a timely fashion. The second measure provides an indicator of how well states' WQS reflect latest scientific data.

**QA/QC Procedures:** States and territories conduct QA/QC of water quality standards submissions pursuant to individual state procedures. Because such submissions are subject to judicial review, the attorney general's certification described above provides assurance of the content of each submission. EPA regional staffs provide support to and interact with the jurisdictions as they develop, review, and adopt water quality standards. Each Regional Office

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

provides data quality review of its entries in the WATA system. For example, Regional Offices generally assure that each entry is reviewed by the water quality standards coordinator, usually a senior scientist or environmental protection specialist with extensive experience in water quality standards actions. Data validation algorithms built into each entry screen also help improve data quality. In addition, a sample of entries is spot-checked by Headquarters' Office of Science and Technology staff. The Regions and Headquarters have been able to conduct the data quality reviews fairly easily because the number of submissions has averaged about 50 submissions per year in recent years, well within their available resources to provide adequate review.

**Data Quality Review:** No external reviews of the data have been conducted.

**Data Limitations:** Submissions may vary considerably in size and complexity. For example, a submission may include statewide water quality standards revisions, use attainability analyses for specific water bodies, site-specific criteria applicable to specific types of waters, general statewide policies, antidegradation policies or procedures, and variances. Therefore, these measures – the number of submissions approved, and the number of jurisdictions with updated scientific information contained in adopted standards – do not provide an indicator of the scope, geographic coverage, policy importance, or other qualitative aspects of water quality standards. This information would need to be obtained in other ways, such as by reviewing the content of adopted and approved standards available at <http://www.epa.gov/waterscience/standards/wqslibrary/>, or contacting the appropriate Regional Office or state/territorial personnel.

**Error Estimate:** No error estimate is available for this data.

**New/Improved Data Systems:** The Office of Science and Technology is planning to enhance the existing WATA system to improve its capabilities and data quality.

#### References:

USEPA. September 13, 2006. *Water Quality Standards Acting Tracking Application: Users Manual*. Available at <http://intranet.epa.gov/ost/div/shpd/wata-manual.pdf>.

USEPA. 2000. *Water Quality Standards Regulation*. Code of Federal Regulations, 40 CFR part 131. Available at [http://www.access.gpo.gov/nara/cfr/waisidx\\_05/40cfr131\\_05.html](http://www.access.gpo.gov/nara/cfr/waisidx_05/40cfr131_05.html).

USEPA. August 1994. *Water Quality Standards Handbook*, 2<sup>nd</sup> edition. <http://www.epa.gov/waterscience/standards/handbook/>.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

##### FY 2009 Performance Measure:

- **Estimated annual reduction of nitrogen (millions of pounds), phosphorous (millions of pounds), and sediment (tons) from nonpoint sources to waterbodies. [PART Annual Measure]**

**Performance Database:** The Section 319 Grants Reporting and Tracking System (GRTS) is used by grant recipients (State agencies) to supply information about State NPS Management Programs and annual Section 319 funded work programs, which include watershed-based BMP implementation projects. GRTS includes information about Best Management Practices (BMPs) implemented under 319-funded watershed projects, and the NPS load reductions achieved as a result of implementation. EPA uses GRTS to compile and report information about state section 319 program projects, including load reductions for nitrogen, phosphorus, and sediment.

State reporting via GRTS in part fulfills requirements of the Clean Water Act (CWA) Sections 319(h)(11) and 319(m)(1); however, GRTS also provides EPA and other stakeholders greater and more efficient access to data, information, and program accomplishments than would otherwise be available. Besides load reduction information, GRTS, in conjunction with WATERS (see below) provides detailed georeferencing (i.e., National Hydrography Dataset – or “NHD”-- reach addresses) for 319-funded projects, project cost information, and a host of other elements.

GRTS is also part of the Watershed Assessment, Tracking, and Environmental Results System (WATERS), which is used to provide water program information and display it spatially using a geographic information system integrated with several existing databases. These databases include the STORage and RETrieval (STORET) database, the National Assessment Database (NAD), the TMDL Tracking System (NTTS), the Water Quality Standards Database (WQSDB), and GRTS.

**Data Source:** States enter load reduction data for individual 319-funded projects into GRTS. Various watershed models are used in the States to estimate the load reductions resulting from implementation of BMPs. Two models used by many states, and directly supported by EPA, are the Spreadsheet Tool for Estimating Pollutant Loads (STEPL) model, and the “Region 5” model. States, at their discretion, may use other models or methods (e.g., AGNPs, SWAT, GWLF, etc), or may use actual water monitoring data to generate estimates of pollutant load reduction resulting from BMP implementation. The load reduction data generated by modeling and/or monitoring efforts are entered by State staff directly into the appropriate GRTS data fields.

**Methods, Assumptions and Suitability:** States employ two main methods to make pollutant load reduction estimates for the purpose of entering information into GRTS: 1) watershed models to estimate load reductions after watershed project BMPs are implemented, and 2) direct sampling over time of pollutants using targeted site selection. Even direct sampling methods,

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

however, usually involve some type of modeling to separate BMP effects from other variables when determining load reductions.

EPA aggregates the load reduction data entered into GRTS to generate the national load reduction number for each pollutant. With each successive time period – each of which includes load reduction estimates from projects funded under more than one fiscal year grant (since BMPs are still “working” for some time after initial installation) -- the total from the previous period is subtracted from the total of the current time period to get the incremental total. For example, our first report on national load reduction numbers in the PART included projects funded from FY 2002 and most of FY 2003 (FY 2002 was the first grant year for which load reduction information was mandated). For the next report in PART, we totaled load reductions for projects from FY 2002 through 2004, with a smattering of projects for FY 2005 for which information was available in GRTS. The total from the first time around was subtracted from this latter total to give us the increment. This increment is what we reported in OMB’s Program Assessment Rating Tool (PART) in November 2005.

This method of determining the increment has been necessary because of the particular structure and previous software used for GRTS, which houses projects by grant year. A project funded in a single grant year is usually implemented over several years. Within a single project form, the load reduction number (or numbers if more than one watershed is being addressed by the project) is updated at least annually, but there is no requirement to keep the “original” load reduction number in the system. Therefore, we did not always have a record of how load reductions have increased over time for a given project; hence, we use the method described above to estimate the national load reduction increment from one time period to the next.

**QA/QC Procedures:** QA/QC of load reduction estimates generated by states is dependent on individual state procedures, such as state Quality Management Plans (QMPs), which are periodically reviewed and approved by EPA Regions.

EPA provides user support and training to states in the use of the STEPL and Region 5 models. EPA emphasizes that Quality Assurance Project Plans (QAPPs) should be developed (in accordance with EPA approved State QMPs) for watershed projects, especially where water quality models are being used or where monitoring is being conducted. EPA also stresses that site-specific parameters be used whenever possible for input to water quality models, as opposed to default input values provided by some modeling tools.

States have continual access and opportunity to review the information in GRTS to ensure it accurately reflects the data they entered (according to their QA procedures). EPA periodically reviews GRTS and reminds states of the critical importance of their completing mandated data elements in a timely, high-quality manner.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**Data Quality Review:** Data entered in GRTS are periodically reviewed by EPA Regions and Headquarters. Regional personnel also maintain hardcopies of the states work programs, watershed project implementation plans, and Annual Progress Reports. Verification of data in GRTS can be cross-checked with these documents to ensure quality, consistency, and reliability in progress reporting on an incremental (such as, year-to-year) basis, or to note any problems in data quality in GRTS. EPA frequently reviews various aggregation(s) of all the data in GRTS by our use of “ad-hoc” and standard reports available in the GRTS reporting system.

In the past, Nonpoint Source Program reporting under Section 319 had been identified as an Agency-level weakness under the Federal Managers Financial Integrity Act. The Agency’s establishment and subsequent enhancements of GRTS has served to mitigate this problem by requiring states to identify the activities and results of projects funded with Section 319(h). In response to the FMFIA evaluation, EPA has been working with states and other stakeholders to improve data input and quality. We sponsor national GRTS-users group meetings each year. These meetings serve not only to meet the training needs of the user community, but also provide a forum for discussing needed enhancements to GRTS. These enhancements range from better capturing environmental results to improving consistency of data entry to facilitate state-by-state comparisons.

The CWA Sections 319(h)(11) and 319(m)(1) require States to report their Nonpoint Source Management Program (NPSMP) milestones, nonpoint source pollutant load reductions, and water quality improvements. These sections provide the EPA Office of Water (OW) authority to require water quality monitoring and/or modeling, and to require reporting by states to demonstrate their success in reducing nonpoint source pollutant loads and improving water quality. OW has issued several guidance documents designed to improve state NPSMPs, watershed-based projects, and consistency in state progress reporting, including their use of GRTS. In September 2001, EPA issued “[Modifications to Nonpoint Source Reporting Requirements for Section 319 Grants](#).” This memorandum outlines the process for reporting in GRTS load reductions for nutrients and sediment (for applicable Section 319(h) funded projects). Our current “National Nonpoint Source Program and Grants Guidelines” (October, 2003) includes sections on all nonpoint source grant reporting requirements, including GRTS reporting. Furthermore, EPA, in consultation with the States, has established the nonpoint source program activity measures (PAMs) -- including nonpoint load reductions -- which are now part of EPA’s Strategic Plan and the PART. We have also communicated (e.g., via email) to states further detailed explanations of the NPS program activity measures, expected reporting sources and dates, and results of our reviews of data input to GRTS by the States.

**Data Limitations:** State NPSMP work to model (and monitor) watersheds is often not integrated or coordinated with state water quality monitoring and assessment strategies, and therefore use of the data may be rather limited. Load reduction data are typically generated from the use of water quality models, and there is a great deal of uncertainty in model inputs and

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

outputs. States generally do not apply model results to decision-making for implementing and/or revising their NPS Management Programs.

State assessments of load reductions and water quality typically include uncertainties associated with any measuring or modeling tools. Variability in the environment, as well as in state methods and application of tools limit the accuracy of data for describing load reductions and water quality at the project level. Aggregating the load reduction data up to the national measure compounds the level of uncertainty, thereby preventing the Agency from assigning a reasonable numerical confidence level to it.

**Error Estimate:** No error estimate is available for these data.

**New/Improved Data or Systems:** GRTS has recently been converted to an Oracle database. Oracle is the standard database used by Federal agencies. Conversion to Oracle will allow GRTS to seamlessly connect with WATERS, as well as facilitate potential linkages to a variety of other databases, models, and watershed planning tools. The Oracle-based GRTS will greatly improve reporting capabilities for all end users, and make it easier to quickly answer questions for stakeholders. Questions which will be easier to answer include, “Where are watershed projects being developed and implemented? Are they concurrent with impaired waters and established TMDLs? Do they pursue actions necessary to reduce pollutant loads and attain water quality standards?”

Oracle provides users the capability of customizing data entry screens to facilitate various reporting needs of the States and EPA. We can customize screens to reflect various programmatic needs of Regional offices and States, such as to view only the mandated elements, or a mix of mandated elements and other Regionally-required data fields.

Training on STEPL and the Region 5 model are ongoing in hopes of minimizing operational mistakes for State staff utilizing one or both of these models to estimate section 319 project load reductions.

**References:** USEPA. *Nonpoint Source Program and Grants Guidelines for States and Territories*. October 23, 2003 (<http://www.epa.gov/OWOW/NPS/cwact.html>).

USEPA. *Modifications to Nonpoint Source Reporting Requirements for Section 319 Grants*. September 27, 2001 (<http://www.epa.gov/OWOW/NPS/cwact.html>).

USEPA. GRTS. Grants Tracking and Reporting System. GRTS Web User Guide, Version 1.6 March 15, 2007.

USEPA. WATERS. Watershed Assessment Tracking and Environmental Results. (<http://www.epa.gov/waters/>).



## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

USEPA. NHDPlus. National Hydrography Dataset Plus (<http://www.horizon-systems.com/nhdplus/>).

USEPA. STORET. Storage and Retrieval (<http://www.epa.gov/storet/dbtop.html>).

USEPA. NAD. National Assessment Database (<http://www.epa.gov/waters/305b/>).

USEPA. WQSDB. Water Quality Standards Database (<http://www.epa.gov/wqsdatabase/>).

USEPA. STEPL. Spreadsheet Tool for Estimating Pollutant Load (<http://it.tetratex.com/stepl/>).

#### **FY 2009 Performance Measures:**

- **Percentage of high priority EPA and State NPDES permits that are reissued on schedule (PART Measure)**
- **Percentage of high priority state NPDES permits reissued on schedule (PART Measure)**

#### **Performance Database:**

- U.S. EPA. Permit Compliance System (PCS). [database]. Washington, DC [Office of Enforcement and Compliance Assurance]
- U.S. EPA Integrated Compliance Information System (ICIS-NPDES). [database]. Washington, DC [Office of Enforcement and Compliance Assurance]
- Electronic Permit Issuance Forecasting Tool (E-PIFT) [database]. Washington, DC [Office of Water]
- Priority Permits Data Base. [web-based database]. Washington, DC [Office of Water]

EPA has carried out detailed permit renewal backlog tracking with PCS data since November 1998. The Permit Compliance System (PCS) and the Integrated Compliance Information System (ICIS-NPDES) are used to determine which individual permits are current through date fields for permit issuance and expiration. To supplement the individual permit data from PCS, EPA uses the Electronic Permit Issuance Forecasting Tool (E-PIFT) to track the current or expired status of facilities covered under non-storm water general permits. E-PIFT has been used to track non-storm water general permit facilities since January 2001.

In March 2004 a new priority permit issuance strategy was initiated under the Permitting for Environmental Results (PER) program. The priority permits issuance strategy focuses permitting activities on environmentally and administratively significant expired permits. The Priority Permits Database is a web-based system that tracks the specific permits that each State

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

and Region has identified as priority. States and Regions enter the permits, and EPA HQ uses PCS/ICIS-NPDES to track permit issuance status of these permits.

**Data Source:** EPA's Regional offices and NPDES authorized states enter data into PCS and/or ICIS-NPDES and EPA's Regional offices are responsible for entering data to the E-PIFT. EPA's Regional offices and States also enter permit identification information into the Priority Permits database.

**Methods, Assumptions and Suitability:** Annually, Office of Wastewater Management (OWM) provides State and Regional authorities with a list of candidate priority permits, defined as permits that have been expired for two years or more. States and Regions then use several programmatic and environmental criteria to select which of those candidate permits should be prioritized for issuance. They then commit to issue these permits over the next two fiscal years, with the goal of achieving a 95% issuance rate. Regions enter their commitments into the Priority Permits Data Base. Results are confirmed using PCS/ICIS-NPDES reports.

**QA/QC Procedures:** The PCS and ICIS-NPDES databases are managed by the Office of Enforcement and Compliance Assurance (OECA); E-PIFT and Priority Permits Database are web-based systems that are managed by the Office of Water (OW). EPA Headquarters (HQ) staff in OECA review data submitted by states as part of the QA/QC process. In addition, OW continues to work with States and Regions to improve the quality and completeness of the data. EPA generates state-by-state reports that list PCS/ICIS-NPDES Akey data@ fields, including permit issuance and expiration dates, as well as compliance and enforcement data, and provides these lists to NPDES states and Regions for review and cleanup. EPA also created a spread sheet comparing latitude/longitude (lat/long) data for municipal treatment systems collected by the Clean Water Needs Survey to the lat/long data in PCS. This spread sheet is provided to States and Regions so that, where discrepancies exist between state and PCS/ICIS-NPDES data, EPA and States can make corrections in PCS/ICIS-NPDES. EPA will continue to focus on improving the lat/long data in PCS/ICIS-NPDES, especially at the pipe level.

Additionally, where States maintain key permit data in separate state-level systems, EPA is providing support to upload these data to PCS.

**Data Quality Review:** The Office of Inspector General (OIG) has issued several findings regarding poor PCS data quality, and PCS has been listed as an Agency-Level Weakness under the Federal Managers Financial Integrity Act since 1999. This weakness affects EPA's ability to obtain a true picture of the status of the NPDES program. Fortunately, permit event data such as the permit issuance and expiration data needed for this performance measure are generally better populated than other key data elements. As noted previously, OW is offering support to States for data upload, data entry, and, if necessary, data compilation to improve data quality. This has resulted in improved tracking of data, particularly industrial permits.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

The replacement of PCS with ICIS-NPDES, a modernized and user-friendly NPDES data system, began in June 2006 and nineteen states and several territories have successfully migrated to the new system. Use of ICIS-NPDES should greatly increase state participation and data quality. Batch states (those states with their own data systems) will not be migrated to ICIS-NPDES until appropriate mechanisms are in place to transfer the data.

**Data Limitations:** Priority Permits data are verified and reliable. We are aware of data gaps in PCS in general, particularly for minor facilities, and of discrepancies between state databases and PCS; however, EPA's data clean-up over the past five years has significantly improved data quality. E-PIFT has enabled EPA to report on inventories and status of non-storm water facilities covered by NPDES general permits, but the data are not as comprehensive as those tracked in PCS. In addition, to date, there has been no national-level data system to track permit issuance and expiration status of facilities covered by *stormwater* general permits. In 2007, OWM is planning to improve E-PIFT to enable tracking of stormwater general permits and facilities covered under them.

**Error Estimate:** We believe that the permit renewal backlog data for major facilities is accurate within 2 percent based on input from EPA's Regional offices and states through a quarterly independent verification. For minor facilities, however, the confidence interval is less precise and probably overestimates the permit renewal backlog for minor facilities by 5 percent based on anecdotal information from EPA's Regional offices and states.

**New/Improved Data or Systems:** EPA headquarters has been providing contractor assistance to improve the data quality in PCS and will continue to do so. The new modernized ICIS-NPDES was rolled out in June 2006, with nineteen states and several territories now using the system. ICIS -NPDES will be easier to use and will improve the quality of data needed to manage the NPDES program.

#### References:

Information for PCS and ICIS-NPDES is publicly available at:  
<http://www.epa.gov/compliance/data/systems/modernization/index.html>

#### FY 2009 Performance Measure:

- **Loading (pounds) of pollutants removed per program dollar expended (PART efficiency measure)**

**Performance Database:** Data for this measure are derived using different methods for industries subject to effluent guidelines, Publicly Owned Treatment Works (POTWs), municipal storm water and construction storm water (industrial storm water is not included nor are

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

reductions from water quality based effluent limits). The values derived from these methods are summed to obtain the total pollutant load reductions achieved under the surface water program. To calculate the PART efficiency measure, the total cumulative pollutant reductions are divided by the total number of dollars devoted to the EPA Surface Water Program (SWP), grants to States under Clean Water Act (CWA) section 106, plus State 'match' dollars, annually. SWP and CWA Section 106 budget is pulled from EPA's Integrated Financial Management System (IFMS). State 'match' dollars are reported to EPA by States.

**Data Sources:** For industry sectors subject to **effluent guidelines**, estimated loading reductions are taken from reductions estimated in the Technical Development Document (TDD) when the effluent guideline is developed. The common components for such analyses include wastewater sampling, data collection from the regulated industry, and some amount of estimation or modeling. TDDs are available for: Pulp & Paper, Pharmaceuticals, Landfills, Industrial Waste Combustors, Centralized Waste Treatment, Transportation Equipment Cleaning, Pesticide Manufacturing, Offshore Oil & Gas, Coastal Oil & Gas, Synthetic Based Drilling Fluid, Concentrated Animal Feeding Operations, Meat and Poultry, Metal Products and Machinery, Aquaculture. States and EPA's Regional offices enter data into PCS and ICIS.

For **Publicly Owned Treatment Works (POTWs)**, trend data is taken from a detailed analysis for BOD and TSS loadings from POTWs in *Progress in Water Quality: An Evaluation of the National Investment in Municipal Wastewater Treatment*, USEPA, June 2000, EPA-832-R-00-008. The report provides flow estimates, loading estimates and a distribution of treatment class for every 2 to 4 years from 1968 through 1996. In addition, the report uses data from the Clean Watershed Needs Survey (CWNS) to provide projections for 2016. EPA has also prepared a 2004 Update to *Progress in Water Quality* that uses data from the 2004 CWNS to provide flow and loading estimates for the year 2000 and projections for 2025. The 2004 CWNS is currently at OMB for clearance.

For **Municipal Stormwater**, estimates were derived from EPA models of the volume of storm water discharged from municipal separate storm sewer systems (MS4s) developed as part of a 1997 EPA draft report. The methodology and results of the 1997 draft report are described in *Economic Analysis of the Final Phase II Storm Water Rule*, EPA, October 1999.<sup>12</sup>

Estimates of the sediment load present in **Construction Stormwater** is derived using a model developed by the US Army Corps of Engineers. The model uses the construction site version of the Revised Universal Soil Loss Equation (RUSLE). Uncontrolled (i.e. prior to implementation of Best Management Practices (BMPs)) and controlled (i.e. after the implementation of BMPs) sediment loadings were estimated for 15 climatic regions with three site sizes (one, three, and five acres), three soil erodability levels (low, medium, and high), three slopes (3%, 7%, and

---

<sup>12</sup> Economic Analysis of the Final Phase II Storm Water Rule, Oct. 1, 1999, US EPA. Available at: <http://www.epa.gov/npdes> or [http://cfpub.epa.gov/npdes/docs.cfm?program\\_id=6&view=allprog&sort=name](http://cfpub.epa.gov/npdes/docs.cfm?program_id=6&view=allprog&sort=name)

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

12%), and various BMP combinations. The methodology and results are described in “Economic Analysis of the Final Phase II Storm Water Rule.”

**Combined Sewer Overflow (CSO)** loadings are estimated based on data obtained from the Clean Watershed Needs Survey and from the “Report to Congress on the Impacts and Control of Combined Sewer Overflows and Sanitary Sewer Overflows.” States and EPA’s Regional offices provide data for the CSO Report to Congress and the Clean Watershed Needs Survey.

Data for the PART denominator, i.e. the total number of dollars devoted to the EPA Surface Water Program (SWP), are assembled and updated as new data becomes available. EPA Surface Water Program funds and CWA Section 106 budget are initially based on the President’s Budget until a final budget is adopted; it is then pulled from EPA’s Integrated Financial Management System (IFMS). State ‘match’ dollars are reported to EPA by States; where updated data is not available, the last year of confirmed data is carried forward.

**Methods, Assumptions and Suitability:** EPA uses the spreadsheet described above to estimate loadings. The data are aggregated across different sources to determine loading reductions at the national level. Loadings appear to be the best surrogate for determining the environmental impacts of point sources. Pollutant load reductions, along with some of the water quality improvement measures, tell the story about environmental outcomes. Pollutant reductions per dollar spent provides a snapshot of the effectiveness and efficiency of the surface water program, and comparing this over time helps to delineate a trend.

**QA/QC Procedures:** The loadings spreadsheets are based on information from rulemakings and policies that have undergone extensive review. The effluent guidelines follow EPA quality assurance/quality control (QA/QC) procedures.

**Data Quality Reviews:** The methodology for this measure was submitted to OMB for review during the PART process.

**Data Limitations:** Loadings data must be modeled rather than measured as there is inconsistent and poor data quality in the PCS data base with respect to flow and discharge monitoring, including missing data for minor facilities which has not been required to be entered. Neither monitoring nor flow data are required for certain categories of general permits. The Agency, therefore, is not able to measure actual loadings reductions for all of the approximately 550,000 facilities that fall under the NPDES program. As a result, loadings estimates are based upon models.

When the ICIS-NPDES Policy Statement is issued, the quality and quantity of Discharge Monitoring Report (DMR) data is expected to improve. This will enable development of improved methods for estimating and validating loading reductions.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**Error Estimate:** At this time we are unable to estimate error due to the lack of actual national level data to compare to estimates based on models.

**New/Improved Data or Systems:** EPA continues to evaluate and explore improved methods for calculating loadings reductions nation-wide from all sources.

#### **References:**

Clean Watershed Needs Survey 2000 [Electronic data base]. (2000). Washington, D.C. U.S. Environmental Protection Agency [Office of Wastewater Management].

Effluent guidelines development documents are available at:  
<http://www.epa.gov/waterscience/guide>.

Modeling databases and software being used by the Office of Water are available at:  
<http://www.epa.gov/water/soft.html>

SWP PART Efficiency Measure Spreadsheet [Excel Spreadsheet]. Washington, D.C. U.S. Environmental Protection Agency [Office of Wastewater Management].

#### **FY 2009 Performance Measure:**

- **Fund utilization rate for the CWSRF [PART annual measure]**

**Performance Database:** Clean Water State Revolving Fund National Information Management System (NIMS.)

**Data Sources:** Data are from reporting by municipal and other facility operators, state regulatory agency personnel and by EPA's regional staff. Data are collected and reported once yearly.

**Methods, Assumptions and Suitability:** Data entered into NIMS are the units of performance. These data are suitable for year-to-year comparison and trend indication.

**QA/QC Procedures:** EPA's headquarters and regional offices are responsible for compiling the data and querying states as needed to assure data validity and conformance with expected trends. States receive data entry guidance from EPA headquarters in the form of annual memoranda. A generic memorandum would be titled: "Request for Annual Update of Data for the Clean Water State Revolving Fund National Information Management System, July 1, 200X through June 30, 200X."

**Data Quality Reviews:** EPA's headquarters and regional offices annually review the data submitted by the states. These state data are publicly available at

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

<http://www.epa.gov/owm/cwfinance/cwsrf> in individual state reports. EPA's headquarters addresses significant data variability issues directly with states or through the appropriate EPA regional office. An annual EPA headquarters' "NIMS Analysis" provides detailed data categorization and comparison. This analysis is used during annual EPA regional office and state reviews to identify potential problems which might affect the performance measure, biennial reviews by EPA's headquarters of regional oversight of state revolving funds and, annual reviews by EPA's regional offices of their states' revolving funds operations.

State data quality is also evaluated during annual audits performed by independent auditors or by the appropriate regional office of the EPA Inspector General. These audits are incorporated into EPA headquarters' financial management system.

**Data Limitations:** There are no known limitations in the performance data, which states submit voluntarily. Erroneous data can be introduced into the NIMS database by typographic or definitional error. Typographic errors are controlled and corrected through data testing performed by EPA's contractor. Definitional errors due to varying interpretations of information requested for specific data fields have been virtually eliminated in the past two years as a result of EPA headquarters' clarification of definitions. These definitions are publicly available at: <http://www.epa.gov/owm/cwfinance/cwsrf>. There is typically a lag of approximately two months from the date EPA asks states to enter their data into the NIMS database, and when the data are quality-checked and available for public use.

**Error Estimate:** Due to the rapid growth of this program, past estimates of annual performance (relative to a target), compared to actual performance data received two years later, have been accurate to an average of approximately plus or minus 2 percentage points.

**New/Improved Data or Systems:** This system has been operative since 1996. It is updated annually, and data fields are changed or added as needed.

#### References:

State performance data as shown in NIMS are available by state at:

<http://www.epa.gov/owm/cwfinance/cwsrf>

Definitions of data requested for each data field in NIMS is available at:

<http://www.epa.gov/owm/cwfinance/cwsrf>

The Office of Water Quality Management Plan, July 2001 (approved September 28, 2001) addresses the quality of data in NIMS. Not publicly available.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

##### FY 2009 Performance Measures:

- **Number of waterbodies restored or improved per million dollars of CWSRF assistance provided. (PART efficiency measure)**
- **Number of waterbodies protected per million dollars of CWSRF assistance provided. (PART efficiency measure)**

##### **Performance Databases:** Clean Water State Revolving Fund Benefits Reporting (CBR) Database

CBR contains state-by-state data on the environmental benefits achieved by each loan made by the 51 state CWSRFs. CBR is a new database and therefore does not contain data on all CWSRF loans since the inception of the program. CBR contains complete data on all loans made from capitalization grants received after January 1, 2005. Some states have chosen to report the environmental benefits of loans made from earlier capitalization grants. Data is entered into CBR by states on a rolling basis; however, states must enter all loans for a given fiscal year by the end of the state fiscal year. As of July 2007, the environmental benefits of \$13.4 billion in CWSRF assistance had been reported in the CBR.

CBR contains general information about each loan, including borrower, loan execution date, loan amount, repayment period and interest rate. Data on the environmental benefits of each loan include population served, wastewater volume, needs categories addressed, discharge information (i.e. ocean, surface water, groundwater, etc), permit type/number (if applicable), affected waterbody name and ID number, and affected waterbody status (impaired or meeting standards). CBR also collects information on whether each loan helps a system to achieve or maintain compliance, and whether it contributes to water quality improvement or maintenance. The designated uses of the waterbody are identified, as well as whether the loan contributes to protection or restoration of each designated use.

**Data Sources:** State regulatory agency personnel report and enter data into the CBR database on a rolling basis, based on state fiscal year.

**Methods, Assumptions and Suitability:** Data entered into CBR directly represent the units of performance for the performance measure. Data collected in the CBR database is suitable for calculating these performance and efficiency measures.

**QA/QC Procedures:** EPA regional offices are responsible for assuring state personnel enter all data by the end of the state fiscal year. States receive data entry guidance from EPA headquarters in the form of data definitions, available online at: <http://12.170.50.10/cwbenefits/login.aspx> by clicking on the “help” menu in the top right corner of the screen.



## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**Data Quality Review:** Quarterly checks of the data are performed by EPA's contractor to ensure that states are entering data in a manner consistent with data definitions. Headquarters addresses significant data variability issues directly with states.

**Data Limitations:** Erroneous data can be introduced into the CBR database by typographic or definitional error. Typographic errors are controlled and corrected through data testing performed by EPA's contractor. Definitional errors due to varying interpretations of information requested for specific data fields are minimized as a result of EPA headquarters' clarification of definitions. Data is entered into the system on a rolling basis due to variations in state fiscal years. This new database has been in operation for approximately one year. As a result, comprehensive data is not available for all states for years prior to 2005.

**Error Estimate:** As this is a new database, an error estimate is not available at this time.

**New & Improved Data or Systems:** This system has been operative since 2005. Data fields are changed or added as needed.

#### **References:**

Definitions of data requested for each data field in the CBR database are available at: <http://12.170.50.10/cwbenefits/login.aspx> by clicking on the "help" menu in the top right corner of the screen.

#### **FY 2009 Performance Measures:**

- **Percent of serviceable rural Alaska homes with access to drinking water supply and wastewater disposal. [PART annual measure]**
- **Number of homes that received improved service per \$1,000,000 of State and Federal funding. [PART efficiency measure]**

**Performance Database:** Sanitation Tracking and Reporting System (STARS), managed by the Indian Health Service (IHS), Office of Environmental Health and Engineering (OEHE), Division of Sanitation Facilities Construction (DSFC). This database has been modified to include information on water and wastewater projects in rural Alaska communities and Alaska Native Villages (ANVs).

**Data Sources:** The STARS includes data on sanitation deficiencies, Indian homes and construction projects. STARS is currently comprised of two sub-data systems, the Sanitation Deficiency System (SDS) and the Project Data System (PDS).

**Methods, Assumptions and Sustainability:** The SDS is an inventory of sanitation deficiencies for Indian and rural Alaska homes, ANVs and communities. It is updated annually. The

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

identification of sanitation deficiencies can be made several ways, the most common of which follow:

- Consultation with Tribal members, community members and other Agencies
- Field visits by engineers, sanitarians, Community Health Representatives (CHRs) nurses, State of Alaska IHS or tribal health staff
- PWSS Sanitary Surveys
- Tribal Master Plans for Development
- Telephone Surveys
- Feasibility Studies

The most reliable and preferred method is a field visit to each community to identify and obtain accurate numbers of homes with sanitation deficiencies. The number of Indian homes within the communities must be consistent among the various methods cited above. If a field visit cannot be made, it is highly recommended that more than one method be used to determine sanitation deficiencies to increase the accuracy and establish greater credibility for the data.

The PDS is a listing of funded construction projects and is used as a management and reporting tool. The PDS supports the annual calculation of the program efficiency measure.

**QA/QC Procedures:** Quality assurance for the Indian country water quality performance measure depends on the quality of the data in the STARS. The STARS data undergo a series of quality control reviews at various levels within the IHS and the State of Alaska.

**Data Quality Reviews:** The SDS data undergo a series of highly organized reviews by experienced tribal, IHS field, IHS district, State of Alaska and IHS area personnel. The data quality review consists of performing a number of established data queries and reports, which identify errors and/or inconsistencies. In addition, the top SDS projects and corresponding community deficiency profiles for each area are reviewed against their budgets. Detailed cost estimates are required for the review.

**Data Limitations:** The data are limited by the accuracy of reported data in STARS.

**Error Estimate:** The higher-level projects (those with the possibility of funding prior to the next update) must be developed to allow for program implementation in an organized, effective and efficient manner. Those SDS projects (top 20%) must have cost estimates within 10% of the actual costs.

**New/Improved Data or Systems:** The STARS is a web-based application and therefore allows data to be continuously updated by personnel at various levels and modified as program requirements are identified. PDS has been modified to meet 40CFR31.40 reporting requirements. In 2007 the STARS application will be modified so that STARS' administrators can allow specific users to access their relevant portions of the STARS database.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

##### References:

1. Indian Health Service (IHS), Division of Sanitation Facilities (DSFC). Criteria for the Sanitation Facilities Construction Program, June 1999, Version 1.02, 3/13/2003. [http://www.dsfc.ihs.gov/Documents/Criteria\\_March\\_2003.cfm](http://www.dsfc.ihs.gov/Documents/Criteria_March_2003.cfm)
2. Indian Health Service (IHS), Division of Sanitation Facilities (DSFC). Sanitation Deficiency System (SDS), Working Draft, "Guide for Reporting Sanitation Deficiencies for Indian Homes and Communities", May 2003. <http://www.dsfc.ihs.gov/Documents/SDSWorkingDraft2003.pdf>

##### FY 2009 Performance Measure:

- **Percent of active dredged material ocean dumping sites achieving environmentally acceptable conditions (as reflected in each site's Site Management Plan)**

**Performance Database:** Data for this measure are entered into EPA's Annual Commitment System (ACS) database by those EPA Regional offices (Regions) responsible for the management and oversight of dredged material ocean dumping sites. This performance measure, which is a target in the 2006-2011 Strategic Plan, will be tracked on an annual basis as a management tool for the ocean dumping program. The baseline year for the measure is 2005.

**Data Source:** EPA's Regional offices are responsible for data collection and management. Under section 102 of the Marine Protection, Research, and Sanctuaries Act (MPRSA), EPA Regions may designate ocean sites for the disposal of dredged material. The Act requires that each site have a Site Management and Monitoring Plan (SMMP), which includes, but is not limited to, a baseline assessment of the conditions at the site, a program for monitoring the site, and management practices at the site to protect the aquatic environment. Each SMMP is unique to the dump site and is developed in conjunction with all relevant stakeholders. The SMMP generally defines monitoring requirements, the conditions under which a site is deemed to be environmentally acceptable, and triggers for corrective action. Based on the requirements of each SMMP, the responsible Regions may conduct monitoring surveys of the dump sites to determine benthic impacts, spatial distribution of dredged material, characterize physical changes to the seafloor resulting from disposal, pH, turbidity, and other water quality indicators. Utilizing sampling results (as necessary), EPA Regions determine if a site is achieving environmentally acceptable conditions.

**Methods, Assumptions and Suitability:** As each SMMP defines the required monitoring and environmentally acceptable conditions for an ocean dumping site, any survey/sampling methodologies and assumptions will be site-specific. However, if a Region utilizes EPA's Ocean Survey Vessel (OSV) *Bold*, established procedures for use of the equipment and handling

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

samples on the OSV *Bold* must be followed. In addition, for each survey the Region is required to submit to Headquarters a survey plan that presents types of sampling techniques, including equipment used, and how data are recorded. These data are highly suitable for tracking the performance of this measure, as they are collected for the specific purpose of determining the environmental conditions of the dredged material ocean dump sites. The periodicity of monitoring is determined by the SMMP, and is suitable for tracking this measure.

**QA/QC Procedures:** Regions must develop a Quality Assurance Project Plan (QAPP), as prescribed by their regional quality assurance procedures, when collecting data at an ocean dumping site. These QAPPs are also submitted to Headquarters when a Region utilizes the OSV *Bold* for a sampling survey. The QAPP outlines the procedures for collection methods, use of analytical equipment, analytical methods, quality control, and documentation and records.

**Data Quality Reviews:** Regions must conduct data quality reviews as determined by their quality assurance procedures and included in their QAPPs.

**Data Limitations:** It is still early to determine the full extent of data limitations.

**Error Estimate:** No error estimate is available for this data.

**New/Improved Data or Systems:** Initial reporting in FY 2007 did not indicate that any improvements to the collection and/or evaluation of data to support the measure were needed.

**References:** The Annual Commitment System is an internal EPA database that is a component of the Agency's Budget Automation System (BAS). EPA's Oceans and Coastal Protection Division has prepared a template for the Regions to use when preparing survey plans. QAPPs for those Regions responsible for ocean dumping sites may be found at the following internet sites:

EPA Region 1 - <http://www.epa.gov/nea/lab/qa/pdfs/QAPPProgram.pdf>

EPA Region 2 - <http://www.epa.gov/region2/qa/documents.htm#qag>

EPA Region 3 - [http://www.epa.gov/region3/esc/QA/docs\\_qapp.htm](http://www.epa.gov/region3/esc/QA/docs_qapp.htm)

EPA Region 4 - <http://www.epa.gov/region4/sesd/oqa/r4qmp.html>

EPA Region 6 - <http://www.epa.gov/earth1r6/6pd/qa/qatools.htm>

EPA Region 9 - [http://www.epa.gov/region9/qa/pdfs/qaprp\\_guidance3.pdf](http://www.epa.gov/region9/qa/pdfs/qaprp_guidance3.pdf)

EPA Region 10 - <http://www.epa.gov/quality/qs-docs/g5-final.pdf>

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

#### GOAL 2 OBJECTIVE 3

##### FY 2009 Performance Measures:

- **Percentage of planned outputs delivered in support of Six Year Review decisions (PART Measure)**
- **Percentage of planned outputs delivered in support of Contaminated Candidate List decisions (PART Measure)**
- **Percentage of planned outputs delivered in support of WQRP long-term goal #1: the protection of human health and ecosystems as related to designated uses for aquatic systems and the beneficial use of biosolids long-term goal (PART Measure)**
- **Percentage of planned outputs delivered in support of WQRP long-term goal #2: diagnostics and forecasting techniques for the protection of human health and ecosystems as related to designated uses for aquatic systems and the beneficial use of biosolids long-term goal (PART Measure)**
- **Percentage of planned outputs delivered in support of the WQRP long-term goal #3: 1) restore impaired aquatic systems, 2) protect unimpaired systems, 3) provide human health risk and treatment process information on the beneficial use of biosolids, and 4) forecast the ecologic, economic, and human health benefits of alternative approaches to attaining water quality standards (PART Measure)**

**Performance Database:** Integrated Resources Management System (internal database)

**Data Source:** Data are generated based on self-assessments of completion of planned program outputs.

**Methods, Assumptions and Suitability:** To provide an indication of progress towards achievement of a program's long-term goals, each program annually develops a list of key research outputs scheduled for completion by the end of each fiscal year. This list is finalized by the start of the fiscal year, after which no changes are made. The program then tracks quarterly the progress towards completion of these key outputs against pre-determined schedules and milestones. The final score is the percent of key outputs from the original list that are successfully completed on-time.

**QA/QC Procedures:** Procedures are now in place to require that all annual milestones and outputs be clearly defined and mutually agreed upon within ORD by the start of each fiscal year. Progress toward completing these activities is monitored by ORD management

**Data Quality Reviews:** N/A

**Data Limitations:** Data do not capture the quality or impact of the research milestones and outputs being measured. However, long-term performance measures and independent program

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

reviews are used to measure research quality and impact. Additionally, completion rates of research outputs are program-generated, though subject to ORD review.

**Error Estimate:** N/A

**New/Improved Data or Systems:** N/A

**References:** Drinking Water Multi-Year Plan, available at: <http://epa.gov/osp/myd/dw.pdf>

Water Quality Multi-Year Plan, available at: <http://epa.gov/osp/myd/wq.pdf>

Drinking Water Research Program PART Assessment, available at:  
<http://www.whitehouse.gov/omb/expectmore/summary/10004371.2005.html>

Water Quality Research Program PART Assessment, available at:  
<http://www.whitehouse.gov/omb/expectmore/summary/10004306.2006.html>

#### **FY 2009 Performance Measure:**

- **Peer-reviewed publications over FTE (Efficiency Measure)**

**Performance Database:** No internal tracking system.

**Data Source:** Data are derived from a self-produced list of program publications and financial records for FTE employees.

**Methods, Assumptions and Suitability:** The universe of peer-reviewed publications includes 1) journal articles, 2) books and book chapters, and 3) EPA reports, where at least one EPA author is listed or where the publication is the result of an EPA grant. If a publication includes more than one EPA author, that publication is counted only once. Materials submitted for publication but not yet published are not included. FTE are actual program full time equivalents.

**QA/QC Procedures:** N/A

**Data Quality Reviews:** All publications included in the data are peer reviewed according to EPA's Peer Review Handbook (3rd Edition).

**Data Limitations:** FTE data do not include extramurally-funded contributors. Additionally, data do not capture the quality or impact of the research publications. However, long-term performance measures and independent program reviews are used to measure research quality and impact.

**Error Estimate:** N/A

**New/Improved Data or Systems:** N/A

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**References:** EPA's Peer Review Handbook, available at: <http://www.epa.gov/peerreview/pdfs/Peer%20Review%20HandbookMay06.pdf>  
Water Quality Research Program PART Assessment, available at: <http://www.whitehouse.gov/omb/expectmore/summary/10004306.2006.html>

#### **FY 2009 Performance Measure:**

- **Percent variance from planned cost and schedule (PART efficiency measure)**

**Performance Database:** Integrated Resources Management System (internal database).

**Data Source:** Data are generated based on 1) self-assessments of progress toward completing research goals, and 2) spending data.

**Methods, Assumptions and Suitability:** Using an approach similar to Earned Value Management, the data are calculated by: 1) determining the difference between planned and actual performance for each long-term goal (specifically, determining what percent of planned program outputs were successfully completed on time), 2) determining the difference between planned and actual cost for each long-term goal (specifically, determining the difference between what the program actually spent and what it intended to spend), and 3) dividing the difference between planned and actual performance by the difference between planned and actual cost.

**QA/QC Procedures:** N/A

**Data Quality Reviews:** N/A

**Data Limitations:** Program activity costs are calculated through both actual and estimated costs when activities are shared between programs. Performance data reflects only the key program outputs, and does not include every activity completed by a program. Additionally, completion rates of research outputs are program-generated, though subject to ORD review.

**Error Estimate:** N/A

**New/Improved Data or Systems:** N/A

**References:** Water Quality Research Program PART Assessment, available at: <http://www.whitehouse.gov/omb/expectmore/summary/10004306.2006.html>

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

#### GOAL 3 OBJECTIVE 1

##### FY 2009 Performance Measure:

- **Daily per capita generation of municipal solid waste [PART performance]**

**Performance Database:** Data are provided by the Department of Commerce. EPA does not maintain a database for this information.

**Data Source:** The baseline numbers for municipal solid waste (MSW) source reduction and recycling are developed using a materials flow methodology employing data largely from the Department of Commerce and described in the EPA report titled “Characterization of Municipal Solid Waste in the United States.” The Department of Commerce collects materials production and consumption data from various industries.

**Methods, Assumptions and Suitability:** Data on domestic production of materials and products are compiled using published data series. U.S. Department of Commerce sources are used, where available; but in several instances more detailed information on production of goods by end-use is available from trade associations. The goal is to obtain a consistent historical data series for each product and/or material. Data on average product lifetimes are used to adjust the data series. These estimates and calculations result in material-by-material and product-by-product estimates of MSW generation, recovery, and discards. To strategically support attainment of the 35% recycling goal, EPA has identified specific components of the MSW stream on which to focus: paper and paperboard, organics (yard and food waste), and packaging and containers. For these targeted efforts EPA will examine data on these waste components.

There are various assumptions factored into the analysis to develop estimates of MSW generation, recovery and discards. Example assumptions (from pages 141-142 of year 2000 “Characterization Report”) include: Textiles used as rags are assumed to enter the waste stream the same year the textiles are discarded. Some products (e.g., newspapers and packaging) normally have short lifetimes and products are assumed to be discarded in the year they are produced.

**QA/QC Procedures:** Quality assurance and quality control are provided by the Department of Commerce’s internal procedures and systems. The report prepared by the Agency, “Characterization of Municipal Solid Waste in the United States,” is reviewed by a number of experts for accuracy and soundness.

**Data Quality Review:** The report, including the baseline numbers and annual rates of recycling and per capita municipal solid waste generation, is widely accepted among experts.



## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**Data Limitations:** Data limitations stem from the fact that the baseline statistics and annual rates of recycling and per capita municipal solid waste generation are based on a series of models, assumptions, and extrapolations and, as such, are not an empirical accounting of municipal solid waste generated or recycled.

**Error Estimate:** N/A. Currently, the Office of Solid Waste (OSW) does not collect data on estimated error rates.

**New/Improved Data or Systems:** Because the statistics on MSW generation and recycling are widely reported and accepted by experts, no new efforts to improve the data or the methodology have been identified or are necessary.

**References:** *Municipal Solid Waste in the United States: 2003 Facts and Figures*, EPA, April 2005 (EPA530-F-05-003), <http://www.epa.gov/epaoswer/non-hw/muncpl/msw99.htm>

#### **FY 2009 Performance Measure:**

- **Pounds of MSW recycled related to EPA recycling efforts over total EPA recycling dollars and FTE [PART efficiency-under development]**

**Performance Database:** Data are provided by EPA and the Department of Commerce.

**Data Source:** National estimates for municipal solid waste (MSW) recycling are developed using a materials flow methodology employing data largely from the Department of Commerce and described in the EPA report titled “Characterization of Municipal Solid Waste in the United States.” The Department of Commerce collects materials production and consumption data from various industries.

Additional Agency performance data include: total pounds recycled in a year attributable to EPA FTE and contract funds as reported in EPA’s Annual Commitment System (ACS), recycling achievements in EPA’s recycling partnership programs, as well as the total cost to the Agency including annual recycling dollars, and FTE for HQ and the Regions.

**Methods, Assumptions and Suitability:** Data on domestic production of materials and products are compiled using published data series. U.S. Department of Commerce sources are used, where available; but in several instances more detailed information on production of goods by end-use is available from trade associations. The goal is to obtain a consistent historical data series for each product and/or material. Data on average product lifetimes are used to adjust the data series. These estimates and calculations result in material-by-material and product-by-product estimates of MSW generation, recovery, and discards.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

EPA's new long-term 2011 measure focuses on the total pounds of recycling that EPA influences in the United States. EPA helps to increase the amount of materials recycled through its educational materials, technical support, direct assistance, and through recycling partnership programs such as WasteWise, GreenScapes and Recycling on the Go. EPA's new long-term measure focuses on the Agency's recycling achievements by attributing a certain percentage of the pounds recycled in its recycling partnership programs to Agency pollution prevention efforts, counting 100% the total pounds recycled through its grants and projects supported by Agency FTE and contract funds as reported in ACS, and adding an additional 10% of the total national pounds recycled as an estimate of EPA's influence on national recycling rate. In addition, the new MSW efficiency measure focuses on EPA costs, both extramural dollars and FTE. By focusing on the Agency's specific contributions to recycling, this will more accurately represent EPA's efficiency.

**QA/QC Procedures:** Quality assurance and quality control are provided by the Department of Commerce's internal procedures and systems. The report prepared by the Agency, "Characterization of Municipal Solid Waste in the United States," is reviewed by a number of experts for accuracy and soundness.

EPA's budget information and partnership programs data are subject to EPA's QA/QC procedures.

**Data Quality Review:** The "Characterization of Municipal Solid Waste in the United States" report, including the baseline numbers and annual rates of recycling and per capita municipal solid waste generation, is widely accepted among solid waste experts.

**Data Limitations:** Data limitations stem from the fact that the baseline statistics and annual rates of recycling and per capita municipal solid waste generation are based on a series of models, assumptions, and extrapolations and, as such, are not an empirical accounting of municipal solid waste generated or recycled.

In addition, the new measure is contingent upon collection of accurate and up-to-date information from the recycling partnership programs.

**Error Estimate:** N/A. Currently, the Office of Solid Waste (OSW) does not collect data on estimated error rates.

**New/Improved Data or Systems:** The new long-term measure represents EPA's accomplishments in promoting recycling.

#### References:

*Municipal Solid Waste in the United States: 2003 Facts and Figures*, EPA, April 2005 (EPA530-F-05-003), <http://www.epa.gov/epaoswer/non-hw/muncpl/msw99.htm>.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

Waste News, "Municipal Recycling Survey," (available annually).

*Cutting the Waste Stream in Half: Community Record-Setters Show How*, EPA-530-R-99-013, June 1999.

*Evaluation of Diversion and Costs for Select Drop-Off Recycling Programs*, EPA-600-R-95-109, June 1995.

*Evaluating the Environmental Effectiveness of Recycling in Pittsburgh*, Carnegie Mellon University, May 2002.

#### **FY 2009 Performance Measure:**

- **Number of hazardous waste facilities with new controls or updated controls.**  
[PART measure]

**Performance Database:** The Resource Conservation Recovery Act Information System (RCRAInfo) is the national database which supports EPA's RCRA program.

**Data Source:** Data are mainly entered by the states and can be entered directly into RCRAInfo, although some choose to use a different program and then "translate" the information into RCRAInfo. Supporting documentation and reference materials are maintained in Regional and state files.

**Methods, Assumptions and Suitability:** RCRAInfo, the national database which supports EPA's RCRA program, contains information on entities (generically referred to as "handlers") engaged in hazardous waste generation and management activities regulated under the portion of RCRA that provides for regulation of hazardous waste. RCRAInfo has several different modules, including status of RCRA facilities in the RCRA permitting universe.

**QA/QC Procedures:** States and EPA's Regional offices generate the data and manage data quality related to timeliness and accuracy. Within RCRAInfo, the application software contains structural controls that promote the correct entry of the high-priority national components. RCRAInfo documentation, which is available to all users on-line at <http://www.epa.gov/rcrainfo/>, provides guidance to facilitate the generation and interpretation of data. Even with the increasing emphasis on data quality, with roughly 10,000 units in the baseline (e.g., a facility can have more than one unit), we hear of data problems with some facilities every year, particularly with the older inactive facilities. When we hear of these issues, we work with the EPA Regional offices to see that they get resolved. It may be necessary to make a few adjustments to the permitting baseline as data issues are identified. Determination of whether or not the facility has approved controls in place is based primarily on the legal and

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

operating status codes for each unit. Each year since 1999, in discussions with Regional offices and states, EPA has highlighted the need to keep the data that support the GPRA permitting goal current. RCRAInfo is the sole repository for this information and is a focal point for planning from the local to national level. Accomplishment of updated controls is based on the permit expiration date code. We have discussed the need for correct entry with the Regions.

During 2008, we plan to update the baseline for tracking in FY09 and beyond. The updates are anticipated to be minimal. New reports should be developed in RCRAInfo in FY08 in order to better track FY09 goals.

Note: Access to RCRAInfo is open only to EPA Headquarters, Regional, and authorized state personnel. It is not available to the general public because the system contains enforcement sensitive data. The general public is referred to EPA's Envirofacts Data Warehouse to obtain filtered information on RCRA-regulated hazardous waste sites.

**Data Quality Review:** The 1995 GAO report *Hazardous Waste: Benefits of EPA's Information System Are Limited* (AIMD-95-167, August 22, 1995, <http://www.gao.gov/archive/1995/ai95167.pdf>) on EPA's Hazardous Waste Information System reviewed whether national RCRA information systems support EPA and the states in managing their hazardous waste programs. Recommendations coincide with ongoing internal efforts to improve the definitions of data collected, ensure that data collected provide critical information and minimize the burden on states. RCRAInfo, the current national database has evolved in part as a response to this report.

**Data Limitations:** The authorized states have ownership of their data and EPA has to rely on them to make changes. The data that determine if a facility has met its permit requirements are prioritized in update efforts. Basic site identification data may become out-of-date because RCRA does not mandate annual or other periodic notification by the regulated entity when site name, ownership and contact information changes. Nevertheless, EPA tracks the facilities by their IDs and those should not change even during ownership changes. The baselines are composed of facilities that can have multiple units. These units may consolidate, split or undergo other activities that cause the number of units to change. We aim to have static baselines, but there may be occasions where we would need to make minor baseline modifications. The baseline of facilities that are currently tracked for updated controls are intended to apply to the facilities that are "due for permit renewals," but we anticipate that there will be some facilities that cease to be "due for permit renewals" because of a change in facility status.

**Error Estimate:** N/A. Currently OSW does not collect data on estimated error rates.

**New/Improved Data or Systems:** RCRAInfo allows for tracking of information on the regulated universe of RCRA hazardous waste handlers, such as facility status, regulated activities, and compliance history. The system also captures detailed data on the generation of

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

hazardous waste by large quantity generators and on waste management practices from treatment, storage, and disposal facilities. RCRAInfo is web accessible, providing a convenient user interface for Federal, state and local managers, encouraging development of in-house expertise for controlled cost, and using commercial off-the-shelf software to develop reports from database tables. New reporting capabilities have been added in FY07.

**References:** RCRAInfo documentation and data (<http://www.epa.gov/rcrainfo/>). The 1995 GAO report *Hazardous Waste: Benefits of EPA's Information System Are Limited* (AIMD-95-167, August 22, 1995, <http://www.gao.gov/archive/1995/ai95167.pdf>).

#### **FY 2009 Performance Measures:**

- **No more than 10,000 confirmed releases per year**
- **Increase the rate of significant operational compliance by 1% of the previous year's target**
- **Annual confirmed releases per annual underground storage tanks leak prevention cost [PART Efficiency]**

**Performance Database:** The Office of Underground Storage Tanks (OUST) does not maintain a national database. States individually maintain records for reporting state program accomplishments.

**Data Source:** Designated state agencies submit semi-annual progress reports to the EPA Regional offices. For the PART Efficiency Performance Measure, OUST will estimate the value of this efficiency measure based on data that EPA and state agencies currently collect and maintain. The data includes the states' semi-annual activity reports, which track the number of releases confirmed each year and the number of active underground storage tanks; funding for leak prevention and matching expenditure of 25 percent for every dollar of leak prevention funding the states receive; and EPA's prevention program administration costs, such as salary, travel expenses, contracts and working capital funds.

**Methods, Assumptions and Suitability:** N/A

**QA/QC Procedures:** For the semi-annual activity report data, EPA's Regional offices verify and then forward the data in an Excel spreadsheet to OUST. OUST staff examine the data and resolve any discrepancies with the regional offices. The data are displayed in an Excel spreadsheet on a region-by-region basis, which is a way regional staff can check their data. For the PART Efficiency Measure, FY 2007 was the baseline for implementation and QA/QC procedures are not yet in place.

**Data Quality Review:** None.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**Data Limitations:** For the semi-annual activity report, percentages reported are sometimes based on estimates and extrapolations from sample data. Data quality depends on the accuracy and completeness of state records.

**Error Estimate:** N/A

**New/Improved Data or Systems:** None.

**References:** U.S. Environmental Protection Agency Memorandum, *FY 2007 End-of-Year Activity Report*, from Cliff Rothenstein, Director, Office of Underground Storage Tanks to UST/LUST Regional Division Directors, Regions 1-10, dated December 5, 2007, [http://www.epa.gov/OUST/cat/ca\\_07\\_34.pdf](http://www.epa.gov/OUST/cat/ca_07_34.pdf).

#### **FY 2009 Performance Measure:**

- **Percentage of coal combustion product ash that is used rather than disposed**

**Performance Database:** Data to support this measure are provided by the Department of Energy and American Coal Ash Association (ACAA). EPA collects data on generation of materials (Toxic Release Inventory), but it does not maintain a database for utilization.

**Data Source:** The ACAA conducts a voluntary survey on coal ash generation and recycling practices of its membership, which comprises approximately 35% of the electricity generating capacity of the United States. The ACAA survey information is compared to the other sources of utilization data, including the Department of Energy's Energy Information Agency (EIA), the Portland Cement Association and other publicly available trade association data. A limited amount of data relevant to recycling has been reported on EIA Form 767, which was discontinued in 2007. These data will likely be collected on a different EIA form in the future.

**Methods, Assumptions and Suitability:** The CCP recycling rate is defined as the tonnage of coal ash recycled divided by the tonnage of coal ash generated nationally by coal-fired electric utilities. Data on domestic production of materials and products are compiled using published data series. U.S. Department of Energy sources are used, where available; but for specific utilization data more detailed information on the production of CCPs is available from trade associations. The goal is to obtain a consistent historical data series for products and materials. Data on average production as compared to utilization may provide estimates as to the effectiveness of beneficial use outreach.

**QA/QC Procedures:** Quality assurance and quality control for production numbers reported on EIA 767 are provided by the Department of Energy's internal procedures and systems. Data on utilization are reviewed by CCP industry experts for accuracy.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**Data Quality Review:** The reporting of utilization data is voluntary and requires extrapolation and integration with several sources of data. TRI data does not track end-use and does not require reporting of materials by their utilization

**Data Limitations:** Data limitations stem from the fact that the baseline statistics and annual rates of utilization are collected from different sources and are not mandated by statute or regulation. New data sources may be compared to historic data to determine if trends are reasonable and expected.

**Error Estimate:** N/A. Currently, the Office of Solid Waste (OSW) does not collect data on estimated error rates.

**New/Improved Data or Systems:** New or additional measurement techniques will need to be developed for 2007 data and beyond based on the development of new EIA forms to track generation and recycling.

**References:** The American Coal Ash Annual Survey is located at <http://www.acaa-usa.org/>.

#### **FY 2009 Performance Measure:**

- **Number of facilities with new or updated controls per million dollars of program cost [PART efficiency]**

**Database:** The Resource Conservation Recovery Act Information System (RCRAInfo) is the national database which supports EPA's RCRA program and provides information on facilities under control.

Costs by the permittee are estimated through the annual cost estimates contained in the Information Collection Requests (ICR) supporting statements relevant to the RCRA Base Program. ICRs are contained in the Federal Docket Management System. Base program appropriation information is maintained in the Budget Automation System (BAS).

**Data Source:** The Office of Solid Waste develops ICRs and ensures they have active ICRs approved by the OMB for all of their RCRA permitting and base program information collection activities. The Budget Automation System (BAS) automates EPA's budget processes, including planning, budgeting, execution, and reporting. Budget data is entered at a general level by offices and regions or by the Office of the Chief Financial Officer (OCFO).

#### **Methods, Assumptions and Suitability:**

Numerator – Facilities under control is an outcome based measure as permits or similar mechanisms are not issued until facilities have met standards or permit conditions that are based

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

on human health or environmental standards. Under the corresponding performance measure, 95% of facilities are to be under control by 2008.

Denominator – The denominator is the sum of two costs. The first is permitting costs based on Information Collection Requests for the base RCRA program. The costs will take into account recent rulemakings, including the Burden Reduction Rulemaking (published April 2006), which will impact program expenditures. The costs will also take into account one time costs associated with first year implementation.

The second program cost in the denominator is the input of a three year rolling average appropriation for Environmental Programs and Management (EPM) and State Tribal and Grant (STAG) program. Corrective action programs costs will not be included but will be addressed in a separate efficiency measure. A rolling average of appropriations is more appropriate since some of the facility controls depend upon past resources. Issuance time for a permit, for example, can exceed one year with public hearings and appeals. The cumulative number of facilities with controls in place is appropriate (rather than a single year's increment) because the appropriations are used to maintain facilities that already have controls in place (e.g. inspections and permit renewals) as well as to extend the number of facilities with controls.

**QA/QC Procedures:** QA/QC of the ICR costs is based on internal and external review of the data. BAS data undergoes quality assurance and data quality review through the Chief Financial Officer.

**Data Quality Review:** None.

**Data Limitations:** The data sources for the program costs identified in the denominator of the measure include all of the RCRA base program appropriations (e.g. RCRA Subtitle D program implementation) and not just costs for permitting. Accordingly, the measure cannot be compared with other similar government programs.

**Error Estimate:** N/A. Currently OSW does not collect data on estimated error rates.

**New/Improved Data or Systems:** No new efforts to improve the data or methodology have been identified

**References:** Federal Document Management System [www.regulations.gov](http://www.regulations.gov); Budget Automation Management System



## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

##### FY 2009 Performance Measures:

- **Number of tribes covered by an adequate and recently-approved integrated solid waste management plan**
- **Number of closed, cleaned-up or upgraded open dumps in Indian Country and on other Tribal lands**

**Performance Database:** EPA's regional offices, in collaboration with the Indian Health Service (IHS), report annually the performance data to the WSTARS database.

**Data Source:** EPA and the Indian Health Service are co-sponsors of the Tribal Solid Waste Management Assistance Project. The formation of this workgroup resulted from the 1998 *Report to Congress* on open dumps on Indian Lands. The Indian Health Service was tasked to identify the high threat sites in need of upgrade or closure, and report the information to the WSTARS Database. The IHS WSTARS data are reported voluntarily by federally recognized tribal members. The member tribal data are extrapolated to generate national estimates, per the request from Congress.

**Methods, Assumptions and Suitability:** The Tribal Solid Waste Management Assistance Project is a national program that began in 2001 to increase the number of tribes covered by an adequate and recently-approved integrated waste management plan, and to close, clean-up, or upgrade open dumps in Indian country and on other tribal lands.

The latest EPA and IHS annual data show that an annual, incremental rate will allow the tribes to reach the goals established by 2011.

**QA/QC Procedures:** The IHS WSTARS data are reported voluntarily by federally recognized tribal members. Quality assurance and quality control are provided by internal procedures of the IHS WSTARS reporting process.

**Data Quality Review:** The data are reviewed by the EPA and IHS for data quality. The data are considered to be accurate on a national scale.

**Data Limitations:** The WSTARS contains data pertaining to the open dumps and solid waste management plans of the federal recognized tribal members. The WSTARS membership comprises all of the 562 federally recognized tribes of the United States. Because accurate assumptions can be made about the numbers of open dumps and the solid waste management plans generated, the data may be extrapolated to estimate the total open dumps and solid waste management plans for the federally recognized tribes within the United States. The data, however, may be limited in certain regions of the country, making extrapolations to a national statistic inaccurate.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**Error Estimate:** N/A. Currently, the Office of Solid Waste (OSW) does not collect data on estimated error rates.

**New/Improved Data or Systems:** No new efforts to gather different or additional data are contemplated at this time.

**References:** The IHS, WSTARS data are available from the IHS website at [www.ihs.gov](http://www.ihs.gov).

#### GOAL 3 OBJECTIVE 2

##### FY 2009 Performance Measures:

- **Number of inspections and exercises conducted at oil storage facilities required to have Facility Response Plans**
- **Gallons of oil spilled to navigable waters per million program dollars spent annually on prevention and preparedness at FRP facilities [PART efficiency]**
- **Percentage of inspected facilities subject to SPCC regulations found to be in compliance. [PART performance]**
- **Percentage of inspected facilities subject to FRP regulations found to be in compliance. [PART performance]**

**Performance Database:** The EPA Annual Commitment System (ACS) in BAS is the database for the number of inspections/exercises at SPCC and FRP facilities. Using data submitted directly by Regional staff as well as data in ACS, Office of Emergency Management (OEM) tracks in a spreadsheet national information about Regional activities at FRP facilities. Data about gallons of oil spilled are maintained in a National Response Center (NRC) database that reflects information reported to the NRC by those responsible for individual oil spills. Prevention and preparedness expenditures are tracked in the Integrated Financial Management System (IFMS), the Agency's financial database.

**Data Source:** Data concerning inspections/exercises at FRP and SPCC facilities are provided by Regional staff. Data concerning gallons of oil spilled to navigable waters are gathered from the publicly available National Response Center database. Data about program expenditures are extracted by EPA HQ from IFMS.

**Methods, Assumptions and Suitability:** The spill/exercise data are entered by Regional staff experienced in data entry. In every case, direct data (rather than surrogates open to interpretation) are entered.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**QA/QC Procedures:** Data are regularly compared to similar data from the past to identify potential errors.

**Data Quality Reviews:** EPA regularly reviews recent data, comparing them to data gathered in the past at similar times of year and in the same Regions. Any questionable data are verified by direct contact with the Regional staff responsible for providing the data.

**Data Limitations:** The NRC data will reflect the extent to which those responsible for oil spills accurately report them to the NRC.

**Error Estimate:** Data reported by the Regions should be relatively free of error. There may be some error in the NRC data, due to the fact that some spills might not be reported and/or some spills might be reported by more than one person. NRC and EPA procedures should identify multiple reports of the same spill, but it is not usually possible to identify an unreported spill.

**New/Improved Data or Systems:** There are no current plans to develop a dedicated system, to manage the various data.

**References:** For additional information on the Oil program, see [www.epa.gov/oilspill](http://www.epa.gov/oilspill)

#### **FY 2009 Performance Measure:**

- **Score in annual Core Emergency Response assessment**

**Performance Database:** No specific database has been developed. Data from evaluations from each of the 10 Regions are tabulated and stored using standard software (e.g., Word spreadsheets).

**Data Source:** Data are collected through detailed surveys of all Regional programs, as well as HQ offices and Special Teams of responders; the process includes interviews with personnel and managers in each program office. The score represents a composite based upon data from each unique Regional and headquarters organization. Annual increments represent annual improvements. The survey instrument was developed based upon Core Emergency Response (ER) elements, and has been approved by EPA Headquarters and Regional managers. Core ER elements cover all aspects of the Core ER program, including Regional Response Centers, transportation, coordination with backup Regions, health and safety, delegation and warrant authorities, response readiness, response equipment, identification clothing, training and exercises, and outreach.

While EPA is currently prepared to respond to chemical, biological, and radiological incidents, improvement in the emergency response and homeland security readiness measure will

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

demonstrate an increased ability to respond quickly and effectively to national-scale events. The FY 2009 Core ER target is to improve emergency response and homeland security readiness by 10 points from the FY 2008 performance.

**Methods, Assumptions and Suitability:** The Core ER elements were developed over the last several years by the EPA Removal Program to identify and clarify what is needed to ensure an excellent emergency response program. The elements, definitions, and rationales were developed by staff and managers and have been presented to the Administrator and other high level Agency managers. Based on the Core ER standards, evaluation forms and criteria were established for EPA's Regional programs, the Environmental Response Team (ERT), and Headquarters. These evaluation criteria identify what data need to be collected, and how that data translate into an appropriate score for each Core ER element. The elements and evaluation criteria will be reviewed each year for relevance to ensure that the programs have the highest standards of excellence and that the measurement clearly reflects the level of readiness. The data are collected from each Regional office, Special Teams, and Headquarters using a systematic, objective process. Each evaluation team consists of managers and staff, from Headquarters and possibly from another EPA Regional office, with some portion of the team involved in all reviews for consistency and some portion varying to ensure independence and objectivity. For instance, a team evaluating Region A might include some or all of the following: a staff person from Headquarters who is participating in all reviews, a staff person from Headquarters who is very familiar with Region A activities, a manager from Headquarters, and a staff person and/or manager from Region B. One staff or group will be responsible for gathering and analyzing all the data to determine the overall score for each Regional office, Special Teams and Headquarters, and for determining an overall National score.

**QA/QC Procedures:** See "Methods, Assumptions and Suitability."

**Data Quality Review:** The evaluation team will review the data (see Methods, Assumptions and Suitability) during the data collection and analysis process. Additional data review will be conducted after the data have been analyzed to ensure that the scores are consistent with the data and program information. There currently is no specific database that has been developed to collect, store, and manage the data.

**Data Limitations:** One key limitation of the data is the lack of a dedicated database system to collect and manage the data. Standard software packages (word processing, spreadsheets) are used to develop the evaluation criteria, collect the data, and develop the accompanying readiness scores. There is also the possibility of subjective interpretation of data.

**Error Estimate:** It is likely that the error estimate for this measure will be small for the following reasons: the standards and evaluation criteria have been developed and reviewed extensively by Headquarters and EPA's Regional managers and staff; the data will be collected by a combination of managers and staff to provide consistency across all reviews plus an

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

important element of objectivity in each review; the scores will be developed by a team looking across all ten Regions, Special Teams, and Headquarters; and only twelve sets of data will be collected, allowing for easier cross-checking and ensuring better consistency of data analysis and identification of data quality gaps.

**New/Improved Data or Systems:** There are no current plans to develop a dedicated system to manage the data.

**References:** None.

#### **FY 2009 Performance Measures:**

- **Number of final Superfund site assessment decisions [PART performance]**
- **Number of Superfund sites with human exposures under control [PART performance]**
- **Number of Superfund sites with contaminated groundwater migration under control [PART performance]**
- **Annual number of Superfund sites with remedy construction completed [PART performance]**
- **Number of Superfund sites that are ready for anticipated use site-wise**
- **Number of Superfund sites with human exposures under control per million dollars obligated [PART efficiency]**
- **Program dollars expended annually per operable unit completing cleanup activities [Federal Facilities PART efficiency measure].**
- **Voluntary removal actions overseen by EPA and completed [PART performance]**
- **Superfund-lead removal actions completed annually [PART performance]**
- **Superfund-lead removal actions completed annually per million dollars [PART efficiency]**
- **Number of Federal Facility Superfund sites where all remedies have completed construction [PART]**
- **Number of Federal Facility Superfund sites where the final remedial decision for contaminants at the site has been determined [PART]**

**Performance Database:** The Comprehensive Environmental Response, Compensation, and Liability System (CERCLIS) is the database used by the Agency to track, store, and report Superfund site information.

**Data Source:** CERCLIS is an automated EPA system; headquarters and EPA's Regional offices enter data into CERCLIS on a rolling basis. The Integrated Financial Management System (IFMS) is EPA's financial management system and the official system of record for budget and financial data.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**Methods and Assumptions:** Except for financial information, each performance measure is a specific variable entered into CERCLIS following specific coding guidance and corresponding supporting site-specific documentation.

IFMS contains records of all financial transactions (e.g., personnel, contracts, grants, other) of Superfund appropriation resources, as distinguished by U.S. Treasury schedule codes. Procurement data are entered manually into IFMS by Funds Control Officers throughout the Agency. Site-specific obligations are distinguished through the Site/Project field of the IFMS account number that is assigned to every financial transaction.

Total annual obligations include current and prior year appropriated resources, excluding Office of Inspector General (OIG) and Science and Technology transfers. Site-specific obligation data are derived using query logic that evaluates the Site/Project field of the IFMS account number.

**Suitability:** The Superfund Remedial Program's performance measures for FY 2009 are the result of several years of refinement with OMB as follow-up to the Program's 2004 PART Review. The measures currently used to demonstrate program progress reflect several major milestones that reflect site cleanup progress from start (final assessment decision) to finish (sites ready for anticipate use). Each measure marks a significant step in ensuring human health and environment protection at Superfund sites. OMB has accepted these measures for monitoring program performance on an annual basis.

**QA/QC Procedures:** To ensure data accuracy and control, the following administrative controls are in place: 1) Superfund Program Implementation Manual (SPIM), the program management manual that details what data must be reported; 2) Report Specifications, which are published for each report detailing how reported data are calculated; 3) Coding Guide, which contains technical instructions to such data users as Regional Information Management Coordinators (IMCs), program personnel, data owners, and data input personnel; 4) Quick Reference Guides (QRG), which are available in the CERCLIS Documents Database and provide detailed instructions on data entry for nearly every module in CERCLIS; 5) Superfund Comprehensive Accomplishment (SCAP) Reports within CERCLIS, which serve as a means to track, budget, plan, and evaluate progress towards meeting Superfund targets and measures; (6) a historical lockout feature in CERCLIS so that changes in past fiscal year data can be changed only by approved and designated personnel and are logged to a Change Log report. Specific direction for these controls is contained in the Superfund Program Implementation Manual (SPIM) Fiscal Year 2008/2009 (<http://www.epa.gov/superfund/action/process/spim08.htm>).

CERCLIS operation and further development is taking place under the following administrative control quality assurance procedures: 1) Office of Environmental Information Interim Agency Life Cycle Management Policy Agency Directive 2100.5 (<http://www.epa.gov/irmpoli8/ciopolicy/2100.5.pdf>); 2) the Office of Superfund Remediation and Technology Innovation Quality Management Plan

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

([http://www.epa.gov/swerffrr/pdf/oswer\\_qmp.pdf](http://www.epa.gov/swerffrr/pdf/oswer_qmp.pdf)) 3) Agency platform, software and hardware standards (<http://basin.rtpnc.epa.gov/ntsd/itroadmap.nsf>); 4) Quality Assurance Requirements in all contract vehicles under which CERCLIS is being developed and maintained (<http://www.epa.gov/quality/informationguidelines>); and 5) Agency security procedures (<http://basin.rtpnc.epa.gov/ntsd/ITRoadMap.nsf/Security?OpenView>). In addition, specific controls are in place for system design, data conversion and data capture, and CERCLIS outputs.

The financial data are compliant with the Federal Managers Financial Integrity Act (FMFIA) of 1982 and received FY 2005 FMFIA certification

**Data Quality Reviews:** Two audits, one by the Office Inspector General (OIG) and the other by Government Accountability Office (GAO), were conducted to assess the validity of the data in CERCLIS. The OIG audit report, *Superfund Construction Completion Reporting* (No. E1SGF7\_05\_0102\_8100030), dated December 30, 1997, was prepared to verify the accuracy of the information that the Agency was providing to Congress and the public. The OIG report concluded that the Agency “has good management controls to ensure accuracy of the information that is reported,” and “Congress and the public can rely upon the information EPA provides regarding construction completions.” Further information on this report is available at <http://www.epa.gov/oigearth/eroom.htm>. The GAO’s report, *Superfund: Information on the Status of Sites* (GAO/RCED-98-241), dated August 28, 1998, was prepared to verify the accuracy of the information in CERCLIS on sites’ cleanup progress. The report estimates that the cleanup status of National Priority List (NPL) sites reported by CERCLIS as of September 30, 1997, is accurate for 95 percent of the sites. Additional information on the *Status of Sites* may be obtained at <http://www.gao.gov/archive/1998/rc98241.pdf>.

Another OIG audit, *Information Technology - Comprehensive Environmental Response, Compensation, and Liability Information System (CERCLIS) Data Quality* (Report No. 2002-P-00016), dated September 30, 2002, evaluated the accuracy, completeness, timeliness, and consistency of the data entered into CERCLIS. The report provided 11 recommendations to improve controls for CERCLIS data quality. EPA concurred with the recommendations contained in the audit, and many of the identified problems have been corrected or long-term actions that would address these recommendations continue to be underway. Additional information about this report is available at <http://www.epa.gov/oigearth/eroom.htm>.

The IG reviews annually the end-of-year Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) data, in an informal process, to verify the data that supports the performance measures. Typically, there are no published results.

The Quality Management Plan (QMP) for the Office of Solid Waste and Emergency Response (OSWER) was signed in August 2003 ([http://www.epa.gov/swerffrr/pdf/oswer\\_qmp.pdf](http://www.epa.gov/swerffrr/pdf/oswer_qmp.pdf)).

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

EPA received an unqualified audit opinion by the OIG for the annual financial statements, and the auditor recommended several corrective actions. All recommendations have been implemented by Office of the Chief Financial Officer in IFMS.

**Data Limitations:** Weaknesses were identified in the OIG audit, *Information Technology Comprehensive Environmental Response, Compensation, and Liability Information System (CERCLIS) Data Quality* (Report No. 2002-P-00016), dated September 30, 2002. The Agency disagreed with the study design and report conclusions; however, the report provided 11 recommendations with which EPA concurred and either implemented or continues to implement. These include: 1) FY 02/03 SPIM Chapter 2 update was improved to define the Headquarters' and Regional roles and responsibilities for maintaining planning and accomplishment data in ERCLIS; 2) language was added to the FY 04/05 SPIM Appendix A, Section A.A.5 'Site Status Indicators' to clarify the use of the non-NPL status code of "SX"; 3) a data quality section was added to the FY 04/05 SPIM Appendix A, Section A.A.6 'Data Quality'; 4) FY 04/05 SPIM Appendix E, Section E.A.5 "Data Owners/Sponsorship" was revised to reflect what data quality checks (focus data studies) will be done by designated Regional and headquarters staff; 5) a data quality objectives supplement for GPRAs measures was added in Change 6 to the FY04/05 SPIM. For changes implemented due to this OIG audit, see the Change Log for this SPIM at <http://www.epa.gov/superfund/action/process/pdfs/changelog6.pdf>. The development and implementation of a quality assurance process for CERCLIS data continues. This process includes delineating data quality objectives for GPRAs targets, program measures, and regional data. The Agency has begun reporting compliance with the current data quality objectives.

**Error Estimate:** The GAO's report, *Superfund: Information on the Status of Sites* (GAO/RECD-98-241), dated August 28, 1998, estimates that the cleanup status of National Priority List sites reported by CERCLIS is accurate for 95 percent of the sites. The OIG report, *Information Technology - Comprehensive Environmental Response, Compensation, and Liability Information System (CERCLIS) Data Quality* (Report No. 2002-P-00016), dated September 30, 2002, states that over 40 percent of CERCLIS data on site actions reviewed was inaccurate or not adequately supported. Although the 11 recommendations were helpful and improved some controls over CERCLIS data, the Agency disagreed and strongly objected to the study design and report conclusions.

**New/Improved Data or Systems:** As a result of a modernization effort completed in 2004, CERCLIS has standards for data quality and each EPA Region's CERCLIS Data Entry Control Plan, which identifies policies and procedures for data entry, is reviewed annually. EPA Headquarters has developed data quality audit reports and provided these reports to the Regions. These reports document data quality for timeliness, completeness, and accuracy as determined by the Superfund data sponsors to encourage and ensure high quality. Information developed and gathered in the modernization effort is being used as a valuable resource for scoping the future redesign of CERCLIS. The redesign is necessary to bring CERCLIS into alignment with the Agency's mandated Enterprise Architecture. The first major step in this effort was the migration



## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

of all 10 Regional databases and the Headquarters database into one single national database at the National Computing Center in RTP. The Superfund Document Management System (SDMS) has also migrated to RTP to improve efficiency and storage capacity. During this migration the SDMS was linked to CERCLIS which enable users to easily transition between programmatic accomplishments as reported in CERCLIS and the actual document that defines and describes the accomplishments. EPA Headquarters is also evaluating the need and increased functionality of an integrated SDMS-CERCLIS system. Tentatively that system is called the Superfund Enterprise Management System (SEMS). Work on SEMS has started in FY 2007 and will continue through FY 2009.

In an effort to better facilitate and capture important Superfund data, a new Five-Year Review Module was released in CERCLIS in June 2006. In addition, a new Reuse/Acreage Module was released in CERCLIS in June of 2007 to support two new performance measures.

**References:** OIG audit *Superfund Construction Completion Reporting*, (No. E1SGF7\_05\_0102\_8100030) and *Information Technology - Comprehensive Environmental Response, Compensation, and Liability Information System (CERCLIS) Data Quality*, (No. 2002-P-00016, <http://www.epa.gov/oigearth/eroom.htm>); and the GAO report, *Superfund Information on the Status of Sites* (GAO/RCED-98-241, <http://www.gao.gov/archive/1998/rc98241.pdf>). The Superfund Program Implementation Manuals for the fiscal years 1987 to the current manual (<http://www.epa.gov/superfund/policy/guidance.htm>). The Quality Management Plan (QMP) for the Office of Solid Waste and Emergency Response (August 2003, [http://www.epa.gov/swerffrr/pdf/oswer\\_qmp.pdf](http://www.epa.gov/swerffrr/pdf/oswer_qmp.pdf)). Office of Environmental Information Interim Agency Life Cycle Management Policy Agency Directive 2100.5 (<http://www.epa.gov/irmpoli8/ciopolicy/2100.5.pdf>). The Office of Superfund Remediation and Technology Innovation Quality Management Plan ([http://www.epa.gov/swerffrr/pdf/oswer\\_qmp.pdf](http://www.epa.gov/swerffrr/pdf/oswer_qmp.pdf)). EPA platform, software and hardware standards (<http://basin.rtpnc.epa.gov/ntsd/itroadmap.nsf>). Quality Assurance Requirements in all contract vehicles under which CERCLIS are being developed and maintained (<http://www.epa.gov/quality/informationguidelines>). EPA security procedures (<http://basin.rtpnc.epa.gov/ntsd/ITRoadMap.nsf/Security?OpenView>).

FY 2005 FMFIA Certification

2004 Audited Financial Statements, see <http://www.epa.gov/oig/reports/financial.htm>

OIG Audit "EPA Needs to Improve Change Controls for Integrated Financial Management System" dated August 24, 2004 (2004-P-00026)

All referenced internet addresses were last accessed on 07/31/07.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

##### FY 2009 Performance Measures:

- **Number of RCRA facilities with human exposures to toxins under control.**
- **Number of RCRA facilities with migration of contaminated groundwater under control.**
- **Number of RCRA facilities with final remedies constructed.**
- **Percent increase of final remedy components constructed at RCRA corrective action facilities per federal, state and private sector costs. [PART efficiency measure]**

**Performance Database:** The Resource Conservation Recovery Act Information System (RCRAInfo) is the national database that supports EPA's RCRA program.

**Data Source:** The states and Regions enter data. A "High", "Medium", or "Low" entry is made in the database with respect to final assessment decision. A "yes" or "no" entry is made in the database with respect to meeting the human exposures to toxins controlled and releases to groundwater controlled indicators. An entry will be made in the database to indicate the date when a remedy is selected and the complete construction of a remedy is made. Supporting documentation and reference materials are maintained in the Regional and state files. EPA's Regional offices and authorized states enter data on a continual basis. For the efficiency measure, federal and state cost data are assembled from their respective budgets. Private sector costs are derived from data published in the Environmental Business Journal.

**Methods, Assumptions and Suitability:** RCRAInfo contains information on entities (generically referred to as "handlers") engaged in hazardous waste (HW) generation and management activities regulated under the portion of RCRA that provides for regulation of hazardous waste. Within RCRAInfo, the Corrective Action Module tracks the status of facilities that require, or may require, corrective actions, including information related to the four measures outlined above. Performance measures are used to summarize and report on the facility-wide environmental conditions at the RCRA Corrective Action Program's highest-priority facilities. The environmental indicators are used to track the RCRA Corrective Action Program's progress in getting highest-priority contaminated facilities under control. Known and suspected facility-wide conditions are evaluated using a series of simple questions and flow-chart logic to arrive at a reasonable, defensible determination. These questions were issued as a memorandum titled: *Interim Final Guidance for RCRA Corrective Action Environmental Indicators, Office of Solid Waste, February 5, 1999*. Lead regulators for the facility (authorized state or EPA) make the environmental indicator determination, but facilities or their consultants may assist EPA in the evaluation by providing information on the current environmental conditions.

Remedies selected and complete constructions of remedies measure are used to track the RCRA program's progress in getting its highest-priority contaminated facilities moving towards final cleanup. Like with the environmental indicators determination, the lead regulators for the facility

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

select the remedy and determine when the facility has completed construction of that remedy. Construction completions are collected on both an area-wide and site-wide basis for sake of the efficiency measure.

**QA/QC Procedures:** States and Regions generate the data and manage data quality related to timeliness and accuracy (i.e., the environmental conditions and determinations are correctly reflected by the data). Within RCRAInfo, the application software enforces structural controls that ensure that high-priority national components of the data are properly entered. RCRAInfo documentation, which is available to all users on-line, provides guidance to facilitate the generation and interpretation of data. Training on use of RCRAInfo is provided on a regular basis, usually annually, depending on the nature of systems changes and user needs.

Access to RCRAInfo is open only to EPA Headquarters, Regional, and authorized state personnel. It is not available to the general public because the system contains enforcement sensitive data. The general public is referred to EPA's Envirofacts Data Warehouse to obtain filtered information on RCRA-regulated hazardous waste facilities.

**Data Quality Review:** GAO's 1995 Report on EPA's Hazardous Waste Information System ([http://www.access.gpo.gov/su\\_docs/fdlp/pubs/study/studyhtm.html](http://www.access.gpo.gov/su_docs/fdlp/pubs/study/studyhtm.html)) reviewed whether national RCRA information systems support EPA and the states in managing their hazardous waste programs. Recommendations coincide with ongoing internal efforts (WIN/Informed) to improve the definitions of data collected, ensure that data collected provide critical information and minimize the burden on states. EPA's Quality Staff of the Office of Environmental Information conducted a quality systems audit in December 2003. The audit found the corrective action program satisfactory.

**Data Limitations:** No data limitations have been identified for the performance measures. As discussed above, the performance measure determinations are made by the authorized states and EPA Regions based on a series of standard questions and entered directly into RCRAInfo. EPA has provided guidance and training to states and Regions to help ensure consistency in those determinations. High priority facilities are monitored on a facility-by-facility basis and the QA/QC procedures identified above are in place to help ensure data validity. For the efficiency measure, private sector costs are not publicly available. Estimates of these costs are derived from Environmental Business Journal data.

**Error Estimate:** N/A. Currently, the Office of Solid Waste does not collect data on estimated error rates.

**New/Improved Data or Systems:** EPA has successfully implemented new tools for managing environmental information to support federal and state programs, replacing the old data systems (the Resource Conservation and Recovery Information System and the Biennial Reporting System) with RCRAInfo. RCRAInfo allows for tracking of information on the regulated

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

universe of RCRA hazardous waste handlers, such as facility status, regulated activities, and compliance history. The system also captures detailed data on the generation of hazardous waste from large quantity generators and on the waste management practices of treatment, storage, and disposal facilities. RCRAInfo is web-accessible, providing a convenient user interface for federal, state and local managers, encouraging development of in-house expertise for controlled cost, and using commercial off-the-shelf software to develop reports from database tables.

**References:** GAO's 1995 Report on EPA's Hazardous Waste Information System reviewed whether national RCRA information systems support EPA and the states in managing their hazardous waste programs. This historical document is available on the Government Printing Office Website ([http://www.access.gpo.gov/su\\_docs/fdlp/pubs/study/studyhtm.html](http://www.access.gpo.gov/su_docs/fdlp/pubs/study/studyhtm.html)).

#### FY 2009 Performance Measures:

- **Number of cleanups that meet state risk-based standards for human exposure and groundwater migration. (Tracked as: Number of leaking underground storage tank cleanups completed.) [PART performance]**
- **Number of cleanups that meet risk-based standards for human exposure and groundwater migration in Indian country. (Tracked as: Number of leaking underground storage tank cleanups completed in Indian Country.) [PART performance]**
- **Cleanups complete (3-year rolling average) per total cleanup dollars. (from public and private sector) [PART efficiency]**

**Performance Database:** The Office of Underground Storage Tanks (OUST) does not maintain a national database. States individually maintain records for reporting state program accomplishments.

**Data Source:** Designated State agencies submit semi-annual progress reports to the EPA regional offices.

**Methods, Assumptions and Suitability:** The cumulative number of confirmed releases where cleanup has been initiated and where the state has determined that no further actions are currently necessary to protect human health and the environment, includes sites where post-closure monitoring is not necessary as long as site specific (e.g., risk based) cleanup goals have been met. Site characterization, monitoring plans and site-specific cleanup goals must be established and cleanup goals must be attained for sites being remediated by natural attenuation to be counted in this category. ([See http://www.epa.gov/OUST/cat/pm032603.pdf](http://www.epa.gov/OUST/cat/pm032603.pdf).)

**QA/QC Procedures:** EPA's regional offices verify and then forward the data in an Excel spreadsheet to OUST. OUST staff examine the data and resolve any discrepancies with the

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

regional offices. The data are displayed in an Excel spreadsheet on a region-by-region basis, which is a way regional staff can check their data.

**Data Quality Review:** None.

**Data Limitations:** Data quality depends on the accuracy and completeness of state records.

**Error Estimate:** N/A

**New/Improved Data or Systems:** None

**References:** U.S. Environmental Protection Agency Memorandum, *FY 2007 End-of-Year Activity Report*, from Cliff Rothenstein, Director, Office of Underground Storage Tanks to UST/LUST Regional Division Directors, Regions 1-10, dated December 5, 2007, [http://www.epa.gov/OUST/cat/ca\\_07\\_34.pdf](http://www.epa.gov/OUST/cat/ca_07_34.pdf).

### GOAL 3 OBJECTIVE 3

#### FY 2009 Performance Measures:

- **Refer to DOJ, settle, or write off 100% of Statute of Limitations (SOLs) cases for Superfund sites with total unaddressed past costs equal to or greater than \$200,000 and report value of costs recovered**
- **Percentage of Superfund sites at which settlement or enforcement action taken before the start of a Remedial Action (RA)**

**Performance Database:** The Comprehensive Environmental Response, Compensation, and Liability Information System (CERCLIS) database contains information on hazardous waste sites, potentially hazardous waste sites and remedial activities across the nation. The database includes sites that are on the National Priorities List (NPL) or being considered for the NPL.

**Data Source:** Automated EPA system; Headquarters and EPA's Regional Offices enter data into CERCLIS.

**Methods, Assumptions and Suitability:** There are no analytical or statistical methods used to collect the information. The performance data collected on a fiscal year basis only. Enforcement reports are run at the end of the fiscal year, and the data that support this measure are extracted from the report.

**QA/QC Procedures:** Office of Site Remediation Enforcement (OSRE) Quality Management Plan, approved October 2, 2007. To ensure data accuracy and control, the following

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

administrative controls are in place: 1) Superfund Program Implementation Manual (SPIM), the program management manual that details what data must be reported; 2) Report Specifications, which are published for each report detailing how reported data are calculated; 3) Coding Guide, which contains technical instructions to such data users as Regional Information Management Coordinators (IMCs), program personnel, data owners, and data input personnel; 4) Quick Reference Guides (QRG), which are available in the CERCLIS Documents Database and provide detailed instructions on data entry for nearly every module in CERCLIS; 5) Superfund Comprehensive Accomplishment (SCAP) Reports within CERCLIS, which serve as a means to track, budget, plan, and evaluate progress towards meeting Superfund targets and measures; (6) a historical lockout feature in CERCLIS so that changes in past fiscal year data can be changed only by approved and designated personnel and are logged to a Change Log report. Specific direction for these controls is contained in the Superfund Program Implementation Manual (SPIM) Fiscal Year 2008/2009 (<http://www.epa.gov/superfund/action/process/spim08.htm>).

CERCLIS operation and further development is taking place under the following administrative control quality assurance procedures: 1) Office of Environmental Information Interim Agency Life Cycle Management Policy Agency Directive 2100.5 (<http://www.epa.gov/irmpoli8/ciopolicy/2100.5.pdf>); 2) the Office of Superfund Remediation and Technology Innovation Quality Management Plan ([http://www.epa.gov/swerffrr/pdf/oswer\\_qmp.pdf](http://www.epa.gov/swerffrr/pdf/oswer_qmp.pdf)) 3) Agency platform, software and hardware standards (<http://basin.rtpnc.epa.gov/ntsd/itroadmap.nsf>); 4) Quality Assurance Requirements in all contract vehicles under which CERCLIS is being developed and maintained (<http://www.epa.gov/quality/informationguidelines>); and 5) Agency security procedures (<http://basin.rtpnc.epa.gov/ntsd/ITRoadMap.nsf/Security?OpenView>). In addition, specific controls are in place for system design, data conversion and data capture, and CERCLIS outputs.

**Data Quality Review:** The IG annually reviews the end-of-year CERCLIS data, in an informal process, to verify the data supporting the performance measure. Typically, there are no published results.

**Data Limitations:** None

**Error Estimate:** NA

**New/Improved Data or Systems:** None

**References:** Office of Site Remediation Enforcement (OSRE) Quality Management Plan, approved October 2, 2007.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

##### FY 2009 Performance Measures:

- **Percentage of planned outputs delivered in support of the manage material streams, conserve resources and appropriately manage waste long-term goal (PART Measure)**
- **Percentage of planned outputs delivered in support of the mitigation, management and long-term stewardship of contaminated sites long-term goal (PART Measure)**

**Performance Database:** Integrated Resources Management System (internal database).

**Data Source:** Data are generated based on self-assessments of completion of planned program outputs.

**Methods, Assumptions and Suitability:** To provide an indication of progress towards achievement of the Land Preservation and Restoration Research Program's long-term goals, the Land program annually develops a list of key research outputs scheduled for completion by the end of each fiscal year. This list is finalized by the start of the fiscal year, after which no changes are made. The program then tracks quarterly the progress towards completion of these key outputs against pre-determined schedules and milestones. The final score is the percent of key outputs from the original list that are successfully completed on-time.

**QA/QC Procedures:** Procedures are now in place to require that all annual outputs be clearly defined and mutually agreed upon within ORD by the start of each fiscal year. Progress toward completing these activities is monitored by ORD management

**Data Quality Reviews:** N/A

**Data Limitations:** Data do not capture the quality or impact of the research outputs being measured. However, long-term performance measures and independent program reviews are used to measure research quality and impact. Additionally, completion rates of research outputs are program-generated, though subject to ORD review.

**Error Estimate:** N/A

**New/Improved Data or Systems:** N/A

**References:** Contaminated Sites Multi-Year Plan, available at: <http://www.epa.gov/osp/myr/csites.pdf>  
Resource Conservation and Recovery Act (RCRA) Multi-Year Plan, available at: <http://www.epa.gov/osp/myr/rcra.pdf>  
Land Protection and Restoration Research PART Program Assessment, available at: <http://www.whitehouse.gov/omb/expectmore/summary/10004305.2006.html>

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

##### **FY 2009 Performance Measure:**

- **Average time (in days) for technical support centers to process and respond to requests for technical document review, statistical analysis and evaluation of characterization and treatability study plans. (Efficiency Measure)**

**Performance Database:** No internal tracking system.

**Data Source:** Data are generated based on technical support centers' tracking of timeliness in meeting customer needs.

**Methods, Assumptions and Suitability:** The dates of requests, due dates, response time, and customer outcome feedback are tabulated for the Engineering, Ground Water, and Site Characterization Technical Support Centers.

**QA/QC Procedures:** N/A

**Data Quality Reviews:** N/A

**Data Limitations:** N/A

**Error Estimate:** N/A

**New/Improved Data or Systems:** N/A

**References:** Land Protection and Restoration Research PART Program Assessment, available at: <http://www.whitehouse.gov/omb/expectmore/summary/10004305.2006.html>

#### GOAL 4 OBJECTIVE 1

##### **FY 2009 Performance Measure:**

- **Cumulative number of assays that have been validated. (PART Measure)**

**Performance Database:** Performance is measured by the cumulative number of assays validated. The completion of the validation process for an assay can take several years. Excel spreadsheets are used to capture and track various steps within the validation process in order to better show progress. These steps within the validation process include: detailed review papers completed, prevalidation studies completed, validation by multiple labs completed, peer reviews, and the cumulative number of assays that have been validated.



## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**Data Source:** Data are generated to support all stages of validation of endocrine test methods through contracts, grants and interagency agreements, and the cooperative support of the Organization of Economic Cooperation and Development (OECD), and EPA's Office of Research and Development (ORD). The scope of the effort includes the conduct of laboratory studies and associated analyses to validate the assays proposed for the Endocrine Disruptor Screening Program (EDSP). The baseline for this measure is zero assays validated (FY 2005).

**Methods, Assumptions and Suitability:** The measure is a program output which when finalized, helps to ensure that EPA meets The Food Quality Protection Act of 1996 (FQPA) requirement that EPA validate assays to screen chemicals for their potential to affect the endocrine system. The measure represents the ultimate objective of this program (e.g., validating assays for use in screening and testing chemicals for potential endocrine effects, as required by FQPA.)

**QA/QC Procedures:** EDSP's contractors operate independent quality assurance units (QAUs) to ensure that all studies are conducted under appropriate QA/QC programs. Two levels of QA/QC are employed. First, the contractors operate under a Quality Management Plan designed to ensure overall quality of performance under the contracts. Second, prevalidation and validation studies are conducted under a project-specific Quality Assurance Project Plans (QAPPs) developed by the contractor and approved by EPA. These QAPPs are specific to the study being conducted. Most validation studies are conducted according to Good Laboratory Practices (GLPs). In addition, EPA or its agent conducts an independent lab/QA audit of facilities participating in the validation program.

**Data Quality Review:** All of the documentation and data generated by the contractor, OECD and ORD, as it pertains to the EDSP, are reviewed for quality and scientific applicability. The contractor maintains a Data Coordination Center which manages information/data generated under EDSP. The contractor also conducts statistical analyses related to lab studies, chemical repository, and quality control studies.

**Data Limitations:** There is a data lag of approximately 9-24 months due to the variation in length and complexity of the lab studies, and for time required for review, analysis and reporting of data.

**Error Estimate:** N/A

**New/Improved Data or Systems:** N/A

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**References:** EPA Website; EPA Annual Report; Endocrine Disruptor Screening Program Proposed Statement of Policy, Dec. 28, 1998; Endocrine Disruptor Screening and Testing Advisory Committee (EDSTAC) Final Report (EPA/743/R-98/003); EPA Contract # 68-W-01-023.

#### FY 2009 Performance Measure:

- **Contract cost reduction per study for assay validation efforts in the Endocrine Disruptor Screening Program. (PART Efficiency Measure)**

**Performance Database:** EPA will measure the contract cost reduction per study for assay validation efforts in the Endocrine Disruptor Screening Program (EDSP) by comparing the cost per study from a previous contract to the cost of a newer multiple awards contract. The newer multiple awards contract involves competition for individual work assignments among two vendors in an effort to provide increased flexibility in both the economic and scientific aspects of the contract. In addition, assays that have now been standardized may be competed on a fixed price, rather than level of effort basis, which will lead to reduced costs for the government.

This efficiency measure must be used in conjunction with the program's annual performance measure (cumulative number of assays validated) to obtain a complete picture of program performance. This is consistent with OMB's direction during the FY06 PART review of EPA's Endocrine Program - to have efficiency measures and annual performance measures, that when taken together, give a full picture of the program.

**Data Source:** Information will be obtained from contract documents and stored in spreadsheets by OSCP personnel responsible for managing the contracts.

**Methods and Assumptions:** The baseline average cost per study was calculated based on contract costs from a previous EDSP contract. A laboratory study was defined as conduct of an assay with a single chemical in a single lab, and represents standardized study costs based on a mix of *in vitro* and *in vivo* studies, as well as detail review papers. The baseline average cost per study was \$62,175 in 2006. The measure of efficiency will be based on similar data from the newer multiple award contract and judged based on the target of a 1% cost reduction per year for three (3) years.

**Suitability:** The majority of funds allocated to the EDSP are spent on laboratory studies conducted by contractors. As a result, a measure based on the contract costs is a suitable measure of efficiency for this program.

**QA/QC Procedures:** Costs for products generated by scientific labs are used for this efficiency measure. OPPT's Office of Science Coordination and Policy (OSCP) maintains spreadsheets to

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

track contract expenditures by study. These spreadsheets are periodically checked against contract records and EPA contracts databases (i.e., Data Financial Warehouse).

**Data Quality Review:** Data generated from these spreadsheets, for the purposes of this efficiency measure, will be independently reviewed for accuracy before submitting information on this measure.

**Data Limitations:** In general, there is a data lag of approximately 9-24 months due to the variation in length and complexity of the lab studies, and for time required for review, analysis and reporting of data.

**Error Estimate:** N/A

**New/Improved Data or Systems:** N/A

**References:** EPA Website; EPA Annual Report; Endocrine Disruptor Screening Program Proposed Statement of Policy, Dec. 28, 1998; Endocrine Disruptor Screening and Testing Advisory Committee (EDSTAC) Final Report (EPA/743/R-98/003); EPA Contract # 68-W-01-023.

#### **FY 2009 Performance Measure:**

- **Millions of dollars in termite structural damage avoided annually by ensuring safe and effective pesticides are registered/reregistered and available for termite treatment (PART measure)**

**Performance Database:** Baseline data on the number of owner-occupied structures is available from US Census Housing data. Estimates of the extent of termiticide use and termite-related damage are available from several industry and academic sources.

**Data Source:** Baseline data are derived from several sources, including U.S. Census data, surveys conducted by the pest control industry, and academic publications.

**Methods, Assumptions and Suitability:** This measure is representative of the explicit statutory mandate of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) to ensure the availability of pesticides to permit their societal benefits. An important role of the National Pesticide Program is to prevent harm and preserve a level of public protection.

Pesticides are the primary means to treat or prevent termite infestation. These pesticides are not available for use to treat or prevent this problem unless the National Pesticide Program evaluates their safety and allows them into the marketplace through the Registration or Registration Review programs. Timely and effective licensing actions are required for homeowners to have

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

access to the benefits of these pesticides and avoid the significant economic loss from termite structural damage.

Termites are one of the most economically important insect pests in the United States. More than 600,000 U.S. homes suffer termite damage every year. Homeowners insurance can help recover losses from fires, storms, and earthquakes, but it is almost impossible to carry insurance against termite infestation and damage. This measure will utilize data that estimate the number of homes that suffer termite-related damage on an annual basis, the value of this damage, the number and frequency of termiticide treatments, and an estimate of the number of treated homes that would have received termite damage absent the use of pesticide control measures.

Through this measure, the Agency will evaluate the extent of termiticide use to protect owner-occupied housing units, average termite damage on a per housing unit basis, and an estimate of the termite structural damage avoided as a result of having safe and effective termite control products available for use.

**QA/QC Procedures:** EPA adheres to its approved Quality Management Plan in ensuring the quality of the data used in this measure. Academic research undergoes strict peer-review prior to publication. The Agency will work with non-governmental providers of data to ensure that quality data are used in developing this measure.

**Data Quality Reviews:** Staff and management of the Office of Pesticide Programs will perform the data quality reviews under the leadership of our QA/QC officers.

**Data Limitations:** This measure continues to be refined. Currently available data were not collected for performance accountability purposes and may lack precision. Non-pesticide treatment actions may account for some structural damage avoided.

**Error Estimate:** Error estimates for established surveys are documented by these organizations in their survey reports.

**New/Improved Data or Systems:** This measure will utilize existing data as well as new data developed from industry and academic research.

**References:** U.S. Census Bureau data ([www.census.gov/compendia/statab/files/house.html](http://www.census.gov/compendia/statab/files/house.html)); University of Georgia Entomology Dept, ([www.ent.uga.edu/IPM/s100/household.htm](http://www.ent.uga.edu/IPM/s100/household.htm)); National Pest Management Association. ([www.pestworld.org/Database/Article.asp?ArticleID=34&UserType](http://www.pestworld.org/Database/Article.asp?ArticleID=34&UserType)]; "Arizona Termites of Economic Importance", *Better Pest Control*, p.11, June 2005, University of Arizona, College of Agriculture and Life Sciences; "Termites: Are They Chewing Up Your Home?", National Pest Management Association; Ipsos-Insight 2005 Survey for Dow Agro ([www.dowagro.com/sentricon/termite\\_risk/facts.htm](http://www.dowagro.com/sentricon/termite_risk/facts.htm)).

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

##### FY 2009 Performance Measure:

- **Billions of dollars in crop loss avoided by ensuring that effective pesticides are available to address pest infestations. (PART measure)**

**Performance Database:** To determine the value of potential crop loss avoided from the use of pesticides, baseline and future data are collected on crop market prices, crop production, total acres grown, acres treated with pesticides, and the percentage of crop yield loss avoided as a result of the use of pesticides.

**Data Source:** Baseline data on crop market prices, crop production, and total acres grown are from United States Department of Agriculture (USDA) databases, while the percentage of potential yield loss without pesticides is estimated by Biological and Economic Analysis Division (BEAD) scientists based on published and unpublished studies. The number of acres treated with the pesticides are based on data submitted by State Departments of Agriculture.

**Methods, Assumptions and Suitability:** The Agency will provide an estimate of the value of the potential crop loss avoided by growers from the use of registered pesticides. The method for estimating this value involves calculating the potential crop loss avoided based on the acres treated with the pesticides, per acre crop production and prices received, and potential yield without the pesticides. In an attempt to measure the magnitude of this potential crop loss avoided, the value is measured as a percent of state production in value and national production in value.

The pesticides selected for this measure will be the registered Section 3 pesticides which were previously Section 18 emergency use registrations. The data used in the analysis of the number of acres treated with the pesticides will be based on USDA databases and data submitted by the State Agricultural Departments. The percentage of potential yield loss without the pesticides will be based on the review of published and unpublished efficacy studies by BEAD scientists.

The United States (U.S.) has a large cropland, productive soils, and a variety of favorable agricultural climates. These factors contribute to and enable the U.S. to be a uniquely large and productive agricultural producer. The value of agricultural crop production in the U.S. totaled \$200 billion<sup>13</sup> in 2003. Major field crops in value are corn (\$21 billion), soybeans (\$15 billion), wheat (\$6 billion), and cotton (\$3.6 billion), while tomatoes (\$1.9 billion), apples (\$1.6 billion), and strawberries (\$1.2 billion) are major fruit/vegetable crops in value.

American agricultural production far outweighs domestic consumption and the U.S. is one of the World's largest agricultural exporters, worth approximately \$50 billion annually (one quarter of

---

<sup>13</sup> The value received by farmers was \$200 billion.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

total U.S. agricultural crop production). In order to be competitive in the world market and to provide sufficient market supply for American consumers, U.S. farmers need to be able to use pesticides for pest control as long as they do not present significant risks to human health or the environment (USDA/ERS, 2004).

The goal for this measure is to develop long-term consistent and comparable information on the benefits of pesticide usage.

**QA/QC Procedures:** EPA adheres to its approved Quality Management Plan in ensuring the quality of the data derived from States, and USDA. The data used for the outcome measure is based on well-established QA/QC procedures found in [\*Data Quality Assessment: A Reviewer's Guide \(QA/G-9R\)\*](#)<sup>2</sup> (PDF 61pp, 225K), <http://www.epa.gov/quality/dqa.html>, which provides guidance on assessing data quality criteria and performance specifications.

**Data Quality Review:** The measure will utilize USDA/NASS methods of collecting and analyzing data.

**Data Limitations:** This measure is under development. Data limitations will be characterized during developmental stages of the measure and a complete evaluation will be provided in the Agency's annual Performance and Accountability Report.

**Error Estimate:** USDA provides discussion of analytical methods and associated variability estimates in its chemical use publications. For example, see the Agricultural Chemical Distribution Tables section, Survey and Estimation Procedure section and Reliability section of the USDA publication Agricultural Chemical Usage 2005 Field Crops Summary (<http://usda.mannlib.cornell.edu/usda/nass/AgriChemUsFC//2000s/2006/AgriChemUsFC-05-17-2006.pdf>).

**New/Improved Data or Systems:** This measure will utilize existing data and data systems.

#### References:

USDA data sources include:

United States Department of Agriculture (USDA), National Agricultural Statistics Service (NASS). Agricultural Chemical Usage.

<http://usda.mannlib.cornell.edu/MannUsda/viewDocumentInfo.do?documentID=1001>

United States Department of Agriculture (USDA), National Agricultural Statistics Service (NASS). Agricultural Statistics. <http://www.usda.gov/nass/pubs/agstats.htm>

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

##### FY 2009 Performance Measure:

- **Percent of urban watersheds that exceeds the National Pesticide Program aquatic life benchmarks for 3 pesticides of concern. (PART measure)**

**Performance Database:** Baseline data are obtained from the United States Geological Survey (USGS) National Water-Quality Assessment (NAWQA) program's 2006 report: Pesticides in the Nation's Streams and Ground Water, 1992-2001 (<http://ca.water.usgs.gov/pnsp/>). Future data will be compiled from future reports.

**Data Source:** Baseline data are derived from the USGS National Water-Quality Assessment (NAWQA) program's 2006 report: Pesticides in the Nation's Streams and Ground Water, 1992-2001. USGS is currently developing sampling plans for 2008 – 2017. Future data will be available from USGS as it is made available on public websites.

**Methods, Assumptions and Suitability:** Water quality is a critical endpoint for measuring exposure and risk to the environment. It is a high-level measure of our ability to reduce exposure from key pesticides of concern. This measure evaluates the reduction in water concentrations of pesticides as a means to protect aquatic life. Reduced water column concentration is a major indicator of the efficacy of risk assessment, risk management, risk mitigation and risk communication actions. It will illuminate program progress in meeting the Agency's strategic pesticide and water quality goals.

The goal is to develop long-term consistent and comparable information on the amount of pesticides in streams, ground water, and aquatic ecosystems to support sound management and policy decisions. USGS-NAWQA data can help inform EPA of the long-term results of its risk management decisions based on trends in pesticide concentrations. Recent USGS information indicates exceedences of aquatic life benchmarks in 18 to 40% of the urban and agricultural watersheds sampled. USGS is currently developing sampling plans for 2008 – 2017. Draft plans call for yearly monitoring in 8 agricultural watersheds; bi-yearly sampling in 3 agricultural dominated watersheds; and sampling every four years in a second set of 25 agricultural watersheds. The sampling frequency for these 36 agricultural sites will range from approximately 15 to 35 sites samples per year based on the watershed land use class. The USGS has no plans in this time period for similar sampling in urban watersheds. Intermediate (2008 – 2010) goals will be refined when the USGS plan is finalized in late FY07.

**QA/QC Procedures:** EPA adheres to its approved Quality Management Plan in ensuring the quality of the data obtained from USGS. The data that will be used for the outcome measure is based on well-established QA-QC procedures in the USGS-NAWQA program (<http://ca.water.usgs.gov/pnsp/rep/qcsummary/> and <http://water.usgs.gov/owq/FieldManual/index.html>).

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**Data Quality Review:** The measure will utilize USGS NAWQA data. USGS is preeminent in the field of water quality sampling. Since 1991, the USGS NAWQA program has been collecting and analyzing data and information in major river basins and aquifers across the Nation. The program has undergone periodic external peer-review (<http://dels.nas.edu/water/monitoring.php>).

**Data Limitations:** This measure is under development. Data limitations will be characterized during developmental stages of the measure and a complete evaluation will be provided in the NAWQA 2011 “Cycle II” Study Report. EPA will request that USGS add additional insecticides to their sampling protocols to establish base line information for newer products that have been replacing the organophosphates (e.g., the synthetic pyrethroids).

**Error Estimate:** The USGS database provides estimates of analytical methods and associated variability estimates (<http://ga.water.usgs.gov/nawqa/data.qa.html>).

**New/Improved Data or Systems:** This measure will utilize existing data and data systems.

**References:** USGS National Water-Quality Assessment (NAWQA) program’s 2006 report: Pesticides in the Nation’s Streams and Ground Water, 1992-2001.

The NAWQA 2011 “Cycle II” Study Report does not exist at this time – the sampling is in progress, thus there is no citation at this time. USGS has not published their sampling plan. There will be a USGS report in the 2011 timeframe.

#### **FY 2009 Performance Measure:**

- **Percent reduction in moderate to severe incidents for six acutely toxic agricultural pesticides with the highest incident rate (PART measure)**

**Performance Database:** Most of the nation’s Poison Control Centers (PCCs) participate in a national data collection system known as the Toxic Exposure Surveillance System (TESS). Among the types of exposures reported are pesticide related exposures. The data collected include date of call, age, gender, location of exposure, route of exposure, substance exposed to, route of exposure, initial symptom assessment, treatment received and an evaluation of the medical outcome. Symptoms are categories as minor, moderate, or major with criteria for each category.

**Data Source:** PCCs provide telephone consultation to individuals and health care providers. Most PPCs are operated by a hospital or university and in aggregate serve 70-80% of the U.S. population. Each case is a separate file that needs to be manually loaded into an EPA database prior to performing statistical analysis. Trend analysis of the reported incidents could reveal problem chemicals and the effects of previous actions taken.



## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**Methods, Assumptions and Suitability:** We assume resources will continue to be available for the Agency to purchase the data and that adequate resources will be available at the local level to continue to fund the centers. The reduction in poisoning incidents is expected to result from mitigation measures made during the reregistration, from greater availability of lower risk alternative products resulting from the Agency's reduce risk registration process, from the continued implementation of worker protection enforcement and training.

**QA/QC Procedures:** PCCs must be certified by the American Association of Poison Control Centers (AAPCC). To be certified a PPC must have a board certified physician on call at all times, have AAPCC certified specialists available to handle all calls, have a comprehensive file of toxicology information readily available, maintain Standard Operating Procedures (SOPs), keep records on all cases and have an ongoing quality assurance program. In addition, EPA staff screen each case before analyzing the data set.

**Data Quality Review:** EPA conducts regular case reviews and audits to assure quality assurance of data collected. Also, as mentioned above, EPA staff reviews each case before entering into its database.

**Data Limitations:** Because PCC participation is voluntary and the available resources vary from year to year, the data contains uncertainty.

**Error Estimate:** Because the incidents are self-reported, there is a potential bias in the data. However, there is no reason to believe that the bias will change from year to year

**New/Improved Data or Systems:** Not known at this time.

**References:** Poison Control Centers TESS (Toxic Exposure Surveillance System)  
<http://www.aapcc.org/poison1.htm>

#### **FY 2009 Performance Measure:**

- **Incidents per 100,000 potential risk events in population occupationally exposed to pesticides (PART measure)**

**Performance Database:** Most of the nation's Poison Control Centers (PCCs) participate in a national data collection system known as the Toxic Exposure Surveillance System (TESS). Among the types of exposures reported are pesticide related exposures in both residential and occupational settings. The data collected include date of call, age, gender, location of exposure, route of exposure, substance exposed to, initial symptom assessment, treatment received and an

# Environmental Protection Agency

## FY 2009 Annual Performance Plan and Congressional Justification

### 4-Year Performance Data Annual Performance Goals and Measures

evaluation of the medical outcome. Symptoms are categorized as minor, moderate, or major with standard criteria for each category.

#### **Data Sources:**

##### Health Incident Data:

Poison Control Centers' Toxic Exposure Surveillance System (PCC/TESS)

The Association of American Poison Control Centers (AAPCC) began collecting data for the purpose of identifying the leading hazards to humans from poisoning and to provide resources for the management of these exposures. Currently, the PCCs service approximately 98% of the nation.

Poison Control Centers are usually run by a hospital or university. Approximately 99% of the nation's Poison Control Centers (PCCs) send incident data to the Toxic Exposure Surveillance System (TESS). The national data collection system started in 1983. Each PCC receives a minimum of 10,000 calls annually. About 13% of calls are from health care providers treating patients and 87% of calls are from individuals who need assistance in managing an exposure to poison. From 1993-1996, 92% of reported exposures occurred in a residential setting. PCC collects data on exposures to any substance and pesticide poisonings make up about 3% of all cases. PCCs submit data to TESS 2 to 4 times per year.

Data from the PCC/TESS database will be used for the numerator.

The denominator number is calculated from several sources: Department of Labor's Bureau of Labor Statistics, which captures employment characteristics for the national workforce. The estimate of agricultural field workers is from the Department of Labor's National Agricultural Workers Survey; The denominator also uses EPA/OPP's annual report of Certified Applicators, and an estimate for the number of field entries by farmworkers from the 1992 Regulatory Impact Analysis for the Agricultural Worker Protection Standard.

**Methods, Assumptions and Suitability:** Trend analysis of the reported incidents could reveal problem chemicals and the effects of previous actions taken.

#### **Calculation Description:**

For the Numerator :

Universe of Occupationally Exposed Individuals:

- |  |            |
|--|------------|
| 1. Certified Applicators =                               | 1,100,000  |
| 2. "Under the Supervision" Applicators (Assume 4 X CA) = | 4,000,000  |
| 3. Other Occupational Pesticide Users =                  | 2,500,000* |

# Environmental Protection Agency

## FY 2009 Annual Performance Plan and Congressional Justification

### 4-Year Performance Data Annual Performance Goals and Measures

\* = Bureau of Labor Statistics calculates there are 50,000,000 employees in non-agricultural fields that we believe utilize pesticides as part of their business (e.g., healthcare support; food preparation; building & grounds cleaning & maintenance; production; etc.). We assume that 5% of those employees apply pesticides.

4. Agricultural Farmworkers = 1,800,000

#### Potential Pesticide Risk Events:

For occupational users (Groups #1 - 3 above), we assume every pesticide application has the potential to create a pesticide incident with adverse health effects. We conservatively estimate each individual in those groups makes 4 pesticide applications per year. Therefore,

7,600,000 occupational users X 4 applications/year = 30,400,000 Potential Pesticide Risk Events/Year

Agricultural Farmworkers spend an average of 105 days/year in the field (1992 Regulatory Impact Analysis for the Agricultural Worker Protection Standard). We assume that 5% of field entries present potential risk from pesticide exposure. Therefore,

105 days per/year X 5% = 5.25 Potential Pesticide Risk Events/Year/Farmworker  
5.25 X 1,800,000 Ag Farmworkers = 9,450,000 Potential Pesticide Risk Events/Year

30,400,000 + 9,450,000 = 39,850,000 Total Potential Pesticide Risk Events/Year

#### Occupational Pesticide Incidents:

The Poison Control Centers' Toxic Exposure Surveillance System recorded there were an average of 1388 occupational pesticide incidents with adverse health impacts in 2001 – 2003, the most recent data available.

#### RATE OF INCIDENTS PER POTENTIAL PESTICIDE RISK EVENTS PER YEAR

$$\frac{1388 \text{ occupational pesticide incidents per}}{39,850,000 \text{ potential pesticide risk events/year}} = 3.5 \text{ incidents per } 100,000 \text{ potential pesticide risk events/year}$$

**QA/QC Procedures:** PCCs must be certified by the American Association of Poison Control Centers (AAPCC). To be certified a PPC must have a board certified physician on call at all times, have AAPCC certified specialists available to handle all calls, have a comprehensive file

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

of toxicology information readily available, maintain SOPs, keep records on all cases and have an ongoing quality assurance program.

**Data Quality Review:** For the incident data, regular case reviews and audits are scheduled to assure quality assurance of data collected by the Poison Centers. All data in the TESS system is subject to quality assurance requirements, including occupational incidents.

**Data Limitations:** The data in PCC/TESS originates from the public or health-care providers voluntary communications to the PCCs. Some number of pesticide-induced illnesses go unreported due to difficulty in diagnosis, symptoms that are non-specific to pesticides, and the fact that the public may not report. The under-reporting is considered a self-reporting bias.

The denominator data for non-agricultural workers is from 2004; more recent BLS data are not available.

**Error Estimate:** The number of potential risk events/year is most likely underestimated, because we used conservative estimates in estimating the potential number of events. For example, we estimated only 4 applications per year per individual which is likely to be a very low estimate.

**New/Improved Data or Systems:** Not known at this time.

#### References:

American Association of Poison Control centers: <http://www.aapcc.org/poison1.htm>

Department of Labor's National Agricultural Workers Survey:  
<http://www.dol.gov/asp/programs/agworker/naws.htm>

Department of Labor's Bureau of Labor Statistics: Occupational Employment and Wages,  
November 2004: [http://www.bls.gov/news.release/archives/ocwage\\_11092005.pdf](http://www.bls.gov/news.release/archives/ocwage_11092005.pdf)

EPA/OPP's annual report of Certified Applicators:  
<http://www.epa.gov/oppfead1/safety/applicators/data.htm>

1992 Regulatory Impact Analysis for the Agricultural Worker Protection Standard

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

##### FY 2009 Performance Measure:

- **Reduced cost per pesticide occupational incident avoided (PART efficiency)**

##### **Performance Database:**

###### Health Incident Data

Poison Control Centers' Toxic Exposure Surveillance System (PCC/TESS)

The Association of American Poison Control Centers (AAPCC) began collecting data for the purpose of identifying the leading hazards to humans from poisoning and to provide resources for the management of these exposures.

Poison Control Centers are usually run by a hospital or university. Approximately 99% of the nation's Poison Control Centers (PCCs) send incident data to the Toxic Exposure Surveillance System (TESS), the national data collection system started in 1983. Each PCC receives a minimum of 10,000 calls annually. About 13% of calls are from health care providers treating patients and 87% of calls are from individuals who need assistance in managing an exposure to poison. From 1993-1996, 92% of reported exposures occurred in a residential setting. PCC collects data on exposures to any substance and pesticide poisonings make up about 3% of all cases. PCCs submit data to TESS 2 to 4 times per year.

###### Cost Data

Cost estimates are based on the President's budget and State and Regional Assistance Grants funding documents.

##### **Data Source:**

###### Health Incident Data

Poison Control Centers' Toxic Exposure Surveillance System (PCC/TESS)

Most cases in TESS are submitted by certified PCCs through their staff, and are received from the public.

**Methods, Assumptions and Suitability:** This efficiency measure is based on the annual number of occupational pesticide incidents. A critical assumption is that EPA's pesticide program's efforts have a direct impact on the decline of pesticide incidents and that additional external factors have no effect on the number of pesticide incidents (e.g., all influences on occupational incidents arise from the program's efforts). From recent assessments, we do believe that occupational poisonings are declining and that OPP's actions contribute significantly to the reduction.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

##### Calculation:

$$\frac{\text{Worker Safety Resources (\$)}}{\text{Pesticide Occupational Incidents Avoided}} = \text{Cost /Pesticide Occupational Incident Avoided}$$

Worker Safety Resources = Value of extramural and Full Time Employee (FTE) Resources from the President's Budget request identified as supporting EPA Headquarters worker protection activities; and State and Regional Assistance Grants (STAG) monies. Does not include headquarters resources for worker protection in the Registration/Re-Registration/Registration Review programs, because would result in double-counting. Regional resources for field programs are in the form of FTEs, which are parsed differently into worker protection, water quality, and strategic agricultural initiatives by the Regions depending on their priority objectives. These data are not currently available. An additional complication is the fact that states provide substantial funding for these programs as well, and their contribution is not included here.

For recent years, annual STAG funds for worker safety (C&T and WP) total \$6.6M. The President's Budget has remained relatively constant at \$2.7M for Agricultural Worker Protection and \$2.7M for Pesticide Applicator per year, for an average of \$12M as the numerator in the baseline calculation.

Pesticide Occupational Incidents Avoided = Using pesticide incident data from Poison Control Centers' Toxic Exposure Surveillance System, OPP established a baseline for average incidents per year. Use of an average of three years is appropriate to account for inconsequential fluctuations in the counts.

This measure will be tracked as follows: we will review annual occupational incident data and compare it with the rolling average for the baseline. If the average number of incidents from the most recent three years is below the baseline, the difference will be the incidents avoided for use in the calculation.

**QA/QC Procedures:** Most cases in TESS are submitted by certified PCC. Certification of the PCC requires that there be board certified physicians with expertise in toxicology on-call at all times, poison information specialists available to handle calls, access to a major medical library, guidelines for follow-up of each case to determine the patient's final disposition or medical outcome. Taken together these criteria help to assure the quality of the data.

Each Poison Control Center uses standard format for data collection. Standard data elements include location of victim at the time of exposure, substance exposed to, route of exposure, initial symptom assessment, and evaluation of medical outcome after case follow up. Cases with symptoms are categorized by severity as minor, moderate, or major.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**Data Quality Review:** Trained PCC specialists review the case data and, based on the information provided and their knowledge of toxicology, doses, and timing of exposure, ascertain whether the incident was caused by pesticides.

**Data Limitations:** Experts believe pesticide poisonings are under-reported to surveillance sources, for reasons, including the symptoms of pesticide poisoning generally are difficult to identify; there are few biomarkers for pesticides; and because the exposed individual may not seek medical care or report their illness. Additionally, not all states require mandatory physician reporting, and those that do may have difficulty enforcing that requirement.

**Error Estimate:** As mentioned above, under-reporting is believed to be a problem in all pesticide incident data sets. There are a number of widely-ranging estimates for the amount of under-reporting, ranging from 25% to as much as a factor of a thousand.

**New/Improved Data or Systems:** OPP collects pesticide incident data under FIFRA section 6(a)2. FIFRA is the Federal Insecticide, Fungicide and Rodenticide Act; the statute which governs the program functions. Section 6(a)2 is mandatory reporting required of the registrants (registrants are those who have or seek registration of their pesticide products). However, details important to this measure are not routinely captured in this data set. We hope to improve the internal data systems that capture incidents reported by the regulated community. Currently, data are difficult to use and may not have needed detail. If these data were available, they could potentially be used to complement or replace the PCC/TESS data, depending on their quality.

**References:** none

#### **FY 2009 Performance Measure:**

- **Percent reduction in concentrations of pesticides detected in general population (PART measure)**

**Performance Database:** The Agency will use the Centers for Disease Control's (CDC's) National Health and Nutrition Examination Survey (NHANES) data from 1999-2002 as the baseline. For this measure, the Agency intends to report on the changes in levels of organophosphate pesticides at the 50<sup>th</sup> percentile (or median.) This group of chemicals was selected for a number of reasons. A large proportion of data collected from the general population are detectable residues (or their metabolites) for the organophosphate pesticides. In addition, the metabolites for which the analyses are performed are derived exclusively from the OP pesticides. The Agency selected a measure based on central tendency because it provides an overall picture of trends and is not distorted by anomalies in the data. However, the Agency intends to follow a range of metrics to more fully understand trends in the data. The annual targets will change every two years because each survey is performed over a two year period.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**Data Sources:** NHANES (see above)

**Methods, Assumptions and Suitability:** The NHANES data were selected because the surveys provide a statistically representative data set for the entire U.S. population. It is an ongoing program, with funding from numerous cooperating Federal agencies. The data are based on measurement of chemical levels in blood and urine.

**QA/QC Procedures:** This large scale survey is performed in strict compliance with CDC QA/QC procedures.

**Data Quality Review:** The measure will utilize NHANES data. NHANES is a major program of the National Center for Health Statistics (NCHS). NCHS is part of the Centers for Disease Control and Prevention (CDC), U.S. Public Health Service, and has the responsibility for producing vital and health statistics for the Nation. The National Center for Health Statistics (NCHS) is one of the Federal statistical agencies belonging to the Interagency Council on Statistical Policy (ICSP). The ICSP, which is led by the Office of Management and Budget (OMB), is composed of the heads of the Nation's 10 principal statistical agencies plus the heads of the statistical units of 4 nonstatistical agencies. The ICSP coordinates statistical work across organizations, enabling the exchange of information about organization programs and activities, and provides advice and counsel to OMB on statistical activities. The statistical activities of these agencies are predominantly the collection, compilation, processing or analysis of information for statistical purposes. Within this framework, NCHS functions as the Federal agency responsible for the collection and dissemination of the Nation's vital and health statistics. Its mission is to provide statistical information that will guide actions and policies to improve the health of the American people.

To carry out its mission, NCHS conducts a wide range of annual, periodic, and longitudinal sample surveys and administers the national vital statistics systems.

As the Nation's principal health statistics agency, NCHS leads the way with accurate, relevant, and timely data. To assure the accuracy, relevance, and timeliness of its statistical products, NCHS assumes responsibility for determining sources of data, measurement methods, methods of data collection and processing while minimizing respondent burden; employing appropriate methods of analysis, and ensuring the public availability of the data and documentation of the methods used to obtain the data. Within the constraints of resource availability, NCHS continually works to improve its data systems to provide information necessary for the formulation of sound public policy. As appropriate, NCHS seeks advice on its statistical program as a whole, including the setting of statistical priorities and on the statistical methodologies it uses. NCHS strives to meet the needs for access to its data while maintaining appropriate safeguards for the confidentiality of individual responses.



## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

Three web links to background on data quality are below:

<http://www.cdc.gov/nchs/about/quality.htm>

[http://www.cdc.gov/nchs/data/nhanes/nhanes\\_01\\_02/lab\\_b\\_generaldoc.pdf#search=%22quality%20control%20NHANES%22](http://www.cdc.gov/nchs/data/nhanes/nhanes_01_02/lab_b_generaldoc.pdf#search=%22quality%20control%20NHANES%22)

[http://www.cdc.gov/nchs/data/nhanes/nhanes\\_03\\_04/lab\\_c\\_generaldoc.pdf#search=%22quality%20NHANES%22](http://www.cdc.gov/nchs/data/nhanes/nhanes_03_04/lab_c_generaldoc.pdf#search=%22quality%20NHANES%22)

**Data Limitations:** Some limitations include that not all pesticides are included, it is a measure of exposure instead of risk, and there is a time-lag between EPA actions and the CDC's analysis of the data.

**Error Estimate:** There is the potential of identifying metabolites that comes from both a pesticide and another source.

**New/Improved Data or Systems:** Not known at this time.

**References:** Third National Report on Human Exposure to Environmental Chemicals 2005, CDC/National Center for Environmental Health/Environmental Health Laboratory  
<http://www.cdc.gov/nchs/about/nhanes>

#### **FY 2009 Performance Measure:**

- **Average cost and average time to produce or update an Endangered Species Bulletin (PART efficiency)**

**Performance Database:** The Bulletins Live! application is enabled by a multi-user relational database system that maintains a permanent archive with dates of the draft and final content for each endangered species protection Bulletin that is created or updated in the system. When the Bulletins Live! application is made available to the public, EPA will take over the complete Bulletin production process, which is currently carried out by the United States Geological Survey (USGS) staff through an Interagency Agreement (see below). Additionally, tracking and summary reporting of all endangered species mitigation actions including the time between which a decision is made to issue a Bulletin and its availability to the public will be made available as a part of the OPP "PRISM" information system that is planned for development in FY 2007. This system will track the staff working on mitigation development and bulletin production, and the time spent on these activities, allowing for a calculation of the cost per bulletin issued with Bulletins Live!

**Data Source:** The data necessary to track progress towards the targets for this measure are currently being collected by EPA. The Bulletins are being developed for EPA by the U.S. Geological Survey (USGS) Cartography and Publishing Program under an Interagency

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

Agreement (IAG) with OPP. The data will be collected annually through the end-of-year report under the Interagency Agreement (IAG). The baseline year will be 2004 cost and time averages (\$4000.00 and 100 hours per Endangered Species Bulletin production or update).

**Methods, Assumptions and Suitability:** These Bulletins are a critical mechanism for ensuring protection of endangered and threatened species from pesticide applications. Bulletins are legally enforceable extensions to pesticide labels that include geographically specific use limitations for the protection of endangered species. The faster the Bulletins can be developed, the earlier the protections are available to endangered and threatened species. Similarly, the less it costs to produce the Bulletins, the more Bulletins can be produced within available budget and the greater the impact on saving endangered and threatened species.

This measure is calculated as follows:

$100 - \left[ \frac{\text{Sum of the costs to produce or update Endangered Species Bulletins in current 12 month period}}{\text{Sum of the costs to produce or update Endangered Species Bulletins in previous 12 month period}} \times 100 \right]$  This is intended to be a measure that captures improvements in current year cost per bulletin vs. previous year cost per bulletin.

$100 - \left[ \frac{\text{Sum of the time in hours to produce or update Endangered Species Bulletins in current 12 month period}}{\text{Sum of the time in hours to produce or update Endangered Species Bulletins in previous 12 month period}} \times 100 \right]$

**QA/QC Procedures:** EPA adheres to its approved Quality Management Plan to ensure the overall quality of data in the Bulletins Live! system. Bulletins pass through a multi-level quality control and review process before being released to the public. After the initial Bulletin is created by trained staff in the Endangered Species Protection Program, the draft is automatically routed in the system to a senior staff member who reviews the information in the Bulletin as a quality control check. After this Agency review, Bulletins are then subject to review and comment by Regional and State regulatory partners responsible for different aspects of the field implementation program and Bulletin enforcement.

**Data Quality Reviews:** Data quality reviews for the Bulletins themselves are ongoing through the QA/QC methodology described above. Data quality reviews for components of the measure (time per bulletin and cost per bulletin) will be carried out by the Project Officers who manage the Bulletins Live! and PRISM systems.

**Data Limitations:** N/A

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**Error Estimate:** N/A

**New/Improved Data or Systems:** The web-based Bulletins Live! system will facilitate the expedited production and delivery of endangered species protection Bulletins as compared to the 2004 baseline.

**References:**

Endangered Species Protection Program website and Bulletins Live!: <http://www.epa.gov/espp>;  
QMP: Quality Management Plan for the Office of Pesticides Program, February 2006;  
Endangered Species Act.

**FY 2009 Performance Measure:**

- **Reduce cost per acre using reduced risk pest management practices compared to the grant and/or contract funds expended on environmental stewardship (PART efficiency)**

**Performance Database:** Strategic Agricultural Initiative (SAI) database contains the SAI grants funds and acreage data. We are going to track the number of acres, by particular crop, under reduced risk pest management that were part of a grant and/or contract. This database is currently on the web site of our cooperator, the American Farmland Trust. Eventually, Pesticide Environmental Stewardship Program (PESP) data will be included. PESP data are those reported to EPA in grant reports. We look at the adoption rate of reduced risk pesticides and compare it to the cost of the grant. The performance data are the acres impacted by the project verses the amount of grant or contract funds.

**Data Source:** Reports from grantees and contractors will be used as well as available databases to track the adoption of safer pest management practices. Such data sources include the USDA National Agricultural Statistics Service's surveys, Doane Marketing Research data, and pesticide usage records provided by user groups. Agricultural pesticide user groups who are members of PESP frequently report their use of safer pest management practices as part of their annual reports

**Methods, Assumptions and Suitability:** Each grantee or contractor is required to provide reports on their project including the success of adoption of safer pest management practices. For SAI grants, the SAI Coordinator in each of the 10 EPA Regional Offices enters the results from the SAI grants into the SAI database. The SAI Coordinator at EPA Headquarters encourages the Regional Coordinators to do this in a timely fashion. EPA Headquarters' Project Officer of the PESP grant serves the same function, making sure interim and final reports are provided to EPA without delay. EPA will track the adoption of new practices using publicly and commercially available databases, such as those described above. At times, data also are available on the adoption of a particular biopesticide or other reduced risk pesticide from the

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

registrant of that product or from a user group that is adopting the new technology. This data can be very useful in tracking adoption in the early stages or in cases where little data is available, such as for minor crops. Data supplied by registrants can be compared to information supplied to EPA under Section 7 of FIFRA to identify major errors, but it would be hard to identify minor errors or flaws in the data.

**QA/QC Procedures:** EPA QA/QC procedures are followed for each grant and/or contract where environmental data is being collected. Part of the Agency's Quality Management Plan requires that grantees and/or contractors have a QA/QC program in place before the grant/contract is awarded. A staff member, typically the project officer for the grant or contract, typically often conducts onsite visits every year to ensure QA/QC procedures is being followed. Typically, field trials and demonstrations are visited by the Regional SAI Coordinators or the EPA grantee for PESP work. Data from other internal and external sources, where available, will be used to determine the validity of the information provided by registrants and grower groups.

**Data Quality Reviews:** Staff and management of the Environmental Stewardship Branch and the Regional SAI Coordinators will perform data quality reviews under the leadership of program QA/QC officers.

**Data Limitations:** Major pesticide usage surveys will likely miss minor usages. Voluntary reporting by grantees and grower groups on the use of their reduced risk pest management practices introduces more error/bias than if a statistically valid sample were taken. However, funding and managing this kind of sample survey will be a challenge.

**Error Estimate:** Error estimates for established databases such as Doane and NASS surveys are documented by these organizations in their survey reports. Audits of grants are intended to reduce errors, but best estimates may be relied upon when statistically valid samples are not available.

**New/Improved Data or Systems:** EPA will improve the existing SAI database by including PESP data or will create a comparable database to track the PESP data.

#### References:

<http://www.epa.gov/oppbpd1/PESP/> and  
<http://www.aftresearch.org/sai/collaborations>

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

##### FY 2009 Performance Measures:

- **Register reduced-risk pesticides, including biopesticides**
- **New Chemicals (Active Ingredients)**
- **New Uses**
- **Percent reduction in review time for registration of conventional pesticides (Long-term PART efficiency measure)**
- **Maintain timeliness of Section 18 Decisions**

**Performance Database:** The OPPIN/PRISM (Office of Pesticide Programs Information Network/Pesticide Registration Information System) consolidates various pesticides program databases. It is maintained by the EPA and tracks regulatory data submissions and studies, organized by scientific discipline, which are submitted by the registrant in support of a pesticide's registration. In addition to tracking decisions in OPPIN/PRISM, manual counts are also maintained by the office on the registrations of reduced risk pesticides. Results for reduced risk pesticides, new active conventional ingredients, and new uses have been reported since 1996. The results are calculated on a fiscal year (FY) basis. For antimicrobial new uses, results have been reported since FY 2004 on a FY basis. S18 timeliness was reported on a FY basis for the first time in FY 2005.

**Data Source:** Pesticide program reviewers update the status of the submissions and studies as they are received and as work is completed by the reviewers. The status indicates whether the application is ready for review, the application is in the process of review, or the review has been completed.

**Methods, Assumptions and Suitability:** The measures are program outputs which when finalized, represent the program's statutory requirements to ensure that pesticides entering the marketplace are safe for human health and the environment, and when used in accordance with the packaging label present a reasonable certainty of no harm. While program outputs are not the best measures of risk reduction, registration outputs do provide a means for reducing risk by ensuring that pesticides entering the marketplace meet the latest health standards, and as long as used according to the label are safe.

**QA/QC Procedures:** A reduced risk pesticide must meet the criteria set forth in Pesticide Registration Notice 97-3, September 4, 1997. Reduced risk pesticides include those which reduce the risks to human health; reduce the risks to non-target organisms; reduce the potential for contamination of groundwater, surface water or other valued environmental resources; and/or broaden the adoption of integrated pest management strategies, or make such strategies more available or more effective. In addition, biopesticides are generally considered safer (and thus reduced risk). All registration actions must employ sound science and meet the Food Quality Protection Act (FQPA) new safety standards. All risk assessments are subject to public and

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

scientific peer review. The office adheres to its Quality Management Plan (May 2000) in ensuring data quality and that procedures are properly applied.

**Data Quality Review:** These are program outputs. EPA staff and management review the program outputs in accordance with established policy for the registration of reduced-risk pesticides as set forth in Pesticide Regulation Notice 97-3, September 4, 1997.

**Data Limitations:** None. All required data must be submitted for the risk assessments before the pesticide is registered. If data are not submitted, the pesticide is not registered. As stated above, a reduced risk pesticide must meet the criteria set forth in PRN 97-3 and all registrations must meet FQPA safety requirements. If a pesticide does not meet these criteria, it is not registered. If an application for a reduced risk pesticide does not meet the reduced risk criteria, it is reviewed as a conventional active ingredient.

**Error Estimate:** N/A

**New/Improved Data or Systems:** The OPPIN/PRISM (Office of Pesticide Programs Information Network/Pesticide Registration Information System), which consolidates various pesticides program databases, will reduce the processing time for registration actions.

**References:** FIFRA Sec 3(c)(5); FFDCA Sec 408(a)(2); EPA Pesticide Registration Notice 97-3, September 4, 1997; Food Quality Protection Act (FQPA) 1996; OPP Quality Management Plan, May 2000); Endangered Species Act.

#### **FY 2009 Performance Measure:**

- **Product Reregistration**

**Performance Database:** The OPPIN/PRISM (Office of Pesticide Programs Information Network/Pesticide Registration Information System) consolidates various EPA program databases. It is maintained by the EPA and tracks regulatory data submissions and studies, organized by scientific discipline, which are submitted by the registrant in support of a pesticide's reregistration. In addition to tracking decisions in OPPIN/PRISM, manual counts are also maintained by the office on the reregistration decisions. Decisions are logged in as the action is completed, both for final decisions and interim decisions.

**Data Source:** EPA's Pesticides Program staff and managers.

**Methods, Assumptions and Suitability:** The measures are program outputs which represent the program's statutory requirements to ensure that pesticides entering the marketplace are safe for human health and the environment and when used in accordance with the packaging label present a reasonable certainty of no harm. While program outputs are not the best measures of

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

risk reduction, they do provide a means for reducing risk in that the program's safety review prevents dangerous pesticides from entering the marketplace.

**QA/QC Procedures:** All registration actions must employ sound science and meet the Food Quality Protection Act (FQPA) new safety standards. All risk assessments are subject to public and scientific peer review. The office adheres to the procedures for quality management of data as outlined in its QMP approved May 2000.

**Data Quality Review:** Management reviews the program counts and signs off on the decision document.

**Data Limitations:** None known.

**Error Estimate:** N/A. There are no errors associated with count data.

**New/Improved Data or Systems:** The OPPIN/PRISM, which consolidates various pesticides program databases, will contribute to reducing the processing time for reregistration actions.

**References:** EPA Website <http://www.epa.gov/pesticides> EPA Annual Report 2002 EPA Number 735-R-03-001; 2003 Annual Performance Plan OPP Quality Management Plan, May 2000; Endangered Species Act.

#### **FY 2009 Performance Measure:**

- **Percentage of agricultural acres treated with reduced-risk pesticides (PART measure)**

**Performance Database:** EPA uses an external database, Doane Marketing Research data, for this measure. The data have been reported for trend data since FY 2001 on an FY basis.

**Data Source:** Primary source is Doane Marketing Research, Inc. (a private sector research database). The database contains pesticide usage information by pesticide, year, crop use, acreage and sector.

**Methods, Assumptions and Suitability:** A reduced-risk pesticide must meet the criteria set forth in Pesticide Registration Notice 97-3, September 4, 1997. Reduced-risk pesticides include those which reduce the risks to human health; reduce the risks to non-target organisms; reduce the potential for contamination of groundwater, surface water, or other valued environmental resources; and/or broaden the adoption of integrated pest management strategies or make such strategies more available or more effective. In addition, biopesticides are generally considered safer (and thus reduced-risk). EPA's statistical and economics staff review data from Doane.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

Information is also compared to prior years for variations and trends as well as to determine the reasons for the variability.

Doane sampling plans and QA/QC procedures are available to the public at their website. More specific information about the data is proprietary and a subscription fee is required. Data are weighted and a multiple regression procedure is used to adjust for known disproportionalities (known disproportionality refers to a non proportional sample, which means individual respondents have different weights) and ensure consistency with USDA and state acreage estimates.

**QA/QC Procedures:** All registration actions must employ sound science and meet the Food Quality Protection Act (FQPA) new safety standard. All risk assessments are subject to public and scientific peer review. Doane data are subject to extensive QA/QC procedures, documented at their websites. In ensuring the quality of the data, EPA's pesticide program adheres to its Quality Management Plan (QMP), approved May 2000.

The main customers for Doane pesticide usage data are the pesticide registrants. Since those registrants know about sales of their own products, they have an easy way to judge the quality of Doane provided data. If they considered the quality of the data to be poor, they would not continue to purchase the data.

**Data Quality Review:** Doane data are subject to extensive internal quality review, documented at the website. EPA's statistical and economics staff review data from Doane. Information is also compared to prior years for variations and trends as well as to determine the reasons for the variability. For some crops and states, comparisons are also made with a more limited pesticide usage database from the National Agricultural Statistics of USDA.

**Data Limitations:** Doane data are proprietary; thus in order to release any detailed information, the Agency must obtain approval. There is a data lag of approximately 12-18 months, due to the collection of data on a calendar year (CY) basis, time required for Doane to process data, lead time for EPA to purchase and obtain data, plus the time it takes to review and analyze the data within the office's workload.

**Error Estimate:** Error estimates differ according to the data/database and year of sampling. This measure is compiled by aggregating information for many crops and pesticides. While considerable uncertainty may exist for a single pesticide on a single crop, pesticide use data at such a highly aggregated level are considered quite accurate. Doane sampling plans and QA/QC procedures are available to the public at their website. More specific information about the data is proprietary and a subscription fee is required. Data are weighted and multiple regression procedure is used to adjust for known disproportionalities and ensure consistency with USDA and state acreage estimates.



## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**New/Improved Data or Systems:** These are not EPA databases; thus improvements are not known in any detail at this time.

**References:** EPA Website; EPA Annual Report; Annual Performance Plan and Annual Performance Report, <http://www.ams.usda.gov/science/pdp/download.htm>; Doane Marketing Research, Inc.: <http://www.doanemr.com>; <http://www.usda.gov/nass/pubs> and <http://www.usda.nass/nass/nassinfo>; FFDCA Sec 408(a)(2); EPA Pesticide Registration Notice 97-3, September 4, 1997; Endangered Species Act.

#### **FY 2009 Performance Measure:**

- **Annual number of chemicals with proposed Acute Exposure Guideline Levels (AEGLs) values. (PART measure)**

**Performance Database:** Performance is measured by the annual number of chemicals with “Proposed” AEGL values as recorded in the AEGL Chemical Status sans Structure Access 2000 database containing the approval dates for proposed AEGL values. The results are calculated on a fiscal year basis.

**Data Source:** EPA manages a Federal Advisory Committee Act (FACA) committee that reviews short term exposure values for extremely hazardous chemicals. The supporting data, from both published and unpublished sources and from which the AEGL values are derived, are collected, evaluated, and summarized by FACA Chemical Managers and Oak Ridge National Laboratory’s scientists. Proposed AEGL values are published for public comment in the Federal Register. After reviewing public comment, interim values are presented to the AEGL Subcommittee of the National Academy of Sciences (NAS) for review and comment. After review and comment resolution, the National Research Council under the auspices of the National Academy of Sciences (NAS) publishes the values as final. Although proposed AEGLs are not considered final until so designated by the NAS, the proposed values are suitable for many purposes. This performance measure is tied to proposed values rather than to final ones because actions through the proposal stage of the AEGL process are largely under EPA’s control whereas subsequent action to finalize the AEGL values is largely a matter within NAS jurisdiction.

**Methods and Assumptions:** The work of the National Advisory Committee’s Acute Exposure Guideline Levels (NAC/AEGL, formally chartered under the Federal Advisory Committee Act) adheres to the 1993 U.S. National Research Council/National Academies of Sciences (NRC/NAS) publication *Guidelines for Developing Community Emergency Exposure Levels for Hazardous Substances*. NAC/AEGL, in cooperation with the National Academy of Sciences’ Subcommittee on AEGLs, has developed standard operating procedures (SOPs), which are followed by the program. These have been published by the National Academy Press and are referenced below. The number of AEGL values approved as “proposed” by the NAC/AEGL

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

FACA Committee represents the measure of performance. The data meet the standards in the QMP and the outcomes are reviewed by senior management.

**Suitability:** This output measure supports the long term goal of assigning proposed Acute Exposure Guideline Levels for all priority chemicals by 2011.

**QA/QC Procedures:** OPPT has in place a signed Quality Management Plan (“Quality Management Plan for the Office of Pollution Prevention and Toxics; Office of Prevention, Pesticides and Toxic Substances,” June 2003) and will ensure that those standards and procedures are applied to this effort. QA/QC procedures, specific to AEGLs, include public comment via the Federal Register process; review and approval by the FACA committee; and review and approval by the NAS/AEGL committee and their external reviewers.

**Data Quality Review:** Not applicable. The counts used as a basis for this measure are fully transparent.

**Data Limitations:** No specific data limitations have been identified with respect to the information relied upon in developing or reporting this measure.

**Error Estimate:** Not applicable. This measure does not require inferences from statistical samples and therefore there is no estimate of statistical error.

**New/Improved Data or Systems:** Access databases, spreadsheets and other files are maintained and improved on an ongoing basis. A new database is being developed to document rationales used to develop AEGL values. Once completed, this new database should enhance the efficiency of AEGL development.

**References:** Standing Operating Procedures for Developing Acute Exposure Guideline Levels for Hazardous Chemicals, National Academy Press, Washington, DC 2001 (<http://www.nap.edu/books/030907553X/html/>). NRC (National Research Council). 1993. Guidelines for Developing Community Emergency Exposure Levels for Hazardous Substances. Washington, DC: National Academy Press.  
AEGL Program website at <http://www.epa.gov/oppt/aegl>

#### **FY 2009 Performance Measure:**

- **Percent reduction from baseline year in total EPA cost per chemical for which Proposed AEGL value sets are developed (PART efficiency measure)**

**Performance Database:** OPPT maintains records on AEGL program income, expenditures and carryover from one year to the next, and on the number of FTEs allocated to the program. Information from these records is aggregated to determine total EPA cost per chemical for which

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

a proposed AEGL data set is tracked through a GPRA and Budget Accomplishment Word document. The denominator of the measure – number of proposed AEGL value sets – is tracked using the AEGL Chemical Status sans Structure Access 2000 database containing the approval dates for proposed AEGL values.

**Data Source:** EPA manages a Federal Advisory Committee Act (FACA) committee that reviews short term exposure values for extremely hazardous chemicals. The supporting data, from both published and unpublished sources and from which the AEGL values are derived, are collected, evaluated, and summarized by FACA Chemical Managers and Oak Ridge National Laboratory's scientists. Proposed AEGL values are published for public comment in the Federal Register and then referred to the National Academies of Science (NAS) for further review and action. Although proposed AEGLs are not considered final until so designated by the NAS, the proposed values are suitable for many purposes. This performance measure is tied to proposed values rather than to final ones because actions through the proposal stage of the AEGL process are largely under EPA's control whereas subsequent action to finalize the AEGL values is largely a matter within NAS jurisdiction.

**Methods and Assumptions:** The methods involved in developing and reporting on this performance measure consist of simple computational steps performed on data relating to AEGL cost and accomplishment. For these computational steps it is necessary to track the number of FTEs assigned to the AEGL program and then find the associated labor cost by multiplying by standard cost-of-living factors. Likewise, the extramural cost associated with managing the program is determined by pulling cost and budgetary data from the relevant files, multiplying an appropriate percentage estimating the proportion of staff and contractor resources devoted to proposed AEGL development, summing as needed, and adjusting for inflation. One assumption underlying these computations is that the appropriate percentage is used to reasonably estimate the proposal stage's share of total cost devoted to AEGLs. Targets are based on what is considered reasonable and achievable.

The data used to estimate this performance measure represent all the costs for developing a proposed AEGL value set and are the most acceptable for this requirement. The data meet the standards in the QMP and the outcomes are reviewed by senior management.

**Suitability:** The indicators used for this measure are suitable because reductions in cost per AEGL value are expected to result from improvements in program implementation. These cost reductions will enable EPA to achieve the goals of the AEGL program with greater efficiency.

**QA/QC Procedures:** OPPT has in place a signed Quality Management Plan ("Quality Management Plan for the Office of Pollution Prevention and Toxics; Office of Prevention, Pesticides and Toxic Substances," June 2003) and will ensure that those standards and procedures are applied to this effort. Specific QA/QC procedures for AEGL development include

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

public comment via the Federal Register process; review and approval by the FACA committee; and review and approval by the NAS/AEGL committee and their external reviewers. AEGL documents are formally reviewed for QC purposes by designated contractors and EPA staff at critical junctures utilizing detailed checklists. Cost information from available records is also subjected to QA/QC controls.

**Data Quality Review:** Information developed in the course of measurement will be presented to senior management within OPPT to address potential concerns related to technical outcomes and to provide quality oversight.

**Data Limitations:** No specific data limitations have been identified with respect to the information relied upon in developing or reporting this measure.

**Error Estimate:** Not applicable. This measure does not require inferences from statistical samples and therefore there is no estimate of statistical error.

**New/Improved Data or Systems:** Access databases, spreadsheets and other files are maintained and improved on an ongoing basis. A new database is being developed to document rationales used to develop AEGL values. Once completed, this new database should enhance the efficiency of AEGL development.

**References:** Standing Operating Procedures for Developing Acute Exposure Guideline Levels for Hazardous Chemicals, National Academy Press, Washington, DC 2001 (<http://www.nap.edu/books/030907553X/html/>). NRC (National Research Council). 1993. Guidelines for Developing Community Emergency Exposure Levels for Hazardous Substances. Washington, DC: National Academy Press. AEGL Program website at <http://www.epa.gov/oppt/aegl>

#### **FY 2009 Performance Measures:**

- **Number of cases of children aged 1-5 years with elevated blood lead levels (> 10 ug/dL) (PART measure)**
- **Percent difference in the geometric mean blood level in low-income children 1-5 years old as compared to the geometric mean for non-low income children 1-5 years old. (PART measure)**

**Performance Database:** Data from the Centers for Disease Control and Prevention's (CDC) National Health and Nutrition Examination Survey (NHANES) is recognized as the primary database in the United States for national blood lead statistics. NHANES is a probability sample of the non-institutionalized population of the United States. Data are collected on a calendar year basis, and are currently released to the public in two year sets. Blood lead levels are

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

measured for participants who are at least one year old. The survey collects information on the age of the participant at the time of the survey.

**Data Source:** The National Health and Nutrition Examination Survey is a survey designed to assess the health and nutritional status of adults and children in the U.S. The survey program began in the early 1960s as a periodic study, and continues as an annual survey. The survey examines a nationally representative sample of approximately 5,000 men, women, and children each year located across the U.S. CDC's National Center for Health Statistics (NCHS) is responsible for the conduct of the survey and the release of the data to the public. NCHS and other CDC centers publish results from the survey, generally in CDC's Morbidity and Mortality Weekly Report (MMWR), but also in scientific journals. In recent years, CDC has published a National Exposure report based on the data from the NHANES. The most current National Report on Human Exposure to Environmental Chemicals was released July 2005, and is available at the Web site <http://www.cdc.gov/exposurereport/>. The Fourth National Exposure report is expected in the summer of 2008.

**Methods and Assumptions:** Detailed interview questions cover areas related to demographic, socio-economic, dietary, and health-related questions. The survey also includes an extensive medical and dental examination of participants, physiological measurements, and laboratory tests. Specific laboratory measurements of environmental interest include: metals (e.g. lead, cadmium, and mercury), VOCs, phthalates, organophosphates (OPs), pesticides and their metabolites, dioxins/furans, and polyaromatic hydrocarbons (PAHs). NHANES is unique in that it links laboratory-derived biological markers (e.g. blood, urine etc.) to questionnaire responses and results of physical exams. For this performance measure, NHANES has been recognized as the definitive source. Estimates of the number of children 1-5 years with an elevated blood lead level based on NHANES have been published by CDC, most recently in May 2005. (See <http://www.cdc.gov/mmwr/preview/mmwrhtml/mm5420a5.htm>). Analytical guidelines issued by NCHS provide guidance on how many years of data should be combined for an analysis. The NHANES data directly estimate the values included in the two performance measures and are nationally recognized as the best source of this data. This data source measures blood levels in the same units (i.e., ug/dL) and at standard detection limits.

**Suitability:** The first measure supports the long-term goal of eliminating childhood lead poisoning as a public health concern by the year 2010. Data are collected on a calendar year basis and released to the public in two-year data sets. Data as of May 2005 reflecting 1999-2002 results, demonstrate progress towards the EPA's long-term target.

The second measure examines the disparities of blood lead levels in low-income children compared to non low-income children and uses this measure to track progress towards EPA's long-term goal of eliminating childhood lead poisoning in harder to reach vulnerable populations.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**QA/QC Procedures:** Background documentation is available at the NHANES Web site at <http://www.cdc.gov/nchs/nhanes.htm>. The analytical guidelines are available at the Web site [http://www.cdc.gov/nchs/about/major/nhanes/nhanes2003-2004/analytical\\_guidelines.htm](http://www.cdc.gov/nchs/about/major/nhanes/nhanes2003-2004/analytical_guidelines.htm).

**Data Quality Reviews:** CDC follows standardized survey instrument procedures to collect data to promote data quality, and data are subjected to rigorous QA/QC review. Additional information on the interview and examination process can be found at the NHANES web site at <http://www.cdc.gov/nchs/nhanes.htm>.

**Data Limitations:** NHANES is a voluntary survey and selected persons may refuse to participate. In addition, the NHANES survey uses two steps, a questionnaire and a physical exam. There are sometimes different numbers of subjects in the interview and examinations because some participants only complete one step of the survey. Participants may answer the questionnaire but not provide the more invasive blood sample. Special weighting techniques are used to adjust for non-response. Seasonal changes in blood lead levels cannot be assessed under the current NHANES design. Because NHANES is a sample survey, there may be no children with elevated blood lead levels in the sample, but still some children with elevated blood lead levels in the population.

**Error Estimate:** Because NHANES is based on a complex multi-stage sample design, appropriate sampling weights should be used in analyses to produce estimates and associated measures of variation. Recommended methodologies and appropriate approaches are addressed in the analytical guidelines provided at the NHANES Web site [http://www.cdc.gov/nchs/about/major/nhanes/nhanes2003-2004/analytical\\_guidelines.htm](http://www.cdc.gov/nchs/about/major/nhanes/nhanes2003-2004/analytical_guidelines.htm).

**New/Improved Data or Systems:** NHANES has moved to a continuous sampling schedule, scheduled release of data, and scheduled release of National Exposure reports by CDC.

**References:** 1) the NHANES Web site, <http://www.cdc.gov/nchs/nhanes.htm>; 2) the Third National Report on Human Exposure to Environmental Chemicals Web site, <http://www.cdc.gov/exposurereport/>; 3) Morbidity and Mortality Weekly Report (MMWR) article with the most recent estimate of the number of children with elevated blood lead levels, <http://www.cdc.gov/mmwr/preview/mmwrhtml/mm5420a5.htm>; 4) NHANES Analytical Guidelines, [http://www.cdc.gov/nchs/about/major/nhanes/nhanes2003-2004/analytical\\_guidelines.htm](http://www.cdc.gov/nchs/about/major/nhanes/nhanes2003-2004/analytical_guidelines.htm).

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

##### FY 2009 Performance Measure:

- **Annual percentage of lead-based paint certification and refund applications that require less than 20 days of EPA effort to process (PART efficiency measure)**

**Performance Database:** The National Program Chemicals Division (NPCD) in the Office of Pollution Prevention and Toxics (OPPT) maintains the Federal Lead-Based Paint Program (FLPP) database, an electronic database of applications for certification by individuals and firms and applications for accreditation by training providers in states and tribal lands administered by a Federal lead program. The database provides a record of all applications for certification or accreditation for Federally-managed lead programs and the actions on those applications including final decisions and the multiple steps in the process used for measurement. The database is augmented by hard copy records of the original applications. EPA uses an Oracle Discoverer application to query the database to collect measurable performance data.

**Data Source:** The FLPP database is available internally to EPA Headquarters and Regional lead program staff who process the applications or oversee the processing. The database is maintained on an EPA Research Triangle Park (RTP), North Carolina server. Access to the database is granted by the Lead, Heavy Metals, and Inorganics Branch (LHMIB) in NPCD. Overall maintenance of the database and periodic improvements are handled by a contractor, currently ICF Consulting, located in Fairfax, Virginia. Data entry of application data is conducted by a second contractor, currently Optimus Corporation, located in Silver Spring, Maryland. Optimus Corporation maintains the file of the original applications. Each EPA Regional office maintains a file of copies of the original applications for that region.

**Methods and Assumptions:** Each complete application for certification or accreditation in Federally-managed states and tribal lands is processed (approximately 3000 per year). Certification is issued if all criteria are met. Some applications may be returned to the applicant or withdrawn by the applicant. For the applications that are fully processed, the length of time for EPA processing can be determined from date fields in the FLPP database. Accordingly, a census of all the fully processed applications for certification is periodically conducted, and the percentage of applications that took more than the prescribed number of days (e.g., 20) of EPA effort to process is computed based on this census. The census is conducted every six months, and the annual percentage calculated appropriately from the six month percentages. The data used to estimate this performance measure directly reflect all information that has been recorded pertaining to certification applications and are the most acceptable for this requirement. The data meet the standards in the QMP and the outcomes are reviewed by senior management.

**Suitability:** This measure tracks EPA Headquarters and Regional effort in processing lead-based paint certification and refund applications. This measure reflects an integral part of the Lead Program and ensures proper training for lead-based professionals. Data are available mid-

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

year and end-of-year and enable the program to demonstrate program efficiencies and enhance accountability.

**QA/QC Procedures:** OPPT has in place a signed Quality Management Plan (“Quality Management Plan for the Office of Pollution Prevention and Toxics; Office of Prevention, Pesticides and Toxic Substances,” June 2003) and will ensure that those standards and procedures are applied to this effort. In addition, NPCD has an approved Quality Management Plan in place, dated January 2005. Applications and instructions for applying for certification and accreditation are documented and available at the Web site <http://www.epa.gov/lead/pubs/traincert.htm>. Documentation for the FLPP database is maintained internally at EPA and is available upon request.

**Data Quality Reviews:** The FLPP database is an internal EPA database, maintained for the purpose of processing and tracking applications. The database is interactive, and operational usage in processing applications by Headquarters and the Regional offices provides ongoing internal quality reviews. Further, EPA periodically checks contractors’ data entry quality.

**Data Limitations:** Applications that were returned to the applicant or withdrawn by the applicant are not captured in the database and are out of scope for this performance measure. While the report is based on a census, it generates some duplicative data, which must be removed manually. Efforts are made to remove all duplicative data, while preserving valid data. However, because this is a non-automated process, a small amount of human error is possible. Some variability occurs due to unique conditions that vary by Region. Some Regions consistently process applications in less time than others. This variability may be due to factors such as badge printing capabilities and economies of scale.

**Error Estimate:** There is little or no sampling error in this performance measure, because it is based on a census of all applicable records.

**New/Improved Data or Systems:** The FLPP database is scheduled to undergo improvements in the next few years after the renovation, remodeling and painting rule is finalized. The performance measurement system will help determine if there is a change in timeliness after the improvements are implemented.

**References:** 1) Quality Management Plan for National Program Chemicals Division, January 2005; 2) FLPP database documentation; 3) URL for Applications and Instructions, <http://www.epa.gov/lead/pubs/traincert.htm>.



## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

##### FY 2009 Performance Measures:

- **Reduction in the current year production-adjusted risk-based score of releases and transfers of toxic chemicals from manufacturing facilities (PART measure)**
- **Annual reduction in the production-adjusted risk-based score of releases and transfers of High Production Volume (HPV) chemicals from manufacturing facilities [PART measure]**

**Performance Database:** The Risk Screening Environmental Indicators (RSEI) Model feeds these measures and uses annual reporting from individual industrial facilities along with a variety of other information to evaluate chemical emissions and other waste management activities. RSEI incorporates detailed data from EPA's Toxics Release Inventory (TRI) and Integrated Risk Information System, the U.S. Census, and many other sources. Due to a two year TRI data lag, most recent performance data are only available for FY 2005 and earlier. The data are based on calendar year.

**Data Source:** The RSEI model incorporates data on chemical emissions and transfers and facility locations from EPA's Toxics Release Inventory; chemical toxicity data from IRIS; facility location data from EPA's Facility Registry System (FRS); stack data from EPA's AIRS Facility Subsystem and National Emissions Trends Database and the Electric Power Research Institute; meteorological data from the National Climatic Data Center; stream reach data from EPA's Reach File 1 Database; stream discharge data from EPA's Permit Compliance System (PCS) and Integrated Compliance Information System (ICIS); data on drinking water systems from EPA's Safe Drinking Water Information System; fishing activity data from U.S. Fish and Wildlife; exposure factors from EPA's Exposure Factor Handbook; and population data from the U.S. Census Bureau.

**Methods and Assumptions:** The RSEI Model generates unique, unitless, numerical values, known as "Indicator Elements" using the factors pertaining to surrogate dose, toxicity and exposed population for each release-exposure event. Indicator Elements are risk-related measures generated for every possible combination of reporting facility, chemical, release medium, and exposure pathway (inhalation or ingestion). Together these values form the building blocks to describe exposure scenarios of interest. Indicator Elements are like index numbers that can be compared to one-another but do not reflect *actual* risk, and are proportional to the modeled relative risk of each release (incrementally higher numbers reflect greater estimated risk). These Indicator Elements are summed in various ways to represent the risk-related results for releases users are interested in assessing. RSEI results are for comparative purposes and are only meaningful when compared to other scores produced by RSEI. These data are acceptable for use in performance measurement as they are national data reflecting releases and transfers of chemicals from manufacturing facilities, including a number of high production volume chemicals i.e., the data of interest for this measure.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**Suitability:** The first measure supports the Chemical Risk Review and Reduction program's goal to reduce risk from new and existing chemicals. This measure provides a suitable year to year comparison against a long term goal of 50% reduction in the RSEI index. The second measure supports the long term goal to reduce the RSEI index for HPV chemicals 45% by 2011. This measure provides a suitable year to year comparison against this goal and looks specifically at the reduction of risk for the subset of TRI chemicals that are also HPV chemicals. The year to year comparison can reveal trends in the risk from HPV chemicals over time. Despite a two year lag in TRI data, annual comparisons of overall RSEI results (first measure) and RSEI HPV results (second measure) can reveal trends in chemical risk over time. Further, depending on how the user wishes to aggregate data, RSEI can also address trends nationally, regionally, by state or smaller geographic areas.

**QA/QC Procedures:** OPPT has in place a signed Quality Management Plan ("Quality Management Plan for the Office of Pollution Prevention and Toxics; Office of Prevention, Pesticides and Toxic Substances," June 2003) and will ensure that those standards and procedures are applied to this effort. Additionally because TRI facilities self-report release data and occasionally make errors. TRI has quality control functions and an error-correction mechanism for reporting such mistakes. Finally during each RSEI update, the output data are checked against TRI data for consistency, and the results are compared against previous years' RSEI results.

**Data Quality Reviews:** RSEI depends upon a broad array of data resources, each of which has completed a data-specific quality review process managed by the providers of the data sources. RSEI includes data from the many sources listed in "Data Sources", above. All data are collected for regulatory or programmatic purposes and are of sufficient quality to be used by EPA, other Federal agencies, and state regulatory agencies. Over the course of its development, RSEI has been the subject of three reviews by EPA's Science Advisory Board (SAB). The RSEI model has undergone continuous upgrading since the 1997 SAB Review. Toxicity weighting methodology was completely revised and subject to a second positive review by SAB (in collaboration with EPA's Civil Rights program); air methodology was revised and groundtruthed using New York data to demonstrate high confidence; water methodology has been revised in collaboration with EPA's Water program. When the land methodology has been reviewed and revised, EPA will have completed its formal, written response to the 1997 SAB Review.

**Data Limitations:** RSEI relies on facility-specific data (for parameters such as stack height, discharge stream reach, location) from EPA data sources. Where such data are not available, default assumptions are used, or in some cases, the release is not modeled. Offsite releases (from transfers of toxic chemicals) are particularly affected by a lack of reported TRI data, and while RSEI addresses this through a process that optimizes the available data, the data are limited and of uneven quality. In addition, toxicity data are not available for some of the less-toxic TRI chemicals. Releases to water are not available for Alaska, Hawaii, Puerto Rico and U.S. territories, and some releases to water (for reporting facilities and offsite facilities) may not be

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

modeled because of inadequate coverage in the stream reach data. It should also be noted that TRI data include releases only from TRI-reportable facilities for TRI-reportable chemicals. It does not include all releases from reporting facilities or all releases of TRI-reportable chemicals. TRI data may also have errors that are not corrected in the standard TRI QC process.

**Error Estimate:** In developing the RSEI methodology, both sensitivity analyses and groundtruthing studies have been used to address model accuracy ([www.epa.gov/opptintr/rsei/](http://www.epa.gov/opptintr/rsei/)). For example, groundtruthing of the air modeling performed by RSEI compared to site-specific regulatory modeling done by the state of New York showed virtually identical results in both rank order and magnitude. However, the complexity of modeling performed in RSEI, coupled with un-quantified data limitations, limits a precise estimation of errors that may either over- or under-estimate risk-related results.

**New/Improved Data or Systems:** The program regularly tracks improvements in other Agency databases (e.g., Safe Drinking Water Information System and Reach File databases) and incorporates updated data into the RSEI databases. Such improvements can also lead to methodological modifications in the model. Corrections in TRI reporting data for all previous years are captured by the annual updates to the RSEI model databases. EPA is now using data from the FRS to assign geographic locations to TRI facilities.

**References:** The methodologies used in RSEI were first documented for the 1997 review by the EPA Science Advisory Board. The Agency has provided this and other updated technical documentation on the RSEI Home Page.

U.S. EPA Office of Pollution Prevention and Toxics, Risk Screening Environmental Indicators Model (RSEI) Home Page. Internet: <http://www.epa.gov/opptintr/rsei/>

U.S. EPA Office of Pollution Prevention and Toxics, Risk Screening Environmental Indicators Model, Peer Reviews. Internet: <http://www.epa.gov/oppt/rsei/pubs/faqs.html>

U.S. EPA Office of Pollution Prevention and Toxics, RSEI Methodology Document. Internet: <http://www.epa.gov/opptintr/rsei/pubs/method2004.pdf>

U.S. EPA Office of Pollution Prevention and Toxics, RSEI User's Manual. Internet: [http://www.epa.gov/opptintr/rsei/pubs/users\\_manual.pdf](http://www.epa.gov/opptintr/rsei/pubs/users_manual.pdf)

U.S. EPA Office of Pollution Prevention and Toxics, RSEI Fact Sheet,. Internet: [http://www.epa.gov/opptintr/rsei/pubs/factsheet\\_v2-1.pdf](http://www.epa.gov/opptintr/rsei/pubs/factsheet_v2-1.pdf)

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

##### FY 2009 Performance Measure:

- **Percent of new chemicals or organisms introduced into commerce that do not pose unreasonable risks to workers, consumers or environment**

**Performance Database:** Implementation of this measure will require the use of several EPA databases: Confidential Business Information Tracking System (CBITS), pre-manufacture notice (PMN) CBI Local Area Network (LAN), 8(e) database for new chemicals called ISIS, and the Focus database. The following information from these databases will be used collectively in applying this measure:

- CBITS: Tracking information on Pre-Manufacture Notices (PMNs) received;
- PMN CBI LAN: Records documenting PMN review and decision, assessment reports on chemicals submitted for review. In addition, the information developed for each PMN is kept in hard copy in the Confidential Business Information Center (CBIC);
- ISIS: Data submitted by industry under the Toxic Substances Control Act (TSCA) Section 8(e). TSCA 8(e) requires that chemical manufacturers, processors, and distributors notify EPA immediately of new (e.g. not already reported), unpublished chemical information that reasonably supports a conclusion of substantial risk. TSCA 8(e) substantial risk information notices most often contain toxicity data but may also contain information on exposure, environmental persistence, or actions being taken to reduce human health and environmental risks. It is an important information-gathering tool that serves as an early warning mechanism;
- Focus Database: Rationale for decisions emerging from Focus meeting, including decisions on whether or not to drop chemicals from further review.

Measurement results are calculated on a fiscal-year basis and draw on relevant information received over the 12-month fiscal year.

**Data Source:** The Office of Pollution Prevention and Toxics (OPPT) is responsible for the implementation of the TSCA. The office will compare data submitted under TSCA Section 8(e) with previously-submitted new chemical review data (submitted under TSCA Section 5 and contained in the PMN). This comparison will determine the number of instances in which EPA's current PMN review practices would have failed to prevent the introduction of new chemicals or microorganisms into commerce which pose an unreasonable risk to workers, consumers or the environment. Inconsistencies between the 8(e) and previously-submitted new chemical review data will be evaluated by applying the methods and steps outlined below to determine whether the inconsistencies signify an "unreasonable risk."

**Methods and Assumptions:** EPA's methods for implementing this measure involve determining whether EPA's current PMN review practices would have failed to prevent the introduction of chemicals or microorganisms into commerce that pose an unreasonable risk to workers, consumers or the environment, based on comparisons of 8(e) and previously-submitted new chemical review data. The "unreasonable risk" determination is based on consideration of (1)

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

the magnitude of risks identified by EPA, (2) limitations on risk that result from specific safeguards applied, and (3) the benefits to industry and the public expected to be provided by the new chemical substance. In considering risk, EPA looks at anticipated environmental effects, distribution and fate of the chemical substance in the environment, patterns of use, expected degree of exposure, the use of protective equipment and engineering controls, and other factors that affect or mitigate risk. The following are the steps OPPT will follow in comparing the 8(e) data with the previously-submitted new chemical review data:

1. Match all 8(e) submissions in the 8(e) database with associated TSCA Section 5 notices. TSCA Section 5 requires manufacturers to give EPA a 90-day advance notice (via a pre-manufacture notice or PMN) of their intent to manufacture and/or import a new chemical. The PMN includes information such as specific chemistry identity, use, anticipated production volume, exposure and release information, and existing available test data. The information is reviewed through the New Chemicals Program to determine whether action is needed to prohibit or limit manufacturing, processing, or use of a chemical.
2. Characterize the resulting 8(e) submissions based on the PMN review phase. For example, were the 8(e) submissions received: a) before the PMN notice was received by EPA, b) during the PMN review process, or c) after the PMN review was completed?
3. Review of 8(e) data focusing on 8(e)s received after the PMN review period was completed.
4. Compare hazard evaluation developed during PMN review with the associated 8(e) submission.
5. Report on the accuracy of the initial hazard determination.
6. Revise risk assessment to determine if there was an unreasonable risk based on established risk assessment and risk management guidelines and whether current PMN Review practices would have detected and prevented that risk.

**Suitability:** The databases used and the information retrieved are directly applicable to this measurement and therefore suitable for measurement purposes. This measure supports the New Chemical program's goal to ensure that new chemicals introduced into commerce do not pose unreasonable risks to workers, consumers, or the environment. This measure provides a suitable year to year comparison against this goal because supporting data and analysis are conducted on an annual basis, directly linking to this long-term goal.

**QA/QC Procedures:** OPPT has in place a signed Quality Management Plan ("Quality Management Plan for the Office of Pollution Prevention and Toxics; Office of Prevention, Pesticides and Toxic Substances;" June 2003) and will ensure that those standards and procedures are applied to this effort.

**Data Quality Reviews:** Information developed in the course of measurement will be presented to senior management within OPPT to address potential concerns related to technical outcomes and to provide quality oversight. In addition, the National Pollution Prevention and Toxics

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

Advisory Council (NPPTAC), which consists of external experts providing independent review and direction to OPPT, has provided comment on this measure.

**Data Limitations:** There are some limitations of EPA's review which result from differences in the quality and completeness of 8(e) data provided by industry; for example, OPPT cannot evaluate submissions that do not contain adequate information on chemical identity. The review is also affected in some cases by a lack of available electronic information. In particular the pre-1996 PMN cases are only retrievable in hard copy and may have to be requested from the Federal Document Storage Center. This may introduce some delays to the review process.

**Error Estimate:** Not applicable. This measure does not require inferences from statistical samples and therefore there is no estimate of statistical error. OPPT will review all 8(e) submissions received in the year with corresponding previously-submitted new chemical review data, and not a sample of such submissions.

**New/Improved Data or Systems:** OPPT is currently developing the integrated, electronic Manage Toxic Substances (MTS) system that will provide real time access to prospective PMN review.

**References:** OPPT New Chemicals Program

<http://www.epa.gov/opptintr/newchems/>, TSCA Section 8(e) – Substantial Risk

“Quality Management Plan for the Office of Pollution Prevention and Toxics; Office of Prevention, Pesticides and Toxic Substances;” June 2003.

#### FY 2009 Performance Measures:

- **Percent reduction from baseline year in average cost of TSCA Section 8(e) processing and searches. [PART efficiency measure]**
- **Percent reduction from baseline year in cost of managing PMN submissions through the Focus meeting as a percentage of baseline year cost. [PART efficiency measure]**

**Performance Databases:** EPA will rely on several principal databases to facilitate implementation of the TSCA Section 8(e) and new chemical submission efficiency measures:

- **Confidential Business Information Tracking System (CBITS):** CBITS allows users to access basic identifying and status information on each hard copy 8(e) notification and new chemical submission to EPA, track receipt of each hard copy submission as well as requests for copies of submissions or information therein, and to obtain data on number of hard copy submissions and requests for copies per fiscal year. CBITS is a paper system which will eventually be phased out in favor of MTS database (see below).
- **Manage Toxic Substances (MTS) database:** This is a new system that, when applied to 8(e) notifications and new chemical submissions in FY 2008, will enable users to receive,

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

process, and store electronic submissions of 8(e) notifications and new chemical submissions information, and accommodate subsequent searches and retrievals performed by EPA or contractor staff. The system will provide data on the number of electronic submissions per fiscal year and the number of searches and retrievals conducted electronically by accessing scanned documents.

**Data Sources:** The sources of data for this performance measure are the 8(e) notifications and new chemical submissions and the information summarized in the databases described above. No external data sources play a direct role in the calculation of measurement results, although the 8(e) notifications often make reference to external data sources in which the reported 8(e) information originally appeared.

**Methods and Assumptions:** The efficiency measure “Average cost of TSCA Section 8(e) processing and searches” is calculated by: (1) defining the baseline year (FY 2007) and developing baseline information expressed as the average time required to conduct 8(e) processing and searches in the baseline year; (2) converting average time to average cost measurements; (3) setting appropriate targets for outyears, reflecting increasing levels of efficiency; and (4) conducting actual measurements for fiscal years beginning with FY 2009, after electronic submissions, processing and searches begin. These steps can be summarized individually as follows:

(1) Obtain baseline data: FY 2007 baseline data were obtained for each of five distinct sub-measures that are combined additively to produce the single efficiency measure described here. These sub-measures and the associated average handling times for 8(e)'s are: (a) average time spent sorting mail for 8(e)'s in the Confidential Business Information Center (CBIC) – 5 minutes per 8(e); (b) average time spent processing 8(e)'s in the CBIC – 10 minutes per 8(e); (c) average time searching the CBITS and/or MTS databases – 20 minutes per 8(e); (d) average time spent retrieving 8(e)'s from the CBIC – 25 minutes per 8(e); and (e) average time spent retrieving 8(e)'s off the shelf and replacing them – 2 minutes per 8(e). Collectively, these sub-measures represent the complete activity profile for 8(e) processing and searches. The time estimates are based on interviews with key staff conducted by the program.

(2) Convert average time baseline to average cost: For sub-measures that describe tasks performed by EPA staff, average time estimates have been converted to average cost by taking the standard hourly rate for a biologist at grade 14, step 1; dividing by 60 to express the hourly rate in minutes; and multiplying the result by the average time estimate (in minutes), yielding the average cost per 8(e). Similar calculations are performed for sub-measures that describe contractor tasks, except that the hourly rate is obtained from actual experience under the applicable contract.

(3) Set targets for fiscal years: The gradual expansion of electronic reporting and scanning is the main factor driving the targeted improvement in the measure. Target setting is based on what is considered reasonable and achievable. Targets are expressed, preliminarily, as the expected percentage increase in electronic submissions or scanned

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

8(e)s from the baseline fiscal year and the amount of time required for handling of such materials.

(4) Conduct measurements: The final step in the measurement process is to perform the actual measurements for specific fiscal years. This is done by consulting the databases described earlier to determine the actual proportion of submissions and searches/retrievals that are electronic and the proportion that are non-electronic, and inserting these data into the appropriate average cost formula. For instance, with respect to the average sorting time measure, one substitutes the actual proportion of non-electronic submissions for the target of .95 and the actual proportion of electronic submissions for the target of .05, leaving all other numbers in the formula the same.

There are a number of facts and assumptions underlying the preceding methodology: (a) Baseline 8(e) submissions and searches are all conducted non-electronically; (b) The overall number of submissions and search requests will remain static over the three-year period; (c) Possible increases in contractor and EPA staff costs are disregarded; and (d) for the average time searching CBITS/MTS sub-measure, the cost of electronic searches is proportional to search time (i.e., 20 minutes / 5 minutes = baseline cost divided by 4 =  $\$12.40/4 = \$3.10$ ). For the other sub-measures, the average time and average cost are zero. Note: Item (a) can be considered a fact, while items (b)-(d) are assumptions.

The calculation is the nearly the same for new chemical submissions. Just substitute “new chemical submissions” for “8(e)” above. The sub-measures and the associated average handling times for new chemical submissions are slightly modified. They are: (a) average time spent sorting and processing mail for new chemical submissions in the Confidential Business Information Center (CBIC) – 35 minutes per new chemical submission; and (b) average time searching and retrieving new chemical submissions – 45 minutes per new chemical submission. Collectively, these sub-measures represent the complete activity profile for new chemical submission processing and searches. The time estimates are based on interviews with key staff conducted by the program.

The performance measures are suitable efficiency measures because average cost takes into account all expenses involved. The sub-measures exhaust all activities which contribute to process and the associated costs. The data collected and analyzed represent the costs of 8(e) and new chemical processing and are the most acceptable data available for this measure. All data meet the QMP requirements and outcomes are reviewed by OPPT senior management.

**Suitability:** The indicators selected are suitable and appropriate because they reflect expected cost savings stemming from automation of the new chemical submission and 8(e) notification and review process. This represents EPA’s progress toward its goal of improving program efficiency.



## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**QA/QC Procedures:** OPPT has in place a signed Quality Management Plan (“Quality Management Plan for the Office of Pollution Prevention and Toxics; Office of Prevention, Pesticides and Toxic Substances,” June 2003) and will ensure that those standards and procedures are applied to this effort.

**Data Quality Review:** Information developed in the course of measurement will be presented to senior management within OPPT to address potential concerns related to technical outcomes and to provide quality oversight.

**Data Limitations:** No specific data limitations have been identified with respect to the information relied upon in developing or reporting these measures.

**Error Estimate:** Not applicable. The measures do not require inferences from statistical samples and therefore there is no estimate of statistical error.

**New/Improved Data or Systems:** As mentioned above, the development and deployment of the new MITS (Manage Toxic Substances) database will enable users to track electronic submissions and handling of 8(e) and new chemical information. The system will provide data on the number of electronic submissions per fiscal year and the number of searches and retrievals conducted electronically by accessing scanned documents.

**References:** <http://www.epa.gov/opptintr/tzca8e/>

#### **FY 2009 Performance Measures:**

- **Cumulative number of High Production Volume (HPV) chemicals with Screening Level Hazard Characterization Reports completed [PART measure]**
- **Cumulative number of High Production Volume (HPV) chemicals with Risk-Based Decisions completed [PART measure]**

**Performance Database:** EPA uses a reporting spreadsheet called “Hazard Score and Data Gaps for High Production Volume (HPV) Chemicals to track the number of completed Screening Level Hazard Characterization Reports. The spreadsheet is located on the Office of Pollution Prevention and Toxics (OPPT) secure Local Area Network (LAN) drive (G:\HPV Hazard Characterization), with the working copy located on the Branch Chief’s desktop. EPA uses a reporting spreadsheet called “Risk-Based Decisions for High Production Volume (HPV) Chemicals” to track the number of completed Risk Based Decisions and other developed products besides the Hazard Characterizations described above that contribute to those decisions, such as Fate Characterizations, Exposure Characterizations, and Risk Characterizations. The entire process associated with tracking chemicals through the Security and Prosperity Partnership (SPP) is also tracked through the High Production Volume Information System (HPVIS) database.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**Data Source:** The Screening Level Hazard Characterization Reports are completed by EPA staff based on submissions from chemical sponsors, and are completed for both U.S. HPVs and international Screening Information Data Set (SIDS) chemicals. Each screening level hazard characterization document represents a thorough review by qualified EPA personnel of the information provided by the submitter. Once a report is completed, as determined by senior scientist and management review, the spreadsheet is updated with the chemical name and date of completion. Screening Level Hazard Characterization Reports are combined with Exposure and Fate Characterizations based on information received from industry through the TSCA Inventory Update (IUR), leading to development of Risk Characterizations for each chemical. Division Directors within OPPT look holistically at this information and make a Risk-Based Recommendation. A Risk-Based Decision is then made by the OPPT Office Director and this integrated product is made publicly available through the HPV Program website and through HPVIS.

**Methods and Assumptions:** Hazard characterizations contribute to the Agency's ability to make Risk Based Decisions for HPV chemicals. The measures count the number of completed Hazard Characterization products (reports) at the time they are forwarded from the Risk Assessment Division to the Chemical Control Division, and the number of associated Risk-Based Decisions, measured at the time that the Office Director's decision is made final. Public posting of the Risk-Based Decision occurs approximately 2-4 weeks following decision finalization.

**Suitability:** Both of these measures are direct output measures of the Chemical Risk Review and Reduction program. These output measures support the outcome goal of reducing risk from HPV chemicals and are suitable for year to year as well as quarter to quarter comparisons. Hazard screening is an important first step in reducing risk and Risk-Based Decisions form the primary basis for taking action to reduce risk and improve human health.

**QA/QC Procedures:** All Pollution Prevention and Toxics programs operate under the Information Quality Guidelines as found at <http://www.epa.gov/quality/informationguidelines>, last accessed on August 28th, 2006, and under the Pollution Prevention and Toxics Quality Management Plan (QMP) ("Quality Management Plan for the Office of Pollution Prevention and Toxics; Office of Prevention, Pesticides and Toxic Substances," June 2003) and the program will ensure that those standards and procedures are applied to this effort. Specifically, each Screening Level Hazard Characterization Report is reviewed by a senior staffer in the HPV program, the Branch Chief and the Division Director. The same review is applied to the count of cumulative Screening Level Hazard Characterization Reports completed.

**Data Quality Reviews:** Recent GAO reviews found that EPA does not routinely assess the risks of all existing chemicals and faces challenges in obtaining the information necessary to do so.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

EPA has taken several steps to respond to these reviews including successful implementation of a process to routinely assess risks of existing chemicals. Data submissions have been received for 1,357 (97%) out of the 1,401 chemicals sponsored directly in the HPV Challenge Program. EPA scientists are currently utilizing the data to review HPV chemicals and develop screening-level Hazard Characterizations (HC). The screening-level HCs will be combined with Exposure Characterizations to create Screening-level Risk Characterizations, which will summarize any potential risks, identify scientific issues, and ensure transparency and risk communication. For chemicals of concern, voluntary and regulatory Risk-Based Decisions will then be implemented to achieve effective risk management.

**Data Limitations:** None.

**Error Estimate:** Not applicable. No models, assumptions or statistical methods are applied.

**New/Improved Data or Systems:** A content page is available for posting the Screening Level Hazard Characterization Reports publicly on EPA's HPV website [http://iaspub.epa.gov/opptppv/hpv\\_hc\\_characterization.get\\_report](http://iaspub.epa.gov/opptppv/hpv_hc_characterization.get_report). A content page is under development for posting Risk Based Decisions publicly on EPA's HPV website. This website will post Risk-Based Decisions as an integrated product of Hazard, exposure and fate characterizations, which form the basis of the decision making process. The site will allow for review of the all products leading to the Risk-Based Decisions by the chemical sponsors and other interested parties and will contain instructions for submitting comments on the reports or underlying data. The comments will also be posted.

#### **References:**

"Quality Management Plan for the Office of Pollution Prevention and Toxics; Office of Prevention, Pesticides and Toxic Substances;" June 2003.

GAO-05-458: Chemical Regulation: Options Exist to Improve EPA's Ability to Assess Health Risks and Manage Its Chemical Review Program, June 2005

GAO-06-1032T: Chemical Regulation: Actions Are Needed to Improve the Effectiveness of EPA's Chemical Review Program, August 2006

#### **FY 2009 Performance Measure:**

- **Number of risk management plan audits and inspections completed**

**Performance Database:** The EPA Annual Commitment System (ACS) is the database for the number of risk management plan audits.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**Data Source:** OSWER's Office of Emergency Management implements the Risk Management Program under Clean Air Act section 112(r). Facilities are required to prepare Risk Management Plans (RMPs) and submit them to EPA. In turn, EPA Headquarters (HQ) provides appropriate data to each Region and delegated State so that they have the RMP data for their geographical area. The Regions and delegated States conduct audits. About ten States have received delegation to operate the RMP program. These delegated States report audit numbers to the appropriate EPA Regional office so it can maintain composite information on RMP audits.

**Methods, Assumptions and Suitability:** Regions enter data into the Agency's Annual Commitment System. HQ prepares an annual report. Data are count data and not open to interpretation.

**QA/QC Procedures:** Data are collected from states by EPA's Regional offices, and reviewed at the time of Regional data entry. Data are regularly compared to similar data from the past to identify potential errors.

**Data Quality Review:** Data quality is evaluated by both Regional and Headquarters' personnel.

**Data Limitations:** Data quality is dependent on completeness and accuracy of the data provided by state programs and the EPA Regional offices.

**Error Estimate:** Not calculated.

**New/Improved Data or Systems:** N/A

**Reference:** N/A

#### **FY 2009 Performance Measure:**

- **Number of countries completing phase out of leaded gasoline**
- **Number of countries introducing low sulfur in fuels**

**Performance Database:** UNEP Partnership Clearinghouse; This performance measure tracks the number of countries that have phased out lead in gasoline. EPA works with the United Nations Environment Programme (UNEP) and other partners in the global Partnership for Clean Fuels and Vehicles to document the phase out of leaded gasoline and the reduction of sulfur levels in fuels worldwide. UNEP manages the Partnership Clearinghouse, which tracks the status of lead phase-out efforts and the status of sulfur reduction efforts in each country. The Partnership Clearinghouse also documents and verifies each country's implementation of lead phase out and sulfur reduction programs. The Partnership's data on lead phase-out can be found on the Partnership website at: <http://www.unep.org/PCFV/Data/data.htm#leaded>. The Partnership's data on sulfur levels in fuels, by country, can be found on the Partnership website at: <http://www.unep.org/PCFV/Data/data.htm#sulphur>

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**Data Source:** The United Nations Environment Programme serves as the Clearinghouse for the Partnership for Clean Fuels and Vehicles and maintains a database of the status of country lead-phase out. Information from the database is posted on the Partnership website and updated periodically by UNEP -- at least every 6 months. UNEP collects the data from public and private sector partners and contacts government and industry experts in each country for verification before the data are posted. This data collection and cross-checking provide the best currently available information on country lead phase-out status and levels of sulfur.

**Methods, Assumptions and Suitability:** There is currently no available database on international leaded gasoline sales data or market penetration of alternative fuels, nor is there any international database on sulfur levels in fuels. Because of this gap, the Partnership made the decision to track the number of countries that have phased out lead and reduced sulfur because the data are more easily verifiable.

**QA/QC Procedures:** Experts at the Partnership for Clean Fuels and Vehicles verify the information in the Partnership Clearinghouse by contacting key people from industry and government within each country.

**Data Quality Reviews:** N/A

**Data Limitations:** There currently is no available database on leaded gasoline sales data or market penetration of alternative fuels. The Partnership made the decision to track the number of countries that have phased out lead and reduced sulfur in fuels, because the data are more easily verifiable. Fuel changes and lead phase-out are implemented in different ways in different countries, mostly by legislation. But having the legislation in place does not mean that lead has been eliminated from gasoline. Many countries have set dates for lead phase-out and sulfur reduction; however the Partnership tracks actual progress toward implementation.

**Error Estimate:** N/A

**New/Improved Data or Systems:** N/A

**References:** For additional information on the Partnership for Clean Fuels and Vehicles, see the Partnership website at <http://www.unep.org/PCFV>

For more information concerning the database for phase-out of leaded gasoline, see <http://www.unep.org/PCFV/Data/data.htm#leaded>

For additional information on sulfur levels, see <http://www.unep.org/PCFV/Data/data.htm#sulphur>

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

#### GOAL 4 OBJECTIVE 2

##### FY 2009 Performance Measures:

- **Number of Brownfields properties assessed [PART performance measure]**
- **Number of properties cleaned up using Brownfields funding**
- **Number of jobs leveraged from Brownfields activities**
- **Billions of dollars of cleanup and redevelopment funds leveraged at Brownfields properties. [PART performance measure]**
- **Acres of Brownfields made ready for reuse [PART performance measure]**

**Performance Database:** The Assessment Cleanup and Redevelopment Exchange System (ACRES) tracks the performance information for the above measures.

Key fields related to performance measures include, but are not limited to:

Property Acreage  
Assessment Completion Date  
Cleanup Required  
Cleanup Completion Date  
Funding Leveraged  
Jobs Leveraged

Performance measure data is tracked by fiscal year and will not be available for the FY 2009 PAR; data will be available for the FY 2010 PAR.

**Data Source:** Data are extracted from quarterly reports and property profile forms (<http://www.epa.gov/brownfields/pubs/rptforms.htm>) prepared by assessment, cleanup, revolving loan fund (RLF), job training, and State and Tribal 128 Voluntary Response Program cooperative agreement award recipients. Information on Targeted Brownfields Assessments is collected from EPA Regions.

**Methods, Assumptions and Sustainability:** Cooperative agreement recipients report performance data in quarterly reports and property profile forms. Data are reviewed by Regional EPA grant managers to verify activities and accomplishments. Given the reporting cycle and the data entry/QA period, there is typically a six month data lag for ACRES data.

Note that accomplishments reported by Brownfields Assessment Grantees, Brownfields Cleanup Grantees, Brownfields Revolving Loan Fund Grantees, Brownfields Job Training Grantees, Regional Targeted Brownfields Assessments, and State and Tribal 128 Voluntary Response Program Grantees all contribute towards these performance measures. "Number of Brownfields properties assessed" is an aggregate of assessments completed with Assessment Grant funding,

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

Regional Targeted Brownfields Assessment funding, and State and Tribal 128 Voluntary Response Program funding. “Number of Brownfields properties cleaned up” is an aggregate of properties cleaned up by RLF Grantees, Cleanup Grantees, and State and Tribal 128 Voluntary Response Program Grantees. “Number of Acres Made Ready for Reuse” is an aggregate of acreage assessed that does not require cleanup and acreage cleaned up as reported by Assessment Grantees, Regional Targeted Brownfields Assessments, Cleanup Grantees, RLF Grantees, and State and Tribal 128 Voluntary Response Program Grantees. “Number of cleanup and redevelopment jobs leveraged” is the aggregate of jobs leveraged by Assessment, Cleanup and RLF Grantees. “Amount of cleanup and redevelopment funds leveraged at Brownfields properties” is the aggregate of funds leveraged by Assessment, Cleanup and RLF Grantees.

**QA/QC Procedures:** Data reported by cooperative award agreement recipients are reviewed by EPA Regional grant managers for accuracy and to ensure appropriate interpretation of performance measure definitions. Reports are produced monthly with detailed data trends analysis.

**Data Quality Reviews:** No external reviews.

**Data Limitations:** All data provided voluntarily by grantees.

**Error Estimate:** NA

**New/Improved Data or Systems:** The Brownfields Program updated the Property Profile Form in FY 2006 to improve data collection and to expand the community of grantees completing the form. The Program launched and phased in an online reporting form in FY 2007.

**References:** For more information on the Brownfields program, see *Investing in Partnership, Possibility and People: A Report to Stakeholders from the US EPA Brownfields Program* ([http://www.epa.gov/brownfields/news/stake\\_report.htm](http://www.epa.gov/brownfields/news/stake_report.htm)); assessment demonstration pilots and grants ([http://www.epa.gov/brownfields/assessment\\_grants.htm](http://www.epa.gov/brownfields/assessment_grants.htm)); cleanup and revolving loan fund pilots and grants (<http://www.epa.gov/brownfields/rlflst.htm>); job training pilots and grants (<http://www.epa.gov/brownfields/job.htm>); and cleanup grants ([http://www.epa.gov/brownfields/cleanup\\_grants.htm](http://www.epa.gov/brownfields/cleanup_grants.htm)).

#### **FY 2009 Performance Measure:**

- **Number of communities with potential environmental justice concerns that achieve significant measurable environmental and/or public health improvement through collaborative problem-solving strategies.**

**Performance Database:** The Environmental Justice (EJ) Collaborative Problem-Solving (CPS) Cooperative Agreement (CA) Program within the Office of Environmental Justice (OEJ)

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

established and maintains the “EJ CPS CA Performance Tracking Database” in *Lotus Notes* to support the above program performance measure. The purpose of the program is to fund individual projects that each employ CPS strategies to improve environmental and/or public health in a specified community with environmental justice concerns. The database consists of specific information and data that are gathered from individual project files and entered by OEJ project officers who are assigned to one or more individual projects. To determine progress toward the above-stated program performance measure, OEJ periodically evaluates the information and data in the database and project files for completed projects using the consistent program procedures described below. Each completed project has the potential to be counted as one community that meets the program performance measure.

**Data Source:** The main sources of data for this program performance measure are semi-annual reports that are submitted to OEJ project officers by the recipients of EPA CPS CA projects. Each OEJ project officer enters data and information from these reports into the above-mentioned database. The most important type of data in the semi-annual reports are current values for one or more performance measures that are each associated with a project-specific performance goal and baseline. The units of these measured values, as well as the goals and baselines have been evaluated to determine if they are appropriate, reasonable, realistic and will ensure a strong logical linkage with the above-mentioned CPS CA program performance measure. As described below, the logical linkages are designed to ensure that the attainment of the project-specific goals for a given project serves as a reliable basis for concluding that the community named in the project has achieved “significant measurable environmental and/or public health improvement through collaborative problem-solving strategies.”

**Methods, Assumptions and Suitability:** The projects in the EJ CPS CA program are awarded through a competitive review process in which applications are received in response to periodic requests for applications (RFAs). Each award recipient generally is a community-based organization that provides a project manager who reports to an OEJ project officer. The RFAs instruct applicants to define the specific potential environmental justice concern that their project proposes to address, and also instructs them to provide the outputs, outcomes, performance goals, and performance measures that are expected from their project. The process for evaluating these applications is guided by a published evaluation criteria and consensus among reviewers as to whether a given applicant has proposed a strong strategy that will “achieve significant measurable environmental and/or public health improvements through collaborative problem solving,” as required by the above-listed program performance measure. After the projects are selected for award, each OEJ project officer works with the project manager in the awardees’ organization to refine a priority list of outputs, performance measures and goals, and baseline measures that must be tracked at least monthly throughout the life of the project. These lists also are used to prepare the templates for the semi-annual progress reports, which are the primary sources of data for the program performance measure, as described in the previous section. In working with the project manager to establish these lists, each OEJ project officer uses program guidance to ensure that the performance measures, performance goals, and baseline



## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

measures for the project are appropriate, reasonable, and realistic, and are consistent with OEJ procedures for determining when the project has met the program performance measure stated above. In addition, each OEJ project officer follows OEJ guidance to ensure that project performance measures and goals are being tracked accordingly throughout the life of the project. The units of measurement for the project-specific goals, measures, and baselines often vary between different projects depending on the types of community improvements being pursued by each project. However, the structure of the CPS CA program enables the OEJ project officers to coordinate with each other and with their respective CPS CA project manager to ensure the establishment of similar project goals between projects that are addressing similar types of environmental and/or public health improvements in their communities. The lists of indicators selected for each community vary due to the unique nature of the improvements the communities are trying to make. Examples of the types of improvements include but are not limited to:

- Increased coordination between healthcare providers and local government service organizations, and
- Reductions in exposures of community residents to:
  - Contaminated groundwater in their private wells,
  - Household toxins (such as asthma triggers and lead),
  - Workplace toxins (such products used in nail salons and floor-finishing businesses)
  - Emissions from nearby hog farm operations
  - Diesel emissions from nearby trucking operations.

Some of the key measures used to track these improvements include, but are not limited to numbers of:

- Patients newly referred to a specific government service organization by project-trained healthcare workers
- Participants completing a specific training on how to reduce their exposure to toxins
- Participants who commit to making one or more behavior changes
- Participants observed to have made one or more behavior changes
- Households with reduced exposures
- Business owners who commit to one or more specific behavior changes, such as modifying their operations to reduce releases of pollutants
- New regulations, ordinances, or laws resulting from project activities

**QA/QC Procedures:** To ensure data accuracy and control, the following administrative controls are in place: (1) Report specifications for each project detailing how reported data are collected and calculated, and (2) approved Quality Assurance Project Plans (QAPP) for projects involving the collection of primary or secondary environmental data.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**Data Quality Review:** The Office of Environmental Justice performs an annual review of each project to verify the data supporting the performance measure. Typically, there are no published results.

**Data Limitations:** The first round of collaborative problem-solving projects was not structured to capture baseline information and some detailed performance measure data. However, the files for these projects contain information and data that can be used in concert with OEJ guidance to make determinations as to whether the results of each of these projects meet the program performance measure by achieving “significant measureable improvement” in their respective communities.

**Error Estimate:** NA

**New/Improved Data or Systems:** The CPS Program revised the solicitation to improve data collection. Awards made in FY 2007 are structured to capture baseline information and more detailed performance measure data. This change will be reflected over the next several years.

**References:** For more information on collaborative problem-solving see *EPA’s Environmental Justice Collaborative Problem-Solving Model*.  
(<http://www.epa.gov/compliance/resources/publications/ej/grants/cps-manual-12-27-06.pdf>)

#### **FY 2009 Performance Measures:**

- **Additional people served per million dollars (US and Mexico federal expenditures) [PART efficiency measure]**
- **Number of additional homes provided safe drinking water in the Mexican border area that lacked access to drinking water in 2003 [PART annual measure]**
- **Number of additional homes provided adequate wastewater sanitation in the Mexican border area that lacked access to wastewater sanitation in 2003 [PART annual measure]**

**Performance Database:** No formal EPA database. Performance is tracked and reported quarterly by the Border Environment Cooperation Commission (BECC) and the North American Development Bank (NADBank). Data fields are population served by and homes connected to potable water and wastewater collection and treatment systems.

**Data Source:** Data sources include U.S. population figures from the 2000 U.S. Census to establish the baseline, data on U.S. and Mexican populations served and homes connected by "certified" water/wastewater treatment improvements from the BECC and data on projects funded from the NADBank.

**Methods, Assumptions and Suitability:** Summation of population from BECC and NADBank.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**QA/QC Procedures:** EPA Headquarters is responsible for evaluation of reports from BECC and NADBank on drinking water and wastewater sanitation projects. Regional representatives attend meetings of the certifying and financing entities for border projects (BECC and NADBank) and conduct site visits of projects underway to ensure the accuracy of information reported.

**Data Quality Reviews:** Regional representatives attend meetings of the certifying and financing entities for border projects (BECC and NADBank) and conduct site visits of projects underway to ensure the accuracy of information reported.

**Data Limitations:** None.

**Error Estimate:** The error estimate is the same rate accepted by the U.S. Census.

**New/Improved Data or Systems:** None.

#### **References:**

U.S. Department of Commerce, Bureau of the Census, (Washington, DC: U.S. Department of Commerce, 1990). *Instituto Nacional de Estadística, Geografía y Informática, Aguascalientes*, Total Population by State (1990).

Border Environment Cooperation Commission (BECC), Cd Juarez, Chih, and North American Development Bank (NADBank), (San Antonio, TX, 2002).

### GOAL 4 OBJECTIVE 3

#### **FY 2009 Performance Measures:**

- **Acres of habitat protected or restored in National Estuary Program (NEP) study areas [PART annual measure]**
- **Program dollars per acre of habitat protected or restored [PART annual efficiency measure]**

**Performance Database:** The Office of Wetlands Oceans and Watersheds has developed a standardized format for data reporting and compilation, defining habitat protection and restoration activities and specifying habitat categories. The key field used to calculate annual performance is habitat acreage. Annual results have been reported since 2000 for the NEP (results are calculated on a fiscal year basis).

Information regarding habitat protection is accessible on a web page that highlights habitat loss/alteration, as well as the number of acres protected and restored by habitat type <http://www.epa.gov/owow/estuaries/pivot/overview/intro.htm>. This allows EPA to provide a

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

visual means of communicating NEP performance and habitat protection and restoration progress to a wide range of stakeholders and decision-makers.

**Data Source:** NEP documents such as annual work plans, which report on NEP achievements during the previous year, annual progress reports, and other implementation tracking materials are used to document the number of acres of habitat restored and protected. EPA aggregates the data provided by each NEP to arrive at a national total for the entire Program. EPA is confident that the data presented are as accurate as possible. Each NEP reviews the information prior to reporting to EPA. In addition, EPA conducts regular reviews of NEP implementation to help ensure that information provided in these documents is accurate, and progress reported is in fact being achieved.

**Methods, Assumptions and Suitability:** There is not necessarily a direct correlation between the number of habitat acres restored and protected and ecosystem health, nor are habitat quantity or quality the only indicators of ecosystem health. But, habitat acreage is an important measure of on-the-ground progress made toward meeting the EPA annual goal of protecting and restoring habitat in NEP study areas. EPA has defined and provided examples of Aprotection@ and Arestoration@ activities for purposes of tracking and reporting measures (see citation for the PIVOT website in references below.) "Restored and protected" is a general term used to describe a range of activities. The term is interpreted broadly to include creation of habitat, , acquisition of areas for the purpose of protection, conservation easements and deed restrictions, efforts resulting in increased submerged aquatic vegetation coverage, permanent shellfish bed openings, and efforts resulting in increased anadromous fish habitat.

The NEP "Habitat Acres Protected or Restored" efficiency measure is calculated by dividing the total ocean and coastal protection program dollars by the total NEP acres protected or restored. The measure is based on habitat data collected by the NEPs as described above and reported in the annual habitat measure, and the total amount of program dollars. That amount is: (1) the sum of the NEP/Coastal budget (including the additional funds for Long Island Sound), (2) the Marine Pollution budget, and (3) the program match as reported by the NEPs.

**QA/QC Procedures:** Primary data are prepared by the staff of the NEP based on their own reports and from data supplied by other partnering agencies/organizations (that are responsible for implementing the action resulting in habitat protection and restoration). The NEP staff are requested to follow EPA guidance to prepare their reports, and to verify the numbers. EPA then confirms that the national total accurately reflects the information submitted by each program. EPA actions are consistent with data quality and management policies.

**Data Quality Review:** No audits or quality reviews conducted yet.

**Data Limitations:** Current data limitations include: information that may be reported inconsistently (based on different interpretations of the protection and restoration definitions),

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

acreage that may be miscalculated or misreported, and acreage that may be double counted (same parcel may also be counted by partnering/implementing agency or need to be replanted multiple years). In addition, the number of acres of habitat restored and protected may not directly correlate to improvements in the health of the habitat reported (particularly in the year of reporting); rather, the acreage is one measure of on-the-ground progress made by the NEPs.

**Error Estimate:** No error estimate is available for this data.

**New/Improved Data or Systems:** NEPs provide latitude and longitude data (where possible) for each project. These data are then mapped to highlight where projects are located in each NEP study area. Not only does this assist both the individual NEP and EPA in obtaining a sense of geographic project coverage, but it provides a basis from which to begin exploring cases where acreage may be double-counted by different agencies. An on-line reporting system—NEPORT--has been developed for the NEPs= use that will assist in tracking habitat projects. EPA has taken steps to align NEPORT data fields with those of the National Estuarine Restoration Inventory (NERI) and with the President's Wetlands Initiative, developed for interagency use.

**References:** Aggregate national and regional data for this measurement, as well as data submitted by the individual National Estuary Programs, is displayed numerically, graphically, and by habitat type in the Performance Indicators Visualization and Outreach Tool (PIVOT). PIVOT data are publicly available at <http://www.epa.gov/owow/estuaries/pivot/overview/intro.htm>. The Office of Water Quality Management Plan (July 2002) is available on the Intranet at <http://intranet.epa.gov/ow/informationresources/quality/qualitymanage.html>

#### **FY 2009 Performance Measure:**

- **Restore or protect acres of coastal habitat including tidal wetlands, dunes, riparian buffers, and freshwater wetlands. [Long Island Sound]**

**Performance Database:** The Office of Wetlands Oceans and Watersheds (OWOW) has developed a standardized format for data reporting and compilation, defining habitat protection and restoration activities and specifying habitat categories. The key field used to calculate annual performance is habitat acreage. Annual results have been reported since 2000 for the National Estuary Program (NEP) (results are calculated on a fiscal year basis). The EPA Long Island Sound Office (LISO) requires the states of New York and Connecticut, which are Long Island Sound Study Management Conference partners, to collect and report acres of habitat restored and protected as required by the NEP. The states use internal project tracking systems to gather, summarize and report restoration and protection data to LISO, which, in turn, enters the data into the OWOW habitat information system.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**Data Source:** NEP documents such as annual work plans (which contain achievements made in the previous year), annual progress reports and other implementation tracking materials, are used to document the number of acres of habitat restored and protected. EPA is confident that the data presented are as accurate as possible. The EPA Long Island Sound Office (LISO) reviews the information prior to reporting. In addition, EPA LISO conducts regular reviews of state habitat restoration work to help ensure that information provided in these documents is accurate, and progress reported is in fact being achieved.

**Methods, Assumptions and Suitability:** Measuring the number of acres of habitat restored and protected may not directly correlate to improvements in the health of the habitat reported —or of the estuary overall, but it is a suitable measure of on-the-ground progress. Habitat acreage does not necessarily correspond one-to-one with habitat quality, nor does habitat (quantity or quality) represent the only indicator of ecosystem health. Nevertheless, habitat acreage serves as an important surrogate and a measure of on-the-ground progress made toward EPA's annual performance goal of habitat protection and restoration for LIS. EPA has defined and provided examples of protection and restoration activities for purposes of measure tracking and reporting (see citation for the PIVOT website in references below). "Restored and protected" is a general term used to describe a range of activities. The term is interpreted broadly to include created areas, protected areas resulting from acquisition, conservation easement or deed restriction, submerged aquatic vegetation coverage increases, permanent shellfish bed openings, and anadromous fish habitat increases.

**QA/QC Procedures:** Primary data are prepared by the state and federal staff of the LISS Habitat Restoration Team based on their own reports and from data supplied by other partnering agencies/organizations (that are responsible for implementing the action resulting in habitat protection and restoration). The LISS staff are requested to follow EPA guidance to prepare their reports, and to verify the numbers. EPA actions are consistent with data quality and management policies.

**Data Quality Review:** No audits or quality reviews conducted yet.

**Data Limitations:** Current data limitations include: information that may be reported inconsistently (based on different interpretations of the protection and restoration definitions), acreage that may be miscalculated or misreported, and acreage that may be double counted (same parcel may also be counted by partnering/implementing agency or need to be replanted multiple years). In addition, measuring the number of acres of habitat restored and protected may not directly correlate to improvements in the health of the habitat reported (particularly in the year of reporting), but is rather a measure of on-the-ground progress made by the NEPs.

**Error Estimate:** No error estimate is available for this data.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**New/Improved Data or Systems:** The LISS is developing a new data system to report and track habitat restoration data from the LISS. This will include latitude and longitude data (where possible) for each project. These data would be mapped to highlight where these projects are located in the LISS study area. This system is expected to be developed over the next several federal fiscal years. An on-line reporting system—NEPORT-- has been developed for the NEPs use that will assist in tracking habitat projects. EPA has taken steps to align NEPORT data fields with those of the National Estuarine Restoration Inventory (NERI) and with the President's Wetlands Initiative, developed for interagency use.

**References:** See V&V for National Estuary Program for PIVOT and NEPORT.

Results of Long Island Sound habitat restoration efforts are documented in the biennial reports, *Sound Health*, and *Protection and Progress*, and the annual LISS Comprehensive Conservation and Management Plan Implementation Tracking Report, available at: <http://www.longislandsoundstudy.net/publications.htm#reports>.

#### **FY 2009 Performance Measure:**

- **Reduce point source nitrogen discharges to the Long Island Sound as measured by the Long Island Sound Nitrogen Total Maximum Daily Load (TMDL).**

**Performance Database:** The Permit Compliance System, (PCS) tracks permit compliance and enforcement data for sources permitted under the Clean Water Act National Pollutant Discharge Elimination System (NPDES). Data in PCS include: major permittee self-reported data contained in Discharge Monitoring Reports (DMR); data on permittee compliance status; data on state and EPA inspection and enforcement response. The states of Connecticut and New York are required, as part of their delegated NPDES permit programs, to periodically monitor and test effluent for appropriate pollutants, including nitrogen, complete DMRs and enter this information into PCS.

**Data Source:** Permittee self-reported DMR data are entered into PCS by state offices, which are delegated to implement the NPDES program. PCS automatically compares the entered DMR data with the pollutant limit parameters specified in the facility NPDES permit. This automated process identifies those facilities which have emitted effluent in excess of permitted levels. Facilities are designated as being in Significant Noncompliance (SNC) when reported effluent exceedances are 20% or more above permitted levels for toxic pollutants and/or 40% or more above permitted levels of conventional pollutants. PCS contains additional data obtained through reports and on-site inspections, which are used to determine SNC, including: non-effluent limit violations such as unauthorized bypasses; unpermitted discharges; and pass through of pollutants which cause water quality or health problems; permit schedule violations; non-submission of DMRs; submission of DMRs 30 or more days late; and violation of state or federal enforcement orders.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**Methods, Assumptions and Suitability:** There are established computer algorithms to compare DMR effluent data against permitted effluent levels. The algorithms also calculate the degree of permitted effluent exceedance to determine whether toxic/conventional pollutant SNC thresholds have been reached. Nitrogen waste load allocations (WLA) are specified in the December 2000 *A Total Maximum Daily Load (TMDL) Analysis to Achieve Water Quality Standards for Dissolved Oxygen in Long Island Sound* that was prepared by the states of New York and Connecticut and approved by EPA in conformance with Section 303(d) of the Clean Water Act. The TMDL nitrogen WLAs are included in the NPDES (state-delegated) permits issued by the states for dischargers to Long Island Sound.

**QA/QC Procedures:** State offices have documentation of the design, construction and maintenance of the databases used for the performance measures, showing they conform to EPA's PCS standards for point source data. Quality Assurance/Quality Control procedures are in place for PCS data entry. State and Regional PCS data entry staff are required to take PCS training courses. Quality Management Plans (QMPs) are prepared for each Office within The Office of Enforcement and Compliance Assurance (OECA). The Office of Compliance (OC) has established extensive processes for ensuring timely input, review and certification of PCS information. OC's QMP, effective for 5 years, was approved July 29, 2003 by the Office of Environmental Information (OEI) and is required to be re-approved in 2008.

**Data Quality Review:** Information contained in PCS is required by policy to be reviewed by regional and headquarters staff for completeness and accuracy. SNC data in PCS are reviewed quarterly.

**Data Limitations:** Legal requirements for permittees to self-report data on compliance with effluent parameters in permits generally results in consistent data quality and accuracy. EPA monitors and measures the timeliness of DMR submissions and data entry quality. National trends over the past several years show an average of 94% of DMRs is entered timely and complete. Where data entry problems are observed, OECA works directly with regions and states to improve performance, and in limited circumstances has dedicated supplemental grant resources to help regions and states correct problems. As part of ICIS-NPDES implementation OECA is working to deploy an electronic DMR process to save resources on data entry workload and reduce data input errors.

**Error Estimate:** There may be errors of omission, misclassification, incorrect georeferencing, misdocumentation or mistakes in the processing of data.

**New & Improved Data or Systems:** PCS was developed during the 1980's and has undergone periodic revision and upgrade since then. OECA is currently developing a modernized data system to replace PCS, utilizing modern data entry, storage, and analytical approaches. The replacement of PCS with ICIS-NPDES (Integrated Compliance Information System – NPDES),



## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

a modernized and user-friendly NPDES data system, began in June 2006 when eleven states began using the system; seven other states will be migrated to the new system in August, 2007. During phased implementation of ICIS-NPDES across the states a combination of PCS and ICIS-NPDES will be used to generate SNC data. Once fully implemented, ICIS-NPDES will be the sole source of NPDES SNC data.

#### References:

Nitrogen TMDL: [http://www.ct.gov/dep/cwp/view.asp?a=2719&q=325604&depNav\\_GID=1654](http://www.ct.gov/dep/cwp/view.asp?a=2719&q=325604&depNav_GID=1654)  
<http://www.longislandsoundstudy.net/publications.htm#reports>

#### FY 2009 Performance Measure:

- **Reopen miles of river and stream corridor to anadromous fish passage through removal of dams and barriers or installations of by-pass structures such as fishways. [Long Island Sound]**

**Performance Database:** A publicly accessible web-based database is under development by the Long Island Sound Study (LISS) to track this measure. Currently, the Connecticut Department of Environmental Protection and the New York State Department of Environmental Conservation track and report fish passage projects and the additional miles of river and stream corridors reopened as a result. The states submit these data to the EPA Long Island Sound Office, which is one of the goals of the LISS.

**Data Source:** The Long Island Sound Study has established a Habitat Restoration Team (HRT) comprised of federal, state, and local agency staff and private organizations. Public/Private projects to reopen river and stream corridors to fish passage are tracked by the work group coordinators (staff in the states of Connecticut and New York). In addition, the EPA Long Island Sound Office conducts regular reviews of state habitat restoration work to help ensure that information provided in these documents is accurate, and progress reported is in fact being achieved. Long Island Sound Study Habitat Restoration annual reports on projects are made available at <http://www.longislandsoundstudy.net/habitat/index.htm>.

**Methods, Assumptions, and Suitability:** The Long Island Sound Study goal is to reopen an additional 50 miles of riverine migratory corridor from 2006-2011, or 8.33 miles/year. From 1998 to 2005, the cumulative amount of miles reopened was 81 miles. In future years, additional river miles reopened beyond that baseline will be counted toward the goal.

For each project, the location (state, town), stream name, cause of degradation, project description, miles restored, targeted fish species, implementation partners, and project funding are tracked. Miles restored are calculated based on the length of stream that is reopened to fish by eliminating the obstacle.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**QA/QC Procedures:** Stream miles are considered reopened after fish are observed passing through the obstacle.

**Data Quality Review:** Each project report is reviewed by the habitat restoration coordinators, Habitat Restoration Team, and the EPA Long Island Sound Office.

**Data Limitations:** The stream corridor is considered reopened when anadromous fish are observed passing through the obstacle. The data do not assess the success rate of fish passage or the use of the upstream habitat.

**Error Estimate:** No error estimate is available for this data.

**New/Improved Data Systems:** The LISS is developing a new web-based data system to report and track habitat restoration data from the LISS. This will include latitude and longitude data (where possible) for each project. These data would be mapped to highlight where these projects are located in the LISS study area. This system is expected to be developed over the next several federal fiscal years.

**References:** Long Island Sound Study, Sound Health 2006 Environmental Indicators: [www.longislandsoundstudy.net/indicators/index.htm](http://www.longislandsoundstudy.net/indicators/index.htm) on Habitat Protection/River Miles Restored and Coastal Habitat Restored. Stamford, CT: EPA Long Island Sound Office.

#### **FY 2009 Performance Measure:**

- **Working with partners, achieve a net increase of 100,000 acres of wetlands per year with additional focus on biological and functional measures and assessment of wetland condition.**

**Performance Database:** The U.S. Fish and Wildlife Service produces information on the type and extent of the Nation's wetlands and deepwater habitats. The Emergency Wetland Resources Act of 1986 requires the Service to conduct status and trend studies of the Nation's wetlands, and report the results to Congress each decade. To date the Fish and Wildlife Service has produced four such documents. On Earth Day 2004, President Bush announced a wetlands initiative that established a federal policy beyond "no net loss" of wetlands. As part of that same Earth Day message, the President directed the Fish and Wildlife Service to accelerate the completion of the status and trends and to undertake this study at more frequent intervals. This information is used by Federal, State, and local agencies, academic institutions, U.S. Congress, and the private sector.

The status and trends report is designed to provide recent and comprehensive estimates of the abundance of wetlands in the 48 conterminous States. This status and trends report indicates whether there is an actual increase in wetland acreage or if wetlands are continuing to decrease.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

Up-to-date status and trends information is needed to periodically evaluate the efficacy of existing Federal programs and policies, identify national or regional wetland issues, and increase public awareness of and appreciation for wetlands.

The last status and trends report<sup>14</sup> provided the most recent and comprehensive estimates of the current gains and losses for different types of wetlands in the United States on public and private lands from calendar year 1998 to 2004. In calendar year 1997, there were an estimated 105.5 million acres of wetlands in the conterminous United States. In calendar year 2004 107.7 million acres of wetlands were estimated. Of this total, approximately 102.4 million acres (95 percent) are freshwater wetlands and 5.3 million acres (5 percent) are saltwater wetlands. Although the report shows that overall gains in wetland acres exceeded overall losses from 1998 through 2004 (approximately 32,000 acres/yr), this gain is primarily attributable to an increase in unvegetated freshwater ponds, some of which (such as aquaculture ponds) may not function as wetlands and others of which may have varying functional value. The Report also notes the following trends in other wetland categories: freshwater vegetated wetlands declined by 0.5%, a smaller rate of loss than in preceding years; and estuarine vegetated wetlands declined by 0.7%, an increased rate of loss from the preceding years. The Status and Trends Report does not assess the quality or condition of wetlands. EPA will continue working with FWS and other federal agencies to refine the methodology used in preparing future reports, to subdivide current wetland categories, to provide further clarity and information on the types of wetlands that are found on the landscape and to describe the functions and values they provide. In addition EPA is preparing to undertake a National wetland condition study that is scheduled for completion in 2013.

**Data Source:** The National Status and Trends Report is developed and published by the U.S. Fish and Wildlife Service. This is the only Federal study that provides statistically valid estimates with a published standard error for all wetlands in the conterminous United States. Aerial imagery is the primary data source, and it is used with reliable collateral data such as topographic maps, coastal navigation charts, published soil surveys, published wetland maps, and State, local or regional studies. A random number of sites are also field verified. All photography is cataloged, numbered, tagged, and traced in a database management system.

For each plot, aerial imagery is interpreted and annotated in accordance with procedures published by the Fish and Wildlife Service. The results are compared with previous era imagery, and any changes recorded. The differences between the data sets are analyzed and a statistical estimate of the change is produced.

The five major kinds of wetlands are: 1) freshwater (or palustrine), 2) saltwater (or estuarine), 3) riverine, 4) lacustrine (or lakes and other deepwater habitats), and 5) marine wetlands. For analysis and reporting purposes, these types of wetlands were further divided into subcategories

---

<sup>14</sup> Dahl, T.E. 2006. Status and trends of wetlands in the conterminous United States 1998 to 2004. U.S. Department of the Interior, Fish and Wildlife Service, Washington, D.C. 112pp.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

such as freshwater forested wetland, freshwater emergent wetland, estuarine and marine intertidal wetlands.

**Methods, Assumptions and Suitability:** An interagency group of statisticians developed the design for the national status and trends study published in 2000. The study was based on a scientific probability sample of the surface area of the 48 coterminous States. The area sampled was about 1.93 billion acres and the sampling did not discriminate based on land ownership. The study used a stratified, simple random sampling design. About 754,000 possible sample plots comprised the total population. Geographic information system software was used to organize the information of about 4,682 random sample plots. The plots were examined with the use of remote sensed data in combination with field work. Estimates of change in wetlands were made over a specific time period.

**QA/QC Procedures:** The Service has developed and implemented quality assurance measures that provide appropriate methods to take field measurements, ensure sample integrity and provide oversight of analyses, which includes reporting of procedural and statistical confidence levels. The objective was to produce comprehensive, statistically valid acreage estimate of the Nation's wetlands. Because of the sample-based approach, various quality control and quality assurance measures were built into the data collection, review, analysis, and reporting stages. This includes field verification of the plots. Six Federal agencies assist with field verification work.

**Data Quality Reviews:** Not Applicable

**Data Limitations:** Certain habitats were excluded because of the limitations of aerial imagery as the primary data source to detect wetlands. This was consistent with previous wetland status and trends studies conducted by FWS.

**Error Estimate:** Estimated procedural error ranged from 4 to 6 percent of the true values when all quality assurance measures have been completed. Procedural error was related to the ability to accurately recognize and classify wetlands both from multiple sources of imagery and on the ground evaluations. Types of procedural errors were missed wetlands, inclusion of upland as wetland, misclassification of wetlands, or misinterpretation of data collection protocols. The amount of procedural error is usually a function of the quality of the data collection conventions; the number, variability, training and experience of data collection personnel; and the rigor of any quality control or quality assurance measures.

**New/Improved Data or Systems:** Advances in computerized cartography were used to improve data quality and geospatial integrity. Newer technology allowed the generation of existing digital plot files at any scale to overlay directly over an image base.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

##### References:

<http://wetlands.fws.gov/index.html>

<http://wetlands.fws.gov/bha/SandT/SandTReport.html>

[http://wetlands.fws.gov/Pubs\\_Reports/publi.htm](http://wetlands.fws.gov/Pubs_Reports/publi.htm)

##### FY 2009 Performance Measure:

- **In partnership with the Corps of Engineers, states and tribes, achieve no net loss of wetlands each year under the Clean Water Act Section 404 regulatory program**

**Performance Database:** Since 1989, the goal of the Clean Water Act Section 404 program has been no net loss of wetlands.

Historically, the Corps has collected limited data on wetlands losses and gains in its Regulatory Analysis and Management System (RAMS) permit tracking database. The Corps has compiled national Section 404 wetland permitting data for the last 10 years reflecting acres of wetland impacts avoided (through the permit process), acres permitted for impacts, and acres mitigated. However, limitations in methods used for data collection, reporting and analysis resulted in difficulties in drawing reliable conclusions regarding the effects of the Section 404 program.

**Data Source:** Data included in RAMS is generally collected by private consultants hired by permit applicants or Corps Regulatory Staff. Data input is generally done by Corps staff.

**Methods, Assumptions and Suitability:** RAMS was designed to be an administrative aid in tracking permits, thus it lacks many of the fields necessary to adequately track important information regarding wetland losses and gains. Also, the database was modified differently for each of the 38 Corps Districts making national summaries difficult. Furthermore, the database is also proprietary making it difficult to retrofit without utilizing its original developers.

**QA/QC Procedures:** Historically, there has not been a high level of QA/QC with regard to data input into RAMS. Its antiquated format and numerous administrative fields discourage use. Lack of standard terms and classification also make all aspects of data entry problematic.

**Data Quality Reviews:** Independent evaluations published in 2001 by the National Academy of Sciences (NAS) and the General Accounting Office (GAO) provided a critical evaluation of the effectiveness of wetlands compensatory mitigation (the restoration, creation, or enhancement of wetlands to compensate for permitted wetland losses) for authorized losses of wetlands and other waters under Section 404 of the Clean Water Act. The NAS determined that available data was insufficient to determine whether or not the Section 404 program was meeting its goal of no net loss of either wetland area or function. The NAS added that available data suggested that the program was not meeting its no net loss goal. Among its suite of recommendations, the NAS

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

noted that wetland area and function lost and regained over time should be tracked in a national database and that the Corps should expand and improve quality assurance measures for data entry.

**Data Limitations:** As previously noted, RAMS currently provides the only national data on wetlands losses and gains in the Section 404 Program. Also, as previously noted, there are a number of concerns regarding the conclusions that can be drawn from these numbers. Data quality issues include:

1. Inability to separate restoration, creation, enhancement and preservation acreage from the aggregate "mitigation" acreage reported;
2. Lack of data regarding how much designated mitigation acreage was actually undertaken, and how much of that total was successful;
3. Lack of data regarding how much of the permitted impacts actually occurred; and
4. Limitations on identifying acres "avoided," because the figure is only based on the difference between original proposed impacts and impacts authorized. Often, permit applicants who are aware of the 404 program's requirements to avoid and minimize impacts to wetlands, make initial site selection and site design decisions that minimize wetland impacts prior to submitting a permit application. Such avoidance decisions benefit applicants, as their applications are more likely to be accepted and processed with minor changes. This behavioral influence that the program engenders is difficult to capture and quantify, but contributes considerable undocumented "avoided" impacts.

**Error Estimate:** Not applicable

**New/Improved Data or Systems:** The EPA and the Corps have acknowledged the need for improved 404 tracking. Between 2000-2002, the Corps developed a new national permit tracking database called ORM (Operation and maintenance business information link, Regulatory Module) to replace its existing database (RAMS). ORM1, as it was called, was deployed in most of the Corps' 38 districts by Fall 2006, but in 2004 the Corps began partnering with EPA on a set of comprehensive upgrades to ORM1 to spatially enable the data management system and improve data sharing capabilities. By July 2007, the upgraded version of ORM known as ORM2 had been deployed in 37 of the Corps' 39 districts. This should enable national reporting in 2008. Unlike ORM1, ORM2 will have expanded GIS capabilities and additional mandatory data fields for impact and mitigation data. EPA, other federal and state agencies, as well as the public will also have expanded access to data in ORM2 via a system of web-services and web-mapping tools. EPA's interface with ORM2 (tentatively named the Wetlands Information Layer (WIL)) is currently under development and will provide EPA with the ability to access and manage the data available in ORM2 to help meet business needs in the Section 404 program.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

ORM2 is being designed to provide improved tracking regarding:

- Type of impacts (i.e., work type)
- Type, quantity and location of aquatic resources impacted (Using Cowardin classification system)
- Type, quantity and location of aquatic resource mitigation (Using Cowardin classification system)
- Type and quantity of mitigation by method (i.e., restoration, creation, enhancement, or preservation)
- Differentiating stream mitigation (in linear feet) from wetlands mitigation (in acres)
- Spatial tracking via GIS enhancements for both impact and mitigation sites (*planned*)
- Functional losses (debits) at the impact site and functional gains at the mitigation site (credits) if assessment tool is available and applied
- Mitigation banks via the inclusion of a comprehensive module for tracking and managing mitigation banks known as the Regional Internet-based Bank Information Tracking System (RIBITS). With EPA's assistance RIBITS has been piloted in 4 Corps districts to date.

**References:** Regulatory Analysis and Management System (RAMS) website: <http://www.cecer.army.mil/td/tips/product/details.cfm?ID=265&TOP=1>

Regional Internet-based Bank Information Tracking System (RIBITS) website: [http://www.erdc.usace.army.mil/pls/erdcpub/WWW\\_WELCOME.NAVIGATION\\_PAGE?tmp\\_next\\_page=114145](http://www.erdc.usace.army.mil/pls/erdcpub/WWW_WELCOME.NAVIGATION_PAGE?tmp_next_page=114145)

National Academy of Sciences (2001). *Compensating for Wetland Losses Under the Clean Water Act*. Washington DC. Available at: <http://www.epa.gov/wetlandsmitigation/>

#### **FY 2009 Performance Measure:**

- **Average annual percentage decline for the long-term trend in concentrations of PCBs in whole lake trout and walleye samples [PART performance measure]**

**Performance Database:** Great Lakes National Program Office (GLNPO) Great Lakes Fish Monitoring Program (GLFMP) <sup>1</sup>(see reference #1 below). This program is broken into two separate elements, Element 1 – Open Water Trend Monitoring and Element 2 – Game Fish Fillet Monitoring. Each program collects and monitors contaminants in Great Lakes fish at alternating locations throughout the Great Lakes Basin; fish are collected at one set of sites during even years and at another set in odd years. Element 1 began with the collection of data in Lake Michigan in 1972 and the additional lakes were added in 1976. Element 2 began with the collection of data in all five of the Great Lakes in the early 1980's. In FY09, the database will contain quality reviewed field data from fish collected in 2007 and all quality reviewed analytical

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

data for fish collected between 1972 and 2006. A new grantee was selected for this program in 2005, thus delaying the release of analytical data collected in 2004 and 2005 until 2007. Data collected in 2007 is expected to be able to be used for reporting in 2009. Data are reported on a calendar year basis and are specific to the even or odd year sampling schedule (even year sites are only compared to other even year sites etc.)

**Data Source:** GLNPO is the principal source of data for the Great Lakes Fish monitoring program. The Great Lakes States and Tribes assist with fish collection. Previous cooperating organizations include the U.S. Geological Survey (USGS), the U.S. Fish and Wildlife Service (USFWS), and the Food and Drug Administration (FDA).

**Methods, Assumptions, and Suitability:** This indicator provides concentrations of selected organic contaminants in Great Lakes open water fish. The Great Lakes Fish Monitoring Program is broken into two separate elements that monitor potential exposure to contaminant concentrations for wildlife (Element 1) and humans through consumption (Element 2). Only Element 1 is included in this indicator.

The first element, Open Lakes Trend Monitoring Program, was created to: (1) determine time trends in contaminant concentrations, (2) assess impacts of contaminants on the fishery using fish as biomonitors, and (3) assess potential risk to the wildlife that consume contaminated fish. The first element includes data from ten 600-700 mm lake trout (*Salvelinus namaycush*) whole fish composites (5 fish in each composite) from each of the lakes. Since sufficient lake trout are not found in Lake Erie, data for 400 – 500 mm walleye (*Stizostedion vitreum vitreum*) are used for that Lake.

All GLFMP data are independently reviewed for quality consideration prior to loading into the Great Lakes Environmental Database (GLENDa). Included in GLENDa are flags for each data point that can be used to evaluate the quality of the data. Each Great Lake is a unique environment with a distinct growth rate, food web, and chemical integrity. For this reason, a direct comparison of annual concentrations between basins is not appropriate. However, an average annual basin-wide percent decrease can be determined using an exponential decrease function, and the 1990 data as the baseline. The percent decrease of Element 1 can be calculated and compared to the 5% reduction target to determine if the target has been met. All years of data from all lakes are plotted on the same graph, with each year containing 5 data points. An exponential decrease is then found for the entire data set and the percent decrease is calculated from the best fit line. GLNPO rounds the calculated value to the nearest whole percentage for reporting and comparison purposes. The Lake Michigan data set represents the worst case scenario in the Great Lakes Basin for the Open Lakes Trend Monitoring Program.

**QA/QC Procedures:** GLNPO has an approved Quality Management System in place<sup>2</sup> (see reference #2 below) that conforms to the USEPA Quality Management Order and is audited every 3 years in accordance with Federal policy for Quality Management. The Quality



## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

Assurance (QA) plan that supports the analytical portion of the fish contaminant program is approved and available online<sup>3</sup> (see reference #3 below). The revised draft field sampling Quality Assurance Project Plan (QAPP) and draft Quality Management Plan has been submitted to the GLNPO QA Officer for review and approval. Approval of the revised sampling objectives is subject to results of a peer review conducted in fall 2007.

**Data Quality Review:** GLNPO's Quality Management System has been evaluated as "outstanding" in previous peer and management reviews<sup>4</sup> (see reference #4 below). Specific highlights relative to this indicator include: *"QA requirements are systematically planned using the DQO process. Major programs such as the Open Lakes Monitoring (Lake Guardian sampling activities), Open Lakes Organics Monitoring, the Biology Monitoring, the Great Lakes Fish Monitoring and the Legacy Act program were exemplary in systematic planning and documenting QA requirements."* (4) GLNPO has implemented all recommendations from these external audits and complies with Agency Quality standards.

**Data Limitations:** Great Lakes Fish Monitoring Program data are not well-suited to portray localized changes. Nevertheless, data collected at a certain site (odd year or even year sites) can be compared to data collected from the same site. In addition, only very general comparisons can be made of contaminant concentrations between lakes. A recent review of the odd year Open Lake Trend Monitoring in Lake Erie data indicate an increased variability in the data between the years of 1999 and 2003 because during those years several individual samples (fish) fell outside of the desired size range leading to a higher or lower than average mean sample size for the composite.

**Error Estimate:** The data quality objective of the fish contaminant program was to detect a 20% change in each measured contaminant concentration between two consecutively sampled periods at each site. Based on changing environmental conditions, the data quality objective has been tentatively revised to have an 80% probability to detect a 10% change per year, over three to four sampling periods, at the 95% confidence level. An official outside peer review of this new data quality objective and associated data is tentatively scheduled for the 4th quarter 2007. This peer review will also assist in providing a data quality objective for Element 2.

**New/Improved Data or Systems:** The GLENDa database is a significant new system with enhanced capabilities. Existing and future fish data will be added to GLENDa. GLNPO has awarded a new consortium grant for these analyses that allows researchers from three different universities to specialize in their individual areas of analytical expertise and provide more timely data of a higher quality.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

##### References:

Supporting Program Documentation: All journal publications relevant to the Great Lakes Fish Monitoring Program, final project reports, and quality documentation can be found at the GLFMP website, <http://www.epa.gov/glnpo/glindicators/fish.html>.

*“The Great Lakes Fish Monitoring Program - A Technical and Scientific Model For Interstate Environmental Monitoring.”* September, 1990. EPA503/4-90-004.

“Quality Management Plan for the Great Lakes National Program Office.” EPA905-R-02-009. October 2002, Approved April 2003. <http://www.epa.gov/glnpo/qmp/>

*“Great Lakes Fish Monitoring Program – Quality Assurance Project Plan for Sample Collection Activities”*, Great Lakes National Program Office. Available at [http://www.epa.gov/glnpo/glindicators/fishtoxtics/GLFMP\\_QAPP\\_082504.pdf](http://www.epa.gov/glnpo/glindicators/fishtoxtics/GLFMP_QAPP_082504.pdf)

*“GLNPO Management Systems Review of 2006.”* Available at <http://www.epa.gov/glnpo/qmp/qualitysystemsassessment.pdf>.

##### FY 2009 Performance Measure:

- **Average annual percentage decline for the long-term trend in concentrations of PCBs in the air in the Great Lakes basin [PART performance measure]**

**Performance Database:** Great Lakes National Program Office (GLNPO) integrated atmospheric deposition network <sup>1</sup> (see reference #1 below) (IADN) operated jointly with Environment Canada. Reporting starts with 1992 data and includes concentrations of polychlorinated biphenyls (PCBs), polycyclic aromatic hydrocarbons (PAHs), and organochlorine pesticides in air and precipitation; however, this Performance Measure addresses only PCBs. Monitoring results from 2007 will be reported in 2009. Data are reported on a calendar year basis the second year after collection.

**Data Source:** GLNPO and Environment Canada are the principal sources of the data for IADN. Data also come through in-kind support and information sharing with other Federal agencies and Canada. Only data from US stations in IADN are being used for this measure.

**Methods, Assumptions, and Suitability:** There are five master IADN stations, one for each lake, which are supplemented by satellite stations in other locations. The master stations are located in remote areas and are meant to represent regional background levels. Concentrations from the master stations are used for the performance measure. Concentrations from the satellite stations in Chicago and Cleveland are also sometimes used to demonstrate the importance of urban areas to atmospheric deposition to the Lakes. Air samples are collected for 24 hours using

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

high-volume samplers containing an adsorbent. Precipitation samples are collected as 28-day composites. Laboratory analysis protocols generally call for solvent extraction of the organic sampling media with addition of surrogate recovery standards. Extracts are then concentrated followed by column chromatographic cleanup, fractionation, nitrogen blow-down to small volume (about 1 mL) and injection (typically 1 uL) into gas chromatography instruments.

All IADN data are loaded and quality controlled using the Research Database Management System (RDMQ), a Statistical Analysis System (SAS) program. RDMQ provides a unified set of quality assured data, including flags for each data point that can be used to evaluate the usability of the data. Statistical summaries of annual concentrations are generated by the program and used as input into an atmospheric loading calculation. The loadings calculation is described in detail in the Technical Summary referenced below. However, calculating loadings requires additional data and constants that introduce further error. Therefore, the averaged annual concentrations rather than the loadings are used in the performance measure. Concentrations can vary from year to year due to differences in weather (temperature, wind patterns, etc.), so comparing concentrations from one year to the next is not always appropriate. This performance measure examines the average percent decline for the **long-term trend** determined using an exponential decrease function. Each year the average percent decline is calculated after adding new data. GLNPO rounds the calculated value to the nearest whole percentage for reporting and comparison purposes. A baseline percent decrease was determined using data through 2000, and the aim is that this rate of decrease will continue.

**QA/QC Procedures:** GLNPO has a Quality Management System in place, which conforms to the USEPA Quality Management Order and is audited every 5 years in accordance with Federal policy for Quality Management<sup>2</sup> (see reference #2 below). Quality Assurance Project Plans are in place for the laboratory grantee, as well as for the network as a whole. A jointly-funded QA officer conducts laboratory and field audits, tracks QA statistics, and carries out special QA studies. Data from all contributing agencies are quality-controlled using the SAS-based system.

**Data Quality Review:** GLNPO's Quality Management System has been evaluated as "outstanding" in previous peer and management reviews<sup>3</sup> (see reference #3 below). GLNPO has implemented all recommendations from these external audits and complies with Agency Quality Standards<sup>4</sup> (see reference #4 below). The IADN program has a joint Canadian-US quality system and binational Steering Committee that meets periodically in person or via conference calls to make decisions on network operation and data management and quality.

A regular set of laboratory and field blanks is taken and recorded for comparison to the IADN field samples. In addition, a suite of chemical surrogates and internal standards is used extensively in the analyses. There are common performance standards for PCBs, organochlorine pesticides, and PAHs. A common calibration standard for PCBs is now used. A jointly-funded QA officer conducts laboratory and field audits, tracks QA statistics, and carries out special QA

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

studies. As previously mentioned, data from all contributing agencies are quality-controlled using a SAS-based system.

**Data Limitations:** The sampling design is dominated by rural sites that under-emphasize urban contributions to deposition; thus, although the data are very useful for trends information, there is less assurance of the representativeness of deposition to the whole lake. U.S. and Canadian laboratories use somewhat different sampling and analytical methods; QA studies have found that differences in resulting data are attributable mostly to the sampling differences. There are gaps in open lake water column organics data, thus limiting our ability to calculate atmospheric loadings. This gap was partially addressed through the recent implementation by GLNPO of the Great Lakes Aquatic Contaminant Surveillance (GLACS) program, which had water contaminant data collected in Lakes Michigan and Superior.

In the past, there has been a lag in the data from the Canadian sites (Burnt Island on Lake Huron and Point Petre on Lake Ontario). U.S. data is usually reported two years after it is collected (i.e., 2004 data was reported in 2006); the Canadian data may not be available on this schedule; consequently only US data is being used to report on this measure.

**Error estimate:** The performance measure examines the long-term trend in concentrations. Concentrations have an error of +/- 40%, usually less. Differences between laboratories have been found to be 40% or less. This is outstanding given the very low levels of these pollutants in the air and the difficulty in analysis. Improvements in quality assurance (use of a clean lab for Canadian precipitation analysis, making calibration standards consistent among agencies, etc.) are helping to further close this gap, and recent inter-comparison site data reflect this.

**New/Improved Data or Systems:** Joint data that has passed quality review will be available from Canada's National Atmospheric Chemistry (NAtChem) Database and Analysis System, which includes atmospheric data from many North American networks and is linked from IADN's website at: [http://www.msc.ec.gc.ca/iadn/data/form/form\\_e.html](http://www.msc.ec.gc.ca/iadn/data/form/form_e.html) The IADN homepage can be found at [www.msc.ec.gc.ca/iadn/](http://www.msc.ec.gc.ca/iadn/). Copies of IADN data are now held in U.S. and Canadian databases. Environment Canada management is working to reduce the data lag from the Canadian IADN stations.

#### References:

1. "Great Lakes National Program Office Indicators. Air Indicators." Available at <http://www.epa.gov/glnpo/glindicators/air.html>

Details of these analyses can be found in the Laboratory Protocol Manuals or the agency project plans, which can be found on the IADN resource page at <http://www.epa.gov/glnpo/monitoring/air/iadn/iadn.html>

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

Overall results of the project can be found in “*Technical Summary of Progress under the Integrated Atmospheric Deposition Program 1990-1996*” and the “*Technical Summary of Progress under the Integrated Atmospheric Deposition Network 1997-2002*”. Both (as well as the Atmospheric Loadings reports) can be found on the IADN resource page.

2. “*Quality Management Plan for the Great Lakes National Program Office.*” EPA905-R-02-009. October 2002, Approved April 2003.

3. “*GLNPO Management Systems Review of 2006*”. Available at <http://www.epa.gov/glnpo/qmp/qualitysystemsassessment.pdf>.

4. “*Integrated Atmospheric Deposition Network Quality Assurance Program Plan - Revision 1.1.* Environment Canada and USEPA. June 29, 2001. Unpublished - in USEPA Great Lakes National Program Office files.

#### **FY 2009 Performance Measure:**

- **Number of Beneficial Use Impairments removed within Areas of Concern. [PART performance measure]**

**Performance Database:** USEPA’s Great Lakes National Program Office will track the cumulative total Beneficial Use Impairments (BUIs) removed within the 26 Areas of Concern (AOC) located entirely within the United States and the five AOCs that are shared by both the United States and Canada.

**Data Source:** Internal tracking and communications with Great Lakes States, the US Department of State and the International Joint Commission (IJC).

**Methods, Assumptions, and Suitability:** Restoration of U.S. or Binational Areas of Concern will ultimately be measured by the removal of all beneficial use impairments, leading to de-listing of all of the U.S. or Binational Areas of Concern by 2025. A total of 43 Great Lakes Areas of Concern have been identified: 26 located entirely within the United States; 12 located wholly within Canada; and 5 that are shared by both countries. 301 United States or Binational Areas of Concern remain. Remedial Action Plans for each of these Areas of Concern address one or more of up to 14 beneficial use impairments associated with these areas. At the end of Fiscal Year 2006, there was a total universe of 260 beneficial use impairments reported in the United States or Binational Areas of Concern. An impaired beneficial use means a change in the chemical, physical or biological integrity of the Great Lakes system sufficient to cause any of the following:

- restrictions on fish and wildlife consumption
- tainting of fish and wildlife flavor
- degradation of fish wildlife populations

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

- fish tumors or other deformities
- bird or animal deformities or reproduction problems
- degradation of benthos
- restrictions on dredging activities
- eutrophication or undesirable algae
- restrictions on drinking water consumption, or taste and odor problems
- beach closings
- degradation of aesthetics
- added costs to agriculture or industry
- degradation of phytoplankton and zooplankton populations
- loss of fish and wildlife habitat

Additional information is available at: <http://www.epa.gov/glnpo/aoc/index.html>

The States work with the local stakeholders in the Areas of Concern to develop delisting criteria for the impaired BUIs. The BUI delisting criteria are used to assess when a BUI is restored and can be delisted. After all BUIs in an AOC are delisted, the entire Area of Concern can be delisted.

**QA/QC Procedures:** GLNPO has an approved Quality Management System in place (see reference #1 below) that conforms to the USEPA Quality Management Order and is audited every 5 years in accordance with Federal policy for Quality Management.

**Data Quality Review:** GLNPO's Quality Management System has been given "outstanding" evaluations in previous peer and management reviews (see reference #2) below. GLNPO has implemented all recommendations from these external audits and complies with Agency Quality standards.

**Data Limitations:** None known.

**Error Estimate:** None.

**New/Improved Data or Systems:** NA

#### References:

1. GLNPO will develop and maintain the appropriate tracking system for de-listed U.S. or binational Beneficial Use Impairments.
2. *"Quality Management Plan for the Great Lakes National Program Office."* EPA905-R-02-009. October 2002, Approved April 2003.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

3. “*GLNPO Management Systems Review of 2006.*” Available at <http://www.epa.gov/glnpo/qmp/qualitysystemsassessment.pdf>.

#### **FY 2009 Performance Measure:**

- **Cubic yards of contaminated sediment remediated (cumulative from 1997) in the Great Lakes [PART performance measure]**

**Performance Database:** Data tracking sediment remediation are compiled in two different formats. The first is a matrix that shows the annual and cumulative totals of contaminated sediment that was remediated in the Great Lakes basin in the reporting year and from 1997 for each Area of Concern or other non-Areas of Concern with sediment remediation. The second format depicts the yearly totals on a calendar year basis graphically. These databases are reported approximately one year after the completion of work, thus, results from calendar year 2008 remediation will be reported in FY 2009.

**Data Source:** GLNPO collects sediment remediation data from various State and Federal project managers across the Great Lakes region that conduct and coordinate contaminated sediments work. These data are obtained directly from the project manager via an information fact sheet the project manager completes for any site in the Great Lakes basin that has performed any remedial work on contaminated sediment. The project manager also indicates whether an approved Quality Assurance Project Plan (QAPP) was used in the collection of data at the site. GLNPO does not accept unsolicited data without adequate assurance that quality system documentation was in place and the reporters of the data are not likely to be biased.

**Methods, Assumptions, and Suitability:** The data collected to track sediment remediation in the Great Lakes show the amount of sediment remediated (dredged, capped, other) for that year, the amount of sediment remediated in prior years, and the amount of sediment remaining to be addressed for a particular site. This format is suitable for year-to-year comparisons for individual sites. GLNPO sums the volume estimates as provided by the individual project managers, but then rounds the cumulative total to the nearest one hundred thousand cubic yards for reporting purposes.

**QA/QC Procedures:** GLNPO relies on the individual government/agency project managers to provide information on whether an approved QAPP was in place during remediation of contaminated sediment. This information is used to decide if the data provided by the project manager are reliable for GLNPO reporting purposes. If an approved QAPP was not used, sediment data would not likely be reported by GLNPO, unless GLNPO finds that alternative information is available that provides sufficient quality documentation for the project and associated data. This approach allows GLNPO to use best professional judgment and flexibility in reporting data from any cases where there was not a QAPP, but (a) the remedial action is

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

noteworthy and (b) the project was conducted by recognized entities using widely accepted best practices and operating procedures.

The tracking database houses information on the calculated amount of sediment remediated at individual sites as provided by the project managers. The individual site project managers are responsible for completing the data request forms, reviewing draft figures to verify that the GLNPO project manager transferred the data correctly, and providing any updated or improved estimates. It is GLNPO's responsibility to determine if the data are usable based upon the information sheet provided by the project managers. GLNPO does not attempt to verify mass and volume estimates due to the variability in how to calculate them. GLNPO ensures that the estimates provided make sense for the site, and that all estimates are reported in the same units. GLNPO management and Sediment Team members review the data, in the graphic and matrix formats, prior to reporting. GLNPO's Sediment Team works closely with partners and has confidence in those who provide data for the summary statistics. This familiarity with partners and general knowledge of ongoing projects allows GLNPO management to detect mistakes or questionable data.

**Data Quality Review:** The data, in both the graphic and matrix formats, are reviewed by individual project managers, GLNPO's Sediment Team, and management prior to being released. Data quality review procedures are outlined in the QAPP referenced below. GLNPO's Quality Management System has been given "outstanding" evaluations in previous peer and management reviews. (See reference # 5 below). Specific highlights from this review relative to this indicator include: *"Across GLNPO, assessment of the quality of existing data and documentation of the quality of existing data for intended use is a standard practice. This is commendable as the Agency is still attempting to define requirements for usability existing data."* GLNPO has implemented all recommendations from these external audits and complies with Agency Quality Standards.

**Data Limitations:** The data provided in the sediment tracking database should be used as a tool to track sediment remediation progress at sites across the Great Lakes Basin. Many of the totals for sediment remediation are estimates provided by project managers. For specific data uses, individual project managers should be contacted to provide additional information.

**Error Estimate:** The amount of sediment remediated or yet to be addressed should be viewed as estimated data. A specific error estimate is not available.

**New/Improved Data or Systems:** Existing tracking systems are anticipated to remain in place.

#### References:

1. Giancarlo Ross, M.B. Quality Assurance Project Plan for "Great Lakes Sediment Remediation Project Summary Support." Unpublished – in Great Lakes National Program Office files.



## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

2. Giancarlo Ross, M.B. “*Sediment Remediation Matrix*”. Unpublished - in Great Lakes National Program Office files.
3. Giancarlo Ross, M.B. “*Sediment Remediation Pie Charts*”. Unpublished - in Great Lakes National Program Office files.
4. Giancarlo Ross, M.B. “Compilation of Project Managers Informational Sheets”. Unpublished - in Great Lakes National Program Office files
5. “*GLNPO Management Systems Review of 2006.*” Available at <http://www.epa.gov/glnpo/qmp/qualitysystemsassessment.pdf>.

#### **FY 2009 Performance Measure:**

- **Cost per cubic yard of contaminated sediments remediated (cumulative). [PART Efficiency Measure]**

**Performance Database:** Data tracking sediment remediation volumes and costs are compiled for all Great Lakes Legacy Act (GLLA) projects. As all GLLA projects are managed by GLNPO, project volumes and costs are all readily available within 2-3 months of project completion. This database is updated with cost and volume numbers at the completion of each GLLA sediment clean-up project.

**Data Source:** GLNPO collects sediment remediation data for all the GLLA projects. At the completion of each project a hydrographic survey is conducted that provides accurate volumes for dredged/remediated sediments at all GLLA projects. This information is collected using an approved Quality Assurance Project Plan (QAPP). All GLLA projects require a QAPP prior to conducting work at the site. GLNPO does not accept data without adequate assurance that a QAPP was in place and the reporters of the data are not likely to be biased. Following the completion of a project, a final report is developed that includes information on dredged/remediated sediment volumes. Also, at the close of each project a final accounting is conducted to provide accurate final cost estimates.

**Methods, Assumptions, and Suitability:** This measure allows comparison of the actual cost of remediating Great Lakes contaminated sediments (pursuant to the Great Lakes Legacy Act) to a threshold cost of \$200 per cubic yard. The target is achieved when the actual cost of contaminated sediment remediation (cumulative) pursuant to the Legacy Act is less than or equal to \$200 per cubic yard. The program does not anticipate that actual costs per cubic yard would decrease each year, particularly since project costs are expected to increase as they become more complicated and disposal costs increase in future years.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

The estimated sediment remediation cost target of \$200 per cubic yard has been determined using best professional judgment. Reference points include a 2004 effort by the U.S. Great Lakes Policy Committee and a January 2007 paper on Environmental Dredging Costs analyzing 64 completed environmental dredging projects.

Targets and results will be reported on a calendar year basis. The program will use total funding as the basis of this measure, but will also track federal and non-federal dollars. Final project costs and the quantity of cubic yards of contaminated sediments will be calculated using cumulative numbers.

Data are collected to track the amount of sediment remediated and project cost. Projects are not included in the database until they are completed; partial project information is not reported for this measure.

**QA/QC Procedures:** GLNPO has a QA Manager who is responsible for approval of the QAPP for all GLLA projects. A QAPP is required for each GLLA project and a draft Quality Management Plan for the GLLA is used as an overall quality management guide. Part of this site-specific QAPP includes information on the hydrographic surveys used to determine volume estimates for each project. EPA contractors oftentimes accompany the surveying crew to ensure all procedures are followed. This information is typically made available approximately 2-3 months following project completion.

**Data Quality Review:** The data, in both the graphic and matrix formats, are reviewed by individual project managers, GLNPO's Sediment Team, and management prior to being released. GLNPO's Quality Management System has been given "outstanding" evaluations in previous peer and management reviews (see Reference #4 below). GLNPO has implemented all recommendations from these external audits and complies with Agency Quality Standards.

**Data Limitations:** The data generated from this efficiency measure should be used as an indicator of the general trend in the costs of sediment remediation under the Great Lakes Legacy Act.

**Error Estimate:** A specific error estimate is not available.

**New/Improved Data or Systems:** The recent GLNPO Quality Management Review of GLNPO from July of 2006 highlighted the following improvements:

*"Management of the Great Lakes Legacy program is exemplary. Ensuring conformance with EPA's quality requirements was evident in the creative approach to planning and overseeing quality throughout the life cycle of the project. The draft 2005 Quality Implementation and Management Plan is comprehensive. QA plans reviewed were detailed and appropriately approved. Post project meetings with EPA, state partners and local advisory councils to review project with focus on detailing lessons learned is a best*

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

*practice. Data Quality Assessment to determine opportunities for improvement is a critical component of the QA Project Plan. The project officers are to be commended for the documented life cycle management for the Great Lakes Legacy Act Program. (4)*

#### References:

1. *Estimates of Great Lakes Sediment Remediation Needs*. U.S. Great Lakes Policy Committee. January 11, 2005. Unpublished - in USEPA GLNPO files.
2. Estes, T.J. 2007. *Environmental Dredging Project Costs--The Mystery. The Mystique, The Muddle*. Proceedings of the Fourth International Conference on Remediation of Contaminated Sediments.
3. Tuchman, M and Alexander, M. 2007. *Remediation of the Black Lagoon, Trenton, Michigan, Great Lakes Legacy Program*. Draft Report.
4. "GLNPO Management Systems Review of 2006." Available at <http://www.epa.gov/glnpo/qmp/qualitysystemsassessment.pdf>.

#### FY 2009 Performance Measures:

- Percent of goal achieved for implementation of nitrogen reduction practices (expressed as progress meeting the nitrogen reduction goal of 162.4 million pounds reduced ) [PART annual output measure-Chesapeake Bay Program]
- Percent of goal achieved for implementation of phosphorus reduction practices (expressed as progress meeting the phosphorus reduction goal of 14.36 million pounds ) [PART annual output measure-Chesapeake Bay Program]
- Percent of goal achieved for implementation of sediment reduction practices (expressed as progress meeting the sediment reduction goal of 1.69 million tons reduced ) [PART annual output measure-Chesapeake Bay Program]
- Total nitrogen reduction practices implementation achieved as a result of agricultural best management practice implementation per million dollars to implement agricultural BMPs [PART annual efficiency measure]

**Performance Database:** Reducing Pollution Summary (Controlling Nitrogen, Phosphorus and Sediment.) Implementation of point & nonpoint source nitrogen and phosphorus reduction practices throughout the Bay watershed, expressed as % of reduction goal achieved. The nitrogen goal is a 162.4 million pound reduction from 1986 levels to achieve an annual cap load of 175 million lbs (based on long-term average hydrology simulations). The phosphorus goal is a 14.36 million pound reduction from FY1986 levels to achieve an annual cap load of 12.8 million lbs (based on long-term average hydrology simulations). Achieving the cap loads is expected to result in achievement of the long-term restoration goals for submerged aquatic vegetation and dissolved oxygen. Point source loads are monitored or estimated based on expert evaluation of

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

treatment processes. Nonpoint source loads are simulated based on reported implementation of best management practices (BMPs) that reduce nitrogen and phosphorus pollution. The simulation removes annual hydrological variations in order to measure the effectiveness of BMP implementation and converts the numerous BMPs, with various pollution reduction efficiencies – depending on type and location in the watershed – to a common currency of nitrogen and phosphorus reduction.

Implementation of sediment reduction practices throughout the Bay watershed, expressed as % of land-based sediment reduction goal achieved. The sediment reduction goal is a 1.69 million ton reduction from FY 1986 levels to achieve an annual cap load of 4.15 million tons (based on average hydrology simulations). Achieving this cap load is expected to result in achievement of the long-term restoration goals for submerged aquatic vegetation and dissolved oxygen. Loads are simulated based upon reported implementation of best management practices (BMPs) that reduce sediment pollution. The simulation removes annual hydrological variations in order to measure the effectiveness of BMP implementation and converts the numerous BMPs, with various pollution reduction efficiencies – depending on type and location in the watershed – to a common currency of sediment reduction.

Agricultural BMP costs include all capital and O&M costs assumed by both landowners and government agencies. This measure focuses on agricultural BMPs because they are the most cost effective way to reduce nutrient loading in the watershed.

The Bay data files used in the indicator are located at <http://www.chesapeakebay.net/pubs/statustrends/186-data-2003.xls>. Data have been reported for calendar years 1985, 2000, 2001, 2002, 2003, 2004, 2005, 2006 and are expected on an annual basis after 2006. Data are from Chesapeake Bay watershed portions of NY, MD, PA, VA, WV, DE, and DC.

The FY 2009 Annual Performance Report for these measures will be based on the results of the calendar year 2008 data collection. We expect to receive the preliminary results for calendar year 2008 in September 2009.

**Data Source:** Each jurisdiction (NY, MD, PA, VA, WV, DE, and DC) tracks and approves annual point source effluent concentrations, flows data as well as non-point source BMP data. It submits the data to the Chesapeake Bay Program Office. Contact Jeff Sweeney, [jsweeney@chesapeakebay.net](mailto:jsweeney@chesapeakebay.net).

Agricultural practice costs used in the PART efficiency measure are in the guidance document "Technical Support Document for Identification of Chesapeake Bay Designated Uses and Attainability" (Technical Support Document) found at <http://www.chesapeakebay.net/eoanalyses.htm> under "Part I: Documentation of Estimated Costs of the Tier Scenarios". The direct address is

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

<http://www.chesapeakebay.net/pubs/doc-ecoanal-PartI.pdf>. Specific cost information for agricultural practices begins on electronic page 59 and a summary table of unit BMP costs is on electronic page 93.

**Methods, Assumptions and Suitability:** The data are of high quality. Data are consolidated by watershed boundaries at the state level and provided to the Chesapeake Bay Program Office for input into the watershed model.

What is the Watershed Model?

A lumped parameter Fortran-based model (HSPF) that mimics the effects of hydrology, nutrient inputs, and air deposition on land and outputs runoff, groundwater, nutrients and sediment to receiving waters. Ten years of simulation are used and averaged to develop the reduction effects of a given set of Best Management Practices (BMPs). Using a ten-year average of actual weather (hydrologic, temperature, wind, etc.) ensures wet, dry and average conditions for each season are included. The effectiveness of the model is dependent upon the quality of the assumptions, BMPs and landuse descriptions used. The model is calibrated extensively to real-time monitoring, outside peer review and continual updates as better information, data collection and computer processing power become available.

What are the input data?

The model takes meteorological inputs such as precipitation, temperature, evapotranspiration, wind speed, solar radiation, dewpoint, and cloud cover to drive the hydrologic simulation. The changes in nutrient outputs are primarily determined by such factors as land use acreage, BMPs, fertilizer, manure, atmospheric deposition, point sources, and septic loads.

**BMPs:** Watershed Model BMPs include all nutrient reduction activities tracked by the jurisdictions for which a source has been identified, cataloged and assigned an efficiency. Efficiencies are based on literature review, recommendations of the appropriate source workgroup and approved by the Nutrient Subcommittee. It is the responsibility of the jurisdictions to track and report all nutrient reduction activities within their borders and maintain documentation to support submissions.

Land use acreage is determined by combining analyses of satellite imagery and county-based databases for agricultural activities and human population. Fertilizer is determined by estimated application rates by crop and modified by the application of nutrient management BMPs. Manure applications are determined by an analysis of animal data from the census of agriculture.

Atmospheric deposition is determined by an analysis of National Atmospheric Deposition Program (NADP) deposition data and modified by scenarios of the Regional Acid Deposition

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

Model. Point Source loads are determined from Discharge Monitoring Reports. Septic loads are estimated in a study commissioned by the Chesapeake Bay Program (CBP).

<http://www.chesapeakebay.net/pubs/1127.pdf>

<http://www.chesapeakebay.net/pubs/114.pdf>

<http://www.chesapeakebay.net/pubs/112.pdf>

<http://www.chesapeakebay.net/pubs/777.pdf>

What are the model outputs?

The watershed model puts out daily flows and nitrogen, phosphorus, and sediment loads for input to the water quality model of the Chesapeake Bay. The daily loads are averaged over a 10-year hydrologic period (1985-1994) to report an average annual load to the Bay. The effect of flow is removed from the load calculations.

What are the model assumptions?

BMPs: Model assumptions are based on three conditions: knowledge, data availability and computing power. The ability to alter what is used in the watershed model is a function of the impact the change would have on calibration. In many cases there is new information, data or methodologies that would improve the model, but changes are not possible because of the impact on the current calibration.

Changes in manure handling, feed additives, new BMPs and some assumptions could be incorporated into the model without impacting the calibration. In these cases, the changes were made.

Other input assumptions, such as multiple manure application levels, increasing the number of and redefining some land uses, defining new nutrient or sediment sources, adjusting for varying levels of management (range of implementation levels) are items scheduled for incorporation in the new model update (2008)

Input assumptions are documented in the above publications. Assumptions of the actual model code are in the HSPF documentation:

[ftp://water.usgs.gov/pub/software/surface\\_water/hspf/doc/hspfhelp.zip](ftp://water.usgs.gov/pub/software/surface_water/hspf/doc/hspfhelp.zip)

Input data are collected from states and local governments programs. Methods are described at <http://www.chesapeakebay.net/data/index.htm>, (refer to CBP Watershed Model Scenario Output Database, Phase 4.3). For more information contact Kate Hopkins at [hopkins.kate@epa.gov](mailto:hopkins.kate@epa.gov) or Jeff Sweeney [jsweeney@chesapeakebay.net](mailto:jsweeney@chesapeakebay.net)

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**QA/QC Procedures:** State offices have documentation of the design, construction and maintenance of the databases used for the performance measures, showing they conform to existing U.S. Department of Agriculture Natural Resources Conservation Service (USDA/NRCS) technical standards and specifications for nonpoint source data and EPA's Permit Compliance System (PCS) standards for point source data. State offices also have documentation of implemented Best Management Practices (BMPs) based on USDA NRCS standards and specification and the Chesapeake Bay Program's protocols and guidance. BMPs are traditionally used to reduce pollutant loads coming from nonpoint sources such as urban/suburban runoff, agriculture, and forestry activities.

References include: the USDA NRCS Technical Guide and Appendix H from the Chesapeake Bay Program (contact Kate Hopkins at [hopkins.kate@epa.gov](mailto:hopkins.kate@epa.gov)). Quality assurance program plans are available in each state office.

**Data Quality Reviews:** All data are reviewed and approved by the individual jurisdictions (NY, MD, PA, VA, WV, DE, and DC) before input to the watershed model. QA/QC is also performed on the input data to ensure basic criteria, such as not applying a BMP at a higher level than allowed. A specific level of input should yield output within a specified range of values. Output is reviewed by both the CBPO staff and the Tributary Strategy Workgroup as an additional level of QA/QC. Any values out of the expected range are analyzed and understood before approval and public release. The model itself is given a quarterly peer review by an outside independent group of experts. There have been no data deficiencies identified in external reviews.

**Data Limitations:** Data collected from voluntary collection programs are not included in the database, even though they may be valid and reliable. The only data submitted by state and local governments to the Chesapeake Bay Program Office are data that are required for reporting under the cost share and regulatory programs. Cost share programs include state and federal grant programs that require a recipient match. State and local governments are aware that additional data collection efforts are being conducted by non-governmental organizations; however, they are done independently of the cost share programs and are not reported.

**Error Estimate:** There may be errors of omission, misclassification, incorrect georeferencing, misdocumentation or mistakes in the processing of data.

**New/Improved Data or Systems:** The next version of the watershed model is currently under development and will be completed in 2008. The new version (phase 5) will have increased spatial resolution and ability to model the effects of management practices. The phase 5 watershed model is a joint project with cooperating state and Federal agencies. Contact Gary Shenk at [gshenk@chesapeakebay.net](mailto:gshenk@chesapeakebay.net) or see the web site at <http://www.chesapeakebay.net/phase5.htm>

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

##### References:

See <http://www.chesapeakebay.net/data/index.htm>, refer to CBP Watershed Model Scenario Output Database, Phase 4.3. Contact Kate Hopkins at [hopkins.kate@epa.gov](mailto:hopkins.kate@epa.gov) or Jeff Sweeney [jsweeney@chesapeakebay.net](mailto:jsweeney@chesapeakebay.net) Reducing Pollution Summary (Controlling Nitrogen, Phosphorus and Sediment) indicators are published at <http://www.chesapeakebay.net/status.cfm?sid=186>. The nutrient and sediment loads delivered to the Bay data files used in the indicator are located at

<http://www.chesapeakebay.net/pubs/statustrends/186-data-2003.xls>. See "Chesapeake Bay Watershed Model Application and Calculation of Nutrient and Sediment Loadings, Appendix H: Tracking Best Management Practice Nutrient Reductions in the Chesapeake Bay Program, A Report of the Chesapeake Bay Program Modeling Subcommittee", USEPA Chesapeake Bay Program Office, Annapolis, MD, August 1998, available at

<http://www.chesapeakebay.net/pubs/777.pdf>

See USDA NRCS Field Office Technical Guide available at <http://www.nrcs.usda.gov/technical/efotg/>. The indicator and data survey is published at

<http://www.chesapeakebay.net/pubs/2007reports/IndicatorSurveyReducingPollution032906.doc>

See "Technical Support Document for Identification of Chesapeake Bay Designated Uses and Attainability" (Technical Support Document) found at <http://www.chesapeakebay.net/eoanalyses.htm> under "Part I: Documentation of Estimated Costs of the Tier Scenarios". The direct address is

<http://www.chesapeakebay.net/pubs/doc-ecoanal-PartI.pdf>. Specific cost information for agricultural practices begins on electronic page 59 and a summary table of unit BMP costs is on electronic page 93.

##### **FY 2009 Performance Measures:**

- **Percent of point source nitrogen reduction goal of 49.9 million pounds achieved [PART annual outcome measure- Chesapeake Bay Program]**
- **Percent of point source phosphorus reduction goal of 6.16 million pounds achieved [PART annual outcome measure-Chesapeake Bay Program]**

**Performance Database:** Point source nitrogen and phosphorus reductions are reported as % of goal achieved and pounds. The goal for point source nitrogen reductions is 49.9 million pound reduction from FY 1986 levels. The goal for point source phosphorus reductions is 6.16 million pound reduction from FY 1986 levels. Point source nitrogen and phosphorus data is reported based upon monitored results from the previous calendar year.

The Bay data files used in the indicator are located at <http://www.chesapeakebay.net/pubs/statustrends/127-data-2002.xls>. Data have been collected 1985-2006 and are expected on an annual basis after 2006.



## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

The FY 2009 Annual Performance Report for these measures will be based on the results of the 2008 data collection. We expect to receive the preliminary results for 2008 in September 2009.

**Data Source:** Each jurisdiction (NY, MD, PA, VA, WV, DE, and DC) tracks and approves annual point source effluent concentrations and flow data. It submits the data to the Chesapeake Bay Program Office. Contact; Ning Zhou, [zhou.ning@epa.gov](mailto:zhou.ning@epa.gov).

**Methods, Assumptions and Suitability:** Point source loads are calculated from measured or estimated values of effluent flows and concentrations. The Chesapeake Bay Program Phase 4.3 Watershed Model is the tool used to transform calculated point source discharge loads (generally, from monitored flow and concentration data) to nutrient loads delivered to Chesapeake Bay tidal waters.

Peer-reviewed methods are employed to estimate point source discharges where measured data are not available. Refer to: “Chesapeake Bay Watershed Model Application & Calculation of Nutrient & Sediment Loadings - Appendix F: Phase IV Chesapeake Bay Watershed Model Point Source Loads” at <http://www.chesapeakebay.net/pubs/114.pdf>; Quality Assurance Project Plan (QAPP) “Standard Operating Procedures for Managing Point Source Data – Chesapeake Bay Program” on file for the EPA grant (contact: Quality Assurance Officer, Mary Ellen Ley, [mley@chesapeakebay.net](mailto:mley@chesapeakebay.net)).

The following methods/assumptions pertain to discharge data:

- Monitored discharge data are generated from the EPA-approved standard sampling and analysis methods and documented in the Data Monthly Reports from facilities to jurisdictions.
- Discharge data which date to the earlier years of the record are inadequate for many regions in the Bay watershed; however, the 1986 baseline is consistent throughout the record.
- Facilities have been added to the point source database over the years, not necessarily because they physically came on-line, but because they were previously untracked. In addition, facilities have been turned inactive in the point source database over time because they went off line or combined with other facilities as new plants.
- Protocols of calculating discharges from measured or estimated flows and effluent concentrations have been adjusted throughout the data record to better reflect actual end-of-pipe loads.
- Tributary-specific pollution reduction and habitat restoration plans (“Tributary Strategies”) for some jurisdictions are not final so the goals will be adjusted in the future as jurisdictions update implementation plans that better reflect projected point source discharges.

**QA/QC Procedures:** Jurisdictions (NY, MD, PA, VA, WV, DE, and DC) providing point source effluent data to the Bay Program office are expected to submit documentation of their

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

quality assurance and quality control policies, procedures, and specifications in the form of Quality Assurance Management Plans and Quality Assurance Project Plans. Jurisdictional documentation, however, is limited and it is unknown if protocols follow EPA-approved objectives as established in the “Chesapeake Bay Program Quality Assurance Guidelines and Requirements” section of the CBP Grant and Cooperative Agreement Guidance, which is relevant to projects involving the collection of environmental data.

Procedures for compiling and managing point source discharge data at the Chesapeake Bay Program office are documented in the following EPA-approved Quality Assurance Project Plan: “Standard Operating Procedures for Managing Point Source Data – Chesapeake Bay Program” on file for the EPA grant (contact: Quality Assurance Officer, Mary Ellen Ley, [mley@chesapeakebay.net](mailto:mley@chesapeakebay.net)).

**Data Quality Reviews:** Point source data sets from seven jurisdictions are merged at the Chesapeake Bay Program office. Continual peer-review of the thoroughness of discharge data and methods of managing the information by the Point Source Workgroup promotes consistency and completeness among the jurisdictions of calculated end-of-pipe loads.

**Data Limitations:** The CBP relies on information submitted and approved by the jurisdictions (NY, MD, PA, VA, WV, DE, and DC).

**Error Estimate:** The CBP tries to trace significant variability in the data and limit its impact.

**New/Improved Data or Systems:** N/A

#### References:

Study/survey design procedures for point source discharges can found at:

- “Chesapeake Bay Watershed Model Application & Calculation of Nutrient & Sediment Loadings - Appendix F: Phase IV Chesapeake Bay Watershed Model Point Source Loads” at <http://www.chesapeakebay.net/pubs/114.pdf>
- Quality Assurance Project Plan (QAPP) “Standard Operating Procedures for Managing Point Source Data – Chesapeake Bay Program” on file for the EPA grant (contact: Quality Assurance Officer, Mary Ellen Ley, [mley@chesapeakebay.net](mailto:mley@chesapeakebay.net)).

The Point Source Nitrogen Loads Delivered to the Bay indicator is published at <http://www.chesapeakebay.net/status.cfm?sid=127>.

The Point Source Phosphorus Loads Delivered to the Bay indicator is published at <http://www.chesapeakebay.net/status.cfm?sid=128>.

The Wastewater Pollution Controls indicator is published at <http://www.chesapeakebay.net/status.cfm?sid=226>.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

The indicator and data survey are published at <http://www.chesapeakebay.net/pubs/2007reports/IndicatorSurveyReducingPollution032906.doc>

#### **FY 2009 Performance Measure:**

- **Percent of forest buffer planting goal of 10,000 miles achieved [PART annual outcome measure-Chesapeake Bay Program]**

**Performance Database:** Forest buffer planting is reported as % of goal achieved. The long term goal is to plant 10,000 miles of forest buffers. The information is based on cumulative acres planted since FY 1997 provided by the states for the previous calendar year.

The Bay data files used in the indicator are located at <http://www.chesapeakebay.net/pubs/statustrends/83-data-2002.xls>. Data have been collected 1996-2006 and are expected on an annual basis after 2006.

The FY 2009 Annual Performance Report for these measures will be based on the results of the 2008 data collection. We expect to receive the preliminary results for 2008 in March 2009.

**Data Source:** Sampling design is formulated by the USDA for tracking projects and funds. Data and metadata are sent to the Forestry Work Group (state-level Departments of Forestry) by participating state coordinators and field personnel. Geographic Information System maps are produced by the UMD Center for Environmental Science. Contacts: Sally Claggett, [sclaggett@fs.fed.us](mailto:sclaggett@fs.fed.us) and Judy Okay, [jokay@chesapeakebay.net](mailto:jokay@chesapeakebay.net)

**Methods, Assumptions and Suitability:** Data collected for tracking linear ft, miles, and acres of forest buffers are measured directly. State data are merged to get cumulative miles. Submission criteria have been set and agreed to by State agencies. The data are summarized in a spreadsheet by geographic location with related extent of project sites. A Geographic Information System (GIS) is used to help generate the indicator data.

**Data Quality Reviews:** The data are collected by state field personnel and submitted to the state-level Departments of Forestry for QA/QC checks.

**Data Limitations:** The data are only as good as the data originally submitted by the states. This information passes through many hands before being merged into the annual cumulative miles. Human error enters into this type of record. The data are compiled and released with utmost attention to accuracy and validation of locations and extents of riparian forest buffers.

**Error Estimate:** none calculated.

**New/Improved Data or Systems:** N/A

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**References:** The indicator is published at <http://www.chesapeakebay.net/status.cfm?sid=83>.

The indicator and data survey are published at <http://www.chesapeakebay.net/pubs/2007reports/ForestBuffersRestoredIndicator030607.doc>.

#### **FY 2009 Performance Measures:**

- **National Coastal Condition Report (NCCR) score for overall aquatic ecosystem health of coastal waters nationally (1-5 scale) [PART Long-term outcome measure tracked annually]**
- **Improve the overall health of coastal waters of the Gulf of Mexico on the “good/fair/poor” scale of the National Coastal Condition Report.**

**Performance Database:** EMAP/NCA [Environmental Monitoring and Assessment Program/National Coastal Assessment] database (housed EPA/ORD/NHEERL/AED, Narragansett, RI)(Environmental Protection Agency/Office of Research and Development/National Health and Environmental Effects Research Laboratory/Gulf Ecology Division); pre-database information housed in ORD/NHEERL facility in Gulf Breeze, FL (Gulf Ecology Division) (pre-database refers to a temporary storage site for data where they are examined for QA purposes, have appropriate metadata attached and undergo initial statistical analyses); data upon QA acceptance and metadata completion are transferred to EMAP/NCA database and are web available at [www.epa.gov/emap/nca](http://www.epa.gov/emap/nca). The final data are then migrated to the STORET data warehouse for integration with other water quality data with metadata documenting its quality.

**Data Source:** Probabilistic surveys of ecological condition completed throughout the Mid-Atlantic and Gulf of Mexico by EPA’s Office of Research and Development (ORD) in 1991-1994, in southern Florida in 1995, in the Southeast in 1995-1997, in the Mid-Atlantic in 1997-1998, in each coastal state in 2000-2004 (except Alaska and Hawaii), in Alaska in 2002 and 2004, in Hawaii in 2002 and 2004, and in Puerto Rico in 2000 and 2004, and in other island territories (Guam, American Samoa and U.S. Virgin Islands) in 2004. Surveys collect condition information regarding water quality, sediment quality and biotic condition at 70-100 sites/Region (e.g., mid-Atlantic) each year of collection prior to 1999 and at 35-150 sites in each state or territory/year (site number dependent upon state) after 1999. Additional sampling by the National Estuary Program (NEP) included all individual national estuaries; the total number of sites within NEP boundaries was 30 for the two-year period 2000-2002.

These data are collected through a joint EPA-State cooperative agreement and the States follow a rigid sampling and collection protocol following intensive training by EPA personnel. Laboratory processing is completed at either a state laboratory or through a national EPA

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

contract. Data collection follows a Quality Assurance Project Plan (QAPP) (either the National Coastal QAPP or a variant of it) and QA testing and auditing by EPA.

**Methods, Assumptions and Suitability:** The surveys are conducted using a probabilistic survey design which allows extrapolation of results to the target population (in this case - all estuarine resources of the specific state.) The collection design maximizes the spatial spread between sites, located by specific latitude-longitude combinations. The survey utilizes an indexed sampling period (generally late summer) to increase the probability of encountering water quality, sediment quality and biotic condition problems, if they exist. Based on the QAPP and field collection manual, a site in a specific state is located by sampling vessel via Global Positioning System (GPS) and water quality is measured on board at multiple depths. Water samples are taken for chemistry; sediment samples are taken for chemistry, toxicity testing and benthic community assessment; and fish trawls are conducted to collect community fish data and provide selected fish (target species) for analysis of whole body and/or fillet contaminant concentrations. Samples are stored in accordance with field manual instructions and shipped to the processing laboratory. Laboratories follow QA plans and complete analyses and provide electronic information to the state or EPA. EPA and the state exchange data to ensure that each has a complete set. EPA analyzes the data to assess Regional conditions, whereas the states analyze the data to assess conditions of state-specific waters. Results of analyses on a national and Regional basis are reported as chapters in the National Coastal Condition Report (NCCR) series. The overall Regional condition index is the simple mean of the five indicators' scores used in the Coastal Condition Report (in the NCCR2 a recalculation method was provided for direct comparison of the successive reports). An improvement for one of the indicators by a full category unit over the eight year period will be necessary for the Regional estimate to meet the performance measurement goal (+0.2 over an eight year period).

*Assumptions:* (1) The underlying target population (estuarine resources of the United States) has been correctly identified; (2) GPS is successful; (3) QAPP and field collection manuals are followed; (4) all samples are successfully collected; (5) all analyses are completed in accordance with the QAPP; and (6) all combinations of data into indices are completed in a statistically rigorous manner.

*Suitability:* By design all data are suitable to be aggregated to the state and Regional level to characterize water quality, sediment quality, and biotic condition. Samples represent "reasonable", site-specific point-in-time data (not primary intention of data use) and an excellent representation of the entire resource (extrapolation to entire resource supportable). The intended use of the data is the characterization of populations and subpopulations of estuarine resources through time. The data meet this expectation and the sampling, response, analysis and reporting designs have been peer reviewed successfully multiple times. The data are suitable for individual calendar year characterization of condition, comparison of condition across years, and assessment of long-term trends once sufficient data are collected (7-10 years). Data are suitable for use in National Coastal Condition calculations for the United States and its Regions to

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

provide performance measurement information. The first long-term trends analysis will appear in the next NCCR (NCCRIII) representing trends between 1990-2002.

**QA/QC Procedures:** The sampling collection and analysis of samples are controlled by a Quality Assurance Project Plan (QAPP) [EPA 2001] and the National Coastal Assessment Information Management Plan (IMP)[EPA 2001]. These plans are followed by all twenty-three coastal states and 5 island territories. Adherence to the plans are determined by field training (conducted by EPA ORD), field audits (conducted by EPA/ORD), round robin testing of chemistry laboratories (conducted by EPA/ORD), overall systems audits of state programs and national laboratory practices (conducted by EPA), sample splits (sent to reference laboratories), blind samples (using reference materials) and overall information systems audits (conducted by EPA/ORD). Batch sample processing for laboratory analyses requires the inclusion of QA samples in each batch. All states are subject to audits at least once every two years. All participants received training in year 2000 and retraining sessions are scheduled every two years.

**Data Quality Reviews:** Data quality reviews have been completed in-house by EPA ORD at the Regional and national level in 2000-2003 (National Coastal Assessment 2000-2003) and by the Office of Environmental Information (OEI) in 2003 (assessment completed in June, 2003 and written report not yet available; oral debriefing revealed no deficiencies). No deficiencies were found in the program. A national laboratory used in the program (University of Connecticut) for nutrient chemistry, sediment chemistry and fish tissue chemistry is being evaluated by the Inspector General's Office for potential falsification of laboratory results in connection with other programs not related to NCA. The NCA has conducted its own audit assessment and only one incorrect use of a chemical digestion method for inorganic chemistry samples (metals) was found. This error was corrected and all samples "digested" incorrectly were reanalyzed at no cost.

**Data Limitations:** Data limitations are few. Because the data are collected in a manner to permit calculation of uncertainty and designed to meet a specific Data Quality Objective (DQO) (<10% error in spatial calculation for each annual state estimate), the results at the Regional level (appropriate for this performance measure) are within about 2- 4% of true values dependent upon the specific sample type. Other limitations as follows: (a) Even though methodology errors are minimized by audits, in the first year of the NCA program (2000) some errors occurred resulting in loss of some data. These problems were corrected in 2001 and no problems have been observed since. (b) In some instances, (<5%) of sample results, QA investigation found irregularities regarding the precision of measurement (e.g., mortality toxicity testing of controls exceeded detection limit, etc.). In these cases, the data were "flagged" so that users are aware of the potential limitations. (c) Because of the sampling/ analysis design, the loss of data at a small scale (~ 10%) does not result in a significant increase in uncertainty in the estimate of condition. Wholesale data losses of multiple indicators throughout the U.S. coastal states and territories would be necessary to invalidate the performance measure. (d) The only major source of external variability is year-to-year climatic variation (drought vs. wet, major climatic event, etc.)

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

and the only source of internal variation is modification of reporting indicators (e.g., new indices, not a change in data collected and analyzed). This internal reporting modification requires a re-analysis of earlier information to permit direct comparison. (e) There is generally a 2-3 year lag from the time of collection until reporting. Sample analysis generally takes one year and data analysis another. Add another year for report production and peer review. (f) Data collections are completed annually; The EPA/ORD data collection collaboration will continue through 2004. Beginning in 2005, ORD began assisting OW, as requested, with expert advice, but discontinued its financial support of the program.

**Error Estimate:** The estimate of condition (upon which the performance measure is determined) has an annual uncertainty rate of about 2-3% for national condition, about 5-7% for individual Regional indicators (composite of all five states data into a Regional estimate), and about 9-10% for individual state indicators. These condition estimates are determined from the survey data using cumulative distribution functions and the uncertainty estimates are calculated using the Horvitz-Thompson estimator.

#### **New/Improved Data or Systems:**

- (1) Changes have occurred in the data underlying the performance measure based on scientific review and development. A change in some reporting indicators has occurred in order to more accurately represent the intended ecological process or function. For example, a new eutrophication index was determined for the 2000 data. In order to compare this new index to the 1991-1994 data, the earlier data results must be recomputed using the new technique. This recalculation is possible because the underlying data collection procedures have not changed.
- (2) New national contract laboratories have been added every year based on competition. QA requirements are met by the new facilities and rigorous testing at these facilities is completed before sample analysis is initiated. QA adherence and cross-laboratory sample analysis has minimized data variability resulting from new laboratories entering the program.
- (3) The only reason for the discontinuation of the National performance goal would be the elimination of the surveys after 2004 or any other year thereafter.

In order to continue to utilize the 2001 National Coastal Condition report as the baseline for this performance measure, the original scores reported in 2001 have been re-calculated in the 2004 report using the index modifications described above (#1). These “new” results for the baseline (re-calculated scores) are reported in Appendix C of the 2005 report.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

##### References:

1. Environmental Monitoring and Assessment Database (1990-1998) and National Coastal Assessment Database (2000- 2004) websites: [www.epa.gov/emap](http://www.epa.gov/emap) and [www.epa.gov/emap/nca](http://www.epa.gov/emap/nca) (NCA data for 2000 is only data available at present)
2. National Coastal Assessment. 2000-2003. Various internal memoranda regarding results of QA audits. (Available through John Macauley, National QA Coordinator NCA, USEPA, ORD/NHEERL/GED, 1 Sabine Island, Gulf Breeze, FL 32561)
3. National Coastal Assessment. 2001. Quality Assurance Project Plan. EPA/620/R-01/002.(Available through John Macauley above)
4. National Coastal Assessment. 2001. Information Management Plan. EPA/620/R-01/003 (Available through Stephen Hale, NCA IM Coordinator, ORD/NHEERL/AED, 27 Tarzwell Drive, Narragansett, RI)
5. U.S. Environmental Protection Agency. 2001. National Coastal Condition Report. EPA-620/R- 01/005.
6. U.S. Environmental Protection Agency. 2004. National Coastal Condition Report II. In review Assigned Report Number EPA-620/R-03/002.

##### FY 2009 Performance Measure:

- **Restore water and habitat quality to meet water quality standards in impaired segments in 13 priority coastal areas**

**Performance Database:** EPA's "Surf Your Watershed" and EPA's WATERS Expert Query Tool

**Data Source:** Data regarding impaired segments are from EPA's "Surf Your Watershed" and EPA's WATERS Expert Query Tool updated every two years when states submit their 303(d) reports on the status of impaired water segments as required in the Clean Water Act (CWA) 305(b) report. Another source of data is the EPA-approved Decision Documents, the Quality Assurance Project Plan (QAPP) for state 303(d) data.

**Methods, Assumptions and Suitability:** To begin, the Decision Documents for each Gulf State are acquired. The water bodies listed as impaired for Florida, Alabama, and Mississippi are compared to "Surf Your Watershed" and then to the WATERS Expert Query Tool. Louisiana and Texas have a different form for their Decision Documents, which include only delisted water bodies. For these two states only "Surf Your Watershed" and WATERS Expert Query Tool are used. All the data are cross referenced for discrepancies. Then, tables are created for each watershed in the Gulf of Mexico Program's Priority Watershed Inventory. In all, 67 tables are created. These tables include a segment identification number for viewing the water segment on a map, a link to the URL for "Surf Your Watershed", name of the state basin the segment is located, the watershed the segment is located, the name of the waterbody, the number and type of impairment for that segment, and the year the impairment is listed. Delisting information is also



## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

listed in the tables for segments that have that information. The information available for delisting includes the segment identification number, the waterbody name, what impairment was delisted, the basis for the delisting, and a link to the total maximum daily load (TMDL) document if it exists. Segments that are shared among two or more watersheds are highlighted for easier recognition when counting the number of segments duplicated among watersheds.

Shapefiles are acquired from the states that contain the 303(d) (e.g., impaired) segments for that state. The segments listed in the state shapefile, however, do not always match EPA's ("Surf Your Watershed", WATERS Expert Query Tool, and Decision Documents). Therefore, it is sometimes necessary to contact the state for additional shapefiles that contain missing segments. The data are grouped by watershed with a name to represent the area in the shapefile (ex. 2002\_03170009\_303d\_line). New fields are added to the shapefile such as segment identification number (matches the number from the tables), TMDL status ("Impaired Water Segment," "TMDL Completed," "Restored"), number of impairments for that segment, list of impairments for that segment, and the waterbody name for that segment. Maps are then generated to show the number of impairments in each watershed. "Impaired Water Segments" are visible with a red cross hatch, "TMDL Completed" has a yellow cross hatch, and a "Restored" appears with a blue cross hatch. Each segment is labeled with the identification number found in the shapefile and the table. All maps include the Hydrologic Unit Code (HUC) number and the HUC name, legend, scale bar, inset map, GMPO logo, disclaimer for the state if one was provided, and the date the map was created. In all, 67 maps are created.

**QA/QC Procedures:** There are three EPA data sources: "Surf Your Watershed," "WATERS," and Decision Documents. Each data source is cross referenced with the other two sources to ensure there are no discrepancies in the listed impaired segments. The EPA data sources are from EPA- reviewed state documents.

**Data Quality Reviews:** There are no outside reviews of the 67 tables and maps generated in a report. However, GMPO is awaiting final approval of new web pages that will display them. This new site will be a subset of "Surf Your Watershed" and will be labeled as "Surf Your Gulf Watershed". "Surf Your Gulf Watershed" will detail the impaired segments for the 13 priority areas.

**Data Limitations:** Data are updated every two years on "Surf Your Watershed" and in WATERS Expert Query Tool due to the fact that states submit a 303(d) report every two years on the status of the impaired segments in each state as required in Clean Water Act (CWA) 305(b) report.

**Error Estimate:** None identified.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

##### References:

EPA's "Surf Your Watershed" <http://cfpub.epa.gov/surf/locate/map2.cfm>

EPA's WATERS (Watershed Assessment Tracking and Environmental Results) Expert Query Tool [http://www.epa.gov/waters/tmdl/expert\\_query.html](http://www.epa.gov/waters/tmdl/expert_query.html)

##### FY 2009 Performance Measure:

- **Restore, enhance, or protect a cumulative number of acres of important coastal and marine habitats.**

**Performance Database:** Coastal Emergent wetlands border the Gulf of Mexico and include tidal saltwater and freshwater marshes and mangroves. Encompassing over two million hectares (five million acres or more than half of the national total), the Gulf of Mexico coastal wetlands serve as essential habitat for a diverse range of species.

Total wetland loss (coastal and inland) for the five Gulf States from 1780 until 1980 was estimated to be 40 million square kilometers, approximately 50%. Between 1985 and 1995 the southeastern U.S. lost the greatest area of wetland (51% of the national total).

Coastal emergent wetland loss for Louisiana represents 67% of the nation's total loss (177,625 hectares or 438,911 acres) from 1978 to 1990.

The Gulf of Mexico Program achieves its acreage goal each year by cooperative funding of projects that result in the enhancement, protection or restoration of coastal habitat. This coastal habitat includes marshes, wetlands, tidal flats, oyster beds, seagrasses, mangroves, dunes and maritime forest ridge areas.

**Data Source:** The amount of acreage restored, protected and enhanced by the Gulf of Mexico Program is derived from the individual project's Statement of Work contained within the project proposal. This acreage is then verified by the EPA Project Officer and by the project's Program Manager through site visits during the life of the project, quarterly reports submitted to the Gulf of Mexico Program Office (GMPO), aerial photography, ground-truthing, and digital topographic. Data verification occurs at the end of the project too.

**Methods, Assumptions and Suitability:** The Gulf of Mexico Program achieves this goal successfully each year by cooperatively funding restoration projects with our multiple federal and state program partners. Our partners additionally follow required QA/QC procedures on their projects and routinely conduct site visits to provide verification of the acreage restored. These partners and our process to restore, protect and enhance Gulf coastal habitat include:

1. Gulf of Mexico Program Office State Proposal Solicitation through Requests for Proposals (RFPs)

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

##### 2. GMP Partnership Challenge Grant Programs

###### A) *National Fish and Wildlife Foundation (NFWF) Cooperative Agreement*

5- STAR Habitat Restoration Challenge Grants

Shell Marine Habitat Restoration Grants

###### B) *NOAA Community Restoration Grant Program* Supports Gulf Ecological Management Sites (GEMS)

<http://www.epa.gov/gmpo/habitat/hablinks.html>

**QA/QC Procedures:** The projects that are funded are required to provide a QA/QC plan if the restoration project involves monitoring. In those cases, EPA has documented Assistance Agreements with QA/QC approved plans. Both NOAA and the National Fish and Wildlife Foundation require QA/QC plans if the projects involve scientific monitoring. Additionally, the EPA Project Manager is required to conduct site visits, during the duration of the project to verify actual acreage restored, protected and/or enhanced. QA/QC includes but is not limited to, aerial photography, groundtruthing, transect growth monitoring and routine site visits of all funded projects.

**Data Quality Reviews:** Award Process for supporting habitat at restoration projects through partnership cooperative agreements.

##### 1. Gulf of Mexico Program Office Competitive RFPs

##### 2. GMP Partnership Challenge Grant Program Grants

###### A) *National Fish and Wildlife Foundation (NFWF)*

5-STAR Projects - Habitat office staff and team members review proposals, rank and recommend projects for funding. This review includes identification of any duplicative proposals already submitted for funding through other grant programs supported by GMPO, as well as opportunities to broker with other habitat grant funding programs, i.e. through Coastal America and the Corporate Wetlands Restoration Partnership Grant Program (CWRP)

Shell Marine Habitat Restoration Grants - Habitat team reviews and ranks proposals.

###### B) *NOAA Community Restoration Grant Program*

Supports Gulf Ecological Management Sites (GEMS). The Gulf of Mexico Foundation, NOAA and the Gulf of Mexico Program established a Steering Committee to review and select the NOAA CRP projects for funding. The steering committee consists of EPA, all GEMS State Managers, NOAA, and USFWS staff. As with our partnership with the National Fish and Wildlife Foundation, the review is to ensure there is no duplication of funding and to seek opportunities for brokering with other restoration grant programs.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

Review of the restoration data occurs in the field and through field analysis by the project manager as the project progresses. This review is accomplished through measures such as aerial photography, groundtruthing, transect growth monitoring and routine site visits of all funded projects. Data are verified by EPA and our Program Partners through site visits and quarterly reports.

**Data Limitations:** Limitations of use for the data are carefully detailed by the data provider and project manager for each project that yields acreage. Images and topographic data have routinely been used for restoration projects and few to no limitations are expected from these datasets beyond that of image resolution.

**Error Estimate:** The acreage is documented by the project managers for each project in required EPA Quarterly Reports. Data are subject to a second verification following the completion of the project.

#### **References:**

Status and Trends of the Nation's Biological Resources, Volume 1. U.S. Department of the Interior, U.S. Geological Survey, National Wetlands Research Center, 1998

Conservation Challenge; FL,AL,MS,LA,TX Coastal Regions, National Fish and Wildlife Foundation, U.S. Environmental Protection Agency, Gulf of Mexico Program MX 984769 Project Period: 8/06/1999- 12/31 0/2007. Website: <http://www.nfwf.org>

The Gulf Community Restoration Partnership Program (GCRP). This program provides acreage through the combined efforts of the NOAA Community-Based Restoration Program and the Gulf of Mexico Program's Gulf Ecological Management Sites (GEMS) program and the Gulf States natural resource agencies and the Gulf of Mexico Foundation. Website: <http://www.gulfmex.org/restoration.htm>

SIR 2006-5287: Seagrass Status and Trends in the Northern Gulf of Mexico: 1940-2002 <http://pubs.usgs.gov/sir/2006/5287/>

#### **FY 2009 Performance Measures:**

- **Achieve no net loss of stony coral cover in the Florida Keys National Marine Sanctuary (FKNMS) and in the coastal waters of Dade, Broward, and Palm Beach Counties, Florida working with all stakeholders (federal, state, regional, and local)**
- **Maintain the overall health and functionality of seagrass beds in the FKNMS as measured by the long-term seagrass monitoring project that addresses composition and nutrient availability**
- **Maintain the overall water quality of the near shore and coastal waters of the FKNMS**

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**Performance Database:** As required by the Florida Keys National Marine Sanctuary and Protection Act of 1990, EPA and its partners developed a comprehensive long-term status and trends monitoring program as a critical component of the Water Quality Protection Program for the FKNMS. The comprehensive monitoring program was initiated in 1995 and includes water quality, coral reef and seagrass components. Annual results are reported each year on a fiscal-year basis. Historically, EPA has provided the majority of funding for the three monitoring projects, but other agencies (e.g., NOAA, U.S. Army Corps of Engineers (USACOE), and state/local government agencies) also provide significant funding.

**Data Source:** The Water Quality and Seagrass Monitoring Projects are conducted by Florida International University's Southeast Environmental Research Center (SERC) and the Coral Reef Evaluation and Monitoring Project is conducted by the Florida Fish and Wildlife Research Institute. EPA provides funding via cooperative agreements and the other government agencies provide funds via federal assistance agreements or contracts. Monitoring data are collected each year on an annual or quarterly basis depending on the project. Results of each monitoring project are reported in annual reports. The data for each monitoring project is collected and archived by staff of the Florida Fish and Wildlife Research Institute under a cooperative agreement with the EPA. In addition, the principal investigators for each monitoring project have developed Web sites where anyone can go and review the data.

**Methods, Assumptions and Suitability:** The comprehensive monitoring program for the FKNMS was developed by a large group of technically competent and knowledgeable scientists familiar with the aquatic environment of the Florida Keys and the coral reef ecosystem. For each monitoring project, EPA worked closely with recognized experts to develop a detailed scope of work including sampling locations and frequency, parameters, field and analytical methods, quality assurance/quality control, data management, and reporting. The monitoring program was designed to provide representative coverage of the entire 2,900 square nautical miles of the Sanctuary. In general, monitoring sites were located throughout the FKNMS on a stratified-random basis and were determined to be compatible with EPA's Environmental Monitoring and Assessment Program protocol (<http://www.epa.gov/region4/sesd/reports/epa904r01002.html>). The overall monitoring program was designed to address the primary objective of the comprehensive long-term monitoring program for the FKNMS - to provide data needed to make unbiased, statistically rigorous statements about the "status of and trends in" selected water quality conditions and biological communities in the Sanctuary. For the monitoring program, the null hypothesis is that there is no change over time. The field data are tested against the null hypothesis that no change has occurred. All three monitoring projects (water quality, coral reef and seagrass) have demonstrated the ability to detect change over time and are suitable for determining the health of the coral reef ecosystem of the FKNMS.

**QA/QC Procedures:** The principal investigators for each monitoring project developed and submitted to EPA a Quality Assurance Project Plan (QAPP) to ensure that the data generated are

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

accurate and representative of actual conditions and the degree of certainty of the data can be established. The QAPPs were developed in accordance with EPA guidance documents and the principal investigators consulted with the Regional QA/QC Officer and the Project Officer for the monitoring projects. It was required that the QAPP be approved by EPA before any work could begin on a monitoring project.

**Data Quality Review:** Through the QAPP, the principal investigators explicitly commit to incorporating procedures that will reduce random and systematic errors. In addition, the principal investigators document quality assurance procedures and evaluate the quality of the data being generated by the monitoring projects. Further, the Technical Advisory Committee (TAC) of the Florida Keys National Marine Sanctuary reviews and assesses the monitoring projects and the data they produce on a regular and continuing basis.

**Data Limitations:** There are no known limitations of the data set.

**Error Estimate:** Coral Reef Evaluation and Monitoring Project – a power analysis was done at the beginning of the project to determine the limit of detectable change for the point count method used to determine the percent stony coral cover within the FKNMS. The estimate of actual performance is accurate to 2.4%.

Water Quality Monitoring Project – the project collects data from 154 sites within the FKNMS on a quarterly basis. Therefore, error estimates for the 2005 baseline values are mostly due to the large spatial variability and seasonal temporal variability. Because water quality data are not normally distributed, the project uses the median as the measure of central tendency. For chlorophyll a, the interquartile range (IQR) is 0.29 and the median absolute deviation (MAD) is 0.12. The light attenuation  $k_d$  IQR is 0.12 and the MAD is 0.05. Dissolved inorganic nitrogen has an IQR of 0.50 and a MAD of 0.26. For total phosphorus, the IQR is 0.90 and the MAD is 0.04.

Seagrass Monitoring Project – benthic plant community structure is measured using the rapid visual assessment technique known as the Braun-Blanquet method. This method is very quick, yet it is robust and highly repeatable, thereby minimizing among-observer differences. The Braun-Blanquet method has proven to be precise enough to detect subtle interannual variations yet robust enough to survive changes in personnel. A summary metric or species composition indicator (CSI) that assesses the relative importance of slow-growing plants to community composition is being computed for the 30 permanent seagrass monitoring sites. During the first 10 years of monitoring, this CSI index had an average of  $0.48 \pm 0.04$  ( $\pm$  one standard error of the mean). The significance of changes in the SCI will be assessed using these distribution parameters. Elemental content (carbon, nitrogen, and phosphorus) of seagrass leaves is determined by cleaning the leaves of all epiphytes, drying the leaves at low temperature, and grinding to a fine powder. Elemental content is then measured using established methods and calculating on a dry weight basis. Analyses are run in duplicate using independent NIST-

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

traceable for each determination. If the duplicate analyses differ by more than 10%, additional samples are run. A summary elemental content indicator metric or elemental indicator (EI), which is the mean absolute deviation of the N:P ratio of seagrass tissue from 30:1 is computed for the 30 permanent monitoring sites. In 2006, the mean EI was  $8.28 + 1.47$  ( $\pm$  one standard error of the mean). The significance of changes in the EI will be assessed using these distribution parameters.

**New/Improved Performance Data or Systems:** The database management system for the Water Quality Protection Program of the FKNMS is geographic information based (GIS) and used to record the biological, physical, and chemical results from the comprehensive monitoring projects. The data from the three monitoring projects are collected and archived by the database managers at the Florida Fish and Wildlife Research Institute. The data archives component encompasses both raw and synthesized data. The data integration component incorporates the synthesized data, both tabular and geospatial. These data are integrated into a GIS to facilitate further analysis by scientists and managers. The results data contained within the database integration system are documented with project level metadata as well as attribute or parameter level metadata. Tools are being further developed to allow users to query data by location, date and parameters collected. The overall goal of the database management system is to provide a data integration system that takes into account the varying levels of data produced by the various monitoring projects and the needs of both managers and researchers.

#### References:

<http://serc.fiu.edu/wqmnetwork/>

[www.serc.fiu.edu/wqmnetwork](http://www.serc.fiu.edu/wqmnetwork)

[www.fiu.edu/~seagrass](http://www.fiu.edu/~seagrass)

[http://ocean.floridamarine.org/fknms\\_wqpp](http://ocean.floridamarine.org/fknms_wqpp)

[http://research.myfwc.com/features/category\\_sub.asp?id=2360](http://research.myfwc.com/features/category_sub.asp?id=2360)

#### FY 2009 Performance Measure:

- **Improve the water quality of the Everglades ecosystem as measured by total phosphorus, including meeting the 10 parts per billion total phosphorus criterion throughout the Everglades Protection Area marsh**

**Performance Database:** As required by the Clean Water Act and Florida's Everglades Forever Act, the oligotrophic Everglades marsh within the Everglades Protection Area must meet the newly adopted 10 parts per billion numeric criterion for total phosphorus. EPA approved the criterion and its application methodology in 2005. A monitoring program to determine whether the criterion is in fact being met throughout the Everglades marsh is necessary to determine whether the water body can be expected to meet its designated use, whether phosphorus concentrations are stable or are increasing, whether the concentrations in impacted areas are

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

improving, and whether watershed phosphorus control efforts costing in excess of \$1 billion are effective.

**Data Source:** Water quality is monitored throughout the Everglades marsh at dozens of long-term monitoring stations. These stations are sampled cooperatively in a joint effort by Florida Department of Environmental Protection, South Florida Water Management District, Everglades National Park, and Loxahatchee National Wildlife Refuge. Some of these stations were monitored previously by the United States Geological Survey beginning as long ago as 1953. Results of monitoring are reported in annual reports. The data are collected and are available to the public through a web site. Stormwater Treatment Area (STA) effluent phosphorus monitoring is in place as required by Florida and NPDES permits.

**Methods, Assumptions and Suitability:** The monitoring program was developed by scientists, with decades of experience regarding Everglades water quality and ecology, from the Florida Department of Environmental Protection, South Florida Water Management District, Everglades National Park, Loxahatchee National Wildlife Refuge and the EPA. The marsh monitoring program is designed to provide representative coverage of the entire 2,000 square mile freshwater Everglades. The monitoring program is capable of detecting temporal trends in phosphorus condition throughout the Everglades. The null hypothesis is that there is no change over time.

**QA/QC Procedures:** Field samples are collected by standard sampling protocol and analytical results are from accredited laboratories using standard methods. In addition, a series of ongoing laboratory round-robin exercises are overseen by the Florida Department of Environmental Protection. Field and lab protocol are also periodically reassessed by a Technical Oversight Committee that includes five Florida and federal agencies. Quality Assurance Project Plans are in place.

**Data Quality Review:** Water is sampled in the field by Department of Interior or South Florida Water Management District technical personnel using established Standard Operating Procedures. Data are subject to ongoing quality review by the interagency Technical Oversight Committee on a regular and continuing basis.

**Data Limitations:** There are no known limitations of the data set.

**Error Estimate:** Annual average total phosphorus concentrations are accurate to within 0.1 part per billion.

**New/Improved Performance Data or Systems:** Interagency dialogue and oversight provide ongoing reassessments that evaluate data credibility and completeness.



## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

##### References:

<http://www.epa.gov/waterscience/criteria/nutrient/ecoregions/>  
<http://www.sfwmd.gov/org/ema/toc/index.html>  
[http://www.sfwmd.gov/org/ema/toc/archives\\_docs.html](http://www.sfwmd.gov/org/ema/toc/archives_docs.html)  
<http://www.dep.state.fl.us/labs/assessment/index.htm>  
<http://www.dep.state.fl.us/labs/everglades/roundrobin.htm>  
<http://www.walker.net/#Selected%20Publications>

##### FY 2009 Performance Measure:

- **Percent of the population in each of the U.S. Pacific Island Territories served by community drinking water systems will receive drinking water that meets all applicable health-based drinking water standards throughout the year** (2005 Baseline: 95 percent of the population in American Samoa, 10 percent in CNMI (Commonwealth of the Northern Mariana Islands), and 80 percent of Guam served by community water systems received drinking water that meets all applicable health-based drinking water standards throughout the year.)

**Performance Database:** SDWIS (Safe Drinking Water Information System) is the database used to track this performance measure throughout the United States. However, of the three U.S. territories in the Pacific, only American Samoa has put data into this database on a reliable basis. (For example, Guam has not entered data in this database in years. We are working with CNMI and Guam in 2007 to enter data into SDWIS on a reliable basis.) In the interim, in Guam and CNMI we are working to get the data directly from the public water systems.

**Data Source:** Health-based violations are either reported by the territories (currently American Samoa only) or obtained through direct communication with public water systems (currently Guam and CNMI). Percentage of population served by community drinking water systems receiving 24-hour water is obtained through direct communication with territory (CNMI only). Population data are obtained from U.S. Census data.

**Methods, Assumptions and Suitability:** Our method is to calculate the performance measure as the percentage of people in the territories served by public water systems who are receiving 24-hour water that meets all health-based drinking water standards (i.e., no health-based violations). We can provide an aggregate value for the three Pacific territories using a weighted average based upon their populations. Our first main assumption is that a public water system must provide 24-hour water on a regular basis before it can provide drinking water that meets all health-based drinking water standards. This is an assumption that generally does not need to be made in the rest of the United States; and in the Pacific territories is an issue mainly in the CNMI. For example, the island of Saipan in the Northern Mariana Islands (population 70,000) is the only municipality of its size in the U.S. without 24-hour water (most of its residents get water only one or two hours per day; all but the poorest residents rely on bottled water or rain water as

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

the source of their drinking water). This method is suitable for the Pacific islands because the situation is unique to the Pacific Island territories, and is one of the underlying reasons for the need to track access to safe drinking water. Our second main assumption is that health-based violations reported by the territories are correct. Our third main assumption is that US Census data are correct.

**QA/QC Procedures:** American Samoa follows QA/QC procedures in the data it submits to EPA for entry into the SDWIS database. There is no other Quality Management Plan or Quality Assurance Project Plan currently associated with this indicator.

**Data Quality Reviews:** Although the territories are responsible for reviewing and assuring quality of health-based violation reporting, EPA has had to communicate directly with public water systems in Guam and CNMI to get the data (and continues to do so as part of ongoing enforcement and compliance efforts). EPA is also in direct communication with the territories to obtain percentage of population receiving 24-hour water. The US Census is responsible for reviewing and assuring population data quality. There is no other peer review or external data quality review.

**Data Limitations:** Potential data limitations include: (a) inconsistencies in reporting health-based violations among territories; and (b) inaccuracies due to imprecise measurement of percentage of population served by public water systems that receives 24-hour water.

**Error Estimate:** A quantitative estimate of error in the database is not possible.

**New/Improved Data or Systems:** Regarding SDWIS data, EPA will be working with the territories of Guam and CNMI in 2007 to provide more complete data to assess performance. Regarding percentage of population receiving 24-hour water, EPA will be working closely with the CNMI public water system and the CNMI Water Task Force (in the Office of the Governor) to both more accurately assess percentage of population receiving 24-hour water, and to provide 24-hour water to a greater percentage of the population.

**References:** N/A.

#### **FY 2009 Performance Measure:**

- **Percent of time sewage treatment plants in the U.S. Pacific Island Territories will comply with permit limits for biochemical oxygen demand (BOD) and total suspended solids (TSS)** (2005 Baseline: the sewage treatment plants in the Pacific Island Territories complied 59 percent of the time with BOD and TSS permit limits.)

**Performance Database:** ICIS (Integrated Compliance Information System) is used to track this performance measure.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**Data Source:** DMRs (Discharge Monitoring Reports) provided to EPA on a quarterly basis by the Pacific Island wastewater utilities are the data source.

**Methods, Assumptions and Suitability:** Permit conditions require each of the wastewater utilities to use EPA approved sampling methods. DMRs are self-reported by the Pacific island utilities to EPA on a quarterly basis for major facilities (greater than 1 million gallons per day of discharge). The main assumption is that the self-reported data are accurate.

**QA/QC Procedures:** Each of the Pacific island utility labs has and follows QA/QC procedures for this data.

**Data Quality Reviews:** EPA reviews the DMR reports to make sure they are thoroughly filled out. There are occasional EPA field audits of the utility labs.

**Data Limitations:** Potential data limitations include: (a) inconsistencies among personnel in performing sampling and analysis; and (b) incomplete data due to lack of sampling or lack of lab equipment.

**Error Estimate:** A quantitative estimate of error in the database is not possible.

**New/Improved Data or Systems:** EPA maintains communication with each of the utilities to improve sampling and analysis of BOD and TSS, and to improve reporting of DMRs.

**References:** N/A

#### **FY 2009 Performance Measure:**

- **Percent of days of the beach season that beaches in each of the U.S. Pacific Island Territories monitored under the Beach Safety Program will be open and safe for swimming.** (2005 Baseline: beaches were open and safe 64 percent of the 365-day beach season in American Samoa, 97 percent in CNMI and 76 percent in Guam.)

**Performance Database:** PRAWN ((Program tracking for Advisories, Water quality and Nutrients) is used to track this performance measure.

**Data Source:** Reports provided to EPA on a quarterly basis by the Pacific Island environmental agencies (Guam EPA, American Samoa EPA, CNMI DEQ) are the data source.

**Methods, Assumptions and Suitability:** The Pacific Island environmental agencies use EPA-approved methods to take bacteriological samples at beaches and analyze them in their labs. They put together reports that include beach sampling data and number of days beaches were

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

closed or had advisories posted based on bacteriological concerns. The Pacific Island environmental agencies submit these reports to EPA on a quarterly basis. EPA inputs data from the report into the PRAWN database. The main assumption is that the Pacific Island environmental agencies are following the EPA-approved methods for sampling and analysis. The secondary assumption is that EPA's contractor is correctly entering data from the reports.

**QA/QC Procedures:** Each of the Pacific Island environmental agencies has EPA-certified laboratories. Part of the certification process is establishing and adhering to QA/QC procedures.

**Data Quality Reviews:** EPA recertifies the labs on a periodic basis. Data quality from all lab procedures is reviewed.

**Data Limitations:** Potential data limitations include: (a) reporting inconsistencies within the database among jurisdictions which report on a quarterly basis (as the Pacific territories do) and on an annual basis.

**Error Estimate:** A quantitative estimate of error in the database is not possible.

**New/Improved Data or Systems:** EPA maintains communication with the Pacific territorial environmental agencies on changes in format which make it easier to enter data into the PRAWN database.

**References:** N/A.

#### **FY 2009 Performance Measure:**

- **Protect, enhance, or restore acres of wetland habitat and acres of upland habitat in the Lower Columbia River watershed.**

**Performance Database:** The database used to track habitat restoration in the Lower Columbia River watershed is titled "Regional Restoration Project Inventory". The database includes at a minimum the following data fields: Project title, lead organization, project partners, latitude/longitude, and acreage. Results are updated annually on a fiscal year basis.

**Data Source:** Habitat restoration data are reviewed through direct communication with multiple agencies and partners conducting habitat restoration projects in the Lower Columbia River watershed, and the database is cross-referenced with other state, regional, and federal funding sources and project tracking databases. Due to the numerous partners involved in each project, and their involvement in the maintenance of the database, the confidence in the data accuracy and reliability is high.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**Methods, Assumptions and Suitability:** Habitat restoration data in the Lower Columbia River watershed is collected and tracked via direct and ongoing communication with the network of agencies and organizations conducting habitat restoration in the watershed. The main assumption for this method is that all agencies and organizations conducting habitat restoration in the watershed are included in the database review. The acreage indicator chosen is suitable for progress towards our goal because the restoration projects included in the database protect, enhance, and restore both wetland and upland habitat.

**QA/QC Procedures:** The database is reviewed by entities involved in or conducting habitat restoration projects in the Lower Columbia River watershed. The database is maintained annually, reviewed internally, distributed to regional entities conducting habitat restoration, and referenced when reporting several times annually.

**Data Quality Reviews:** The Regional Restoration Project Inventory is a database and reporting tool that employs the available level of project detail by multiple agencies and organizations. This tool is used internally and amongst agencies and organizations conducting habitat restoration in the Lower Columbia River watershed, therefore peer reviews, audits, and reports by external groups are not applicable.

**Data Limitations:** Potential data limitations include: (a) inconsistencies in or non-standard methods of acreage measurement, due to multiple agencies and organizations reporting; (b) inaccuracies due to imprecise measurement of acreage; (c) significant variability in the data, due to advancements in acreage calculation methods and therefore variable accuracy over time; (e) incomplete or inaccurate data from agencies and organizations that choose not to submit or review project data.

**Error Estimate:** Based on the level of involvement from agencies and organizations conducting habitat restoration in the Lower Columbia River, the quantitative estimate of actual performance and calculation of error in the database is not possible.

**New/Improved Data or Systems:** The tracking of habitat restoration project data in the Lower Columbia River watershed will improve with the advancement of tracking technologies, including GIS analysis, and the maintained communication with agencies and organizations conducting habitat restoration in the watershed. The management of the database will adapt to these advancements when technically and feasibly possible.

**References:** Lower Columbia River Restoration Inventory can be found at: [http://www.lcrep.org/habitat\\_inventory.htm](http://www.lcrep.org/habitat_inventory.htm)

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

##### FY 2009 Performance Measure:

- **Clean-up acres of known contaminated sediments.**

**Performance Database:** EPA's Regional Office will maintain a database of Columbia River data from the sources described below. Clean-up data are likely to be generated at Bradford Island, managed by the U.S. Army Corps of Engineers and the Oregon Department of Environmental Quality (ODEQ); Portland Harbor, an EPA Superfund site; and other small RCRA clean-up sites managed by ODEQ on the Columbia River.

**Data Source:** Information will be collected from state, federal and local agency partners. Information from the Bradford Island clean-up will be collected by the U.S. Army Corps of Engineers and the Oregon Department of Environmental Quality (ODEQ). Information from the Portland Harbor Superfund site will be collected by EPA and other partners. Information from RCRA clean-up sites will be collected by ODEQ. EPA directly oversees the work at Superfund sites; for clean-up sites managed by other entities, like the Corps of Engineers, EPA accepts the information received but does not independently verify the information.

**Methods, Assumptions and Suitability:** Acres are the unit of measurement used. Acreage reporting will be from EPA for Superfund work efforts and for non-Superfund work, acreage will be provided by state, federal and local agency partners.

**QA/QC Procedures:** EPA's Regional staff collect primary data based on site documents related to individual clean-up activities. EPA directly oversees the work at Superfund sites; for clean-up sites managed by other entities, like the Corps of Engineers, EPA accepts the information received but does not independently verify the information. There are Quality Assurance Project Plans (QAPPs) for individual sediment clean-up projects.

**Data Quality Review:** Sediment clean-up projects, such as those included under this measure, are very expensive. Closely managed construction projects are carried out by contractors under strict oversight by responsible parties (e.g., the Corps). The actual clean-up work is carefully overseen by parties with huge financial interests at stake and there is little realistic opportunity for significant error in counting acres addressed. Also, there is close monitoring of sediment data quality, as this is an objective of these clean-up projects.

**Data Limitations:** The actual clean-up work is carefully overseen by parties with huge financial interests at stake and there is little realistic opportunity for significant error in counting acres addressed. There is close monitoring of sediment data quality, as that is the objective of these cleanup projects.

**Error Estimate:** No error estimate is available for this data.

# Environmental Protection Agency

## FY 2009 Annual Performance Plan and Congressional Justification

### 4-Year Performance Data Annual Performance Goals and Measures

New/Improved Data or Systems: N/A

References: <http://www.deq.state.or.us/lq/ecsi/ecsi.htm>

#### FY 2009 Performance Measure:

- **Restore the acres of tidally- and seasonally-influenced estuarine wetlands. [Puget Sound]**

**Performance Database:** This measure is closely related to acres protected or restored for the National Estuary Program (NEP) measure. Puget Sound is one of 28 estuaries in the NEP. The Office of Wetlands Oceans and Watersheds has developed a standardized format for data reporting and compilation, defining habitat protection and restoration activities and specifying habitat categories. The National Estuary Program On-Line Reporting Tool (NEPORT) is a web-based database that EPA developed for NEPs to submit their annual Habitat reports. Links to NEPORT can be found at: <http://www.epa.gov/owow/estuaries/neport> . Annual results have been reported since 2000 for the NEP (results are calculated on a fiscal year basis).

**Data Source:** The Puget Sound Partnership is the current home for the Puget Sound NEP. It works with its partners to document the number of acres of habitat restored and protected. EPA conducts regular reviews of NEP implementation to help ensure that information provided in these documents is accurate, and progress reported is in fact being achieved.

**Methods, Assumptions and Suitability:** Measuring the number of acres of habitat restored and protected may not directly correlate to improvements in the health of the habitat reported, or of the estuary overall, but it is a suitable measure of on-the-ground progress. Habitat acreage does not necessarily correspond one-to-one with habitat quality, nor does habitat (quantity or quality) represent the only indicator of ecosystem health. Nevertheless, habitat acreage serves as an important surrogate and a measure of on-the-ground progress made toward EPA=s annual performance goal of habitat protection and restoration in the NEP. "Restored and protected" is a general term used to describe a range of activities. The term is interpreted broadly to include created areas, protected areas resulting from acquisition, conservation easement or deed restriction, submerged aquatic vegetation coverage increases, permanent shellfish bed openings, and anadromous fish habitat increases.

**QA/QC Procedures:** Primary data are prepared by the staff of the NEP based on their own reports and from data supplied by other partnering agencies/organizations (that are responsible for implementing the action resulting in habitat protection and restoration). The NEP staff is requested to follow EPA guidance to prepare their reports, and to verify the numbers. EPA then confirms that the national total accurately reflects the information submitted by each program. EPA actions are consistent with data quality and management policies.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**Data Quality Review:** No audits or quality reviews conducted yet.

**Data Limitations:** Current data limitations include: information may be reported inconsistently (based on different interpretations of the protection and restoration definitions), acreage may be miscalculated or misreported, and acreage may be double counted (same parcel may also be counted by partnering/implementing agency or need to be replanted multiple years). In addition, measuring the number of acres of habitat restored and protected may not directly correlate to improvements in the health of the habitat reported (particularly in the year of reporting), but is rather a measure of on-the-ground progress made by the NEPs.

**Error Estimate:** No error estimate is available for this data.

**New/Improved Data or Systems:** NEPs provide latitude and longitude data (where possible) for each project. These data are then mapped to highlight where these projects are located in each NEP study area. Not only does this assist both the individual NEP and EPA in obtaining a sense of geographic project coverage, but it provides a basis from which to begin exploring cases where acreage may be double-counted by different agencies. An on-line reporting system—NEPORT-- has been developed for the NEPs use that will assist in tracking habitat projects. EPA has taken steps to align NEPORT data fields with those of the National Estuarine Restoration Inventory (NERI) and with the President's Wetlands Initiative, developed for interagency use.

**References:** Links to NEPORT can be found at: <http://www.epa.gov/owow/estuaries/nepor>.

#### **FY 2009 Performance Measure:**

- **Improve water quality and enable the lifting of harvest restrictions in acres of shellfish bed growing areas impacted by degraded or declining water quality. [Puget Sound]**

**Performance Database:** This measure is related to acres protected or restored for the National Estuary Program (NEP). Puget Sound is one of 28 estuaries in the NEP. The Office of Wetlands Oceans and Watersheds has developed a standardized format for data reporting and compilation, defining habitat protection and restoration activities and specifying habitat categories. Upgrading shellfish bed classifications is included. The National Estuary Program On-Line Reporting Tool (NEPORT) is a web-based database that EPA developed for NEPs to submit their annual Habitat reports. Links to NEPORT can be found at: <http://www.epa.gov/owow/estuaries/nepor>. Annual results have been reported since 2000 for the NEP (results are calculated on a fiscal year basis).

**Data Source:** The Puget Sound Partnership is the current home for the Puget Sound NEP. It works with its partners to document the number of acres of habitat restored and protected. With



## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

respect to shellfish bed classification the Washington State Department of Health (WDOH) is the entity that determines and tracks the status of shellfish beds. EPA conducts regular reviews of NEP implementation to help ensure that information provided in these documents is accurate, and progress reported is in fact being achieved.

**Methods, Assumptions and Suitability:** Measuring the number of acres of shellfish beds with harvest restrictions lifted is not a direct measure of habitat quality, but it is a measure of improving water quality with respect to fecal coliform contamination. This acreage serves as an important surrogate for water quality and human health protection in Puget Sound.

**QA/QC Procedures:** The Washington Department of Health does the sampling and analysis, which forms the basis of their shellfish bed status determinations. They have established QA/QC procedures. NEP staff utilize the State reported data on areas that have been the subject of restoration efforts.

**Data Quality Review:** No audits or quality reviews of the primary data have been conducted by EPA.

**Data Limitations:** Data are limited to the commercial shellfish beds which are monitored by the WDOH.

**Error Estimate:** No error estimate is available for this data.

**New/Improved Data or Systems:** NEPs provide latitude and longitude data (where possible) for each project. These data are then mapped to highlight where these projects are located in each NEP study area. An on-line reporting system—NEPORT-- has been developed for the NEPs= use that will assist in tracking habitat projects.

**References:** Links to NEPORT can be found at: <http://www.epa.gov/owow/estuaries/neport>.

#### **FY 2009 Performance Measure:**

- **Remediate acres of prioritized contaminated sediments. [Puget Sound]**

**Performance Database:** EPA's Regional office will maintain a database of Puget Sound contaminated sediment remediation using the Comprehensive Environmental Response, Compensation & Liability Information System (CERCLIS) used by the Agency's Superfund program. The CERCLIS database contains information on the types of contaminated sediments/toxics present in selected sites, as well as some baseline data against which remediation results may be derived.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**Data Source:** The CERCLIS database tracks Superfund sites only. Superfund site information includes remedial designs, feasibility studies and projects at contaminated sediment sites where remedial actions plans have been implemented. The CERCLIS database also tracks Federal completions, e.g., Superfund sites where federal clean-up activities have been completed.

**Methods, Assumptions and Suitability:** The CERCLIS database documents the remedial actions and Federal completions of projects to clean-up Superfund sites. Within Puget Sound, a Federal completion could correlate to a specific contaminated sediment site and the number of acres that were remediated. Actual data on the number of acres remediated will be in background documents related to the particular remediation project. Activities completed, which include prioritized contaminant remediation (removal, capping, or other remedial strategies), will count in terms of acres, or portions of an acre remediated. Other databases, such as the EPA Brownfields program database and the RCRA-Online database may be useful as additional sources of contaminated sediment remediation data for the Puget Sound sites. These additional databases may be considered in the future.

**QA/QC Procedures:** Primary data are prepared by the Superfund staff based on site documents related to individual clean-up activities. EPA directly oversees the work at Superfund sites. There are standard operating procedures and data control procedures applied to CERCLIS data. Data are reviewed quarterly and the data control plan is reviewed annually. There are Quality Assurance Project Plans (QAPPs) for individual sediment clean-up projects.

**Data Quality Review:** Sediment clean-up projects, such as those included under this measure, are very expensive. Closely managed construction projects are carried out by contractors under strict oversight by EPA. There is close monitoring of sediment data quality, as this is an objective of these clean-up projects too. EPA does periodic audits or quality reviews on Superfund site data and the CERCLIS database.

**Data Limitations:** At this time, data on contaminated sediment remediation within Puget Sound in the CERCLIS database are limited to sites where an EPA Superfund remediation plan has been developed and implemented. The CERCLIS database only recently began tracking the number of acres cleaned up and the specific sites where contaminated sediment remediation has occurred. A new module for tracking this site-specific data was added to the database in June 2007.

**Error Estimate:** No error estimate is available for this data.

**New/Improved Data or Systems:** At present, the EPA Regional office plans to use the existing CERCLIS database to manage data for the performance measure.

**References:** Link to the Superfund Site Information System at <http://cfpub.epa.gov/supercpad/cursites/srchsites.cfm>

# Environmental Protection Agency

## FY 2009 Annual Performance Plan and Congressional Justification

### 4-Year Performance Data Annual Performance Goals and Measures

#### GOAL 4 OBJECTIVE 4

##### FY 2009 Performance Measures:

- **Improved protocols for screening and testing (PART Measure)**
- **Effects and exposure milestones met (PART Measure)**
- **Assessment milestones met (PART Measure)**
- **Risk management milestones met (PART Measure)**

**Performance Database:** N/A

**Data Source:** Data are generated based on self-assessments of completion of planned program outputs.

**Methods, Assumptions and Suitability:** Annual milestones in support of the Multi-Year Plan for Endocrine Disruptors research are developed and revised during the annual budget and performance planning process. Self-assessments of progress toward completing these activities are based on the pre-defined goals.

**QA/QC Procedures:** Procedures are now in place to require that all annual milestones be clearly defined and mutually agreed upon within ORD by the start of each fiscal year. Progress toward completing these activities is monitored by ORD management.

**Data Quality Reviews:** N/A

**Data Limitations:** Data do not capture the quality or impact of the research milestones and outputs being measured. However, long-term performance measures and independent program reviews are used to measure research quality and impact. Additionally, completion rates of research outputs are program-generated, though subject to ORD review.

**Error Estimate:** N/A

**New/Improved Data or Systems:** N/A

**References:** Endocrine Disruptors Multi-Year Plan, available at:  
<http://www.epa.gov/osp/myep/edc.pdf>  
Endocrine Disruptors PART Program Review, available at:  
<http://www.whitehouse.gov/omb/expectmore/summary/10002280.2004.html>

# Environmental Protection Agency

## FY 2009 Annual Performance Plan and Congressional Justification

### 4-Year Performance Data Annual Performance Goals and Measures

#### FY 2009 Performance Measure:

- **Number of states using a common monitoring design and appropriate indicators to determine the status and trends of ecological resources and the effectiveness of national programs and policies (PART measure)**

**Performance Database:** Internal Regional EPA tracking system.

**Data Source:** Data are derived from internal assessments of state activities.

**Methods, Assumptions and Suitability:** Data for this measure are collected based on assessments of the number of states using Environmental Monitoring and Assessment Program (EMAP) data to monitor the condition of ecological resources. EMAP data are generated, in part, by a cooperative agreement with twenty-three states to conduct the National Coastal Assessment Monitoring survey, which introduces a standard protocol for monitoring the ecological condition of estuaries; including, probabilistic sampling designs, response designs for indicators, laboratory analyses, statistical analyses and reporting formats.

**QA/QC Procedures:** N/A

**Data Quality Reviews:** N/A

**Data Limitations:** N/A

**Error Estimate:** N/A

**New/Improved Data or Systems:** EPA anticipates by 2007 all states will have adopted and implemented the National Coastal Assessment Monitoring survey. Improvements in the management of contracts, coordination of the shipment of samples, and distribution of resulting data are now performed by EPA to give states without capability the opportunity to partner with the agency.

**References:** EMAP data, available at: <http://www.epa.gov/docs/emap/index.html>

US EPA. 2001. Environmental Monitoring and Assessment Program (EMAP): National Coastal Assessment Quality Assurance Project Plan, 2001-2004. EPA/620/R-01/002. Office of Research and Development, National Health and Environmental Effects Research Laboratory, Gulf Ecology Division, Gulf Breeze, FL.

Ecological Research PART Program Review, available at:  
<http://www.whitehouse.gov/omb/expectmore/summary/10001135.2005.html>

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

##### FY 2009 Performance Measures:

- Percentage of planned outputs delivered in support of public health outcomes long-term goal (PART Measure)
- Percentage of planned outputs delivered in support of mechanistic data long-term goal (PART Measure)
- Percentage of planned outputs delivered in support of the aggregate and cumulative risk long-term goal (PART Measure)
- Percentage of planned outputs delivered in support of the susceptible subpopulations long-term goal (PART Measure)
- Percentage of planned outputs delivered in support efficient and effective clean-ups and safe disposal of contamination wastes.
- Percentage of planned outputs delivered in support of water security initiatives
- Percentage of planned outputs delivered in support of risk assessors and decision-makers in the rapid assessment of risk and the determination of cleanup goals and procedures following contamination.
- Percentage of planned outputs delivered on time in support of establishment of the environmental National Laboratory Response Network
- Percentage of planned outputs delivered in support of HHRA health assessments. (PART Measure)
- Percentage of planned outputs delivered in support of Air Quality Criteria/Science Assessment documents (PART Measure)
- Percentage of planned outputs delivered in support of HHRA Technical Support Documents (PART Measure)
- Percentage of planned outputs delivered. (PART Measure)
- Percent progress toward completion of a framework linking global change to air quality. (PART Measure)
- Percentage of planned outputs delivered in support of State, tribe, and relevant EPA office needs for causal diagnosis tools and methods to determine causes of ecological degradation and achieve positive environmental outcomes. (PART Measure)
- Percentage of planned outputs delivered in support of State, tribe, and relevant EPA office needs for environmental forecasting tools and methods to forecast the ecological impacts of various actions and achieve positive environmental outcomes (PART Measure).
- Percentage of planned outputs delivered in support of State, tribe, and relevant EPA office needs for environmental restoration and services tools and methods to protect and restore ecological condition and services to achieve positive environmental outcomes (PART Measure).
- Percentage of planned outputs delivered in support of the Office of Prevention, Pesticides and Toxic Substances' and other organizations' needs for methods, models, and data to prioritize testing requirements; enhance interpretation of data

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

to improve human health and ecological risk assessments; and inform decision-making regarding high priority pesticides and toxic substances (PART Measure).

- Percentage of planned outputs delivered in support of the Office of Prevention, Pesticides and Toxic Substances' and other organizations' needs for methods, models, and data for probabilistic risk assessments to protect natural populations of birds, fish, other wildlife, and non-target plants (PART Measure).
- Percentage of planned outputs delivered in support of the Office of Prevention, Pesticides and Toxic Substances' and other organizations' needs for methods, models, and data to make decisions related to products of biotechnology (PART Measure).

**Performance Database:** Integrated Resources Management Systems (internal database) or other internal tracking system.

**Data Source:** Data are generated based on self-assessments of completion of planned program outputs.

**Methods, Assumptions and Suitability:** To provide an indication of progress towards achievement of a program's long-term goals, each program annually develops a list of key research outputs scheduled for completion by the end of each fiscal year. This list is finalized by the start of the fiscal year, after which no changes are made. The program then tracks quarterly the progress towards completion of these key outputs against pre-determined schedules and milestones. The final score is the percent of key outputs from the original list that are successfully completed on-time.

**QA/QC Procedures:** Procedures are now in place to require that all annual outputs be clearly defined and mutually agreed upon within ORD by the start of each fiscal year. Progress toward completing these activities is monitored by ORD management

**Data Quality Reviews:** N/A

**Data Limitations:** Data do not capture the quality or impact of the research outputs being measured. However, long-term performance measures and independent program reviews are used to measure research quality and impact. Additionally, completion rates of research outputs are program-generated, though subject to ORD review.

**Error Estimate:** N/A

**New/Improved Data or Systems:** N/A

**References:** Human Health Multi-Year Plan, available at: <http://epa.gov/osp/mypp/hh.pdf>.  
Global Change Research Multi-Year Plan, available at: <http://epa.gov/osp/mypp/global.pdf>

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

Human Health Risk Assessment Multi-Year Plan, available at: <http://epa.gov/osp/mypp/hhra.pdf>

Safe Pesticides/Safe Products Multi-Year Plan, available at: <http://epa.gov/osp/mypp/sp2.pdf>

Ecological Research Multi-Year Plan, available at: <http://epa.gov/osp/mypp/eco.pdf>

Human Health Research PART Program Assessment, available at: <http://www.whitehouse.gov/omb/expectmore/summary/10004373.2005.html>

Global Change Research PART Program Assessment, available at: <http://www.whitehouse.gov/omb/expectmore/summary/10004307.2006.html>

Human Health Risk Assessment PART Program Assessment, available at: <http://www.whitehouse.gov/omb/expectmore/summary/10004308.2006.html>

#### **FY 2009 Performance Measures:**

- **Percentage of Ecological Research publications rated as highly-cited publications (PART Measure).**
- **Percentage of Ecological Research publications in "high-impact" journals (PART Measure).**
- **Percentage of Human Health program publications rated as highly cited papers (PART Measure).**
- **Percentage of SP2 publications rated as highly cited publications (PART Measure).**
- **Percentage of SP2 publications in "high impact" journals (PART Measure).**

**Performance Database:** No internal tracking system.

**Data Source:** Searches of Thomson Scientific's *Web of Science* and *Scopus* are conducted to obtain "times cited" data for programs' publications. Analyses are completed using Thomson's *Essential Science Indicators (ESI)* and *Journal Citation Reports (JCR)* as benchmarks. *ESI* provides access to a unique and comprehensive compilation of essential science performance statistics and science trends data derived from Thomson's databases.

**Methods, Assumptions and Suitability:** For influence and impact measures, *ESI* employs both total citation counts by field and cites per paper scores. The former reveals gross influence while the latter shows weighted influence, also called impact. *JCR* is a recognized authority for evaluating journals. It presents quantifiable statistical data that provide a systematic, objective way to evaluate the world's leading journals and their impact and influence in the global research community. The two key measures used in this analysis to assess the journals in which a program's papers are published are the Impact Factor and Immediacy Index. The Impact Factor is a measure of the frequency with which the "average article" in a journal has been cited in a particular year. The Impact Factor helps evaluate a journal's relative importance, especially when compared to other journals in the same field.

**QA/QC Procedures:** N/A

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**Data Quality Reviews:** N/A

**Data Limitations:** Analyses do not capture citations within EPA regulations and other key agency documents.

**Error Estimate:** N/A

**New/Improved Data or Systems:** N/A

**References:** Bibliometric Analysis for the U.S. Environmental Protection Agency/Office of Research and Development's Safe Pesticides/Safe Products Research Program, available at: [http://es.epa.gov/ncer/publications/bibliometrics/sp\\_bibliometric\\_1206.pdf](http://es.epa.gov/ncer/publications/bibliometrics/sp_bibliometric_1206.pdf)

Bibliometric Analysis for the U.S. Environmental Protection Agency/Office of Research and Development's Ecological Research Program, available at: [http://es.epa.gov/ncer/publications/bibliometrics/eco\\_full\\_analysis.pdf](http://es.epa.gov/ncer/publications/bibliometrics/eco_full_analysis.pdf)

Bibliometric Analysis for the U.S. Environmental Protection Agency/ Office of Research and Development's Human Health Research Program, available at: [http://es.epa.gov/ncer/publications/bibliometrics/human\\_health\\_bibliometric\\_121306.html](http://es.epa.gov/ncer/publications/bibliometrics/human_health_bibliometric_121306.html)

Human Health Research PART Program Assessment, available at: <http://www.whitehouse.gov/omb/expectmore/summary/10004373.2005.html>

EPA Ecological Research PART Program Assessment, available at: <http://www.whitehouse.gov/omb/expectmore/summary/10001135.2007.html>

EPA Pesticides and Toxics Research PART Program Assessment, available at: <http://www.whitehouse.gov/omb/expectmore/summary/10009012.2007.html>

#### **FY 2009 Performance Measure:**

- **Usefulness of HHRA's Air Quality Criteria Documents (AQCDs), represented by the number of days between the completion of AQCD peer review and publication of the EPA staff document that relies on the AQCD.**

**Performance Database:** N/A

**Data Source:** Data are generated based on internal tracking of the time between completion of AQCD peer review and publication of the EPA staff document.

**Methods, Assumptions and Suitability:** To provide an indication of the usefulness of HHRA's AQCDs, the program tracks the time between completion of AQCD peer review and publication of the EPA staff document. The program aims to complete peer review at least 60 days prior to publication of the draft Staff Paper for all AQCDs over the 5 year period 2006 - 2010. The goal is to achieve 100% coverage of Agency needs by 2010.



## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**QA/QC Procedures:** N/A

**Data Quality Reviews:** N/A

**Data Limitations:** Data derived from this measure serve as a proxy for determining the utility of HHRA's Air Quality Criteria Documents (AQCDs) for the EPA staff document.

**Error Estimate:** N/A

**New/Improved Data or Systems:** N/A

**References:** Human Health Risk Assessment PART Assessment:  
<http://www.whitehouse.gov/omb/expectmore/summary/10004308.2006.html>

#### **FY 2009 Performance Measure:**

- Average cost to produce Air Quality Criteria/Science Assessment documents (Efficiency Measure)

**Performance Database:** N/A

**Data Source:** Data are generated based on self-tracking of cost per Air Quality Criteria/ Science Assessment document.

**Methods, Assumptions and Suitability:** The HHRA Program's efficiency measure tracks the cost to produce AQCDs for use by the Office of Air and Radiation in developing their policy options for the NAAQS. Total FTE and extramural dollar costs are cumulated over a five year period and divided by the number of AQCDs produced in this time period, to create a moving annual average \$/AQCD.

**QA/QC Procedures:** N/A

**Data Quality Reviews:** N/A

**Data Limitations:** Data do not capture the quality or impact of the program activities. However, other performance measures and independent program reviews are used to measure the quality and impact of the program.

**Error Estimate:** N/A

**New/Improved Data or Systems:** N/A

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**References:** Human Health Risk Assessment PART Assessment:  
<http://www.whitehouse.gov/omb/expectmore/summary/10004308.2006.html>

#### **FY 2009 Performance Measure:**

- Average time (in days) to process research grant proposals from RFA closure to submittal to EPA's Grants Administration Division, while maintaining a credible and efficient competitive merit review system (as evaluated by external expert review) (Efficiency Measure)

**Performance Database:** N/A

**Data Source:** Data are generated based on self-tracking of grants processing time.

**Methods, Assumptions and Suitability:** The Human Health Program's efficiency measure tracks the average time to process and award grants.

**QA/QC Procedures:** N/A

**Data Quality Reviews:** N/A

**Data Limitations:** Data do not capture the quality or impact of the program activities. However, other performance measures and independent program reviews are used to measure the quality and impact of the program.

**Error Estimate:** N/A

**New/Improved Data or Systems:** N/A

**References:** N/A

#### **FY 2009 Performance Measure:**

- Percent variance from planned cost and schedule (PART Efficiency Measure)

**Performance Database:** Integrated Resources Management System (internal database).

**Data Source:** Data are generated based on 1) self-assessments of progress toward completing research goals, and 2) spending data.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**Methods, Assumptions and Suitability:** Using an approach similar to Earned Value Management, the data are calculated by: 1) determining the difference between planned and actual performance for each long-term goal (specifically, determining what percent of planned program outputs were successfully completed on time), 2) determining the difference between planned and actual cost for each long-term goal (specifically, determining the difference between what the program actually spent and what it intended to spend), and 3) dividing the difference between planned and actual performance by the difference between planned and actual cost.

**QA/QC Procedures:** N/A

**Data Quality Reviews:** N/A

**Data Limitations:** Program activity costs are calculated through both actual and estimated costs when activities are shared between programs. Performance data reflects only the key program outputs, and does not include every activity completed by a program. Additionally, completion rates of research outputs are program-generated, though subject to ORD review.

**Error Estimate:** N/A

**New/Improved Data or Systems:** N/A

**References:** Global Change Research PART Program Assessment, available at: <http://www.whitehouse.gov/omb/expectmore/summary/10004307.2006.html>

#### GOAL 5 OBJECTIVE 1

##### FY 2009 Performance Measures:

- Pounds of pollution estimated to be reduced, treated, or eliminated as a result of concluded enforcement actions [PART]
- Percentage of concluded enforcement cases requiring that pollution be reduced, treated, or eliminated [PART]
- Percentage of concluded enforcement cases requiring implementation of improved environmental management practices [PART]
- Dollars invested in improved environmental performance or improved environmental management practices as a result of concluded enforcement actions (i.e., injunctive relief and SEPs)
- Pounds of pollutants estimated to be reduced, treated, or eliminated as a result of audit agreements [PART]

**Performance Databases:** The Integrated Compliance Information System Federal Enforcement & Compliance (ICIS FE&C) database tracks EPA judicial and administrative civil enforcement

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

actions. Criminal enforcement cases are tracked by the Criminal Case Report System (CCRS) which became operational in FY 2006.

**Data Source:** Most of the essential data on environmental results in ICIS FE&C is collected through the Case Conclusion Data Sheet (CCDS), which Agency staff begin preparing after the conclusion of each civil, judicial and administrative enforcement action. EPA implemented the CCDS in 1996 to capture relevant information on the results and environmental benefits of concluded enforcement cases. Information from the CCDS is used to track progress for several of the performance measures. The CCDS form consists of 22 specific questions which, when completed, describe specifics of the case; the facility involved; information on how the case was concluded; the compliance actions required to be taken by the defendant(s); the costs involved; information on any Supplemental Environmental Project to be undertaken as part of the settlement; the amounts and types of any penalties assessed; and any costs recovered through the action, if applicable. The CCDS documents whether the defendant/respondent, in response to an order for injunctive relief or otherwise in response to the enforcement action, will: (1) implement controls that will reduce pollutants; and/or (2) improve environmental management practices to curtail, eliminate or better monitor and handle pollutants in the future.

The Criminal Enforcement Program also collects annual information on pollution reductions for concluded criminal prosecutions on a separate case conclusion data form.

**Methods, Assumptions and Suitability:** For enforcement actions which result in pollution reductions, staff estimate the amount of pollution reduced for an immediately implemented improvement, or for an average year once a long-term solution is in place. There are established procedures to be used by EPA staff to calculate, by statute, e.g., Clean Water Act (CWA), the pollutant reductions or eliminations. The calculation determines the difference between the current Aout of compliance@ quantity of pollutants released and the post enforcement action Ain compliance@ quantity of pollutants released. This difference is then converted into standard units of measure.

**QA/QC Procedures:** QA/QC procedures [See references] are in place for both the CCDS and ICIS FE&C data entry. There is a CCDS Training Booklet [See references] and a CCDS Quick Guide [See references], both of which have been updated and distributed throughout regional and headquarters= offices. The criminal enforcement program has prepared a companion guide for use by its field agents. Separate CCDS Calculation and Completion Checklists [See references] are required to be filled out when the CCDS is completed. Criminal enforcement measures are quality assured by the program at the end of the fiscal year.

Quality Management Plans (QMPs) are prepared for each office within The Office of Enforcement and Compliance Assurance (OECA). The Office of Compliance's (OC) QMP, effective for 5 years, was approved July 29, 2003 by the Office of Environmental Information (OEI) and is required to be re-approved in 2008. To satisfy the Government Performance and

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

Results Act (GPRA), the Agency's information quality guidelines, and other significant enforcement and compliance policies on performance measurement, OECA instituted a requirement for semiannual executive certification of the overall accuracy of ICIS information. In addition, in FY 2003, OC established a quarterly data review process to ensure timely input, data accuracy, and reliability of EPA's enforcement and compliance information.

**Data Quality Review:** Information contained in the CCDS and ICIS FE&C are required by policy to be reviewed by regional and headquarters= staff for completeness and accuracy. ICIS data are quality-reviewed quarterly, and reviewed and certified at mid-year and end-of-year.

**Data Limitations:** Pollutant reductions or eliminations reported in CCDS are projected estimates of pollutants to be reduced or eliminated if the defendant carries out the requirements of the settlement. (Information on expected outcomes of state enforcement is not available.) The estimates are based on information available at the time a case is settled or an order is issued. In some instances, this information will be developed and entered after the settlement, during continued discussions over specific plans for compliance. Because of the time it takes to agree on compliance actions, there may be a delay in completing the CCDS. Additionally, because of unknowns at the time of settlement, different levels of technical proficiency, or the nature of a case, OECA=s expectation is that the overall amount of pollutants to be reduced or eliminated will be prudently underestimated based on CCDS information.

**Error Estimate:** Not available

**New & Improved Data or Systems:** In November 2000, EPA completed a comprehensive guide on the preparation of the CCDS estimates. This guide, issued to headquarters and regional staff, was made available in print and CD-ROM, was supplemented in FY 2002 and updated in FY 2004. The guide contains work examples to ensure better calculation of the amounts of pollutants reduced or eliminated through concluded enforcement actions.

ICIS FE&C became operational in June 2006. This new data system has all of the functionality of old ICIS (ICIS 1.0) but also has an added feature for tracking EPA enforcement and compliance activities. In addition, another component of ICIS, "ICIS-NPDES" is being phased-in as the database of record for the CWA National Pollutant Discharge Elimination System (NPDES) program and it includes all federal and state enforcement, compliance and permitting data. States are currently being migrated to ICIS NPDES from the legacy data system, the Permit Compliance System (PCS). States are being phased-in to ICIS-NPDES in accordance with their current data and system capabilities and the completed migration process is projected to be completed in FY2009. As a state's data is migrated from PCS to ICIS-NPDES, so too is its NPDES federal compliance and enforcement data. ICIS-NPDES will have a new feature that did not exist in the legacy system and that is the capability to accept electronic data directly from facilities. This new data reporting function is expected to increase data accuracy and timeliness.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

To date ICIS-NPDES has become the national system of record for 21 states, 2 tribes, and 9 territories.

**References:** Quality Assurance and Quality Control procedures: Data Quality: Life Cycle Management Guidance, (IRM Policy Manual 2100, dated September 28, 1994, reference Chapter 17 for Life Cycle Management). CCDS: CCDS, Training Booklet, issued November 2000; Quick Guide for CCDS, issued November 2000, and “Guide for Calculating Environmental Benefits of Enforcement Cases: FY2005 CCDS Update” issued August 2004 available: <http://intranet.epa.gov/oeca/oc/resources/ccds/ccds.pdf>. Information Quality Strategy and OC’s Quality Management Plans: Final Enforcement and Compliance Data Quality Strategy, and Description of FY 2002 Data Quality Strategy Implementation Plan Projects, signed March 25, 2002. ICIS: U.S. EPA, OECA, ICIS Phase I, implemented June 2002. Internal EPA database; non-enforcement sensitive data available to the public through the Freedom of Information Act (FOIA). Criminal Enforcement Division Case Conclusion

#### **FY 2009 Performance Measure:**

- **Percentage of regulated entities taking complying actions as a result of on-site compliance inspections and evaluations**

**Performance Databases:** ICIS FE&C and manual reporting by regions.

**Data Sources:** EPA regional offices, Office of Civil Enforcement - Air Enforcement Division (Mobile Source program), Office of Compliance - Agriculture Division (Good Laboratory Practices), and the Compliance Assessment and Media Programs Division (Wood Heaters).

**Methods, Assumptions and Suitability:** The Inspection Conclusion Data Sheet, (ICDS) is used to record key activities and outcomes at facilities during on-site inspections and evaluations. Inspectors use the ICDS form while performing inspections or investigation to collect information on on-site complying actions taken by facilities, deficiencies observed, and compliance assistance provided. The information from the completed ICDS form is entered into ICIS or reported manually. This measure was selected because it directly counts the complying actions taken by the facility to address deficiencies communicated by the inspector during on-site inspections/evaluations. ICDS data can be used to identify trends and generate targeting strategies.

**QA/QC Procedures:** The ICIS FE&C data system has been developed per Office of Environmental Information Lifecycle Management Guidance, which includes data validation processes, internal screen audit checks and verification, system and user documents, data quality audit reports, third party testing reports, and detailed report specifications for showing how data are calculated.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**Data Quality Review:** The information in the CCDS, ICDS and ICIS FE&C is required by policy to be reviewed by regional and headquarters= staff for completeness and accuracy. In FY2003, to satisfy the GPRA, the Agency's information quality guidelines, and other significant enforcement and compliance policies on performance measurement, OECA instituted a requirement for semiannual executive certification of the overall accuracy of information. ICIS FE&C data are reviewed quarterly and certified at mid-year and end of year.

**Data Limitations:** ICIS FE&C is the official database of record for all inspections not reported into the legacy data bases (with the exception of some regions participating in the Underground Injection Control (UIC) database pilot who must still report manually). Legacy databases still operational include Air Facility System (AFS), RCRAInfo, and PCS for those states not migrated over to ICIS-NPDES.

**New & Improved Data or Systems:** In June FY 2006, a new version of the ICIS data system, ICIS FE&C became operational. The new data system has all of the functionality of old ICIS (ICIS 1.0) but adds functionality for tracking EPA enforcement and compliance activities. Further, ICIS-NPDES is beginning to replace the PCS as the database of record for the NPDES program, including all federal and state enforcement, compliance and permitting data. States are being phased-in to ICIS-NPDES in accordance with their current data and system capabilities and the completed migration process is projected to be completed in FY 2009.

#### **References:**

- ICIS: U.S. EPA, OECA, ICIS FE&C, implemented June 2006
- ICIS: U.S. EPA, OECA, ICIS-NPDES, implemented June 2006
- Memo dated October 11, 2005: Entering Manually Reported Federal Inspections into ICIS in FY 2006
- Internal EPA database
- Non-enforcement sensitive data available to the public through the Freedom of Information Act (FOIA).

#### **FY 2009 Performance Measures:**

- **Percentage of regulated entities receiving direct compliance assistance from EPA reporting that they improved environmental management practices as a result of EPA assistance**
- **Percentage of regulated entities receiving direct assistance from EPA reporting that they reduced, treated, or eliminated pollution, as a result of EPA assistance**

**Performance Database:** EPA headquarters and regions will manage data on regulated entities receiving direct compliance assistance from EPA through ICIS.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**Data source:** Headquarters and EPA=s regional offices will enter information in ICIS upon completion and delivery of media and sector-specific compliance assistance including workshops, training, on-site visits and distribution of compliance assistance tools. ICIS is designed to capture outcome measurement information such as increased awareness/understanding of environmental laws, changes in behavior and environmental improvements as a result of the compliance assistance provided.

**Methods, Assumptions and Suitability:** Compliance Assistance (CA) measures are automatically produced in the ICIS database which records the number of entities that received direct assistance from EPA and report that they improved an environmental management practice and/or report that they reduced, treated or eliminated pollution as a result of EPA assistance. The Compliance Assistance Conclusion Data Sheet (CACDS) was created to facilitate entry of data in ICIS on the on-site CA visits. ICIS produces the percentage by dividing the number of respondents to each of two follow-up survey questions by the number of respondents for each question who answered affirmatively. The figure is aggregated nationally from the regional data. A percentage measure was chosen to track the goal for year to year comparability as opposed to a direct number which varies year to year.

**QA/QC:** Automated data checks and data entry guidelines are in place for ICIS.

**Data Quality Review:** Information contained in the ICIS is reviewed by regional and headquarters staff for completeness and accuracy. In FY2003, OECA instituted a requirement for semiannual executive certification of the overall accuracy of information to satisfy the GPRA, the Agency's information quality guidelines, and other significant enforcement and compliance policies on performance measurement. ICIS data are reviewed quarterly and certified at mid-year and end of year.

**Data Limitations:** At the request of OMB, OECA has agreed to add language to caveat CA results in EPA's annual *Performance and Accountability Report*. The language will explain that our GPRA performance measures are not calculated from a representative sample of the regulated entity universe. The percentages are based, in part, on the number of regulated entities that answer affirmatively to questions on our voluntary surveys and do not account for the number of regulated entities who chose not to answer these questions or a survey.

**Error Estimate:** None

**New & Improved Data or Systems:** EPA continues to improve and/or modify elements of the compliance assistance module in ICIS based on use of the system. OECA will conduct a study and develop a strategy to use statistically valid techniques to tie outcomes to EPA-provided compliance assistance activities. Beginning with a pilot survey in FY 2008, EPA will conduct a survey every three years of a statistically-valid sample of compliance assistance recipients to measure behavior changes resulting from compliance assistance.



## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**References:** US EPA, ICIS Compliance Assistance Module, February 2004; US EPA, Compliance Assistance in the Integrated Compliance Information System Guidance, February 20, 2004. US EPA, 2005 Guidance Addendum for Reporting Compliance Assistance in the ICIS, March 2005.

#### GOAL 5 OBJECTIVE 2

##### FY 2009 Performance Measures:

- **Number of pounds of reduced (in millions) of priority chemicals as measured by National Partnership for Environmental Priorities members.**
- **Number of pounds of priority chemicals reduced from the environment per Federal government costs [PART efficiency measure]**

**Performance Database:** Under Information Collection Request no. 2050-0190 (“Reporting Requirements Under EPA’s National Partnership for Environmental Priorities”, renewed April 2006) the National Partnership for Environmental Priorities (NPEP) program collects information on partner (mostly from the industrial sector, and one municipal facility) priority chemical reduction commitments, technical solutions proposed to achieve reductions, and actual reduction achievements. Achievements are verified through discussions between EPA waste minimization national experts and partner technical personnel, and further verified using the Toxics Release Inventory system where possible.

**NPEP efficiency measure:** The denominator of the efficiency measure, or the cost to perform such actions, equals program cost minus quantifiable benefit per pound of reduction. Program cost is calculated to be the cost for Federal program implementation (FTE + grant and contract funding). Industry cost is neutral. Quantifiable benefits include information collected through NPEP success stories on resource savings (e.g. water, energy) resulting from implementation of waste minimization technologies and processes.

**Data Source:** As part of their partnership agreement, NPEP partners provide information concerning what priority list chemicals they commit to reduce, the process through which the reduction will be achieved, and the time frame for achieving the commitment. When the commitment is achieved they provide EPA with a “success story” which identifies the actual achievement, confirms the process used to achieve the reduction, and provides additional information of interest to the general public and other technical personnel concerning how the achievement was met. Information is reviewed by EPA waste minimization national experts for reasonableness based on best professional judgment. An internal tracking system is used to track pounds committed, achievement date, and actual achievement. NPEP partner achievement data is further verified against TRI reporting when the partner is a TRI regulated facility. The Emergency Planning and Community Right-to-Know Act of 1986 (EPCRA), Section 313

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

(Toxics Release Inventory) and expanded by the Pollution Prevention Act of 1990 (40 CFR Part 13101; [www.epa.gov/tri](http://www.epa.gov/tri)) requires that regulated facilities report facility-specific, chemical-specific release, waste and recycling data to EPA.

**Methods and Assumptions:** Regional targets are calculated to meet the national total goal. This is a new measure which does not have comparable historical data. EPA does not intend to reconcile FY 08 results with prior years.

Additionally, when the partner is also a TRI regulated facility, achievement data are verified against TRI reporting

**Suitability:** EPA waste minimization national experts are trained in industrial or chemical engineering and have significant experience in evaluating industrial processes for waste minimization potential and efficiency. Their professional judgment forms the basis for accepting the applicants' waste minimization commitment and achievement.

#### QA/QC Procedures:

**Internal tracking:** EPA engineers review commitment information. In cases where commitment information is initially incomplete or lacks substantiation, EPA engineers may conduct site visits in order to make a determination that the commitment is reasonably achievable. Information on number of pounds committed for reduction, achievement date and actual achievement is reported by NPEP partners and stored in an internal NPEP tracking system. Tracking system data are periodically reviewed by EPA regional coordinators to ensure that they accurately reflects partner commitments. Corrections are made to tracking system data when they are identified.

**TRI Database verification:** Most facilities use EPA-certified automated Toxics Release Inventory (TRI) Form R reporting tools, which contain automated error checking mechanisms. Upon receipt of the facilities' reports, EPA conducts automated edits, error checks, data scrubs, corrections and normalization during data entry and subsequent processing. The Agency does not control the quality of the data submitted by the regulated community. EPA does, however, work with the regulated community to improve the quality of their estimates.

#### Data Quality Review:

**Internal Tracking data:** Tracking system data are periodically reviewed by EPA regional coordinators to ensure that they accurately reflects partner commitments. Corrections are made to tracking system data when they are identified.

**TRI data:** The quality of the data contained in the TRI chemical reports is dependent upon the quality of the data that the reporting facility uses to estimate its releases and other waste

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

management quantities. Use of TRI Form R by submitters and EPA's data reviews help assure data quality. The GAO Report Environmental Protection: EPA Should Strengthen Its Efforts to Measure and Encourage Pollution Prevention (GAO - 01 - 283, February, 2002, <http://www.gao.gov/new.items/d01283.pdf>), recommends that EPA strengthen the rule on reporting of source reduction activities. Although EPA agrees that source reduction data are valuable, the Agency has not finalized regulations to improve reporting of source reduction activities by TRI-regulated facilities.

**Data Limitations:** For both internal tracking system and TRI data, use of the data should be based on the user's understanding that the Agency does not have direct assurance of the accuracy of the facilities' measurement and reporting processes.

#### **Error Estimate:**

**Internal Tracking:** This is a new measurement tool, implemented with the 2006 – 2011 Strategic Plan. No error estimate is available at this time. However, EPA is developing an error tracking process for use in 2007 and should have an error estimate for fiscal year 2007 in early 2008.

**TRI data:** From the various data quality efforts, EPA has learned of several reporting issues such as incorrect assignment of threshold activities and incorrect assignment of release and other waste management quantities (EPA-745-F-93-001; EPA-745-R-98-012; [www.epa.gov/tri/tridata/data\\_quality\\_reports/index.htm](http://www.epa.gov/tri/tridata/data_quality_reports/index.htm); [www.epa.gov/tri/report/index.htm](http://www.epa.gov/tri/report/index.htm)). For example, certain facilities incorrectly assigned a 'processing' (25,000 lb) threshold instead of an 'otherwise use' (10,000 lb) threshold for certain non-persistent, bioaccumulative and toxic (PBT) chemicals, so they did not have to report if their releases were below 25,000 lbs. Also, for example, some facilities incorrectly reported fugitive releases instead of stack releases of certain toxic chemicals.

**New/Improved Data or Systems:** Use of internal tracking data allows EPA to measure direct progress resulting from the NPEP program. Historically EPA has measured trends using TRI. Because TRI data are influenced by a variety of factors, including multiple EPA and State regulations, voluntary programs, and national economic trends, use of TRI did not allow EPA to directly measure program results. The internal tracking system is a limited data set and is 100% reviewed by expert engineers, is a reasonably accurate data set.

**References:** <http://www.epa.gov/epaoswer/hazwaste/minimize/index.htm>;  
[www.epa.gov/tri/](http://www.epa.gov/tri/) and additional citations provided above. (EPA-745-F-93-001; EPA-745-R-98-012; <http://www.epa.gov/tri/report/index.htm>;  
[www.epa.gov/tri/tridata/data\\_quality\\_reports/index.htm](http://www.epa.gov/tri/tridata/data_quality_reports/index.htm); [www.epa.gov/tri/report/index.htm](http://www.epa.gov/tri/report/index.htm)  
Bureau of Economic Analysis (BEA) indices are available at  
<http://www.bea.gov/bea/regional/gsp/>.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

##### FY 2009 Performance Measures:

- Pounds of hazardous materials reduced by P2 program participants (PART measure)
- BTUs of energy reduced, conserved or offset by P2 program participants
- Gallons of water reduced by P2 program participants
- Business, institutional and government cost reduced by P2 program participants (PART measure)

The Agency's Pollution Prevention programs, or results centers, include Green Chemistry (GC), Design for the Environment (DfE), Green Engineering (GE), Regional Offices Pollution Prevention Resource Exchange (P2Rx), Environmentally Preferable Purchasing (EPP), Partnership for Sustainable Healthcare (PSH), and Green Suppliers Network (GSN). Each of these program/results centers operate under the principles of the Pollution Prevention Act and works with others to reduce waste at the source, before it is generated. The programs are designed to facilitate the incorporation of pollution prevention concepts and principles into the daily operations of government agencies, businesses, manufacturers, nonprofit organizations, and individuals. Each program/results center contributes outcome results which are added to the combined flow of results. Data is rolled up into a single tracking tool: "P2 Program 2011 Strategic Targets -Contributions by Program.xls," aggregating annual progress toward the goals.

##### **Performance Database:**

*Green Chemistry (GC):* EPA has developed an electronic metrics database ("matrix") that allows organized storage and retrieval of green chemistry data submitted to EPA on alternative feedstocks, processes, and safer chemicals. The database was designed to store and retrieve, in a systematic fashion, information on the environmental benefits and, where available, economic benefits that these alternative green chemistry technologies offer. The database was also designed to track the quantity of hazardous chemicals and solvents eliminated as well as water and energy saved through implementation of these alternative technologies. Green chemistry technology nominations are received up to December 31 of the year preceding the reporting year, and it normally takes 6-12 months to enter new technologies into the database. The database currently has information on all technologies received through 2007.

*Design for the Environment (DfE):* DfE has an evaluation spreadsheet that is populated for all its programs (i.e., Alternatives to Lead Solder in Electronics, Furniture Flame Retardant Alternatives, the Formulator Program, and a collaboration with the Air Office on DfE approaches as implementation mechanisms for regulating Local Area Sources, such as Auto Refinishing). Spreadsheet content varies by project, and generally includes measures comparing baseline technologies or products to safer ones, as well as information on partner adoption and/or market share of safer alternatives. For example, the DfE Formulator Program tracks the move to

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

safer chemicals (such as pounds of chemicals of concern no longer used by partners, and conversely pounds of safer ingredients), and reductions in water and energy use, where available.

*Green Engineering (GE):* GE will be developing an electronic database to keep track of environmental benefits of GE projects including pounds of hazardous chemicals prevented and/or eliminated, gallons of water, British Thermal Units (BTUs) and dollars saved and pounds of carbon dioxide (CO<sub>2</sub>) emissions eliminated.

*Regional Offices:* EPA's Regional Offices' (Regions) P2 results come primarily through grants they award, and results from projects managed by EPA Regional staff. Regional Offices use the GranTrack database to collect and organize information on the P2 and Source Reduction grants they award. GranTrack includes multiple information fields covering administrative and financial aspects of the grants as well as results reported by grantees. The database can be searched and reports developed in numerous ways, including by Region, type of grant, year grant awarded, and year of results. Data may be displayed for individual grants or in aggregate covering multiple grants. While GranTrack has been used for a number of years it has some limitations. This year the program is exploring options for upgrading GranTrack and/or using additional tools to simplify and improve results reporting.

*Pollution Prevention Resource Exchange (P2Rx):* There are 8 regional P2 Information centers which coordinate and supply information, training and conferences for local and state technical assistance providers as well as businesses. These centers report to EPA through grant reports. These 8 P2Rx centers also host regional modules that contribute to the National P2 Results system that was developed under a grant from the EPA National Environmental Information Exchange Network (NEIEN) program. Any program can enter measures of outputs and outcomes into this data system. Over 30 state-level P2 organizations have signed Memoranda of Agreements to provide data. The P2Rx centers have trained and assisted organizations in entering their data. EPA is conducting an evaluation of P2Rx services to estimate the portion of potential customers these centers reach. EPA support of these regional centers and the technical assistance, publications, training, and information supplied by the P2Rx centers contributes to national P2 progress. To capture this indirect effect of EPA's role, 10% of the results reported through the P2Rx center will be counted in EPA performance measures.

*Partnership for Sustainable Healthcare (PSH) Program:* The Partnership for Sustainable Healthcare (PSH) program is the new name for EPA's continued effort with the health care sector, as the former "Hospitals for a Healthy Environment" (H2E) program (now the H2E organization has become a fully independent non-profit organization.). PSH works, in collaboration with the National Center for Manufacturing Sciences (NCMS), and H2E, as NCMS' sub-grantee, in providing technical assistance to the health care sector. H2E maintains its own electronic program database. Data are collected voluntarily from Partners on an ongoing and continuous basis. For pounds of hazardous materials, data are requested on mercury and

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

broken down by types of waste. Information on BTUs, gallons of water, and dollar savings are only requested in award applications.

*Green Suppliers Network (GSN):* GSN utilizes a Customer Relationship Management database (CRM) in partnership with the National Institute of Standards and Technology's Manufacturing Extension Partnership Program (NIST MEP) to collect performance metrics for the program. The CRM was originally configured to collect economic information from companies receiving services through the NIST MEP system. The CRM has been modified to capture the environmental metrics collected during a GSN review at a company, such as the value of environmental impact savings identified, energy and water conserved, water pollution reduced, air emissions reduced, hazardous waste reduced (lbs/year), and toxic/hazardous chemical use reduced (lbs/year).

*Environmentally Preferable Products (EPP):* Results for Environmentally Preferable Purchasing (EPP) come from the Federal Electronics Challenge (FEC), the Electronic Product Environmental Assessment Tool (EPEAT), and Green Janitorial Products. FEC uses the FEC Administrative Database for storage and retrieval of annual reporting information from FEC partners. EPP staff run these reporting data through the Electronics Environmental Benefits Calculator to calculate pounds of hazardous pollution reduced, units of energy conserved, and costs saved (among other benefits) on an annual basis. EPEAT-registered manufacturers provide reporting data via the Green Electronics Council, which collects and organizes EPEAT reporting data. As with FEC, the EPP team runs these reporting data through the Electronics Environmental Benefits Calculator to calculate pounds of hazardous pollution reduced, units of energy conserved, and costs saved (among other benefits) on an annual basis. For Janitorial Products, the EPP team will collect annual reporting data from various EPA contacts for EPA's Environmental Management System (EMS), and then run these data through the Green Cleaning Calculator to calculate pounds of hazardous pollution reduced. FY 2007 data will be collected in January 2008.

**Data Sources:** *GC:* Industry and academia submit nominations annually to the Office of Pollution Prevention and Toxics (OPPT) in response to the annual Presidential Green Chemistry Challenge Awards. Environmental and economic benefit information is included in the nomination packages. Qualitative and quantitative benefit information is pulled from the nominations and entered in the metrics database. The metrics database pulls this public benefit information from the nominations. The database currently has information on all technologies nominated through 2007.

*DfE:* The source of DfE's evaluation information varies by the project and the partner industry. For example, in DfE's Formulator Recognition Program, partners provide proprietary information on the production volume of their improved formulations. For other partnerships, data sources typically include technical studies (e.g., Alternatives Assessments and Life-Cycle Assessments) and market/sales/adoption information from sources such as industry associations.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

*GE:* Data come from sources and partners including the regions, academia and industry. For example, for GE projects related to the pharmaceutical industry, data will be directly reported by the project leaders. Some information may also come from profiles of recognized projects taken from technical journals or organizations, such as the American Institute of Chemical Engineers, or directly reported by project leaders on industry projects or joint academia-industry projects.

*Regional Offices:* P2 Grant and Source Reduction grant data are secured from grant applications, grant reports and supplemental forms and entered into the current P2 Grant Database, Gran Track. In addition, over the coming year the program is piloting the use of a new tool to assist grantees in projecting and determining grants results and to assist regional project officers in compiling and analyzing those results.

*P2Rx:* P2Rx center data are currently secured through the National P2 Results system, compiled through 8 Regional modules. In the future, more targeted results could be secured through web-based surveys of customers, pre and post testing of training attendees and case studies following long term impact of the use of P2Rx services and information.

*PSH:* Because the PSH program is a voluntary program, the information collected is voluntarily submitted by hospital Partners. The PSH program maintains an ICR for the collection of data which allows EPA to collect data from third parties under the Paperwork Reduction Act.

*GSN:* Data are collected by the GSN Review Team during a GSN review at the company's facility. This team consists of a "lean" manufacturing expert from the NIST MEP system and an environmental expert usually from the state environmental agency or its designee. Lean manufacturing is a business model and collection of methods that help eliminate waste while delivering quality products on time and at least cost. NIST MEP has a system of lean experts who assist businesses through the process of becoming more efficient and cost effective. The metrics are recorded in the final report generated for the company's use and also are entered into the CRM database by the NIST MEP center. All MEP centers are grantees to the Department of Commerce and must adhere to DOC's requirements for the collection and handling of data. These requirements are reinforced by the terms of the "Request for Proposals" to which each center (e.g., grantee) responds and which must be followed during a GSN review.

*EPP:* For FEC, the data source is federal partners. For EPEAT, the data source is EPEAT-registered manufacturers of electronic products. For Janitorial Products, the data source is EPA EMS contacts for procuring janitorial products.

**Methods and Assumptions:** *GC:* The public information is tracked directly through internal record-keeping systems. Annual benefits are assumed to reoccur. The performance data, while collected by individual centers, is acceptable for the purpose of performance measurement for

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

the program, as it addresses the specific measures and reflects an aggregated and quality reviewed dataset.

*DfE:* Each DfE partnership identifies and focuses on a unique set of chemicals and industrial processes. For DfE's Formulator Recognition Program, partner-provided data on production volumes is aggregated to determine the total reductions of hazardous chemicals achieved through the program. For Lead-Free Solder and Furniture Flame Retardants, market data for the production volume of the chemical of concern provides the measure for reduction. DfE's Data Program Tracking Spreadsheet includes the methods/assumptions for each project's measures.

*GE:* The information will be supplied directly by project leaders and/or academic-industry-region partners. The information will be tracked directly through EPA record keeping systems. GE's Data Program Tracking spreadsheet includes methods and assumptions.

*Regional Offices:* The data will come from state and other P2 grantees and other sources as described above. No models or assumptions or statistical methods are employed by EPA. The program is developing a new data collection tool (methodology) for grantees that is designed to increase the consistency of their data collection methods and to offer a consistent set of costing assumptions.

*P2Rx:* Data reported by state and local programs in the National P2 Results system will be collected and compiled by the regional centers. Some portion of these results, based on an evaluation of the portion of the customer base reached by the center in each region, will be attributed to the P2Rx center for that region. The ability to attribute environmental outcomes to Web-based information and training will rely on customer survey information and Web site user statistics.

*PSH:* The data comes directly from program Partners, specifically hospitals. No models or assumptions or statistical methods are employed.

*GSN:* The data are aggregated by NIST MEP headquarters and reported to EPA on a quarterly basis in September, December, March, and June. The data are aggregated to maintain confidentiality for all companies participating in the program. No models or statistical methods are employed.

*EPP:* For FEC, the program assumes that partners report accurate data. The assumptions needed for the Calculator to translate environmental attributes and activities into environmental benefits are relatively extensive and are laid out in the Calculator's inputs (e.g., the average lifecycle of a computer, the weight of packaging for a computer, etc.). The assumptions were reviewed when the Calculator underwent the peer review process. The Electronics Environmental Benefits Calculator assists institutional purchasers in: 1) measuring the environmental and economic benefits of purchasing environmentally preferable electronics; 2)



## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

enabling energy efficiency features on electronics during use; 3) extending the useful life of electronics; and 4) disposing of old electronics in an environmentally sound manner through reuse or recycling. For Janitorial Products, the method involves reporting the types of products and work practices used during routine cleaning activities in office buildings. The Green Cleaning Calculator assists in calculating pounds of hazardous pollution reduced.

**Suitability:** Hazardous pounds reduced, dollars saved, BTUs of energy reduced conserved or offset, and gallons of water reduced represent the four Pollution Prevention measures. These annual measures have corresponding long term goals identified in EPA's 2006-2011 strategic plan and are suitable for year to year comparisons due to the program's ability to show annual progress towards reaching these long term goals.

**QA/QC Procedures:** All Pollution Prevention and Toxics programs operate under the Information Quality Guidelines as found at <http://www.epa.gov/quality/informationguidelines>, as well as under the Pollution Prevention and Toxics Quality Management Plan (QMP) ("Quality Management Plan for the Office of Pollution Prevention and Toxics; Office of Prevention, Pesticides and Toxic Substances," June 2003), and the programs will ensure that those standards and procedures are applied to this effort. The Quality Management Plan is for internal use only.

*GC:* Data undergo a technical screening review by the Agency before being uploaded to the database to determine if the data adequately support the environmental benefits described in the Green Chemistry Challenge Awards application. Subsequent to Agency screening, nominations are reviewed by an external independent panel of technical experts from academia, industry, government, and nongovernmental organizations (NGOs). Their comments on potential benefits are incorporated into the database. The panel is convened by the Green Chemistry Institute of the American Chemical Society, primarily for judging nominations submitted to the Presidential Green Chemistry Challenge Awards Program and selecting winning technologies. Quantitative benefits are periodically reviewed to be sure they were accurately captured from the nominations.

*DfE:* Data undergo a technical screening review by DfE before being added to the spreadsheet. DfE determines whether data submitted adequately support the environmental benefits described.

*GE:* Data will be reviewed by the partners including industry, academia, and the regions. Data will also be reviewed by GE to ensure transparency, reasonableness and accuracy.

*Regional Offices:* Data will undergo technical screening review by EPA Regional and Headquarters staff and their contractor before being placed into GranTrack. Data for projects managed directly by EPA Regional staff will be reviewed by Regional personnel. Additional QA/QC steps to be developed, as appropriate. The program has been working with the regional offices this past year to develop consistent QA procedures, which can be applied at the beginning of the grant and throughout the life of the grant.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

*P2Rx*: Data entered into the National P2 Results system will undergo technical screening review by P2Rx centers and EPA regional and Headquarters staff.

*PSH*: Data undergo technical screening review by the grantee (National Center for Manufacturing Sciences, which administers the program through a cooperative agreement) before being placed in the database. QA/QC plan is a part of the requirement of the cooperative agreement.

*GSN*: Data are collected and verified under NIST MEP's QA/QC plan. Each NIST MEP Center must follow QA/QC requirements as grantees to the Department of Commerce. Additionally, the environmental data are collected under the specific requirements of the state environmental agency participating in each GSN review. Each state agency utilizes their own QA/QC plan for data collection because they utilize the data for purposes in addition to the GSN program.

*EPP*:. Regarding FEC, EPEAT, and Janitorial Products, the calculators of environmental benefits (e.g., the Electronics Environmental Benefits Calculator and the Green Cleaning Calculator) underwent internal and external review during their development phases. Regarding FEC and EPEAT, instructions and guidelines are provided to partners on how to report data. Reporting forms are reviewed by EPA management when they are submitted. For EPEAT, EPEAT-registered manufacturers sign a Memorandum of Understanding in which they warrant the accuracy of the data they provide. For Janitorial Products, contractors sign a contract stating that they are providing janitorial products according to certain specifications. For FEC, EPEAT, and Janitorial Products, data undergo an internal technical review before these data are run through the calculators.

**Data Quality Review:** All Office of Pollution Prevention and Toxics (OPPT) programs operate under EPA's Information Quality Guidelines as found at <http://www.epa.gov/quality/informationguidelines> and under the OPPT's Quality Management Plan (QMP).

*GC*: Review of industry and academic data as documented in U.S. EPA, Office of Pollution Prevention and Toxics, Green Chemistry Program. Files available at <http://www.epa.gov/opptintr/greenchemistry/>

*DfE*: Data collected includes those from industry associations and government reports. Source data is compared with industry trends and examined by industry and NGO partners.

*GE*: Data collected will be reviewed to meet data quality requirements.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

*Regional Offices:* The GranTrack metrics and data system incorporate ideas and system features from the National Pollution Prevention Results System, developed with EPA support by such organizations as the Northeast Waste Management Officials Association, Pacific Northwest Pollution Prevention Resource Center, and National Pollution Prevention Roundtable. Data for projects managed directly by EPA Regional staff will be reviewed by Regional personnel. Data will undergo technical screening review by EPA Regional and Headquarters staff and their contractor before being placed into GranTrack. The P2 program has been working with the regional offices this past year to develop consistent QA procedures which can be applied at the beginning of the grant and throughout the life of the grant.

*P2Rx:* The new metrics and data system were based, in part, on recommendations in the February 2001 GAO report, "EPA Should Strengthen Its Efforts to Measure and Encourage Pollution Prevention" (GAO-01-283). They also incorporate work by such organizations as the Northeast Waste Management Officials Association, Pacific Northwest Pollution Prevention Resource Center, and National Pollution Prevention Roundtable.

*PSH:* Not applicable

*GSN:* Not applicable.

*EPP:* For FEC, data are entered on-line with an additional error-checking function on the online form. FEC staff also review the data to ensure that it is sensible, given the context. The mechanism by which the EPP program is receiving data from the Green Electronics Council is still being determined. For Janitorial Products, data quality review steps (as of 4th quarter 2006) are still under development.

#### **Data Limitations:**

*GC:* Nominations sometimes omit data for a given technology due to confidential business information. Nominations for the Presidential Green Chemistry Challenge Awards Program are in the public domain.. Because the Presidential Green Chemistry Challenge is a voluntary public program, it cannot routinely accept or process CBI. If the program stakeholders cannot verify a technology because of proprietary information, especially during the final judging stage of the awards program, they can and do ask EPA to conduct the verification internally. EPA will then ask the company to share confidential information with CBI-cleared OPPT staff in order for EPA to conduct the verification. It also is occasionally unclear as to what is the percentage market penetration of implemented alternative green chemistry technology (potential benefits vs. realized benefits). In these cases, the database is so noted.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

*DfE:* Occasionally, data on innovative chemistries or technologies are claimed CBI by the developing company, thus limiting the implementation of beneficial pollution prevention practices on a wider scale.

*GE:* There may be instances in which environment benefits are not clearly quantified and/or available due to various reasons including CBI. In those instances, the data have to be carefully evaluated and considered for reporting. If the information is included, the uncertainties/limitations will be noted

*Regional Offices:* Limitations arise from the reliance on individual state and other P2 grantees and other sources to gather data. These programs vary in attention to data collection from sources within their jurisdictions, data verification and other QA/QC procedures. Also, despite changes described below to add consistent metrics and definitions, some differences exist. EPA is attempting to address these concerns by strengthening reporting requirements in its P2 grants, focusing on outcomes, and standardizing GranTrack metrics with those in the National P2 Results System. EPA is also in the process of adding a P2 component to the EPA Information Exchange Network (which provides financial support and a comprehensive data system to link state data with EPA). In addition, the program is working this year on developing and integrating new tools to assist grantees in projecting and determining results and to assist project officers in interpreting and reporting those results.

*P2Rx:* Limitations arise from variability in individual state and local P2 programs and their reporting sources, QA/QC procedures, and what is reported. Differences may arise in how programs quantify environmental benefits, based on state or local legislative requirements.

*PSH:* Not all hospital Partners have turned in their facility assessment information. However, in order to be considered for an award under the program, hospital Partner MUST submit facility information; therefore, the program has a very complete set of information for hospital Partners who have applied for awards. This introduces self-selection bias to the reported data as the hospitals with the best track records are those that apply for the awards. The program has roughly 10% of all Partner facilities' assessment data. An internal assessment conducted of data collected from Partners revealed some calculation errors and data inconsistencies regarding how waste data is captured by the hospital Partners. The program has gone back to correct some of those errors.

*GSN:* Limitations arise from the reliance on individual programs to gather data. These programs vary in attention to data collection from sources within their jurisdictions, data verification and other QA/QC procedures. The GSN program has attempted to address these concerns by strengthening the data collection requirements in the Request for Proposals that MEP centers must be respond to in order to perform a GSN review.

*EPP:* FEC and EPEAT have a built-in reliance on partners for data reporting.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

##### **Error Estimate:**

*GE:* There may be instances in which environmental benefits are not clearly quantified. In those instances, the data will be excluded.

*DfE:* The program simply compiles data and does not conduct statistical analysis. Error estimates are not available.

*P2Rx:* The program simply compiles data and does not conduct statistical analysis. Error estimates are not available.

*Regional Offices:* Any errors detected during internal technical review of performance data submitted would be addressed, either through correction of data or elimination of data.

*PSH:* The program does not use a statistical approach to collect the data and therefore does not have confidence intervals for the performance estimates.

*GSN:* Not applicable.

*GC:* The program simply compiles data and does not conduct statistical analysis. Error estimates are not available.

*EPP:* Any errors detected during internal technical review of performance data submitted would be addressed, either through correction of data or elimination of data.

##### **New/Improved Data or Systems:**

*Regional Offices:* EPA recently updated and expanded GranTrack, both to improve usability and to add a much greater level of detail regarding results reported by grantees. In regard to reporting of results, GranTrack includes activity measures, behavioral measures, and outcome measures. The metrics chosen and their definitions generally are consistent with those used in the National Pollution Prevention Results System, described in the P2Rx center. Also, EPA is planning to grant the public restricted access to GranTrack. The following fields will be accessible: general information, projects and results data, status of grant, funding, keywords, partners, and sectors. The program's system for estimating and reporting results will undergo further change and improvement this coming year. We anticipate working to improve the process of projecting and reporting results through the development of new tools and methodologies. We anticipate that these changes will simplify results reporting for grantees and will improve the credibility and predictability of those results.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

*P2Rx*: This center's survey and data collection systems are under initial implementation. Improvements will be based on the outcome of the pending evaluation

*PSH*: The H2E organization is in the process of commercializing a new facility assessment software which will help hospital Partners collect and compute facility environmental improvement data. The software automatically converts units and tabulates information from the hospital's source data, as well as calculating costs for different waste streams. Anticipated roll-out for the software will be in 2008. The H2E organization has agreed to share the consolidated information with EPA when data collection begins.

#### References:

*GC*: <http://www.epa.gov/opptintr/greenchemistry/>

*DfE*: <http://www.epa.gov/opptintr/dfe/>

*GE*: <http://www.epa.gov/opptintr/greenengineering/>

*P2 Programs*: <http://www.epa.gov/oppt/p2home/index.htm>

<http://www.p2.org/workgroup/Background.cfm>

<http://www.epa.gov/Networkg/>

*PSH*: <http://www.epa.gov/p2/pubs/psh.htm>

*GSN*: [www.greensuppliers.gov](http://www.greensuppliers.gov)

*EPP*: Information about FEC's annual reporting is on the FEC web site at:

<http://www.federalelectronicschallenge.net/report.htm>

Information about the Electronics Environmental Benefit Calculator is on the FEC web site at:

<http://www.federalelectronicschallenge.net/resources/bencalc.htm>

The EPEAT Subscriber and License Agreement is available on the EPEAT web site at: <http://www.epeat.net/docs/Agreement.pdf>

Regional: <http://www.epa.gov/p2/pubs/local.htm>

#### **FY 2009 Performance Measure:**

- **Percent change from baseline in reductions of Design for the Environment (DfE) chemicals of concern per federal dollar invested in the DfE program [PART efficiency measure]**

EPA measures the accomplishments of the Design for the Environment (DfE) Program by comparing reductions in hazardous chemicals achieved to program resources, including FTE, overhead and extramural dollars spent.

**Performance Database:** The DfE program has an evaluation spreadsheet that is populated for all its programs (i.e., Alternatives to Lead Solder in Electronics, Furniture Flame Retardant Alternatives, the Formulator Program, and a collaboration with the Office of Air and Radiation

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

on DfE approaches for regulating Local Area Sources, such as Auto Refinishing). Key data elements used to calculate the efficiency measure are the quantity of hazardous chemicals reduced and spending information obtained from the OPPT Finance Central database. The efficiency measure numerator is the total pounds of hazardous chemicals reduced and the denominator is the annual DfE program resources expended.

**Data Source:** The source of DfE's evaluation information varies by the project and the partner industry. For example, in DfE's Formulator Recognition Program, partners provide proprietary information on the production volume of their improved formulations. For other partnerships, data sources typically include technical studies (e.g., Alternatives Assessments and Life-Cycle Assessments) and market/sales/adoption information from sources such as industry associations. Resource data are from OPPT Finance Central

**Methods, Assumptions:** Each DfE partnership identifies and focuses on a unique set of chemicals and industrial processes. For DfE's Formulator Recognition Program, partner-provided data on production volumes are aggregated to determine the total reductions of hazardous chemicals achieved through the program. For Lead-Free Solder and Furniture Flame Retardants, market data for the production volume of the chemical of concern provide the measure for reduction. DfE's Data Program Tracking Spreadsheet includes the methods/assumptions for each project's measures. Program resources are calculated directly from EPA figures. The efficiency measure corresponds directly to the program goal of cost-effectively reducing hazardous chemical use and can compare cost effectiveness year-to-year.

**Suitability:** Hazardous pounds reduced is one of four Pollution Prevention annual measures which have corresponding long term goals identified in EPA's 2006-2011 Strategic Plan and are suitable for year to year comparisons due to the program's ability to show annual progress towards reaching the long term goals. The indicators used for this measure are suitable because reductions in cost per pound of hazardous chemicals reduced are expected to result from improvements in program implementation. These cost reductions will enable EPA to achieve the goals of the Design for the Environment program with greater efficiency.

**QA/QC Procedures:** Design for the Environment operates under EPA's Information Quality Guidelines as found at <http://www.epa.gov/oei/qualityguidelines/index.html> and under the OPPT Quality Management Plan.

**Data Quality Reviews:** Data undergo a technical screening review by DfE staff before being added to the program tracking spreadsheet.

**Data Limitations:** The data submitted voluntarily by partners are confidential. The information made public information is limited to aggregated values.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**Error Estimate:** Due to the sampling methodology, no error estimate is possible.

**New/Improved Data or Systems:** Each year additional data are added to the program tracking spreadsheet and averaged with preceding years. Cumulative data will provide a more stable estimate of total pounds of hazardous chemicals reduced through the DfE program.

**References:**

<http://www.epa.gov/oei/qualityguidelines/index.html>

The DfE Program Tracking Spreadsheet contains Confidential Business Information.

**FY 2009 Performance Measures:**

- **Reduce water use at Performance Track facilities**
- **Reduce hazardous materials use at Performance Track facilities**
- **Reduce production of greenhouse gases at Performance Track facilities**
- **Reduce toxic releases to water at Performance Track facilities**
- **Reduce combined NO<sub>x</sub>, SO<sub>x</sub>, VOC and PM emissions at Performance Track facilities**

**Performance Databases:** In 2003, EPA developed an electronic database, Performance Track On-Line (a Domino database) which facilities use to electronically submit their environmental performance data. The data are stored in Performance Track Online as well as in the Performance Track Members Database (a Microsoft Access database).

Members report on results in a calendar year. Fiscal year 2009 data represents members' calendar year 2008 performance. That data will be reported to the Performance Track program by April 1, 2009. The data will then be reviewed, aggregated, and available for external reporting in September 2009. (Calendar year 2009 data will become available in September 2008.)

**Data Source:** All data are self-reported and self-certified by member facilities. As described below, Performance Track engages in quality control to the extent possible, but it does not conduct formal auditing. However, as described below, Performance Track staff visit up to 10% of Performance Track member facilities each year. In addition, a criterion of Performance Track membership is the existence of an environmental management system (EMS) at the facility, a key element of which is a system of measurement and monitoring. Performance Track facilities are required to have independent audits of their EMSs, which create a basis for confidence in the facilities' data.

**Methods, Assumptions, and Suitability:** Data collected from members' applications and annual performance reports are compiled and aggregated for the externally-reported indicators. Performance Track members commit to two to four environmental improvements, selected from



## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

a comprehensive list of environmental indicators. Facilities then report on their performance in these indicators over a three-year period of participation. Because facilities choose the areas in which they will report, the externally reported indicators (listed above) may or may not be included in any particular facility's set of reported indicators. If a facility does not include one or more of the above indicators as one of its goals, then its performance for that indicator, either positive or negative, will not be included in EPA's aggregated data for the indicator.

The data reflect the performance results across the entire facility, and are thus considered "facility-wide" improvements. Members are not permitted to report on environmental improvements for a subset of the facility; rather, the data reported must represent the performance for the given indicator across the entire facility. Performance Track staff ensures that all improvements are facility-wide by conducting a thorough technical review of the submitted performance data. Any data that are determined to not reflect the entire facility's performance is either revised or excluded from the aggregated and externally reported results. EPA believes that this review process minimizes instances of reporting on non-facility wide improvements.

The data are normalized for production rates or other rates of output at the facilities. Normalized results take into account production or output changes at facilities.

The data can be used to make year-to-year comparisons, but reviewers and analysts should bear in mind that Performance Track membership is constantly in flux. Although members should retain the same set of indicators for their three-year participation period, as new members join the program and others leave, the group of facilities reporting on each indicator constantly changes. In a few instances, members make replacement goals due to closure of certain product lines or other major business changes.

Due to unavoidable issues regarding the timing of the application period, a small subset of reported data will represent performance improvements over two years for the facilities' first reporting year.

Reductions in greenhouse gas emissions are estimated based on facilities' reductions in energy use. To estimate greenhouse gas emissions from energy use, Performance Track uses EPA's Power Profiler tool (<http://www.epa.gov/solar/powerprofiler.htm>), which uses emission factors from the EPA database Emissions & Generation Resource Integrated Database (eGRID).

**QA/QC Procedures:** Performance data submitted to the program are reviewed for completeness and adherence to program requirements, and undergo a technical screening review by EPA and contractor staff. The quality of the data, however, is dependent on the quality of the measurement or estimation at the facility level. In cases where it appears possible that data is miscalculated or misreported, EPA or contractor staff contact the facility and request resubmittal of the data. If the accuracy of data remains under question or if a facility has provided

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

incomplete or non-standard data, the database is coded to ensure that the data is excluded from aggregated and externally reported results.

As described, Performance Track is quality controlled to the extent possible, but is not audited in a formal way. However, Performance Track staff visit up to 10% of Performance Track member facilities each year. During those visits, facilities are asked about their data collection systems and about the sources of the data reported to the program. Additionally, a prerequisite of Performance Track membership is an environmental management system (EMS) at the facility, a key element of which is a system of measurement and monitoring. Performance Track facilities are required to have independent audits of their EMSs, which increases confidence in the facilities' data. The independent assessment became a requirement in 2004.

**Data Quality Reviews:** N/A.

**Data Limitations:** Potential sources of error include miscalculations, faulty data collection, misreporting, and nonstandard reporting on the part of the facility. It is clear from submitted reports that some facilities estimate or round data. Also, errors are made in converting units and in calculations. As mentioned above, in cases where EPA identifies the possibility for these types of errors, the facility is asked to resubmit the data. In general, EPA is confident that the externally reported results are a fair representation of members' performance.

**Error Estimate:** Not calculated.

**New/Improved Performance Data or Systems:** Since spring 2004, all Performance Track applications and annual performance reports have been submitted electronically (through the Performance Track On-Line system), thus avoiding the need for manual data entry. This has also allowed for improved standardization of data collection. Additionally, the program has implemented a new requirement that all members receive an independent assessment of their EMSs prior to membership. Lastly, the program has reduced the chances that data may not reflect facility-wide data by addressing the issue in the review process and by instituting "facility-wide data" requirements for all indicators.

**References:** Members' applications and annual performance reports can be found on the Performance Track website at <https://yosemite.epa.gov/opei/ptrack.nsf/faMembers?readform>. *Performance Track On-Line* and the *Performance Track Members Database* are not generally accessible. Performance Track staff can grant access to and review of the databases by request.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

##### FY 2009 Performance Measure:

- **75% of innovation projects under the State Innovation Grant Program and other piloting mechanisms will achieve, on average, 8.0% or greater improvement in environmental results from a project initiation baseline measure for the sectors and facilities (e.g., reductions in air or water discharges, improvements in ambient water or air quality, or improvements in compliance rates) or a 5% or greater improvement in cost-effectiveness and efficiency. In FY09, six (6) projects will be reaching completion, at which point they are evaluated, and the target is for four (4) to meet the performance goal.**

**Performance Databases:** The Office of Environmental Policy Innovation (OEPI) maintains an EPA-internal database, the “State Innovation Grant Database” (a Lotus Notes - Domino database) to retain and organize data on competition, award and project performance for its State Innovation Grant Program. The data base is managed by OEPI and access within the Agency can be granted to EPA project officers and program officials. In the past, we have granted access to this database to the Office of the Inspector General for use in a program evaluation. Data entry is performed by staff within OEPI. Within the sections on project performance, the database includes all available quarterly project progress reports and final project reports. Quarterly reports are timed to the lifecycle of an individual project rather than all projects on a fixed date. These reports include document in MS Word and WordPerfect formats as well as spreadsheets, all generated by the State Grant recipients to track their project milestones identified in the final project work plan. Beginning in 2007, OPEI began using the data to generate a regular performance report for the State Innovation Grant program. The projects funded by the grant program typically have a 2-4 year lifetime and during that period, each project reports on a quarterly basis and provides a final project outcome report at the termination of the project.

Projects implemented under the State Innovation Grant Program typically do not show measurable environmental outcomes until the programs initiated under the grants are fully implemented. For example, a State implementing an Environmental Results Program for a particular business sector may take up to three years to develop the compliance assistance program and operator manuals, conduct a baseline assessment of performance, implement the compliance assistance workshops, provide adequate time for businesses to fully adopt the program and then conduct a performance assessment for a statistical sample of hundreds of facilities state-wide. Dates captured in the project quarterly reports provide information on attainment of operational milestones and outputs. The final reports are expected to provide measurement of first, second or third order outcomes to assess the success of the project. This is significant because outcome measurement is not possible until the grant project is completed. Only milestones and output measurements (e.g., development of a compliance handbook, compliance assistance workshops) are available during the operation of the individual projects.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

Thus, performance assessment occurs only at the end of a project. Projects we will report on in 2009 are projects initiated in 2005 and 2006.

**Data Source:** Data on performance are reported by the States for projects funded under the State Innovation Grant Program. Data are collected by the States using a variety of mechanisms depending upon the specific projects. For instance, for Environmental Results Programs (ERPs), the State prepares a compliance manual for a specific business sector and a compliance worksheet. Participating operators self-certify their performance using the worksheet and its checklist. The States audit statistically random samples of the participating facilities and certify the performance of these facilities independently. States are required to report only composite data for these projects. Other types of projects may rely on a facility's environmental monitoring conducted under a permit to certify performance. Only rarely are new data required for a State Innovation Grant Program project. We rely heavily on existing performance assessments conducted under permitting programs to assess baseline and outcome performance improvement. For instance, the grant program has funded several facility environmental management systems (EMS). Facilities typically have independent third-party audits of their EMSs, which create a basis for confidence in the facilities' data. In general EPA is confident that the externally reported results are a fair representation of members' performance.

**Methods, Assumptions, and Suitability:** Performance assessment methods will vary across project types in this program. For instance, ERPs focus on improvement in compliance rates and program efficiency. Compliance rates are determined by a statistically-based sample audit of participating facilities within an ERP sector by the State. Currently, the State Innovation Grant program is sponsoring ERP projects in a number of business sectors (dry cleaning, printing, auto body repair, auto salvage, Underground Storage Tanks (USTs), Injection Wells, Concentrated Animal Feeding Operations (CAFOs), Oil and Gas well drilling and operation, storm water management, etc). Some of these facilities will report compliance based upon operational processes. Others may be able to go beyond compliance reporting and provide estimates of pollution prevention (e.g., reduction in VOC emissions in pounds).

Other project types, such as Environmental Management Systems will typically will utilize facility monitoring protocols developed for their permits and use those to develop assessments of improvements in emissions and discharges. Where EMS-driven projects also develop engineering estimates of improvements in pollutant discharges brought about by manufacturing changes, those estimates would require verification related to any alteration in permits.

Analysts should bear in mind that these projects almost never produce incremental improvements across their lifetime (e.g., in a 3-year project, one third of the projects proposed benefits will not occur in each year. Rather, project outcomes are generally measurable only at the completion of the project which marks full implementation. In a number of instances, full implementation may require time beyond the grant-funded project period. In these instances we have sought commitments from recipient-states to continue measuring performance and reporting to EPA

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

after the grant project itself has been completed. The significant impact on the State Innovation Grant program is that outcomes reported in any year will reflect completion of projects initiated 2-4 years earlier and not incremental benefits during the lifetime of a project. Thus, reporting of outcomes in 2009 will be based upon projects funded in FY 2005 and FY 2006.

**QA/QC Procedures:** Each project funded under the State Innovation Grant Program is required to develop a Quality Assurance Project Plan (QAPP) that is compliant with EPA guidance. The QAPP is reviewed by the designated QA official from the appropriate EPA Region and OEPI's QA reviewer. States must have an approved QAPP before the beginning of any data collection. OEPI has prepared guidance for state grant recipients on development of performance measures and quality assurance plans. OEPI also requires participation by each new state grant recipient in an annual training workshop that addresses these areas. Additionally, final project reports will be made available to other States and to the public for examination. EPA is also a partner with State Innovation Grant recipients in the conduct of open forums for discussion of projects, such as the ERP All-States Meeting held annually to allow open examination of progress and results in each of the ERP projects.

**Data Quality Reviews:** N/A.

**Data Limitations:** Potential sources of error include miscalculations, faulty data collection, misreporting, inconsistent reporting, and nonstandard reporting on the part of the facility. Manually entered data are sometimes typed incorrectly.

Because States are required to submit only synoptic (or meta) data with regard to program performance, we rely on the States to apply the appropriate steps to ensure data accuracy and appropriateness of analysis as described in their QAPP. In 2007, OEPI initiated a post-award monitoring program that will include steps to audit reporting under the State Innovation grant Program.

**Error Estimate:** Not calculated.

**References:** Information on the State Innovation Grant Program, including State pre-proposals and final workplans can be found on the program website at: <http://www.epa.gov/innovation/stategrants>. OEPI published its first State Innovation Grants Program progress report in early 2008.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

#### GOAL 5 OBJECTIVE 3

##### FY 2009 Performance Measures:

- **Percent of tribes implementing federal regulatory environmental programs in Indian country. (Strategic Target & PART Measure)**
- **Percent of tribes conducting EPA-approved environmental monitoring and assessment activities in Indian country. (Strategic Target & PART Measure)**
- **Percent of tribes with an environmental program. (Strategic Target & PART Measure)**
- **Number of environmental programs implemented in Indian country per million dollars. (PART efficiency Measure)**

**Performance Database:** EPA's American Indian Environmental Office (AIEO) developed an information technology infrastructure, named the Tribal Program Enterprise Architecture (TPEA). The TPEA is a suite of secure Internet-based applications that track environmental conditions and program implementation in Indian country as well as other AIEO business functions. One TPEA application, the Objective 5.3 Reporting System, tracks progress in achieving the performance targets under Goal 5 Objective 3 of EPA's 2006-2011 Strategic Plan – "Improve Human Health and the Environment in Indian Country." EPA staff use the Objective 5.3 Reporting System to establish program performance commitments for future fiscal years and to record actual program performance for overall national program management. This serves as the performance database for all of the strategic targets, annual performance measures and PART measures.

**Data Source:** Data for the Objective 5.3 Reporting System are input on an ongoing basis by Regional tribal program project officers, as designated by the Regional Indian Coordinators. The system is password protected; all persons authorized to input data have individual passwords.

The original documents for the statements and data entered into the fields of the Objective 5.3 Reporting System can be found in the files of the Regional Tribal Project Officers overseeing the particular programs that are being reported on. For example, documents that verify water quality monitoring activities by a particular tribe will be found in the files of the Regional Water 106 Project Officer for the tribe.

The performance measure, "Percent of tribes implementing Federal regulatory environmental programs in Indian country" tracks the number of "Treatment in a manner similar to a State" (TAS) program approvals or primacies and execution of "Direct Implementation Tribal Cooperative Agreements (DITCAs)."

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

The performance measure, “Percent of tribes conducting EPA-approved environmental monitoring and assessment activities in Indian country,” reports the number of active Quality Assurance Project Plans (QAPPs) for monitoring activities. All ongoing environmental monitoring programs are required to have active QAPPs. Regional tribal program liaisons obtain the information from Regional Quality Assurance Officers and input it into the Objective 5.3 Reporting System,. The data are updated continually and are reported mid-year and at the end of each fiscal year.

The performance measure, “Percent of tribes with an environmental program,” counts tribes that have an EPA-funded environmental office and/or coordinator staffed in the most current year and that have at least one of the following indicators:

- completed a Tier III Tribal Environmental Agreement (TEA) that specifies actions by EPA and the Tribe, and includes monitoring, as evidenced by a document signed by the tribal government and EPA;
- established environmental laws, codes, ordinances or regulations as evidenced by a document signed by the tribal government;
- completed solid and/or hazardous waste implementation activities; or
- completed an inter-governmental environmental agreement (e.g. State-Tribal Memorandum of Agreement (MOA), Federal-Tribal MOA).

EPA Regional project officers managing tribes with an environmental program input data, classified by tribe, into the Objective 5.3 Reporting System, to derive a national cumulative total.

The performance measure, “Number of environmental programs implemented in Indian country per million dollars,” is calculated annually by summing the number of tribes receiving General Assistance Program (GAP) grants, the number of TAS approvals or primacies, the number of DITCAs, and the number of GAP grants that have provisions for the implementation of solid or hazardous waste programs and dividing that sum by the annual GAP appropriation (less rescissions and annual set-asides).

**Methods and Assumptions:** The Objective 5.3 Reporting System contains all the information for reporting on AIEO performance measures and PART measures. The information is entered into standard query fields in the data system. Thus, there is no allowance for differences in reporting across EPA’s Regional offices, and national reports can be assembled in a common framework. The assumption is the authorized person who enters the data is knowledgeable about the performance status.

**Suitability:** These measures represent progression toward the goal of improving human health and the environment in Indian country by helping tribes plan, develop and establish environmental protection programs.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**QA/QC Procedures:** The procedures for collecting and reporting on the Objective 5.3 performance measures require that program managers certify the accuracy of the data submitted by the regions to AIEO. This certification procedure is consistent with EPA Information Quality Guidelines (See <http://www.epa.gov/quality/informationguidelines/index.html> for more information.)

**Data Quality Reviews:** The certifying official for the information submitted by EPA's Regional offices to AIEO through the Objective 5.3 Reporting System, is the Regional Administrator. However, in some cases the Regional Administrator may wish to delegate the signatory authority to some other official such as the Regional Indian Coordinator. This procedure generally follows guidance provided in EPA Information Quality Guidelines. (See <http://intranet.epa.gov/ocfo/policies/iqg/index.html> for more information.)

**Data Limitations:** Because data are input by EPA's Regional Project Officers on an ongoing basis, there may be a time lag between when a tribal program status has been achieved and when the data are entered into the Objective 5.3 Reporting System. Even though the Regional Project Officer may enter data on an ongoing basis, at the end of the reporting cycle the Objective 5.3 Reporting System will be "locked down," with the locked dataset reported for the fiscal year. EPA's Regional Administrator certifies the accuracy of the locked information.

**Error Estimate:** For the Objective 5.3 Reporting System, errors could occur by mis-entering data or neglecting to enter data. However, the data from each region will be certified as accurate at the end of each reporting cycle; error is estimated to be low, about 1-2 percent.

**New/Improved Data or Systems:** The Objective 5.3 Reporting System is a part of the AIEO Tribal Program Enterprise Architecture, and is a part of the same Life Cycle milestones of that system. Present focus is on Operations and Maintenance activities for the Tribal Program Enterprise Architecture beginning in FY08.

#### References:

Objective 5.3 Reporting System: [https://iasint.rtpnc.epa.gov/TATS/tats\\_prv/entry\\_page](https://iasint.rtpnc.epa.gov/TATS/tats_prv/entry_page)

OCFO Information Quality Guidelines: <http://intranet.epa.gov/ocfo/policies/iqg/index.html>

### ENABLING SUPPORT PROGRAMS

#### FY 2009 Performance Measure:

- **Average time to hire non-SES positions from date vacancy closes to date offer is extended, expressed in working days.**

**Performance Database:** Data is derived from EZ-Hire, EPA's implementation of Monster Inc.'s Quickhire system used for application development, posting, application submission, and



## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

screening. These data is tracked internally and reported on a fiscal year and quarterly basis. The data are reported by the servicing human resources offices and rolled up into Agency-wide averages.

**Data Source:** The Office of Human Resources (OHR) EZ-Hire System.

**Methods, Assumptions and Suitability:** Data on new hires are collected by OHR using the EZ-Hire system. OHR uses EZ-Hire to generate a raw data report on a quarterly basis (after the quarter has been completed). The data is downloaded as an Excel spreadsheet and is tracked by vacancy announcement number and formatted into the various components of the Office of Personnel Management's (OPM) 45-day Hiring Model. OHR staff review the results, and identify any anomalies that may need further investigation. The draft report is then sent to the servicing HR Offices so the data can be validated, corrected, and ultimately transferred to the OHR to be finalized. HR Offices also work with the Selecting Officials to develop explanatory justifications for those vacancies which exceeded the 45-day timeframe.

**QA/QC Procedures:** EZ-Hire tracks vacancy announcement activity from the time the announcement opens until a job offer is made to a candidate by the Selecting Official.

**Data Quality Reviews:** OHR staff review and analyze the raw data, prior to it being provided to the HR Offices for validation. Local HR Offices review and validate the data, identify anomalies or data-entry errors, make corrections, and provide the updated information to OHR so that the report can be finalized. Questions about the data or resolution of issues of concern are frequently resolved through discussion and consultation with OHR.

**Data Limitations:** N/A

**Error Estimate:** N/A

**New/Improved Data or Systems:** In November 2006, EPA upgraded to the web-based *Hiring Management* version of *Monster Inc.'s Quickhire* hiring management system. This represents a significant milestone building on EPA's early adoption of this system.

**References:** EZ-Hire

#### **FY 2009 Performance Measure:**

- **Average time to hire SES positions from date vacancy closes to date offer is extended, expressed in working days.**

**Performance Database:** Data is manually maintained by the Executive Resources Staff (ERS) in a Word format. Data is updated thorough-out the various stages of the hiring process.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**Data Source:** The Office of Human Resources' Executive Resources Staff.

**Methods, Assumptions and Suitability:** Data from the weekly report is tracked and reported quarterly. ERS staff reviews the results and further investigates any data anomalies prior to finalizing the quarterly report. These data are tracked manually on a weekly basis and reported on a quarterly basis. The data are reported by servicing human resources office and are expressed as an average number of days (where the time to extend an offer for each vacancy is averaged for that servicing HR office.)

**QA/QC Procedures:** Data are added as vacancy status changes. The weekly report is reviewed by the ERS Team leader. Questions about the data or resolution of issues of concern are frequently resolved through discussion and consultation within the team.

**Data Quality Reviews:** ERS staff review and analyze the raw data, prior to it being provided to the Team leader for validation. The Team leader reviews the data, identifies anomalies or data-entry errors, and provides the updated information to OHR so that the report can be finalized.

**Data Limitations:** N/A

**Error Estimate:** N/A

**New/Improved Data or Systems:** The current system is sufficient for tracking the SES hiring activities, given the small number of positions filled annually, about 12 per year.

**References:** Executive Resources Staff

#### **FY 2009 Performance Measure:**

- **Agency managers' satisfaction with the initial stages of the human resources hiring process, as measured by the average score across 4 questions (2A through 2D) in the OPM Management Hiring Satisfaction Survey.**

This performance measure examines the selecting official's satisfaction levels in these facets of the vacancy announcement process:

2A- the job summary accurately described the position;

2B - I was involved in the development of the evaluation criteria;

2C - the evaluation criteria encompassed the Knowledge, Skills, Abilities (KSAs) and competencies needed for the job; and,

2D - I received a referral list in a timely manner.

Measured percentage is percent of respondents selecting strongly agree or agree.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**Performance Database:** Data are derived from OPM's Management Satisfaction Survey which is part of the Government-wide effort to improve the Federal hiring process. OPM releases survey results quarterly based on feedback from selecting officials on questions regarding the Agency's recruitment process. The survey targets satisfaction with the job announcement, resume contents, applicant quality and quantity, and hiring flexibilities available to obtain the candidate of choice. Agencies use the data to identify, develop and implement plans to improve their recruitment efforts.

**Data Source:** OPM's Management Satisfaction Survey

**Methods, Assumptions and Suitability:** The survey is web-based and administered by OPM with facilitation by EPA's HR offices. OPM provides the results of the survey once a quarter. Only managers who have made selections for positions are participants in that quarter's survey, and the feedback in the survey is a reflection of that manager's experience in the hiring process.

**QA/QC Procedures:** EPA uses a certification form signed by the selecting official that verifies that they have taken the survey. That certificate is included in the case file for that vacancy and is included in the document review as part of the Agency's Human Capital Assessment Program. OPM is responsible for compiling the survey results in a quality manner and preparing the Agency's reports. OHR staff review the results, and identify any areas of the hiring process that may need further investigation.

**Data Quality Reviews:** N/A

**Data Limitations:** N/A

**Error Estimate:** N/A

**New/Improved Data or Systems:** N/A

**References:** OPM's Management Satisfaction Survey

#### **FY 2009 Performance Measure:**

- **Maintenance and improvement of Mission Critical Occupation (MCO) employee competencies, as measured by proficiency levels of competencies in MCOs reassessed in FY 2009.**

**Performance Database:** *Plateau* is a contractor supplied database and assessment tool. The database is populated with competency/skills of selected MCOs that are deemed necessary for successful performance. It includes survey data from employee self-assessments and supervisory assessments on employee competency/skills.

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**Methods, Assumptions and Suitability:** Survey data have been used to assess the competencies of EPA's 6 priority MCOs. Reassessments of the assessed MCOs are repeated and compared to previous assessment baselines.

**Data Source:** *Plateau* includes survey data from employee self-assessments and supervisory assessments on employee competency/skills.

**QA/QC Procedures:** The Office of Human Resources will continue to include the supervisory assessment to affirm whether the selected MCO has made progress in developing toward the targeted level of proficiency, identified for successful performance in the necessary competencies.

**Data Quality Reviews:** N/A

**Data Limitations:** Employees self-assess their competency/skills which are averaged with supervisor assessments, when available. The reliability of the data is subject to scoring bias as well as over-inflation or under-inflation of self assessments.

**Error Estimate:** N/A

**New/Improved Data or Systems:** This is a new competency/skills database.

**References:** N/A

#### **FY 2009 Performance Measure:**

- **Cumulative percentage reduction in energy consumption in EPA's 34 reporting facilities from the FY 2003 baseline**

**Performance Database:** The Agency's contractor provides energy consumption information quarterly and annually. The Agency keeps the energy consumption data in the "Energy and Water Database," which is a collection of numerous spreadsheets. The contractor is responsible for reviewing and quality assuring/quality checking (QA/QC-ing) the data.

**Data Source:** The Agency's contractor requests and collects quarterly energy and water reporting forms, utility invoices, and fuel consumption logs from energy reporters at each of EPA's "reporting" facilities (the facilities for which EPA pays the utility bills directly to the utility company). The reported data are based on metered readings from the laboratory's utility bills for certain utilities (natural gas, electricity, purchased steam, chilled water, high temperature hot water, and potable water) and from on-site consumption logs for other utilities (propane and

# Environmental Protection Agency

## FY 2009 Annual Performance Plan and Congressional Justification

### 4-Year Performance Data Annual Performance Goals and Measures

fuel oil). In instances when data are missing and cannot be retrieved, reported data are based on a proxy or historical average.

**Methods, Assumptions, and Suitability:** N/A

**QA/QC Procedures:** EPA's contractor performs an exhaustive review of all invoices and fuel logs to verify that reported consumption and cost data are correct. EPA's Sustainable Facilities Practices Branch compares reported and verified energy use at each reporting facility against previous years' verified data to see if there are any significant and unexplainable increases or decreases in energy consumption and costs.

**Data Quality Reviews:** N/A

**Data Limitations:** EPA does not have a formal meter verification program to ensure that an on-site utility meter reading corresponds to the charges included in the utility bill.

**New/Improved Data or Systems:** N/A

**References:** N/A

#### **FY 2009 Performance Measures:**

- **Number of major EPA environmental systems that use the CDX electronic requirements enabling faster receipt, processing, and quality checking of data.**
- **Number of states, tribes, and territories that will be able to exchange data with CDX through nodes in real time, using standards and automated data-quality checking.**
- **Number of users from states, tribes, laboratories, and others that choose CDX to report environmental data electronically to EPA.**

**Performance Database:** CDX Customer Registration Subsystem.

**Data Source:** Data are provided by State, private sector, local, and Tribal government CDX users.

**Methods, Assumptions, and Suitability:** All CDX users must register before they can begin reporting. The records of registration provide an up-to-date, accurate count of users. Users identify themselves with several descriptors and use a number of CDX security mechanisms for ensuring the integrity of individuals' identities.

**QA/QC Procedures:** QA/QC has been performed in accordance with a CDX Quality Assurance Plan ["Quality Assurance Project Plan for the Central Data Exchange," 10/8/2004] and the CDX Design Document v.3, Appendix K registration procedures [*Central Data Exchange Electronic*

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

*Reporting Prototype System Requirements:* Version 3; Document number: EP005S3; December 2000]. Specifically, data are reviewed for authenticity and integrity. Automated edit checking routines are performed in accordance with program specifications and the CDX Quality Assurance Plan. This Plan is currently being updated to incorporate new technology and policy requirements and a draft is scheduled to be released at the end of FY 2007 [contact: Sana Hamady, 202-566-1674]. In FY 2008, CDX will develop robust quality criteria, which will include performance metric results, for the upcoming CDX contract re-compete scheduled to be awarded in FY 2009.

**Data Quality Reviews:** CDX completed its last independent security risk assessment in January 2005, and all vulnerabilities are being reviewed or addressed. In addition, routine audits of CDX data collection procedures, statistics and customer service operations are provided weekly to CDX management and staff for review. Included in these reports are performance measures such as the number of CDX new users, number of submissions to CDX, number of help desk calls, number of calls resolved, ranking of errors/problems, and actions taken. These reports are reviewed and actions discussed at weekly project meetings.

**Data Limitations:** The CDX system collects, reports, and tracks performance measures on data quality and customer service. While its automated routines are sufficient to screen systemic problems/issues, a more detailed assessment of data errors/problems generally requires a secondary level of analysis that takes time and human resources. In addition, environmental data collected by CDX is delivered to National data systems in the Agency. Upon receipt, the National systems often conduct a more thorough data quality assurance procedure based on more intensive rules that can be continuously changing based on program requirements. As a result, CDX and these National systems appropriately share the responsibility for ensuring environmental data quality.

**Error Estimate:** CDX incorporates a number of features to reduce errors in registration data and that contribute greatly to the quality of environmental data entering the Agency. These features include pre-populating data either from CDX or National systems, conducting web-form edit checks, implementing XML schemas for basic edit checking and providing extended quality assurance checks for selected Exchange Network Data flows using Schematron. The potential error in registration data, under CDX responsibility has been assessed to be less than 1 %.

**New/Improved Performance Data or Systems:** CDX assembles the registration/submission requirements of many different data exchanges with EPA and the States, Tribes, local governments and the regulated community into a centralized environment. This system improves performance tracking of external customers and overall management by making those processes more consistent and comprehensive. The creation of a centralized registration system, coupled with the use of web forms and web-based approaches to submitting the data, invite opportunities to introduce additional automated quality assurance procedures for the system and reduce human error.

# Environmental Protection Agency

## FY 2009 Annual Performance Plan and Congressional Justification

### 4-Year Performance Data Annual Performance Goals and Measures

**References:** CDX website ([www.epa.gov/cdx](http://www.epa.gov/cdx)).

#### **FY 2009 Performance Measure:**

- **Percent of Federal Information Security Management Act reportable systems that are certified and accredited**

**Performance Database:** Automated Security Self-Evaluation and Remediation Tracking (ASSERT) database.

**Data Source:** Information technology (IT) system owners in Agency Program and Regional offices.

**Methods, Assumptions, and Suitability:** Annual IT security assessments are conducted using the methodology mandated by the Office of Management and Budget (OMB), the National Institute of Standards, and Technology (NIST) Security Self-Assessment Guide for Information Technology Systems. ASSERT has automated and web-enabled this methodology.

**QA/QC Procedures:** Automated edit checking routines are performed in accordance with ASSERT design specifications to ensure answers to questions in ASSERT are consistent. The Office of Inspector General consistent with §3545 FISMA, and the Chief Information Officer's information security staff conduct independent evaluations of the assessments. The Agency certifies results to OMB in the annual FISMA report.

**Data Quality Reviews:** Program offices are required to develop security action plans composed of tasks and milestones to address security weaknesses. Program offices self-report progress toward these milestones. EPA's information security staff review these self-reported data, conduct independent validation of a sample, and discuss anomalies with the submitting office.

**Data Limitations:** Resources constrain the security staff's ability to validate all of the self-reported compliance data submitted by program systems' managers.

**Error Estimate:** N/A

**New/Improved Data or Systems:** N/A

#### **References:**

Annual Information Security Reports to OMB: Annual Information Security Reports to OMB: <http://intranet.epa.gov/itsecurity/progreviews/>; OMB guidance memorandum: <http://www.whitehouse.gov/omb/memoranda/fy2007/m07-19.pdf>; ASSERT web site <http://cfint.rtpnc.epa.gov/assert/index.cfm>; NIST Special Publication 800-53, Recommended

## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

Security Controls for Federal Information Systems. February 2005: <http://csrc.nist.gov/publications/nistpubs/index.html>; and, Federal Information Security Management Act, PL107-347: [http://csrc.nist.gov/policies/FISMA\\_final.pdf](http://csrc.nist.gov/policies/FISMA_final.pdf)

#### **FY 2009 Performance Measures:**

- **Environmental and business actions taken for improved performance or risk reduction; environmental and business recommendations or risks identified for corrective action; and return on the annual dollar investment, as a percentage of the OIG budget, from audits and investigations**
- **Criminal, civil, administrative, and fraud prevention actions**

**Performance Database:** The OIG Performance Measurement and Results System captures and aggregates information on an array of measures in a logic model format, linking immediate outputs with long-term intermediate outcomes and results. OIG performance measures are designed to demonstrate value added by promoting economy, efficiency and effectiveness; and preventing and detecting fraud, waste, and abuse as described by the Inspector General Act of 1978 (as amended). Because intermediate and long-term results may not be realized for several years, only verifiable results are reported in the year completed. Database measures include numbers of: 1) recommendations for environmental and management improvement; 2) legislative, regulatory policy, directive, or process changes; 3) environmental, program management, security and resource integrity risks identified, reduced, or eliminated; 4) best practices identified and implemented; 5) examples of environmental and management actions taken and improvements made; 6) monetary value of funds questioned, saved, fined, or recovered; 7) criminal, civil, and administrative actions taken, 8) public or congressional inquiries resolved; and 9) certifications, allegations disproved, and cost corrections.

**Data Source:** Designated OIG staff enter data into the system. Data are from OIG performance evaluations, audits, research, court records, EPA documents, data systems, and reports that track environmental and management actions or improvements made and risks reduced or avoided. OIG also collects independent data from EPA's partners and stakeholders.

**Methods, Assumptions, and Suitability:** OIG performance results are a chain of linked events, starting with OIG outputs (e.g., recommendations, reports of best practices, and identification of risks). The subsequent actions taken by EPA or its stakeholders/partners, as a result of OIG's outputs, to improve operational efficiency and environmental program delivery are reported as intermediate outcomes. The resulting improvements in operational efficiency, risks reduced/eliminated, and conditions of environmental and human health are reported as outcomes. By using common categories of performance measures, quantitative results can be summed and reported. Each outcome is also qualitatively described, supported, and linked to an OIG product or output. The OIG can only control its outputs and has no authority, beyond its influence, to implement its recommendations that lead to environmental and management outcomes.



## Environmental Protection Agency

### FY 2009 Annual Performance Plan and Congressional Justification

#### 4-Year Performance Data Annual Performance Goals and Measures

**QA/QC Procedures:** All performance data submitted to the database require at least one verifiable source assuring data accuracy and reliability. Data quality assurance and control are performed as an extension of OIG products and services, subject to rigorous compliance with the Government Auditing Standards of the Comptroller General<sup>15</sup>, and regularly reviewed by OIG management, an independent OIG Management Assessment Review Team, and external independent peer reviews. Each Assistant Inspector General certifies the completeness and accuracy of performance data.

**Data Quality Reviews:** There have not been any previous audit findings or reports by external groups on data or database weaknesses in the OIG Performance Measurement and Results System. All data reported are audited internally for accuracy and consistency.

**Data Limitations:** All OIG staff are responsible for data accuracy in their products and services. However, there is a possibility of incomplete, miscoded, or missing data in the system due to human error or time lags. Data supporting achievement of results are often from indirect or external sources, with their own methods or standards for data verification/validation.

**Error Estimate:** The error rate for outputs is estimated at +/-2%, while the error rate for reported long-term outcomes is presumably greater because of the longer period needed for tracking results and difficulty in verifying a nexus between our work and subsequent actions and impacts beyond our control. Errors tend to be those of omission.

**New/Improved Data or Systems:** The OIG developed the Performance Measurement and Results System as a prototype in FY 2001 and constantly revises the clarity and quality of the measures as well as system improvements for ease of use. During FY 2007, the OIG implemented an Audit Follow-up Policy to independently verify the status of Agency actions on OIG recommendations, which serve as the basis for OIG intermediate outcome results reported in the OIG Performance Measurement and Results System. The quality of the data will continue to improve as staff gain greater familiarity with the system and measures, and as OIG performs follow-up verification reviews to identify and track actions and impacts. The OIG is also implementing full costing of OIG products to measure relative return on investment from the application of OIG resources.

**References:** All OIG non-restricted performance results are referenced in the OIG Performance Measurement and Results System with supporting documentation available either through the OIG Web Site or other Agency databases. The OIG Web Site is [www.epa.gov/oig](http://www.epa.gov/oig).<sup>16</sup>

---

<sup>15</sup>Government Auditing Standards (2007 Revision), General Accounting Office, GAO-07-162G, January 2007; Available on the Internet at [www.gao.gov/govaud/ybk01.htm](http://www.gao.gov/govaud/ybk01.htm), last updated December 2007.

<sup>16</sup> U.S. EPA, Office of Inspector General, Audits, Evaluations, and Other Publications; Available on the Internet at [www.epa.gov/oig](http://www.epa.gov/oig), last updated October 2007.