

RESOURCE NOTES

NO. 33

DATE 08/01/00

Viability of Feral Horse Populations on Atlantic Coastal Barrier Islands: Implications for Management

*By: H. Brian Underwood
USGS Patuxent Wildlife
Research Center, College of
Environmental Science &
Forestry, Syracuse, NY.*

*The eleventh in a series of 13,
Session 4*

Background

Feral and free-ranging horses have a long and illustrious legacy common to many Atlantic coastal barrier islands. I analyzed the population dynamics of the horses of Assateague Island National Seashore (ASIS), which encompasses the northern 28 km of the island. Here the horses live a wild existence and are managed as a living cultural resource. Using population reconstruction methods and computer simulation of feral horse life-history, I developed a demographic population viability analysis (PVA) for this population for the expressed

purpose of assessing the impacts of fertility control, disease epidemics, and catastrophic storm events on population persistence. Partial pedigrees were constructed to examine lineage-specific effects on population demography and genetic zygosity.

Discussion

The reconstructed population varied from a low of 35 horses in 1975 to a high of 171 in 1988, and grew at an average annual rate of 15%, which by western experience is sub-par, but matches earlier estimates of >10%. Two-hundred forty-seven observations of survival histories (58 uncensored) of horses demonstrated that reconstructed March population size added significant prognostic value to the prediction of hazards for ASIS horses. There were no statistically detectable differences in survival between the sexes and no dramatic differences in the age at first foaling over time. Analysis of the inter-birth interval revealed a strong population size influence, however. There was a pronounced change in the early-age hazards as population size increased, an observation unique among wild horse population studies. Adult survival changed very little and

remained quite high over a wide range in population sizes. A meaningful population decline induced through fertility control could be approached at efficacies of 80% sustained over a period of 10 years. This translates into treating about 60 mares each year. Interestingly, just 3 of 17 progenitor mare matriline were responsible for most of the foals born into the population over the 18 years examined in this study.

Conclusion

The levels of adult horse mortality due to storms, diseases and accidents, which are impossible to predict, had the most profound effect on population growth and viability. The simulation also suggested that management directed at specific matriline exerts a disproportionate effect on rate of increase, population viability and genetic zygosity. As a precursor to management, PVA forces one to consolidate the existing knowledge base, explore management alternatives, and identify weaknesses in the data that might compromise biological inferences drawn from the exercise. While a prudent first step, PVA is not suited for every purpose. Managers should

WILD HORSE AND
BURRO PROGRAM



consult with a population biologist who (1), has first-hand experience with the various approaches and, (2) can facilitate and incorporate knowledge from the field.

Contact

Dr. H. Brian Underwood
Patuxent Wildlife Research
Center, Cooperative Park
Studies Unit, 350 Illick Hall
State University of New York

College of Environment
Science & Forestry
Syracuse, NY 13210-2778
phone (315)470-6820
fax (315)470-6934
e-mail: hbunderw@syr.edu

RESOURCE NOTES are intended to be early announcements of technical and informational topics for Bureau of Land Management personnel and some of their customers. Information in this RESOURCE NOTE is based on the opinion and experience of the author and has not been peer-reviewed. Conclusions and opinions expressed herein do not necessarily represent those of BLM. Use of trade names does not imply U.S. Government endorsement of commercial products.

If you have received a copy of or found out about RESOURCE NOTES in an indirect way and would like to be included in future mailings, please send the following:

NAME, TITLE, MAILING ADDRESS and a list of the two or three subject areas that you are most interested in or that most directly relate to your job. Send this information to Phil Dittberner, BLM, RS-140, P.O. Box 25047, Denver, CO. 80225-0047 or phil_dittberner@blm.gov or FAX 303-236-3508.

If you would like to prepare a RESOURCE NOTE for distribution, or you have an idea and author in mind for a good RESOURCE NOTE, please contact Phil Dittberner at 303-236-1833, FAX 303-236-3508 or phil_dittberner@blm.gov with the topic and the name of writer, including an address, phone number, and e-mail address.

Thank you for your interest in RESOURCE NOTES.



National Science &
Technology Center



Bureau of Land Management
