

LA-14131-PR
Progress Report
Approved for public release;
distribution is unlimited.

Surface Water Data at
Los Alamos National Laboratory
2003 Water Year

The four most recent reports in this unclassified series are
LA-13706-PR, LA-13814-PR, LA-13905-PR, and LA-14019-PR.

Edited by Faith Harp, Group IM-1
Photocomposition by Jeanne Bowles, Group IM-1

Los Alamos National Laboratory, an affirmative action/equal opportunity employer, is operated by the University of California for the United States Department of Energy under contract W-7405-ENG-36.

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the Regents of the University of California, the United States Government nor any agency thereof, nor any of their employees make any warranty, express or implied, or assume any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represent that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the Regents of the University of California, the United States Government, or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the Regents of the University of California, the United States Government, or any agency thereof. Los Alamos National Laboratory strongly supports academic freedom and a researcher's right to publish; as an institution, however, the Laboratory does not endorse the viewpoint of a publication or guarantee its technical correctness.

LA-14131-PR
Progress Report
Issued: March 2004

Surface Water Data at
Los Alamos National Laboratory
2003 Water Year

D. A. Shaul
D. Ortiz
M. R. Alexander
R. P. Romero



Contents

Glossary	vii
Abstract	1
Introduction	1
Station Identification Numbers	1
Data Collection and Computation	2
Accuracy of Records	3
Data Presentation	3
Acknowledgments	5
References	5
Gaging Stations	7
Gaging Stations at Los Alamos National Laboratory	9
Summary of Discharges from Stream-Monitoring Stations at Los Alamos National Laboratory	10
E026 Los Alamos below Ice Rink	11
E030 Los Alamos above DP Canyon	13
E038 DP above TA-21	15
E039 DP below Meadow at TA-21	17
E040 DP above Los Alamos Canyon	19
E042 Los Alamos above SR-4	21
E050 Los Alamos below LA Weir	23
E060 Pueblo above SR-502	27
E089 Guaje above Rendija	29
E090 Rendija above Guaje	31
E123 Sandia below Wetlands	33
E125 Sandia above SR-4	35
E200 Mortandad below Effluent Canyon	37
E202 Mortandad above Sediment Traps	39
E203 Mortandad below Sediment Traps	41
E204 Mortandad at LANL Boundary	43
E218 Cañada del Buey near TA-46	45
E225 Cañada del Buey near MDA-G	47
E230 Cañada del Buey above SR-4	49
E240 Pajarito below SR-501	51
E241 Pajarito above Starmers	53
E242 Starmers above Pajarito	55
E2425 La Delfe above Pajarito	57
E245 Pajarito above TA-18	59
E2455 Pajarito above Threemile	61
E246 Threemile above Pajarito	63
E250 Pajarito above SR-4	65
E252 Water above SR-501	67
E253 Cañon de Valle above SR-501	69
E262 Cañon de Valle above Water	71
E2625 Water below MDA-AB	73
E263 Water at SR-4	75
E265 Water below SR-4	77

E267 Potrillo above SR-4	79
E275 Ancho below SR-4	81
E350 Rio de los Frijoles at Bandelier	83
Spring Stations	85
S001 SWSC Line Spring at TA-16	87
S002 Burning Ground Spring at TA-16	89
S003 Martin Spring at TA-16	91
Peak Flow Section	93

Glossary

Acre-foot (Ac-Ft, acre-ft) is the quantity of water required to cover 1 acre to a depth of 1 foot and is equivalent to 43,560 cubic feet, 325,851 gallons, or 1233.49 cubic meters.

Cfs-day is the volume of water represented by the flow of 1 cubic foot per second for 24 hours. It is equivalent to 86,400 cubic feet, 1.98347 acre-feet, 646,317 gallons, or 2,445 cubic meters.

Control designates a feature downstream from the gage that determines the stage-discharge relation at the gage. This feature may be a natural constriction of the channel, an artificial structure, or a uniform cross section over a long reach of the channel.

Control structure as used in this report is a structure on a stream or canal that is used to regulate the flow or stage of the stream or to prevent the intrusion of salt water.

Cubic feet per second per square mile [(ft³/s)/mi²] is the average number of cubic feet of water flowing per second from each square mile of area drained, assuming that the runoff is distributed uniformly in time and area.

Cubic foot per second (ft³/s) is the rate of discharge representing a volume of 1 cubic foot passing a given point during 1 second and is equivalent to 7.48 gallons per second, 448.8 gallons per minute, or 0.02832 cubic meters per second.

Discharge is the volume of water (or more broadly, volume of fluid including suspended sediment) that passes a given point within a given period of time.

Drainage area (DA) of a stream at a specified location is that area, measured in a horizontal plane, enclosed by a topographic divide, from which direct surface runoff from precipitation normally drains by gravity into the stream above the specified point. Figures of drainage area given herein include all closed basins, or noncontributing areas, within the area unless otherwise noted.

Drainage basin is a part of the surface of the earth that is occupied by a drainage system, which consists of a surface stream or a body of impounded surface water together with all tributary surface streams and bodies of impounded surface water.

Gage height (GH) is the water-surface elevation referred to in some arbitrary gage data. Gage height is often used interchangeably with the more general term “stage,” although gage height is more appropriate when used with a reading on a gage.

Gaging station is a particular site on a stream, canal, lake, or reservoir where systematic observations of hydrologic data are obtained.

GPS is an abbreviation for Global Positioning System.

Glossary (continued)

HWM is an abbreviation for high-water mark.

Instantaneous discharge is the discharge at a particular instant of time.

LANL is the acronym for Los Alamos National Laboratory.

Mean discharge (MEAN) is the arithmetic mean of individual daily mean discharges during a specific period.

National Geodetic Vertical Datum of 1929 (NGVD) is a geodetic datum derived from a general adjustment of the first order level nets of both the United States and Canada. It was formerly called *Sea Level Datum of 1929* or “mean sea level” in this series of reports. Although the datum was derived from the average sea level over a period of many years at 26 tide stations along the Atlantic, Gulf of Mexico, and Pacific coasts, it does not necessarily represent the local mean sea level at any particular place.

NPDES is the abbreviation for National Pollution Discharge Elimination System.

SR means “State Road.”

Stage. See **Gage Height**.

Stage-discharge relation is the relation between the water-surface elevation, termed “gage height,” and the volume of water flowing in a channel per unit of time.

Stream flow is the discharge that occurs in a natural channel.

SWSC is an abbreviation for sanitary wastewater systems consolidation.

USGS is the abbreviation for United States Geological Survey.

Water year in reports dealing with surface water supply is the 12-month period, October 1 through September 30. The water year is designated by the calendar year in which it ends and which includes 9 of the 12 months. Thus, the year ending September 30, 1980, is called the “1980 water year.”

WDR is an abbreviation for “Water-Data Report” in the “Revised Records” paragraph to refer to annual hydrologic-data reports.

WSP is an abbreviation for “Water-Supply Paper” in references to previously published reports.

Surface Water Data at Los Alamos National Laboratory: 2003 Water Year

by

D. A. Shaull, D. Ortiz, M. R. Alexander, and R. P. Romero

ABSTRACT

The principal investigators collected and computed surface water discharge data from 36 stream-gaging stations that cover most of Los Alamos National Laboratory and one at Bandelier National Monument. Also included are discharge data from three springs—two that flow into Cañon de Valle and one that flows into Water Canyon—and peak flow data from 16 stations.

Introduction

This annual water data report from Los Alamos National Laboratory (LANL) contains flow data from 36 stream-gaging stations that cover most of the Laboratory's property. We focused data collection on the Laboratory's downstream boundary, approximated by New Mexico State Highway 4; the upstream boundary is approximated by New Mexico State Highway 501. Some of the gaging stations are within Laboratory boundaries and were originally installed to assist groups other than the Water Quality and Hydrology Group (RRES-WQH) that also conduct site-specific earth science research.

Water chemistry data from selected storm events occurring at some stations will be published in the 2003 "Los Alamos National Laboratory Environmental Surveillance Report."

Station Identification Numbers

The US Geological Survey (USGS), Water Resources Division, assigns a unique identification number to each stream-gaging station it establishes. All sites numbered since 1950 are part of the downstream order system. The downstream order system increases station numbers in the downstream direction along main streams, and, in the case of this report, their respective mouths to the Rio Grande.

This report adheres to the United States Geological Survey (USGS) convention of downstream order. Because of the close proximity of stations in this network, the first five digits of all station numbers are 08313. We have replaced this number string with the letter E in the station number partly to abbreviate and also to accommodate instrumentation.

Data Collection and Computation

A complete record-gaging station gathers records of stage and discharge measurements from streams or canals. In addition to gathering these stage and discharge measurements, we directly observe factors affecting the stage/discharge relation, consult weather records, and use other information that supplements base data in determining daily flow. Direct readings on a nonrecording gage or from the data logger provide integrated (5-minute) records of stage. We measure discharge with current meters, using methods adapted by the USGS as a result of experience accumulated since 1880. Standard textbooks describe these methods, as do *Water-Supply Paper 2175* and the *US Geological Survey Technique of Water Resources Investigations*, Book 3, Chapter A6.

We use stage/discharge relation curves to prepare rating tables that give the discharge for any stage measured at a stream-gaging station. When it is necessary to define discharge extremes outside the range of current meter measurements, we extend the curves using

- logarithmic plotting;
- velocity area studies;
- results of indirect measurements of peak discharge, such as slope area or contracted opening measurements, and computations of flow over dams or weirs; or
- step backwater techniques.

Daily mean discharges are computed by applying daily mean gage height (stage) to the stage-discharge curves or tables. If the stage/discharge relation is subject to change because of frequent or continual change in the physical features that form the control, the daily mean discharge is computed by the shifting-control method. In the shifting-control method, correction factors based on individual discharge measurements and notes by personnel taking the measurements are applied to the gage heights before discharges are determined from the curves or tables.

The shifting-control method is also used if the stage/discharge relation for a station is temporarily changed by the presence of aquatic growth or debris on the control. At some northern stream-gaging stations, the stage/discharge relation is affected by ice in the winter, and it becomes impossible to compute discharge in the usual manner. Discharge for the period of ice effect is computed on the basis of gage height record and occasional winter discharge measurements. Consideration is given to the available information about temperature and precipitation, notes of observations, and comparable discharge records for other stations in the same or nearby basins for comparable periods of time.

For some gaging stations, periods occur when no gage height record is obtained, or the recorded gage height is so faulty that it cannot be used to compute daily discharge or contents. This happens when the recorder stops or otherwise fails to operate properly, intakes are plugged, the float is frozen in the well, etc. For such periods, the daily discharges are estimated on the basis of recorded range-in-stage, prior and subsequent records, discharge measurements, weather records, and record comparisons made against other stations in the same or nearby basins. Likewise, daily contents may be estimated from operator logs, prior and subsequent records, inflow-outflow studies, and other information.

Accuracy of Records

Two factors determine the accuracy of streamflow records:

- stability of the stage-discharge relation or, if the control is unstable, the frequency of discharge measurements; and
- accuracy of measurements or stage, accuracy of discharge measurements, and interpretations of records.

Accuracy attributed to records is noted under “Remarks.”

- Excellent—95% of daily discharges are within 5% of true value;
- Good—95% of daily discharges are within 10% of true value;
- Fair—95% of daily discharges are within 15% of true value; and
- Poor—records do not meet the criteria mentioned.

Differences in accuracy may be attributed to different parts of a given record.

The number of significant figures used to report daily mean discharges is based solely on the magnitude of the discharge value:

If —the value (ft ³ /s) is	Then —it is reported as
less than 1 ft ³ /s	nearest hundredth
1–10 ft ³ /s	nearest tenth
10–1,000 ft ³ /s	whole number
above 1,000 ft ³ /s	three significant figures

Data Presentation

The records published in this report are for each gaging station and comprise two parts:

- station manuscript description with photo and
- data table for the water year (October 1, 2002, to September 30, 2003).

The station manuscript provides data under various headings: station location, period of record, average discharge, historical extremes, record accuracy, and other points pertinent to station operation and regulation. Each continuous record of discharge includes the following categories of descriptions.

Location. The most accurate and available maps, plus Global Positioning System (GPS) technology, provide location information. The location of the gage with respect to the vicinity’s cultural and physical features is given, as well as a name that refers to place. For a few stations, the US Army Corps of Engineers or the Water Resources Council (*River Mileage Measurement*, Bulletin 14, rev. October 1968) provided river mileage. We define left and right banks from the perspective of facing downstream.

Drainage Area. The most accurate and available maps provide drainage area measurements. The accuracy of drainage area measurements varies, depending on the type of map available for this purpose.

Revised Records. Because of new information, published records occasionally are found to be incorrect, and revisions are printed in later reports. Listed under this heading are all the reports in which revisions have been published for the station and the water years to which the revisions apply. If a revision did not include daily, monthly, or annual figures of discharge, that fact is noted after the year as follows: (M) means that only instantaneous maximum discharge was revised; (m) means that only the instantaneous minimum was revised; and (P) means that only the peak discharge was revised. If the drainage area has been revised, the report in which the most recently revised figure was first published is given.

Period of Record. The period of record is the time during which published records exist for a station or its equivalent station. An equivalent station is one that was in operation at a time that the present station was not and was located so that records from it can reasonably be considered equivalent to records from the present station.

Gage. This section describes the type of gage in current use. The datum of the current gage referred to in the *National Geodetic Vertical Datum of 1929* (see Glossary) and a condensed history of the types, locations, and data of previous gages are given under this heading.

Remarks. The text presents information relative to the accuracy of the records, special methods of computation, conditions that affect natural flow at the station, and other pertinent information.

Average Discharge. The average discharge is the average of the annual mean discharge published after five years of record. Once it is published, it continues as a moving average.

Extremes for Period of Record. Extremes may include maximum and minimum stages and maximum and minimum discharges or content. Unless otherwise qualified, the maximum discharge or content is the instantaneous maximum corresponding to the highest stage that occurred. The highest stage may have been obtained from a graphic or digital recorder, a crest stage gage, or by direct observation of a nonrecording gage. If the maximum stage did not occur on the same day as the maximum discharge or content, it is given separately. Similarly, the minimum is the instantaneous minimum discharge, unless otherwise qualified, and was determined and is reported in the same manner as the maximum.

Extremes Outside Period of Record. This section contains information concerning major floods or unusually low flows that occurred outside the stated period of record. The information may have been obtained from other agencies, old data files, newspapers, or local citizens.

Extremes for Current Year. Extremes given here are similar to those for the period of record. The time for occurrence of peaks is expressed in 24-hour local standard time. For example, 12:30 A.M. is 0030 and 1:30 P.M. is 1330. The minimum for the current water year appears in this section.

Data Table of Daily Mean Values. The daily table of discharge records for stream gaging stations gives the mean discharge for each day of the water year. In the monthly summary for the table, the line headed “Total” gives the sum of the daily figures for each month; the line headed “Mean” gives the average flow in cubic feet per second for the month; and the lines headed “Max” and “Min” give the maximum and minimum daily mean discharges for each month and in acre feet, respectively, in the line headed “Ac-Ft.”

Acknowledgments

This work was funded through emergency funds provided to DOE and LANL to remediate damage and address demonstrated vulnerabilities associated with the Cerro Grande Fire. This work has been conducted by LANL using two initiatives: The Emergency Rehabilitation Team, to address emergency and urgent actions to recover from the fire, and the Cerro Grand Rehabilitation Project (CGRP), to address near- and long-term activities required for LANL to fully recover from the fire. This work was conducted as part of the erosion control task of the CGRP.

The authors thank the following individuals for their contribution to this report: K. Buckley, B. Cata, E. Gray, G. Helland, and L. Martinez (RRES-WQH); Jim Jones (FWO-IP); and Victoria George (FWO-IP/RRES-DO).

References

Water-Supply Paper 2175 and the US Geological Survey Technique of Water Resources Investigations, Book 3, Chapter A6.

US Army Corps of Engineers, *River Mileage Measurement*, Bulletin 14, rev. October 1968.

National Geodetic Vertical Datum of 1929.

Previous Los Alamos National Laboratory reports in this series—“Surface Water Data at Los Alamos National Laboratory” for water years 1995–2002

1995: LA-13177-PR (August 1996)

1996: LA-13234-PR (November 1996)

1997: LA-13403-PR (January 1996)

1998: LA-13551-PR (February 1999)

1999: LA-13706-PR (April 2000)


2000: LA-13814-PR (July 2001)

2001: LA-13905-PR (April 2002)

2002: LA-14019-PR (March 2003)

Gaging Stations

Gaging Stations at Los Alamos National Laboratory



**Summary of Discharges from Stream-Monitoring Stations
at Los Alamos National Laboratory**

Water Year 2003

October 1, 2002 to September 30, 2003

Canyon Sites	Days with Flow	Volume in Ac-Ft	Instantaneous Max in ft³/s
E026 Los Alamos below Ice Rink	44	59	134
E030 Los Alamos above DP Canyon	33	34	15
E038 DP above TA-21	60	24	209
E039 DP below Meadow at TA-21	50	23	134
E040 DP above Los Alamos Canyon	18	7.4	53
E042 Los Alamos above SR-4*	21	32	94
E050 Los Alamos below LA Weir	24	26	43
E060 Pueblo above SR-502*	353	686	749
E089 Guaje above Rendija	13	50	360
E090 Rendija above Guaje	15	33	856
E123 Sandia below Wetlands	365	481	88
E125 Sandia above SR-4*	2	0.3	3.6
E200 Mortandad below Effluent Canyon	311	25	24
E202 Mortandad above Sediment Traps	1	0.2	1.9
E203 Mortandad below Sediment Traps	0	0	0
E204 Mortandad at LANL Boundary*	0	0	0
E218 Cañada del Buey near TA-46	20	3.6	17
E225 Cañada del Buey near MDA-G	2	0.91	16
E230 Cañada del Buey above SR-4*	8	9.2	100
E240 Pajarito below SR-501	3	2.5	61
E241 Pajarito above Starmers	260	7.1	25
E242 Starmers above Pajarito	352	21	2.2
E2425 La Delfe above Pajarito	298	12	0.16
E245 Pajarito above TA-18	3	10	44
E2455 Pajarito above Threemile	4	2.8	14
E246 Threemile above Pajarito	1	1.4	73
E250 Pajarito above SR-4*	1	0.08	0.20
E252 Water above SR-501	364	20	2.1
E253 Cañon de Valle above SR-501	2	0.08	0.97
E262 Cañon de Valle above Water	3	1.0	26
E2625 Water below MDA-AB	2	0.60	11
E263 Water at SR-4	6	2.8	10
E265 Water below SR-4*	7	2.6	25
E267 Potrillo above SR-4*	7	15	20
E275 Ancho below SR-4*	2	39	534
E350 Rio de los Frijoles at Bandelier	360	495	21

*Stations at downstream Laboratory boundary.

E026 Los Alamos below Ice Rink

Location. Lat 35°52'49" long 106°19'30", in 1/4 SE, 1/4 NW sec. 17, T. 19 N, R. 6 E, Los Alamos County, on left bank 0.3 mi upstream from "Rainbow" bridge on Diamond Drive over Los Alamos Canyon and 1.55 mi downstream from Los Alamos Reservoir.

Drainage Area. 7.12 mi².

Period of Record. February 26, 2001, to October 30, 2003.

Gage. Data logger with cellular telemetry. Elevation of gage is 7,200 ft above *National Geodetic Vertical Datum of 1929*.

Remarks. Water discharge records good.

Extremes for Period of Record. Maximum discharge 185 ft³/s, August 9, 2001, gage height 1.52 ft. No flow most of time.

Extremes for Current Water Year. Maximum discharge 134 ft³/s at 1700 hrs, August 11, gage height 1.38 ft. No flow most of time.



E026 Los Alamos below Ice Rink

Daily Mean Discharge in Cubic Feet per Second

Water Year October 2001 to September 2002

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0	0	0	0	0	0	0.01	0	0	0	0	0
2	0	0	0	0	0	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0	0	0	0.02	0
4	0	0	0	0	0	0	0	0	0	0	0	0
5	0	0	0	0	0	0	0	0	0	0	0	0.25
6	0	0	0	0	0	0	0	0	0	0	0	1.6
7	0	0	0	0	0	0	0	0	0	0	0	0.28
8	0	0	0	0	0	0	0	0	0	0	0	0.10
9	0	0.01	0	0	0	0	0	0	0	0	0	0.05
10	0	0	0	0	0	0	0	0	0	0.25	0	0.04
11	0	0	0	0	0	0	0	0.02	0	0.19	1.5	0.01
12	0	0	0	0	0	0	0	0.02	0	0	0	0.02
13	0	0	0	0	0	0	0	0	0	0	0	0.01
14	0	0	0	0	0	0	0	0	0	0	0	0.01
15	0	0	0	0	0	0	0	0	0	0	0	0.01
16	0	0	0	0	0	0	0	0	0	0	0	0.01
17	0	0	0	0	0	0	0	0	0	0	0	0
18	0	0	0	0	0	0	0	0	0	0	0.05	0.02
19	0	0	0	0	0	0	0	4.2	0	0	0.04	0.03
20	0	0	0	0	0	0	0	10.0	0	0	0	0.03
21	0	0	0	0	0	0	0	7.1	0	0	0*	0.02
22	0	0	0	0	0	0	0	0	0	0	0*	0.02
23	0	0	0	0	0	0	0	0	0	0	1.2*	0.04
24	0.01	0	0	0	0	0	0	0.01	0	0	0.10*	0.03
25	0	0	0	0	0	0	0	0	0	0	0.25*	0.02
26	0	0	0	0	0	0	0	0	0	0	1.1	0.01
27	0.01	0	0	0	0	0	0	0	0	0	0.51	0
28	0	0	0	0	0	0	0	0	0	0	0.24	0
29	0	0	0	0	—	0	0	0	0	0	0.22	0
30	0	0	0	0	—	0	0	0	0	0	0.03	0
31	0	—	0	0	—	0	—	0	—	0	0	—
Total	0.02	0.01	0	0	0	0	0.01	21.35	0	0.44	5.26	2.61
Mean	0.001	0	0	0	0	0	0	0.69	0	0.014	0.17	0.087
Max	0.01	0.01	0	0	0	0	0.01	10	0	0.25	1.5	1.6
Min	0	0	0	0	0	0	0	0	0	0	0	0
Ac-Ft	0.04	0.03	0	0	0	0	0.02	42	0	0.9	10	5.4
Wtr Year	2003	Total	29.70	Mean	0.081	Max	10	Min	0	Ac-Ft	59	
Cal Year	2002	Total	3.44	Mean	0.009	Max	0.82	Min	0	Ac-Ft	7.0	

*Estimated.

E030 Los Alamos above DP Canyon

Location. Lat 35°52'21", long 106°15'36", SW 1/4, SE 1/4 sec. 14, T. 19 N, R. 6 E, Los Alamos County, 150 ft upstream from mouth of DP Canyon wash and 2.4 mi upstream from NM State Highway 4.

Drainage Area. 8.58 mi².

Period of Record. July 1994 to September 30, 2003.

Gage. Data logger with cellular telemetry and concrete control. Elevation of gage is 6,627 ft above *National Geodetic Vertical Datum of 1929*, from GPS survey.

Remarks. Water discharge records good. Flow partially regulated by Los Alamos Reservoir about 2.5 mi upstream.

Average Discharge. 9 years, 0.239 ft³/s, 173 acre-ft/yr.

Extremes Outside Period of Record. Flood of July 31, 1968, was 329 ft³/s from slope area determination. Gage height was established later at 3.71 ft present datum.

Extremes for Period of Record. Maximum discharge 125 ft³/s, June 22, 2002, gage height 2.88 ft from peak flow computation. No flow most of time.

Extremes for Current Water Year. Maximum discharge 15 ft³/s on August 23, gage height 1.68 ft. No flow most of time.



E030 Los Alamos above DP Canyon

Daily Mean Discharge in Cubic Feet per Second

Water Year October 2002 to September 2003

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0	0	0	0	0	0	0	0	0.01	0	0	0
2	0	0	0	0	0	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0	0	0	0	0.41
4	0	0	0	0	0	0	0	0	0	0	0	0.41
5	0	0	0	0	0	0	0	0	0	0	0	0.40
6	0	0	0	0	0	0	0	0	0	0	0	2.0
7	0	0.03	0	0	0	0	0	0	0	0	0	1.2
8	0	0	0	0	0	0	0	0	0	0	0	0.27
9	0	0.25	0	0	0	0	0	0	0	0	0	0.08
10	0	0	0	0	0	0	0	0	0	0.20	0	0.38
11	0	0	0	0	0	0	0	0	0	0.28	0.61	0
12	0	0	0.07	0	0	0	0	0	0	0	0.11	0
13	0	0	0	0	0	0	0	0	0	0	0.01	0
14	0	0.07	0	0	0	0	0	0	0	0	0	0
15	0	0	0	0	0	0	0	0	0	0	0	0
16	0	0	0	0	0	0	0	0	0	0	0	0
17	0	0	0	0	0	0	0	0	0	0	0	0
18	0	0	0	0	0	0	0	0	0	0	0.10	0
19	0	0	0	0	0	0	0	1.7	0	0	0.07	0
20	0	0	0	0	0	0	0	3.0	0	0	0	0
21	0	0	0	0	0	0	0	1.8	0	0	0	0
22	0	0	0	0	0	0	0	0	0	0	0	0
23	0	0	0	0	0	0	0	0	0	0	1.7	0
24	0.04	0	0	0	0	0	0	0.45	0	0	0.23	0
25	0	0	0	0	0	0	0	0.30	0	0	0.33	0.04
26	0	0	0	0	0	0	0	0.03	0	0	0	0
27	0	0	0	0	0	0	0	0.05	0	0	0	0
28	0	0	0	0	0	0	0	0	0	0	0	0
29	0	0	0	0	—	0	0	0	0	0	0	0
30	0	0	0	0	—	0	0	0	0	0	0.37	0
31	0	—	0	0	—	0	—	0.12	—	0	0	—
Total	0.04	0.35	0.07	0	0	0	0	7.45	0.01	0.48	3.53	5.19
Mean	0.001	0.012	0.002	0	0	0	0	0.24	0	0.015	0.11	0.17
Max	0.04	0.25	0.07	0	0	0	0	3.0	0.01	0.28	1.7	2.0
Min	0	0	0	0	0	0	0	0	0	0	0	0
Ac-Ft	0.08	0.7	0.1	0	0	0	0	15	0.03	1.0	6.9	10
Wtr Year	2003	Total	17.12	Mean	0.047	Max	3.0	Min	0	Ac-Ft	34	
Cal Year	2002	Total	5.00	Mean	0.014	Max	1.7	Min	0	Ac-Ft	9.7	

E038 DP above TA-21

Location. Lat 35°52'49", long 106°16'58", in SE 1/4 SE 1/4 sec. 13, T. 19 N, R. 6 E, Los Alamos County, on left bank 1.3 mi west of State Road 502.

Drainage Area. 0.207 mi².

Period of Record. April 26, 2000, to September 30, 2003.

Gage. Data logger with cellular telemetry. Elevation of gage is 7,100 ft above *National Geodetic Vertical Datum of 1929*.

Remarks. Records fair, except for estimated daily discharges, which are poor.

Extremes for Period of Record. Maximum discharge 219 ft³/s, June 2, 2000, gage height 3.72 ft; from rating curve extended above 10 ft³/s on basis of peak flow computations. No flow most of time.

Extremes for Current Water Year. Maximum discharge 209 ft³/s, August 23 at 1315 hrs, gage height 3.63 ft. No flow most of time.



E038 DP above TA-21

Daily Mean Discharge in Cubic Feet per Second

Water Year October 2002 to September 2003

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0.23	0	0*	0*	0	0	0	0	0	0	0	0
2	0.07	0.15	0*	0*	0	0	0	0	0	0	0.19	0
3	0	0.01	0*	0*	0	0	0	0	0	0	0	0.47
4	0	0*	0*	0*	0	0	0	0	0	0	0	0
5	0	0*	0*	0*	0	0	0	0	0	0	0	0
6	0	0*	0*	0*	0	0	0	0	0.02	0	0	0.27
7	0	0*	0*	0*	0	0	0	0	0.03	0	0.48	0
8	0	0*	0*	0	0	0	0	0	0.05	0	0	0.01
9	0	0*	0*	0	0	0	0	0	0.02	0	0	0.09
10	0	0	0*	0	0	0	0	0	0.06	0	0	0.05
11	0	0	0*	0	0	0	0	0	0.01	0	0.33	0.04
12	0	0	0*	0	0	0	0	0	0.03	0	0	0.06
13	0	0	0*	0	0	0	0	0	0.33	0	0	0.06
14	0	0	0*	0	0	0	0	0	0	0	0	0.04
15	0	0	0*	0	0	0	0.20	0	0	0	0	0.07
16	0	0	0*	0	0	0	0	0	0	0	0	0.07
17	0	0	0*	0	0	0	0	0	0.27	0	0.39	0.05
18	0	0	0*	0	0	0.03	0	0	0	0	0.08	0.03
19	0	0	0*	0	0	0	0	0	0	0	0.18	0.04
20	0	0	0*	0	0	0	0	0	0	0	0	0.05
21	0	0	0*	0	0	0	0.01	0	0	0	0	0.06
22	0	0*	0*	0	0	0	0	0	0	0	0	0.08
23	0.28	0*	0*	0	0	0	0	0	0	0	4.8	0.06
24	0.31	0*	0*	0	0	0	0	0.33	0	0	0	0.07
25	0.02	0*	0*	0	0	0	0	0.34	0	0	0	0.05
26	0.31	0*	0*	0	0	0	0	0.47	0	0	0.02	0.06
27	0.02	0*	0*	0	0	0	0	0	0	0	0	0.06
28	0	0*	0*	0	0	0	0	0.01	0	0	0	0.08
29	0	0*	0*	0	—	0	0	0.01	0	0	0.01	0.07
30	0	0*	0*	0	—	0	0	0	0	0	0	0.04
31	0	—	0*	0	—	0	—	0	—	0	0	—
Total	1.24	0.16	0	0	0	0.03	0.21	1.16	0.82	0	6.48	2.03
Mean	0.040	0.005	0	0	0	0.001	0.007	0.037	0.027	0	0.21	0.068
Max	0.31	0.15	0	0	0	0.03	0.20	0.47	0.33	0	4.8	0.47
Min	0	0	0	0	0	0	0	0	0	0	0	0
Ac-Ft	2.4	0.3	0	0	0	0.08	0.4	2.3	1.5	0	13	3.8
Wtr Year	2003	Total	12.13	Mean	0.033	Max	4.8	Min	0	Ac-Ft	24	
Cal Year	2002	Total	16.67	Mean	0.046	Max	5.0	Min	0	Ac-Ft	33	

*Estimated.

E039 DP below Meadow at TA-21

Location. Lat 35°52'41", long 106°16'28", SE 1/4, SE 1/4, in sec. 14, 12.6 E, T. 10 N, in Los Alamos County, on right bank, 0.50 mi to frontage road and 1.0 mi southwest of Highway 502.

Drainage Area. 0.315 mi².

Period of Record. April 10, 2000, to September 31, 2003.

Gage. Data logger with cellular telemetry. Elevation of gage is 7,010 ft above *National Geodetic Vertical Datum of 1929* from topographic map.

Remarks. Water discharge records fair, except for estimated daily discharges, which are poor.

Extremes for Period of Record. Maximum discharge 134 ft³/s, August 23, 2003, gage height 2.11 ft. No flow most of time.

Extremes for Current Water Year. Maximum discharge 134 ft³/s at 1400 hrs, August 23, gage height 2.11 ft. No flow most of time.



E039 DP below Meadow at TA-21

Daily Mean Discharge in Cubic Feet per Second

Water Year October 2002 to September 2003

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0	0	0	0*	0*	0*	0	0	0	0*	0*	0
2	0	0	0	0*	0*	0*	0	0	0	0*	0.26	0
3	0	0	0*	0*	0*	0*	0	0	0	0*	0	0
4	0	0	0*	0*	0*	0	0	0	0.02	0*	0*	0
5	0	0	0*	0*	0	0	0	0	0	0*	0*	0
6	0	0	0*	0*	0	0	0	0	0	0*	0*	0
7	0	0	0*	0*	0	0	0.02	0	0	0*	0*	0
8	0	0	0*	0*	0	0	0.05	0	0	0*	0*	0
9	0	0	0*	0*	0	0	0	0	0	0*	0*	0
10	0	0	0*	0*	0	0	0	0	0	0*	0*	0
11	0	0	0*	0*	0	0	0	0	0	0*	0.23*	0
12	0	0	0*	0*	0	0*	0	0	0	0*	0*	0
13	0	0	0*	0*	0	0	0	0	0	0*	0*	0
14	0	0	0*	0*	0	0	0	0	0	0*	0*	0
15	0	0	0*	0*	0	0	0.74	0	0.01	0*	0*	0
16	0	0*	0*	0*	0	0	0.12	0	0	0*	0	0
17	0	0	0*	0*	0	0	0.10	0	0	0*	0	0
18	0.01	0	0*	0*	0	0.64	0.10	0	0	0*	0.02	0
19	0	0	0*	0*	0	0.74	0.09	0	0	0*	0	0.01
20	0	0	0*	0*	0*	0.15	0.09	0	0	0*	0	0.05
21	0	0	0*	0*	0*	0.71	0.22	0	0	0*	0	0.13
22	0	0	0*	0*	0*	0.07	0.10	0	0	0*	0	0.15
23	0.15	0	0*	0*	0*	0.01	0.08	0	0	0*	1.7	0.03
24	0.13	0	0	0*	0	0	0.12	0.62	0*	0*	0	0.09
25	0	0	0	0*	0	0	0.11	1.1	0*	0*	0	0
26	0.05	0*	0	0*	0	0	0	0.94	0*	0*	0	0.20
27	0.13	0*	0*	0*	0*	0	0	0.22	0*	0*	0	0.20
28	0	0*	0*	0*	0	0.01	0	0.28	0*	0*	0	0.20
29	0	0*	0*	0*	—	0.13	0	0.09*	0*	0*	0	0.17
30	0	0*	0*	0*	—	0.03	0	0	0*	0*	0	0.14
31	0	—	0*	0*	—	0	—	0	—	0*	0	—
Total	0.47	0	0	0	0	2.49	1.94	3.25	0.03	0	2.21	1.37
Mean	0.015	0	0	0	0	0.080	0.065	0.10	0.001	0	0.071	0.046
Max	0.15	0	0	0	0	0.74	0.74	1.1	0.02	0	1.7	0.20
Min	0	0	0	0	0	0	0	0	0	0	0	0
Ac-Ft	1.0	0	0	0	0	5.0	3.8	6.3	0.06	0	4.4	2.8
Wtr Year	2003	Total	11.76	Mean	0.032	Max	1.7	Min	0	Ac-Ft	23	
Cal Year	2002	Total	12.71	Mean	0.035	Max	3.7	Min	0	Ac-Ft	25	

*Estimated.

E040 DP above Los Alamos Canyon

Location. Lat 35°52'24", long 106°15'34", SW 1/4 sec. 14, T. 19 N, R. 6 E, Los Alamos County, on right bank 150 ft upstream from confluence of DP Canyon and Los Alamos Canyon, and 2.4 mi upstream from NM State Highway 4.

Drainage Area. 0.57 mi².

Period of Record. May 1999 to September 30, 2003.

Gage. Data logger with cellular telemetry and concrete control. Elevation of gage is 6,625 ft above *National Geodetic Vertical Datum of 1929*, from GPS survey.

Remarks. Water discharge records good, except for estimated daily discharges, which are fair.

Extremes for Period of Record. Maximum discharge 117 ft³/s, July 25, 2000, gage height 3.69 ft. No flow most of time.

Extremes for Current Water Year. Maximum discharge 53 ft³/s at 1530 hrs, August 23, gage height 3.32 ft. No flow most of time.



E040 DP above Los Alamos Canyon

Daily Mean Discharge in Cubic Feet per Second

Water Year October 2002 to September 2003

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0	0	0	0	0	0*	0*	0	0	0*	0*	0*
2	0	0	0	0	0	0*	0*	0	0	0*	0*	0*
3	0	0	0	0	0	0*	0*	0	0*	0*	0*	0.05*
4	0	0.10	0	0	0	0*	0*	0	0	0*	0*	0*
5	0	0.01	0	0	0*	0*	0*	0	0	0*	0*	0*
6	0	0	0	0	0*	0*	0*	0	0	0*	0*	0.10*
7	0	0.01	0	0	0*	0*	0*	0	0	0*	0*	0.50*
8	0	0	0	0	0*	0*	0*	0	0	0*	0*	0*
9	0	0.45	0	0	0*	0*	0*	0	0	0*	0*	0.20*
10	0	0*	0	0	0*	0*	0*	0	0	0*	0*	0*
11	0	0*	0	0	0*	0*	0*	0	0	0*	0*	0*
12	0	0*	0	0	0*	0*	0*	0	0	0*	0*	0*
13	0	0*	0	0	0*	0*	0*	0	0	0*	0	0*
14	0	0*	0	0	0*	0*	0*	0	0	0*	0	0*
15	0	0	0	0	0*	0*	0*	0	0	0*	0	0*
16	0	0	0	0	0*	0*	0*	0	0	0*	0	0*
17	0	0	0*	0	0*	0*	0*	0	0.03	0*	0.04	0*
18	0	0	0	0	0*	0*	0*	0	0	0*	0.01	0*
19	0	0	0	0	0*	0*	0*	0	0	0*	0.03	0*
20	0	0	0	0	0*	0*	0*	0	0	0*	0	0*
21	0	0	0	0	0*	0*	0*	0	0	0*	0	0*
22	0	0	0	0	0*	0*	0*	0	0	0*	0	0*
23	0	0	0	0	0*	0*	0*	0	0	0*	1.6	0*
24	0.10	0	0	0	0*	0*	0*	0	0	0*	0	0*
25	0	0	0	0	0*	0*	0*	0.19	0	0*	0*	0*
26	0.15	0	0*	0	0*	0*	0*	0.03	0	0*	0*	0*
27	0.02	0	0	0	0*	0*	0*	0	0	0*	0*	0*
28	0	0	0	0	0*	0*	0	0	0	0*	0*	0*
29	0	0	0	0	—	0*	0	0	0	0*	0*	0*
30	0	0	0	0	—	0*	0	0	0*	0*	0*	0*
31	0	—	0	0	—	0*	—	0	—	0*	0*	—
Total	0.27	0.57	0	0	0	0	0	0.22	0.03	0	1.68	0.85
Mean	0.009	0.019	0	0	0	0	0	0.007	0.001	0	0.054	0.028
Max	0.15	0.45	0	0	0	0	0	0.19	0.03	0	1.6	0.50
Min	0	0	0	0	0	0	0	0	0	0	0	0
Ac-Ft	0.5	1.1	0	0	0	0	0	0.5	0.05	0	3.5	1.7
Wtr Year	2003	Total	3.62	Mean	0.010	Max	1.6	Min	0	Ac-Ft	7.4	
Cal Year	2002	Total	4.01	Mean	0.011	Max	1.4	Min	0	Ac-Ft	7.9	

*Estimated.

E042 Los Alamos above SR-4

Location. Lat 35°52'01", long 106°13'25", in SW 1/4 sec. 20, T. 19 N, R. 7 E, Santa Fe County, on right bank, 0.25 mi upstream from NM State Highway 4, 2.7 mi northwest of White Rock, NM, 3.9 mi east of Los Alamos, and 13.5 mi southwest of Española.

Drainage Area. 9.08 mi².

Period of Record. November 1970 to June 1971, October 1991 to September 30, 2003.

Gage. Data logger with cellular telemetry and concrete control. Elevation of gage is 6,383 ft above *National Geodetic Vertical Datum of 1929*, from GPS survey.

Remarks. Water discharge records good, except for estimated daily discharges, which are fair.

Average Discharge. 9 years, 0.191 ft³/s, 138 acre-ft/yr.

Extremes for Period of Record. Maximum discharge 171 ft³/s, August 22, 1997, gage height 2.95 ft. No flow at times.

Extremes for Current Water Year. Maximum discharge 94 ft³/s at 1600 hrs, August 23, gage height 2.54 ft. No flow most of time.



E042 Los Alamos above SR-4

Daily Mean Discharge in Cubic Feet per Second

Water Year October 2002 to September 2003

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0	0	0	0	0	0	0	0	0	0	0	0
2	0	0	0	0	0	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0	0	0	0	0.14
4	0	0	0	0	0	0	0	0	0	0	0	0
5	0	0	0	0	0	0	0	0	0	0	0	0
6	0	0	0	0	0	0	0	0	0	0	0	0.96
7	0	0	0	0	0	0	0	0	0	0	0	0.16
8	0	0	0	0	0	0	0	0	0	0	0	0
9	0	0.05	0	0	0	0	0	0	0	0	0	0
10	0	0	0	0	0	0	0	0	0	0	0	0
11	0	0	0	0	0	0	0	0	0	0	0.25	0
12	0	0	0	0	0	0	0	0	0	0	0	0
13	0	0	0	0	0	0	0	0	0	0	0	0
14	0	0	0	0	0	0	0	0	0	0	0	0
15	0	0	0	0	0	0	0	0	0	0	0	0
16	0	0	0	0	0	0	0	0	0	0	0	0
17	0	0	0	0	0	0	0	0	0	0	0.03	0
18	0	0	0	0	0	0	0	0	0	0	0.04	0
19	0	0	0	0	0	0	0	0.23	0	0	0.06	0
20	0	0	0	0	0	0	0	2.7	0	0	0	0
21	0	0	0	0	0	0	0	1.2	0	0	0	0
22	0	0	0	0	0	0	0	0	0	0	0.11	0
23	0	0	0	0	0	0	0	0	0	0	5.9	0
24	0	0	0	0	0	0	0	0.06	0	0	0.06	0
25	0	0	0	0	0	0	0	1.2	0	0	2.7	0
26	0.01	0	0	0	0	0	0	0.04	0	0	0.01	0
27	0	0	0	0	0	0	0	0	0	0	0	0
28	0	0	0	0	0	0	0	0	0	0	0	0
29	0	0	0	0	—	0	0	0	0	0	0	0
30	0	0	0	0	—	0	0	0	0	0	0	0
31	0	—	0	0	—	0	—	0.03	—	0	0	—
Total	0.01	0.05	0	0	0	0	0	5.46	0	0	9.16	1.26
Mean	0	0.002	0	0	0	0	0	0.18	0	0	0.30	0.042
Max	0.01	0.05	0	0	0	0	0	2.7	0	0	5.9	0.96
Min	0	0	0	0	0	0	0	0	0	0	0	0
Ac-Ft	0.03	0.1	0	0	0	0	0	11	0	0	18	2.5
Wtr Year	2003	Total	15.94	Mean	0.044	Max	5.9	Min	0	Ac-Ft	32	
Cal Year	2002	Total	9.76	Mean	0.027	Max	9.0	Min	0	Ac-Ft	20	

E050 Los Alamos below LA Weir

Location. Lat 35°86'71.6", long 106°21'7.4", Easting 1650066.300, Northing 1770912.00, SE 1/4, NE 1/4, sec. 20, T. 19N, R. 7E, on right bank, 200 ft downstream from LA Weir, beside NM State Highway 4, 2.7 mi northwest of White Rock, NM.

Drainage Area. 9.2 mi² (approximate).

Period of Record. May 2001 to September 30, 2003.

Gage. Data logger with cellular telemetry. Elevation of gage is 6,335 ft above *National Geodetic Vertical Datum of 1929*, from GPS survey.

Remarks. Water discharge records good, except for estimated daily discharges, which are poor. Flows partially regulated by broad crested weir 200 ft upstream.

Extremes for Period of Record. Maximum discharge 43 ft³/s August 9, 2001, gage height 1.55 ft. No flow most of time.

Extremes for Period of May 2001 to September 30, 2001. Maximum discharge 43 ft³/s at 1815 hrs, August 9, 2001, gage height 1.55 ft. No flow most of time.

Extremes for Period of October 1, 2001, to September 30, 2002. Maximum discharge 0.42 ft³/s at 1905 hrs, July 23, 2002, gage height 0.88 ft. No flow most of time.

Extremes for Current Year. Maximum discharge 43 ft³/s at 1615 hrs, August 23, gage height 1.55 ft. No flow most of time.



E050 Los Alamos below LA Weir

Daily Mean Discharge in Cubic Feet per Second

Water Year October 2000 to September 2001

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1									0	0	0.25	0.02*
2									0	2.3	0.50	0.02*
3									0	1.3	0.52	0.02*
4									0	0	0.49	0.01*
5									0	0	0.62	0.01*
6									0	0	0.39	0.01*
7									0	0	0.20*	0*
8									0	0	0.32*	0*
9									0	0	2.7	0*
10									0	0	0.95	0*
11									0	0	1.4	0
12									0	0	1.2	0
13									0	0	1.6	0
14									0.03	0.83	1.5	0
15									1.2	0	1.1	0.02*
16									0	0	2.5	0.02*
17								0	0	0	3.5*	0
18								0	0	0	2.9*	0
19								0	0	0.03	0.30*	0
20								0	0	0.04	0.05*	0
21								0	0	0	0.05*	0
22								0	0	0	0.12*	0
23								0	0	0	0.04*	0
24								0	0	0	0.01*	0
25								0	0	0	0.05*	0*
26								0	0	1.4	0.02*	0*
27								0	0.03	0.45	0.02*	0*
28								0	0	0	0.02*	0*
29								0	0	0	0.01*	0*
30								0	0	0	0.01*	0*
31								0	—	0*	0.01*	—
Total								0	1.26	6.35	23.35	0.13
Mean								0	0.042	0.20	0.75	0.004
Max								0	1.2	2.3	3.5	0.02
Min								0	0	0	0.01	0
Ac-Ft								0	2.4	13	46	0.3
Wtr Year	2001	Total	31.09	Mean	0.23	Max	3.5	Min	0	Ac-Ft	61	
Cal Year	2000	Total		Mean		Max		Min		Ac-Ft		

*Estimated.

E050 Los Alamos below LA Weir

Daily Mean Discharge in Cubic Feet per Second

Water Year October 2001 to September 2002

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0*	0*	0*	0*	0*	0*	0	0	0	0	0	0
2	0*	0*	0*	0*	0*	0*	0	0	0	0	0	0
3	0*	0*	0*	0*	0*	0*	0	0	0	0	0	0
4	0*	0*	0*	0*	0*	0*	0	0	0	0	0	0
5	0*	0*	0*	0*	0*	0*	0	0	0	0	0	0
6	0*	0*	0*	0*	0*	0*	0	0	0	0	0	0
7	0*	0*	0*	0*	0*	0*	0	0	0	0	0	0
8	0*	0*	0*	0*	0*	0*	0	0	0	0	0	0
9	0*	0*	0*	0*	0*	0*	0	0	0	0	0	0
10	0*	0*	0*	0*	0*	0*	0	0	0	0	0	0.20*
11	0*	0*	0*	0*	0*	0*	0	0	0	0	0	0
12	0*	0*	0*	0*	0*	0*	0	0	0	0	0	0
13	0*	0*	0*	0*	0*	0*	0	0	0	0	0	0
14	0*	0*	0*	0*	0*	0*	0	0	0	0	0	0
15	0*	0*	0*	0*	0*	0*	0	0	0	0	0	0
16	0*	0*	0*	0*	0*	0*	0	0	0	0	0	0
17	0*	0*	0*	0*	0*	0*	0	0	0	0	0	0
18	0*	0*	0*	0*	0*	0*	0	0	0	0	0	0
19	0*	0*	0*	0*	0*	0*	0	0	0	0	0	0
20	0*	0*	0*	0*	0*	0*	0	0	0	0	0	0
21	0*	0*	0*	0*	0*	0*	0	0	0	0	0	0
22	0*	0*	0*	0*	0*	0*	0	0	6.0*	0	0	0
23	0*	0*	0*	0*	0*	0*	0	0	2.0*	0.13	0	0
24	0*	0*	0*	0*	0*	0*	0	0	0	0.01	0	0
25	0*	0*	0*	0*	0*	0*	0	0	0	0	0	0
26	0*	0*	0*	0*	0*	0*	0	0	0	0	0	0
27	0*	0*	0*	0*	0*	0*	0	0	0	0	0	0
28	0*	0*	0*	0*	0*	0	0	0	0	0	0	0
29	0*	0*	0*	0*	—	0	0	0	0	0	0	0
30	0*	0*	0*	0*	—	0	0	0	0	0	0	0
31	0*	—	0*	0*	—	0	—	0	—	0	0	—
Total	0	0	0	0	0	0	0	0	8.0	0.14	0	0.20
Mean	0	0	0	0	0	0	0	0	0.27	0.005	0	0.007
Max	0	0	0	0	0	0	0	0	6.0	0.13	0	0.20
Min	0	0	0	0	0	0	0	0	0	0	0	0
Ac-Ft	0	0	0	0	0	0	0	0	16	0.3	0	0.4
Wtr Year	2002	Total	8.34	Mean	0.023	Max	6.0	Min	0	Ac-Ft	17	
Cal Year	2001	Total	31.09	Mean	0.14	Max	3.5	Min	0	Ac-Ft	61	

*Estimated.

E050 Los Alamos below LA Weir

Daily Mean Discharge in Cubic Feet per Second

Water Year October 2002 to September 2003

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0	0	0	0	0	0	0	0	0*	0*	0*	0
2	0	0	0	0	0	0	0	0	0*	0*	0*	0
3	0	0	0	0	0	0	0	0	0*	0*	0*	0.06
4	0	0	0	0	0	0	0	0	0*	0*	0*	0.02
5	0	0	0	0	0	0	0	0	0*	0*	0*	0
6	0	0	0	0	0	0	0	0	0*	0*	0*	1.0
7	0	0	0	0	0	0	0	0	0*	0*	0	0.65
8	0	0	0	0	0	0	0	0	0*	0*	0	0
9	0	0.49	0	0	0	0	0	0	0*	0*	0	0.01
10	0	0	0	0	0	0	0	0	0*	0*	0	0.25
11	0	0	0	0	0	0	0	0	0*	0*	0.17	0
12	0	0	0	0	0	0	0	0	0*	0*	0.09	0
13	0	0	0	0	0	0	0	0	0*	0*	0	0
14	0	0	0	0	0	0	0	0	0*	0*	0	0
15	0	0	0	0	0	0	0	0	0*	0*	0	0
16	0	0	0	0	0	0	0	0	0*	0*	0	0
17	0	0	0	0	0	0	0	0	0*	0*	0	0
18	0	0	0	0	0	0	0	0	0*	0*	0.11	0
19	0	0	0	0	0	0	0	1.0	0*	0*	0.15	0
20	0	0	0	0	0	0	0	2.3	0*	0*	0.08	0
21	0	0	0	0	0	0	0	1.4	0*	0*	0	0
22	0	0	0	0	0	0	0	0*	0*	0*	0.75	0
23	0.01	0	0	0	0	0	0	0*	0*	0*	3.2	0
24	0.05	0	0	0	0	0	0	0*	0*	0*	0.04	0
25	0	0	0	0	0	0	0	1.0*	0*	0*	0.04	0
26	0.07	0	0	0	0	0	0	0.10*	0*	0*	0	0
27	0	0	0	0	0	0	0	0*	0*	0*	0	0
28	0	0	0	0	0	0	0	0*	0*	0*	0	0
29	0	0	0	0	—	0	0	0*	0*	0*	0	0
30	0	0	0	0	—	0	0	0*	0*	0*	0	0
31	0	—	0	0	—	0	—	0*	—	0*	0	—
Total	0.13	0.49	0	0	0	0	0	5.80	0	0	4.63	1.99
Mean	0.004	0.016	0	0	0	0	0	0.19	0	0	0.15	0.066
Max	0.07	0.49	0	0	0	0	0	2.3	0	0	3.2	1.0
Min	0	0	0	0	0	0	0	0	0	0	0	0
Ac-Ft	0.2	1.0	0	0	0	0	0	12	0	0	9.2	4.0
Wtr Year	2003	Total	13.04	Mean	0.036	Max	3.2	Min	0	Ac-Ft	26	
Cal Year	2002	Total	8.96	Mean	0.025	Max	6.0	Min	0	Ac-Ft	18	

*Estimated.

E060 Pueblo above SR-502

Location. Lat 35°52'50", long 106°13'1", in NE 1/4 NE 1/4 sec. 20, T. 19 N, R. 7 E, Santa Fe County, on right bank, 100 yd east of state highway maintenance yard, 200 ft north of NM State Highway 502, and 4.2. mi east of Los Alamos.

Drainage Area. 6.94 mi².

Period of Record. January 1992 to September 30, 2003.


Gage. Data logger with cellular telemetry. Elevation of gage is 6,356 ft above *National Geodetic Vertical Datum of 1929*, from GPS survey.

Remarks. Records fair. No diversion above station. Perennial flow is primarily from effluent.

Average Discharge. 9 years, 0.99 ft³/s, 717 acre-ft/yr.

Extremes for Period of Record. Maximum discharge 1,440 ft³/s, July 2, 2001, gage height 10.46 ft from floodmarks, from rating curve extended above 130 ft³/s on basis of slope-area measurement. No flow at times.

Extremes for Current Water Year. Maximum discharge 749 ft³/s at 1620 hrs, August 23, gage height 9.72 ft. No flow partial days at times.



E060 Pueblo above SR-502

Daily Mean Discharge in Cubic Feet per Second

Water Year October 2002 to September 2003

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0.31	0.80	0.27	0.55	0.96	1.1	0.16	0.23	1.5	0	0.14	0.77
2	0.56	0.88	0.67	0.56	1.0	1.2	0.75	0.23	0.96	0	0.50	0.89
3	0.71	0.91	1.1	0.79	1.0	1.2	0.79	0.36	0.09	0	1.0	0.57
4	0.43	3.5	0.87	0.63	0.94	1.1	0.60	0.27	0.23	0	1.2	1.2
5	0.46	0.97	0.73	0.71	0.98	1.0	0.25	0.15	0.42	0.05	0.45	0.42
6	0.48	0.94	0.82	0.91	0.94	1.0	0.94	0.22	0.36	0.25	0.18	22
7	0.48	0.88	0.71	0.73	1.1	1.1	0.69	0.31	0.26	0.74	0.05	2.4
8	0.37	0.95	0.74	0.77	1.0	1.0	0.88	0.25	0.47	0.09	0.81	1.4
9	0.38	3.7	0.76	0.82	1.1	1.1	0.25	0.20	0.43	0	1.4	1.2
10	0.30	0.88	0.64	0.86	1.2	0.52	0.20	0.24	0.02	0	0.50	1.3
11	0.20	0.90	0.68	0.91	0.99	0.43	0.35	0.31	0.13	0.01	3.9	2.8
12	0.26	0.85	0.65	0.96	0.95	0.33	0.21	0.26	0.03	0.03	5.2	1.4
13	0.56	0.84	0.78	1.1	1.2	0.90	0.39	0.22	0.27	0.14	2.4	0.54
14	0.10	0.83	0.73	0.96	1.3	0.95	0.26	0.29	0.71	0.36	0.94	0.51
15	0.37	0.94	0.78	0.82	0.99	0.74	0.50	0.18	1.2	0	0.97	0.76
16	0.42	0.81	0.67	0.84	0.92	1.0	0.87	0.19	0.36	0	0.27	0.13
17	0.40	0.82	0.81	0.98	1.0	1.2	0.88	0.25	2.2	0	1.1	0.05
18	0.56	0.89	0.75	0.82	0.99	1.2	0.48	0.28	1.9	0	2.3	0.44
19	0.71	0.82	0.70	0.82	0.73	1.2	0.46	0.14	2.1	0.02	2.8	0.08
20	0.79	0.74	0.93	0.90	0.66	0.85	0.85	0.36	2.6	0.10	1.9	0.58
21	0.78	0.71	0.78	0.88	0.82	1.4	0.60	0.28	2.4	0.51	1.5	0.45
22	0.80	0.83	0.77	0.82	0.86	1.2	0.82	0.27	2.3	0.05	7.9	0.16
23	0.94	0.75	0.86	0.86	0.68	0.91	0.84	0.17	0.52	0.26	37	0.25
24	1.0	0.84	0.71	0.96	0.46	1.1	0.80	0.28	0	0.03	2.7	0.65
25	0.96	1.1	0.56	0.87	0.62	1.2	0.18	4.3	0	0.04	1.9	0.14
26	1.0	0.94	0.61	0.90	1.2	1.0	0.31	2.0	0.04	0.19	5.2	0.38
27	1.3	0.67	0.76	0.96	1.1	0.78	0.36	0.63	0.07	0.32	2.2	0.32
28	1.1	0.52	0.59	0.89	1.1	1.1	0.47	0.90	0.28	0.32	1.7	0.35
29	0.60	0.35	0.59	0.87	—	1.0	0.27	0.35	0.35	0.16	2.1	0.41
30	0.85	0.30*	0.78	0.86	—	0.70	0.29	0.33	0.73	0.04	0.39	0.05
31	0.90	—	0.66	0.92	—	0.16	—	1.2	—	0.05	0.94	—
Total	19.08	29.86	22.46	26.23	26.79	29.67	15.70	15.65	22.93	3.76	91.54	42.60
Mean	0.62	1.0	0.72	0.85	0.96	0.96	0.52	0.50	0.76	0.12	2.95	1.42
Max	1.3	3.7	1.1	1.1	1.3	1.4	0.94	4.3	2.6	0.74	37	22
Min	0.10	0.30	0.27	0.55	0.46	0.16	0.16	0.14	0	0	0.05	0.05
Ac-Ft	38	60	44	52	54	59	31	31	45	7.4	181	84
Wtr Year	2003	Total	346.27	Mean	0.95	Max	37	Min	0	Ac-Ft	686	
Cal Year	2002	Total	348.59	Mean	0.96	Max	43	Min	0	Ac-Ft	693	

*Estimated.

E089 Guaje above Rendija

Location. Lat 35°54'41", long 106°13'47", in SW 1/4 SW 1/4 sec. 32, T. 20 N, R. 6 E, Santa Fe County, in Santa Fe National Forest 0.4 mi northwest of Forest Road 57, 0.6 mi downstream to confluence of Guaje Canyon, 4.9 mi to intersection of San Idelfonso and Forest Road 57, and 5.4 mi northwest to intersection of Diamond Drive, San Idelfonso Road, and North Drive.

Drainage Area. 14.6 mi².

Period of Record. June 13, 2001, to September 30, 2003.

Gage. Data logger with cellular telemetry. Elevation of gage is 6,370 ft above *National Geodetic Vertical Datum of 1929*.

Remarks. Water discharge records good, except for estimated daily discharges, which are poor.

Extremes for Period of Record. Maximum discharge 644 ft³/s, August 11, 2001, from peak flow computation, gage height 4.23 ft. No flow most of time.

Extremes for Current Water Year. Maximum discharge 360 ft³/s at 1530 hrs, August 23, gage height 3.39 ft. No flow most of time.



E089 Guaje above Rendija

Daily Mean Discharge in Cubic Feet per Second

Water Year October 2002 to September 2003

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0	0	0	0	0	0	0	0	0.02	0	0	0
2	0	0	0	0	0	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0	0	0	0	1.2
4	0	0	0	0	0	0	0	0	0	0	0	0.44
5	0	0	0	0	0	0	0	0	0	0	0	0
6	0	0	0	0	0	0	0	0	0	0	0	0.56
7	0	0	0	0	0	0	0	0	0	0	0	0.26
8	0	0	0	0	0	0	0	0	0	0	0	0
9	0	0	0	0	0	0	0	0	0	0	0	0
10	0	0	0	0	0	0	0	0	0	0	0	0
11	0	0	0	0	0	0	0	0	0	0	0.01	0
12	0	0	0	0	0	0	0	0	0	0	0	0
13	0	0	0	0	0	0	0	0	0	0	0	0
14	0	0	0	0	0	0	0	0	0	0	0	0
15	0	0	0	0	0	0	0	0	0	0	0	0
16	0	0	0	0	0	0	0	0	0	0	0	0
17	0	0	0	0	0	0	0	0	0.01	0	0	0
18	0	0	0	0	0	0	0	0	0	0	0	0
19	0	0	0	0	0	0	0	0	0.01	0	0	0
20	0	0	0	0	0	0	0	0	0	0	0	0
21	0	0	0	0	0	0	0	0	0	0	0	0
22	0	0	0	0	0	0	0	0	0	0	0	0
23	0.03	0	0	0	0	0	0	0	0	0	22	0
24	0.12	0	0	0	0	0	0	0	0	0	0.22	0
25	0	0	0	0	0	0	0	0	0	0	0	0
26	0.12	0	0	0	0	0	0	0	0	0	0	0
27	0.09	0	0	0	0	0	0	0	0	0	0	0
28	0	0	0	0	0	0	0	0	0	0	0	0
29	0	0	0	0	—	0	0	0	0	0	0	0
30	0	0	0	0	—	0	0	0	0	0	0	0
31	0	—	0	0	—	0	—	0	—	0	0	—
Total	0.36	0	0	0	0	0	0	0	0.04	0	22.23	2.46
Mean	0.012	0	0	0	0	0	0	0	0.001	0	0.72	0.082
Max	0.12	0	0	0	0	0	0	0	0.02	0	22	1.2
Min	0	0	0	0	0	0	0	0	0	0	0	0
Ac-Ft	0.7	0	0	0	0	0	0	0	0.09	0	44	4.9
Wtr Year	2003	Total	25.09	Mean	0.069	Max	22	Min	0	Ac-Ft	50	
Cal Year	2002	Total	32.66	Mean	0.089	Max	12	Min	0	Ac-Ft	65	

E090 Rendija above Guaje

Location. Lat 35°54'41", long 106°13'36", in NW 1/4 SW 1/4, sec. 5, T. 19 N, R. 7 E, Santa Fe County, in Santa Fe National Forest 100 ft south of Forest Road 57, 0.20 mi upstream of mouth to Guaje Canyon, 4.5 mi to intersection of San Ildefonso Road, 5.7 mi northwest to intersection of Diamond Drive, San Ildefonso Road, and North Drive.

Drainage Area. 9.58 mi².

Period of Record. June 16, 2001, to September 30, 2003.

Gage. Data logger with cellular telemetry. Elevation of gage is 6,305 ft above *National Geodetic Vertical Datum of 1929*, from GPS.

Remarks. Water discharge records fair, except for estimated daily discharges, which are poor.

Extremes for Period of Record. Maximum discharge 2,120 ft³/s, August 11, 2001, from peak flow computation, gage height 7.46 ft. No flow most of time.

Extremes for Current Water Year. Maximum discharge 856 ft³/s at 1535 hrs, August 23, gage height 6.32 ft. No flow most of time.



E090 Rendija above Guaje

Daily Mean Discharge in Cubic Feet per Second

Water Year October 2002 to September 2003

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0	0	0	0	0	0	0	0	0	0	0	0
2	0	0	0	0	0	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0	0	0	0	0
4	0	0	0	0*	0	0	0	0	0	0	0.01	0*
5	0	0	0	0*	0	0	0	0	0	0	0	0*
6	0	0	0	0	0	0	0	0	0	0	0.11	0*
7	0	0	0	0	0	0	0	0	0	0	1.6	0*
8	0	0	0*	0	0	0	0	0	0	0	0	0*
9	0	0	0*	0	0	0	0	0	0	0	0	0*
10	0	0	0*	0	0	0	0	0	0	0	0	0*
11	0	0	0*	0	0	0	0	0	0	0	0	0*
12	0	0	0*	0	0	0	0	0	0	0	0	0*
13	0	0	0*	0	0	0	0	0	0	0	0	0*
14	0	0	0	0	0	0	0	0	0	0	0	0*
15	0	0	0	0	0	0	0	0	0	0	0	0*
16	0	0	0	0	0	0	0	0	0	0	0	0*
17	0	0	0	0	0	0	0	0	0.02	0	0	0*
18	0	0	0	0	0	0	0	0	0.02	0	0	0
19	0	0	0	0	0	0	0	0	0.01	0	0	0
20	0	0	0	0	0	0	0	0	0	0.10	0	0
21	0	0	0	0	0	0	0	0	0	0	0	0
22	0	0	0	0	0	0	0	0	0	0.01	0	0
23	0	0	0	0	0	0	0	0	0	0.01	14	0
24	0	0	0	0	0	0	0	0	0	0	0	0
25	0	0	0	0	0	0	0	0	0	0	0	0
26	0	0	0	0	0	0	0	0	0	0.01	0	0
27	0	0	0	0	0	0	0	0	0	0.01	0	0
28	0	0	0	0	0	0	0	0	0	0.01	0	0
29	0	0	0	0	—	0	0	0	0	0.01	0	0
30	0	0	0	0	—	0	0	0	0	0.01	0	0
31	0	—	0	0	—	0	—	0	—	0	0	—
Total	0	0	0	0	0	0	0	0	0.05	0.17	15.72	0
Mean	0	0	0	0	0	0	0	0	0.002	0.006	0.51	0
Max	0	0	0	0	0	0	0	0	0.02	0.10	14	0
Min	0	0	0	0	0	0	0	0	0	0	0	0
Ac-Ft	0	0	0	0	0	0	0	0	0.1	0.4	32	0
Wtr Year	2003	Total	15.94	Mean	0.044	Max	14	Min	0	Ac-Ft	33	
Cal Year	2002	Total	11.58	Mean	0.032	Max	4.9	Min	0	Ac-Ft	23	

*Estimated.

E123 Sandia below Wetlands

Location. Lat 35°52'23.0", long 106°18'35.3", SW 1/4 SE 1/4 sec. 14, T. 19 N, R. 6 E, 0.15 mi behind Los Alamos County Landfill off Jemez Road, and 0.80 mi downstream from Diamond Drive.

Drainage Area. 0.45 mi².

Period of Record. August 1, 1999, to September 30, 2003.

Gage. Data logger with cellular telemetry. Elevation of gage is 7,204 ft above *National Geodetic Vertical Datum of 1929*, from GPS survey.

Remarks. Water discharge records fair, except for estimated daily discharges, which are poor.

Extremes for Period of Record. Maximum discharge 88 ft³/s, August 23, 2003, gage height 4.23 ft; minimum daily 0.08 ft³/s, June 22, 2003.

Extremes for Current Water Year. Maximum discharge 88 ft³/s at 1415 hrs, August 23, gage height 4.23 ft; minimum daily 0.08 ft³/s, June 22.



E123 Sandia below Wetlands

Daily Mean Discharge in Cubic Feet per Second

Water Year October 2002 to September 2003

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0.55	1.0*	0.30	0.38	1.8	0.83	1.0	0.37	0.53	0.27	0.40	0.45
2	0.39	0.77*	0.33	0.40	1.4	0.87	0.69	0.59	0.34	0.19	0.28	0.50*
3	0.39	0.48*	0.55	0.31	1.7	1.0	0.99	0.31	0.73	0.33	0.68	1.3*
4	0.40	0.54*	0.66	0.42	1.2	0.58	0.94	0.65	0.34	0.26	0.21	0.37
5	0.42	0.53*	0.50	0.48	1.3	0.83	0.59	0.33	0.90	0.14	0.52	0.64
6	0.32	0.70*	0.32	0.71	1.5	1.3	0.57	0.57	0.25	0.17	0.53	2.6
7	0.22	0.68*	0.42	1.2	1.7	1.4	0.51	0.48	0.46	0.24	1.5	0.54
8	0.24	0.80*	0.33	1.1	1.5	1.1	0.99	0.58	0.33	0.37	0.56	0.18
9	0.30	0.57*	0.31	1.4	1.5	0.93	0.85	0.49	0.55	0.24	0.41	1.1
10	0.37	0.65*	1.6	1.7	0.61	0.86	0.66	0.58	0.35	0.39	0.50	0.76
11	0.24	0.72*	0.73	1.4	1.3	0.94	0.43	0.46	0.43	0.67	1.7	0.59
12	0.28	0.70*	0.54	1.2	1.5	1.1	0.64	0.56	0.53	0.16	0.56	0.45
13	0.38	0.58*	0.56	1.1	0.87	0.95	0.95	0.61	0.58	0.28	0.40	0.38
14	0.26	0.50*	0.40	1.2	0.53	1.1	0.92	0.40	0.32	0.26	0.56	0.32
15	0.23	0.44	0.67	1.0	1.2	0.96	0.88	0.76	0.36	0.32	0.26	0.41
16	0.20	0.28	0.64	0.78	0.46	0.81	1.2	0.56	0.26	0.27	0.15	0.47
17	0.47	0.38	0.70	1.4	1.1	0.98	0.70	0.59	0.95	0.40	0.87	0.37
18	0.58	0.32	0.52	0.85	0.94	1.1	0.66	0.78	0.37	0.17	1.2	0.59
19	0.64*	0.44	0.49	1.1	0.82	1.0	0.38	0.26	0.56	0.20	0.81	0.63
20	0.84*	0.42	0.88	0.80	0.74*	0.88	0.38	0.87	0.21	0.60	0.65	0.26
21	0.76*	0.36	0.95	0.89	0.97	1.1	0.41	0.77	0.56	0.35*	0.31	0.43
22	0.80*	0.35	0.75	1.2	0.87*	0.87	0.41	0.92	0.08	0.22	0.46	0.33
23	1.0*	0.33	1.3	1.0	0.35	0.89	0.40	0.51	0.51	0.73	4.0	0.96
24	0.93*	0.34	0.49	0.83	0.74	0.78	0.24	2.0	0.12	0.39	0.21	0.31
25	0.72*	0.31	0.72	1.3	0.82*	1.1	0.56	0.39	0.50	0.40	0.64	0.51
26	0.70*	0.37	1.3	1.1	0.94*	1.1	0.30	0.69	0.21	0.65	0.62	0.61
27	0.62*	0.34	1.1	1.4	1.1	1.1	0.53	0.54	0.44	0.31	0.68	0.38
28	0.64*	0.30	0.37	0.87	0.57	0.69	0.23	0.38	0.26	0.48	1.2	0.52
29	0.70*	0.29	0.39	0.85	—	0.55	0.65	0.42	0.26	0.22	0.77	0.15
30	0.88*	0.35	0.43	1.8	—	0.98	0.49	0.34	0.21	0.57	0.74	0.53
31	0.72*	—	0.45	1.8	—	0.62	—	0.42	—	0.37	0.33	—
Total	16.19	14.84	19.70	31.97	30.03	29.25	19.15	18.18	12.50	10.62	22.71	17.64
Mean	0.52	0.49	0.64	1.03	1.07	0.94	0.64	0.59	0.42	0.34	0.73	0.59
Max	1.0	1.0	1.6	1.8	1.8	1.4	1.2	2.0	0.95	0.73	4.0	2.6
Min	0.20	0.28	0.30	0.31	0.35	0.55	0.23	0.26	0.08	0.14	0.15	0.15
Ac-Ft	32	30	39	63	59	58	39	36	25	21	45	35
Wtr Year	2003	Total	242.78	Mean	0.67	Max	4.0	Min	0.08	Ac-Ft	481	
Cal Year	2002	Total	183.54	Mean	0.50	Max	3.5	Min	0.17	Ac-Ft	365	

*Estimated.

E125 Sandia above SR-4

Location. Lat 35°51'32", long 106°13'34", SE 1/4 SW 1/4 sec. 20, T. 19 N, R.7 E, Santa Fe County, on right bank 0.25 mi north of East Jemez Road and 0.5 mi upstream from NM State Highway 4.

Drainage Area. 2.52 mi².

Period of Record. October 1, 1994, to September 30, 2003.

Gage. Data logger with cellular telemetry and concrete control. Elevation of gage is 6,498 ft. above *National Geodetic Vertical Datum of 1929*, from GPS survey.

Remarks. Water discharge records fair.

Average Discharge. 9 years, 0.001 ft³/s, 0.72 acre-ft/yr.

Extremes for Period of Record. Maximum discharge 18 ft³/s, August 28, 2002, gage height 2.01 ft. No flow most of time.

Extremes for Current Water Year. Maximum discharge 3.6 ft³/s at 1305 hrs, August 22, gage height 1.26 ft. No flow most of time.



E125 Sandia above SR-4

Daily Mean Discharge in Cubic Feet per Second

Water Year October 2002 to September 2003

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0	0	0	0	0	0	0	0	0	0	0	0
2	0	0	0	0	0	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0	0	0	0	0
4	0	0	0	0	0	0	0	0	0	0	0	0
5	0	0	0	0	0	0	0	0	0	0	0	0
6	0	0	0	0	0	0	0	0	0	0	0	0
7	0	0	0	0	0	0	0	0	0	0	0	0
8	0	0	0	0	0	0	0	0	0	0	0	0
9	0	0	0	0	0	0	0	0	0	0	0	0
10	0	0	0	0	0	0	0	0	0	0	0	0
11	0	0	0	0	0	0	0	0	0	0	0	0
12	0	0	0	0	0	0	0	0	0	0	0	0
13	0	0	0	0	0	0	0	0	0	0	0	0
14	0	0	0	0	0	0	0	0	0	0	0	0
15	0	0	0	0	0	0	0	0	0	0	0	0
16	0	0	0	0	0	0	0	0	0	0	0	0
17	0	0	0	0	0	0	0	0	0	0	0	0
18	0	0	0	0	0	0	0	0	0	0	0	0
19	0	0	0	0	0	0	0	0	0	0	0	0
20	0	0	0	0	0	0	0	0	0	0	0	0
21	0	0	0	0	0	0	0	0	0	0	0	0
22	0	0	0	0	0	0	0	0	0	0	0.10	0
23	0	0	0	0	0	0	0	0	0	0	0	0
24	0	0	0	0	0	0	0	0	0	0	0	0
25	0	0	0	0	0	0	0	0	0	0	0.07	0
26	0	0	0	0	0	0	0	0	0	0	0	0
27	0	0	0	0	0	0	0	0	0	0	0	0
28	0	0	0	0	0	0	0	0	0	0	0	0
29	0	0	0	0	—	0	0	0	0	0	0	0
30	0	0	0	0	—	0	0	0	0	0	0	0
31	0	—	0	0	—	0	—	0	—	0	0	—
Total	0	0	0	0	0	0	0	0	0	0	0.17	0
Mean	0	0	0	0	0	0	0	0	0	0	0.006	0
Max	0	0	0	0	0	0	0	0	0	0	0.10	0
Min	0	0	0	0	0	0	0	0	0	0	0	0
Ac-Ft	0	0	0	0	0	0	0	0	0	0	0.3	0
Wtr Year	2003	Total	0.17	Mean	0	Max	0.10	Min	0	Ac-Ft	0.3	
Cal Year	2002	Total	1.1	Mean	0.003	Max	1.1	Min	0	Ac-Ft	2.1	

E200 Mortandad below Effluent Canyon

Location. Lat 35°51'55", long 106°17'46", SW 1/4 NE 1/2 sec. 22, T. 19 N, R. 6 E, Los Alamos County, 0.25 mi north of LANL TA-50, 0.25 mi below TA-50 outfall, and 0.6 mi north of Pajarito Road.

Drainage Area. 0.49 mi².

Period of Record. May 10, 1995, to September 30, 2003.

Gage. Data logger with cellular telemetry and steel “fabricated” nonstandard flume as low-water control. Elevation of gage is 7,062.50 ft above *National Geodetic Vertical Datum of 1929*, from survey.

Remarks. Water discharge records fair, except for estimated daily discharges, which are poor. Flow is mostly effluent from LANL TA-50, liquid radiological waste plant.

Average Discharge. 9 years, 0.047 ft³/s, 34 acre-ft/yr.

Extremes outside Period of Record. Flow of 34 ft³/s occurred August 19, 1970, gage height 3.07 ft, from old data files of USGS.

Extremes for Period of Record. Maximum discharge 49 ft³/s, June 27, 2001, gage height 3.26 ft. No flow at times.

Extremes for Current Water Year. Maximum discharge 24 ft³/s at 1400 hrs, August 23, gage height 2.73 ft. No flow at times.



E200 Mortandad below Effluent Canyon

Daily Mean Discharge in Cubic Feet per Second

Water Year October 2002 to September 2003

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0.07	0.03	0*	0*	0.02	0.01	0.03	0.01	0.02	0.03	0.01	0*
2	0.04	0.04	0.06*	0.03*	0.02	0.01	0.01	0.01	0.01	0.03	0.01	0.03
3	0.07	0.03	0*	0.02*	0.04	0.03	0.01	0.01	0.07	0.03	0.01	0.10
4	0.03	0.07	0*	0.08	0.02	0.03	0.03	0.01	0.08	0.01	0.03*	0.04
5	0.03	0.10	0*	0.01	0.05	0.03	0.01	0.02	0.11	0	0*	0*
6	0.03	0.01	0.03*	0.04	0.02	0.01	0.01	0.03	0.08	0	0*	0.10
7	0.02	0.02	0*	0.06	0.05	0.01	0.01	0.03	0.13	0.02	0*	0.02
8	0.05	0.03	0*	0.03	0.02	0.01	0.03	0.03	0.09	0.03	0*	0.04
9	0.07	0.10	0.03*	0.01	0.01	0.01	0.02	0.01	0.07	0.03	0*	0.05
10	0.06	0	0.01*	0.03	0.02	0.03	0.01	0.01	0.03	0.01	0*	0.14
11	0.03	0	0.01*	0.01	0.01	0.01	0.03	0.01	0.03	0	0.03*	0.06*
12	0.03	0*	0.03*	0.01	0.01	0.03	0.01	0.02	0.03	0	0.04	0*
13	0.03	0.01	0.01	0.02	0.09	0.01	0.01	0.03	0.05	0	0.03	0*
14	0.02	0.01	0.01	0.05	0.04	0.01	0.03	0.03	0.01	0.02	0.02	0*
15	0.06	0	0.01	0.05	0.01	0.01	0.07	0.01	0.01	0.03	0.01	0.03*
16	0.07	0*	0.04	0.01	0.01	0.01	0.03	0.03	0.03	0.01	0	0.01*
17	0.08	0*	0.04	0.04	0.01	0.04	0.03	0.01	0.10	0.02	0	0.03*
18	0.06	0.03*	0.01	0.02	0.03	0.06	0.03	0.01	0.04	0.01	0.25	0.03*
19	0.04	0.03*	0.04	0.07	0.03	0.10	0.01	0.01	0.04	0.01	0.17	0*
20	0.03	0*	0.02	0.02	0.02	0.02	0.01	0.03	0.06	0.27	0.27	0*
21	0.06	0.03*	0.03	0.05	0.03	0.05	0.01	0.06	0.01	0.04	0.26	0*
22	0.03	0*	0.01	0.04	0.01	0.01	0.01	0.01	0.01	0.01	0.19	0.03*
23	0.17	0*	0.01	0.01	0.01	0.01	0.01	0.03	0.03	0.04	1.2	0.03*
24	0.09	0*	0.02*	0.04	0.03	0.03	0.01	0.20	0.03	0.03	0.10	0*
25	0.04	0.03*	0.02*	0.01	0.01	0.03	0.01	0.37	0.03	0.01	0.09	0*
26	0.12	0.01*	0.01*	0.01	0.07	0.01	0	0.14	0.01	0.03	0.07	0*
27	0.10	0*	0.02*	0.04	0.05	0.03	0	0.04	0.01	0.01	0.06	0*
28	0.09	0*	0.02*	0.02	0.01	0.01	0.02	0.05	0.01	0.03	0.08	0*
29	0.05	0*	0.01*	0.04	—	0.01	0.03	0.01	0	0.03	0.01*	0.03*
30	0.08	0*	0*	0.04	—	0.01	0.02	0.01	0.02	0.03	0*	0*
31	0.03	—	0*	0.01	—	0.03	—	0.07	—	0.03	0*	—
Total	1.78	0.58	0.50	0.92	0.75	0.71	0.55	1.35	1.25	0.85	2.94	0.77
Mean	0.057	0.019	0.016	0.030	0.027	0.023	0.018	0.044	0.042	0.027	0.095	0.026
Max	0.17	0.10	0.06	0.08	0.09	0.10	0.07	0.37	0.13	0.27	1.2	0.14
Min	0.02	0	0	0	0.01	0.01	0	0.01	0	0	0	0
Ac-Ft	3.4	1.1	1.0	1.9	1.4	1.4	0.9	2.5	2.5	1.6	5.9	1.5
Wtr Year	2003	Total	12.95	Mean	0.035	Max	1.2	Min	0	Ac-Ft	25	
Cal Year	2002	Total	10.39	Mean	0.028	Max	1.1	Min	0	Ac-Ft	20	

*Estimated.

E202 Mortandad above Sediment Traps

Location. Lat 35°51'39", long 106°16'15", NE 1/4 SW 1/4 sec. 23, T. 19 N, R. 6 E, Los Alamos County, 4.3 mi upstream from NM State Highway 4.

Drainage Area. 0.81 mi².

Period of Record. October 1, 1997, to September 30, 2003.

Gage. Data logger with cellular telemetry and 2.5-ft Parshall flume. Elevation of gage is 6,833.06 ft above *National Geodetic Vertical Datum of 1929*.

Remarks. Water discharge records good, except for periods of estimated record, which are fair.

Extremes for Period of Record. Maximum discharge 6.4 ft³/s, gage height 0.87 ft, August 17, 1997. No flow most of time.

Extremes for Current Water Year. Maximum discharge 1.9 ft³/s, gage height 0.34 ft from floodmark, August 23. No flow most of time.



E202 Mortandad above Sediment Traps

Daily Mean Discharge in Cubic Feet per Second

Water Year October 2002 to September 2003

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0	0	0	0	0	0	0	0	0	0*	0*	0*
2	0	0	0	0	0	0	0	0	0	0*	0*	0*
3	0	0	0	0	0	0	0	0	0	0*	0*	0*
4	0	0	0	0	0	0	0	0	0	0*	0*	0*
5	0	0	0	0	0	0	0	0	0	0*	0*	0*
6	0	0	0	0	0	0	0	0	0	0*	0*	0*
7	0	0	0	0	0	0	0	0	0	0*	0*	0*
8	0	0	0	0	0	0	0	0	0	0*	0*	0*
9	0	0	0	0	0	0	0	0	0	0*	0*	0*
10	0	0	0	0	0	0	0	0	0	0*	0*	0*
11	0	0	0	0	0	0	0	0	0	0*	0*	0*
12	0	0	0	0	0	0	0	0	0	0*	0*	0*
13	0	0	0	0	0	0	0	0	0	0*	0*	0*
14	0	0	0	0	0	0	0	0	0	0*	0*	0*
15	0	0	0	0	0	0	0	0	0	0*	0*	0*
16	0	0	0	0	0	0	0	0	0	0*	0*	0*
17	0	0	0	0	0	0	0	0	0	0*	0*	0*
18	0	0	0	0	0	0	0	0	0	0*	0*	0*
19	0	0	0	0	0	0	0	0	0	0*	0*	0*
20	0	0	0	0	0	0	0	0	0	0*	0*	0*
21	0	0	0	0	0	0	0	0	0	0*	0*	0*
22	0	0	0	0	0	0	0	0	0	0*	0*	0*
23	0	0	0	0	0	0	0	0	0	0*	0.10*	0*
24	0	0	0	0	0	0	0	0	0	0*	0*	0*
25	0	0	0	0	0	0	0	0	0	0*	0*	0*
26	0	0	0	0	0	0	0	0	0	0*	0*	0*
27	0	0	0	0	0	0	0	0	0	0*	0*	0*
28	0	0	0	0	0	0	0	0	0	0*	0*	0*
29	0	0	0	0	—	0	0	0	0	0*	0*	0*
30	0	0	0	0	—	0	0	0	0	0*	0*	0*
31	0	—	0	0	—	0	—	0	—	0*	0*	—
Total	0	0	0	0	0	0	0	0	0	0	0.10	0
Mean	0	0	0	0	0	0	0	0	0	0	0.003	0
Max	0	0	0	0	0	0	0	0	0	0	0.10	0
Min	0	0	0	0	0	0	0	0	0	0	0	0
Ac-Ft	0	0	0	0	0	0	0	0	0	0	0.2	0
Wtr Year	2003	Total	0.10	Mean	0	Max	0.10	Min	0	Ac-Ft	0.2	
Cal Year	2002	Total	0	Mean	0	Max	0	Min	0	Ac-Ft	0.01	

*Estimated.

E203 Mortandad below Sediment Traps

Location. Lat 35°51'39", long 106°16'6", NE 1/4 SW 1/4 sec. 23, T. 19 N, R. 6 E, Los Alamos County, at exit from sediment collection traps, 4.2 mi upstream from NM State Highway 4.

Drainage Area. 0.9 mi², approximately.

Period of Record. October 1, 1996, to September 30, 2003.

Gage. Data logger and 6-in. Parshall flume. Elevation of gage is 6,811.52 ft above *National Geodetic Vertical Datum of 1929*.

Remarks. Records good.

Extremes for Period of Record. No flow for period.

Extremes for Current Water Year. No flow all year.



E203 Mortandad below Sediment Traps

Daily Mean Discharge in Cubic Feet per Second

Water Year October 2002 to September 2003

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0	0	0	0	0	0	0	0	0	0*	0	0
2	0	0	0	0	0	0	0	0	0	0*	0	0
3	0	0	0	0	0	0	0	0	0	0*	0	0
4	0	0	0	0	0	0	0	0	0	0*	0	0
5	0	0	0	0	0	0	0	0	0	0*	0	0
6	0	0	0	0	0	0	0	0	0	0*	0	0
7	0	0	0	0	0	0	0	0	0	0*	0	0
8	0	0	0	0	0	0	0	0	0	0*	0	0
9	0	0	0	0	0	0	0	0	0	0*	0	0
10	0	0	0	0	0	0	0	0	0	0*	0	0
11	0	0	0	0	0	0	0	0	0	0*	0	0
12	0	0	0	0	0	0	0	0	0	0*	0	0
13	0	0	0	0	0	0	0	0	0	0*	0	0
14	0	0	0	0	0	0	0	0	0	0*	0	0
15	0	0	0	0	0	0	0	0	0	0	0	0
16	0	0	0	0	0	0	0	0	0	0	0	0
17	0	0	0	0	0	0	0	0	0	0	0	0
18	0	0	0	0	0	0	0	0	0	0	0	0
19	0	0	0	0	0	0	0	0	0	0	0	0
20	0	0	0	0	0	0	0	0	0	0	0	0
21	0	0	0	0	0	0	0	0	0	0	0	0
22	0	0	0	0	0	0	0	0	0	0	0	0
23	0	0	0	0	0	0	0	0	0	0	0	0
24	0	0	0	0	0	0	0	0	0	0	0	0
25	0	0	0	0	0	0	0	0	0*	0	0	0
26	0	0	0	0	0	0	0	0	0*	0	0	0
27	0	0	0	0	0	0	0	0	0*	0	0	0
28	0	0	0	0	0	0	0	0	0*	0	0	0
29	0	0	0	0	—	0	0	0	0*	0	0	0
30	0	0	0	0	—	0	0	0	0*	0	0	0
31	0	—	0	0	—	0	—	0	—	0	0	—
Total	0	0	0	0	0	0	0	0	0	0	0	0
Mean	0	0	0	0	0	0	0	0	0	0	0	0
Max	0	0	0	0	0	0	0	0	0	0	0	0
Min	0	0	0	0	0	0	0	0	0	0	0	0
Ac-Ft	0	0	0	0	0	0	0	0	0	0	0	0
Wtr Year	2003	Total	0	Mean	0	Max	0	Min	0	Ac-Ft	0	0
Cal Year	2002	Total	0	Mean	0	Max	0	Min	0	Ac-Ft	0	0

*Estimated.

E204 Mortandad at LANL Boundary

Location. Lat 35°51'21", long 106°14'43", NW 1/4 NW 1/4 sec. 30, T. 19, R. 7 E, Santa Fe County, 100 ft upstream from LANL/San Ildefonso Indian Reservation Boundary, and 2.8 mi upstream from NM State Highway 4.

Drainage Area. 1.67 mi².

Period of Record. October 1, 1993, to September 30, 2003.

Gage. Data logger with cellular telemetry and concrete control. Elevation of gage is 6,657.66 ft above *National Geodetic Vertical Datum of 1929*, from survey.

Remarks. Records good.

Average Discharge. 9 years, zero.

Extremes for Period of Record. No flow for period.

Extremes for Current Water Year. No flow for year.



E204 Mortandad at LANL Boundary

Daily Mean Discharge in Cubic Feet per Second

Water Year October 2002 to September 2003

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0	0	0	0	0	0	0	0	0	0	0	0
2	0	0	0	0	0	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0	0	0	0	0
4	0	0	0	0	0	0	0	0	0	0	0	0
5	0	0	0	0	0	0	0	0	0	0	0	0
6	0	0	0	0	0	0	0	0	0	0	0	0
7	0	0	0	0	0	0	0	0	0	0	0	0
8	0	0	0	0	0	0	0	0	0	0	0	0
9	0	0	0	0	0	0	0	0	0	0	0	0
10	0	0	0	0	0	0	0	0	0	0	0	0
11	0	0	0	0	0	0	0	0	0	0	0	0
12	0	0	0	0	0	0	0	0	0	0	0	0
13	0	0	0	0	0	0	0	0	0	0	0	0
14	0	0	0	0	0	0	0	0	0	0	0	0
15	0	0	0	0	0	0	0	0	0	0	0	0
16	0	0	0	0	0	0	0	0	0	0	0	0
17	0	0	0	0	0	0	0	0	0	0	0	0
18	0	0	0	0	0	0	0	0	0	0	0	0
19	0	0	0	0	0	0	0	0	0	0	0	0
20	0	0	0	0	0	0	0	0	0	0	0	0
21	0	0	0	0	0	0	0	0	0	0	0	0
22	0	0	0	0	0	0	0	0	0	0	0	0
23	0	0	0	0	0	0	0	0	0	0	0	0
24	0	0	0	0	0	0	0	0	0	0	0	0
25	0	0	0	0	0	0	0	0	0	0	0	0
26	0	0	0	0	0	0	0	0	0	0	0	0
27	0	0	0	0	0	0	0	0	0	0	0	0
28	0	0	0	0	0	0	0	0	0	0	0	0
29	0	0	0	0	—	0	0	0	0	0	0	0
30	0	0	0	0	—	0	0	0	0	0	0	0
31	0	—	0	0	—	0	—	0	—	0	0	—
Total	0	0	0	0	0	0	0	0	0	0	0	0
Mean	0	0	0	0	0	0	0	0	0	0	0	0
Max	0	0	0	0	0	0	0	0	0	0	0	0
Min	0	0	0	0	0	0	0	0	0	0	0	0
Ac-Ft	0	0	0	0	0	0	0	0	0	0	0	0
Wtr Year	2003	Total	0	Mean	0	Max	0	Min	0	Ac-Ft	0	0
Cal Year	2002	Total	0	Mean	0	Max	0	Min	0	Ac-Ft	0	0

E218 Cañada del Buey near TA-46

Location. Lat 35°51'31", long 106°17'17" in 1/4 NE 1/4 SW sec. 26, T. 19 N, R. 6 E in Los Alamos County, on left bank 0.25 mi upstream from east gate of SWSC plant.

Drainage Area. 0.31 mi².

Period of Record. June 1, 2000, to September 30, 2003.

Gage. Data logger with cellular telemetry and 2-ft Parshall flume. Elevation of gage is 6,936 ft above *National Geodetic Vertical Datum of 1929*, from GPS survey.

Remarks. Water discharge records good, except for estimated daily discharges, which are poor.

Extremes for Period of Record. Maximum discharge 125 ft³/s, July 28, 2000, gage height 3.20 ft, from critical depth computation. No flow most of time.

Extremes for Current Water Year. Maximum discharge 17 ft³/s at 1405 hrs, August 23, gage height 1.64 ft. No flow most of time.



E218 Cañada Del Buey near TA-46

Daily Mean Discharge in Cubic Feet per Second

Water Year October 2002 to September 2003

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0	0	0	0*	0	0	0.01	0	0	0	0	0
2	0	0	0	0*	0	0	0	0	0	0	0	0
3	0	0	0	0*	0	0	0	0	0	0	0	0
4	0	0	0	0*	0	0	0	0	0	0	0	0
5	0	0	0	0*	0	0	0	0	0	0	0	0
6	0	0	0	0*	0	0	0	0	0	0	0	0
7	0	0	0*	0*	0	0	0	0	0	0	0	0
8	0	0	0*	0*	0	0	0	0	0	0.01	0	0
9	0	0	0*	0*	0	0	0	0	0	0	0	0
10	0	0	0*	0*	0	0	0	0	0	0	0	0
11	0	0	0*	0*	0	0	0	0	0	0	0	0
12	0	0	0*	0*	0	0	0	0	0	0	0	0
13	0	0	0*	0*	0	0	0	0	0	0	0	0
14	0	0	0*	0*	0	0	0	0	0	0	0	0
15	0	0	0*	0*	0	0	0	0	0	0	0	0
16	0	0	0*	0*	0	0	0	0	0	0	0.07	0
17	0	0	0*	0	0	0	0	0	0	0	0	0
18	0	0	0*	0	0	0	0	0	0	0	0	0
19	0	0	0*	0	0	0.01	0	0	0	0	0	0
20	0	0	0*	0	0	0	0	0.07	0	0	0	0
21	0	0	0*	0	0	0	0	0	0	0	0	0
22	0	0	0*	0	0	0	0	0	0	0	0	0
23	0	0	0*	0	0	0.01	0	0	0	0	0.43	0
24	0	0	0*	0	0	0.01	0	0	0	0	0	0.01
25	0	0	0*	0.01	0	0	0	0	0	0	0	0
26	0	0	0*	0	0	0	0	0	0	0	0	0.30
27	0	0	0*	0	0	0	0	0	0	0	0	0.11
28	0	0	0*	0	0	0.04	0	0	0	0	0	0.01
29	0	0	0*	0	—	0.01	0	0	0	0	0	0.03
30	0	0	0*	0.01	—	0.01	0	0	0	0	0	0.03
31	0	—	0*	0	—	0.01	—	0.24	—	0	0	—
Total	0	0	0	0.02	0	0.10	0.01	0.31	0	0.01	0.50	0.49
Mean	0	0	0	0.001	0	0.003	0	0.010	0	0	0.016	0.016
Max	0	0	0	0.01	0	0.04	0.01	0.24	0	0.01	0.43	0.30
Min	0	0	0	0	0	0	0	0	0	0	0	0
Ac-Ft	0	0	0	0.05	0	0.3	0.1	0.7	0	0.2	1	1.0
Wtr Year	2003	Total	1.44	Mean	0.004	Max	0.43	Min	0	Ac-Ft	3.6	
Cal Year	2002	Total	1.57	Mean	0.004	Max	0.59	Min	0	Ac-Ft	3.1	

*Estimated.

E225 Cañada del Buey near MDA-G

Location. Lat 35°50'1.3", long 106°14'22.1", in Ramon Vigil Grant, Los Alamos County, 0.1 mi south of Santa Fe/Los Alamos County Line and 2.5 mi upstream from NM State Highway 4 in White Rock.

Drainage Area. 1.58 mi².

Period of Record. October 1993 to September 30, 2003.

Gage. Data logger with cellular telemetry and concrete control. Elevation of gage is 6,602 ft above *National Geodetical Vertical Datum of 1929*, from GPS survey.

Remarks. Water discharge records good.

Average Discharge. 9 years, zero.

Extremes for Period of Record. Maximum discharge 17 ft³/s, September 8, 1995, gage height 2.71 ft. No flow most of time.

Extremes for Current Water Year. Maximum discharge 16 ft³/s at 2000 hrs, August 25, gage height 2.67 ft. No flow most of time.



E225 Cañada del Buey near MDA-G

Daily Mean Discharge in Cubic Feet per Second

Water Year October 2002 to September 2003

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0	0	0	0	0	0	0	0	0	0	0	0
2	0	0	0	0	0	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0	0	0	0	0
4	0	0	0	0	0	0	0	0	0	0	0	0
5	0	0	0	0	0	0	0	0	0	0	0	0
6	0	0	0	0	0	0	0	0	0	0	0	0
7	0	0	0	0	0	0	0	0	0	0	0	0
8	0	0	0	0	0	0	0	0	0	0	0	0
9	0	0	0	0	0	0	0	0	0	0	0	0
10	0	0	0	0	0	0	0	0	0	0	0	0
11	0	0	0	0	0	0	0	0	0	0	0	0
12	0	0	0	0	0	0	0	0	0	0	0	0
13	0	0	0	0	0	0	0	0	0	0	0	0
14	0	0	0	0	0	0	0	0	0	0	0	0
15	0	0	0	0	0	0	0	0	0	0	0	0
16	0	0	0	0	0	0	0	0	0	0	0	0
17	0	0	0	0	0	0	0	0	0	0	0	0
18	0	0	0	0	0	0	0	0	0	0	0	0
19	0	0	0	0	0	0	0	0	0	0	0	0
20	0	0	0	0	0	0	0	0	0	0	0	0
21	0	0	0	0	0	0	0	0	0	0	0	0
22	0	0	0	0	0	0	0	0	0	0	0	0
23	0	0	0	0	0	0	0	0	0	0	0	0
24	0	0	0	0	0	0	0	0	0	0	0	0
25	0	0	0	0	0	0	0	0	0	0	0.44	0
26	0	0	0	0	0	0	0	0.01	0	0	0	0
27	0	0	0	0	0	0	0	0	0	0	0	0
28	0	0	0	0	0	0	0	0	0	0	0	0
29	0	0	0	0	—	0	0	0	0	0	0	0
30	0	0	0	0	—	0	0	0	0	0	0	0
31	0	—	0	0	—	0	—	0	—	0	0	—
Total	0	0	0	0	0	0	0	0.01	0	0	0.44	0
Mean	0	0	0	0	0	0	0	0	0	0	0.014	0
Max	0	0	0	0	0	0	0	0.01	0	0	0.44	0
Min	0	0	0	0	0	0	0	0	0	0	0	0
Ac-Ft	0	0	0	0	0	0	0	0.03	0	0	0.9	0
Wtr Year	2003	Total	0.45	Mean	0.001	Max	0.44	Min	0	Ac-Ft	0.9	
Cal Year	2002	Total	0	Mean	0	Max	0	Min	0	Ac-Ft	0	

E230 Cañada del Buey above SR-4

Location. Lat 35°49'38", long 106°12'43", in Ramon Vigil Grant, Los Alamos County, on left bank 250 ft upstream from NM State Highway 4 in White Rock, NM.

Drainage Area. 2.14 mi².

Period of Record. October 1991 to September 30, 2003.

Gage. Data logger with cellular telemetry and concrete control. Elevation of gage is 6,401 ft above *National Geodetic Vertical Datum of 1929*, from GPS survey.

Remarks. Water discharge records good.

Average Discharge. 9 years, 0.010 ft³/s, 7.2 acre-ft/yr.

Extremes for Period of Record. Maximum discharge 210 ft³/s, June 17, 1999, gage height 3.30 ft. No flow most of time.

Extremes for Current Water Year. Maximum discharge 100 ft³/s at 1705 hrs, May 26, gage height 2.25 ft. No flow most of time.



E230 Cañada del Buey above SR-4

Daily Mean Discharge in Cubic Feet per Second

Water Year October 2002 to September 2003

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0	0	0	0	0	0	0	0	0	0	0	0
2	0	0	0	0	0	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0	0	0	0	0
4	0	0	0	0	0	0	0	0	0	0	0	0
5	0	0	0	0	0	0	0	0	0	0	0	0
6	0	0	0	0	0	0	0	0	0	0	0	0
7	0	0	0	0	0	0	0	0	0	0	0	0
8	0	0	0	0	0	0	0	0	0	0	0	0
9	0	0	0	0	0	0	0	0	0	0	0	0.01
10	0	0	0	0	0	0	0	0	0	0	0	0
11	0	0	0	0	0	0	0	0	0	0	0	0
12	0	0	0	0	0	0	0	0	0	0	0	0
13	0	0	0	0	0	0	0	0	0	0	0	0
14	0	0	0	0	0	0	0	0	0	0	0	0
15	0	0	0	0	0	0	0	0	0	0	0	0
16	0	0	0	0	0	0	0	0	0	0	0	0
17	0	0	0	0	0	0	0	0	0	0	0	0
18	0	0	0	0	0	0	0	0	0	0	0	0
19	0	0	0	0	0	0	0	0	0	0	0.13	0
20	0	0	0	0	0	0	0	0	0	0	0	0
21	0	0	0	0	0	0	0	0	0	0	0	0
22	0	0	0	0	0	0	0	0	0	0	0.08	0
23	0	0	0	0	0	0	0	0	0	0	0	0
24	0	0	0	0	0	0	0	0	0	0	0	0
25	0	0	0	0	0	0	0	0.08	0	0	1.6	0
26	0.44	0	0	0	0	0	0	2.1	0	0	0	0
27	0	0	0	0	0	0	0	0.04	0	0	0	0
28	0	0	0	0	0	0	0	0	0	0	0	0
29	0	0	0	0	—	0	0	0	0	0	0	0
30	0	0	0	0	—	0	0	0	0	0	0	0
31	0	—	0	0	—	0	—	0	—	0	0	—
Total	0.44	0	0	0	0	0	0	2.22	0	0	1.81	0.01
Mean	0.014	0	0	0	0	0	0	0.72	0	0	0.058	0
Max	0.44	0	0	0	0	0	0	2.1	0	0	1.6	0.01
Min	0	0	0	0	0	0	0	0	0	0	0	0
Ac-Ft	0.9	0	0	0	0	0	0	4.6	0	0	3.7	0.02
Wtr Year	2003	Total	4.48	Mean	0.012	Max	2.1	Min	0	Ac-Ft	9.2	
Cal Year	2002	Total	4.65	Mean	0.013	Max	3.2	Min	0	Ac-Ft	9.2	

E240 Pajarito below SR-501

Location. Lat 35°52'3.9", long 106°21'09", SE 1/4 NW 1/4, sec. 19, T. 19 N, R. 6 E, Los Alamos County, in Santa Fe National Forest, 100 ft downstream from NM State Highway 501.

Drainage Area. 1.90 mi².

Period of Record. October 1993 to June 28, 2000 (destroyed by flood); April to September 30, 2003.

Revised Records. WDR 1997: Gage height “Extremes for Period of Record.”

Gage. Data logger with cellular telemetry. Elevation of gage is 7,720 ft above *National Geodetic Vertical Datum of 1929*, from GPS survey. Formerly published as “Pajarito Canyon above Highway 501 near Los Alamos, NM” at different datum.

Remarks. Records fair, except for estimated daily discharges, which are poor.

Average Discharge. 9 years, 0.12 ft³/s, 87 acre-ft/yr.

Extremes for Period of Record. Maximum discharge 1,020 ft³/s, June 28, 2000, from peak flow computation, gage height not determined. No flow at times.

Extremes for Current Water Year. Maximum discharge 61 ft³/s on August 23, gage height 1.50 ft from floodmark. No flow at times.



E240 Pajarito below SR-501

Daily Mean Discharge in Cubic Feet per Second

Water Year October 2002 to September 2003

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0	0	0	0	0	0	0	0	0	0	0	0
2	0	0	0	0	0	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0	0	0	0	0
4	0	0	0	0	0	0	0	0	0	0	0	0
5	0	0	0	0	0	0	0	0	0	0	0	0
6	0	0	0	0	0	0	0	0	0	0	0	0.05
7	0	0	0	0	0	0	0	0	0	0	0	0
8	0	0	0	0	0	0	0	0	0	0	0	0
9	0	0	0	0	0	0	0	0	0	0	0	0
10	0	0	0	0	0	0	0	0	0	0	0	0
11	0	0	0	0	0	0	0	0	0	0	0.44	0
12	0	0	0	0	0	0	0	0	0	0	0*	0
13	0	0	0	0	0	0	0	0	0	0	0*	0
14	0	0	0	0	0	0	0	0	0	0	0*	0
15	0	0	0	0	0	0	0	0	0	0	0*	0
16	0	0	0	0	0	0	0	0	0	0	0*	0
17	0	0	0	0	0	0	0	0	0	0	0*	0
18	0	0	0	0	0	0	0	0	0	0	0*	0
19	0	0	0	0	0	0	0	0	0	0	0*	0
20	0	0	0	0	0	0	0	0	0	0	0*	0
21	0	0	0	0	0	0	0	0	0	0	0*	0
22	0	0	0	0	0	0	0	0	0	0	0*	0
23	0	0	0	0	0	0	0	0	0	0	0.74*	0
24	0	0	0	0	0	0	0	0	0	0	0*	0
25	0	0	0	0	0	0	0	0	0	0	0*	0
26	0	0	0	0	0	0	0	0	0	0	0*	0
27	0	0	0	0	0	0	0	0	0	0	0	0
28	0	0	0	0	0	0	0	0	0	0	0	0
29	0	0	0	0	—	0	0	0	0	0	0	0
30	0	0	0	0	—	0	0	0	0	0	0	0
31	0	—	0	0	—	0	—	0	—	0	0	—
Total	0	0	0	0	0	0	0	0	0	0	1.18	0.05
Mean	0	0	0	0	0	0	0	0	0	0	0.038	0.002
Max	0	0	0	0	0	0	0	0	0	0	0.74	0.05
Min	0	0	0	0	0	0	0	0	0	0	0	0
Ac-Ft	0	0	0	0	0	0	0	0	0	0	2.4	0.1
Wtr Year	2003	Total	1.23	Mean	0.003	Max	0.74	Min	0	Ac-Ft	2.5	
Cal Year	2002	Total	23.95	Mean	0.066	Max	16	Min	0	Ac-Ft	49	

*Estimated.

E241 Pajarito above Starmers

Location. Lat 35°51'33.6", long 106°20'12.6", SW 1/4 SW 1/4 sec. 20, T. 19 N, R. 6 E, Los Alamos County, 100 ft upstream from mouth of Starmer's Gulch (E242), 0.5 mi south of LANL TA-22, building 91.

Drainage Area. 3.97 mi².

Period of Record. March 1999 to June 28, 2000 (destroyed by flood); July 2001 to September 30, 2003.

Gage. Data logger with cellular telemetry and 90° sharp crested weir. Elevation of gage is 7,382 ft above *National Geodetic Vertical Datum of 1929*, from GPS survey.

Remarks. Records good, except for estimated daily discharges, which are poor.

Extremes for Period of Record. Maximum discharge 300 ft³/s, June 28, 2000, from peak flow computation, gage height 5.00 ft. No flow at times.

Extremes for Current Water Year. Maximum discharge 25 ft³/s at 1655 hrs, August 11, gage height 2.98 ft. No flow at times.



E241 Pajarito above Starmers

Daily Mean Discharge in Cubic Feet per Second

Water Year October 2002 to September 2003

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0	0.01	0.01	0.01*	0.01	0.01	0.01	0.01	0.01	0.01	0	0.01
2	0	0.01	0.01	0.01*	0.01	0.01	0.01	0	0.01	0.01	0	0.01
3	0	0.01	0.01	0.01*	0.01	0.02	0.01	0	0.01	0	0	0.01
4	0	0.01	0.01	0.01*	0.01	0.01	0.01	0	0.01	0.01	0	0.01
5	0	0.01	0.01	0.01*	0.01	0.01	0.01	0	0.01	0	0	0.01
6	0	0.01	0.01	0.01*	0.01	0.01	0.01	0	0.01	0.01	0	0.01
7	0	0.01	0.01	0.01*	0.01	0.01	0.01	0	0.01	0.01	0	0.01
8	0	0.01	0.01	0.01*	0.01	0.01	0.01	0	0.01	0	0	0.01
9	0	0.02	0.01	0.01*	0.01	0.01	0.01	0	0.01	0	0	0.01
10	0	0.02	0.01	0.01*	0.01	0.01	0.01	0	0.01	0	0	0.02
11	0	0.02	0.01	0.01*	0.01	0.01	0.01	0	0	0	0.69	0.01
12	0	0.02	0.01	0.01*	0.01	0.01	0.01	0	0	0	0.01	0.01
13	0	0.02	0.01	0.01*	0.01	0.01	0.01	0	0	0	0.01	0.01
14	0	0.02	0.01	0.01*	0.01	0.01	0.01	0	0.01	0	0	0.01
15	0	0.01	0.01	0.01	0.01	0.01	0.02	0	0	0	0	0.01
16	0	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0	0	0
17	0	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0	0	0.01
18	0	0.01	0.01*	0.01	0.01	0.02	0.01	0.01	0.01	0	0	0.01
19	0	0.01	0.01*	0.01	0.01	0.02	0.01	0.01	0.01	0	0.01	0.01
20	0	0.01	0.01*	0.01	0.01	0.02	0.01	0.01	0.01	0	0.01	0.01
21	0	0.01	0.01*	0.01	0.01	0.02	0.01	0.01	0.01	0	0	0
22	0	0.01	0.01*	0.01	0.01	0.02	0.01	0	0.01	0	0	0
23	0	0.01	0*	0.01	0.01	0.01	0.01	0	0.01	0	0.20	0
24	0.01	0.01	0.01*	0.01	0.01	0.01	0.01	0.01	0.01	0	0.02	0
25	0.01	0.01	0.01*	0.01	0.01	0.01	0.01	0.02	0.01	0	0.01	0
26	0.01	0.01	0.01*	0.01	0.01	0.01	0.01	0.01	0	0	0	0
27	0.01	0.01	0.01*	0.01	0.01	0.01	0.01	0.02	0.01	0	0	0
28	0.01	0.01	0.01*	0.01	0.01	0.01	0.01	0.01	0.01	0	0	0
29	0.01	0.01	0.01*	0.01	—	0.02	0.01	0.01	0.01	0	0	0
30	0.01	0.01	0.01*	0.01	—	0.01	0.01	0.01	0.01	0	0	0
31	0.01	—	0.01*	0.01	—	0.01	—	0.01	—	0	0	—
Total	0.08	0.36	0.30	0.31	0.28	0.37	0.31	0.17	0.25	0.05	0.96	0.20
Mean	0.003	0.012	0.010	0.010	0.010	0.012	0.010	0.006	0.008	0.002	0.031	0.007
Max	0.01	0.02	0.01	0.01	0.01	0.02	0.02	0.02	0.01	0.01	0.69	0.02
Min	0	0.01	0	0.01	0.01	0.01	0.01	0	0	0	0	0
Ac-Ft	0.2	0.6	0.6	0.5	0.5	0.8	0.7	0.4	0.4	0.08	2.0	0.4
Wtr Year	2003	Total	3.64	Mean	0.010	Max	0.69	Min	0	Ac-Ft	7.1	
Cal Year	2002	Total	90.08	Mean	0.25	Max	72	Min	0	Ac-Ft	180	

*Estimated.

E242 Starmers above Pajarito

Location. Lat 35°51'33.0", long 106°20'13.0", SW 1/4 SW 1/4 sec. 20, T. 19 N, R. 6 E, Los Alamos County, 100 ft upstream from confluence of Starmer's Gulch and Pajarito Canyon, 0.5 mi south of LANL TA-22, building 91.

Drainage Area. 0.82 mi².

Period of Record. March 1999 to September 30, 2003.

Gage. Data logger with cellular telemetry. Elevation of gage is 7,390 ft above *National Geodetic Vertical Datum of 1929*, from GPS survey.

Remarks. Water discharge records good, except for estimated daily discharges, which are poor.

Extremes for Period of Record. Maximum discharge 180 ft³/s, June 28, 2000, gage height 2.75 ft. No flow at times.

Extremes for Current Water Year. Maximum discharge 2.2 ft³/s at 1730 hrs, August 11, gage height 1.20 ft. No flow at times.



E242 Starmers above Pajarito

Daily Mean Discharge in Cubic Feet per Second

Water Year October 2002 to September 2003

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0.01*	0.01	0	0	0.02	0.04	0.05	0.02	0.02	0.02	0.02	0.11
2	0.01*	0.01	0.01	0.01	0.02	0.03	0.04	0.02	0.02	0.02	0.02	0.09
3	0.01*	0.01	0	0.01	0.03	0.04	0.04	0.02	0.02	0.02	0.03	0.08
4	0.01*	0.01	0	0.01	0.03	0.03	0.04	0.02	0.02	0.02	0.03	0.09
5	0.01*	0.01	0	0.01	0.03	0.03	0.05	0.02	0.02	0.02	0.03	0.11
6	0.01*	0.01	0.01	0	0.03	0.04	0.05	0.02	0.02	0.02	0.03	0.23
7	0.01*	0.01	0.02	0.01	0.02	0.04	0.05	0.02	0.02	0.02	0.02	0.23
8	0.01*	0.01	0.01	0.02	0.03	0.04	0.04	0.02	0.02	0.02	0.02	0.24
9	0.01*	0.02	0.01	0.01*	0.03	0.04	0.04	0.02	0.02	0.01	0.02	0.27
10	0.01*	0.01	0.02	0.01*	0.01	0.05	0.04	0.02	0.02	0.01	0.03	0.25
11	0.01*	0.01	0.01	0.01*	0.02	0.05	0.03	0.02	0.02	0.01	0.10	0.19
12	0.01*	0.01	0.01	0.01*	0.03	0.05	0.03	0.02	0.02	0.01	0.04	0.17
13	0.01*	0.02	0.01	0.01*	0.03	0.07	0.03	0.02	0.02	0.01	0.04	0.14
14	0.01*	0.01	0.01	0.01*	0.02	0.07	0.03	0.02	0.02	0.01	0.04	0.11
15	0.01*	0.01	0.01	0.01	0.03	0.08	0.03	0.02	0.02	0.01	0.04	0.08
16	0.01*	0.01	0.02	0.02	0.04	0.08	0.03	0.02	0.02	0.01	0.04	0.07
17	0.01*	0.01	0.01	0.02	0.04	0.08	0.03	0.02	0.02	0.01	0.04	0.05
18	0	0.01	0.01	0.02	0.04	0.08	0.03	0.02	0.02	0.01	0.04	0.05
19	0.01	0.01	0.01	0.01	0.04	0.08	0.03	0.02	0.03	0.01	0.04	0.04
20	0	0.01	0.02	0	0.04	0.07	0.03	0.02	0.03	0.01	0.04	0.03
21	0.01	0.01	0.01	0.02	0.04	0.07	0.03	0.02	0.03	0.01	0.05	0.03
22	0	0.01	0.01	0.01	0.03	0.06	0.03	0.02	0.02	0.01	0.05	0.03
23	0	0.01	0.01	0.02	0.03	0.06	0.03	0.02	0.02	0.01	0.05	0.01*
24	0.01	0.01	0.01	0.02	0.03	0.06	0.03	0.02	0.02	0.01	0.05	0.01*
25	0.01	0	0.01	0.02	0.03	0.06	0.03	0.02	0.02	0.02	0.05	0.01*
26	0.01	0	0.01	0.02	0.03	0.06	0.02	0.02	0.02	0.02	0.05	0.01*
27	0.01	0.01	0.01	0.02	0.04	0.07	0.02	0.02	0.02	0.02	0.05	0.01*
28	0.01	0.01	0.01	0.02	0.04	0.07	0.02	0.02	0.02	0.02	0.13	0.01*
29	0.01	0.02	0.01	0.02	—	0.07	0.02	0.02	0.02	0.02	0.10	0.01*
30	0.01	0.02	0.01	0.02	—	0.06	0.02	0.02	0.02	0.02	0.18	0.01*
31	0.01	—	0.02	0.02	—	0.05	—	0.02	—	0.02	0.12	—
Total	0.27	0.32	0.32	0.42	0.85	1.78	0.99	0.62	0.63	0.46	1.59	2.77
Mean	0.009	0.011	0.010	0.014	0.030	0.057	0.033	0.020	0.021	0.015	0.051	0.092
Max	0.01	0.02	0.02	0.02	0.04	0.08	0.05	0.02	0.03	0.02	0.18	0.27
Min	0	0	0	0	0.01	0.03	0.02	0.02	0.02	0.01	0.02	0.01
Ac-Ft	0.5	0.5	0.6	0.8	1.6	3.3	1.9	1.1	1.3	0.9	3.1	5.6
Wtr Year	2003	Total	11.02	Mean	0.030	Max	0.27	Min	0	Ac-Ft	21	
Cal Year	2002	Total	6.65	Mean	0.018	Max	0.19	Min	0	Ac-Ft	12	

*Estimated.

E2425 La Delfe above Pajarito

Location. Lat 35°51'25", long 106°19'56", Ramon Vigil Grant, Los Alamos County 0.25 mi west of Starmer's Gulch and Pajarito Canyon and 0.75 mi south of LANL TA-22, building 91.

Drainage Area. 0.53 mi².

Period of Record. June 1, 2000, to September 30, 2003.

Gage. Data logger with cellular telemetry and 90° sharp crested weir. Elevation of gage is 7,340 ft above *National Geodetic Vertical Datum of 1929*, from GPS survey.

Remarks. Water discharge records good, except for estimated daily discharges, which are poor.

Extremes for Period of Record. Maximum discharge 6.6 ft³/s, June 21, 2002, gage height 1.91 ft; maximum gage height recorded 2.01 ft, January 4, 2002 (ice jam); no flow at times.

Extremes for Current Year. Maximum discharge 0.16 ft³/s at 1145 hrs, April 15, gage height 0.89 ft. No flow at times.



E2425 La Delfe above Pajarito

Daily Mean Discharge in Cubic Feet per Second

Water Year October 2002 to September 2003

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0.01	0.03	0.01	0.02	0.01*	0.01	0.03	0.03*	0	0	0	0.03
2	0.01	0.03	0.01	0.02	0.01*	0.02	0.03	0.03*	0	0	0.01	0.03
3	0.01	0.02	0.01	0.02	0.01*	0.01*	0.03	0.02*	0	0	0.01	0.03
4	0.01	0.02	0.01	0.02	0.01*	0.01	0.03	0.02*	0	0	0.01	0.03
5	0.01	0.02	0.01	0.02	0.02*	0.01	0.03	0.01*	0	0	0.01	0.03
6	0.01	0.02	0.01	0.02	0.02*	0.01	0.03	0.01*	0	0	0.01	0.03
7	0.01	0.02	0.01	0.01*	0.02*	0.01	0.03	0.02*	0	0	0.01	0.03
8	0.01	0.02	0.01	0.02	0.02*	0.01	0.03	0*	0	0	0.01	0.04
9	0.01	0.04	0.01	0.02	0.01*	0.01	0.03	0*	0	0	0.01	0.04
10	0.01	0.04	0.01	0.01	0.01*	0.01	0.03	0.03*	0	0.01	0.01	0.04
11	0.01	0.03	0.01	0.01	0.01*	0.01	0.03	0.02*	0	0.01	0.03	0.04
12	0.01	0.03	0.01	0.01	0.02*	0.01	0.04	0.02*	0	0.01	0.03	0.04
13	0.01	0.03	0.01	0.02	0.02	0.01	0.06	0.03*	0	0.01	0.03	0.04
14	0.01	0.03	0.01	0.02	0.01	0.02	0.11	0.01*	0	0.01	0.03	0.04
15	0.01	0.03	0.01	0.01	0.01	0.02	0.11	0.01*	0	0	0.03	0.03
16	0.01	0.03	0.01	0.01	0.01	0.02	0.12	0.01*	0	0	0.03	0.03
17	0.01	0.03	0.01	0.01	0.01	0.02*	0.11	0.01*	0	0	0.03	0.03
18	0.01	0.03	0.01	0.01	0.01	0.01*	0.10	0.01*	0	0	0.03	0.03
19	0.01	0.03	0.01	0.02	0.01	0.02*	0.12	0.01*	0	0	0.03	0.03
20	0.01	0.02	0.02	0.01	0.02	0.02*	0.11	0*	0	0	0.03	0.02
21	0.01	0.02	0.02	0.01	0.01	0.01*	0.11	0*	0	0	0.03	0.02
22	0.01	0.02	0.02	0.02	0.01	0.01*	0.04	0*	0	0	0.03	0.02
23	0.02	0.02	0.02	0.02	0.01	0.01*	0.03	0	0	0	0.03	0.01
24	0.03	0.01	0.02	0.01	0.01	0.01*	0.03	0	0	0	0.03	0.01
25	0.02	0.01	0.02	0.01	0.01	0.01*	0.03	0	0	0	0.03	0.01
26	0.02	0.01	0.02	0.01	0.01	0.01*	0.03	0	0	0.01	0.03	0.01
27	0.03	0.01	0.02	0.01	0.01	0.01*	0.03	0	0	0.01	0.03	0.01
28	0.03	0.01	0.02	0.01	0.01	0.01*	0.07	0	0	0	0.03	0.01
29	0.03	0.01	0.02	0.01	—	0.01*	0.09	0	0	0	0.03	0.01
30	0.03	0.01	0.02	0.01*	—	0.01*	0.08	0	0	0.01	0.03	0.01
31	0.03	—	0.02	0.01*	—	0.01*	—	0	—	0.01	0.03	—
Total	0.46	0.68	0.43	0.44	0.35	0.38	1.75	0.30	0	0.09	0.72	0.78
Mean	0.015	0.023	0.014	0.014	0.013	0.012	0.058	0.010	0	0.003	0.023	0.026
Max	0.03	0.04	0.02	0.02	0.02	0.02	0.12	0.03	0	0.01	0.03	0.04
Min	0.01	0.01	0.01	0.01	0.01	0.01	0.03	0	0	0	0	0.01
Ac-Ft	0.9	1.3	0.9	0.8	0.7	0.8	3.3	0.6	0	0.2	1.3	1.6
Wtr Year	2003	Total	6.38	Mean	0.017	Max	0.12	Min	0	Ac-Ft	12	
Cal Year	2002	Total	3.80	Mean	0.010	Max	0.32	Min	0	Ac-Ft	7.6	

*Estimated.

E245 Pajarito above TA-18

Location. Lat 35°51'4.2", long 106°17'11.4", Ramon Vigil Grant, Los Alamos County, on left bank 0.15 mi southeast of Pajarito Road, and upstream from LANL TA-8 and Threemile Canyon.

Drainage Area. 7.84 mi².

Period of Record. November 1993 to September 30, 2003.

Gage. Data logger with cellular telemetry and concrete control. Elevation of gage is 6,880 ft above *National Geodetic Vertical Datum of 1929*, from GPS survey.

Remarks. Water discharge records good, except for estimated daily discharges, which are poor.

Average Discharge. 9 years, 0.13 ft³/s, 94 acre-ft/yr.

Extremes for Period of Record. Maximum discharge 517 ft³/s, June 28, 2000, gage height 5.03 ft (from floodmark). No flow most of time.

Extremes for Current Water Year. Maximum discharge 44 ft³/s at 1850 hrs, August 11, gage height 2.15 ft. No flow most of time.



E245 Pajarito above TA-18

Daily Mean Discharge in Cubic Feet per Second

Water Year October 2002 to September 2003

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0	0	0	0	0	0	0	0	0*	0	0	0*
2	0	0	0	0	0	0	0	0	0*	0	0	0*
3	0	0	0	0	0	0	0	0	0	0	0	0*
4	0	0	0	0	0	0	0	0	0	0	0	0*
5	0	0	0	0	0	0	0	0	0	0	0	0*
6	0	0	0	0	0	0	0	0	0	0	0	0.16
7	0	0	0	0	0	0	0	0	0	0	0	0
8	0	0	0	0	0	0	0	0	0	0	0	0
9	0	0	0	0	0	0	0	0	0	0	0	0
10	0	0	0	0	0	0	0	0	0	0	0	0
11	0	0	0	0	0	0	0	0	0	0	1.1	0
12	0	0	0	0	0	0	0	0*	0	0	0	0
13	0	0	0	0	0	0	0	0*	0	0	0	0
14	0	0	0	0	0	0	0	0*	0	0	0	0
15	0	0	0	0	0	0	0	0*	0	0	0	0
16	0	0	0	0	0	0	0	0*	0	0	0	0
17	0	0	0	0	0	0	0	0*	0	0	0	0
18	0	0	0	0	0	0	0	0*	0	0	0	0
19	0	0	0	0	0	0	0	0*	0	0	0*	0
20	0	0	0	0	0	0	0	0*	0	0	0*	0
21	0	0	0	0	0	0	0	0*	0	0	0*	0
22	0	0	0	0	0	0	0	0*	0	0	0*	0
23	0	0	0	0	0	0	0	0*	0	0	3.9	0
24	0	0	0	0	0	0	0	0*	0	0	0*	0
25	0	0	0	0	0	0	0	0*	0	0	0*	0
26	0	0	0	0	0	0	0	0*	0	0	0*	0
27	0	0	0	0	0	0	0	0*	0	0	0*	0
28	0	0	0	0	0	0	0	0*	0	0	0*	0
29	0	0	0	0	—	0	0	0*	0	0	0*	0
30	0	0	0	0	—	0	0	0*	0	0	0*	0
31	0	—	0	0	—	0	—	0*	—	0	0*	—
Total	0	0	0	0	0	0	0	0	0	0	5.0	0.16
Mean	0	0	0	0	0	0	0	0	0	0	0.16	0.006
Max	0	0	0	0	0	0	0	0	0	0	3.9	0.16
Min	0	0	0	0	0	0	0	0	0	0	0	0
Ac-Ft	0	0	0	0	0	0	0	0	0	0	9.9	0.3
Wtr Year	2003	Total	5.16	Mean	0.014	Max	3.9	Min	0	Ac-Ft	10	
Cal Year	2002	Total	14.96	Mean	0.041	Max	8.2	Min	0	Ac-Ft	30	

*Estimated.

E2455 Pajarito above Threemile

Location. Lat 35°5'45.5", long 106°16'28.9", Ramon Vigil Grant, Los Alamos County, 0.5 mi upstream from LANL TA-18 and Threemile Canyon and 0.15 mi southeast of Pajarito Road.

Drainage Area. 7.44 mi².

Period of Record. March 1999 to September 30, 1999; January 1, 2002, to September 30, 2003.

Gage. Data logger with cellular telemetry and 90° sharp crested weir. Elevation of gage is 6,798 ft above *National Geodetic Vertical Datum of 1929*, from GPS survey.

Remarks. Records good, except for estimated daily discharges, which are poor.

Extremes for Period of Record. Maximum discharge 14 ft³/s, August 11, 2003, gage height 2.17 ft, maximum gage height 2.83 ft, September 16, 1999. No flow most of time.

Extremes for Current Water Year. Maximum discharge 14 ft³/s, at 1905 hrs, August 11, gage height 2.17 ft. No flow most of time.



E2455 Pajarito above Threemile

Daily Mean Discharge in Cubic Feet per Second

Water Year October 2002 to September 2003

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0	0	0	0	0	0	0	0	0	0	0	0*
2	0	0	0	0	0	0	0	0	0	0	0	0*
3	0	0	0	0	0	0	0	0	0	0	0	0*
4	0	0	0	0	0	0	0	0	0	0	0	0*
5	0	0	0	0	0	0	0	0	0	0	0	0
6	0	0	0	0	0	0	0	0	0	0	0	0.37
7	0	0	0	0	0	0	0	0	0	0	0	0
8	0	0	0	0	0	0	0	0	0	0	0	0
9	0	0	0	0	0	0	0	0	0	0	0	0
10	0	0	0	0	0	0	0	0	0	0	0	0
11	0	0	0	0	0	0	0	0	0	0	0.53	0
12	0	0	0	0	0	0	0	0	0	0	0	0
13	0	0	0	0	0	0	0	0	0	0	0	0
14	0	0	0	0	0	0	0	0	0	0	0	0
15	0	0	0	0	0	0	0	0	0	0	0	0
16	0	0	0	0	0	0	0	0	0	0	0	0
17	0	0	0	0	0	0	0	0	0	0	0	0
18	0	0	0	0	0	0	0	0	0	0	0	0
19	0	0	0	0	0	0	0	0	0	0	0	0
20	0	0	0	0	0	0	0	0	0	0	0	0
21	0	0	0	0	0	0	0	0	0	0	0	0
22	0	0	0	0	0	0	0	0	0	0	0	0
23	0	0	0	0	0	0	0	0	0	0.02	0.54	0
24	0	0	0	0	0	0	0	0	0	0	0	0
25	0	0	0	0	0	0	0	0	0	0	0	0
26	0	0	0	0	0	0	0	0	0	0	0*	0
27	0	0	0	0	0	0	0	0	0	0	0*	0
28	0	0	0	0	0	0	0	0	0	0	0*	0
29	0	0	0	0	—	0	0	0	0	0	0*	0
30	0	0	0	0	—	0	0	0	0	0	0*	0
31	0	—	0	0	—	0	—	0	—	0	0*	—
Total	0	0	0	0	0	0	0	0	0	0.02	1.07	0.37
Mean	0	0	0	0	0	0	0	0	0	0.001	0.035	0.012
Max	0	0	0	0	0	0	0	0	0	0.02	0.54	0.37
Min	0	0	0	0	0	0	0	0	0	0	0	0
Ac-Ft	0	0	0	0	0	0	0	0	0	0.03	2.1	0.7
Wtr Year	2003	Total	1.46	Mean	0.004	Max	0.54	Min	0	Ac-Ft	2.8	
Cal Year	2002	Total	8.92	Mean	0.024	Max	6.2	Min	0	Ac-Ft	17	

*Estimated.

E246 Threemile above Pajarito

Location. Lat 35°50'20", long 106°16'17", NW 1/4 SE 1/4, Ramon Vigil Grant, Los Alamos County, 0.05 mi northeast of TA-18, and 0.50 mi southeast of Pajarito Road.

Drainage Area. 1.53 mi².

Period of Record. October 1998 to September 30, 2003.

Gage. Data logger with cellular telemetry and 9-in. Parshall flume. Elevation of gage is 6,760 ft above *National Geodetic Vertical Datum of 1929*.

Remarks. Water discharge record good, except for estimated daily discharges, which are poor.

Average Discharge. 5 years, 0.005 ft³/s, 3.6 acre-ft/yr.

Extremes for Period of Record. Maximum discharge 73 ft³/s, August 23, 2003, gage height 2.08 ft from floodmark. No flow most of time.

Extremes for Current Water Year. Maximum discharge 73 ft³/s at 1455 hrs, August 23, gage height 2.08 ft from floodmark. No flow most of time.



E246 Threemile above Pajarito

Daily Mean Discharge in Cubic Feet per Second

Water Year October 2002 to September 2003

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0	0	0	0	0	0	0	0	0	0	0	0
2	0	0	0	0	0	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0	0	0	0	0
4	0	0	0	0	0	0	0	0	0	0	0	0
5	0	0	0	0	0	0	0	0	0	0	0	0
6	0	0	0	0	0	0	0	0	0	0	0	0
7	0	0	0	0	0	0	0	0	0	0	0	0
8	0	0	0	0	0	0	0	0	0	0	0	0
9	0	0	0	0	0	0	0	0	0	0	0	0
10	0	0	0	0	0	0	0	0	0	0	0	0
11	0	0	0	0	0	0	0	0	0	0	0	0
12	0	0	0	0	0	0	0	0	0	0	0	0
13	0	0	0	0	0	0	0	0	0	0	0	0
14	0	0	0	0	0	0	0	0	0	0	0	0
15	0	0	0	0	0	0	0	0	0	0	0	0
16	0	0	0	0	0	0	0	0	0	0	0	0
17	0	0	0	0	0	0	0	0	0	0	0	0
18	0	0	0	0	0	0	0	0	0	0	0	0
19	0	0	0	0	0	0	0	0	0	0	0	0
20	0	0	0	0	0	0	0	0	0	0	0	0
21	0	0	0	0	0	0	0	0	0	0	0	0
22	0	0	0	0	0	0	0	0	0	0	0	0
23	0	0	0	0	0	0	0	0	0	0	0.69	0
24	0	0	0	0	0	0	0	0	0	0	0	0
25	0	0	0	0	0	0	0	0	0	0	0	0
26	0	0	0	0	0	0	0	0	0	0	0	0
27	0	0	0	0	0	0	0	0	0	0	0	0
28	0	0	0	0	0	0	0	0	0	0	0	0
29	0	0	0	0	—	0	0	0	0	0	0	0
30	0	0	0	0	—	0	0	0	0	0	0	0
31	0	—	0	0	—	0	—	0	—	0	0	—
Total	0	0	0	0	0	0	0	0	0	0	0.69	0
Mean	0	0	0	0	0	0	0	0	0	0	0.022	0
Max	0	0	0	0	0	0	0	0	0	0	0.69	0
Min	0	0	0	0	0	0	0	0	0	0	0	0
Ac-Ft	0	0	0	0	0	0	0	0	0	0	1.4	0
Wtr Year	2003	Total	0.69	Mean	0.002	Max	0.69	Min	0	Ac-Ft	1.4	
Cal Year	2002	Total	0	Mean	0	Max	0	Min	0	Ac-Ft	0	

E250 Pajarito above SR-4

Location. Lat 35°49'26.7", long 106°13'40.5", in Ramon Vigil Grant, Los Alamos County on left bank, 400 ft southeast of Pajarito Road, 0.40 mi upstream from NM State Highway 4, and 1.4 mi from White Rock, NM.

Drainage Area. 10.9 mi².

Period of Record. November 1993 to September 30, 2003.

Gage. Data logger with cellular telemetry and concrete control. Elevation of gage is 6,535 ft above *National Geodetic Vertical Datum of 1929*, from GPS survey.

Remarks. Water discharge records good, except for estimated daily discharges, which are poor.

Average Discharge. 9 years, 0.03 ft³/s, 22 acre-ft/yr.

Extremes for Period of Record. Maximum discharge 26 ft³/s, June 22, 2002, gage height 3.86 ft. No flow most of time.

Extremes for Current Water Year. Maximum discharge 0.20 ft³/s at 0250 hrs, August 26, gage height 1.85 ft. No flow most of time.



E250 Pajarito above SR-4

Daily Mean Discharge in Cubic Feet per Second

Water Year October 2002 to September 2003

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0	0	0	0	0	0	0	0	0	0	0	0
2	0	0	0	0	0	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0	0	0	0	0
4	0	0	0	0	0	0	0	0	0	0	0	0
5	0	0	0	0	0	0	0	0	0	0	0	0
6	0	0	0	0	0	0	0	0	0	0	0	0
7	0	0	0	0	0	0	0	0	0	0	0	0
8	0	0	0	0	0	0	0	0	0	0	0	0
9	0	0	0	0	0	0	0	0	0	0	0	0
10	0	0	0	0	0	0	0	0	0	0	0	0
11	0	0	0	0	0	0	0	0	0	0	0	0
12	0	0	0	0	0	0	0	0	0	0	0	0
13	0	0	0	0	0	0	0	0	0	0	0	0
14	0	0	0	0	0	0	0	0	0	0	0	0
15	0	0	0	0	0	0	0	0	0	0	0	0
16	0	0	0	0	0	0	0	0	0	0	0	0
17	0	0	0	0	0	0	0	0	0	0	0	0
18	0	0	0	0	0	0	0	0	0	0	0	0
19	0	0	0	0	0	0	0	0	0	0	0	0
20	0	0	0	0	0	0	0	0	0	0	0	0
21	0	0	0	0	0	0	0	0	0	0	0	0
22	0	0	0	0	0	0	0	0	0	0	0	0
23	0	0	0	0	0	0	0	0	0	0	0	0
24	0	0	0	0	0	0	0	0	0	0	0	0
25	0	0	0	0	0	0	0	0	0	0	0	0
26	0	0	0	0	0	0	0	0	0	0	0.04	0
27	0	0	0	0	0	0	0	0	0	0	0	0
28	0	0	0	0	0	0	0	0	0	0	0	0
29	0	0	0	0	—	0	0	0	0	0	0	0
30	0	0	0	0	—	0	0	0	0	0	0	0
31	0	—	0	0	—	0	—	0	—	0	0	—
<hr/>												
Total	0	0	0	0	0	0	0	0	0	0	0.04	0
Mean	0	0	0	0	0	0	0	0	0	0	0.001	0
Max	0	0	0	0	0	0	0	0	0	0	0.04	0
Min	0	0	0	0	0	0	0	0	0	0	0	0
Ac-Ft	0	0	0	0	0	0	0	0	0	0	0.08	0
<hr/>												
Wtr Year	2003	Total	0.04	Mean	0	Max	0.04	Min	0	Ac-Ft	0.08	
Cal Year	2002	Total	2.73	Mean	0.008	Max	2.6	Min	0	Ac-Ft	5.4	

E252 Water above SR-501

Location. Lat 35°50'18", long 106°21'42.6", T. 19 N, R. 5 E, Los Alamos County in Santa Fe National Forest, 0.3 mi upstream from NM State Highway 501, and 0.4 mi northwest of junction of State Highways 501 and 4.

Drainage Area. 3.39 mi².

Period of Record. October 1994 to September 2000; October 2000 to June 2000 (destroyed by flood); April 2001 to September 2003.

Gage. Data logger with cellular telemetry. Elevation of gage is 7,558 ft above *National Geodetic Vertical Datum of 1929*, from GPS survey. New location 30 ft upstream at same datum.

Remarks. Records above 1 ft³/s are good to fair, except for estimated daily discharges, which are poor.

Average Discharge. 9 years, 0.072 ft³/s, 52 acre-ft/yr.

Extremes for Period of Record. Maximum discharge 840 ft³/s on June 28, 2000, from peak flow computation, gage height 7.91 ft. No flow at times.

Extremes for Current Water Year. Maximum discharge 2.1 ft³/s at 1230 hrs, August 28, gage height 2.75 ft. No flow at times.



E252 Water above SR-501

Daily Mean Discharge in Cubic Feet per Second

Water Year October 2002 to September 2003

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0.01	0.01	0.01	0.01	0.01	0.02	0.04	0.05	0.05	0.03*	0.06	0.01
2	0.01	0.01	0.01	0.01	0.01	0.02	0.04	0.05	0.05	0.02*	0.06	0.01
3	0.01	0.01	0.01	0.01	0.01	0.02	0.04	0.05	0.05	0.04*	0.06	0.01
4	0.01	0.01	0.01	0.01	0.01	0.02	0.04	0.05	0.05	0.03*	0.06	0.01
5	0.01	0.01	0.01	0.01	0.01	0.02	0.04	0.05	0.05	0.02*	0.06	0.01
6	0.01	0.01	0.01	0.01	0.01	0.02	0.04	0.05	0.05	0.02*	0.07	0.01
7	0.01	0.01	0.01	0.01	0.01	0.01	0.04	0.05	0.05	0.01*	0.07	0.01
8	0.01	0.01	0.01	0.01	0.01	0.01	0.04	0.05	0.05	0.01*	0.07	0.01
9	0.01	0.01	0.01	0.01	0.01	0.01	0.04	0.05	0.05	0.01*	0.07	0.01
10	0.01	0.01	0.01	0.01	0.01	0.01	0.04	0.05	0.05	0.02*	0.07	0.01
11	0.01	0.01	0.01	0.01	0.01	0.01	0.04	0.05	0.05	0.02*	0.08	0.01
12	0.01	0.01	0.01	0.01	0.01	0.01	0.04	0.05	0.05	0.03*	0.08	0.01
13	0.01	0.01	0.01	0.01	0.01	0.01	0.04	0.05	0.05	0.03*	0.08	0.01
14	0.01	0.01	0.01	0.01	0.01	0.01	0.04	0.05	0.05	0.02*	0.08	0.01
15	0.01	0.01	0.01	0.01	0.01	0.02	0.06	0.05	0.05	0.01*	0.08	0.01
16	0.01	0.01	0.01	0.01	0.01	0.02	0.06	0.05	0.05	0.02*	0.09	0.01
17	0.01	0.01	0.01	0.01	0.01	0.02	0.06	0.05	0.05	0.02*	0.09	0.01
18	0.01	0.01	0.01	0.01	0.01	0.02	0.06	0.05	0.05	0.01*	0.09	0.01
19	0.01	0.01	0.01	0.01	0.02	0.02	0.06	0.05	0.06	0.02*	0.09	0.01
20	0.01	0.01	0.01	0.01	0.01	0.03	0.06	0.05	0.05*	0.03*	0.10	0.01
21	0.01	0.01	0.01	0.01	0	0.03	0.06	0.05	0.04*	0.04*	0.10	0.01
22	0.01	0.01	0.01	0.01	0.01	0.03	0.06	0.05	0.03*	0.06*	0.10	0.01
23	0.01	0.01	0.01	0.01	0.01	0.03	0.06	0.05	0.04*	0.05*	0.13	0.01
24	0.01	0.01	0.01	0.01	0.01	0.03	0.06	0.05	0.04*	0.06*	0.19	0.01
25	0.01	0.01	0.01	0.01	0.01	0.03	0.06	0.05	0.03*	0.08	0.12	0.01
26	0.01	0.01	0.01	0.01	0.01	0.03	0.05	0.05	0.02*	0.08	0.06	0.01
27	0.01	0.01	0.01	0.01	0.01	0.03	0.05	0.05	0.02*	0.07	0.01	0.01
28	0.01	0.01	0.01	0.01	0.01	0.03	0.05	0.05	0.03*	0.07	0.07	0.01
29	0.01	0.01	0.01	0.01	—	0.04	0.05	0.05	0.02*	0.07	0	0.01
30	0.01	0.01	0.01	0.01	—	0.04	0.05	0.05	0.03*	0.07	0.01	0.01
31	0.01	—	0.01	0.01	—	0.04	—	0.05	—	0.06	0.01	—
Total	0.31	0.30	0.31	0.31	0.28	0.69	1.47	1.55	1.31	1.13	2.31	0.30
Mean	0.010	0.010	0.010	0.010	0.010	0.022	0.049	0.050	0.044	0.036	0.075	0.010
Max	0.01	0.01	0.01	0.01	0.02	0.04	0.06	0.05	0.06	0.08	0.19	0.01
Min	0.01	0.01	0.01	0.01	0	0.01	0.04	0.05	0.02	0.01	0	0.01
Ac-Ft	0.4	0.6	0.6	0.6	0.6	1.3	2.7	3.1	2.6	2.0	4.4	0.5
Wtr Year	2003	Total	10.27	Mean	0.028	Max	0.19	Min	0	Ac-Ft	20	
Cal Year	2002	Total	8.45	Mean	0.023	Max	2.3	Min	0	Ac-Ft	17	

*Estimated.

E253 Cañon de Valle above SR-501

Location. Lat 35°51'6.6", long 106°21'17" NE 1/4, NE 1/4 sec. 25, T. 19 N, R. 5 E, Los Alamos County in Santa Fe National Forest, on left bank 0.25 mi upstream from NM State Highway 501, 4.7 mi above mouth, and 1.5 mi north of junction of State Highways 501 and 4.

Drainage Area. 2.46 mi².

Period of Record. October 1994 to June 2000 (when gage was destroyed); January 31, 2001, to September 30, 2003.

Gage. Data logger with cellular telemetry and 120° weir plate. Elevation of gage is 7,707 ft above *National Geodetic Vertical Datum of 1929*, from GPS survey.

Remarks. Records good.

Average Discharge. 9 years, 0.018 ft³/s, 13 acre-ft/yr.

Extremes for Period of Record. Maximum discharge 740 ft³/s, June 28, 2000, from peak flow computation, gage height 8.42 ft. No flow most of time.

Extremes for Current Water Year. Maximum discharge 0.97 ft³/s September 6, gage height 1.55 ft. No flow most of time.



E253 Cañon de Valle above SR-501

Daily Mean Discharge in Cubic Feet per Second

Water Year October 2002 to September 2003

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0	0	0	0	0	0	0	0	0	0	0	0
2	0	0	0	0	0	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0	0	0	0	0
4	0	0	0	0	0	0	0	0	0	0	0	0.01
5	0	0	0	0	0	0	0	0	0	0	0	0
6	0	0	0	0	0	0	0	0	0	0	0	0.03
7	0	0	0	0	0	0	0	0	0	0	0	0
8	0	0	0	0	0	0	0	0	0	0	0	0
9	0	0	0	0	0	0	0	0	0	0	0	0
10	0	0	0	0	0	0	0	0	0	0	0	0
11	0	0	0	0	0	0	0	0	0	0	0	0
12	0	0	0	0	0	0	0	0	0	0	0	0
13	0	0	0	0	0	0	0	0	0	0	0	0
14	0	0	0	0	0	0	0	0	0	0	0	0
15	0	0	0	0	0	0	0	0	0	0	0	0
16	0	0	0	0	0	0	0	0	0	0	0	0
17	0	0	0	0	0	0	0	0	0	0	0	0
18	0	0	0	0	0	0	0	0	0	0	0	0
19	0	0	0	0	0	0	0	0	0	0	0	0
20	0	0	0	0	0	0	0	0	0	0	0	0
21	0	0	0	0	0	0	0	0	0	0	0	0
22	0	0	0	0	0	0	0	0	0	0	0	0
23	0	0	0	0	0	0	0	0	0	0	0	0
24	0	0	0	0	0	0	0	0	0	0	0	0
25	0	0	0	0	0	0	0	0	0	0	0	0
26	0	0	0	0	0	0	0	0	0	0	0	0
27	0	0	0	0	0	0	0	0	0	0	0	0
28	0	0	0	0	0	0	0	0	0	0	0	0
29	0	0	0	0	—	0	0	0	0	0	0	0
30	0	0	0	0	—	0	0	0	0	0	0	0
31	0	—	0	0	—	0	—	0	—	0	0	—
Total	0	0	0	0	0	0	0	0	0	0	0	0.04
Mean	0	0	0	0	0	0	0	0	0	0	0	0.001
Max	0	0	0	0	0	0	0	0	0	0	0	0.03
Min	0	0	0	0	0	0	0	0	0	0	0	0
Ac-Ft	0	0	0	0	0	0	0	0	0	0	0	0.08
Wtr Year	2003	Total	0.04	Mean	0	Max	0.03	Min	0	Ac-Ft	0.08	
Cal Year	2002	Total	0.47	Mean	0.001	Max	0.25	Min	0	Ac-Ft	1	

E262 Cañon de Valle above Water

Location. Lat 35°49'52", long 106°18'14", in Ramon Vigil Grant, Los Alamos County, on right bank 200 ft above confluence with Water Canyon, 1.6 mi upstream from E262.5 and 4.2 mi upstream from NM State Highway 4.

Drainage Area. 4.14 mi².

Period of Record. October 1998 to September 30, 2003.

Gage. Data logger with cellular telemetry and 90° weir plate. Elevation of gage is 6,840 ft above *National Geodetic Vertical Datum of 1929*.

Remarks. Records good, except for estimated daily discharges, which are poor.

Extremes for Period of Record. Maximum discharge 32 ft³/s, June 22, 2002, gage height 3.65 ft. No flow most of time.

Extremes for Current Water Year. Maximum discharge 26 ft³/s at 1420 hrs, August 23, gage height 3.52 ft. No flow most of time.



E262 Canon de Valle above Water

Daily Mean Discharge in Cubic Feet per Second

Water Year October 2002 to September 2003

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0	0	0	0	0	0	0	0	0	0	0	0
2	0	0	0	0	0	0	0	0	0	0	0	0
3	0*	0	0	0	0	0	0	0	0	0	0	0
4	0*	0	0	0	0	0	0	0	0	0	0	0
5	0*	0	0	0	0	0	0	0	0	0	0	0
6	0*	0	0	0	0	0	0	0	0	0	0	0
7	0*	0	0	0	0	0	0	0	0	0	0	0
8	0*	0	0	0	0	0	0	0	0	0	0	0
9	0*	0	0	0	0	0	0	0	0	0	0	0.01
10	0*	0	0	0	0	0	0	0	0	0	0	0
11	0*	0	0	0	0	0	0	0	0	0	0	0
12	0*	0	0	0	0	0	0	0	0	0	0	0
13	0*	0	0	0	0	0	0	0	0	0	0	0
14	0*	0	0	0	0	0	0	0	0	0	0	0
15	0*	0	0	0	0	0	0	0	0	0	0	0
16	0*	0	0	0	0	0	0	0	0	0	0	0
17	0*	0	0	0	0	0	0	0	0	0	0	0
18	0*	0	0	0	0	0	0	0	0	0	0	0
19	0*	0	0	0	0	0	0	0	0	0	0	0
20	0*	0	0	0	0	0	0	0	0	0	0*	0
21	0*	0	0	0	0	0	0	0	0	0	0*	0
22	0*	0	0	0	0	0	0	0	0	0	0	0
23	0*	0	0	0	0	0	0	0	0	0	0.45	0
24	0	0	0	0	0	0	0	0	0	0	0.02	0
25	0	0	0	0	0	0	0	0	0	0	0	0
26	0	0	0	0	0	0	0	0	0	0	0	0
27	0	0	0	0	0	0	0	0	0	0	0	0
28	0	0	0	0	0	0	0	0	0	0	0	0
29	0	0	0	0	—	0	0	0	0	0	0	0
30	0	0	0	0	—	0	0	0	0	0*	0	0
31	0	—	0	0	—	0	—	0	—	0*	0	—
Total	0	0	0	0	0	0	0	0	0	0	0.47	0.01
Mean	0	0	0	0	0	0	0	0	0	0	0.015	0
Max	0	0	0	0	0	0	0	0	0	0	0.45	0.01
Min	0	0	0	0	0	0	0	0	0	0	0	0
Ac-Ft	0	0	0	0	0	0	0	0	0	0	0.9	0.02
Wtr Year	2003	Total	0.48	Mean	0.001	Max	0.45	Min	0	Ac-Ft	1	
Cal Year	2002	Total	1.35	Mean	0.004	Max	0.75	Min	0	Ac-Ft	2.7	

*Estimated.

E2625 Water below MDA-AB

Location. Lat 35°49'31", long 106°17'03", in Ramon Vigil Grant, Los Alamos County, on left bank 1.6 mi downstream from E262, 2.6 mi upstream from NM State Highway 4, and 4.6 mi northeast of Pajarito Road junction.

Drainage Area. 11.3 mi².

Period of Record. May 1 to September 30, 2003.

Gage. Data logger with cellular telemetry and 90° weir plate. Elevation of gage is 6,580 ft above *National Geodetic Vertical Datum of 1929*.

Remarks. Records poor.

Extremes for Period of Record. Maximum discharge 53 ft³/s, June 22, 2002, gage height 3.65 ft; no flow most of time.

Extremes for Current Water Year. Maximum discharge 11 ft³/s at 1320 hrs, August 23, gage height, 2.51 ft. No flow most of time.



E2625 Water below MDA-AB

Daily Mean Discharge in Cubic Feet per Second

Water Year October 2002 to September 2003

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0	0	0	0	0	0	0	0	0	0	0	0
2	0	0	0	0	0	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0	0	0	0*	0
4	0	0	0	0	0	0	0	0	0	0*	0*	0
5	0	0	0	0	0	0	0	0	0	0	0*	0
6	0	0	0	0	0	0	0	0	0	0	0*	0
7	0	0	0	0	0	0	0	0	0	0	0*	0
8	0	0	0	0	0	0	0	0	0	0	0*	0
9	0	0	0	0	0	0	0	0	0	0*	0*	0
10	0	0	0	0	0	0	0	0	0	0	0*	0
11	0	0	0	0	0	0	0	0	0	0	0*	0
12	0	0	0	0	0	0	0	0	0	0	0*	0
13	0	0	0	0	0	0	0	0	0	0	0*	0
14	0	0	0	0	0	0	0	0	0	0	0*	0
15	0	0	0	0	0	0	0	0	0	0	0*	0
16	0	0	0	0	0	0	0	0	0	0	0*	0
17	0	0	0	0	0	0	0	0	0*	0	0*	0
18	0	0	0	0	0	0	0	0	0*	0	0*	0
19	0	0	0	0	0	0	0	0	0*	0	0*	0
20	0	0	0	0	0	0	0	0	0	0	0*	0
21	0	0	0	0	0	0	0	0	0*	0	0	0
22	0	0	0	0	0	0	0	0	0*	0	0	0
23	0*	0	0	0	0	0	0	0	0	0	0.18	0
24	0*	0	0	0	0	0	0	0	0	0	0	0
25	0*	0	0	0	0	0	0	0	0	0	0.10	0
26	0*	0	0	0	0	0	0	0	0	0	0	0
27	0*	0	0	0	0	0	0	0	0	0	0	0
28	0	0	0	0	0	0	0	0	0	0	0	0
29	0	0	0	0	—	0	0	0	0	0	0	0
30	0	0	0	0	—	0	0	0	0	0	0	0
31	0	—	0	0	—	0	—	0	—	0	0	—
Total	0	0	0	0	0	0	0	0	0	0	0.28	0
Mean	0	0	0	0	0	0	0	0	0	0	0.009	0
Max	0	0	0	0	0	0	0	0	0	0	0.18	0
Min	0	0	0	0	0	0	0	0	0	0	0	0
Ac-Ft	0	0	0	0	0	0	0	0	0	0	0.6	0
Wtr Year	2003	Total	0.28	Mean	0.001	Max	0.18	Min	0	Ac-Ft	0.6	
Cal Year	2002	Total	2.62	Mean	0.007	Max	1.9	Min	0	Ac-Ft	5.1	

*Estimated.

E263 Water at SR-4

Location. Lat 35°48'20.0", long 106°14'52.0" in Ramon Vigil Grant, Los Alamos County, on right bank 50 ft downstream from NM State Highway 4, 150 ft above mouth of Indio Canyon, and 4.0 mi southwest of White Rock.

Drainage Area. 12.3 mi².

Period of Record. April 1999 to September 30, 2003.

Revised Records. LA-13905-PR: Drainage area.

Gage. Data logger with cellular telemetry. Elevation of gage is 6,368 ft above *National Geodetic Vertical Datum of 1929*, from GPS survey.

Remarks. Water discharge records good.

Extremes for Period of Record. Maximum discharge 306 ft³/s, June 28, 2000, gage height 3.78 ft. No flow most of time.

Extremes for Current Water Year. Maximum discharge 10 ft³/s at 1520 hrs, August 23, gage height 0.91 ft. No flow most of time.



E263 Water at SR-4

Daily Mean Discharge in Cubic Feet per Second

Water Year October 2002 to September 2003

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0	0	0	0	0	0	0	0	0	0	0	0
2	0	0	0	0	0	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0	0	0	0	0
4	0	0	0	0	0	0	0	0	0	0	0	0
5	0	0	0	0	0	0	0	0	0	0	0	0
6	0	0	0	0	0	0	0	0	0	0	0	0
7	0	0	0	0	0	0	0	0	0	0	0	0
8	0	0	0	0	0	0	0	0	0	0	0	0
9	0	0	0	0	0	0	0	0	0	0	0	0
10	0	0	0	0	0	0	0	0	0	0	0	0
11	0	0	0	0	0	0	0	0	0	0	0	0
12	0	0	0	0	0	0	0	0	0	0	0	0
13	0	0	0	0	0	0	0	0	0	0	0	0
14	0	0	0	0	0	0	0	0	0	0	0	0
15	0	0	0	0	0	0	0	0	0	0	0	0
16	0	0	0	0	0	0	0	0	0	0	0	0
17	0	0	0	0	0	0	0	0	0	0	0	0
18	0	0	0	0	0	0	0	0	0	0	0	0
19	0	0	0	0	0	0	0	0	0	0	0.07	0
20	0	0	0	0	0	0	0	0	0	0	0	0
21	0	0	0	0	0	0	0	0	0	0	0	0
22	0	0	0	0	0	0	0	0	0	0	0	0
23	0	0	0	0	0	0	0	0	0	0	0.61	0
24	0	0	0	0	0	0	0	0	0	0	0	0
25	0	0	0	0	0	0	0	0	0	0	0.62	0
26	0.09*	0	0	0	0	0	0	0.02	0	0	0.02	0
27	0	0	0	0	0	0	0	0	0	0	0	0
28	0	0	0	0	0	0	0	0	0	0	0	0
29	0	0	0	0	—	0	0	0	0	0	0	0
30	0	0	0	0	—	0	0	0	0	0	0	0
31	0	—	0	0	—	0	—	0	—	0	0	—
Total	0.09	0	0	0	0	0	0	0.02	0	0	1.32	0
Mean	0.003	0	0	0	0	0	0	0.001	0	0	0.043	0
Max	0.09	0	0	0	0	0	0	0.02	0	0	0.62	0
Min	0	0	0	0	0	0	0	0	0	0	0	0
Ac-Ft	0.2	0	0	0	0	0	0	0.05	0	0	2.5	0
Wtr Year	2003	Total	1.43	Mean	0.004	Max	0.62	Min	0	Ac-Ft	2.8	
Cal Year	2002	Total	10.19	Mean	0.028	Max	6.5	Min	0	Ac-Ft	20	

*Estimated.

E265 Water below SR-4

Location. Lat 35°48'17.7", long 106°14'31.6" in Ramon Vigil Grant, Los Alamos County, on left bank 0.4 mi downstream from NM State Highway 4, and 4.0 mi southwest of White Rock.

Drainage Area. 13.0 mi².

Period of Record. October 1993 through September 30, 2003.

Revised Records. LA-13905-PR: Drainage area.

Gage. Data logger with cellular telemetry and stabilized natural rock control. Elevation of gage is 6,314 ft above *National Geodetic Vertical Datum of 1929*, from GPS survey.

Remarks. Water discharge records good, except for estimated daily discharges, which are poor.

Average Discharge. 8 years, 0.03 ft³/s, 22 acre-ft/yr.

Extremes for Period of Record. Maximum discharge 274 ft³/s, gage height 5.13 ft (from floodmark), June 28, 2000. No flow most of time.

Extremes for Current Water Year. Maximum discharge 25 ft³/s, time unknown, May 26, gage height 1.40 ft (from floodmark). No flow most of time.



E265 Water below SR-4

Daily Mean Discharge in Cubic Feet per Second

Water Year October 2002 to September 2003

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0	0	0	0	0	0	0	0	0	0	0*	0*
2	0	0	0	0	0	0	0	0	0	0	0*	0*
3	0	0	0	0	0	0	0	0	0*	0	0*	0*
4	0	0	0	0	0	0	0	0	0*	0	0*	0*
5	0	0	0	0	0	0	0	0	0*	0	0*	0*
6	0	0	0	0	0	0	0	0	0*	0	0*	0*
7	0	0	0	0	0	0	0	0	0*	0	0*	0*
8	0	0	0	0	0	0	0	0	0*	0	0*	0*
9	0	0	0	0	0	0	0	0	0*	0*	0*	0*
10	0	0	0	0	0	0	0	0	0*	0*	0*	0*
11	0	0	0	0	0	0	0	0	0*	0*	0*	0*
12	0	0	0	0	0	0	0	0	0*	0*	0*	0*
13	0	0	0	0	0	0	0	0	0*	0*	0*	0*
14	0	0	0	0	0	0	0	0	0*	0*	0*	0*
15	0	0	0	0	0	0	0	0	0*	0*	0*	0*
16	0	0	0	0	0	0	0	0	0*	0*	0*	0*
17	0	0	0	0	0	0	0	0	0*	0*	0*	0*
18	0	0	0	0	0	0	0	0	0*	0*	0*	0*
19	0	0	0	0	0	0	0	0	0*	0*	0.06*	0*
20	0	0	0	0	0	0	0	0	0*	0*	0*	0*
21	0	0	0	0	0	0	0	0	0*	0*	0*	0*
22	0	0	0	0	0	0	0	0	0*	0*	0*	0*
23	0	0	0	0	0	0	0	0	0*	0*	0.55*	0*
24	0	0	0	0	0	0	0	0	0*	0*	0*	0*
25	0	0	0	0	0	0	0	0	0*	0*	0.60*	0*
26	0.06	0	0	0	0	0	0	0.01*	0*	0*	0.02*	0*
27	0.01	0	0	0	0	0	0	0	0	0*	0*	0*
28	0	0	0	0	0	0	0	0	0	0*	0*	0*
29	0	0	0	0	—	0	0	0	0	0*	0*	0*
30	0	0	0	0	—	0	0	0	0	0*	0*	0*
31	0	—	0	0	—	0	—	0	—	0*	0*	—
Total	0.07	0	0	0	0	0	0	0.01	0	0	1.23	0
Mean	0.002	0	0	0	0	0	0	0	0	0	0.040	0
Max	0.06	0	0	0	0	0	0	0.01	0	0	0.60	0
Min	0	0	0	0	0	0	0	0	0	0	0	0
Ac-Ft	0.1	0	0	0	0	0	0	0.02	0	0	2.4	0
Wtr Year	2003	Total	1.31	Mean	0.004	Max	0.60	Min	0	Ac-Ft	2.6	
Cal Year	2002	Total	11.14	Mean	0.031	Max	8.1	Min	0	Ac-Ft	22	

*Estimated.

E267 Potrillo above SR-4

Location. Lat 35°48'48", long 106°14'00", in Ramon Vigil Grant, Los Alamos County, on left bank 0.25 mi upstream from NM State Highway 4 and 2.0 mi southwest of White Rock.

Drainage Area. 2.25 mi².

Period of Record. October 1993 to September 30, 2003.

Revised Records. LA-13551-PR (1998): Station number.

Gage. Data logger with cellular telemetry and concrete control. Elevation of gage is 6,458 ft above *National Geodetic Vertical Datum of 1929*, from GPS survey.

Remarks. Water discharge records good, except for estimated daily discharges, which are poor.

Average Discharge. 9 years, 0.004 ft³/s, 2.9 acre-ft/yr.

Extremes for Period of Record. Maximum discharge 63 ft³/s, August 29, 1995, gage height 2.70 ft (from slope-area determination). No flow most of time.

Extremes for Current Water Year. Maximum discharge 20 ft³/s at 1650 hrs, May 26, gage height 1.95 ft. No flow most of time.



E267 Potrillo above SR-4

Daily Mean Discharge in Cubic Feet per Second

Water Year October 2002 to September 2003

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0	0	0	0	0	0	0	0	0	0	0	0
2	0	0	0	0	0	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0	0	0	0	0
4	0	0	0	0	0	0	0	0	0	0	0	0
5	0	0	0	0	0	0	0	0	0	0	0	0
6	0	0	0	0	0	0	0	0	0	0	0	0
7	0	0	0	0	0	0	0	0	0	0	0	0
8	0	0	0	0	0	0	0	0	0	0	0	0*
9	0	0	0	0	0	0	0	0	0	0	0	0.87
10	0	0	0	0	0	0	0	0	0	0	0	0
11	0	0	0	0	0	0	0	0	0	0	0.03	0
12	0	0	0	0	0	0	0	0	0	0	0	0
13	0	0	0	0	0	0	0	0	0	0	0	0
14	0	0	0	0	0	0	0	0	0	0	0	0
15	0	0	0	0	0	0	0	0	0	0	0	0
16	0	0	0	0	0	0	0	0	0	0	0	0
17	0	0	0	0	0	0	0	0	0	0	0	0
18	0	0	0	0	0	0	0	0	0	0	0	0
19	0	0	0	0	0	0	0	0	0	0	3.0	0
20	0	0	0	0	0	0	0	0	0	0	0*	0
21	0	0	0	0	0	0	0	0	0	0	0*	0
22	0	0	0	0	0	0	0	0	0	0	0*	0
23	0	0	0	0	0	0	0	0	0	0	0*	0
24	0	0	0	0	0	0	0	0	0	0	0*	0
25	0	0	0	0	0	0	0	0	0	0	1.0	0
26	0	0	0	0	0	0	0	0.28	0	0	2.3	0
27	0	0	0	0	0	0	0	0	0	0	0.07	0
28	0	0	0	0	0	0	0	0	0	0	0	0
29	0	0	0	0	—	0	0	0	0	0	0	0
30	0	0	0	0	—	0	0	0	0	0	0	0
31	0	—	0	0	—	0	—	0	—	0	0	—
Total	0	0	0	0	0	0	0	0.28	0	0	6.40	0.87
Mean	0	0	0	0	0	0	0	0.009	0	0	0.21	0.029
Max	0	0	0	0	0	0	0	0.28	0	0	3.0	0.87
Min	0	0	0	0	0	0	0	0	0	0	0	0
Ac-Ft	0	0	0	0	0	0	0	0.5	0	0	13	1.7
Wtr Year	2003	Total	7.55	Mean	0.021	Max	3.0	Min	0	Ac-Ft	15	
Cal Year	2002	Total	0.30	Mean	0.001	Max	0.29	Min	0	Ac-Ft	0.6	

*Estimated.

E275 Ancho below SR-4

Location. Lat 35°46'54.2", long 106°14'41.9", in Ramon Vigil Grant, Los Alamos County, 0.3 mi downstream from NM State Highway 4, and 5.5 mi southwest of White Rock.

Drainage Area. 4.55 mi².

Period of Record. December 1993 to September 30, 2003.

Gage. Data logger with cellular telemetry and concrete stabilized natural control. Elevation of gage is 6,198 ft above *National Geodetic Vertical Datum of 1929*, from GPS survey.

Remarks. Water discharge records good, except for estimated daily discharges, which are poor.

Average Discharge. 8 years, 0.011 ft³/s, 8.0 acre-ft/yr.

Extremes for Period of Record. Maximum discharge 534 ft³/s, gage height 2.74 ft, May 26, 2003. No flow most of time.

Extremes for Current Water Year. Maximum discharge 534 ft³/s at 1720 hrs, May 26, gage height 2.74 ft. No flow most of time.



E275 Ancho below SR-4

Daily Mean Discharge in Cubic Feet per Second

Water Year October 2002 to September 2003

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0	0	0*	0	0	0	0	0	0	0	0	0
2	0	0	0*	0	0	0	0	0	0	0	0	0
3	0	0	0*	0	0	0	0	0	0	0	0	0
4	0	0	0*	0	0	0	0	0	0	0	0	0
5	0	0	0*	0	0	0	0	0	0	0	0	0
6	0	0	0*	0	0	0	0	0	0	0	0	0
7	0	0*	0*	0	0	0	0	0	0	0	0	0
8	0	0*	0*	0	0	0	0	0	0	0	0	0
9	0	0*	0*	0	0	0	0	0	0	0	0	0
10	0	0*	0*	0	0	0	0	0	0	0	0	0
11	0	0*	0*	0	0	0	0	0	0	0	0	0
12	0	0*	0*	0	0	0	0	0	0	0	0	0
13	0	0*	0*	0	0	0	0	0	0	0	0	0
14	0	0*	0*	0	0	0	0	0	0	0	0	0
15	0	0*	0*	0	0	0	0	0	0	0	0	0
16	0	0*	0*	0	0	0	0	0	0	0	0	0
17	0	0*	0	0	0	0	0	0	0	0	0	0
18	0	0*	0	0	0	0	0	0	0	0	0	0
19	0	0*	0	0	0	0	0	0	0	0	6.2	0
20	0	0*	0	0	0	0	0	0	0	0	0	0
21	0	0*	0	0	0	0	0	0	0	0	0	0
22	0	0*	0	0	0	0	0	0	0	0	0	0
23	0	0*	0	0	0	0	0	0	0	0	0	0
24	0	0*	0	0	0	0	0	0	0	0	0	0
25	0	0*	0	0	0	0	0	0	0	0	0	0
26	0	0*	0	0	0	0	0	13	0	0	0	0
27	0	0*	0	0	0	0	0	0	0	0	0	0
28	0	0*	0	0	0	0	0	0	0	0	0	0
29	0	0*	0	0	—	0	0	0	0	0	0	0
30	0	0*	0	0	—	0	0	0	0	0	0	0
31	0	—	0	0	—	0	—	0	—	0	0	—
Total	0	0	0	0	0	0	0	13	0	0	6.2	0
Mean	0	0	0	0	0	0	0	0.42	0	0	0.20	0
Max	0	0	0	0	0	0	0	13	0	0	6.2	0
Min	0	0	0	0	0	0	0	0	0	0	0	0
Ac-Ft	0	0	0	0	0	0	0	27	0	0	12	0
Wtr Year	2003	Total	19.2	Mean	0.053	Max	13	Min	0	Ac-Ft	39	
Cal Year	2002	Total	0	Mean	0	Max	0	Min	0	Ac-Ft	0	

*Estimated.

E350 Rio de los Frijoles at Bandelier

Location. Lat 35°46'37.0", long 106°16'9.6", Ramon Vigil Grant, Sandoval County, in Bandelier National Monument, on right bank 800 ft downstream from Monument Headquarters, 6.5 mi south of Los Alamos, 18.5 mi northwest of Santa Fe, and at river mile 2.0.

Drainage Area. 18.16 mi².

Period of Record. July 1963 to September 1969; July 1977 to September 1982; May 1993 to September 1996; and October 1998 to September 30, 2003.

Gage. Data logger and concrete control. Elevation of gage is 6,046 ft above *National Geodetic Vertical Datum of 1929*, from GPS Survey.

Remarks. Water discharge records good, except those for winter period, which are poor. One small diversion from left bank about 1.0 mi upstream for irrigation of small orchard. The La Mesa fire, which occurred during mid June 1977, burned about 40% of the forest cover of this watershed.

Extremes for Period of Record. Maximum discharge 3,030 ft³/s, July 21, 1978, gage height 6.34 ft, site and datum then in use. Minimum daily discharge 0 ft³/s, July 16–19 and 26, 2003.

Extremes for Current Water Year. Maximum discharge 21 ft³/s at 1705 hrs, May 26, gage height 2.43 ft. Minimum daily 0 flow on July 16–19, 26.



E350 Rio de los Frijoles at Bandelier

Daily Mean Discharge in Cubic Feet per Second

Water Year October 2002 to September 2003

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0.56	0.85	1.1	0.95	1.0	1.1	1.1	0.64	0.54	0.17	0.08	0.58
2	0.60	0.92	1.1	0.96	1.1	1.1	1.1	0.63	0.46	0.14	0.06	0.45
3	0.54	0.88	1.1	0.99	1.0	1.0	1.1	0.59	0.42	0.09	0.09	0.39
4	0.55	1.0	1.1	1.0	1.0*	1.2	1.0	0.59	0.37	0.10	0.10	0.43
5	0.55	1.0	1.0	1.0	1.1	1.1	1.1	0.59	0.34	0.09	0.03	0.51
6	0.53	0.96	0.93	1.1	1.0*	1.1	1.1	0.59	0.32	0.09	0.03	0.48
7	0.51	0.96	0.92	1.0	0.80*	1.1	1.1	0.56	0.30	0.08	0.02	0.62
8	0.49	0.96	0.99	1.0	1.0*	1.1	1.1	0.54	0.30	0.06	0.07	0.43
9	0.47	1.4	0.78	1.0	1.3*	1.1	1.1	0.51	0.29	0.03	0.14	0.48
10	0.48	1.3	0.71	1.0	1.0*	1.1	1.0	0.50	0.29	0.02	0.15	0.68
11	0.47	1.2	0.77	1.0	1.1*	1.1	1.0	0.51	0.26	0.02	0.16	0.57
12	0.48	1.1	0.77	1.0	1.7	1.1	1.0	0.50	0.25	0.02	0.19	0.48
13	0.50	1.1	0.72	1.0	1.3	1.1	0.98	0.46	0.33	0.07	0.16	0.42
14	0.52	1.1	0.88	1.1	1.3	1.1	0.95	0.44	0.41	0.03	0.11	0.40
15	0.52	1.1	0.99	1.1	1.2	1.1	1.0	0.43	0.31	0.01	0.14	0.39
16	0.54	1.1	0.97	1.0	1.1	1.2	1.1	0.43	0.36	0	0.15	0.34
17	0.57	1.1	0.99	0.98	1.1	1.3	1.0	0.39	0.35	0	0.20	0.32
18	0.65	1.1	0.80*	0.94	1.1	1.3	0.95	0.36	0.35	0	0.20	0.30
19	0.63	1.1	0.40*	1.0	1.1	1.3	0.97	0.36	0.43	0	0.45	0.34
20	0.62	1.1	0.30*	1.1	1.2	1.3	0.99	0.37	0.50	0.01	0.23	0.34
21	0.64	1.1	0.50*	1.1	1.1	1.3	0.96	0.36	0.36	0.03	0.16	0.32
22	0.63	1.1	0.60*	1.0	1.1	1.3	0.97	0.31	0.27	0.02	0.13	0.30
23	0.79	1.1	0.55*	1.0	1.1	1.3	0.93	0.28	0.23	0.03	0.20	0.29
24	0.89	1.1	0.50*	1.0	1.1	1.2	0.96	0.30	0.20	0.06	0.29	0.27
25	0.77	1.1	0.50*	1.0	1.1	1.2	0.87	0.37	0.19	0.03	0.28	0.28
26	0.89	1.1	0.45*	1.0	1.2	1.1	0.80	0.72	0.19	0	0.39	0.29
27	1.0	1.1	0.45*	1.0	1.2	1.1	0.76	1.1	0.20	0.01	0.39	0.28
28	0.87	1.1	0.50*	1.0	1.1	1.1	0.73	0.70	0.17	0.03	0.75	0.31
29	0.85	1.1	0.50*	1.0	—	1.1	0.70	0.51	0.17	0.02	0.93	0.31
30	0.88	1.1	0.60*	1.0	—	1.2	0.66	0.44	0.20	0.06	1.1	0.29
31	0.85	—	0.60*	1.0	—	1.2	—	0.42	—	0.06	0.93	—
Total	19.84	32.33	23.07	31.32	31.50	36.0	29.08	15.50	9.36	1.38	8.31	11.89
Mean	0.64	1.08	0.74	1.01	1.13	1.16	0.97	0.50	0.31	0.045	0.27	0.40
Max	1.0	1.4	1.1	1.1	1.7	1.3	1.1	1.1	0.54	0.17	1.1	0.68
Min	0.47	0.85	0.30	0.94	0.80	1.0	0.66	0.28	0.17	0	0.02	0.27
Ac-Ft	39	63	46	63	63	71	58	31	18	2.8	17	24
Wtr Year	2003	Total	249.58	Mean	0.68	Max	1.7	Min	0	Ac-Ft	495	
Cal Year	2002	Total	230.06	Mean	0.63	Max	5.0	Min	0.03	Ac-Ft	455	

*Estimated.

Spring Stations

S001 SWSC Line Spring at TA-16

Location. Lat 35°51'1", long 106°20'23", 30 ft upstream from the SWSC line crossing of Cañon de Valle in Laboratory TA-16.

Gage. Data logger with 90° weir. Elevation of gage is 7,437.0 ft above *National Geodetic Vertical Datum of 1929*, from survey.

Period of Record. October 1, 1996, to September 30, 2003.

Remarks. Water discharge records good. This spring is in the Cañon de Valle drainage.



S001 SWSC Line Spring at TA-16

Daily Mean Discharge in Cubic Feet per Second

Water Year October 2002 to September 2003

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0	0	0	0	0	0	0	0	0	0	0	0
2	0	0	0	0	0	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0	0	0	0	0
4	0	0	0	0	0	0	0	0	0	0	0	0
5	0	0	0	0	0	0	0	0	0	0	0	0
6	0	0	0	0	0	0	0	0	0	0	0	0
7	0	0	0	0	0	0	0	0	0	0	0	0
8	0	0	0	0	0	0	0	0	0	0	0	0
9	0	0	0	0	0	0	0	0	0	0	0	0
10	0	0	0	0	0	0	0	0	0	0	0	0
11	0	0	0	0	0	0	0	0	0	0	0	0
12	0	0	0	0	0	0	0	0	0	0	0	0
13	0	0	0	0	0	0	0	0	0	0	0	0
14	0	0	0	0	0	0	0	0	0	0	0	0
15	0	0	0	0	0	0	0	0	0	0	0	0
16	0	0	0	0	0	0	0	0	0	0	0	0
17	0	0	0	0	0	0	0	0	0	0	0	0
18	0	0	0	0	0	0	0	0	0	0	0	0
19	0	0	0	0	0	0	0	0	0	0	0	0
20	0	0	0	0	0	0	0	0	0	0	0	0
21	0	0	0	0	0	0	0	0	0	0	0	0
22	0	0	0	0	0	0	0	0	0	0	0	0
23	0	0	0	0	0	0	0	0	0	0	0	0
24	0	0	0	0	0	0	0	0	0	0	0	0
25	0	0	0	0	0	0	0	0	0	0	0	0
26	0	0	0	0	0	0	0	0	0	0	0	0
27	0	0	0	0	0	0	0	0	0	0	0	0
28	0	0	0	0	0	0	0	0	0	0	0	0
29	0	0	0	0	—	0	0	0	0	0	0	0
30	0	0	0	0	—	0	0	0	0	0	0	0
31	0	—	0	0	—	0	—	0	—	0	0	—
Total	0	0	0	0	0	0	0	0	0	0	0	0
Mean	0	0	0	0	0	0	0	0	0	0	0	0
Max	0	0	0	0	0	0	0	0	0	0	0	0
Min	0	0	0	0	0	0	0	0	0	0	0	0
Ac-Ft	0	0	0	0	0	0	0	0	0	0	0	0
Wtr Year	2003	Total	0	Mean	0	Max	0	Min	0	Ac-Ft	0	
Cal Year	2002	Total	0	Mean	0	Max	0	Min	0	Ac-Ft	0	

S002 Burning Ground Spring at TA-16

Location. Lat 35°50'58", long 106°20'17", 150 yds downstream from the SWSC line crossing of Cañon de Valle in Laboratory TA-16.

Gage. Data logger with 90° weir. Elevation of gage is 7,420.8 ft above *National Geodetic Vertical Datum of 1929*, from survey.

Period of Record. October 1, 1996, to September 30, 2003.

Remarks. Water discharge records good. This spring is in the Cañon de Valle drainage.



S002 Burning Ground Spring at TA-16

Daily Mean Discharge in Cubic Feet per Second

Water Year October 2002 to September 2003

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0.007	0.010	0.009	0.006	0.006	0.006	0.010	0.005	0.005	0.004	0.004	0.006
2	0.008	0.012	0.009	0.006	0.006	0.006	0.011	0.005	0.005	0.005	0.004	0.007
3	0.007	0.013	0.009	0.006	0.007	0.006	0.010	0.005	0.005	0.006	0.004	0.006
4	0.006	0.015	0.008	0.006	0.006	0.006	0.010	0.004	0.005	0.006	0.004	0.005
5	0.006	0.014	0.007	0.006	0.007	0.006	0.010	0.004	0.004	0.006	0.004	0.005
6	0.006	0.016	0.009	0.006	0.007	0.006	0.010	0.005	0.004	0.006	0.004	0.005
7	0.006	0.018	0.009	0.006	0.007	0.007	0.008	0.006	0.004	0.006	0.004	0.005
8	0.006	0.018	0.008	0.006	0.007	0.006	0.007	0.005	0.004	0.006	0.004	0.005
9	0.006	0.016	0.010	0.006	0.007	0.006	0.007	0.005	0.004	0.005	0.004	0.005
10	0.006	0.013	0.010	0.005	0.007	0.006	0.007	0.004	0.004	0.005	0.004	0.005
11	0.007	0.013	0.010	0.005	0.008	0.006	0.005	0.005	0.004	0.005	0.004	0.005
12	0.006	0.010	0.009	0.005	0.008	0.006	0.005	0.005	0.004	0.005	0.005	0.005
13	0.006	0.008	0.009	0.006	0.009	0.006	0.004	0.005	0.004	0.006	0.008	0.005
14	0.007	0.007	0.012	0.006	0.009	0.007	0.004	0.005	0.005	0.010	0.010	0.005
15	0.009	0.008	0.007	0.006	0.009	0.007	0.005	0.005	0.004	0.008	0.007	0.005
16	0.008	0.006	0.006	0.006	0.009	0.007	0.006	0.008	0.004	0.005	0.008	0.005
17	0.016	0.009	0.006	0.006	0.010	0.007	0.007	0.007	0.004	0.004	0.007	0.005
18	0.009	0.007	0.005	0.006	0.010	0.007	0.007	0.005	0.005	0.004	0.005	0.005
19	0.009	0.007	0.006	0.006	0.010	0.007	0.007	0.005	0.005	0.004	0.005	0.005
20	0.009	0.008	0.008	0.006	0.010	0.007	0.008	0.005	0.005	0.004	0.005	0.005
21	0.009	0.010	0.009	0.006	0.011	0.007	0.009	0.005	0.004	0.004	0.005	0.005
22	0.009	0.009	0.007	0.006	0.009	0.008	0.008	0.005	0.004	0.004	0.006	0.005
23	0.012	0.009	0.005	0.006	0.009	0.009	0.006	0.005	0.004	0.004	0.008	0.004
24	0.013	0.009	0.006	0.005	0.010	0.009	0.005	0.005	0.005	0.004	0.012	0.004
25	0.033	0.008	0.006	0.006	0.012	0.008	0.005	0.006	0.005	0.004	0.016	0.004
26	0.014	0.007	0.006	0.006	0.007	0.008	0.005	0.006	0.005	0.004	0.020	0.004
27	0.008	0.008	0.007	0.006	0.006	0.008	0.005	0.006	0.005	0.004	0.020	0.004
28	0.008	0.009	0.008	0.006	0.006	0.009	0.005	0.008	0.006	0.004	0.020	0.004
29	0.008	0.008	0.006	0.006	—	0.009	0.005	0.007	0.006	0.004	0.021	0.004
30	0.009	0.008	0.006	0.006	—	0.009	0.005	0.005	0.004	0.004	0.024	0.004
31	0.009	—	0.006	0.006	—	0.010	—	0.005	—	0.004	0.017	—
Total	0.282	0.313	0.238	0.182	0.229	0.222	0.206	0.166	0.136	0.154	0.273	0.146
Mean	0.009	0.010	0.008	0.006	0.008	0.007	0.007	0.005	0.005	0.005	0.009	0.005
Max	0.033	0.018	0.012	0.006	0.012	0.010	0.011	0.008	0.006	0.010	0.024	0.007
Min	0.006	0.006	0.005	0.005	0.006	0.006	0.004	0.004	0.004	0.004	0.004	0.004
Ac-Ft	0.559	0.621	0.472	0.361	0.454	0.440	0.409	0.329	0.270	0.305	0.472	0.290
Wtr Year	2003	Total	2.547	Mean	0.007	Max	0.033	Min	0.004	Ac-Ft	5.05	
Cal Year	2002	Total	0.873	Mean	0.002	Max	0.033	Min	0	Ac-Ft	1.73	

S003 Martin Spring at TA-16

Location. Lat 35°50'32", long 106°20'11", 0.25 mi south of building 344 in Laboratory TA-16.

Gage. Data logger with 90° weir. Elevation of gage is 7,429.5 ft above *National Geodetic Vertical Datum of 1929*, from survey.

Period of Record. October 1, 1996, to September 30, 2003.

Remarks. Water discharge records good. This spring is in the Water Canyon drainage.



S003 Martin Spring at TA-16

Daily Mean Discharge in Cubic Feet per Second

Water Year October 2002 to September 2003

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0.003	0.002	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0	0
2	0.004	0.002	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0	0
3	0.002	0.002	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0	0
4	0.002	0.002	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0	0
5	0.002	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0	0
6	0.002	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0	0
7	0.002	0.002	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0	0
8	0.002	0.002	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0	0
9	0.002	0.003	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0	0
10	0.001	0.004	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0	0
11	0.001	0.005	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0	0
12	0.001	0.004	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0	0	0
13	0.001	0.002	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0	0	0
14	0.001	0.002	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0	0	0
15	0.001	0.002	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0	0	0
16	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0	0	0
17	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0	0	0
18	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0	0	0
19	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0	0	0
20	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0	0	0
21	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0	0	0
22	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0	0	0
23	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0	0	0
24	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0	0	0
25	0.002	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0	0	0
26	0.002	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0	0	0
27	0.002	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0	0	0
28	0.002	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0	0	0
29	0.002	0.001	0.001	0.001	—	0.001	0.001	0.001	0.001	0	0	0
30	0.002	0.001	0.001	0.001	—	0.001	0.001	0.001	0.001	0	0	0
31	0.002	—	0.001	0.001	—	0.001	—	0.001	—	0	0	—
Total	0.057	0.051	0.031	0.031	0.028	0.031	0.030	0.031	0.030	0.011	0	0
Mean	0.002	0.002	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0	0
Max	0.004	0.005	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0	0
Min	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0	0	0
Ac-Ft	0.113	0.101	0.061	0.061	0.056	0.061	0.060	0.061	0.060	0.022	0	0
Wtr Year	2003	Total	0.331	Mean	0.001	Max	0.005	Min	0	Ac-Ft	0.657	
Cal Year	2002	Total	0.139	Mean	0	Max	0.005	Min	0	Ac-Ft	0.276	

Peak Flow Section

Peak Flow Section

We have listed the peaks for the period of record for the stations listed here. We chose a value as a minimum (typically 5 to 10 ft³/s), although there is variation. That “base” discharge should yield (about) three peaks per year. This is not a hard rule, just a guideline. If the table seems not to coincide with the period of record on station manuscripts, it means those earlier years listed produced no peaks above the minimum value listed on the table.

The minimum time between peaks is 12 hrs. That is, once the stream receded from peak flow, it was below that level for 12 hrs. This enhances the individuality of the peak flows and eliminates any secondary peaks from the same rain event. It also smoothes peak selection during snowmelt runoff periods.

Stations in this section are as follows:

- E030 Los Alamos above DP Canyon
- E040 DP above Los Alamos Canyon
- E042 Los Alamos above SR-4
- E060 Pueblo above SR-502
- E125 Sandia above SR-4
- E200 Mortandad below Effluent Canyon
- E225 Cañada del Buey near MDA-G
- E230 Cañada del Buey above SR-4
- E240 Pajarito below SR-501
- E245 Pajarito above TA-18
- E250 Pajarito above SR-4
- E252 Water above SR-501
- E253 Cañon de Valle above SR-501
- E265 Water below SR-4
- E267 Potrillo above SR-4
- E275 Ancho below SR-4

E030 Los Alamos above DP Canyon

Period Starting 00:00_10/01/1994
Ending 24:00_09/30/2003
Minimum Value 10.00

<u>Time</u>	<u>stage ft</u>	<u>Q ft³/s</u>
16:25_05/29/1995	1.46	10
16:15_08/26/1995	1.49	11
17:15_07/09/1999	1.60	13
18:05_06/02/2000	1.60	13
15:40_10/23/2000	1.85	26
18:05_10/25/2000	1.94	32
19:55_07/02/2001	2.02	30
20:00_07/26/2001	1.74	17
17:05_08/09/2001	2.39	60
19:20_08/16/2001	1.99	28
00:25_06/22/2002	2.88	124
15:05_05/20/2003	1.45	11
11:50_05/21/2003	1.44	10
15:10_08/23/2003	1.68	15
17:30_09/06/2003	1.55	12

E040 DP above Los Alamos Canyon

Period Starting 00:00_10/01/2000
Ending 00:00_09/30/2003
Minimum Value 10.00

<u>Time</u>	<u>stage ft</u>	<u>Q ft³/s</u>
16:40_07/25/2000	3.69	117
14:45_10/23/2000	3.08	15
18:10_10/27/2000	3.36	25
13:35_06/27/2001	3.20	19
19:15_07/02/2001	3.56	33
14:35_08/04/2001	2.93	12
00:00_06/22/2002	3.57	90
15:30_08/23/2003	3.32	51

E042 Los Alamos above SR-4

Period Starting 00:00_10/01/1994
 Ending 24:00_09/30/2003
 Minimum Value 25.00

Time	stage ft	Q ft ³ /s
00:25_10/15/1994	2.21	56
12:55_11/12/1994	2.09	34
16:35_05/29/1995	2.25	51
08:45_07/18/1995	2.04	28
14:50_08/18/1996	2.11	35
15:30_05/20/1997	2.28	55
18:45_06/07/1997	2.13	37
09:05_08/04/1997	2.06	31
10:10_08/05/1997	2.08	32
19:40_08/22/1997	2.38	171
22:45_09/20/1997	2.07	31
16:20_08/06/1999	2.27	34
14:05_08/10/1999	2.18	26
22:35_09/16/1999	2.17	33
23:10_10/23/2000	2.14	38
19:35_10/27/2000	2.31	59
20:40_07/02/2001	2.52	91
12:10_07/05/2001	2.13	37
02:10_07/14/2001	2.05	29
20:30_07/26/2001	2.24	50
18:45_08/05/2001	2.05	29
17:45_08/09/2001	2.83	146
20:00_08/16/2001	2.62	107
00:45_06/22/2002	2.90	160
16:00_08/23/2003	2.54	94
13:40_08/25/2003	2.54	94

E060 Pueblo above SR-502

Period Starting 00:15_10/01/1996
 Ending 24:00_09/30/2003
 Minimum Value 10.00

Time	stage ft	Q ft ³ /s
00:05_07/09/1999	7.18	11
23:35_09/17/1999	7.12	10
01:55_08/03/2000	7.57	60
19:15_08/12/2000	7.04	13
20:10_09/08/2000	7.95	114
11:45_10/12/2000	6.94	11
00:15_10/24/2000	8.08	147
21:15_10/27/2000	7.44	39
20:00_07/02/2001	10.41	1440
20:15_07/26/2001	7.57	114
11:20_07/27/2001	6.35	16
17:15_08/04/2001	7.13	60
21:35_08/05/2001	6.68	28
11:30_08/06/2001	6.52	21
17:10_08/09/2001	8.30	244
10:45_08/10/2001	6.44	18
15:00_08/11/2001	8.25	231
10:25_08/13/2001	6.47	19
06:30_08/14/2001	6.71	29
20:35_08/16/2001	7.94	165
12:55_08/17/2001	6.64	25
10:40_08/20/2001	6.43	16
11:30_08/27/2001	6.39	14
11:25_08/31/2001	6.40	14
13:00_09/25/2001	6.42	13
01:00_06/22/2002	9.47	583
15:45_06/23/2002	7.22	22
10:55_06/24/2002	6.93	11
11:20_07/05/2002	6.95	11
19:35_07/06/2002	6.97	12
16:55_07/07/2002	7.07	16
13:50_07/08/2002	6.93	11
11:40_07/09/2002	7.86	73
14:50_08/09/2002	7.12	18
17:45_09/10/2002	7.34	28
11:10_09/13/2002	7.01	13
11:25_09/14/2002	6.97	11
10:50_09/23/2002	6.96	10
14:25_05/25/2003	7.77	62
19:00_05/26/2003	7.10	17
15:25_05/31/2003	7.18	20
23:20_08/11/2003	7.74	59
13:05_08/22/2003	7.99	90
16:20_08/23/2003	9.72	749
20:30_08/26/2003	7.49	38
18:15_09/06/2003	8.71	243

E125 Sandia above SR-4

Period Starting 00:00_10/01/1994
Ending 24:00_09/30/2003
Minimum Value 10.00

Time	stage ft	Q ft ³ /s
15:30_08/13/1995	1.75	11
12:45_09/08/1995	1.82	13
11:40_09/11/1995	2.17	22
13:55_08/13/1997	2.09	10
14:10_08/28/2002	2.01	18
19:25_08/25/2003	1.13	3

E200 Mortandad below Effluent Canyon

Period Starting 00:00_10/01/1994
Ending 24:00_09/30/2003
Minimum Value 10.00

Time	stage ft	Q ft ³ /s
18:40_09/07/1995	2.23	13
13:40_08/13/1997	2.39	18
21:45_08/17/1997	3.12	42
06:25_03/09/1998	2.16	14
13:25_07/28/1998	2.09	13
17:50_08/13/1998	2.20	15
13:45_08/19/2000	2.04	12
18:15_10/27/2000	2.02	11
12:50_06/27/2001	3.26	49
18:40_07/02/2001	1.96	11
18:40_08/16/2001	2.40	18
20:00_08/31/2001	1.89	10
00:20_06/22/2002	2.16	14
13:45_05/25/2003	2.09	12
01:45_07/20/2003	1.98	10
14:00_08/23/2003	2.73	24

E225 Cañada del Buey near MDA-G

Period Starting 00:00_10/01/1994
Ending 24:00_09/30/2003
Minimum Value 10.00

Time	stage ft	Q ft ³ /s
13:15_09/08/1995	2.71	17
20:00_08/25/2003	2.67	16

E230 Cañada del Buey above SR-4

Period Starting 00:00_10/01/1993
 Ending 24:00_09/30/2003
 Minimum Value 10.00

Time	stage ft	Q ft ³ /s
17:05_07/28/1994	2.36	110
18:00_08/02/1994	1.15	22
15:00_11/03/1994	1.76	61
14:30_11/12/1994	1.01	14
13:40_07/12/1995	2.22	98
14:10_08/02/1995	1.30	33
14:55_08/12/1995	1.21	27
15:20_08/13/1995	1.26	30
09:25_08/17/1995	1.22	27
13:55_08/29/1995	1.85	59
19:00_09/07/1995	1.97	75
13:15_09/08/1995	1.77	60
14:30_09/14/1995	1.14	19
10:15_05/07/1996	2.25	100
02:45_06/29/1996	1.56	39
22:30_07/08/1996	1.53	37
14:15_07/17/1996	1.72	57
21:35_08/17/1997	1.10	16
14:15_07/28/1998	1.43	46
20:30_09/29/1998	1.83	63
14:20_05/28/1999	2.17	92
17:55_06/13/1999	0.55	18
15:30_06/17/1999	3.30	210
16:45_06/21/1999	1.04	12
19:10_08/27/1999	1.87	66
14:40_09/06/1999	1.41	36
21:35_09/16/1999	1.47	41
20:20_08/09/2000	1.37	33
17:15_08/18/2000	1.33	30
14:10_08/28/2002	2.92	168
14:55_09/09/2002	1.44	42
19:00_10/26/2002	0.94	12
17:05_05/26/2003	2.25	100
19:50_08/25/2003	1.81	64

E240 Pajarito below SR-501

Period Starting 00:00_10/07/1994
 Ending 24:00_09/30/2003
 Minimum Value 2.00

Time	stage ft	Q ft ³ /s
13:00_10/02/1995	0.77	2.1
----_06/28/2000	nd	1070
17:40_07/26/2001	1.43	54
17:00_08/05/2001	0.61	4.3
23:10_08/07/2001	0.80	112
15:00_08/09/2001	2.32	154
21:50_06/21/2002	2.45	173
14:55_08/08/2002	0.59	3.8
----_08/23/2003	1.50	61

nd—not determined.

E245 Pajarito above TA-18

Period Starting 00:00_10/07/1994
 Ending 24:00_09/30/2003
 Minimum Value 10.00

Time	stage ft	Q ft ³ /s
17:10_05/29/1995	1.86	15
15:00_08/29/1995	2.24	24
16:35_07/17/1996	2.39	27
21:50_08/17/1997	2.52	30
17:45_09/03/1997	1.88	16
15:25_09/05/1997	2.29	25
15:40_07/11/1998	1.61	11
17:05_10/31/1998	1.65	12
13:20_06/28/2000	5.03	517
15:55_10/23/2000	2.55	31
02:30_10/28/2000	2.73	37
11:25_03/17/2001	1.81	28
13:15_06/27/2001	3.54	141
19:20_07/02/2001	1.43	14
15:40_07/19/2001	2.31	53
19:45_07/26/2001	1.70	24
17:10_08/05/2001	2.27	51
----_08/09/2001	2.7*	76
----_08/16/2001	2.9*	100
23:20_06/21/2002	3.54	141
14:45_07/14/2002	1.60	20
11:25_09/10/2002	1.20	12
18:50_08/11/2003	2.15	44
14:35_08/23/2003	2.07	40

*From floodmark.

E250 Pajarito above SR-4

Period Starting 00:00_10/01/1994
Ending 24:00_09/30/2003
Minimum Value 5.00

Time	stage ft	Q ft ³ /s
18:50_01/08/1996	3.43	14*
15:40_06/17/1999	3.89	20
17:10_06/28/2000	3.44	15
06:30_10/28/2000	3.27	12
21:45_08/09/2001	3.26	12
23:35_08/16/2001	3.72	22
04:35_06/22/2002	3.86	26
02:50_08/26/2003	1.85	0.20

*Water line break.

E252 Water above SR-501

Period Starting 00:00_10/02/1995
Ending 24:00_09/30/2003
Minimum Value 5.00

Time	stage ft	Q ft ³ /s
23:10_04/19/2000	1.09	9.8
12:30_06/28/2000	7.91	840
14:25_07/22/2001	4.37*	255
23:15_06/21/2002	3.90	114
05:40_09/10/2002	3.10	14
12:30_08/28/2003	2.75	2

*Datum change after 6/28/2000.

E253 Cañon de Valle above SR-501

Period Starting 00:00_10/02/1995
Ending 24:00_09/30/2003
Minimum Value 10.00

Time	stage ft	Q ft ³ /s
12:30_06/28/2000	8.42	740
17:10_08/05/2001	2.68	16
14:50_08/09/2001	2.80	19
-----_07/22/2002	2.50	12
16:55_09/06/2003	1.55	0.97

E265 Water below SR-4

Period Starting 00:00_10/02/1995
 Ending 24:00_09/30/2003
 Minimum Value 5.00

Time	stage ft	Q ft ³ /s
20:25_06/29/1996	0.94	18
16:00_06/17/1999	0.93	17
23:00_07/08/1999	0.79	8.5
14:00_06/28/2000	5.13	271
22:30_07/29/2000	0.89	13
17:55_08/12/2000	0.87	12
18:15_08/13/2000	1.01	21
19:00_08/19/2000	1.43	53
00:30_10/24/2000	1.24	40
02:50_10/28/2000	1.88	82
20:35_07/26/2001	1.16	32
13:45_08/03/2001	2.03	92
18:25_08/09/2001	1.38	22
16:00_08/30/2001	0.92	7.2
----_06/22/2002	2.34	105
16:00_07/14/2002	1.16	14
08:00_09/10/2002	1.19	16
15:50_09/28/2002	1.48	29
----_05/26/2003	1.40	25

E267 Potrillo above SR-4

Period Starting 00:00_10/01/1999
 Ending 24:00_09/30/2003
 Minimum Value 5.00

Time	stage ft	Q ft ³ /s
13:55_08/29/1995	2.58	63
19:05_09/07/1995	1.49	13
14:25_07/28/1998	1.06	5.6
16:55_06/21/1999	1.56	14
00:05_07/09/1999	1.38	11
09:35_08/05/1999	1.07	5.7
19:50_08/27/1999	2.38	47
21:35_09/16/1999	1.27	8.8
20:55_08/09/2000	1.35	8.2
20:56_10/23/2000	1.26	6.8
14:05_08/28/2002	1.72	15
16:50_05/26/2003	1.95	20
13:40_08/19/2003	1.72	14
19:10_09/09/2003	1.55	11

E275 Ancho below SR-4

Period Starting 00:00_10/01/1994
Ending 24:00_09/30/2003
Minimum Value 10.00

<u>Time</u>	<u>stage ft</u>	<u>Q ft³/s</u>
14:20_06/29/1995	2.71	520
15:10_08/13/1995	2.02	192
19:50_06/29/1996	1.85	111
21:15_08/17/1997	1.82	98
16:05_06/17/1999	1.91	140
23:00_07/08/1999	1.63	36
16:25_07/26/1999	1.47	12
10:20_08/03/1999	1.55	21
15:30_08/04/1999	1.46	11
19:55_08/27/1999	1.47	12
21:30_09/16/1999	1.77	78
19:25_07/29/2000	1.52	17
16:30_08/06/2000	2.35	249
20:50_08/09/2000	1.57	25
17:20_08/18/2000	1.55	21
21:20_10/23/2000	1.62	34
17:20_05/26/2003	2.74	535
14:30_08/19/2003	2.04	201

This report has been reproduced directly from the best available copy. It is available electronically on the Web (<http://www.doe.gov/bridge>).

Copies are available for sale to U.S. Department of Energy employees and contractors from:

Office of Scientific and Technical Information
P.O. Box 62
Oak Ridge, TN 37831
(865) 576-8401

Copies are available for sale to the public from:

National Technical Information Service
U.S. Department of Commerce
5285 Port Royal Road
Springfield, VA 22616
(800) 553-6847



Los Alamos NM 87545