



United States
Environmental Protection
Agency

CSFII Analysis of Food Intake Distributions

EPA/600/R-03/029
March 2003
www.epa.gov/ncea

CSFII Analysis of Food Intake Distributions

National Center for Environmental Assessment–Washington Office
Office of Research and Development
U.S. Environmental Protection Agency
Washington, DC 20460

DISCLAIMER

This document has been reviewed in accordance with U.S. Environmental Protection Agency policy and approved for publication. Mention of trade names or commercial products does not constitute endorsement or recommendation for use.

Preferred citation:

U.S. Environmental Protection Agency (EPA). (2003) CSFII analysis of food intake distributions. National Center for Environmental Assessment, Washington, DC; EPA/600/R-03/029. Available from: National Technical Information Service, Springfield, VA; PB2003-103268, and <<http://www.epa.gov/ncea>>.

TABLE OF CONTENTS

LIST OF TABLES	iv
PREFACE	viii
AUTHORS, CONTRIBUTORS, AND REVIEWERS	ix
1.0. INTRODUCTION	1
2.0. BACKGROUND	2
3.0. DISTRIBUTIONS OF FOOD INTAKE FOR MAJOR FOOD GROUPS AND INDIVIDUAL FOODS	3
3.1 METHODS	3
3.2 RESULTS	4
4.0. TRENDS	98
REFERENCES	99
APPENDIX A: Calculations Used to Correct for Mixtures	A-1
APPENDIX B: Intake Distributions for Individual Fruits and Vegetables	B-1
APPENDIX C: Intake Distributions for Individuals Fats	C-1

LIST OF TABLES

Table 3-1.	Food Codes and Definitions Used in Analysis of the 1994-1996 USDA CSFII Data	6
Table 3-2.	Sub-category Codes and Definitions Used in the CSFII 1994-1996 Analysis	21
Table 3-3.	Weighted and Unweighted Number of Observations, 1994-1996 CSFII Analysis	22
Table 3-4.	Per Capita Intake of Total Meats	23
Table 3-4a.	Consumer-only Intake of Total Meats	24
Table 3-5.	Per Capita Intake of Total Dairy Products	25
Table 3-6.	Per Capita Intake of Eggs	26
Table 3-6a.	Consumer-only Intake of Eggs	27
Table 3-7.	Per Capita Intake of Total Grains	28
Table 3-7a.	Consumer-only Intake of Total Grains	29
Table 3-8.	Per Capita Intake of Total Vegetables	30
Table 3-8a.	Consumer-only Intake of Total Vegetables	31
Table 3-9.	Per Capita Intake of Total Fruits	32
Table 3-9a.	Consumer-only Intake of Total Fruits	33
Table 3-10.	Per Capita Intake of Total Fats	34
Table 3-10a.	Consumer-only Intake of Total Fats	35
Table 3-11.	Per Capita Intake of Exposed Vegetables	36
Table 3-11a.	Consumer-only Intake of Exposed Vegetables	37
Table 3-12.	Per Capita Intake of Protected Vegetables	38
Table 3-12a.	Consumer-only Intake of Protected Vegetables	39
Table 3-13.	Per Capita Intake of Root Vegetables	40
Table 3-13a.	Consumer-only Intake of Root Vegetables	41
Table 3-14.	Per Capita Intake of Exposed Fruits	42
Table 3-14a.	Consumer-only Intake of Exposed Fruits	43
Table 3-15.	Per Capita Intake of Protected Fruits	44
Table 3-15a.	Consumer-only Intake of Protected Fruits	45
Table 3-16.	Per Capita Intake of Dark Green Vegetables	46
Table 3-16a.	Consumer-only Intake of Dark Green Vegetables	47
Table 3-17.	Per Capita Intake of Deep Yellow Vegetables	48
Table 3-17a.	Consumer-only Intake of Deep Yellow Vegetables	49
Table 3-18.	Per Capita Intake of Other Vegetables	50
Table 3-18a.	Consumer-only Intake of Other Vegetables	51
Table 3-19.	Per Capita Intake of Citrus Fruits	52
Table 3-19a.	Consumer-only Intake of Citrus Fruits	53
Table 3-20.	Per Capita Intake of Other Fruits	54
Table 3-20a.	Consumer-only Intake of Other Fruits	55
Table 3-21.	Per Capita Intake of Individual Fruits and Vegetables	56

LIST OF TABLES (continued)

Table 3-21a.	Consumer-only Intake of Individual Fruits and Vegetables	62
Table 3-22.	Per Capita Intake of Individual Fats	68
Table 3-22a.	Consumer-only Intake of Individual Fats	70
Table 3-23.	Per Capita Intake of Beef	72
Table 3-23a.	Consumer-only Intake of Beef	73
Table 3-24.	Per Capita Intake of Pork	74
Table 3-24a.	Consumer-only Intake of Pork	75
Table 3-25.	Per Capita Intake of Poultry	76
Table 3-25a.	Consumer-only Intake of Poultry	77
Table 3-26.	Per Capita Intake of Game	78
Table 3-26a.	Consumer-only Intake of Game	79
Table 3-27.	Per Capita Intake of Breads	80
Table 3-27a.	Consumer-only Intake of Breads	81
Table 3-28.	Per Capita Intake of Sweets	82
Table 3-28a.	Consumer-only Intake of Sweets	83
Table 3-29.	Per Capita Intake of Breakfast Foods	84
Table 3-29a.	Consumer-only Intake of Breakfast Foods	85
Table 3-30.	Per Capita Intake of Snacks Containing Grains	86
Table 3-30a.	Consumer-only Intake of Snacks Containing Grains	87
Table 3-31.	Per Capita Intake of Pasta	88
Table 3-31a.	Consumer-only Intake of Pasta	89
Table 3-32.	Per Capita Intake of Cooked Cereals	90
Table 3-32a.	Consumer-only Intake of Cooked Cereals	91
Table 3-33.	Per Capita Intake of Rice	92
Table 3-33a.	Consumer-only Intake of Rice	93
Table 3-34.	Per Capita Intake of Ready-to-Eat Cereals	94
Table 3-34a.	Consumer-only Intake of Ready-to-Eat Cereals	95
Table 3-35.	Per Capita Intake of Baby Cereals	96
Table 3-35a.	Consumer-only Intake of Baby Cereals	97
Table 4-1.	Consumer-only Consumption of the Major Food Groups	98
Table A-1.	Fraction of Grain and Meat Mixture Intake Represented by Various Food Items/Groups	A-3
Table B-1.	Per Capita Intake of Apples	B-2
Table B-1a.	Consumer-only Intake of Apples	B-3
Table B-2.	Per Capita Intake of Asparagus	B-4
Table B-2a.	Consumer-only Intake of Asparagus	B-5
Table B-3.	Per Capita Intake of Bananas	B-6

LIST OF TABLES (continued)

Table B-3a.	Consumer-only Intake of Bananas	B-7
Table B-4.	Per Capita Intake of Beets	B-8
Table B-4a.	Consumer-only Intake of Beets	B-9
Table B-5.	Per Capita Intake of Broccoli	B-10
Table B-5a.	Consumer-only Intake of Broccoli	B-11
Table B-6.	Per Capita Intake of Cabbage	B-12
Table B-6a.	Consumer-only Intake of Cabbage	B-13
Table B-7.	Per Capita Intake of Carrots	B-14
Table B-7a.	Consumer-only Intake of Carrots	B-15
Table B-8.	Per Capita Intake of Corn	B-16
Table B-8a.	Consumer-only Intake of Corn	B-17
Table B-9.	Per Capita Intake of Cucumbers	B-18
Table B-9a.	Consumer-only Intake of Cucumbers	B-19
Table B-10a.	Per Capita Intake of Lettuce	B-20
Table B-10a.	Consumer-only Intake of Lettuce	B-21
Table B-11.	Per Capita Intake of Lima Beans	B-22
Table B-11a.	Consumer-only Intake of Lima Beans	B-23
Table B-12.	Per Capita Intake of Okra	B-24
Table B-12a.	Consumer-only Intake of Okra	B-25
Table B-13.	Per Capita Intake of Onions	B-26
Table B-13a.	Consumer-only Intake of Onions	B-27
Table B-14.	Per Capita Intake of Other Berries	B-28
Table B-14a.	Consumer-only Intake of Other Berries	B-29
Table B-15.	Per Capita Intake of Peaches	B-30
Table B-15a.	Consumer-only Intake of Peaches	B-31
Table B-16.	Per Capita Intake of Pears	B-32
Table B-16a.	Consumer-only Intake of Pears	B-33
Table B-17.	Per Capita Intake of Peas	B-34
Table B-17a.	Consumer-only Intake of Peas	B-35
Table B-18.	Per Capita Intake of Peppers	B-36
Table B-18a.	Consumer-only Intake of Peppers	B-37
Table B-19.	Per Capita Intake of Pumpkins	B-38
Table B-19a.	Consumer-only Intake of Pumpkins	B-39
Table B-20.	Per Capita Intake of Snap Beans	B-40
Table B-20a.	Consumer-only Intake of Snap Beans	B-41
Table B-21.	Per Capita Intake of Strawberries	B-42
Table B-21a.	Consumer-only Intake of Strawberries	B-43
Table B-22.	Per Capita Intake of Tomatoes	B-44
Table B-22a.	Consumer-only Intake of Tomatoes	B-45
Table B-23.	Per Capita Intake of White Potatoes	B-46

LIST OF TABLES (continued)

Table B-23a. Consumer-only Intake of White Potatoes B-47

Table C-1. Per Capita Intake of Animal Fat C-2

Table C-1a. Consumer-only Intake of Animal Fat C-3

Table C-2. Per Capita Intake of Butter C-4

Table C-2a. Consumer-only Intake of Butter C-5

Table C-3. Per Capita Intake of Dressing C-6

Table C-3a. Consumer-only Intake of Dressing C-7

Table C-4. Per Capita Intake of Margarine C-8

Table C-4a. Consumer-only Intake of Margarine C-9

Table C-5. Per Capita Intake of Mayonnaise C-10

Table C-5a. Consumer-only Intake of Mayonnaise C-11

Table C-6. Per Capita Intake of Sauce C-12

Table C-6a. Consumer-only Intake of Sauce C-13

Table C-7. Per Capita Intake of Vegetable Oil C-14

Table C-7a. Consumer-only Intake of Vegetable Oil C-15

PREFACE

The National Center for Environmental Assessment (NCEA) of the U.S. Environmental Protection Agency's (EPA's) Office of Research and Development published *Exposure Factors Handbook* in 1997. The handbook addresses factors commonly used in exposure assessments.

NCEA's goal is to keep the handbook current by providing periodic updates as new data become available. In addition to staying abreast of the most recent literature, NCEA conducts research aimed at filling data gaps and expanding the state of knowledge on important exposure factors. One of these factors is food consumption. This report presents the results of NCEA's analysis of the U.S. Department of Agriculture's Continuing Survey of Food Intakes by Individuals (CSFII) conducted from 1994 to 1996.

AUTHORS, CONTRIBUTORS, AND REVIEWERS

The National Center for Environmental Assessment (NCEA) of EPA's Office of Research and Development was responsible for the preparation of this report. The report was compiled by the Exposure Assessment Division of Versar Inc. in Springfield, Virginia, under EPA Contract No. 68-D5-0051. Jacqueline Moya served as Work Assignment Manager, providing overall direction and technical assistance and serving as contributing author.

AUTHORS

Versar Inc.

Linda Phillips

Jay Wind, data analyst

Teri Schaeffer, Excel tables

U.S. EPA

Jacqueline Moya

John Schaum, U.S. EPA, NCEA, reviewed this report and provided valuable comments.

1.0. INTRODUCTION

The primary current source of information on consumption rates of foods is the U.S. Department of Agriculture's (USDA's) Continuing Survey of Food Intakes by Individuals (CSFII). The purpose of the CSFII is to "assess food consumption behavior and nutritional content of diets for policy implications relating to food production and marketing, food safety, food assistance, and nutrition education" (USDA, 1995). Data from the 1989–1991 CSFII were analyzed previously to generate per capita intake rates for various food items and food groups for use in the U.S. Environmental Protection Agency's 1997 *Exposure Factors Handbook*. The Science Advisory Board reviewed the *Exposure Factors Handbook* in December 1996, prior to its release, and recommended that the food consumption data from USDA's most recent national survey be analyzed for an update to the handbook. Therefore, the purpose of this project was to analyze the CSFII 1994–1996 data for food consumption.

2.0. BACKGROUND

Data from the 1994, 1995, and 1996 CFSIIs were combined into a single data set to increase the number of observations available for analysis. The analysis presented in this report is based on the raw data from these three surveys. Approximately 16,000 individuals provided intake data over the three survey years. Using a stratified sampling technique, individuals of all ages living in selected households in the 50 states and Washington, D.C., were surveyed. Individuals provided 2 nonconsecutive days of data, based on 24-hour dietary recall. The 2-day response rate was approximately 76%.

3.0. DISTRIBUTIONS OF FOOD INTAKE FOR MAJOR FOOD GROUPS AND INDIVIDUAL FOODS

3.1. METHODS

The food items/groups selected for this analysis were the same as those used in the analysis of the 1989–1991 CSFII data set, with the addition of total fats and several categories of fats (vegetable oil, animal fat, butter, dressing, margarine, mayonnaise, and sauce). It is important to note that these are fats that are added to foods during preparation and cooking and do not include fats that are intrinsic in the foods. The major food groups from both the previous analysis and this analysis included total fruits, total vegetables, total meats, total dairy, total fish, total grains, and eggs.

Individual fruits included apples, bananas, peaches, pears, strawberries, and other berries; individual vegetables included asparagus, beets, broccoli, cabbage, carrots, corn, cucumbers, lettuce, lima beans, okra, onions, peas, peppers, pumpkin, snap beans, tomatoes, and white potatoes. Fruits and vegetables were also categorized as exposed, protected, and roots, and various USDA categories (citrus and other fruits, and dark green, deep yellow, and other vegetables) were analyzed. Individual meats included beef, pork, poultry, and game. Individual grain products included breads, snacks, sweets, breakfast foods, cooked cereals, pasta rice, ready-to-eat cereals, and baby cereals. The food codes used in the current analysis are presented in Table 3-1.

Intake rates of total dairy, total meats, total fish, total grains, total vegetables, total fats, eggs, tomatoes, white potatoes, beef, pork, and poultry were adjusted to account for the amount of these food items eaten as meat and grain mixtures, using the percentages of mixtures attributable to the various food groups for the 1989–1991 CSFII data, as described in USDA (1995). A detailed explanation of these adjustments is provided in Appendix A.

Individual identifiers in the database were used throughout the analysis to categorize populations according to demographics. These identifiers included identification number, region, urbanization, age, sex, race, body weight, weighting factor, season, and number of days that data were reported. Distributions of intake were determined using individuals who provided data for both survey days. Individuals who did not provide information on body weight or for whom identifying information was unavailable were excluded from the analysis.

Two-day average intake rates were calculated for all individuals in the database for each of the food items/groups. These average daily intake rates were divided by each individual's reported body weight to generate intake rates in units of (g/kg per day). The data were also weighted according to the 3-year, 2-day weights provided in the 1994–1996 CSFII data sets. USDA sample weights are calculated to account for inherent biases in the sample selection process and to adjust the sample population to reflect the national population.

Empirical distributions for individual intake rates were generated on a per capita basis. That is, both users and nonusers of the food item were included in the analysis. Mean consumer-only rates were also calculated. Summary statistics included are percentage of the population using the food item/group being analyzed, mean intake rate, standard error, and percentiles of the intake rate distribution.

Data are provided for the total population using the food item being evaluated and for several groupings including age, region, urbanization, season, and race. Table 3-2 provides the codes, definitions, and a description of the data in these categories. The total number of individuals in the data set, by demographic group, are presented in Table 3-3. The food analysis was accomplished using the SAS statistical programming system.

3.2 RESULTS

The results of the analysis are presented in the tables at the end of Chapter 3. Tables 3-4 through 3-10a show intake distributions for the major food groups and Tables 3-11 through 3-20a for exposed, protected, and root food items and for the various USDA categories. Tables 3-21 and 3-21a summarize the mean, percent consuming, and standard error for various individual fruits and vegetables. Full distributions for these food items are not provided in the body of this report because the proportion of the population consuming these items was small. Distributional data for these fruits and vegetables are provided in Appendix B. Tables 3-22 and 3-22a summarize the mean, percent consuming, and standard error for individuals fats. The proportion of the population consuming these foods was also small; thus, their distributions are provided only in Appendix C. Tables 3-23 through 3-26a provide the data for individuals meats and Tables 3-27 through 3-35a for individuals grains.

The results are presented in units of grams per kilogram body weight per day. Thus, use of these data in calculating potential dose does not require the body weight factor to be included in the denominator of the average daily dose (ADD) equation. It should be noted that converting

these intake rates into units of grams per day by multiplying by a single average body weight is inappropriate because individual intake rates were indexed to the reported body weights of the survey respondents. To convert these intake rates into units of grams per day, one would need to calculate the average body weight among all the survey respondents. This number may be different than the default value of 70 kg because individuals of various ages, including children, participated in the survey.

Alternatively, one could take the average body weight from each age group, based on the data presented in *Exposure Factors Handbook* (U.S. EPA, 1997) Tables 7-6 and 7-7 and calculate a weighted average body weight using Table 3-3 of this report, which indicates the number of individuals at each age group.

Table 3-1. Food codes and definitions used in analysis of the 1994–1996 USDA CSFII data

Food Product	Food Codes	
MAJOR FOOD GROUPS		
Total Dairy	1- Milk and milk products milk and milk drinks cream and cream substitutes milk desserts, sauces, and gravies cheeses	Includes regular fluid milk, human milk, imitation milk products, yogurt, milk-based meal replacements, and infant formulas. Also includes the average portion of grain mixtures (13.48%) and the average portion of meat mixtures (5.56%) made up by dairy.
Total Meats	20- Meat, type ns 21- Beef 22- Pork 23- Lamb, veal, game, carcass meat 24- Poultry 25- Organ meats, sausages, lunchmeats, meat spreads	Also includes the average portion of grain mixtures (7.87%) and the average portion of meat mixtures (31.11%) made up by meats.
Eggs	3- Eggs eggs egg mixtures egg substitutes eggs baby food frozen meals with egg as main ingredient	Includes baby foods. Also includes the average portion of grain mixtures (1.12%) and the average portion of meat mixtures (1.11%) made up by eggs.
Total Grains	50- Flour 51- Breads 52- Tortillas 53- Sweets 54- Snacks 55- Breakfast foods 561- Pasta 562- Cooked cereals and rice 57- Ready-to-eat and baby cereals	Also includes the average portion of grain mixtures (31.46%) and the average portion of meat mixtures (13.33%) made up by grain.
Total Fruits	6- Fruits citrus fruits and juices dried fruits other fruits fruits/juices and nectar fruit/juices baby food	Includes baby foods.
Total Vegetables	7- Vegetables (all forms) white potatoes and Puerto Rican starchy dark green vegetables deep yellow vegetables tomatoes and tom. mixtures other vegetables	Includes baby foods; mixtures, mostly vegetables. Does not include nuts and seeds. Also includes the average portion of grain mixtures (25.84%) and the average portion of meat mixtures (30%) made up by vegetables.

(Continued)

Table 3-1. Food codes and definitions used in analysis of the 1994–1996 USDA CSFII data (continued)

Food Product	Food Codes	
Total Vegetables (continued)	vegetables and mixtures/baby food vegetables with meat mixtures 411- Beans/legumes 412- Beans/legumes 413- Beans/legumes 414- Soybeans 415- Bean dinners and soups 416- Bean dinners and soups 418- Meatless items 419- Soyburgers	
Total Fats	8- Fats (all forms)	Includes butter, margarine, animal fat, sauces, vegetable oils, dressings, and mayonnaise. Also includes the average portion of grain mixtures (2.25%) and the average portion of meat mixtures (2.22%) made up by meats.
INDIVIDUAL MEATS		
Beef	21- Beef beef, form ns beef steak beef oxtails, neckbones, ribs roasts, stew meat, corned, brisket, sandwich steaks ground beef, patties, meatballs other beef items beef baby food	Also includes the average portion of grain mixtures (4.49%) and the average portion of meat mixtures (20%) made up by beef.
Pork	22- Pork pork, form ns; ground dehydrated chops steaks, cutlets ham roasts Canadian bacon bacon, salt pork other pork items pork baby food	Also includes the average portion of grain mixtures (1.12%) and the average portion of meat mixtures (2.22%) made up by pork.
Game	233- Game	
Poultry	24- Poultry chicken turkey duck other poultry poultry baby food	Also includes the average portion of grain mixtures (1.12%) and the average portion of meat mixtures (7.78%) made up by poultry.

(Continued)

Table 3-1. Food codes and definitions used in analysis of the 1994–1996 USDA CSFII data (continued)

Food Product	Food Codes	
INDIVIDUAL GRAINS		
Breads	51- Breads, rolls, muffins, bagel, biscuits, corn bread 52- Tortillas	
Sweets	53- Cakes, cookies, pies, pastries, doughnuts, breakfast bars, coffee cakes	
Snacks	54- Crackers, salty snacks, popcorn, pretzels	
Breakfast Foods	55- Pancakes, waffles, french toast	
Pasta	561- Macaroni, noodles, spaghetti	
Cooked Cereals	56200- 56201- 56202- 56203- 56206- 56207- 56208- 56209- 56210-	Includes grits, oatmeal, cornmeal mush, millet, etc.
Rice	56204- 56205-	Includes all varieties of rice.
Ready-to-eat Cereals	570- 571- 572- 573- 574- 576-	Includes all varieties of ready-to-eat cereals.
Baby Cereals	578- Baby cereals	
FRUIT CATEGORIES		
Citrus Fruits	61- Citrus fruits and juices 63403150 Lime souffle 6720500 Orange juice, baby food 6721100 Orange-apple-banana juice, baby food 6723050 Orange/carrot baby juice	Includes some citrus mixtures.
Other Fruits	62- Dried fruits 63- Other fruits 64- Fruit juices and nectars, excluding citrus 671- Fruits, baby 67202- Apple juice, baby 67203- Baby juices 67204- Baby juices 67212- Baby juices 67213- Baby juices	(continued) 672300 Apple-sweet potato juice 6725- Baby juice 673- Baby fruits 674- Baby fruits 675- Apples with meat Includes some mixtures (i.e., salads, baby foods).

(Continued)

Table 3-1. Food codes and definitions used in analysis of the 1994–1996 USDA CSFII data (continued)

Food Product	Food Codes	
Apples	6210110 Apples, dried, uncooked 6210115 Apples, dried, uncooked, low sodium 6210120 Apples, dried, cooked, ns as to sweetener 6210122 Apples, dried, cooked, unsweetened 6210123 Apples, dried, cooked, with sugar 6210130 Apple chips 6310100 Apples, raw 6310111 Applesauce, ns as to sweetener 6310112 Applesauce, unsweetened 6310113 Applesauce with sugar 6310114 Applesauce with low-calorie sweetener 6310115 Applesauce/other fruits 6310121 Apples, cooked or canned with syrup 6310131 Apple, baked, ns as to sweetener 6310132 Apple, baked, unsweetened 6310133 Apple, baked with sugar 6310141 Apple rings, fried 6310142 Apple, pickled 6310150 Apple, fried 634010 Apple/other fruit salad 6340106 Apple, candied 6410101 Apple cider 6410401 Apple juice 6410405 Apple juice with vitamin C 6410409 Apple juice with calcium 6410415 Apple-cherry juice 6410420 Apple-pear juice 6410445 Apple-raspberry juice 6410450 Apple-grape juice	(continued) 6710030 Applesauce, baby toddler 6710100 Apple-raspberry, baby, ns as to strained or junior 6710101 Apple-raspberry, baby, strained 6710102 Apple-raspberry, baby, junior 6710200 Applesauce baby food, ns as to strained or junior 6710201 Applesauce baby food, strained 6710202 Applesauce baby food, junior 67104- Applesauce and other fruit, baby 67113- Apples and pears, baby 6720200 Apple juice, baby food 6720300 Apple w/other fruit juice, baby 6720320 Apple-banana juice, baby 6720340 Apple-cherry juice, baby 6720345 Apple-cranberry juice, baby 6720350 Apple-grape juice, baby 6720360 Apple-peach juice, baby 6720370 Apple-prune juice, baby 6723000 Apple-sweet potato juice, baby food 6725005 Apple juice w/lowfat yogurt, baby food 67301- Apples and cranberries w/tapioca, baby 6740407 Apple yogurt dessert, baby, strained 67412- Dutch apple dessert, baby 675- Apples and meat, baby Includes some mixtures.
Bananas	6210710 Banana flakes, dehydrated 6210720 Banana chips 63107- Bananas, various 6340199 Banana, chocolate covered 6340201 Banana whip 6420150 Banana nectar 6710503 Banana, baby 6711500 Banana, baby	(continued) 6725010 Banana juice with yogurt, baby 67308- Banana, baby 67309- Banana, baby 6740411 Banana apple dessert, baby 6740420 Banana pineapple dessert, baby 67408- Banana, baby 674041- Banana, baby
Peaches	62116- Dried peaches 63135- Peaches 6412203 Peach juice 6420501 Peach nectar 67108- Peaches, baby	(continued) 6711450 Peaches, dry, baby 67405- Peach cobbler, baby 67413700 Peach yogurt dessert, baby

(Continued)

Table 3-1. Food codes and definitions used in analysis of the 1994–1996 USDA CSFII data (continued)

Food Product	Food Codes	
Pears	62119- Dried pears 63137- Pears 6341201 Pear salad 6421501 Pear nectar 67109- Pears, baby 6711455 Pears, dry, baby	(continued) 6721200 Pear juice, baby 6412300 Pear/white grape/passion fruit juice 67114- Pear/pineapple, baby 6725020 Pear/peach juice with yogurt, baby
Strawberries	6322- Strawberries 6413250 Strawberry juice	
Other Berries	6210910 Cranberries, dried 6320- Other berries 6321- Other berries 6322400 Youngberries, raw 6341101 Cranberry salad	(continued) 6410460 Blackberry juice 64105- Cranberry juice 6740430 Blueberry yogurt dessert, baby
Exposed Fruits	621011- Apple, dried 621012- Apple, dried 6210130 Apple chips 62104- Apricot, dried 62108- Currants, dried 6210910 Cranberries, dried 62110- Date, dried 62116- Peaches, dried 62119- Pears, dried 62121- Plum, dried 62122- Prune, dried 62125- Raisins 63101- Apples/applesauce 63102- Wi-apple 63103- Apricots 63111- Cherries, maraschino 63112- Acerola 63113- Cherries, sour 63115- Cherries, sweet 63117- Currants, raw 63123- Grapes 6312601 Juneberry 63131- Nectarine 63135- Peach 63137- Pear 63139- Persimmons 63143- Plum 63146- Quince 63147- Rhubarb/sapodillo	(continued) 632- Berries 6340101 Apple salad w/dressing (include Waldorf salad) 6340102 Apple and cabbage salad w/dressing 6340103 Apple and fruit salad w/dressing 6340106 Apple, candied (include caramel apples) 6340203 Prune whip 6341101 Cranberry salad, congealed 6341201 Pear salad w/dressing 6341500 Soup, sour cherry 64101- Apple cider 64104- Apple juice 6410409 Apple juice with calcium 64105- Cranberry juice 64116- Grape juice 64122- Peach juice 6412300 Pear-white-grape-passion fruit juice, w/added vitamin C 64132- Prune/strawberry juice 6420101 Apricot nectar 64205- Peach nectar 64215- Pear nectar 6710030 Applesauce, baby toddler 6710100 Apple-raspberry, baby, ns as to strained or junior 6710101 Apple-raspberry, baby, strained 6710102 Apple-raspberry, baby, junior 67102- Applesauce, baby

(Continued)

Table 3-1. Food codes and definitions used in analysis of the 1994–1996 USDA CSFII data (continued)

Food Product	Food Codes	
Exposed Fruits (continued)	6710400 Applesauce and apricots, baby, ns as to strained or junior 6710401 Applesauce and apricots, baby, strained 6710402 Applesauce and apricots, baby, junior 6710407 Applesauce w/cherries, baby, strained 6710408 Applesauce w/cherries, baby, junior 6710409 Applesauce w/cherries, baby, ns as to strained or junior 67108- Peaches, baby 67109- Pears, baby 6711000 Prunes, baby 6711300 Apples and pears, baby, ns as to strained or junior 6711301 Apples and pears, baby, strained 6711302 Apples and pears, baby, junior 6711450 Peaches, baby, dry 6711455 Pears, baby, dry 67202- Apple juice, baby 6720340 Apple-cherry juice, baby 6720345 Apple-cranberry juice, baby 6720350 Apple-grape juice, baby 6720360 Apple-peach juice, baby 6720370 Apple-prune juice, baby 6720380 White grape juice, baby 67212- Pear juice, baby 6723000 Apple-sweet potato juice, baby food 6725005 Apple juice w/lowfat yogurt, baby food 6725020 Pear-peach juice w/lowfat yogurt, baby food 6730100 Apples and cranberries w/tapioca, baby, ns as to strained or junior	6730101 Apples and cranberries w/tapioca, baby, strained 6730102 Apples and cranberries w/tapioca, baby, junior 6730400 Plums w/tapioca, baby, ns as to strained or junior 6730401 Plums w/tapioca, baby, strained 6730402 Plums w/tapioca, baby, junior 6730403 Plums, bananas and rice, baby, strained 6730450 Prunes w/oatmeal, baby, strained 6730501 Prunes w/tapioca, baby, strained 6730600 Ciruelas w/tapioca, baby 6730700 Apricots w/tapioca, baby, ns as to strained or junior 6730701 Apricots w/tapioca, baby, strained 6730702 Apricots w/tapioca, baby, junior 6740407 Apple yogurt dessert, baby, strained 6740430 Blueberry yogurt dessert, baby, strained 6740455 Cherry cobbler, baby, junior 6740500 Peach cobbler, baby, ns as to strained or junior 6740501 Peach cobbler, baby, strained 6740502 Peach cobbler, baby, junior 6741000 Cherry vanilla pudding, baby 6741200 Dutch apple dessert, baby, ns as to strained or junior 6741201 Dutch apple dessert, baby, strained 6741202 Dutch apple dessert, baby, junior 6741370 Peach yogurt dessert, baby, strained 675- Apples and meat
Protected Fruits	61- Citrus fruit, juices (including citrus juice mixtures) 62107- Bananas, dried 62113- Figs, dried 62114- Lychees/papayas, dried 62120- Pineapple, dried 62126- Tamarind, dried 63105- Avocado, raw 63107- Bananas 63109- Cantaloupe, carambola 63110- Cassaba melon 63119- Figs 63121- Genip 63125- Guava/jackfruit, raw 6312650 Kiwi	(continued) 6312651 Lychee, raw 6312660 Lychee, cooked 6312665 Loquats, raw 63127- Honeydew 63129- Mango 63133- Papaya 63134- Passion fruit 63141- Pineapple 63145- Pomegranate 63148- Sweetsop, soursop, tamarind 63149- Watermelon 6340199 Banana, chocolate-covered, w/nuts 6340201 Banana whip

(Continued)

Table 3-1. Food codes and definitions used in analysis of the 1994–1996 USDA CSFII data (continued)

Food Product	Food Codes	
Protected Fruits (continued)	6340205 Fried dwarf banana w/cheese, Puerto Rican style 6340315 Lime souffle (include other citrus fruits) 6340801 Guacamole w/tomatoes 6340820 Guacamole w/tomatoes and chile peppers 63490901 Guacamole, form ns 64120- Papaya juice 64121- Passion fruit juice 64124- Pineapple juice 64125- Pineapple juice 64133- Watermelon juice 6420150 Banana nectar 64202- Cantaloupe nectar 64203- Guava nectar 64204- Mango nectar 64210- Papaya nectar 64213- Passion fruit nectar 64221- Soursop nectar 6710503 Bananas, baby 6711500 Bananas, baby, dry 6720500 Orange juice, baby 6721300 Pineapple juice, baby	(continued) 6723050 Orange-carrot juice, baby food 6725010 Banana juice w/lowfat yogurt, baby food 6730800 Bananas w/tapioca, baby, ns as to strained or junior 6730801 Bananas w/tapioca, baby, strained 6730802 Bananas w/tapioca, baby, junior 6730900 Bananas and pineapple w/tapioca, baby, ns as to strained or junior 6730901 Bananas and pineapple w/tapioca, baby, strained 6730902 Bananas and pineapple w/tapioca, baby, junior 6740411 Banana apple dessert, baby food, strained 6740420 Banana pineapple dessert, w/tapioca, baby 6740801 Banana pudding, baby, strained 6740850 Banana yogurt dessert, baby, strained 6741400 Pineapple dessert, baby, ns as to strained or junior 6741401 Pineapple dessert, baby, strained 6741402 Pineapple dessert, baby, junior 6741410 Mango dessert w/tapioca, baby
VEGETABLE CATEGORIES		
Asparagus	7510080 Asparagus, raw 75202- Asparagus, cooked 7540101 Asparagus, creamed or with cheese 756010 Asparagus soup	Does not include vegetables with meat mixtures.
Beets	72101- Beet greens 7510250 Beets, raw 752080- Beets, cooked 752081- Beets, canned 7540501 Beets, Harvard 7550021 Beets, pickled	(continued) 7560110 Beet soup 76403- Beets, baby Does not include vegetable with meat mixtures.
Broccoli	722- Broccoli (all forms) 7230200 Broccoli soup (include cream of broccoli soup) 7230210 Broccoli cheese soup, prep w/milk 7230200 Broccoli soup (include cream of broccoli soup) 7514050 Broccoli salad w/cauliflower, cheese, bacon, and dressing	Does not include vegetable with meat mixtures.
Cabbage	7510300 Cabbage, raw 7510400 Cabbage, Chinese, raw 7510500 Cabbage, red, raw 7514100 Cabbage salad or coleslaw 7514110 Cabbage salad or coleslaw, w/apples, raisins, dress	(continued) 7514120 Cabbage salad or coleslaw, w/pineapple, dressing 7514130 Cabbage, Chinese, salad 75210- Chinese cabbage, cooked

(Continued)

Table 3-1. Food codes and definitions used in analysis of the 1994–1996 USDA CSFII data (continued)

Food Product	Food Codes	
Cabbage (continued)	75211- Green cabbage, cooked 75212- Red cabbage, cooked 752130- Savoy cabbage, cooked 75230- Sauerkraut, cooked 7540701 Cabbage, creamed 755025- Cabbage, pickled or in relish	(continued) 7560120 Cabbage soup 7560121 Cabbage w/meat soup Does not include vegetable with meat mixtures.
Carrots	7310- Carrots (all forms) 7311140 Carrots in sauce 7311200 Carrot chips 735- Carrot soup 76201- Carrots, baby 7620200 Carrots and peas, baby	Does not include vegetable with meat mixtures.
Corn	7510960 Corn, raw 7521600 Corn, cooked, ns to color, fat added 7521601 Corn, cooked, ns as to color, fat not added 7521602 Corn, cooked, ns as to color, fat added 7521605 Corn, cooked, ns as to color, cream style 7521607 Corn, cooked, dried 7521610 Corn, cooked, yellow, ns as to fat added 7521611 Corn, cooked, yellow, fat not added 7521612 Corn, cooked, yellow, fat added 7521615 Corn, yellow, cream style 7521616 Corn, cooked, yellow and white, ns as to fat 7521617 Corn, cooked, yellow and white, fat not added 7521618 Corn, cooked, yellow and white, fat added 7521619 Corn, yellow, cream style, fat added 7521620 Corn, cooked, white, ns as to fat added 7521621 Corn, cooked, white, fat not added 7521622 Corn, cooked, white, fat added	(continued) 7521625 Corn, white, cream style 7521630 Corn, yellow, canned, low sodium, ns as to fat 7521631 Corn, yellow, canned, low sodium, fat not add 7521632 Corn, yellow, canned, low sodium, fat added 7521749 Hominy, cooked 752175- Hominy, cooked 7530301 Corn w/peppers, red or green, cooked, no fat added 7541101 Corn scalloped or pudding 7541102 Corn fritter 7541103 Corn with cream sauce 7550101 Corn relish 756040- Corn soup 76405- Corn, baby Does not include vegetable with meat mixtures.
Cucumbers	7511100 Cucumbers, raw 75142- Cucumber salads 752167- Cucumbers, cooked 7550301 Cucumber pickles, dill 7550302 Cucumber pickles, relish 7550303 Cucumber pickles, sour 7550304 Cucumber pickles, sweet 7550305 Cucumber pickles, fresh	(continued) 7550307 Cucumber, Kim Chee 7550311 Cucumber pickles, dill, reduced salt 7550314 Cucumber pickles, sweet, reduced salt 7560451 Cucumber soup, cream of, w/milk Does not include vegetable with meat mixtures.
Lettuce	75113- Lettuce, raw 75143- Lettuce salad with other vegetables 7514410 Lettuce, wilted, with bacon dressing 7522005 Lettuce, cooked	Does not include vegetable with meat mixtures.

(Continued)

Table 3-1. Food codes and definitions used in analysis of the 1994–1996 USDA CSFII data (continued)

Food Product	Food Codes	
Lima Beans	4110300 Lima beans, dry, cooked, ns as to added fat 4110301 Lima beans, dry, cooked, fat added 4110302 Lime beans, dry, cooked, no fat added 4121011 Stewed dry lima beans, Puerto Rican 4130104 Lima bean soup 4160104 Lima bean soup 7510200 Lima beans, raw	(continued) 752040- Lima beans, cooked 752041- Lima beans, canned 75301- Beans, lima and corn (succotash) 75402- Lima beans with sauce Does not include vegetable with meat mixtures.
Okra	7522000 Okra, cooked, ns as to fat 7522001 Okra, cooked, fat not added 7522002 Okra, cooked, fat added 7522010 Lufta (Chinese okra), cooked 7541450 Okra, fried 7550700 Okra, pickled	Does not include vegetable with meat mixtures.
Onions	7510950 Chives, raw 7511150 Garlic, raw 7511250 Leek, raw 7511701 Onions, young green, raw 7511702 Onions, mature 7521550 Chives, dried 7521740 Garlic, cooked 7521840 Leek, cooked 7522100 Onions, mature cooked, ns as to fat added 7522101 Onions, mature cooked, fat not added 7522102 Onions, mature cooked, fat added 7522103 Onions, pearl cooked	(continued) 7522104 Onions, young green cooked, ns as to fat 7522105 Onions, young green cooked, fat not added 7522106 Onions, young green cooked, fat added 7522110 Onion, dehydrated 7541501 Onions, creamed 7541502 Onion rings 75605- Leek soup 75608- Onion soup Does not include vegetable with meat mixtures.
Peas	413010- Cowpeas, dry, cooked 413020- Chickpeas, dry, cooked 41303- Split peas, dry, cooked 413035- Stewed green peas 4130403 Peas, dry, cooked w/pork 4130413 Cowpeas, dry, cooked w/pork 4131010 Stewed pigeon peas, Puerto Rican 4131015 Stewed chickpeas, Puerto Rican 4131016 Stewed chickpeas, w/potatoes, Puerto Rican 4131020 Chickpeas, w/pig's feet, Puerto Rican 4131021 Chickpeas, w/spanish sausage, Puerto Rican 4131022 Fried chickpeas, Puerto Rican 4131031 Stewed cowpeas, Puerto Rican 4160201 Chunky pea and ham soup 4160202 Garbanzo or chickpea soup 4160203 Split pea and ham soup 4160204 Pea soup, instant type	(continued) 4160205 Split pea soup 4160206 Pigeon pea asopao 4160207 Split pea soup, can, reduced sodium, w/water/rts 4160209 Split pea and ham soup, can, reduced sodium, w/water/rts 731110- 731112- Peas and carrots 7512000 Peas, green, raw 7512775 Snowpeas, raw 75223- Peas, cowpeas, field or blackeye, cooked 75224- Peas, green, cooked 75225- Peas, pigeon, cooked 75231- Snowpeas, cooked

(Continued)

Table 3-1. Food codes and definitions used in analysis of the 1994–1996 USDA CSFII data (continued)

Food Product	Food Codes	
Peas (continued)	75315- Peas and corn onions, mushrooms, beans, or potatoes 7541650 Pea salad 7541660 Pea salad with cheese 75417- Peas, with sauce or creamed 75609- Pea soup	(continued) 76409- Peas, baby 76411- Peas, creamed, baby 7650200 Peas and brown rice, baby Does not include vegetable with meat mixtures.
Peppers	7512140 Pepper, poblano, raw 7512100 Pepper, hot chili, raw 7512150 Pepper, serrano, raw 7512200 Pepper, raw 7512210 Pepper, sweet green, raw 7512220 Pepper, sweet red, raw 7512400 Pepper, banana, raw 7522600 Pepper, green, cooked, ns as to fat added 7522601 Pepper, green, cooked, fat not added 7522602 Pepper, green, cooked, fat added 7522604 Pepper, red, cooked, ns as to fat added 7522605 Pepper, red, cooked, fat not added 7522606 Pepper, red, cooked, fat added	(continued) 7522609 Pepper, hot, cooked, ns as to fat added 7522610 Pepper, hot, cooked, fat not added 7522611 Pepper, hot, cooked, fat added 7530700 Green peppers and onions, cooked, fat added in cooking 7551101 Peppers, hot, sauce 7551102 Peppers, pickled 7551104 Pepper, hot pickled 7551105 Peppers, hot pickled Does not include vegetable with meat mixtures.
Pumpkin	732- Pumpkin (all forms) 733- Winter squash (all forms) 76205- Squash, baby	Does not include vegetable with meat mixtures.
Snap Beans	7510180 Beans, string, green, raw 7520498 Beans, string, cooked, ns color, fat added 7520499 Beans, string, cooked, ns color, no fat 7520500 Beans, string, cooked, ns color and fat 7520501 Beans, string, cooked, green, ns as to fat 7520502 Beans, string, cooked, green, no fat added 7520503 Beans, string, cooked, green, fat added 7520511 Beans, string, canned, low sodium, green, ns as to fat 7520512 Beans, string, canned, low sodium, green, no fat 7520513 Beans, string, canned, low sodium, green, fat 7520600 Beans, string, cooked, yellow, ns as to fat 7520601 Beans, string, cooked, yellow, no fat 7520602 Beans, string, cooked, yellow, fat 7530201 Beans, green string w/tomatoes (assume w/o fat) 7530202 Beans, green string w/onions, cooked, no fat added 7530203 Beans, green string w/chickpeas, cooked, no fat added 7530204 Beans, green string w/almonds, cooked, no fat added 7530205 Beans, green and potatoes, cooked, no fat added	(continued) 7530206 Beans, green w/pinto beans, cooked, no fat added 7530207 Beans, green w/spaetzel, cooked, no fat added 7530208 Bean salad, yellow and/or green string beans 7530220 Beans, green string w/onions, ns as to added fat 7530221 Beans, green string w/onions, fat added 7530250 Beans, green and potatoes, ns as to added fat 7530251 Beans, green and potatoes, fat added 7540301 Beans, string, green, creamed 7540302 Beans, string, green, w/mushroom sauce 7540401 Beans, string, yellow, creamed 7550011 Beans, string, green, pickled 7640100 Beans, green, string, baby 7640101 Beans, green, string, baby, strained 7640102 Beans, green, string, baby, junior 7640103 Beans, green, string, baby, creamed 7640106 Beans, green string, baby Does not include vegetable with meat mixtures.

(Continued)

Table 3-1. Food codes and definitions used in analysis of the 1994–1996 USDA CSFII data (continued)

Food Product	Food Codes	
Tomatoes	74- Tomatoes and tomato mixtures raw, cooked, juices, sauces, mixtures, soups, sandwiches	Also includes the average portion of grain mixtures (16.85%) and the average portion of meat mixtures (11.11%) made up by tomatoes.
White Potatoes	71- White potatoes and Puerto Rican starchy vegetables baked, boiled, chips, sticks, creamed, scalloped, au gratin, fried, mashed, stuffed, puffs, salad, recipes, soups, Puerto Rican starchy vegetables 76420000 Potatoes, baby	Also includes the average portion of meat mixtures (3.33%) made up by white potatoes.
Dark Green Vegetables	72- Dark green vegetables all forms leafy, nonleafy, dark green vegetable soups	
Deep Yellow Vegetables	73- Deep yellow vegetables all forms carrots, pumpkin, squash, sweet potatoes, deep yellow vegetable soups	
Other Vegetables	75- Other vegetables all forms	
Exposed Vegetables	721- Dark green leafy vegetables 722- Dark green nonleafy vegetables 7230200 Broccoli soup (include cream of broccoli soup) 7230210 Broccoli cheese soup, prepared w/milk 7230500 Escarole soup 7230600 Watercress broth w/shrimp 7230700 Spinach soup 7230800 Dark green leafy vegetable soup w/meat, oriental 7230850 Dark green leafy vegetable soup, meatless, oriental 74- Tomatoes and tomato mixtures 7510050 Alfalfa sprouts 7510075 Artichoke, Jerusalem, raw 7510080 Asparagus, raw 75101- Beans, sprouts and green, raw 7510260 Broccoflower, raw 7510275 Brussel sprouts, raw 7510280 Buckwheat sprouts, raw 7510300 Cabbage, raw 7513210 Celery Juice 7510400 Cabbage, Chinese, raw 7510500 Cabbage, red, raw 7510700 Cauliflower, raw 7510900 Celery, raw	(continued) 7510950 Chives, raw 7510955 Cilantro, raw 7511100 Cucumber, raw 7511120 Eggplant, raw 7511200 Kohlrabi, raw 75113- Lettuce, raw 7511500 Mushrooms, raw 7511900 Parsley 7512100 Pepper, hot chili 75122- Peppers, raw 7512400 Pepper, banana, raw 7512750 Seaweed, raw 7512775 Snowpeas, raw 75128- Summer Squash, raw 7513210 Celery juice 7514050 Broccoli salad w/cauliflower, cheese, bacon, dressing 7514100 Cabbage or cole slaw 7514110 Cabbage salad or coleslaw w/apples/raisins, dressing 7514120 Cabbage salad or coleslaw w/pineapple, dressing 7514130 Chinese cabbage salad

(Continued)

Table 3-1. Food codes and definitions used in analysis of the 1994–1996 USDA CSFII data (continued)

Food Product	Food Codes	
Exposed Vegetables (continued)	7514150 Celery with cheese	(continued)
	75142- Cucumber salads	
	75143- Lettuce salads	
	7514410 Lettuce, wilted with bacon dressing	
	7514500 Seven-layer salad (lettuce, mayo, cheese, egg, peas)	7530204 Beans, green string w/almonds, cooked, no fat added
	7514600 Greek salad	7530205 Beans, green and potatoes, cooked, no fat added
	7514700 Spinach salad	7530206 Beans, green w/pinto beans, cooked, no fat added
	7514800 Cob salad w/dressing	
	7520060 Algae, dried	7530207 Beans, green w/spaetzel, cooked, no fat added
	75201- Artichoke, cooked	7530208 Bean salad, yellow and/or green string beans
	75202- Asparagus, cooked	7530220 Beans, green string w/onions, ns as to added fat
	75203- Bamboo shoots, cooked	7530221 Beans, green string w/onions, fat added
	752049- Beans, string, cooked	7530250 Beans, green and potatoes, ns as to added fat
	75205- Beans, green, cooked/canned	7530251 Beans, green and potatoes, fat added
	75206- Beans, yellow, cooked/canned	7530601 Eggplant in tomato sauce, cooked, no fat added
	75207- Bean sprouts, cooked	7530700 Green peppers and onions, cooked, fat added in cooking
	752085- Breadfruit	
	752087- Broccoli, cooked	7531600 Squash, summer and onions, cooked, no fat added
	752090- Brussel sprouts, cooked	7531601 Zucchini w/tomato sauce, cooked, no fat added in cooking
	75210- Cabbage, Chinese, cooked	
	75211- Cabbage, green, cooked	7531602 Squash, summer and onions, cooked, fat added
	75212- Cabbage, red, cooked	7540050 Artichokes, stuffed
	752130- Cabbage, savoy, cooked	7540101 Asparagus, creamed or with cheese
	75214- Cauliflower	75403- Beans, green with sauce
	75215- Celery, chives, christophine (chayote)	75404- Beans, yellow with sauce
	752167- Cucumber, cooked	7540601 Brussel sprouts, creamed
	752170- Eggplant, cooked	7540701 Cabbage, creamed
	752171- Fern shoots	75409- Cauliflower, creamed
	752172- Fern shoots	75410- Celery/chiles, creamed
	752173- Flowers of sesbania, squash or lily	75412- Eggplant, fried, with sauce, etc.
	7521801 Kohlrabi, cooked	75413- Kohlrabi, creamed
	75219- Mushrooms, cooked	75414- Mushrooms, okra, fried, stuffed, creamed
	75220- Okra/lettuce, cooked	754180- Squash, baked, fried, creamed, etc.
	7522116 Palm hearts, cooked	7541822 Christophine, creamed
	7522121 Parsley, cooked	7550011 Beans, pickled
75226- Peppers, pimento, cooked	7550051 Celery, pickled	
75230- Sauerkraut, cooked/canned	7550201 Cauliflower, pickled	
75231- Snowpeas, cooked	755025- Cabbage, pickled	
75232- Seaweed	7550301 Cucumber pickles, dill	
75233- Summer squash	7550302 Cucumber pickles, relish	
7530201 Beans, green string w/tomatoes (assume w/o fat)	7550303 Cucumber pickles, sour	
7530202 Beans, green string w/onions, no fat added	7550304 Cucumber pickles, sweet	
7530203 Beans, green string w/chickpeas, cooked, no fat added	7550305 Cucumber pickles, fresh	
	7550307 Cucumber, Kim Chee	

(Continued)

Table 3-1. Food codes and definitions used in analysis of the 1994–1996 USDA CSFII data (continued)

Food Product	Food Codes	
Exposed Vegetables (continued)	7550308 Eggplant, pickled 7550311 Cucumber pickles, dill, reduced salt 7550314 Cucumber pickles, sweet, reduced salt 7550500 Mushrooms, pickled 7550700 Okra, pickled 75510- Olives 7551101 Peppers, hot 7551102 Peppers, pickled 7551104 Peppers, hot pickled 7551301 Seaweed, pickled 7553500 Zucchini, pickled 756010- Asparagus soup 756012- Cabbage soup 756020- Cauliflower soup, cream of, w/milk 756030- Celery soup 7560451 Cucumber soup, cream of, w/milk 756046- Gazpacho	(continued) 75607- Mushroom soup 7561201 Zucchini soup, cream of, prepared w/milk 7564700 Seaweed soup 76102- Dark green vegetables, baby 76401- Beans, baby (excluding most soups and mixtures) 7660400 Broccoli and chicken, baby, strained 7661150 Green beans and turkey, baby, strained 7731601 Stuffed cabbage w/meat, Puerto Rican (repollo relleno con carne) 7731651 Stuffed cabbage w/meat and rice, Syrian dish, Puerto Rican style 7731660 Eggplant and meat casserole 7756301 Puerto rican stew (sancocho) Does not include vegetable with meat mixtures.
Protected Vegetables	411-, 412-, 413- Beans and lentils 414- Soy products 415-, 416- Bean meals 7185-, 7190- Plantains soups, etc. 732- Pumpkin 733- Winter squash 7510200 Lima beans, raw 7510550 Cactus, raw 7510960 Corn, raw 7512000 Peas, raw 7520070 Aloe vera juice 752040- Lima beans, cooked 752041- Lima beans, canned 7520829 Bitter melon 752083- Bitter melon, cooked 7520950 Burdock 752131- Cactus 752160- Corn, cooked 752161- Corn, yellow, cooked	(continued) 752162- Corn, white, cooked 752163- Corn, canned 7521749 Hominy 752175- Hominy 75223- Peas, cowpeas, field or blackeye, cooked 75224- Peas, green, cooked 75225- Peas, pigeon, cooked 75301- Succotash 7531500 Peas and corn, cooked, ns as to added fat 7531501 Peas and corn, cooked, no fat added 7531502 Peas and corn, cooked, fat added 7531510 Peas and onions, cooked, ns as to added fat 7531511 Peas and onions, cooked, fat not added 7531512 Peas and onions, cooked, fat added 7531521 Peas w/mushrooms, cooked, no fat added 7531525 Cowpeas w/snap beans, cooked, no fat added in cooking 7531530 Peas and potatoes, cooked, no fat added in cooking 75402- Lima beans with sauce

(Continued)

Table 3-1. Food codes and definitions used in analysis of the 1994–1996 USDA CSFII data (continued)

Food Product	Food Codes	
Protected Vegetables (continued)	75411- Corn, scalloped, fritter, with cream 7541650 Pea salad 7541660 Pea salad with cheese 75417- Peas, with sauce or creamed 7550101 Corn relish 7560401 Corn soup, cream of, w/milk 7560402 Corn soup, cream of, prepared w/water 7560900 Pea soup, form ns 7560901 Pea soup, prepared w/milk 7560802 Pea soup, prepared w/water 7560905 Pea soup, prepared w/water, low sodium 7560906 Pea soup, prepared w/lowfat milk	(continued) 76205- Squash, yellow, baby 76405- Corn, baby 76409- Peas, baby 76411- Peas, creamed, baby 7650200 Peas and brown rice, baby 7720121 Green plantain w/cracklings, Puerto Rican (Mofongo) 7720511 Ripe plantain fritters, Puerto Rican (Pionono) 7720561 Ripe plantainmeat pie, Puerto Rican (Pinon) Does not include vegetable with meat mixtures.
Root Vegetables	710-, 711-, 712-, 713-, 714-, 715-, 716-, 717-, 7180-, 1793-, 7194-, 7195-, 7196-, 7198- White potatoes and Puerto Rican-style vegetables 7310- Carrots 7311140 Carrots in sauce 7311200 Carrot chips 734- Sweet potatoes 7510250 Beets, raw 7511150 Garlic, raw 7511180 Jicama (yambean), raw 7511250 Leeks, raw 751117- Onions, raw 7512500 Radish, raw 7512700 Rutabaga, raw 7512900 Turnip, raw 752080- Beets, cooked 752081- Beets, canned 7521362 Cassava 7521740 Garlic, cooked 7521771 Horseradish 7521840 Leek, cooked 7521850 Lotus root 752210- Onions, cooked 7522110 Onions, dehydrated 752220- Parsnips, cooked 75227- Radishes, cooked 75228- Rutabaga, cooked 75229- Salsify, cooked 75234- Turnip, cooked 75235- Water chestnut 7540501 Beets, Harvard 75415- Onions, creamed, fried 7541601 Parsnips, creamed 7541810 Turnips, creamed	(continued) 7550021 Beets, pickled 7550309 Horseradish 7551201 Radishes, pickled 7553403 Turnip, pickled 7560110 Beet soup (borscht) 7560501 Leek soup, cream of, prepared w/milk 7560503 Leek soup, made from dry mix 7560801 Onion soup, cream of, prepared w/milk 7560803 Onion soup, cream of, canned, undiluted 7560810 Onion soup, french 7560820 Onion soup, made from dry mix 7560830 Onion soup, dry mix, not reconstituted 76201- Carrots, baby 76209- Sweet potatoes, baby 76403- Beets, baby 7642000 Potatoes, baby 7660200 Carrots and beef, baby, strained 7712101 Fried stuffed potatoes, Puerto Rican (Rellenos de papas) 7712111 Potato and ham fritters, Puerto Rican (frituras de papa y jamon) 7714101 Potato chicken pie, Puerto Rican (Pastelon de pollo) 7723021 Cassava pasteles, Puerto Rican (Pasteles de yuca) 7723051 Cassava pie stuffed w/crab meat, Puerto Rican 7725011 Stuffed tannier fritters, Puerto Rican (Alcapurrias) 7725071 Tannier fritters, Puerto Rican (Frituras de yautia) Does not include vegetable with meat mixtures.

Table 3-1. Food codes and definitions used in analysis of the 1994–1996 USDA CSFII data (continued)

Food Product	Food Codes	
(Continued)		
FAT CATEGORIES		
Animal Fat	81201- Bacon grease 81202- Lard 812032- Shortening, animal 8133011 Lard	
Butter	811005- Butter 81101- Butter 81105- Butter 81204- Clarified butter 8132200 Honey butter	
Dressing	83100- 83101- 83102- 83103- 83104- 83105- 83106- 8311- 83200- 83201-	83202- 83203- 83205- 83206- 83207- 83208- 83209- 83210- 83220-
Margarine	81102- 81103- 81104- 81106-	
Mayonnaise	83204- 83107- 83108-	
Sauce	81301- Lemon butter sauce 81302- Sauces, various 81312- Tartar sauce	
Vegetable Oil	812031- Shortening, vegetable 81324- Lecithin 8133021 Adobo fresco 82101- Vegetable oil 82102- Corn oil 82103- Cottonseed and flax seed oil 82104- Olive oil	(continued) 82105- Peanut, rapeseed, and canola oil 82106- Safflower oil 82107- Sesame oil 82108- Soy and sunflower oil 82109- Wheat germ oil

ns=not specified

Table 3-2. Sub-category codes and definitions used in the CSFII 1994–1996 analysis

Code	Definition	Description
REGION		
1	Northeast	Connecticut, Maine, Massachusetts, New Hampshire, New Jersey, New York, Pennsylvania, Rhode Island, and Vermont
2	Midwest	Illinois, Indiana, Iowa, Kansas, Michigan, Minnesota, Missouri, Nebraska, North Dakota, Ohio, South Dakota, and Wisconsin
3	South	Alabama, Arkansas, Delaware, District of Columbia, Florida, Georgia, Kentucky, Louisiana, Maryland, Mississippi, North Carolina, Oklahoma, South Carolina, Tennessee, Texas, Virginia, and West Virginia
4	West	Alaska, Arizona, California, Colorado, Hawaii, Idaho, Montana, Nevada, New Mexico, Oregon, Utah, Washington, and Wyoming
URBANIZATION		
1	Central City	Cities with populations of 50,000 or more that is the main city within the metropolitan statistical area (MSA).
2	Suburban	An area that is generally within the boundaries of an MSA but is not within the legal limit of the central city.
3	Nonmetropolitan	An area that is not within an MSA.
SEASON		
Spring		April, May, June
Summer		July, August, September
Fall		October, November, December
Winter		January, February, March
RACE		
1		White (Caucasian)
2		Black
3		Asian and Pacific Islander
4		Native American, Aleut, and Eskimo
5, 8, 9	Other/NA	Don't know, no answer, some other race

Table 3-3. Weighted and unweighted number of observations, 1994-1996 CSFII analysis

Group	Weighted number of observations	Unweighted number of observations
TOTAL	261,897,260	15,303
Age		
0-5 months	2,004,144	199
6-12 months	1,768,152	160
<1 years	3,772,296	359
1-2 years	8,270,523	1,356
3-5 years	12,376,836	1,435
6-11 years	23,408,882	1,432
12-19 years	29,657,098	1,398
20-39 years	81,672,622	2,992
40-69 years	81,480,145	4,921
70+ years	21,258,858	1,410
Season		
Fall	65,474,320	3,653
Spring	65,474,321	4,015
Summer	65,474,320	4,143
Winter	65,474,299	3,492
Urbanization		
Central City	83,904,160	4,600
Nonmetropolitan	55,263,514	3,778
Suburban	122,729,586	6,925
Race		
Asian	7,764,799	387
Black	33,466,094	1,963
Native American	1,669,637	115
Other/NA	14,321,336	972
White	204,675,394	11,866
Region		
Midwest	61,512,403	3,658
Northeast	51,416,379	2,737
South	91,294,341	5,474
West	57,674,137	3,434

Table 3-4. Per capita intake of total meats (g/kg-day as consumed)

Group	Percent consuming			Percentile									
	Mean	SE		1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	95.2	2.097	0.015	0	0.060	0.434	0.965	1.685	2.700	4.130	5.419	8.883	26.747
Age													
0–5 months	5.5	0.115	0.162	0	0.000	0.000	0.000	0.000	0.000	0.000	0.972	2.845	6.458
6–12 months	75.2	2.286	0.257	0	0.000	0.000	0.053	1.378	3.427	6.017	8.554	11.755	12.369
< 1 years	38.2	1.132	0.198	0	0.000	0.000	0.000	0.000	1.383	3.870	5.853	10.585	12.369
1–2 years	93.9	4.422	0.094	0	0.000	0.759	1.909	3.845	6.195	8.869	10.159	14.662	24.436
3–5 years	92.7	4.144	0.080	0	0.000	0.768	2.125	3.814	5.624	7.847	9.436	13.103	20.743
6–11 years	93.2	2.919	0.060	0	0.000	0.523	1.418	2.520	3.996	5.555	6.802	10.232	17.597
12–19 years	97.6	2.158	0.046	0	0.266	0.527	1.106	1.947	2.835	3.930	4.865	7.459	26.747
20–39 years	97.2	1.970	0.027	0	0.249	0.517	0.985	1.676	2.579	3.713	4.635	7.632	13.629
40–69 years	95.9	1.653	0.017	0	0.114	0.441	0.891	1.450	2.203	3.094	3.725	5.514	14.383
70 + years	96.0	1.366	0.024	0	0.109	0.340	0.767	1.225	1.826	2.442	3.018	4.157	7.987
Season													
Fall	94.9	2.161	0.032	0	0.000	0.439	0.974	1.718	2.767	4.283	5.670	8.883	24.436
Spring	95.4	2.103	0.030	0	0.098	0.441	0.967	1.681	2.669	4.199	5.444	9.122	22.360
Summer	95.5	2.100	0.030	0	0.083	0.422	0.934	1.663	2.682	4.147	5.516	8.924	26.747
Winter	95.0	2.023	0.029	0	0.024	0.446	0.983	1.676	2.633	3.946	4.990	8.103	18.184
Urbanization													
Central City	94.8	2.198	0.030	0	0.000	0.432	0.941	1.736	2.809	4.427	5.963	9.463	24.436
Nonmetropolitan	94.7	2.067	0.031	0	0.000	0.417	0.970	1.662	2.690	4.071	5.338	8.546	26.747
Suburban	95.8	2.041	0.021	0	0.102	0.438	0.982	1.657	2.655	3.959	5.170	8.103	22.360
Race													
Asian	92.6	2.561	0.111	0	0.000	0.310	1.128	2.223	3.442	4.887	6.155	9.891	13.778
Black	95.2	2.649	0.054	0	0.085	0.588	1.150	2.015	3.360	5.574	7.331	11.278	22.360
Native American	85.5	2.072	0.172	0	0.000	0.000	0.679	1.989	2.920	4.377	5.249	7.964	9.375
Other/NA	89.4	2.272	0.074	0	0.000	0.000	0.973	1.833	3.006	4.745	5.910	11.219	20.237
White	95.8	1.977	0.016	0	0.114	0.441	0.942	1.622	2.553	3.835	4.989	8.017	26.747
Region													
Midwest	96.4	2.245	0.032	0	0.223	0.549	1.082	1.820	2.834	4.373	5.624	9.243	26.747
Northeast	95.1	2.135	0.037	0	0.036	0.441	0.972	1.682	2.700	4.274	5.614	8.980	18.184
South	95.8	2.053	0.024	0	0.121	0.432	0.943	1.665	2.657	3.977	5.321	8.571	24.436
West	93.1	1.972	0.031	0	0.000	0.323	0.871	1.578	2.602	4.065	5.176	7.973	22.517

Table 3-4a. Consumer-only intake of total meats (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	100	2.202	015	0.139	0.413	0.615	169	1.760	2.760	4.214	5.510	8.883	26.747
Age													
0–5 months	100	276	0.364	0.635	0.635	0.972	1.383	1.957	2.279	3.106	5.218	6.458	6.458
6–12 months	100	339	0.256	087	0.274	0.501	0.944	2.279	479	6.458	8.618	11.755	12.369
< 1 years	100	2.965	0.237	087	0.289	0.501	180	2.279	3.907	6.169	8.618	11.755	12.369
1–2 years	100	4.708	091	0.194	0.825	1.239	2.226	497	6.374	8.924	10.295	15.392	24.436
3–5 years	100	4.468	076	0.413	0.974	1.474	2.458	428	5.737	7.963	9.742	13.105	20.743
6–11 years	100	3.130	058	0.210	0.625	0.952	1.653	2.700	4.145	5.611	738	10.294	17.597
12–19 years	100	2.210	045	0.143	0.374	0.620	1.160	1.982	2.874	3.934	4.876	7.459	26.747
20–39 years	100	228	027	0.128	0.405	0.617	158	1.718	2.623	3.737	4.676	7.632	13.629
40–69 years	100	1.723	016	0.116	0.379	0.570	0.961	1.506	2.245	3.139	3.780	5.550	14.383
70 + years	100	1.423	024	094	0.307	0.495	0.817	1.268	1.866	2.452	333	4.211	7.987
Season													
Fall	100	2.276	032	0.117	0.428	0.623	178	1.814	2.854	4.425	5.754	8.883	24.436
Spring	100	2.204	029	0.140	0.404	0.615	168	1.747	2.747	4.298	5.545	9.340	22.360
Summer	100	2.198	030	0.116	0.382	0.606	135	1.742	2.748	4.241	5.574	8.980	26.747
Winter	100	2.129	028	0.157	0.434	0.622	188	1.749	2.726	418	571	8.255	18.184
Urbanization													
Central City	100	2.318	030	0.157	0.432	0.637	162	1.815	2.911	4.551	6.165	9.613	24.436
Nonmetropolitan	100	2.183	030	0.163	0.418	0.614	169	1.754	2.756	4.178	5.471	8.571	26.747
Suburban	100	2.131	021	0.113	0.399	0.604	174	1.723	2.704	427	5.256	8.275	22.360
Race													
Asian	100	2.766	0.107	0.134	0.439	0.797	1.376	2.306	3.525	4.989	6.311	10.708	13.778
Black	100	2.782	053	0.167	0.532	0.754	1.277	2.108	3.457	5.696	7.502	11.278	22.360
Native American	100	2.423	0.161	0.175	0.49	0.570	1.475	2.103	3.285	4.377	5.428	7.964	9.375
Other/NA	100	2.541	073	0.193	0.445	0.696	1.239	1.978	3.192	4.907	6.139	11.264	20.237
White	100	263	015	0.131	0.391	0.588	129	1.682	2.611	3.884	555	875	26.747
Region													
Midwest	100	2.328	032	0.166	0.452	0.707	1.144	1.874	2.892	4.434	5.685	9.289	26.747
Northeast	100	2.245	037	0.110	0.428	0.656	165	1.746	2.771	4.420	5.716	9.141	18.184
South	100	2.143	024	0.139	0.381	0.571	143	1.735	2.717	467	5.392	8.686	24.436
West	100	2.117	0.030	0.145	0.421	0.593	1.015	1.688	2.717	4.147	5.304	8.031	22.517

Table 3-5. Per capita intake of total dairy products (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	95.9	7.859	0.152	0	0.077	0.276	1.088	3.191	7.412	17.100	28.579	85.459	576.375
Age													
0–5 months	77.5	140.303	8.534	0	0.000	0.484	81.084	147.088	187.713	235.341	271.062	576.345	576.345
6–12 months	95.2	83.453	3.702	0	0.049	10.265	59.041	83.174	110.012	131.074	169.772	188.867	241.428
< 1 years	85.8	111.357	4.855	0	0.000	2.522	63.886	102.208	158.574	197.773	235.341	318.289	576.345
1–2 years	95.7	37.478	0.779	0	0.412	6.677	17.754	31.756	51.441	73.894	90.146	132.802	182.812
3–5 years	93.3	20.914	0.402	0	0.000	3.473	10.177	18.727	29.155	41.241	48.750	66.157	89.717
6–11 years	94.1	13.918	0.276	0	0.000	2.167	6.438	12.348	19.249	27.337	33.463	43.426	80.780
12–19 years	97.4	6.119	0.160	0	0.168	0.413	1.832	4.467	8.803	13.488	17.789	27.837	38.005
20–39 years	96.8	3.411	0.066	0	0.115	0.270	0.854	2.245	4.773	8.062	10.675	15.420	37.455
40–69 years	95.6	2.932	0.044	0	0.036	0.183	0.728	2.092	4.171	6.705	8.730	13.900	42.734
70 + years	96.7	3.585	0.087	0	0.080	0.325	1.197	2.668	5.192	7.716	9.864	14.507	33.172
Season													
Fall	96.1	8.468	0.363	0	0.082	0.273	1.093	3.326	8.235	18.180	31.367	81.249	576.345
Spring	95.7	7.750	0.282	0	0.051	0.237	1.117	3.119	7.163	16.866	28.651	91.722	307.384
Summer	96.5	7.619	0.279	0	0.099	0.287	0.986	2.976	7.048	16.573	27.488	87.052	268.520
Winter	95.4	7.599	0.292	0	0.092	0.322	1.12	3.266	7.442	17.120	26.563	83.780	283.820
Urbanization													
Central City	95.5	7.875	0.269	0	0.042	0.229	1.033	3.127	7.371	17.422	28.579	90.137	307.384
Nonmetropolitan	94.6	6.882	0.274	0	0.000	0.180	0.885	2.66	6.442	14.820	24.693	78.071	281.224
Suburban	96.8	8.289	0.241	0	0.147	0.369	1.23	3.466	7.929	17.874	30.025	89.066	576.345
Race													
Asian	94.0	9.139	1.246	0	0.000	0.306	0.772	3.440	7.320	16.505	35.396	117.402	238.397
Black	92.9	7.903	0.634	0	0.000	0.073	0.432	2.076	6.330	15.340	26.493	102.228	576.345
Native American	83.8	6.539	1.405	0	0.000	0.000	0.366	2.358	5.930	15.690	23.586	55.601	141.539
Other/NA	91.3	10.926	0.860	0	0.000	0.122	0.816	3.231	10.008	23.089	43.214	153.695	326.596
White	96.9	7.600	0.147	0	0.139	0.377	1.253	3.346	7.444	16.810	27.950	77.659	271.062
Region													
Midwest	97.1	8.023	0.270	0	0.141	0.382	1.299	3.473	7.978	18.053	29.301	80.780	307.384
Northeast	96.6	7.990	0.348	0	0.133	0.448	1.319	3.252	7.347	17.407	28.041	98.933	268.520
South	96.2	7.316	0.277	0	0.068	0.197	0.785	2.654	6.488	15.583	26.980	81.249	576.345
West	93.7	8.428	0.328	0	0.000	0.270	1.15	3.557	8.317	17.896	30.373	94.854	326.596

Table 3-6. Per capita intake of eggs (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	86.6	0.341	0.006	0	0	0.000	0.018	0.052	0.374	1.022	1.565	3.373	14.068
Age													
0–5 months	5.5	0.023	0.065	0	0	0.000	0.000	0.000	0.000	0.000	0.035	1.402	3.683
6–12 months	66.6	0.837	0.208	0	0	0.000	0.000	0.070	0.191	3.297	5.758	8.343	10.906
< 1 year	34.1	0.405	0.142	0	0	0.000	0.000	0.000	0.070	0.230	3.297	8.286	10.906
1–2 years	88.6	1.174	0.055	0	0	0.000	0.053	0.163	1.819	3.828	5.132	8.325	14.068
3–5 years	84.8	0.650	0.037	0	0	0.000	0.030	0.088	0.459	2.136	3.399	6.074	12.674
6–11 years	86.1	0.400	0.025	0	0	0.000	0.022	0.063	0.182	1.351	2.179	4.412	9.296
12–19 years	91.6	0.286	0.015	0	0	0.006	0.024	0.055	0.180	1.008	1.387	2.544	4.698
20–39 years	89.7	0.293	0.011	0	0	0.000	0.021	0.049	0.327	0.941	1.362	2.583	10.356
40–69 years	85.5	0.276	0.007	0	0	0.000	0.013	0.044	0.427	0.880	1.197	2.056	3.602
70 + years	82.5	0.269	0.012	0	0	0.000	0.010	0.042	0.449	0.825	1.069	1.714	3.627
Season													
Fall	87.2	0.352	0.014	0	0	0.000	0.019	0.056	0.387	1.019	1.603	3.627	13.129
Spring	85.8	0.343	0.013	0	0	0.000	0.016	0.048	0.367	1.051	1.533	3.413	14.068
Summer	86.0	0.346	0.012	0	0	0.000	0.017	0.049	0.408	1.052	1.597	3.191	10.186
Winter	87.6	0.324	0.013	0	0	0.000	0.020	0.054	0.335	0.977	1.473	3.200	10.876
Urbanization													
Central City	86.6	0.358	0.012	0	0	0.000	0.020	0.058	0.404	1.088	1.632	3.334	11.571
Nonmetropolitan	85.0	0.333	0.013	0	0	0.000	0.015	0.048	0.372	0.981	1.470	3.338	13.129
Suburban	87.4	0.333	0.010	0	0	0.000	0.018	0.050	0.338	1.003	1.544	3.413	14.068
Race													
Asian	86.7	0.399	0.041	0	0	0.000	0.038	0.099	0.499	1.139	1.632	3.355	6.712
Black	86.7	0.403	0.018	0	0	0.000	0.021	0.069	0.570	1.195	1.690	3.297	8.343
Native American	77.8	0.386	0.095	0	0	0.000	0.000	0.046	0.476	1.017	1.665	4.285	8.452
Other/NA	83.2	0.533	0.039	0	0	0.000	0.016	0.077	0.664	1.433	2.406	5.486	10.906
White	86.9	0.315	0.007	0	0	0.000	0.017	0.048	0.306	0.967	1.472	3.219	14.068
Region													
Midwest	88.1	0.326	0.013	0	0	0.000	0.019	0.050	0.341	0.979	1.553	3.229	10.186
Northeast	85.0	0.297	0.014	0	0	0.000	0.015	0.050	0.303	0.919	1.349	2.905	12.674
South	86.8	0.352	0.011	0	0	0.000	0.018	0.050	0.407	1.031	1.585	3.467	13.129
West	86.2	0.380	0.015	0	0	0.000	0.020	0.058	0.433	1.128	1.667	3.789	14.068

Table 3-6a. Consumer-only intake of eggs (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	100	0.394	0.007	0.003	0.009	0.014	0.029	0.067	0.492	1.125	1.667	3.596	14.068
Age													
0–5 months	100	0.423	0.246	0.023	0.023	0.035	0.049	0.081	0.111	1.402	1.402	3.683	3.683
6–12 months	100	1.258	0.244	0.004	0.010	0.043	0.070	0.121	1.050	5.030	8.286	8.343	10.906
< 1 years	100	1.186	0.223	0.004	0.012	0.043	0.070	0.116	0.885	4.941	7.398	8.343	10.906
1–2 years	100	1.326	0.057	0.007	0.024	0.035	0.083	0.215	2.080	4.053	5.308	8.835	14.068
3–5 years	100	0.766	0.039	0.005	0.016	0.027	0.056	0.118	1.087	2.534	3.571	6.142	12.674
6–11 years	100	0.465	0.026	0.006	0.014	0.020	0.037	0.080	0.369	1.569	2.335	4.475	9.296
12–19 years	100	0.312	0.016	0.005	0.011	0.018	0.031	0.062	0.320	1.079	1.415	2.609	4.698
20–39 years	100	0.327	0.012	0.004	0.010	0.015	0.028	0.059	0.415	1.003	1.456	2.694	10.356
40–69 years	100	0.323	0.007	0.003	0.007	0.011	0.024	0.059	0.519	0.971	1.268	2.131	3.602
70 + years	100	0.326	0.013	0.002	0.006	0.012	0.024	0.069	0.576	0.920	1.129	1.840	3.627
Season													
Fall	100	0.404	0.015	0.003	0.009	0.014	0.030	0.072	0.483	1.129	1.666	3.917	13.129
Spring	100	0.400	0.014	0.003	0.010	0.014	0.026	0.062	0.507	1.145	1.710	3.596	14.068
Summer	100	0.402	0.012	0.004	0.009	0.014	0.028	0.065	0.551	1.157	1.700	3.370	10.186
Winter	100	0.369	0.014	0.003	0.009	0.015	0.032	0.069	0.435	1.062	1.603	3.322	10.876
Urbanization													
Central City	100	0.413	0.012	0.004	0.010	0.016	0.031	0.074	0.530	1.214	1.776	3.473	11.571
Nonmetropolitan	100	0.391	0.014	0.003	0.009	0.013	0.028	0.066	0.502	1.085	1.619	3.963	13.129
Suburban	100	0.381	0.010	0.003	0.009	0.014	0.028	0.063	0.470	1.098	1.633	3.602	14.068
Race													
Asian	100	0.460	0.043	0.004	0.019	0.032	0.055	0.128	0.614	1.241	1.860	3.426	6.712
Black	100	0.465	0.019	0.004	0.011	0.017	0.033	0.094	0.647	1.307	1.864	3.338	8.343
Native American	100	0.497	0.105	0.000	0.009	0.015	0.030	0.106	0.591	1.219	1.980	4.285	8.452
Other/NA	100	0.641	0.042	0.005	0.009	0.016	0.037	0.129	0.786	1.646	2.874	5.954	10.906
White	100	0.362	0.007	0.003	0.009	0.014	0.027	0.061	0.424	1.067	1.601	3.399	14.068
Region													
Midwest	100	0.370	0.013	0.002	0.008	0.013	0.029	0.062	0.459	1.096	1.664	3.473	10.186
Northeast	100	0.349	0.015	0.003	0.009	0.013	0.028	0.067	0.411	1.009	1.441	3.059	12.674
South	100	0.405	0.011	0.003	0.009	0.014	0.028	0.067	0.519	1.127	1.710	3.851	13.129
West	100	0.441	0.016	0.004	0.010	0.017	0.034	0.075	0.585	1.262	1.787	3.925	14.068

Table 3-7. Per capita intake of total grains^a (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	96.9	4.372	0.033	0	0.639	1.101	1.994	3.312	5.460	8.762	11.799	19.249	120.900
Age													
0–5 months	42.9	0.972	0.247	0	0.000	0.000	0.000	0.000	1.102	2.758	5.108	9.019	26.610
6–12 months	95.3	7.696	0.618	0	0.023	1.033	2.375	5.248	10.430	21.076	23.736	33.363	40.133
< 1 years	67.5	4.124	0.416	0	0.000	0.000	0.000	1.575	5.438	12.972	20.235	26.610	40.133
1–2 years	95.7	11.211	0.202	0	1.686	3.594	6.434	9.807	14.267	21.042	24.706	34.672	47.987
3–5 years	93.7	10.291	0.197	0	0.000	3.674	6.292	9.177	13.132	17.766	21.073	33.638	120.900
6–11 years	94.1	7.200	0.122	0	0.000	2.452	4.285	6.656	9.413	12.924	15.548	19.893	36.296
12–19 years	98.6	4.401	0.080	0	1.130	1.543	2.452	3.788	5.541	7.899	9.702	14.079	34.571
20–39 years	98.2	3.492	0.045	0	0.719	1.060	1.833	2.953	4.550	6.500	8.231	12.140	30.208
40–69 years	97.4	3.134	0.031	0	0.608	0.998	1.692	2.719	4.077	5.709	7.105	11.095	17.126
70 + years	98.5	3.284	0.058	0	0.730	1.112	1.804	2.911	4.261	5.927	7.174	10.067	22.411
Season													
Fall	97.1	4.541	0.069	0	0.597	1.169	2.103	3.444	5.740	9.015	11.932	20.350	49.528
Spring	96.8	4.313	0.062	0	0.551	1.047	1.922	3.223	5.439	8.763	12.067	18.775	38.906
Summer	97.3	4.168	0.062	0	0.689	1.075	1.945	3.200	5.113	8.278	11.280	18.416	120.900
Winter	96.5	4.468	0.071	0	0.652	1.104	2.073	3.385	5.528	9.011	11.855	20.075	61.360
Urbanization													
Central City	97.0	4.691	0.068	0	0.643	1.146	2.085	3.478	5.815	9.471	12.762	21.298	120.900
Nonmetropolitan	96.1	3.786	0.057	0	0.409	0.908	1.741	2.946	4.749	7.482	10.159	17.607	35.704
Suburban	97.2	4.418	0.047	0	0.754	1.174	2.066	3.377	5.545	8.748	11.850	18.669	61.360
Race													
Asian	95.0	7.761	0.281	0	0.000	2.067	4.079	6.829	10.577	14.199	16.703	27.493	38.414
Black	96.5	4.499	0.111	0	0.315	0.868	1.687	3.157	5.471	9.376	13.711	25.371	47.932
Native American	85.4	3.769	0.390	0	0.000	0.000	1.345	2.904	4.934	7.497	10.119	17.140	30.172
Other/NA	91.1	4.947	0.188	0	0.000	0.580	2.016	3.668	6.406	10.221	13.574	22.221	120.900
White	97.6	4.188	0.033	0	0.754	1.163	2.021	3.251	5.235	8.256	10.853	17.766	61.360
Region													
Midwest	97.9	4.384	0.063	0	0.763	1.175	2.003	3.309	5.490	8.881	12.017	18.920	49.528
Northeast	97.2	4.643	0.081	0	0.799	1.312	2.253	3.600	5.853	8.945	11.916	18.669	120.900
South	97.8	4.073	0.053	0	0.649	1.042	1.835	3.059	4.961	8.160	10.856	19.200	47.278
West	94.3	4.592	0.074	0	0.000	0.970	2.040	3.483	5.879	9.443	12.480	20.535	49.184

^a Includes breads; sweets such as cakes, pies, and pastries; snack and breakfast foods made with grains; pasta; cooked ready-to-eat, baby cereals, rice and grain mixtures.

Table 3-7a. Consumer-only intake of total grains^a (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	100	4.511	0.033	0.442	0.943	1.287	2.115	3.400	5.545	8.897	11.949	19.356	120.900
Age													
0–5 months	100	2.265	0.329	0.123	0.203	0.324	0.612	1.575	2.758	5.557	6.250	10.509	26.610
6–12 months	100	8.077	0.617	0.192	0.962	1.362	2.942	5.515	11.665	21.076	23.736	33.363	40.133
< 1 years	100	6.113	0.451	0.160	0.325	0.612	1.536	3.761	7.157	16.773	21.485	29.119	40.133
1–2 years	100	11.719	0.195	1.864	3.415	4.561	6.961	10.042	14.638	21.436	24.802	34.677	47.987
3–5 years	100	10.985	0.189	2.544	3.905	4.996	6.853	9.561	13.373	17.937	21.370	33.638	120.900
6–11 years	100	7.649	0.115	1.216	2.532	3.275	4.703	6.891	9.578	13.193	15.749	20.075	36.296
12–19 years	100	4.464	0.080	0.569	1.225	1.677	2.507	3.809	5.565	7.968	9.702	14.079	34.571
20–39 years	100	3.555	0.045	0.412	0.865	1.155	1.919	3.008	4.592	6.560	8.266	12.201	30.208
40–69 years	100	3.217	0.030	0.395	0.829	1.125	1.790	2.778	4.123	5.740	7.133	11.169	17.126
70 + years	100	3.335	0.058	0.465	0.891	1.163	1.862	2.932	4.297	5.962	7.194	10.067	22.411
Season													
Fall	100	4.678	0.068	0.377	0.972	1.335	2.222	3.566	5.789	9.115	12.095	20.847	49.528
Spring	100	4.454	0.062	0.403	0.907	1.233	2.041	3.306	5.552	8.917	12.140	18.878	38.906
Summer	100	4.283	0.062	0.487	0.938	1.247	2.034	3.269	5.158	8.342	11.429	18.446	120.900
Winter	100	4.630	0.070	0.568	0.998	1.331	2.222	3.483	5.663	9.136	12.078	20.103	61.360
Urbanization													
Central City	100	4.836	0.067	0.456	0.970	1.337	2.199	3.586	5.889	9.547	12.847	21.488	120.900
Nonmetropolitan	100	3.938	0.056	0.377	0.789	1.100	1.866	3.042	4.850	7.573	10.365	17.717	35.704
Suburban	100	4.544	0.046	0.496	1.011	1.327	2.179	3.475	5.695	8.853	12.017	18.726	61.360
Race													
Asian	100	8.173	0.272	1.157	2.007	2.809	4.527	7.151	10.862	14.675	16.898	27.493	38.414
Black	100	4.663	0.111	0.268	0.709	1.033	1.850	3.256	5.471	9.529	13.988	25.372	47.932
Native American	100	4.412	0.385	0.412	0.829	1.053	2.181	3.361	5.366	9.131	10.262	18.257	30.172
Other/NA	100	5.427	0.189	0.580	1.067	1.467	2.503	3.941	6.726	10.543	13.731	22.863	120.900
White	100	4.292	0.033	0.496	0.972	1.311	2.105	3.317	5.303	8.296	10.957	17.806	61.360
Region													
Midwest	100	4.479	0.063	0.441	0.962	1.293	2.086	3.352	5.548	8.966	12.097	18.949	49.528
Northeast	100	4.779	0.081	0.545	1.058	1.507	2.339	3.688	5.882	8.999	12.072	18.878	120.900
South	100	4.165	0.053	0.347	0.863	1.157	1.924	3.119	5.052	8.237	10.990	19.249	47.278
West	100	4.867	0.074	0.565	0.999	1.353	2.237	3.668	6.144	9.687	12.660	21.188	49.184

a = Includes breads; sweets such as cakes, pies, and pastries; snack and breakfast foods made with grains; pasta; cooked ready-to-eat, baby cereals, rice and grain mixtures.

Table 3-8. Per capita intake of total vegetables (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	96.5	4.523	0.031	0	0.505	1.143	2.222	3.709	5.805	8.567	10.834	18.655	102.646
Age													
0–5 months	22.3	2.335	0.856	0	0.000	0.000	0.000	0.000	0.000	10.395	17.857	25.279	31.250
6–12 months	91.5	12.079	0.911	0	0.000	0.804	5.900	11.240	15.128	24.179	28.999	49.004	102.646
< 1 years	54.7	6.902	0.721	0	0.000	0.000	0.000	2.337	12.227	17.857	24.179	36.281	102.646
1–2 years	95.3	9.528	0.213	0	0.471	1.929	4.534	8.013	12.580	18.716	23.278	33.457	83.285
3–5 years	93.3	7.295	0.159	0	0.000	1.348	3.411	6.231	9.690	13.933	18.274	28.992	45.543
6–11 years	93.9	5.337	0.118	0	0.000	1.120	2.480	4.334	7.103	10.438	13.539	21.210	52.266
12–19 years	98.4	4.034	0.085	0	0.633	1.121	2.140	3.404	5.145	7.399	9.346	14.684	42.431
20–39 years	98.1	4.089	0.052	0	0.731	1.261	2.154	3.542	5.422	7.328	9.244	14.359	26.208
40–69 years	97.2	3.955	0.039	0	0.579	1.166	2.167	3.448	5.218	7.314	8.725	12.056	45.837
70 + years	97.9	4.170	0.076	0	0.615	1.142	2.244	3.693	5.459	7.754	9.272	13.456	23.746
Season													
Fall	96.6	4.671	0.064	0	0.565	1.154	2.315	3.918	6.087	8.871	10.956	18.340	83.285
Spring	96.4	4.419	0.063	0	0.407	1.079	2.109	3.505	5.630	8.467	10.996	20.416	69.680
Summer	96.9	4.521	0.060	0	0.525	1.126	2.255	3.723	5.662	8.587	10.800	18.625	52.266
Winter	96.2	4.481	0.065	0	0.514	1.213	2.203	3.699	5.775	8.280	10.671	17.954	102.646
Urbanization													
Central City	96.5	4.653	0.062	0	0.488	1.056	2.129	3.761	6.045	8.860	11.347	19.727	102.646
Nonmetropolitan	95.6	4.337	0.063	0	0.174	1.089	2.190	3.516	5.535	8.130	10.421	18.159	60.167
Suburban	97.0	4.518	0.044	0	0.589	1.237	2.276	3.752	5.735	8.469	10.803	18.219	52.266
Race													
Asian	94.7	6.658	0.253	0	0.000	1.923	3.370	5.571	9.007	13.715	15.483	21.373	35.036
Black	95.6	4.280	0.101	0	0.190	0.853	1.843	3.139	5.551	8.543	10.834	20.050	102.646
Native American	85.7	4.347	0.593	0	0.000	0.000	1.341	3.555	5.283	8.348	13.005	29.539	60.167
Other/NA	91.0	5.165	0.180	0	0.000	0.588	2.110	4.095	6.889	10.182	14.183	22.637	83.285
White	97.2	4.438	0.033	0	0.607	1.237	2.283	3.720	5.684	8.183	10.269	17.846	49.004
Region													
Midwest	97.4	4.636	0.063	0	0.605	1.247	2.346	3.806	5.912	8.656	10.975	18.391	48.795
Northeast	96.9	4.471	0.068	0	0.552	1.135	2.205	3.755	5.773	8.272	10.406	16.844	36.611
South	97.3	4.444	0.053	0	0.591	1.169	2.241	3.660	5.666	8.293	10.444	18.340	102.646
West	94.1	4.575	0.072	0	0.000	0.956	2.118	3.644	5.897	9.103	11.340	20.529	69.680

Table 3-8a. Consumer-only intake of total vegetables (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	100	4.686	0.031	0.377	0.978	1.413	2.374	3.821	5.897	8.663	10.975	18.860	102.646
Age													
0–5 months	100	10.487	1.119	0.613	1.378	1.923	3.858	9.582	16.608	18.860	25.279	29.689	31.250
6–12 months	100	13.204	0.894	0.612	1.651	3.097	7.165	12.095	16.123	24.179	28.999	49.004	102.646
< 1 years	100	12.617	0.742	0.612	1.378	2.936	6.697	11.324	16.213	24.179	28.999	41.655	102.646
1–2 years	100	9.993	0.210	0.802	1.734	3.014	5.064	8.247	12.812	18.974	23.510	33.457	83.285
3–5 years	100	7.815	0.156	0.490	1.540	2.081	4.078	6.622	9.966	14.413	18.575	28.992	45.543
6–11 years	100	5.683	0.116	0.394	1.228	1.836	2.831	4.611	7.313	10.609	13.839	21.210	52.266
12–19 years	100	4.101	0.084	0.381	0.824	1.208	2.214	3.459	5.213	7.409	9.481	14.684	42.431
20–39 years	100	4.170	0.051	0.424	0.962	1.403	2.240	3.600	5.444	7.328	9.273	14.359	26.208
40–69 years	100	4.069	0.039	0.337	0.955	1.340	2.259	3.533	5.267	7.396	8.856	12.220	45.837
70 + years	100	4.259	0.075	0.375	0.887	1.280	2.322	3.731	5.473	7.801	9.339	13.456	23.746
Season													
Fall	100	4.833	0.063	0.429	1.007	1.437	2.480	4.026	6.211	8.976	11.162	18.520	83.285
Spring	100	4.586	0.063	0.318	0.937	1.361	2.268	3.634	5.726	8.551	11.134	20.454	69.680
Summer	100	4.668	0.060	0.313	0.946	1.372	2.377	3.819	5.789	8.648	10.895	18.640	52.266
Winter	100	4.658	0.064	0.436	1.077	1.505	2.405	3.814	5.863	8.424	10.825	18.179	102.646
Urbanization													
Central City	100	4.824	0.062	0.384	0.936	1.328	2.318	3.913	6.161	8.962	11.553	20.317	102.646
Nonmetropolitan	100	4.539	0.062	0.280	1.009	1.408	2.374	3.675	5.614	8.385	10.588	18.733	60.167
Suburban	100	4.658	0.044	0.425	1.011	1.480	2.414	3.848	5.845	8.573	10.863	18.520	52.266
Race													
Asian	100	7.027	0.246	1.005	1.923	2.304	3.796	5.856	9.106	13.884	15.597	24.785	35.036
Black	100	4.476	0.101	0.253	0.777	1.114	2.029	3.301	5.710	8.663	11.195	20.444	102.646
Native American	100	5.074	0.610	0.320	0.575	0.956	2.141	3.912	5.847	8.873	13.005	34.466	60.167
Other/NA	100	5.673	0.180	0.531	1.218	1.599	2.568	4.383	7.266	10.884	14.386	22.664	83.285
White	100	4.566	0.032	0.384	1.003	1.437	2.414	3.799	5.755	8.266	10.352	18.017	49.004
Region													
Midwest	100	4.760	0.063	0.397	0.976	1.437	2.457	3.891	5.972	8.757	11.108	18.733	48.795
Northeast	100	4.615	0.068	0.370	0.949	1.386	2.352	3.877	5.857	8.467	10.575	16.970	36.611
South	100	4.569	0.052	0.361	0.974	1.378	2.342	3.730	5.730	8.396	10.609	18.575	102.646
West	100	4.862	0.071	0.408	1.012	1.472	2.335	3.871	6.096	9.260	11.468	20.610	69.680

Table 3-9. Per capita intake of total fruits (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	67.2	3.679	0.065	0	0	0	0.000	1.575	4.437	9.226	14.645	33.602	125.321
Age													
0–5 months	36.0	7.606	1.781	0	0	0	0.000	0.000	7.559	26.569	41.181	63.419	110.230
6–12 months	87.0	19.505	1.238	0	0	0	8.578	18.789	26.027	37.111	43.758	67.152	71.129
< 1 years	59.9	13.183	1.106	0	0	0	0.000	7.559	22.669	35.694	41.181	63.725	110.230
1–2 years	86.0	19.308	0.521	0	0	0	6.351	15.524	27.447	41.622	53.898	77.260	125.321
3–5 years	79.3	11.022	0.341	0	0	0	2.273	8.102	16.342	26.441	32.675	52.991	105.159
6–11 years	72.5	5.393	0.200	0	0	0	0.000	3.351	7.874	13.628	17.952	28.447	44.574
12–19 years	61.5	2.771	0.133	0	0	0	0.000	1.371	4.116	7.978	10.970	16.639	32.229
20–39 years	58.8	2.060	0.075	0	0	0	0.000	0.813	2.962	5.893	8.373	14.330	39.341
40–69 years	69.0	2.196	0.049	0	0	0	0.000	1.295	3.257	5.655	7.426	11.729	51.644
70 + years	81.3	2.919	0.086	0	0	0	0.655	2.367	4.247	6.866	8.518	11.316	28.702
Season													
Fall	65.9	3.589	0.134	0	0	0	0.000	1.438	4.294	8.910	14.214	34.190	125.321
Spring	67.7	3.780	0.125	0	0	0	0.000	1.627	4.507	9.842	16.234	33.551	105.159
Summer	66.1	3.737	0.130	0	0	0	0.000	1.633	4.593	9.289	14.352	34.944	113.369
Winter	69.1	3.609	0.133	0	0	0	0.000	1.575	4.385	9.031	13.736	32.026	96.356
Urbanization													
Central City	69.2	3.966	0.121	0	0	0	0.000	1.816	4.960	9.705	15.635	34.301	89.453
Nonmetropolitan	59.4	2.800	0.113	0	0	0	0.000	0.929	3.364	7.297	11.452	27.572	74.897
Suburban	69.3	3.878	0.100	0	0	0	0.000	1.704	4.541	9.702	15.579	35.384	125.321
Race													
Asian	77.7	4.907	0.435	0	0	0	0.280	3.012	6.407	12.930	17.412	31.242	85.845
Black	61.6	3.360	0.187	0	0	0	0.000	1.200	4.036	9.142	13.748	32.988	110.407
Native American	60.5	3.351	0.816	0	0	0	0.000	1.259	3.024	8.402	14.019	31.030	61.897
Other/NA	70.7	4.845	0.317	0	0	0	0.000	2.255	5.847	11.536	20.127	37.991	113.369
White	67.5	3.605	0.072	0	0	0	0.000	1.572	4.334	8.927	14.352	33.201	125.321
Region													
Midwest	67.0	3.576	0.129	0	0	0	0.000	1.520	4.295	9.031	13.972	32.007	125.321
Northeast	75.4	4.517	0.160	0	0	0	0.033	2.283	5.349	10.974	17.086	36.748	105.159
South	61.8	3.192	0.108	0	0	0	0.000	1.045	3.611	8.142	13.473	32.460	110.230
West	68.6	3.812	0.137	0	0	0	0.000	1.798	4.940	9.299	13.658	31.399	113.369

Table 3-9a. Consumer-only intake of total fruits (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	100	5.477	0.073	0.051	0.451	0.754	1.543	3.143	6.217	12.087	18.831	38.295	125.321
Age													
0–5 months	100	21.120	2.174	0.464	2.450	3.417	6.889	18.318	29.940	41.181	48.184	110.230	110.230
6–12 months	100	22.413	1.129	2.315	5.208	7.427	14.667	20.226	28.476	39.685	50.832	67.152	71.129
< 1 years	100	22.000	1.044	1.314	3.906	5.682	10.943	19.083	28.660	40.227	50.239	67.152	110.230
1–2 years	100	22.451	0.504	1.318	3.497	5.467	9.994	18.227	29.586	44.167	57.736	83.004	125.321
3–5 years	100	13.903	0.333	0.888	2.237	3.417	5.971	10.837	19.261	28.173	34.758	56.132	105.159
6–11 years	100	7.437	0.200	0.399	1.235	1.626	2.920	5.518	10.088	16.079	20.227	29.391	44.574
12–19 years	100	4.507	0.140	0.058	0.551	0.911	1.740	3.190	5.964	10.083	13.157	17.962	32.229
20–39 years	100	3.502	0.081	0.034	0.252	0.605	1.271	2.407	4.856	7.805	9.796	15.834	39.341
40–69 years	100	3.184	0.051	0.051	0.380	0.649	1.181	2.374	4.324	6.638	8.737	12.804	51.644
70 + years	100	3.589	0.084	0.073	0.458	0.740	1.549	2.992	4.850	7.556	8.930	11.739	28.702
Season													
Fall	100	5.450	0.153	0.057	0.431	0.723	1.491	3.154	6.212	11.729	18.930	39.266	125.321
Spring	100	5.587	0.140	0.067	0.467	0.765	1.565	3.141	6.256	12.960	19.908	37.204	105.159
Summer	100	5.654	0.147	0.054	0.500	0.813	1.671	3.366	6.498	11.978	18.503	39.382	113.369
Winter	100	5.225	0.148	0.043	0.362	0.708	1.424	2.965	5.917	11.565	17.746	37.505	96.356
Urbanization													
Central City	100	5.734	0.134	0.045	0.494	0.814	1.671	3.463	6.489	12.886	18.907	39.077	89.453
Nonmetropolitan	100	4.713	0.132	0.099	0.435	0.703	1.350	2.705	5.436	10.173	15.609	32.942	74.897
Suburban	100	5.596	0.111	0.047	0.423	0.723	1.548	3.150	6.317	12.262	19.731	39.382	125.321
Race													
Asian	100	6.314	0.461	0.051	0.482	1.055	2.001	3.985	6.918	14.898	18.759	37.706	85.845
Black	100	5.452	0.218	0.035	0.459	0.726	1.444	3.047	6.129	12.395	17.494	39.632	110.407
Native American	100	5.540	0.968	0.377	0.543	0.895	1.615	2.453	6.916	10.825	19.605	57.791	61.897
Other/NA	100	6.855	0.349	0.055	0.530	0.832	1.953	4.063	8.067	14.738	24.912	47.866	113.369
White	100	5.343	0.081	0.054	0.441	0.739	1.525	3.050	6.055	11.621	18.592	37.505	125.321
Region													
Midwest	100	5.341	0.145	0.045	0.474	0.755	1.499	3.004	6.111	11.514	18.816	36.721	125.321
Northeast	100	5.991	0.173	0.048	0.568	0.874	1.771	3.479	6.669	13.595	20.446	39.995	105.159
South	100	5.167	0.126	0.054	0.358	0.685	1.374	2.806	5.619	11.645	18.558	39.403	110.230
West	100	5.556	0.152	0.059	0.456	0.783	1.660	3.537	6.538	11.536	18.227	37.361	113.369

Table 3-10. Per capita intake of total fats (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
Total	92.5	0.278	0.003	0	0.000	0.022	0.080	0.184	0.374	0.649	0.874	1.416	3.333
Age													
0–5 months	5.6	0.008	0.011	0	0.000	0.000	0.000	0.000	0.000	0.000	0.069	0.163	0.461
6–12 months	66.7	0.169	0.023	0	0.000	0.000	0.000	0.139	0.248	0.400	0.488	1.205	1.684
< 1 years	34.2	0.083	0.017	0	0.000	0.000	0.000	0.000	0.139	0.261	0.399	0.719	1.684
1–2 years	90.5	0.417	0.012	0	0.000	0.010	0.137	0.308	0.554	0.907	1.198	2.237	3.333
3–5 years	89.6	0.417	0.012	0	0.000	0.000	0.129	0.298	0.588	0.951	1.297	1.833	3.074
6–11 years	91.5	0.336	0.010	0	0.000	0.022	0.098	0.233	0.448	0.796	1.066	1.514	3.111
12–19 years	95.9	0.265	0.008	0	0.011	0.036	0.087	0.182	0.341	0.624	0.831	1.404	1.846
20–39 years	94.6	0.273	0.005	0	0.000	0.032	0.083	0.181	0.366	0.626	0.824	1.341	3.004
40–69 years	93.1	0.258	0.004	0	0.000	0.022	0.076	0.173	0.356	0.606	0.793	1.241	2.280
70 + years	91.9	0.226	0.007	0	0.000	0.011	0.063	0.155	0.304	0.527	0.682	1.197	1.899
Season													
Fall	93.0	0.281	0.005	0	0.000	0.022	0.080	0.183	0.368	0.676	0.935	1.399	3.111
Spring	92.0	0.276	0.005	0	0.000	0.018	0.077	0.190	0.377	0.619	0.839	1.446	3.333
Summer	92.4	0.274	0.005	0	0.000	0.022	0.076	0.169	0.363	0.650	0.868	1.478	2.725
Winter	92.8	0.282	0.005	0	0.000	0.026	0.088	0.197	0.386	0.650	0.821	1.286	2.555
Urbanization													
Central City	91.9	0.275	0.005	0	0.000	0.020	0.075	0.186	0.370	0.629	0.858	1.416	3.333
Nonmetropolitan	90.4	0.265	0.005	0	0.000	0.009	0.070	0.168	0.354	0.641	0.866	1.401	3.310
Suburban	94.0	0.286	0.004	0	0.000	0.027	0.087	0.190	0.384	0.660	0.885	1.412	3.074
Race													
Asian	88.0	0.258	0.017	0	0.000	0.000	0.082	0.176	0.319	0.532	0.794	1.638	2.153
Black	89.7	0.232	0.007	0	0.000	0.000	0.052	0.137	0.287	0.554	0.831	1.331	2.725
Native American	79.4	0.181	0.026	0	0.000	0.000	0.017	0.110	0.249	0.389	0.479	0.937	2.012
Other/NA	84.6	0.214	0.009	0	0.000	0.000	0.044	0.128	0.287	0.548	0.719	1.149	3.310
White	93.8	0.292	0.003	0	0.000	0.029	0.089	0.199	0.393	0.668	0.896	1.419	3.333
Region													
Midwest	94.1	0.300	0.005	0	0.000	0.032	0.093	0.206	0.395	0.671	0.913	1.509	3.333
Northeast	92.1	0.305	0.007	0	0.000	0.019	0.083	0.202	0.407	0.706	1.023	1.498	2.723
South	92.7	0.245	0.004	0	0.000	0.021	0.071	0.158	0.328	0.583	0.766	1.276	3.074
West	91.0	0.283	0.005	0	0.000	0.013	0.081	0.189	0.390	0.662	0.881	1.397	3.310

Table 3-10a. Consumer-only intake of total fats (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	100	0.300	0.003	0.012	0.031	0.049	0.099	0.205	0.395	0.669	0.905	1.432	3.333
Age													
0–5 months	100	0.141	0.023	0.045	0.045	0.069	0.099	0.163	0.163	0.222	0.222	0.461	0.461
6–12 months	100	0.254	0.024	0.009	0.020	0.051	0.139	0.201	0.315	0.432	0.552	1.205	1.684
< 1 years	100	0.244	0.022	0.009	0.020	0.051	0.135	0.181	0.291	0.432	0.552	1.205	1.684
1–2 years	100	0.461	0.012	0.019	0.061	0.089	0.180	0.345	0.588	0.965	1.256	2.264	3.333
3–5 years	100	0.466	0.012	0.016	0.054	0.083	0.170	0.343	0.618	0.991	1.317	1.918	3.074
6–11 years	100	0.367	0.010	0.018	0.043	0.062	0.131	0.254	0.476	0.821	1.097	1.571	3.111
12–19 years	100	0.277	0.008	0.011	0.028	0.048	0.096	0.191	0.356	0.647	0.833	1.430	1.846
20–39 years	100	0.289	0.005	0.014	0.033	0.047	0.095	0.196	0.379	0.638	0.847	1.397	3.004
40–69 years	100	0.277	0.004	0.012	0.029	0.047	0.093	0.191	0.377	0.629	0.819	1.253	2.280
70 + years	100	0.246	0.007	0.006	0.024	0.042	0.084	0.169	0.325	0.555	0.703	1.253	1.899
Season													
Fall	100	0.302	0.005	0.011	0.029	0.047	0.097	0.199	0.391	0.695	0.973	1.416	3.111
Spring	100	0.300	0.005	0.012	0.030	0.047	0.098	0.211	0.403	0.648	0.867	1.460	3.333
Summer	100	0.296	0.005	0.013	0.032	0.048	0.094	0.190	0.383	0.674	0.914	1.514	2.725
Winter	100	0.304	0.005	0.013	0.035	0.056	0.111	0.217	0.407	0.667	0.854	1.314	2.555
Urbanization													
Central City	100	0.299	0.005	0.013	0.033	0.049	0.097	0.210	0.395	0.660	0.891	1.419	3.333
Nonmetropolitan	100	0.294	0.005	0.012	0.028	0.047	0.096	0.195	0.380	0.660	0.907	1.430	3.310
Suburban	100	0.305	0.004	0.012	0.031	0.050	0.102	0.205	0.402	0.677	0.914	1.441	3.074
Race													
Asian	100	0.293	0.018	0.007	0.038	0.058	0.116	0.201	0.351	0.560	0.807	2.132	2.153
Black	100	0.258	0.007	0.008	0.024	0.039	0.075	0.158	0.315	0.598	0.848	1.341	2.725
Native American	100	0.227	0.027	0.011	0.011	0.043	0.083	0.179	0.290	0.449	0.607	1.918	2.012
Other/NA	100	0.253	0.009	0.015	0.027	0.042	0.081	0.158	0.335	0.599	0.776	1.195	3.310
White	100	0.311	0.003	0.013	0.033	0.052	0.106	0.217	0.413	0.687	0.916	1.432	3.333
Region													
Midwest	100	0.319	0.005	0.012	0.036	0.058	0.109	0.224	0.416	0.698	0.928	1.538	3.333
Northeast	100	0.332	0.007	0.013	0.031	0.050	0.107	0.226	0.437	0.749	1.044	1.512	2.723
South	100	0.264	0.004	0.011	0.028	0.044	0.087	0.175	0.349	0.605	0.794	1.331	3.074
West	100	0.311	0.005	0.013	0.034	0.052	0.109	0.214	0.419	0.703	0.907	1.416	3.310

Table 3-11. Per capita intake of exposed vegetables (g/kg-day as consumed)

Group	Percent consuming			Percentile									
	Mean	SE		1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	79.2	1.325	0.016	0	0	0	0.111	0.802	1.860	3.362	4.409	7.611	45.031
Age													
0–5 months	6.0	0.478	0.616	0	0	0	0.000	0.000	0.000	0.000	4.604	11.819	12.500
6–12 months	40.8	1.995	0.493	0	0	0	0.000	0.000	3.114	5.767	10.334	14.654	19.040
< 1 years	22.3	1.189	0.371	0	0	0	0.000	0.000	0.000	4.991	7.353	14.654	19.040
1–2 years	63.3	1.996	0.114	0	0	0	0.000	0.591	2.678	5.753	8.551	14.869	45.031
3–5 years	67.8	1.630	0.083	0	0	0	0.000	0.674	2.241	4.442	6.378	12.787	25.072
6–11 years	70.8	1.235	0.058	0	0	0	0.000	0.601	1.580	3.417	4.836	8.102	19.600
12–19 years	77.4	0.966	0.041	0	0	0	0.055	0.530	1.338	2.530	3.610	5.767	13.022
20–39 years	82.6	1.271	0.031	0	0	0	0.152	0.808	1.820	3.236	4.141	6.861	18.385
40–69 years	84.0	1.385	0.023	0	0	0	0.276	0.969	2.031	3.341	4.320	6.415	16.414
70 + years	83.2	1.491	0.049	0	0	0	0.314	1.085	2.133	3.559	4.416	7.244	20.106
Season													
Fall	79.6	1.319	0.033	0	0	0	0.123	0.786	1.846	3.389	4.404	7.247	45.031
Spring	78.8	1.305	0.031	0	0	0	0.093	0.788	1.829	3.262	4.338	7.860	25.077
Summer	81.2	1.456	0.032	0	0	0	0.157	0.921	2.056	3.542	4.791	8.593	25.072
Winter	77.4	1.221	0.031	0	0	0	0.083	0.742	1.716	3.152	4.202	6.958	20.944
Urbanization													
Central City	79.5	1.381	0.031	0	0	0	0.120	0.829	1.959	3.492	4.497	8.075	25.072
Nonmetropolitan	78.0	1.158	0.029	0	0	0	0.083	0.686	1.618	2.901	4.073	6.899	45.031
Suburban	79.6	1.362	0.024	0	0	0	0.116	0.852	1.909	3.391	4.479	7.780	25.077
Race													
Asian	82.2	2.143	0.152	0	0	0	0.343	1.392	2.951	4.909	7.052	13.022	20.106
Black	76.3	1.193	0.043	0	0	0	0.043	0.661	1.663	3.259	4.102	7.210	20.944
Native American	70.7	1.255	0.398	0	0	0	0.000	0.453	1.477	1.965	4.502	9.452	45.031
Other/NA	73.8	1.330	0.078	0	0	0	0.000	0.725	1.802	3.331	4.690	10.380	24.835
White	80.1	1.316	0.017	0	0	0	0.127	0.821	1.860	3.325	4.366	7.244	25.077
Region													
Midwest	80.2	1.291	0.030	0	0	0	0.123	0.807	1.833	3.263	4.409	7.055	24.835
Northeast	79.4	1.429	0.039	0	0	0	0.117	0.910	2.045	3.497	4.622	7.860	25.077
South	79.6	1.283	0.026	0	0	0	0.121	0.780	1.806	3.241	4.220	7.092	25.072
West	77.5	1.335	0.038	0	0	0	0.077	0.775	1.823	3.357	4.620	8.897	45.031

Table 3-11a. Consumer-only intake of exposed vegetables (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	100	1.672	0.017	0.034	0.106	0.197	0.521	1.163	2.229	3.693	4.819	8.345	45.031
Age													
0–5 months	100	7.970	0.940	3.125	4.167	4.604	4.604	7.353	11.819	11.819	12.500	12.500	12.500
6–12 months	100	4.887	0.578	0.155	0.155	0.485	1.903	3.890	5.767	10.417	14.654	19.040	19.040
< 1 years	100	5.327	0.527	0.155	0.479	0.485	2.031	4.295	6.920	11.819	14.654	19.040	19.040
1–2 years	100	3.154	0.128	0.054	0.188	0.276	0.760	2.067	4.039	7.287	10.017	16.865	45.031
3–5 years	100	2.404	0.091	0.059	0.138	0.210	0.648	1.533	3.278	5.181	7.210	15.157	25.072
6–11 years	100	1.744	0.062	0.055	0.115	0.189	0.516	1.123	2.186	4.087	5.806	9.452	19.600
12–19 years	100	1.249	0.043	0.036	0.082	0.125	0.315	0.851	1.642	2.882	3.935	6.537	13.022
20–39 years	100	1.539	0.032	0.028	0.095	0.166	0.464	1.099	2.074	3.492	4.354	7.247	18.385
40–69 years	100	1.649	0.023	0.037	0.123	0.257	0.590	1.217	2.282	3.559	4.549	6.775	16.414
70 + years	100	1.791	0.050	0.034	0.156	0.320	0.648	1.365	2.352	3.858	4.689	7.603	20.106
Season													
Fall	100	1.656	0.035	0.036	0.108	0.199	0.475	1.153	2.217	3.674	4.845	7.606	45.031
Spring	100	1.655	0.033	0.033	0.097	0.185	0.527	1.166	2.187	3.608	4.700	8.482	25.077
Summer	100	1.794	0.033	0.032	0.110	0.211	0.551	1.274	2.385	3.882	5.163	9.958	25.072
Winter	100	1.579	0.032	0.038	0.111	0.196	0.522	1.082	2.074	3.626	4.620	7.856	20.944
Urbanization													
Central City	100	1.738	0.032	0.033	0.111	0.199	0.543	1.184	2.365	3.833	4.836	8.851	25.072
Nonmetropolitan	100	1.484	0.031	0.034	0.105	0.196	0.450	1.029	1.914	3.359	4.398	7.350	45.031
Suburban	100	1.711	0.025	0.035	0.103	0.196	0.529	1.213	2.263	3.753	4.882	8.369	25.077
Race													
Asian	100	2.605	0.155	0.083	0.151	0.355	0.808	2.009	3.345	5.718	7.737	13.022	20.106
Black	100	1.564	0.045	0.026	0.094	0.163	0.441	1.086	2.085	3.492	4.416	8.482	20.944
Native American	100	1.775	0.461	0.008	0.094	0.215	0.443	0.971	1.653	3.916	5.161	15.157	45.031
Other/NA	100	1.802	0.083	0.038	0.118	0.213	0.529	1.121	2.316	3.896	5.563	11.150	24.835
White	100	1.644	0.018	0.034	0.107	0.198	0.525	1.157	2.196	3.674	4.756	7.624	25.077
Region													
Midwest	100	1.609	0.030	0.036	0.105	0.202	0.537	1.146	2.140	3.663	4.710	7.287	24.835
Northeast	100	1.799	0.040	0.037	0.109	0.189	0.557	1.346	2.431	3.847	5.039	8.687	25.077
South	100	1.613	0.027	0.034	0.108	0.210	0.507	1.131	2.171	3.626	4.544	8.075	25.072
West	100	1.722	0.040	0.030	0.102	0.191	0.478	1.134	2.221	3.818	5.180	10.380	45.031

Table 3-12. Per capita intake of protected vegetables (g/kg-day as consumed)

Group	Percent consuming			Percentile									
	Mean	SE		1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	38.0	0.630	0.019	0	0	0	0	0.000	0.729	1.945	3.108	6.560	45.837
Age													
0–5 months	10.3	0.494	0.407	0	0	0	0	0.000	0.000	1.378	3.913	9.207	10.991
6–12 months	34.8	2.173	0.551	0	0	0	0	0.000	4.348	7.327	9.582	19.504	23.097
< 1 years	21.8	1.281	0.371	0	0	0	0	0.000	0.000	5.420	7.785	11.899	23.097
1–2 years	40.8	1.469	0.125	0	0	0	0	0.000	1.863	4.422	7.042	14.162	27.812
3–5 years	38.2	1.079	0.090	0	0	0	0	0.000	1.402	3.520	5.417	10.300	17.992
6–11 years	38.8	0.778	0.065	0	0	0	0	0.000	1.042	2.583	3.894	7.496	26.510
12–19 years	30.4	0.462	0.055	0	0	0	0	0.000	0.437	1.517	2.348	5.766	21.550
20–39 years	36.7	0.532	0.038	0	0	0	0	0.000	0.613	1.704	2.646	5.454	23.627
40–69 years	41.2	0.559	0.029	0	0	0	0	0.000	0.734	1.704	2.620	4.808	45.837
70 + years	42.2	0.652	0.054	0	0	0	0	0.000	0.864	1.992	3.103	5.727	21.495
Season													
Fall	37.9	0.616	0.036	0	0	0	0	0.000	0.710	2.054	3.218	5.925	21.550
Spring	37.8	0.623	0.040	0	0	0	0	0.000	0.670	1.821	2.938	7.631	23.627
Summer	39.3	0.672	0.039	0	0	0	0	0.000	0.848	1.953	3.135	6.283	45.837
Winter	37.1	0.612	0.039	0	0	0	0	0.000	0.705	1.922	3.030	6.889	27.812
Urbanization													
Central City	38.9	0.697	0.039	0	0	0	0	0.000	0.776	2.077	3.431	7.327	45.837
Nonmetropolitan	39.7	0.622	0.035	0	0	0	0	0.000	0.754	1.929	3.121	5.958	25.755
Suburban	36.6	0.589	0.028	0	0	0	0	0.000	0.679	1.883	2.864	5.912	27.812
Race													
Asian	45.4	0.847	0.140	0	0	0	0	0.000	1.047	2.671	4.099	7.773	23.288
Black	36.2	0.723	0.068	0	0	0	0	0.000	0.765	2.205	3.512	7.927	45.837
Native American	32.0	0.342	0.133	0	0	0	0	0.000	0.126	1.549	1.992	3.481	5.278
Other/NA	50.4	1.139	0.102	0	0	0	0	0.035	1.479	3.363	5.208	10.021	26.510
White	37.2	0.574	0.020	0	0	0	0	0.000	0.683	1.799	2.829	5.856	27.812
Region													
Midwest	36.3	0.568	0.036	0	0	0	0	0.000	0.617	1.764	2.939	5.603	21.495
Northeast	37.5	0.607	0.045	0	0	0	0	0.000	0.745	1.837	2.899	6.283	27.812
South	38.5	0.658	0.033	0	0	0	0	0.000	0.781	2.033	3.135	6.283	45.837
West	39.5	0.673	0.042	0	0	0	0	0.000	0.748	2.054	3.287	7.773	23.097

Table 3-12a. Consumer-only intake of protected vegetables (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	100	1.658	0.026	0.040	0.126	0.260	0.551	1.090	2.014	3.527	4.875	9.564	45.837
Age													
0–5 months	100	4.816	0.722	0.846	1.378	1.378	1.923	3.913	6.944	9.207	10.991	10.991	10.991
6–12 months	100	6.248	0.595	0.145	0.565	1.736	3.913	5.076	7.327	10.984	13.840	23.097	23.097
< 1 years	100	5.889	0.483	0.145	1.160	1.378	3.307	4.934	7.327	10.984	11.899	23.097	23.097
1–2 years	100	3.598	0.156	0.092	0.291	0.513	1.203	2.520	4.383	7.911	11.596	18.894	27.812
3–5 years	100	2.828	0.111	0.103	0.306	0.538	1.083	2.078	3.640	5.856	8.409	12.838	17.992
6–11 years	100	2.003	0.081	0.049	0.130	0.335	0.779	1.468	2.595	4.162	5.589	9.046	26.510
12–19 years	100	1.519	0.079	0.021	0.132	0.237	0.555	1.087	1.857	3.109	4.705	7.968	21.550
20–39 years	100	1.452	0.052	0.033	0.101	0.226	0.503	0.972	1.794	3.135	4.221	7.773	23.627
40–69 years	100	1.354	0.039	0.035	0.113	0.222	0.516	0.934	1.680	2.905	3.599	6.680	45.837
70 + years	100	1.545	0.068	0.042	0.157	0.291	0.582	1.072	1.907	3.476	4.134	8.934	21.495
Season													
Fall	100	1.626	0.047	0.035	0.108	0.218	0.535	1.097	2.142	3.575	4.666	8.389	21.550
Spring	100	1.647	0.056	0.045	0.132	0.259	0.532	0.983	1.899	3.476	4.905	11.634	23.627
Summer	100	1.711	0.053	0.038	0.174	0.323	0.619	1.160	1.984	3.545	4.902	9.494	45.837
Winter	100	1.648	0.053	0.040	0.106	0.213	0.536	1.109	2.016	3.486	5.020	9.296	27.812
Urbanization													
Central City	100	1.791	0.053	0.043	0.116	0.258	0.553	1.164	2.138	3.905	5.712	10.454	45.837
Nonmetropolitan	100	1.568	0.047	0.048	0.145	0.258	0.536	1.044	1.943	3.371	4.450	8.941	25.755
Suburban	100	1.607	0.038	0.035	0.125	0.267	0.551	1.071	1.992	3.380	4.648	8.720	27.812
Race													
Asian	100	1.865	0.178	0.011	0.044	0.106	0.312	1.226	2.421	4.120	6.650	11.758	23.288
Black	100	1.995	0.097	0.053	0.184	0.337	0.642	1.259	2.445	4.173	6.202	11.596	45.837
Native American	100	1.069	0.179	0.045	0.072	0.072	0.321	0.654	1.555	2.348	2.859	4.931	5.278
Other/NA	100	2.258	0.123	0.037	0.167	0.300	0.641	1.468	2.792	5.208	6.802	14.453	26.510
White	100	1.543	0.027	0.043	0.123	0.257	0.538	1.035	1.905	3.262	4.409	8.934	27.812
Region													
Midwest	100	1.564	0.050	0.059	0.137	0.248	0.527	1.004	1.933	3.444	4.648	9.620	21.495
Northeast	100	1.618	0.061	0.042	0.123	0.298	0.586	1.096	1.885	3.475	4.444	8.934	27.812
South	100	1.710	0.045	0.045	0.151	0.291	0.601	1.149	2.070	3.559	4.807	9.691	45.837
West	100	1.705	0.057	0.019	0.078	0.191	0.513	1.056	2.081	3.700	5.832	9.582	23.097

Table 3-13. Per capita intake of root vegetables (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	75.4	1.230	0.016	0	0	0	0.033	0.747	1.701	3.025	4.134	7.578	83.285
Age													
0–5 months	12.0	0.957	0.613	0	0	0	0.000	0.000	0.000	3.858	8.333	11.931	21.875
6–12 months	56.9	2.781	0.451	0	0	0	0.000	0.804	4.604	7.995	10.365	16.630	32.922
< 1 years	33.0	1.812	0.355	0	0	0	0.000	0.000	2.307	6.944	9.582	15.585	32.922
1–2 years	67.5	2.572	0.134	0	0	0	0.000	1.447	3.562	6.774	8.331	16.777	83.285
3–5 years	71.9	2.191	0.091	0	0	0	0.000	1.355	3.215	5.512	7.125	14.063	32.045
6–11 years	73.8	1.620	0.063	0	0	0	0.000	1.034	2.315	4.171	5.325	9.492	20.591
12–19 years	76.4	1.263	0.053	0	0	0	0.094	0.823	1.747	3.015	3.992	7.661	22.474
20–39 years	77.5	1.084	0.027	0	0	0	0.095	0.733	1.572	2.671	3.518	5.981	16.630
40–69 years	77.2	0.988	0.019	0	0	0	0.080	0.675	1.451	2.453	3.147	4.787	15.068
70 + years	73.2	1.054	0.038	0	0	0	0.000	0.699	1.586	2.704	3.388	5.311	9.763
Season													
Fall	77.3	1.279	0.035	0	0	0	0.092	0.833	1.758	3.080	4.219	8.100	83.285
Spring	75.9	1.242	0.032	0	0	0	0.049	0.731	1.696	3.050	4.274	7.725	30.007
Summer	74.0	1.182	0.030	0	0	0	0.000	0.727	1.620	2.929	3.912	7.385	25.814
Winter	74.4	1.217	0.034	0	0	0	0.000	0.738	1.720	3.035	4.080	7.361	34.284
Urbanization													
Central City	71.9	1.148	0.032	0	0	0	0.000	0.655	1.560	2.944	4.149	7.313	83.285
Nonmetropolitan	78.5	1.390	0.036	0	0	0	0.137	0.886	1.864	3.233	4.445	9.471	34.284
Suburban	76.4	1.214	0.022	0	0	0	0.065	0.772	1.691	3.021	3.981	7.234	26.120
Race													
Asian	64.2	0.965	0.102	0	0	0	0.000	0.370	1.290	2.753	3.992	7.046	17.271
Black	68.9	1.115	0.049	0	0	0	0.000	0.623	1.399	2.901	4.185	7.598	32.922
Native American	71.1	1.374	0.274	0	0	0	0.000	1.003	1.868	2.780	2.949	11.150	34.284
Other/NA	67.0	1.095	0.102	0	0	0	0.000	0.503	1.351	2.759	3.694	9.582	83.285
White	77.5	1.267	0.018	0	0	0	0.094	0.810	1.775	3.059	4.147	7.466	32.045
Region													
Midwest	79.4	1.438	0.035	0	0	0	0.157	0.900	1.978	3.438	4.602	8.625	26.120
Northeast	72.3	1.083	0.034	0	0	0	0.000	0.643	1.494	2.851	3.843	7.091	20.740
South	77.0	1.265	0.029	0	0	0	0.088	0.806	1.747	3.013	4.134	7.628	83.285
West	71.3	1.084	0.033	0	0	0	0.000	0.606	1.508	2.759	3.694	6.944	34.284

Table 3-13a. Consumer-only intake of root vegetables (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	100	1.632	0.017	0.050	0.138	0.234	0.575	1.128	2.077	3.429	4.630	8.420	83.285
Age													
0–5 months	100	7.963	0.894	0.781	2.337	2.467	4.974	8.231	9.582	11.931	20.760	21.875	21.875
6–12 months	100	4.891	0.487	0.247	0.603	0.787	1.608	3.800	6.430	10.259	12.226	16.855	32.922
< 1 years	100	5.485	0.443	0.247	0.612	0.804	2.337	4.604	7.862	10.500	12.226	21.875	32.922
1–2 years	100	3.810	0.146	0.199	0.413	0.654	1.353	2.646	4.833	7.632	10.855	18.519	83.285
3–5 years	100	3.048	0.095	0.100	0.276	0.500	1.102	2.251	3.887	6.258	8.469	14.960	32.045
6–11 years	100	2.196	0.065	0.098	0.232	0.370	0.811	1.546	3.021	4.704	6.044	9.998	20.591
12–19 years	100	1.653	0.055	0.061	0.160	0.276	0.656	1.201	2.063	3.384	4.320	10.399	22.474
20–39 years	100	1.399	0.027	0.057	0.136	0.225	0.528	1.024	1.877	3.002	3.807	6.235	16.630
40–69 years	100	1.280	0.019	0.037	0.108	0.193	0.480	0.972	1.752	2.728	3.438	5.372	15.068
70 + years	100	1.439	0.038	0.038	0.086	0.177	0.587	1.161	1.984	3.025	3.671	6.408	9.763
Season													
Fall	100	1.654	0.037	0.058	0.147	0.255	0.593	1.127	2.102	3.374	4.667	9.112	83.285
Spring	100	1.637	0.034	0.046	0.124	0.213	0.541	1.102	2.120	3.545	4.787	8.793	30.007
Summer	100	1.598	0.032	0.050	0.129	0.241	0.580	1.117	2.010	3.352	4.360	8.420	25.814
Winter	100	1.637	0.035	0.049	0.154	0.245	0.596	1.181	2.050	3.522	4.636	7.866	34.284
Urbanization													
Central City	100	1.597	0.034	0.054	0.130	0.220	0.551	1.072	2.027	3.454	4.777	8.100	83.285
Nonmetropolitan	100	1.771	0.037	0.055	0.153	0.280	0.643	1.235	2.211	3.611	5.015	10.909	34.284
Suburban	100	1.590	0.023	0.046	0.138	0.233	0.569	1.126	2.047	3.368	4.381	7.866	26.120
Race													
Asian	100	1.503	0.113	0.085	0.125	0.176	0.401	1.075	2.042	3.584	4.703	7.046	17.271
Black	100	1.619	0.053	0.075	0.157	0.276	0.584	1.050	1.897	3.571	4.806	9.315	32.922
Native American	100	1.933	0.303	0.052	0.085	0.261	0.977	1.647	2.388	2.863	4.091	11.976	34.284
Other/NA	100	1.635	0.118	0.034	0.129	0.227	0.502	0.961	1.923	3.338	4.974	12.575	83.285
White	100	1.635	0.018	0.048	0.138	0.233	0.590	1.162	2.104	3.429	4.602	8.150	32.045
Region													
Midwest	100	1.810	0.037	0.054	0.153	0.255	0.633	1.273	2.313	3.834	5.037	9.492	26.120
Northeast	100	1.498	0.035	0.050	0.122	0.219	0.534	1.047	1.898	3.211	4.390	7.982	20.740
South	100	1.643	0.030	0.055	0.156	0.262	0.612	1.143	2.073	3.388	4.597	8.331	83.285
West	100	1.521	0.035	0.047	0.121	0.216	0.514	1.075	1.929	3.211	4.296	7.922	34.284

Table 3-14. Per capita intake of exposed fruits (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	39.9	1.525	0.055	0	0	0	0.000	0.000	1.289	3.756	6.972	22.556	101.307
Age													
0–5 months	32.8	6.379	1.636	0	0	0	0.000	0.000	6.889	23.663	40.227	48.501	63.419
6–12 months	79.9	14.141	1.180	0	0	0	4.449	11.782	19.257	32.650	37.111	63.725	69.610
< 1 years	54.9	10.017	0.995	0	0	0	0.000	4.449	16.535	30.093	38.775	58.459	69.610
1–2 years	69.2	10.902	0.469	0	0	0	0.000	5.695	15.681	29.372	38.988	65.811	101.307
3–5 years	59.8	5.637	0.277	0	0	0	0.000	2.717	8.096	15.837	22.178	34.985	77.078
6–11 years	50.0	2.197	0.136	0	0	0	0.000	0.000	3.075	6.338	8.777	17.549	32.203
12–19 years	32.7	0.872	0.087	0	0	0	0.000	0.000	1.070	2.857	4.850	8.787	14.911
20–39 years	29.6	0.580	0.045	0	0	0	0.000	0.000	0.600	2.000	3.134	6.151	15.989
40–69 years	40.0	0.692	0.030	0	0	0	0.000	0.000	0.935	2.219	3.254	6.267	18.580
70 + years	51.6	0.973	0.061	0	0	0	0.000	0.110	1.326	2.801	4.080	7.493	18.558
Season													
Fall	40.7	1.588	0.114	0	0	0	0.000	0.000	1.358	4.004	6.962	22.500	101.307
Spring	40.4	1.507	0.100	0	0	0	0.000	0.000	1.307	3.768	7.110	20.905	77.078
Summer	39.7	1.501	0.108	0	0	0	0.000	0.000	1.270	3.680	6.866	23.686	81.062
Winter	38.6	1.504	0.121	0	0	0	0.000	0.000	1.233	3.417	7.070	21.219	83.594
Urbanization													
Central City	39.6	1.624	0.106	0	0	0	0.000	0.000	1.355	4.328	7.290	23.549	83.594
Nonmetropolitan	33.6	1.110	0.098	0	0	0	0.000	0.000	0.822	2.816	5.395	16.535	65.811
Suburban	42.9	1.644	0.082	0	0	0	0.000	0.000	1.440	3.915	7.493	23.663	101.307
Race													
Asian	41.6	1.740	0.351	0	0	0	0.000	0.000	1.833	4.983	6.418	22.086	61.935
Black	29.0	1.263	0.170	0	0	0	0.000	0.000	0.667	3.255	6.309	22.413	101.307
Native American	33.2	1.216	0.571	0	0	0	0.000	0.000	0.992	3.829	6.404	14.019	40.826
Other/NA	38.2	1.852	0.291	0	0	0	0.000	0.000	1.440	4.344	8.818	28.412	69.610
White	41.7	1.540	0.060	0	0	0	0.000	0.000	1.336	3.737	7.048	21.613	83.594
Region													
Midwest	42.2	1.504	0.107	0	0	0	0.000	0.000	1.383	3.680	6.724	20.988	101.307
Northeast	45.3	1.766	0.131	0	0	0	0.000	0.000	1.537	4.449	7.498	24.603	81.062
South	33.3	1.330	0.095	0	0	0	0.000	0.000	0.857	3.241	6.349	20.380	81.270
West	42.9	1.642	0.118	0	0	0	0.000	0.000	1.579	4.157	7.462	22.059	83.594

Table 3-14a. Consumer-only intake of exposed fruits (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	100	3.827	0.079	0.086	0.319	0.489	0.922	1.820	3.788	8.326	14.857	33.202	101.307
Age													
0–5 months	100	19.435	1.964	0.464	2.352	3.224	6.889	16.623	25.794	41.181	45.900	63.419	63.419
6–12 months	100	17.700	1.103	1.959	4.449	5.662	8.923	15.067	23.942	34.241	40.112	63.725	69.610
< 1 years	100	18.251	0.982	0.764	3.224	4.586	7.559	15.653	23.942	37.991	41.181	63.419	69.610
1–2 years	100	15.762	0.485	0.454	1.811	2.913	5.433	11.023	21.829	33.457	45.366	69.578	101.307
3–5 years	100	9.427	0.296	0.343	1.336	2.028	3.547	6.724	12.339	20.503	26.749	42.714	77.078
6–11 years	100	4.397	0.152	0.184	0.724	1.075	1.790	3.075	5.532	8.777	13.357	19.652	32.203
12–19 years	100	2.666	0.113	0.147	0.431	0.611	1.102	1.850	3.280	6.115	7.908	10.743	14.911
20–39 years	100	1.959	0.061	0.061	0.265	0.469	0.833	1.405	2.433	4.048	5.755	8.804	15.989
40–69 years	100	1.728	0.037	0.090	0.244	0.381	0.689	1.230	2.217	3.521	5.045	7.811	18.580
70 + years	100	1.887	0.069	0.065	0.240	0.416	0.781	1.289	2.377	3.987	5.634	9.176	18.558
Season													
Fall	100	3.907	0.162	0.086	0.346	0.509	0.934	1.923	3.952	7.962	14.713	34.171	101.307
Spring	100	3.727	0.141	0.084	0.288	0.458	0.903	1.803	3.728	8.543	15.432	30.151	77.078
Summer	100	3.778	0.156	0.077	0.340	0.519	0.909	1.743	3.728	7.958	14.008	35.698	81.062
Winter	100	3.899	0.178	0.087	0.308	0.519	0.967	1.804	3.520	8.787	14.977	34.758	83.594
Urbanization													
Central City	100	4.104	0.153	0.073	0.294	0.524	1.006	1.951	4.362	8.929	15.497	33.457	83.594
Nonmetropolitan	100	3.306	0.154	0.087	0.261	0.454	0.806	1.693	3.395	7.070	11.023	31.462	65.811
Suburban	100	3.837	0.114	0.088	0.351	0.504	0.922	1.783	3.622	8.545	15.771	32.804	101.307
Race													
Asian	100	4.183	0.488	0.062	0.432	0.802	1.323	2.413	4.768	7.908	12.008	37.706	61.935
Black	100	4.352	0.283	0.086	0.395	0.575	1.001	1.995	4.556	9.606	16.448	34.832	101.307
Native American	100	3.660	0.874	0.181	0.181	0.543	0.992	1.830	4.524	6.633	13.800	40.826	40.826
Other/NA	100	4.854	0.427	0.163	0.515	0.741	1.127	2.100	4.485	11.326	21.630	46.597	69.610
White	100	3.690	0.085	0.082	0.303	0.467	0.897	1.752	3.571	8.021	14.498	32.523	83.594
Region													
Midwest	100	3.561	0.150	0.096	0.336	0.471	0.895	1.738	3.505	7.327	13.842	28.339	101.307
Northeast	100	3.898	0.178	0.066	0.331	0.539	0.986	1.789	3.858	8.102	16.143	33.116	81.062
South	100	3.999	0.147	0.087	0.294	0.446	0.860	1.798	3.905	9.679	15.815	37.991	81.270
West	100	3.830	0.164	0.088	0.349	0.551	0.994	1.911	3.905	8.326	13.197	31.595	83.594

Table 3-15. Per capita intake of protected fruits (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	53.0	1.908	0.039	0	0	0	0	0.383	2.576	5.352	8.099	16.338	113.369
Age													
0–5 months	10.8	0.496	0.343	0	0	0	0	0.000	0.000	1.249	4.282	7.651	12.500
6–12 months	49.0	3.105	0.584	0	0	0	0	0.000	4.409	8.344	11.243	26.770	30.252
< 1 years	28.7	1.719	0.392	0	0	0	0	0.000	1.957	6.013	8.344	16.608	30.252
1–2 years	61.8	6.449	0.309	0	0	0	0	3.590	9.186	17.836	24.183	39.032	113.369
3–5 years	56.2	4.356	0.223	0	0	0	0	2.062	6.721	12.142	17.155	27.900	66.539
6–11 years	50.7	2.702	0.165	0	0	0	0	0.165	3.817	8.074	11.436	19.811	31.710
12–19 years	47.3	1.809	0.124	0	0	0	0	0.000	2.612	5.417	8.402	15.427	27.022
20–39 years	48.0	1.382	0.067	0	0	0	0	0.000	1.876	4.276	6.276	11.747	39.341
40–69 years	56.5	1.437	0.043	0	0	0	0	0.614	2.158	4.118	5.489	9.699	45.749
70 + years	68.7	1.842	0.070	0	0	0	0	1.287	2.801	4.699	5.904	9.171	27.607
Season													
Fall	50.8	1.783	0.080	0	0	0	0	0.062	2.333	5.005	7.274	16.075	75.691
Spring	53.5	2.013	0.081	0	0	0	0	0.457	2.611	5.427	8.760	18.719	47.406
Summer	52.4	1.955	0.078	0	0	0	0	0.287	2.657	5.489	8.402	15.894	113.369
Winter	55.4	1.882	0.073	0	0	0	0	0.605	2.594	5.458	7.994	15.061	52.007
Urbanization													
Central City	55.5	2.062	0.071	0	0	0	0	0.670	2.840	5.746	8.533	17.155	66.539
Nonmetropolitan	45.6	1.524	0.075	0	0	0	0	0.000	1.902	4.443	6.949	14.907	61.897
Suburban	54.6	1.976	0.059	0	0	0	0	0.591	2.660	5.485	8.316	16.546	113.369
Race													
Asian	62.3	2.996	0.302	0	0	0	0	1.496	4.074	8.129	11.713	18.714	64.015
Black	48.1	1.774	0.112	0	0	0	0	0.000	2.178	5.365	8.113	16.580	50.104
Native American	44.1	1.980	0.654	0	0	0	0	0.000	2.493	6.754	7.923	16.964	61.897
Other/NA	60.3	2.817	0.206	0	0	0	0	0.978	3.921	7.514	10.834	22.385	113.369
White	53.0	1.825	0.042	0	0	0	0	0.371	2.456	5.092	7.657	15.673	75.691
Region													
Midwest	51.0	1.811	0.078	0	0	0	0	0.077	2.384	5.282	7.808	16.468	75.691
Northeast	62.5	2.415	0.094	0	0	0	0	1.144	3.242	6.238	9.460	19.448	66.539
South	47.6	1.602	0.062	0	0	0	0	0.000	2.050	4.668	7.093	14.892	65.682
West	55.3	2.044	0.086	0	0	0	0	0.605	2.833	5.778	8.394	15.248	113.369

Table 3-15a. Consumer-only intake of protected fruits (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	100	3.598	0.046	0.043	0.324	0.647	1.187	2.386	4.427	7.842	11.069	20.490	113.369
Age													
0–5 months	100	4.582	0.553	0.689	1.249	1.249	2.450	4.282	6.079	7.651	10.417	12.500	12.500
6–12 months	100	6.338	0.645	0.383	1.626	1.874	3.278	4.569	7.813	11.243	16.210	26.770	30.252
< 1 years	100	5.987	0.521	0.383	1.249	1.661	3.125	4.336	7.340	11.243	14.205	26.770	30.252
1–2 years	100	10.431	0.325	0.604	2.028	2.539	4.196	7.740	13.515	21.958	27.130	47.348	113.369
3–5 years	100	7.746	0.235	0.174	1.421	1.959	3.394	6.055	10.157	15.684	19.728	30.842	66.539
6–11 years	100	5.327	0.183	0.146	0.867	1.290	2.098	3.704	6.738	11.427	15.094	25.199	31.710
12–19 years	100	3.828	0.143	0.035	0.401	0.790	1.414	2.743	4.900	8.489	11.224	16.967	27.022
20–39 years	100	2.879	0.078	0.039	0.141	0.485	0.963	1.996	3.728	6.407	8.533	14.330	39.341
40–69 years	100	2.543	0.048	0.039	0.292	0.561	0.929	1.837	3.364	5.218	6.918	11.427	45.749
70 + years	100	2.680	0.069	0.056	0.412	0.703	1.197	2.157	3.510	5.512	6.412	9.364	27.607
Season													
Fall	100	3.510	0.096	0.045	0.412	0.668	1.187	2.289	4.223	7.261	10.659	21.815	75.691
Spring	100	3.761	0.096	0.039	0.345	0.650	1.182	2.407	4.547	8.360	12.099	22.686	47.406
Summer	100	3.729	0.093	0.047	0.305	0.634	1.239	2.573	4.668	8.193	10.692	20.489	113.369
Winter	100	3.397	0.083	0.043	0.237	0.619	1.155	2.251	4.253	7.632	10.689	17.754	52.007
Urbanization													
Central City	100	3.713	0.081	0.043	0.325	0.671	1.231	2.485	4.623	8.073	11.319	20.063	66.539
Nonmetropolitan	100	3.338	0.094	0.059	0.349	0.597	1.071	2.110	4.011	7.323	10.694	20.490	61.897
Suburban	100	3.616	0.069	0.041	0.302	0.650	1.193	2.420	4.395	7.841	10.979	21.073	113.369
Race													
Asian	100	4.805	0.327	0.058	0.686	1.016	1.674	3.516	6.407	10.254	14.667	20.489	64.015
Black	100	3.685	0.137	0.035	0.325	0.650	1.216	2.387	4.575	8.195	11.224	19.977	50.104
Native American	100	4.489	0.883	0.177	0.425	0.884	1.259	2.687	5.819	8.223	10.689	23.562	61.897
Other/NA	100	4.669	0.234	0.033	0.353	0.723	1.419	3.057	5.798	9.796	13.291	27.022	113.369
White	100	3.440	0.050	0.044	0.310	0.619	1.144	2.287	4.208	7.434	10.692	19.811	75.691
Region													
Midwest	100	3.552	0.093	0.043	0.405	0.628	1.131	2.326	4.453	7.657	11.390	19.864	75.691
Northeast	100	3.863	0.104	0.043	0.438	0.725	1.377	2.625	4.574	8.371	11.752	22.175	66.539
South	100	3.365	0.077	0.045	0.252	0.614	1.094	2.168	4.164	7.334	10.413	18.915	65.682
West	100	3.693	0.101	0.042	0.285	0.619	1.193	2.495	4.653	8.042	10.972	20.944	113.369

Table 3-16. Per capita intake of dark green vegetables (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile										
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th	
TOTAL	15.9	0.177	0.013	0	0	0	0	0	0	0	0.551	1.228	2.919	20.944
Age														
0–5 months	0.0	0.000	0.000	0	0	0	0	0	0	0	0.000	0.000	0.000	0.000
6–12 months	4.0	0.095	0.319	0	0	0	0	0	0	0	0.000	0.000	3.642	9.770
< 1 years	1.9	0.045	0.219	0	0	0	0	0	0	0	0.000	0.000	0.678	9.770
1–2 years	12.8	0.328	0.098	0	0	0	0	0	0	0	0.845	2.315	6.513	20.944
3–5 years	10.4	0.197	0.063	0	0	0	0	0	0	0	0.224	1.488	4.127	12.724
6–11 years	10.7	0.154	0.054	0	0	0	0	0	0	0	0.162	1.042	3.655	6.761
12–19 years	10.2	0.124	0.041	0	0	0	0	0	0	0	0.150	0.935	2.792	4.333
20–39 years	15.6	0.169	0.030	0	0	0	0	0	0	0	0.524	1.230	2.633	11.248
40–69 years	19.9	0.184	0.018	0	0	0	0	0	0	0	0.676	1.213	2.607	7.361
70 + years	23.0	0.228	0.046	0	0	0	0	0	0	0	0.805	1.365	2.628	20.106
Season														
Fall	17.7	0.198	0.029	0	0	0	0	0	0	0	0.655	1.365	2.983	20.106
Spring	15.2	0.167	0.025	0	0	0	0	0	0	0	0.480	1.119	2.873	12.724
Summer	15.0	0.169	0.024	0	0	0	0	0	0	0	0.529	1.230	2.905	11.253
Winter	15.9	0.174	0.028	0	0	0	0	0	0	0	0.537	1.152	2.856	20.944
Urbanization														
Central City	17.3	0.202	0.027	0	0	0	0	0	0	0	0.683	1.343	3.001	20.944
Nonmetropolitan	12.6	0.124	0.022	0	0	0	0	0	0	0	0.247	0.966	2.455	6.208
Suburban	16.5	0.183	0.019	0	0	0	0	0	0	0	0.551	1.242	2.983	16.314
Race														
Asian	22.0	0.441	0.152	0	0	0	0	0	0	0	1.638	2.828	5.191	20.106
Black	22.7	0.282	0.035	0	0	0	0	0	0	0	1.196	1.590	3.258	20.944
Native American	15.0	0.193	0.225	0	0	0	0	0	0	0	0.589	1.066	6.761	6.761
Other/NA	7.1	0.089	0.059	0	0	0	0	0	0	0	0.000	0.521	2.088	16.314
White	15.2	0.155	0.014	0	0	0	0	0	0	0	0.441	1.102	2.690	12.724
Region														
Midwest	14.1	0.141	0.024	0	0	0	0	0	0	0	0.307	0.983	2.792	12.500
Northeast	18.3	0.204	0.031	0	0	0	0	0	0	0	0.655	1.365	2.986	20.944
South	16.6	0.188	0.020	0	0	0	0	0	0	0	0.694	1.275	3.001	12.724
West	14.7	0.172	0.035	0	0	0	0	0	0	0	0.411	1.134	2.957	20.106

Table 3-16a. Consumer-only intake of dark green vegetables (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	100	1.108	0.026	0.055	0.116	0.162	0.356	0.784	1.394	2.334	3.245	5.69	20.944
Age													
0–5 months	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
6–12 months	100	2.368	1.277	0.485	0.485	0.485	0.485	0.678	3.642	9.770	9.770	9.770	9.770
< 1 years	100	2.368	1.277	0.485	0.485	0.485	0.485	0.678	3.642	9.770	9.770	9.770	9.770
1–2 years	100	2.557	0.202	0.118	0.326	0.467	0.886	1.878	3.243	5.435	8.007	12.500	20.944
3–5 years	100	1.890	0.131	0.072	0.253	0.334	0.672	1.408	2.773	4.127	5.321	6.752	12.724
6–11 years	100	1.440	0.118	0.055	0.116	0.202	0.437	0.970	1.848	3.655	4.589	6.215	6.761
12–19 years	100	1.220	0.082	0.129	0.200	0.264	0.529	0.935	1.766	2.717	3.014	4.333	4.333
20–39 years	100	1.084	0.057	0.055	0.118	0.162	0.324	0.794	1.365	2.219	2.956	5.538	11.248
40–69 years	100	0.928	0.029	0.046	0.099	0.147	0.288	0.683	1.228	2.018	2.612	5.136	7.361
70 + years	100	0.990	0.083	0.029	0.099	0.155	0.338	0.673	1.271	1.943	2.510	4.012	20.106
Season													
Fall	100	1.118	0.056	0.054	0.116	0.173	0.347	0.792	1.394	2.270	3.127	5.690	20.106
Spring	100	1.100	0.050	0.064	0.122	0.159	0.342	0.789	1.330	2.266	3.399	6.215	12.724
Summer	100	1.124	0.043	0.047	0.118	0.174	0.384	0.842	1.521	2.472	3.344	4.333	11.253
Winter	100	1.091	0.056	0.057	0.104	0.149	0.336	0.724	1.352	2.442	3.227	5.988	20.944
Urbanization													
Central City	100	1.163	0.053	0.059	0.122	0.174	0.406	0.855	1.365	2.303	3.245	5.971	20.944
Nonmetropolitan	100	0.989	0.044	0.041	0.099	0.131	0.318	0.673	1.317	2.167	2.949	5.136	6.208
Suburban	100	1.109	0.036	0.055	0.116	0.164	0.335	0.762	1.474	2.414	3.399	5.690	16.314
Race													
Asian	100	2.009	0.264	0.138	0.302	0.388	0.716	1.463	2.792	4.189	5.191	20.106	20.106
Black	100	1.240	0.052	0.088	0.166	0.279	0.579	1.047	1.504	2.401	3.121	5.548	20.944
Native American	100	1.290	0.469	0.307	0.414	0.414	0.589	0.741	1.066	1.575	6.761	6.761	6.761
Other/NA	100	1.245	0.171	0.072	0.163	0.184	0.448	0.976	1.647	2.529	3.774	5.374	16.314
White	100	1.021	0.028	0.047	0.105	0.149	0.301	0.679	1.303	2.230	3.020	5.225	12.724
Region													
Midwest	100	0.995	0.049	0.032	0.106	0.150	0.262	0.643	1.327	2.513	3.064	4.639	12.500
Northeast	100	1.113	0.057	0.077	0.143	0.196	0.389	0.759	1.365	2.185	3.127	5.952	20.944
South	100	1.137	0.036	0.055	0.101	0.162	0.453	0.898	1.449	2.315	3.264	5.538	12.724
West	100	1.167	0.077	0.053	0.117	0.163	0.309	0.716	1.449	2.472	3.655	6.388	20.106

Table 3-17. Per capita intake of deep yellow vegetables (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile										
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th	
TOTAL	21.3	0.141	0.008	0	0	0	0	0	0	0.000	0.433	0.900	2.129	11.719
Age														
0–5 months	2.3	0.100	0.495	0	0	0	0	0	0	0.000	0.000	0.000	5.708	5.708
6–12 months	9.5	0.233	0.273	0	0	0	0	0	0	0.000	0.000	1.450	7.566	7.862
< 1 years	5.7	0.162	0.217	0	0	0	0	0	0	0.000	0.000	0.372	5.708	7.862
1–2 years	15.1	0.276	0.065	0	0	0	0	0	0	0.000	0.728	2.131	4.235	11.719
3–5 years	17.0	0.243	0.051	0	0	0	0	0	0	0.000	0.716	1.729	4.299	8.268
6–11 years	20.6	0.180	0.035	0	0	0	0	0	0	0.000	0.658	1.180	2.450	10.844
12–19 years	13.7	0.071	0.021	0	0	0	0	0	0	0.000	0.152	0.506	1.387	4.850
20–39 years	20.3	0.114	0.017	0	0	0	0	0	0	0.000	0.311	0.736	1.764	8.906
40–69 years	25.9	0.142	0.011	0	0	0	0	0	0	0.039	0.483	0.870	1.808	7.133
70 + years	26.8	0.182	0.023	0	0	0	0	0	0	0.061	0.720	1.140	2.080	4.522
Season														
Fall	25.9	0.183	0.017	0	0	0	0	0	0	0.041	0.631	1.184	2.280	11.719
Spring	20.8	0.124	0.016	0	0	0	0	0	0	0.000	0.334	0.743	2.035	10.844
Summer	17.2	0.114	0.017	0	0	0	0	0	0	0.000	0.318	0.768	1.823	9.590
Winter	21.3	0.143	0.018	0	0	0	0	0	0	0.000	0.422	0.879	2.331	7.664
Urbanization														
Central City	19.5	0.133	0.016	0	0	0	0	0	0	0.000	0.354	0.849	2.161	8.268
Nonmetropolitan	20.0	0.118	0.015	0	0	0	0	0	0	0.000	0.354	0.758	1.747	10.844
Suburban	23.1	0.157	0.013	0	0	0	0	0	0	0.000	0.509	0.976	2.205	11.719
Race														
Asian	20.7	0.161	0.056	0	0	0	0	0	0	0.000	0.547	1.121	2.969	5.401
Black	14.1	0.111	0.029	0	0	0	0	0	0	0.000	0.184	0.686	2.161	7.368
Native American	15.3	0.057	0.087	0	0	0	0	0	0	0.000	0.031	0.294	0.567	4.437
Other/NA	14.8	0.119	0.052	0	0	0	0	0	0	0.000	0.217	0.586	2.535	10.844
White	23.0	0.147	0.009	0	0	0	0	0	0	0.000	0.478	0.947	2.122	11.719
Region														
Midwest	22.2	0.144	0.017	0	0	0	0	0	0	0.000	0.459	0.919	2.092	11.719
Northeast	22.9	0.165	0.022	0	0	0	0	0	0	0.000	0.529	0.974	2.538	8.906
South	18.7	0.122	0.014	0	0	0	0	0	0	0.000	0.348	0.841	2.076	9.590
West	23.2	0.147	0.018	0	0	0	0	0	0	0.000	0.434	0.934	2.124	10.844

Table 3-17a. Consumer-only intake of deep yellow vegetables (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	100	0.662	0.015	0.020	0.049	0.076	0.165	0.396	0.852	1.525	2.113	4.373	11.719
Age													
0–5 months	100	4.299	1.250	2.081	2.081	2.081	2.081	5.708	5.708	5.708	5.708	5.708	5.708
6–12 months	100	2.456	0.627	0.365	0.365	0.365	0.372	1.450	3.834	7.566	7.862	7.862	7.862
< 1 years	100	2.856	0.590	0.365	0.365	0.372	0.468	2.081	4.409	5.708	7.566	7.862	7.862
1–2 years	100	1.821	0.120	0.030	0.110	0.223	0.496	1.336	2.646	3.834	4.910	7.664	11.719
3–5 years	100	1.435	0.092	0.050	0.105	0.161	0.379	1.019	1.995	3.410	4.373	7.165	8.268
6–11 years	100	0.876	0.061	0.024	0.080	0.126	0.253	0.632	1.162	1.837	2.450	5.379	10.844
12–19 years	100	0.515	0.044	0.016	0.049	0.060	0.138	0.289	0.661	1.059	1.757	2.572	4.850
20–39 years	100	0.560	0.030	0.024	0.045	0.069	0.135	0.307	0.722	1.344	1.764	3.534	8.906
40–69 years	100	0.549	0.017	0.013	0.046	0.072	0.160	0.357	0.752	1.260	1.747	3.287	7.133
70 + years	100	0.679	0.032	0.023	0.049	0.083	0.213	0.491	0.953	1.456	1.731	2.875	4.522
Season													
Fall	100	0.704	0.026	0.016	0.049	0.081	0.183	0.462	0.982	1.612	2.081	3.834	11.719
Spring	100	0.597	0.030	0.018	0.052	0.076	0.158	0.315	0.713	1.306	2.017	4.008	10.844
Summer	100	0.664	0.034	0.016	0.046	0.063	0.157	0.423	0.855	1.438	1.935	4.630	9.590
Winter	100	0.672	0.032	0.030	0.051	0.077	0.162	0.396	0.838	1.530	2.205	4.409	7.664
Urbanization													
Central City	100	0.679	0.030	0.032	0.051	0.076	0.153	0.379	0.870	1.620	2.171	4.630	8.268
Nonmetropolitan	100	0.588	0.029	0.018	0.045	0.061	0.138	0.350	0.758	1.272	1.747	3.565	10.844
Suburban	100	0.681	0.022	0.013	0.052	0.084	0.178	0.417	0.896	1.546	2.129	4.323	11.719
Race													
Asian	100	0.779	0.094	0.054	0.069	0.105	0.173	0.506	0.970	2.122	2.969	4.323	5.401
Black	100	0.787	0.062	0.030	0.052	0.082	0.169	0.452	0.985	1.831	2.939	5.401	7.368
Native American	100	0.372	0.204	0.008	0.008	0.008	0.031	0.154	0.481	0.567	0.780	4.437	4.437
Other/NA	100	0.802	0.119	0.015	0.061	0.097	0.174	0.322	0.785	1.953	3.555	5.708	10.844
White	100	0.641	0.015	0.018	0.049	0.075	0.162	0.387	0.841	1.450	1.999	3.897	11.719
Region													
Midwest	100	0.650	0.028	0.023	0.046	0.072	0.165	0.379	0.841	1.520	1.954	4.437	11.719
Northeast	100	0.719	0.037	0.038	0.061	0.085	0.186	0.441	0.882	1.582	2.211	5.156	8.906
South	100	0.653	0.026	0.015	0.046	0.069	0.153	0.390	0.876	1.506	2.080	3.662	9.590
West	100	0.636	0.031	0.019	0.046	0.076	0.160	0.324	0.791	1.525	2.017	4.386	10.844

Table 3-18. Per capita intake of other vegetables (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	77.0	1.251	0.016	0	0	0	0.043	0.701	1.732	3.166	4.315	8.165	53.611
Age													
0–5 months	2.4%	0.107	0.404	0	0	0	0.000	0.000	0.000	0.000	0.000	2.853	14.172
6–12 months	22.5	0.873	0.416	0	0	0	0.000	0.000	0.000	2.739	5.076	11.069	14.759
< 1 years	11.8	0.466	0.293	0	0	0	0.000	0.000	0.000	0.565	2.853	11.069	14.759
1–2 years	61.6	2.161	0.125	0	0	0	0.000	0.750	2.961	6.350	8.871	16.072	53.611
3–5 years	64.1	1.726	0.091	0	0	0	0.000	0.706	2.239	4.693	7.206	13.350	21.713
6–11 years	67.2	1.328	0.067	0	0	0	0.000	0.620	1.836	3.639	4.858	9.762	28.579
12–19 years	68.8	0.804	0.042	0	0	0	0.000	0.330	1.127	2.086	2.961	6.270	12.563
20–39 years	79.4	1.093	0.029	0	0	0	0.066	0.639	1.570	2.801	3.658	6.262	14.256
40–69 years	84.8	1.353	0.024	0	0	0	0.232	0.905	1.924	3.295	4.227	7.149	16.738
70 + years	84.8	1.517	0.050	0	0	0	0.303	1.048	2.207	3.561	4.772	8.211	16.377
Season													
Fall	77.2	1.260	0.034	0	0	0	0.054	0.700	1.757	3.251	4.557	8.211	23.883
Spring	77.7	1.205	0.032	0	0	0	0.047	0.705	1.658	2.947	4.169	7.964	53.611
Summer	78.0	1.339	0.032	0	0	0	0.064	0.776	1.864	3.376	4.425	8.501	28.579
Winter	75.1	1.201	0.034	0	0	0	0.008	0.633	1.666	3.102	4.211	7.411	27.812
Urbanization													
Central City	75.8	1.288	0.032	0	0	0	0.027	0.706	1.771	3.311	4.548	8.171	53.611
Nonmetropolitan	76.7	1.111	0.029	0	0	0	0.044	0.609	1.577	2.848	3.917	6.823	28.579
Suburban	77.9	1.289	0.025	0	0	0	0.057	0.744	1.786	3.213	4.383	8.560	27.812
Race													
Asian	78.6	2.140	0.165	0	0	0	0.151	1.260	3.055	5.272	8.165	12.026	32.601
Black	72.4	1.095	0.044	0	0	0	0.000	0.532	1.505	2.870	4.090	7.712	20.930
Native American	67.4	1.117	0.272	0	0	0	0.000	0.301	1.229	2.319	4.502	14.256	14.256
Other/NA	66.3	1.061	0.086	0	0	0	0.000	0.367	1.299	2.778	4.747	8.855	53.611
White	78.5	1.257	0.018	0	0	0	0.072	0.746	1.753	3.138	4.232	7.661	28.579
Region													
Midwest	77.8	1.284	0.033	0	0	0	0.063	0.774	1.764	3.189	4.293	8.086	23.883
Northeast	77.1	1.301	0.038	0	0	0	0.046	0.750	1.856	3.355	4.409	7.806	27.812
South	77.8	1.235	0.027	0	0	0	0.052	0.676	1.747	3.127	4.250	7.832	28.579
West	74.7	1.197	0.038	0	0	0	0.000	0.614	1.597	3.121	4.327	8.560	53.611

Table 3-18a. Consumer-only intake of other vegetables (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	100	1.625	0.017	0.026	0.074	0.150	0.479	1.102	2.133	3.591	4.799	8.687	53.611
Age													
0–5 months	100	4.511	1.707	0.781	0.781	1.041	2.853	2.853	8.855	8.855	14.172	14.172	14.172
6–12 months	100	3.879	0.653	0.155	0.155	0.171	1.137	2.048	5.076	11.069	11.069	14.759	14.759
< 1 years	100	3.947	0.611	0.155	0.155	0.171	1.137	2.549	5.076	11.069	11.069	14.759	14.759
1–2 years	100	3.506	0.140	0.042	0.149	0.329	1.005	2.300	4.428	7.911	10.720	19.870	53.611
3–5 years	100	2.691	0.100	0.041	0.121	0.257	0.866	1.730	3.351	6.141	8.247	16.380	21.713
6–11 years	100	1.975	0.074	0.029	0.084	0.178	0.603	1.303	2.606	4.409	5.637	10.683	28.579
12–19 years	100	1.169	0.046	0.022	0.057	0.097	0.291	0.771	1.483	2.580	3.551	7.547	12.563
20–39 years	100	1.377	0.029	0.023	0.063	0.127	0.413	0.989	1.866	3.118	4.084	6.794	14.256
40–69 years	100	1.596	0.025	0.026	0.084	0.189	0.534	1.140	2.143	3.482	4.541	7.427	16.738
70 + years	100	1.788	0.050	0.029	0.119	0.253	0.596	1.323	2.394	3.857	5.014	8.499	16.377
Season													
Fall	100	1.633	0.035	0.029	0.087	0.152	0.471	1.073	2.133	3.600	5.086	8.560	23.883
Spring	100	1.551	0.033	0.027	0.067	0.142	0.469	1.067	2.007	3.373	4.479	8.437	53.611
Summer	100	1.717	0.034	0.020	0.082	0.185	0.526	1.182	2.289	3.705	4.923	9.198	28.579
Winter	100	1.599	0.036	0.027	0.069	0.144	0.456	1.082	2.099	3.591	4.718	8.545	27.812
Urbanization													
Central City	100	1.699	0.034	0.027	0.071	0.154	0.499	1.146	2.251	3.795	5.062	8.533	53.611
Nonmetropolitan	100	1.449	0.031	0.026	0.074	0.144	0.419	0.982	1.923	3.254	4.338	7.716	28.579
Suburban	100	1.655	0.026	0.024	0.075	0.153	0.496	1.125	2.176	3.595	4.905	9.198	27.812
Race													
Asian	100	2.723	0.171	0.059	0.154	0.367	0.769	1.995	3.518	6.270	8.474	12.757	32.601
Black	100	1.511	0.047	0.021	0.043	0.106	0.386	1.033	2.093	3.498	4.532	8.437	20.930
Native American	100	1.656	0.312	0.037	0.045	0.089	0.301	0.835	1.663	3.207	6.709	14.256	14.256
Other/NA	100	1.599	0.098	0.026	0.068	0.118	0.372	0.916	1.937	3.653	5.086	10.231	53.611
White	100	1.602	0.018	0.027	0.078	0.158	0.487	1.107	2.109	3.508	4.641	8.280	28.579
Region													
Midwest	100	1.651	0.035	0.031	0.088	0.181	0.520	1.117	2.135	3.559	4.803	8.855	23.883
Northeast	100	1.687	0.039	0.023	0.077	0.160	0.532	1.214	2.246	3.766	4.754	8.287	27.812
South	100	1.588	0.028	0.023	0.073	0.141	0.449	1.074	2.129	3.503	4.656	8.593	28.579
West	100	1.603	0.041	0.028	0.065	0.135	0.441	1.044	1.989	3.545	5.180	9.198	53.611

Table 3-19. Per capita intake of citrus fruits (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	37.1	1.270	0.038	0	0	0	0	0	1.573	3.956	6.238	13.070	113.369
Age													
0–5 months	1.6	0.027	0.186	0	0	0	0	0	0.000	0.000	0.000	1.249	4.902
6–12 months	6.4	0.424	0.602	0	0	0	0	0	0.000	0.000	1.563	9.171	30.252
< 1 years	3.9	0.213	0.392	0	0	0	0	0	0.000	0.000	0.000	8.578	30.252
1–2 years	38.6	4.018	0.341	0	0	0	0	0	5.741	12.866	18.714	37.074	113.369
3–5 years	40.1	2.946	0.220	0	0	0	0	0	4.704	9.308	13.032	21.209	66.539
6–11 years	35.5	1.900	0.163	0	0	0	0	0	2.745	6.329	9.465	16.736	27.935
12–19 years	36.3	1.409	0.121	0	0	0	0	0	1.920	4.652	7.160	12.871	17.935
20–39 years	33.9	0.972	0.069	0	0	0	0	0	1.193	3.265	4.990	10.284	39.341
40–69 years	38.7	0.883	0.039	0	0	0	0	0	1.328	2.967	4.173	7.183	19.757
70 + years	49.9	1.151	0.061	0	0	0	0	0	1.926	3.430	4.420	6.360	10.659
Season													
Fall	37.3	1.306	0.081	0	0	0	0	0	1.604	3.959	6.179	13.748	73.224
Spring	36.8	1.281	0.076	0	0	0	0	0	1.485	4.003	6.176	14.330	45.144
Summer	32.4	1.091	0.076	0	0	0	0	0	1.279	3.580	5.806	11.427	113.369
Winter	41.9	1.401	0.073	0	0	0	0	0	1.871	4.332	6.843	12.743	41.601
Urbanization													
Central City	40.5	1.428	0.071	0	0	0	0	0	1.799	4.390	6.756	14.330	66.539
Nonmetropolitan	30.8	1.040	0.076	0	0	0	0	0	1.101	3.327	5.489	12.189	61.897
Suburban	37.7	1.266	0.056	0	0	0	0	0	1.608	3.919	6.099	12.658	113.369
Race													
Asian	42.5	1.752	0.261	0	0	0	0	0	2.579	5.806	8.105	15.467	29.408
Black	37.2	1.334	0.111	0	0	0	0	0	1.499	4.219	6.862	13.748	50.104
Native American	35.9	1.409	0.655	0	0	0	0	0	1.891	3.474	5.278	13.471	61.897
Other/NA	45.4	1.821	0.197	0	0	0	0	0	2.715	5.417	7.520	15.506	113.369
White	36.3	1.201	0.042	0	0	0	0	0	1.520	3.715	5.778	12.658	73.224
Region													
Midwest	34.6	1.214	0.079	0	0	0	0	0	1.372	3.779	6.238	13.128	73.224
Northeast	48.7	1.752	0.092	0	0	0	0	0	2.383	4.866	7.837	15.684	66.539
South	32.8	1.071	0.060	0	0	0	0	0	1.248	3.431	5.591	12.189	50.104
West	36.4	1.215	0.083	0	0	0	0	0	1.409	3.972	6.179	11.536	113.369

Table 3-19a. Consumer-only intake of citrus fruits (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	100	3.421	0.051	0.034	0.096	0.557	1.287	2.352	4.174	7.390	10.293	18.298	113.369
Age													
0–5 months	100	1.699	0.849	1.249	1.249	1.249	1.249	1.249	1.249	4.902	4.902	4.902	4.902
6–12 months	100	6.630	1.650	0.335	0.746	0.953	2.238	4.569	8.578	9.171	15.310	30.252	30.252
< 1 year	100	5.532	1.461	0.335	0.746	1.204	1.249	4.569	8.578	9.171	15.310	30.252	30.252
1–2 years	100	10.417	0.413	0.373	1.855	2.745	4.575	8.006	13.070	20.884	25.732	45.144	113.369
3–5 years	100	7.356	0.251	0.077	1.171	2.111	3.519	6.055	9.308	14.076	18.929	28.599	66.539
6–11 years	100	5.346	0.196	0.328	1.127	1.525	2.451	3.884	6.862	10.974	14.440	21.205	27.935
12–19 years	100	3.885	0.146	0.035	0.220	0.875	1.715	2.981	4.941	8.445	11.224	15.467	17.935
20–39 years	100	2.868	0.091	0.031	0.065	0.209	1.144	2.079	3.681	6.407	8.332	13.250	39.341
40–69 years	100	2.281	0.046	0.034	0.077	0.400	1.017	1.777	3.025	4.615	5.865	9.597	19.757
70 + years	100	2.308	0.060	0.029	0.302	0.755	1.203	1.946	3.137	4.431	5.319	7.291	10.659
Season													
Fall	100	3.500	0.109	0.031	0.121	0.653	1.372	2.348	4.159	7.110	10.740	20.585	73.224
Spring	100	3.479	0.103	0.025	0.089	0.508	1.177	2.365	4.247	7.624	10.970	19.479	45.144
Summer	100	3.366	0.110	0.035	0.087	0.464	1.345	2.337	4.190	7.160	9.575	16.594	113.369
Winter	100	3.343	0.090	0.037	0.121	0.561	1.211	2.326	4.117	7.390	10.293	17.155	41.601
Urbanization													
Central City	100	3.527	0.091	0.035	0.093	0.508	1.305	2.416	4.334	7.577	10.597	18.772	66.539
Nonmetropolitan	100	3.373	0.110	0.041	0.204	0.683	1.328	2.287	4.003	7.261	10.557	17.155	61.897
Suburban	100	3.361	0.075	0.030	0.087	0.536	1.267	2.343	4.063	7.194	10.091	18.298	113.369
Race													
Asian	100	4.119	0.311	0.041	0.058	0.730	1.596	3.350	5.489	8.362	10.597	18.714	29.408
Black	100	3.590	0.148	0.033	0.129	0.722	1.372	2.224	4.463	8.044	10.293	19.479	50.104
Native American	100	3.925	0.996	0.177	0.750	0.880	1.211	2.493	3.992	8.361	10.557	61.897	61.897
Other/NA	100	4.012	0.253	0.015	0.086	0.264	1.137	2.941	5.083	8.445	12.199	20.182	113.369
White	100	3.306	0.056	0.034	0.096	0.557	1.271	2.287	3.997	7.154	10.136	17.466	73.224
Region													
Midwest	100	3.512	0.109	0.035	0.236	0.686	1.268	2.352	4.223	7.624	11.390	18.020	73.224
Northeast	100	3.597	0.111	0.033	0.169	0.641	1.408	2.433	4.193	7.842	10.869	19.728	66.539
South	100	3.269	0.083	0.034	0.093	0.557	1.295	2.242	4.084	6.981	9.592	17.155	50.104
West	100	3.337	0.115	0.022	0.064	0.265	1.085	2.377	4.159	7.077	9.672	17.900	113.369

Table 3-20. Per capita intake of other fruits (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	54.8	2.407	0.060	0	0	0	0.000	0.543	2.439	5.994	10.355	28.833	110.230
Age													
0–5 months	35.8	7.578	1.792	0	0	0	0.000	0.000	7.559	26.569	41.181	63.419	110.230
6–12 months	83.9	18.994	1.248	0	0	0	7.806	18.194	26.027	37.111	42.702	63.725	69.610
< 1 years	58.4	12.929	1.110	0	0	0	0.000	7.266	22.669	35.384	41.181	63.419	110.230
1–2 years	79.6	15.266	0.496	0	0	0	2.817	10.692	23.001	35.155	48.171	70.309	105.506
3–5 years	70.4	8.071	0.311	0	0	0	0.000	4.920	11.758	20.530	27.381	44.078	84.574
6–11 years	62.9	3.493	0.163	0	0	0	0.000	1.901	5.102	9.341	12.808	22.222	38.467
12–19 years	44.0	1.362	0.104	0	0	0	0.000	0.000	1.833	4.153	6.261	12.706	32.229
20–39 years	44.7	1.088	0.056	0	0	0	0.000	0.000	1.456	3.396	5.055	9.796	18.923
40–69 years	57.1	1.312	0.040	0	0	0	0.000	0.551	1.892	3.690	5.191	8.737	42.030
70 + years	71.4	1.768	0.072	0	0	0	0.000	1.098	2.595	4.273	6.112	9.375	28.702
Season													
Fall	52.9	2.280	0.122	0	0	0	0.000	0.377	2.305	5.689	9.700	28.878	105.506
Spring	56.2	2.499	0.113	0	0	0	0.000	0.594	2.624	6.125	11.243	29.190	84.574
Summer	56.1	2.643	0.120	0	0	0	0.000	0.722	2.866	6.794	10.479	31.242	110.230
Winter	54.0	2.207	0.126	0	0	0	0.000	0.454	2.060	5.189	9.962	26.443	94.497
Urbanization													
Central City	54.8	2.537	0.113	0	0	0	0.000	0.578	2.692	6.430	10.821	29.190	89.453
Nonmetropolitan	48.8	1.760	0.101	0	0	0	0.000	0.000	1.798	4.510	7.616	22.160	65.811
Suburban	57.5	2.610	0.092	0	0	0	0.000	0.703	2.620	6.443	11.390	30.966	110.230
Race													
Asian	60.1	3.155	0.403	0	0	0	0.000	1.084	3.878	7.908	13.478	28.476	71.787
Black	43.7	2.025	0.179	0	0	0	0.000	0.000	1.844	5.354	8.963	28.660	105.506
Native American	47.3	1.942	0.580	0	0	0	0.000	0.000	1.855	6.633	7.937	20.558	44.078
Other/NA	55.3	3.017	0.293	0	0	0	0.000	0.739	2.975	7.798	14.578	33.945	69.610
White	56.4	2.403	0.066	0	0	0	0.000	0.625	2.450	5.805	10.236	28.181	110.230
Region													
Midwest	56.1	2.362	0.116	0	0	0	0.000	0.615	2.438	5.664	10.239	27.337	105.506
Northeast	60.0	2.762	0.147	0	0	0	0.000	0.834	2.788	6.669	11.599	32.360	84.574
South	48.0	2.120	0.104	0	0	0	0.000	0.000	1.921	5.344	9.798	28.317	110.230
West	59.4	2.595	0.123	0	0	0	0.000	0.841	2.808	6.582	10.692	26.806	89.453

Table 3-20a. Consumer-only intake of other fruits (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	100	4.393	0.075	0.073	0.360	0.584	1.056	2.168	4.567	9.783	16.761	36.321	110.230
Age													
0-5 months	100	21.160	2.190	0.464	2.450	3.417	6.889	18.318	29.940	41.181	48.184	110.230	110.230
6-12 months	100	22.630	1.106	1.740	5.416	7.654	15.570	20.503	28.660	39.685	50.239	63.725	69.610
< 1 year	100	22.151	1.041	1.171	3.417	5.682	11.005	19.707	29.498	40.227	50.239	63.725	110.230
1-2 years	100	19.168	0.490	1.176	2.597	4.017	7.282	14.947	25.594	38.988	52.027	76.562	105.506
3-5 years	100	11.461	0.315	0.888	1.750	2.520	4.360	8.818	15.279	24.008	32.150	49.579	84.574
6-11 years	100	5.550	0.171	0.390	0.937	1.275	2.164	3.930	7.030	11.423	16.942	25.381	38.467
12-19 years	100	3.098	0.126	0.073	0.395	0.611	1.170	2.128	3.987	6.929	9.542	13.845	32.229
20-39 years	100	2.435	0.066	0.039	0.234	0.501	0.867	1.690	3.112	5.459	7.213	11.835	18.923
40-69 years	100	2.297	0.044	0.073	0.280	0.480	0.835	1.648	2.967	4.882	6.465	10.723	42.030
70 + years	100	2.476	0.073	0.088	0.390	0.576	0.959	1.837	3.253	5.135	7.018	10.142	28.702
Season													
Fall	100	4.309	0.154	0.068	0.346	0.557	1.007	2.132	4.428	9.223	16.892	35.969	105.506
Spring	100	4.448	0.138	0.086	0.369	0.572	1.051	2.260	4.578	10.215	18.082	34.599	84.574
Summer	100	4.714	0.147	0.073	0.454	0.695	1.247	2.466	5.107	10.056	15.981	37.782	110.230
Winter	100	4.086	0.160	0.065	0.287	0.551	0.978	1.901	4.062	9.417	15.842	36.891	94.497
Urbanization													
Central City	100	4.633	0.140	0.073	0.397	0.650	1.157	2.378	4.967	10.124	16.810	36.564	89.453
Nonmetropolitan	100	3.606	0.133	0.096	0.317	0.520	0.899	1.830	3.829	7.798	12.531	31.462	65.811
Suburban	100	4.538	0.112	0.066	0.381	0.585	1.085	2.219	4.609	10.215	18.078	37.123	110.230
Race													
Asian	100	5.252	0.472	0.062	0.447	0.837	1.383	3.227	6.098	12.934	15.530	34.803	71.787
Black	100	4.635	0.245	0.084	0.345	0.562	1.092	2.284	4.939	9.714	16.885	37.203	105.506
Native American	100	4.108	0.749	0.132	0.377	0.543	0.948	2.010	6.404	7.937	14.019	31.232	44.078
Other/NA	100	5.453	0.361	0.048	0.454	0.749	1.318	2.625	5.618	12.302	22.789	38.077	69.610
White	100	4.257	0.082	0.074	0.357	0.577	1.033	2.125	4.374	9.370	16.580	35.561	110.230
Region													
Midwest	100	4.208	0.143	0.079	0.405	0.588	1.054	2.103	4.347	9.194	16.417	34.244	105.506
Northeast	100	4.602	0.176	0.065	0.378	0.635	1.099	2.259	4.754	10.058	17.697	36.988	84.574
South	100	4.414	0.137	0.080	0.320	0.525	0.939	2.048	4.591	10.083	17.000	38.753	110.230
West	100	4.367	0.147	0.073	0.397	0.626	1.213	2.337	4.609	9.542	15.193	34.171	89.453

Table 3-21. Per capita intake of individual fruits and vegetables (g/kg-day as consumed)

Group	Apples			Asparagus			Bananas			Beets		
	Percent consuming	Mean	SE	Percent consuming	Mean	SE	Percent consuming	Mean	SE	Percent consuming	Mean	SE
TOTAL	24.9	0.996	0.056	1.4	0.014	0.011	20.7	0.322	0.017	1.3	0.000	0.008
Age												
0–5 months	24.3	4.675	1.658	0.0	0.000	0.000	8.0	0.380	0.332	0.2	0.000	0.030
6–12 months	64.4	9.700	1.184	0.0	0.000	0.000	39.2	2.030	0.517	1.7	0.060	0.500
< 1 years	43.1	7.030	0.977	0.0	0.000	0.000	22.6	1.153	0.342	0.9	0.030	0.240
1–2 years	55.0	8.020	0.448	0.6	0.014	0.082	34.7	1.688	0.138	0.5	0.000	0.030
3–5 years	47.2	4.103	0.273	0.7	0.009	0.041	21.0	0.713	0.095	0.9	0.010	0.050
6–11 years	34.7	1.437	0.135	0.8	0.014	0.065	15.4	0.353	0.073	0.3	0.000	0.030
12–19 years	21.3	0.582	0.093	0.5	0.003	0.022	9.5	0.119	0.037	0.2	0.000	0.015
20–39 years	17.8	0.342	0.046	1.2	0.012	0.026	16.4	0.184	0.022	0.6	0.000	0.010
40–69 years	22.9	0.357	0.027	1.8	0.016	0.016	24.9	0.271	0.016	2.1	0.010	0.010
70 +	25.8	0.434	0.059	3.0	0.031	0.034	37.1	0.389	0.027	4.4	0.030	0.020
Season												
Fall	29.0	1.142	0.112	1.2	0.011	0.025	21.5	0.335	0.033	1.2	0.000	0.010
Spring	24.2	1.002	0.107	1.9	0.020	0.020	20.4	0.320	0.036	1.3	0.010	0.010
Summer	20.0	0.832	0.115	0.9	0.007	0.018	19.5	0.290	0.031	1.5	0.010	0.010
Winter	26.3	1.008	0.117	1.5	0.017	0.026	21.5	0.343	0.034	1.3	0.010	0.020
Urbanization												
Central City	25.3	1.073	0.106	1.6	0.018	0.024	21.2	0.333	0.030	1.3	0.008	0.012
Nonmetropolitan	20.8	0.716	0.105	1.4	0.016	0.023	17.3	0.231	0.028	1.4	0.000	0.010
Suburban	26.4	1.069	0.083	1.1	0.010	0.014	21.9	0.356	0.026	1.3	0.010	0.010
Race												
Asian	32.0	1.144	0.355	0.9	0.006	0.040	20.8	0.378	0.116	0.6	0.001	0.000
Black	18.3	0.863	0.170	0.4	0.004	0.055	13.1	0.215	0.047	0.6	0.000	0.010
Native American	27.1	1.014	0.630	1.4	0.010	0.081	12.7	0.238	0.173	0.0	0.000	0.000
Other/NA	26.4	1.281	0.296	0.1	0.000	0.008	23.9	0.450	0.085	0.5	0.000	0.040
White	25.5	0.992	0.062	1.6	0.017	0.012	21.8	0.329	0.018	1.5	0.011	0.000
Region												
Midwest	26.2	0.986	0.109	1.4	0.014	0.019	21.0	0.316	0.031	1.5	0.000	0.010
Northeast	28.2	1.197	0.143	1.3	0.011	0.019	22.0	0.335	0.042	1.5	0.010	0.022
South	20.4	0.856	0.094	1.1	0.014	0.025	17.6	0.276	0.028	1.0	0.000	0.010
West	27.5	1.047	0.118	1.8	0.016	0.022	24.3	0.388	0.037	1.5	0.010	0.010

(continued)

Table 3-21. Per capita intake of individual fruits and vegetables (g/kg-day as consumed) (continued)

Group	Broccoli			Cabbage			Carrots			Corn		
	Percent consuming	Mean	SE	Percent consuming	Mean	SE	Percent consuming	Mean	SE	Percent consuming	Mean	SE
TOTAL	9.5	0.102	0.013	11.5	0.093	0.009	18.6	0.110	0.012	15.2	0.167	0.012
Age												
0–5 months	0.0	0.000	0.000	0.0	0.000	0.000	7.9	0.683	0.698	0.0	0.000	0.000
6–12 months	2.2	0.036	0.160	1.6	0.049	0.304	18.5	0.671	0.350	8.4	0.351	0.510
< 1 year	1.0	0.017	0.110	0.8	0.023	0.209	12.9	0.678	0.348	3.9	0.164	0.355
1–2 years	8.9	0.242	0.095	4.2	0.071	0.070	14.7	0.343	0.177	17.6	0.462	0.097
3–5 years	7.6	0.137	0.060	5.7	0.099	0.060	15.2	0.182	0.043	18.6	0.426	0.071
6–11 years	7.6	0.108	0.055	6.9	0.074	0.040	19.4	0.153	0.032	20.8	0.316	0.046
12–19 years	6.0	0.064	0.036	6.2	0.039	0.024	12.6	0.057	0.019	12.9	0.144	0.036
20–39 years	9.2	0.100	0.030	10.5	0.078	0.020	18.2	0.083	0.014	14.3	0.122	0.018
40–69 years	11.1	0.097	0.017	16.2	0.128	0.015	21.6	0.086	0.009	15.2	0.125	0.014
70 + years	13.9	0.112	0.028	17.5	0.131	0.024	20.3	0.100	0.018	14.6	0.109	0.023
Season												
Fall	10.9	0.117	0.026	11.4	0.086	0.017	21.4	0.129	0.035	14.1	0.147	0.023
Spring	9.1	0.100	0.025	11.5	0.098	0.020	19.1	0.106	0.017	15.1	0.164	0.023
Summer	8.8	0.096	0.024	11.0	0.095	0.019	15.3	0.092	0.019	19.0	0.224	0.023
Winter	9.1	0.093	0.026	12.1	0.093	0.019	18.6	0.114	0.019	12.5	0.135	0.027
Urbanization												
Central City	9.9	0.108	0.025	11.7	0.111	0.020	16.8	0.106	0.031	14.1	0.165	0.024
Nonmetropolitan	6.6	0.059	0.020	10.5	0.078	0.017	17.3	0.094	0.019	16.1	0.157	0.020
Suburban	10.5	0.116	0.019	11.8	0.087	0.013	20.3	0.120	0.013	15.6	0.174	0.018
Race												
Asian	12.0	0.192	0.100	23.4	0.337	0.087	18.9	0.125	0.062	9.0	0.093	0.071
Black	10.5	0.120	0.036	13.5	0.161	0.036	9.4	0.049	0.024	15.2	0.184	0.036
Native American	8.6	0.119	0.245	9.4	0.045	0.085	14.6	0.054	0.090	11.7	0.109	0.114
Other/NA	5.0	0.064	0.053	4.1	0.013	0.016	13.4	0.149	0.174	12.0	0.132	0.057
White	9.5	0.097	0.014	11.2	0.079	0.009	20.5	0.117	0.010	15.7	0.171	0.013
Region												
Midwest	8.8	0.092	0.026	11.8	0.095	0.019	19.5	0.113	0.019	17.8	0.196	0.024
Northeast	11.1	0.114	0.026	9.8	0.088	0.024	19.0	0.115	0.019	15.7	0.180	0.030
South	9.5	0.104	0.021	13.0	0.107	0.015	15.9	0.098	0.029	15.3	0.168	0.020
West	8.9	0.097	0.030	10.3	0.073	0.021	21.4	0.122	0.021	11.8	0.125	0.025

(continued)

Table 3-21. Per capita intake of individual fruits and vegetables (g/kg-day as consumed) (continued)

Group	Cucumbers			Lettuce			Lima Beans			Okra		
	Percent consuming	Mean	SE	Percent consuming	Mean	SE	Percent consuming	Mean	SE	Percent consuming	Mean	SE
TOTAL	18.3	0.084	0.007	38.1	0.205	0.006	1.2	0.015	0.012	0.9	0.006	0.007
Age												
0–5 months	0.0	0.000	0.000	0.0	0.000	0.000	0.0	0.000	0.000	0.0	0.000	0.000
6–12 months	0.2	0.200	0.001	0.0	0.000	0.000	0.6	0.001	0.012	0.0	0.000	0.000
< 1 year	0.1	0.000	0.011	0.0	0.000	0.000	0.3	0.000	0.008	0.0	0.000	0.000
1–2 years	6.9	0.089	0.054	12.4	0.109	0.035	1.7	0.037	0.074	0.7	0.010	0.041
3–5 years	11.6	0.130	0.059	19.8	0.166	0.029	0.7	0.010	0.044	0.2	0.006	0.084
6–11 years	15.0	0.123	0.038	24.7	0.184	0.027	1.0	0.018	0.057	0.9	0.008	0.030
12–19 years	15.6	0.094	0.037	35.9	0.177	0.018	0.4	0.007	0.062	0.5	0.003	0.018
20–39 years	18.6	0.072	0.011	42.4	0.219	0.013	0.9	0.012	0.032	0.7	0.004	0.012
40–69 years	22.8	0.080	0.008	45.8	0.238	0.009	1.6	0.015	0.016	1.2	0.008	0.012
70 + years	18.6	0.073	0.015	37.7	0.184	0.016	2.8	0.031	0.032	1.6	0.011	0.020
Season												
Fall	17.7	0.070	0.014	38.1	0.212	0.013	1.2	0.014	0.025	0.8	0.004	0.014
Spring	19.2	0.079	0.011	40.5	0.215	0.012	1.2	0.013	0.021	0.8	0.005	0.012
Summer	20.8	0.126	0.019	36.1	0.194	0.012	1.1	0.015	0.024	1.5	0.011	0.016
Winter	15.4	0.060	0.013	37.7	0.201	0.012	1.3	0.018	0.026	0.6	0.005	0.016
Urbanization												
Central City	17.1	0.069	0.010	37.1	0.204	0.012	1.5	0.020	0.022	0.9	0.006	0.013
Nonmetropolitan	18.1	0.084	0.014	36.5	0.166	0.010	1.1	0.010	0.021	1.5	0.008	0.010
Suburban	19.2	0.093	0.013	39.5	0.224	0.009	1.1	0.014	0.019	0.6	0.006	0.014
Race												
Asian	18.9	0.232	0.145	35.3	0.247	0.049	0.2	0.002	0.056	0.6	0.003	0.030
Black	12.4	0.045	0.015	27.4	0.136	0.020	2.7	0.032	0.028	1.8	0.013	0.018
Native American	16.6	0.074	0.085	38.0	0.114	0.038	0.0	0.000	0.000	0.6	0.003	0.028
Other/NA	14.8	0.070	0.034	39.2	0.208	0.028	0.6	0.009	0.072	0.3	0.004	0.040
White	19.5	0.085	0.007	39.9	0.216	0.007	1.1	0.013	0.014	0.8	0.006	0.009
Region												
Midwest	19.7	0.083	0.012	38.3	0.219	0.013	1.0	0.012	0.022	0.1	0.001	0.011
Northeast	19.4	0.084	0.014	39.8	0.233	0.017	1.3	0.015	0.024	0.3	0.003	0.024
South	17.4	0.075	0.011	34.9	0.166	0.009	1.8	0.023	0.021	2.0	0.014	0.012
West	17.3	0.098	0.022	41.4	0.229	0.013	0.4	0.005	0.032	0.5	0.003	0.016

(continued)

Table 3-21. Per capita intake of individual fruits and vegetables (g/kg-day as consumed) (continued)

Group	Onions			Other Berries			Peaches			Pears		
	Percent consuming	Mean	SE	Percent consuming	Mean	SE	Percent consuming	Mean	SE	Percent consuming	Mean	SE
TOTAL	19.4	0.055	0.004	2.6	0.028	0.017	5.7	0.099	0.02	4.1	0.086	0.025
Age (years)												
0–5 months	0.0	0.000	0.000	0.0	0.000	0.000	5.3	0.280	0.447	12.9	0.929	0.669
6–12 months	0.5	0.014	0.197	1.3	0.011	0.099	23.3	1.508	0.576	25.9	1.835	0.709
< 1 year	0.3	0.007	0.135	0.6	0.005	0.068	13.7	0.856	0.393	19.0	1.354	0.490
1–2 years	3.9	0.019	0.021	1.5	0.073	0.229	9.7	0.447	0.145	9.0	0.393	0.159
3–5 years	4.8	0.022	0.021	1.6	0.034	0.084	6.5	0.248	0.117	4.7	0.178	0.114
6–11 years	6.5	0.026	0.017	2.1	0.029	0.057	5.5	0.125	0.077	5.1	0.114	0.070
12–19 years	13.5	0.044	0.015	1.3	0.016	0.043	4.5	0.064	0.051	1.8	0.023	0.039
20–39 years	23.2	0.066	0.009	1.9	0.020	0.027	3.3	0.037	0.023	2.3	0.030	0.026
40–69 years	25.5	0.067	0.007	4.1	0.036	0.025	5.9	0.063	0.019	4.1	0.049	0.020
70 + years	21.6	0.052	0.010	3.7	0.026	0.029	12.6	0.144	0.034	7.7	0.098	0.039
Season												
Fall	19.5	0.052	0.008	3.6	0.034	0.024	3.3	0.067	0.044	5.7	0.114	0.049
Spring	20.5	0.061	0.009	1.9	0.023	0.028	5.4	0.090	0.036	2.9	0.058	0.039
Summer	18.9	0.055	0.008	3.5	0.029	0.026	10.8	0.174	0.040	3.2	0.070	0.052
Winter	18.7	0.052	0.008	1.5	0.025	0.062	3.4	0.068	0.041	4.4	0.101	0.054
Urbanization												
Central City	20.0	0.057	0.008	2.0	0.018	0.021	5.2	0.108	0.044	4.2	0.088	0.041
Nonmetropolitan	18.3	0.047	0.007	2.1	0.022	0.028	5.7	0.090	0.034	3.2	0.059	0.039
Suburban	19.4	0.057	0.007	3.3	0.037	0.029	6.1	0.098	0.027	4.3	0.096	0.040
Race												
Asian	28.9	0.092	0.028	0.8	0.007	0.061	4.1	0.064	0.098	7.3	0.131	0.165
Black	13.9	0.044	0.012	0.9	0.009	0.033	4.0	0.100	0.087	2.4	0.072	0.091
Native American	16.6	0.083	0.083	0.0	0.000	0.000	1.7	0.073	0.398	3.5	0.050	0.139
Other/NA	18.0	0.058	0.019	0.6	0.011	0.078	6.8	0.162	0.114	4.6	0.114	0.126
White	20.0	0.055	0.005	3.1	0.033	0.019	6.0	0.096	0.020	4.2	0.084	0.026
Region												
Midwest	20.2	0.048	0.006	2.7	0.030	0.027	6.4	0.101	0.038	3.2	0.074	0.055
Northeast	20.4	0.063	0.011	3.8	0.038	0.040	6.1	0.105	0.046	5.3	0.109	0.059
South	17.4	0.054	0.008	1.6	0.012	0.016	5.1	0.101	0.038	3.3	0.071	0.041
West	20.6	0.055	0.009	3.2	0.043	0.047	5.6	0.091	0.037	5.1	0.101	0.047

(continued)

Table 3-21. Per capita intake of individual fruits and vegetables (g/kg-day as consumed) (continued)

Group	Peas			Peppers			Pumpkins			Snap Beans		
	Percent consuming	Mean	SE	Percent consuming	Mean	SE	Percent consuming	Mean	SE	Percent consuming	Mean	SE
TOTAL	9.6	0.105	0.013	12.5	0.036	0.004	0.9	0.017	0.025	13.8	0.135	0.011
Age												
0–5 months	7.3	0.276	0.393	0.0	0.000	0.000	4.9	0.282	0.454	5.1	0.257	0.427
6–12 months	20.9	0.973	0.460	0.7	0.002	0.020	9.2	0.605	0.598	26.7	1.040	0.360
< 1 year	13.7	0.603	0.313	0.3	0.001	0.014	6.9	0.433	0.383	15.2	0.624	0.267
1–2 years	12.0	0.257	0.072	1.6	0.007	0.015	1.0	0.054	0.172	20.1	0.490	0.086
3–5 years	10.1	0.163	0.054	3.2	0.018	0.023	0.3	0.003	0.034	15.6	0.239	0.050
6–11 years	8.4	0.111	0.049	4.5	0.018	0.015	0.1	0.001	0.017	12.0	0.160	0.057
12–19 years	5.5	0.060	0.037	6.9	0.018	0.010	0.1	0.002	0.039	7.9	0.063	0.024
20–39 years	7.7	0.073	0.027	16.3	0.049	0.008	0.4	0.004	0.021	12.1	0.097	0.018
40–69 years	11.3	0.094	0.016	16.3	0.043	0.007	1.2	0.017	0.025	15.6	0.113	0.012
70 + years	15.7	0.148	0.037	12.1	0.033	0.014	2.1	0.020	0.029	19.7	0.152	0.023
Season												
Fall	9.0	0.097	0.025	13.7	0.042	0.010	1.6	0.023	0.035	14.5	0.140	0.026
Spring	9.1	0.097	0.025	12.7	0.033	0.007	0.5	0.017	0.077	12.7	0.127	0.021
Summer	9.7	0.093	0.020	11.8	0.037	0.009	0.7	0.013	0.036	15.6	0.151	0.021
Winter	10.6	0.133	0.031	12.0	0.032	0.007	0.6	0.012	0.055	12.4	0.121	0.021
Urbanization												
Central City	9.7	0.102	0.021	13.4	0.041	0.008	0.8	0.019	0.053	13.1	0.141	0.024
Nonmetropolitan	10.2	0.107	0.023	12.8	0.033	0.007	0.9	0.014	0.040	15.6	0.138	0.020
Suburban	9.2	0.106	0.021	11.8	0.035	0.006	0.9	0.016	0.034	13.4	0.129	0.016
Race												
Asian	8.4	0.170	0.183	9.4	0.033	0.024	0.6	0.005	0.077	11.3	0.126	0.071
Black	10.9	0.131	0.034	12.3	0.033	0.011	0.3	0.013	0.133	15.7	0.166	0.033
Native American	9.7	0.131	0.145	18.5	0.044	0.032	0.0	0.000	0.000	11.8	0.133	0.116
Other/NA	5.2	0.047	0.049	19.0	0.063	0.018	0.8	0.017	0.089	5.3	0.051	0.042
White	9.7	0.102	0.014	12.2	0.035	0.005	1.0	0.018	0.026	14.2	0.136	0.012
Region												
Midwest	9.3	0.086	0.021	12.0	0.035	0.010	0.8	0.017	0.057	15.3	0.162	0.024
Northeast	11.1	0.132	0.034	14.3	0.050	0.011	2.2	0.033	0.047	11.0	0.107	0.027
South	10.1	0.111	0.020	10.6	0.025	0.006	0.4	0.011	0.043	17.9	0.172	0.019
West	7.8	0.093	0.033	14.7	0.042	0.008	0.5	0.011	0.060	8.2	0.071	0.018

(continued)

Table 3-21. Per capita intake of individual fruits and vegetables (g/kg-day as consumed) (continued)

Group	Strawberries			Tomatoes			White Potatoes		
	Percent consuming	Mean	SE	Percent consuming	Mean	SE	Percent consuming	Mean	SE
TOTAL	4.7	0.041	0.011	90.8	0.980	0.010	82.1	1.089	0.014
Age									
0–5 months	0.0	0	0	4.6	0.159	0.356	7.4	0.120	0.185
6–12 months	0.8	0.015	0.125	66.2	0.926	0.121	62.1	1.008	0.213
< 1 year	0.4	0.007	0.086	33.5	0.518	0.119	33.0	0.537	0.151
1–2 years	4.7	0.116	0.091	88.9	2.139	0.076	77.3	2.245	0.100
3–5 years	4.1	0.096	0.081	88.3	1.741	0.059	78.2	2.027	0.085
6–11 years	4.4	0.064	0.053	90.2	1.217	0.037	79.2	1.510	0.058
12–19 years	3.8	0.032	0.026	95.1	1.010	0.025	84.9	1.243	0.049
20–39 years	4.0	0.029	0.018	94.2	0.959	0.018	84.7	0.984	0.024
40–69 years	5.7	0.034	0.011	90.0	0.772	0.013	82.8	0.846	0.016
70 + years	5.6	0.042	0.029	87.9	0.739	0.025	81.4	0.847	0.031
Season									
Fall	1.5	0.013	0.019	91.1	1.006	0.022	82.8	1.098	0.027
Spring	9.0	0.082	0.022	90.6	0.937	0.019	81.5	1.094	0.028
Summer	4.6	0.038	0.021	91.7	1.014	0.020	81.2	1.076	0.027
Winter	3.6	0.031	0.024	89.8	0.961	0.020	82.8	1.088	0.030
Urbanization									
Central City	3.9	0.032	0.019	90.9	1.029	0.019	79.9	1.031	0.026
Nonmetropolitan	3.3	0.025	0.017	88.4	0.873	0.020	84.5	1.262	0.032
Suburban	5.8	0.054	0.017	91.8	0.994	0.015	82.5	1.051	0.019
Race									
Asian	2.8	0.055	0.133	89.9	1.382	0.074	81.9	0.832	0.084
Black	1.6	0.017	0.038	88.7	0.838	0.026	78.0	1.065	0.043
Native American	3.8	0.016	0.054	84.4	1.111	0.307	78.5	1.282	0.258
Other/NA	3.1	0.032	0.046	86.0	1.325	0.061	74.7	1.014	0.063
White	5.4	0.045	0.012	91.6	0.962	0.011	83.3	1.106	0.015
Region									
Midwest	5.4	0.042	0.018	92.1	0.973	0.020	84.9	1.271	0.031
Northeast	4.7	0.039	0.024	90.6	1.034	0.024	79.6	0.975	0.030
South	3.7	0.034	0.023	90.6	0.898	0.015	83.0	1.128	0.024
West	5.5	0.052	0.021	89.9	1.067	0.024	79.9	0.935	0.028

Table 3-21a. Consumer-only intake of individual fruits and vegetables (g/kg-day as consumed)

Group	Apples			Asparagus			Bananas			Beets		
	Percent consuming	Mean	SE	Percent consuming	Mean	SE	Percent consuming	Mean	SE	Percent consuming	Mean	SE
TOTAL	100	4.006	0.100	100	1.013	0.065	100	1.552	0.028	100	0.675	0.050
Age												
0–5 months	100	19.251	2.313	0	0.000	0.000	100	4.762	0.579	100	0.781	0.000
6–12 months	100	15.067	1.174	0	0.000	0.000	100	5.174	0.629	100	3.906	0.000
< 1 year	100	16.320	1.092	0	0.000	0.000	100	5.097	0.505	100	3.623	0.634
1–2 years	100	14.576	0.486	100	2.490	0.738	100	4.867	0.148	100	0.797	0.385
3–5 years	100	8.688	0.316	100	1.308	0.275	100	3.393	0.111	100	1.286	0.285
6–11 years	100	4.137	0.172	100	1.831	0.493	100	2.293	0.113	100	1.215	0.155
12–19 years	100	2.737	0.140	100	0.570	0.144	100	1.249	0.062	100	0.540	0.057
20–39 years	100	1.920	0.077	100	1.005	0.163	100	1.122	0.029	100	0.596	0.148
40–69 years	100	1.563	0.039	100	0.895	0.070	100	1.089	0.019	100	0.556	0.055
70 + years	100	1.683	0.088	100	1.022	0.114	100	1.048	0.025	100	0.722	0.091
Season												
Fall	100	3.932	0.185	100	0.940	0.168	100	1.557	0.053	100	0.496	0.062
Spring	100	4.145	0.190	100	1.075	0.092	100	1.569	0.063	100	0.826	0.112
Summer	100	4.165	0.227	100	0.740	0.140	100	1.485	0.053	100	0.642	0.076
Winter	100	3.838	0.205	100	1.160	0.133	100	1.594	0.054	100	0.731	0.130
Urbanization												
Central City	100	4.247	0.185	100	1.099	0.131	100	1.569	0.049	100	0.579	0.076
Nonmetropolitan	100	3.444	0.206	100	1.105	0.108	100	1.331	0.048	100	0.597	0.093
Suburban	100	4.047	0.144	100	0.877	0.085	100	1.620	0.043	100	0.776	0.080
Race												
Asian	100	3.578	0.572	100	0.676	0.143	100	1.814	0.171	100	0.111	0.018
Black	100	4.710	0.342	100	1.149	0.795	100	1.644	0.094	100	0.459	0.128
Native American	100	3.748	1.067	100	0.694	0.000	100	1.880	0.297	0	0.000	0.000
Other/NA	100	4.846	0.515	100	0.216	0.145	100	1.886	0.139	100	1.251	0.429
White	100	3.885	0.108	100	1.023	0.062	100	1.507	0.030	100	0.684	0.052
Region												
Midwest	100	3.760	0.188	100	1.041	0.090	100	1.505	0.049	100	0.639	0.082
Northeast	100	4.248	0.241	100	0.813	0.090	100	1.521	0.072	100	0.790	0.130
South	100	4.204	0.180	100	1.240	0.171	100	1.570	0.049	100	0.529	0.063
West	100	3.801	0.200	100	0.897	0.111	100	1.600	0.058	100	0.767	0.114

(continued)

Table 3-21a. Consumer-only intake of individual fruits and vegetables (g/kg-day as consumed)(continued)

Group	Broccoli			Cabbage			Carrots			Corn		
	Percent consuming	Mean	SE	Percent consuming	Mean	SE	Percent consuming	Mean	SE	Percent consuming	Mean	SE
Total	100	1.071	0.030	100	0.809	0.021	100	0.593	0.026	100	1.102	0.023
Age												
0–5 months	0	0.000	0.000	0	0.000	0.000	100	8.671	1.112	0	0.000	0.000
6–12 months	100	1.680	0.698	100	3.014	1.102	100	3.625	0.551	100	4.189	1.049
< 1 year	100	1.680	0.698	100	3.014	1.102	100	5.266	0.628	100	4.189	1.049
1–2 years	100	2.712	0.210	100	1.697	0.254	100	2.331	0.435	100	2.620	0.175
3–5 years	100	1.810	0.145	100	1.731	0.169	100	1.191	0.079	100	2.298	0.109
6–11 years	100	1.427	0.145	100	1.061	0.111	100	0.787	0.059	100	1.520	0.064
12–19 years	100	1.063	0.094	100	0.630	0.068	100	0.448	0.044	100	1.118	0.062
20–39 years	100	1.084	0.073	100	0.743	0.046	100	0.457	0.027	100	0.852	0.029
40–69 years	100	0.867	0.035	100	0.786	0.028	100	0.400	0.015	100	0.822	0.023
70 + years	100	0.806	0.049	100	0.749	0.040	100	0.493	0.031	100	0.744	0.039
Season												
Fall	100	1.081	0.057	100	0.748	0.037	100	0.604	0.073	100	1.037	0.043
Spring	100	1.106	0.063	100	0.855	0.045	100	0.559	0.035	100	1.087	0.044
Summer	100	1.082	0.056	100	0.867	0.043	100	0.598	0.044	100	1.177	0.037
Winter	100	1.015	0.068	100	0.772	0.041	100	0.611	0.038	100	1.078	0.062
Urbanization												
Central City	100	1.089	0.059	100	0.950	0.043	100	0.630	0.073	100	1.172	0.047
Nonmetropolitan	100	0.892	0.057	100	0.739	0.038	100	0.542	0.042	100	0.977	0.037
Suburban	100	1.111	0.043	100	0.742	0.029	100	0.592	0.026	100	1.117	0.034
Race												
Asian	100	1.599	0.185	100	1.439	0.120	100	0.665	0.123	100	1.032	0.165
Black	100	1.146	0.072	100	1.190	0.071	100	0.523	0.067	100	1.213	0.067
Native American	100	1.374	0.709	100	0.474	0.219	100	0.370	0.217	100	0.933	0.238
Other/NA	100	1.274	0.165	100	0.315	0.061	100	1.112	0.468	100	1.103	0.128
White	100	1.023	0.034	100	0.700	0.020	100	0.574	0.019	100	1.087	0.025
Region												
Midwest	100	1.049	0.067	100	0.802	0.042	100	0.578	0.038	100	1.102	0.043
Northeast	100	1.034	0.055	100	0.890	0.057	100	0.603	0.038	100	1.149	0.055
South	100	1.095	0.048	100	0.828	0.030	100	0.619	0.069	100	1.096	0.037
West	100	1.096	0.081	100	0.713	0.053	100	0.570	0.040	100	1.059	0.055

(continued)

Table 3-21a. Consumer-only intake of individual fruits and vegetables (g/kg-day as consumed)(continued)

Group	Cucumbers			Lettuce			Lima Beans			Okra		
	Percent consuming	Mean	SE	Percent consuming	Mean	SE	Percent consuming	Mean	SE	Percent consuming	Mean	SE
TOTAL	100	0.457	0.015	100	0.539	0.008	100	1.232	0.072	100	0.712	0.053
Age												
0–5 months	0	0.000	0.000	0	0.000	0.000	0	0.000	0.000	0	0.000	0.000
6–12 months	100	0.351	0.000	0	0.000	0.000	100	0.145	0.000	0	0.000	0.000
< 1 year	100	0.351	0.000	0	0.000	0.000	100	0.145	0.000	0	0.000	0.000
1–2 years	100	1.296	0.159	100	0.882	0.075	100	2.108	0.338	100	1.350	0.321
3–5 years	100	1.115	0.153	100	0.838	0.048	100	1.448	0.303	100	2.683	1.219
6–11 years	100	0.815	0.082	100	0.746	0.043	100	1.785	0.339	100	0.867	0.177
12–19 years	100	0.601	0.086	100	0.493	0.025	100	1.896	0.758	100	0.646	0.135
20–39 years	100	0.384	0.020	100	0.518	0.017	100	1.328	0.235	100	0.618	0.079
40–69 years	100	0.350	0.013	100	0.521	0.011	100	0.983	0.076	100	0.651	0.067
70 + years	100	0.393	0.026	100	0.489	0.020	100	1.085	0.105	100	0.693	0.097
Season												
Fall	100	0.398	0.031	100	0.556	0.018	100	1.120	0.158	100	0.553	0.096
Spring	100	0.411	0.020	100	0.530	0.015	100	1.129	0.121	100	0.657	0.086
Summer	100	0.603	0.036	100	0.537	0.016	100	1.327	0.141	100	0.782	0.093
Winter	100	0.387	0.028	100	0.533	0.015	100	1.343	0.149	100	0.833	0.122
Urbanization												
Central City	100	0.404	0.020	100	0.549	0.016	100	1.287	0.108	100	0.724	0.085
Nonmetropolitan	100	0.466	0.027	100	0.454	0.014	100	0.895	0.159	100	0.551	0.045
Suburban	100	0.486	0.026	100	0.568	0.012	100	1.330	0.118	100	0.869	0.123
Race												
Asian	100	1.230	0.300	100	0.701	0.063	100	1.302	0.000	100	0.526	0.097
Black	100	0.361	0.036	100	0.498	0.032	100	1.184	0.092	100	0.702	0.086
Native American	100	0.444	0.185	100	0.299	0.050	0	0.000	0.000	100	0.460	0.137
Other/NA	100	0.471	0.077	100	0.532	0.038	100	1.531	0.576	100	1.225	0.310
White	100	0.438	0.014	100	0.541	0.009	100	1.240	0.096	100	0.708	0.068
Region												
Midwest	100	0.421	0.023	100	0.570	0.016	100	1.152	0.138	100	0.659	0.188
Northeast	100	0.431	0.026	100	0.586	0.022	100	1.122	0.131	100	1.041	0.210
South	100	0.433	0.024	100	0.476	0.012	100	1.300	0.104	100	0.694	0.059
West	100	0.567	0.048	100	0.552	0.017	100	1.290	0.394	100	0.651	0.162

(continued)

Table 3-21a. Consumer-only intake of individual fruits and vegetables (g/kg-day as consumed)(continued)

Group	Onions			Other Berries			Peaches			Pears		
	Percent consuming	Mean	SE	Percent consuming	Mean	SE	Percent consuming	Mean	SE	Percent consuming	Mean	SE
TOTAL	100	0.283	0.008	100	1.061	0.088	100	1.739	0.064	100	2.115	0.095
Age												
0–5 months	0	0.000	0.000	0	0.000	0.000	100	5.338	0.899	100	7.196	1.099
6–12 months	100	2.694	0.000	100	0.868	0.000	100	6.460	0.747	100	7.097	0.902
< 1 year	100	2.694	0.000	100	0.868	0.000	100	6.232	0.628	100	7.132	0.699
1–2 years	100	0.491	0.085	100	4.745	1.513	100	4.613	0.270	100	4.377	0.360
3–5 years	100	0.447	0.077	100	2.126	0.506	100	3.803	0.283	100	3.823	0.294
6–11 years	100	0.409	0.055	100	1.366	0.291	100	2.288	0.212	100	2.225	0.179
12–19 years	100	0.329	0.034	100	1.237	0.254	100	1.427	0.151	100	1.276	0.139
20–39 years	100	0.284	0.015	100	1.079	0.130	100	1.116	0.062	100	1.310	0.077
40–69 years	100	0.264	0.012	100	0.871	0.109	100	1.058	0.053	100	1.199	0.050
70 + years	100	0.240	0.018	100	0.701	0.118	100	1.141	0.053	100	1.274	0.079
Season												
Fall	100	0.267	0.015	100	0.951	0.099	100	2.016	0.178	100	1.987	0.160
Spring	100	0.298	0.018	100	1.212	0.145	100	1.671	0.115	100	1.970	0.161
Summer	100	0.290	0.017	100	0.831	0.122	100	1.610	0.097	100	2.216	0.231
Winter	100	0.276	0.015	100	1.652	0.449	100	1.987	0.164	100	2.308	0.203
Urbanization												
Central City	100	0.286	0.015	100	0.905	0.118	100	2.080	0.150	100	2.091	0.151
Nonmetropolitan	100	0.257	0.014	100	1.038	0.156	100	1.584	0.106	100	1.834	0.153
Suburban	100	0.292	0.013	100	1.132	0.138	100	1.606	0.084	100	2.225	0.155
Race												
Asian	100	0.319	0.042	100	0.938	0.239	100	1.573	0.322	100	1.798	0.497
Black	100	0.318	0.025	100	1.008	0.256	100	2.503	0.360	100	2.989	0.448
Native American	100	0.501	0.173	0	0.000	0.000	100	4.357	0.260	100	1.439	0.467
Other/NA	100	0.322	0.037	100	1.754	0.620	100	2.364	0.333	100	2.505	0.474
White	100	0.273	0.009	100	1.055	0.092	100	1.605	0.059	100	2.028	0.098
Region												
Midwest	100	0.239	0.012	100	1.116	0.115	100	1.588	0.116	100	2.330	0.244
Northeast	100	0.310	0.020	100	0.986	0.180	100	1.708	0.142	100	2.053	0.204
South	100	0.312	0.017	100	0.742	0.093	100	1.973	0.130	100	2.157	0.173
West	100	0.266	0.017	100	1.347	0.230	100	1.616	0.112	100	1.987	0.156

(continued)

Table 3-21a. Consumer-only intake of individual fruits and vegetables (g/kg-day as consumed)(continued)

Group	Peas			Peppers			Pumpkins			Snap Beans		
	Percent consuming	Mean	SE	Percent consuming	Mean	SE	Percent consuming	Mean	SE	Percent consuming	Mean	SE
TOTAL	100	1.094	0.032	100	0.288	0.010	100	1.925	0.213	100	0.978	0.023
Age												
0–5 months	100	3.799	0.886	0	0.000	0.000	100	5.741	1.038	100	5.063	0.738
6–12 months	100	4.648	0.519	100	0.240	0.000	100	6.601	1.253	100	3.891	0.397
< 1 year	100	4.408	0.455	100	0.240	0.000	100	6.276	0.879	100	4.099	0.358
1–2 years	100	2.141	0.139	100	0.431	0.076	100	5.652	0.918	100	2.438	0.136
3–5 years	100	1.619	0.107	100	0.554	0.096	100	0.813	0.447	100	1.530	0.083
6–11 years	100	1.327	0.119	100	0.403	0.049	100	0.664	0.113	100	1.329	0.135
12–19 years	100	1.105	0.101	100	0.258	0.031	100	1.629	0.476	100	0.798	0.044
20–39 years	100	0.943	0.074	100	0.298	0.016	100	0.990	0.178	100	0.800	0.031
40–69 years	100	0.832	0.033	100	0.266	0.015	100	1.380	0.112	100	0.724	0.019
70 + years	100	0.942	0.073	100	0.276	0.035	100	0.928	0.088	100	0.773	0.032
Season												
Fall	100	1.080	0.061	100	0.310	0.022	100	1.500	0.193	100	0.970	0.056
Spring	100	1.064	0.066	100	0.261	0.015	100	3.232	0.846	100	1.000	0.044
Summer	100	0.960	0.049	100	0.316	0.021	100	1.853	0.278	100	0.971	0.039
Winter	100	1.256	0.073	100	0.263	0.017	100	1.951	0.581	100	0.974	0.045
Urbanization												
Central City	100	1.045	0.050	100	0.304	0.017	100	2.371	0.471	100	1.070	0.052
Nonmetropolitan	100	1.051	0.053	100	0.254	0.016	100	1.611	0.321	100	0.887	0.038
Suburban	100	1.152	0.055	100	0.292	0.016	100	1.781	0.287	100	0.964	0.032
Race												
Asian	100	2.022	0.499	100	0.354	0.050	100	0.760	0.892	100	1.122	0.126
Black	100	1.198	0.071	100	0.268	0.026	100	3.927	1.862	100	1.055	0.062
Native American	100	1.348	0.299	100	0.238	0.057	0	0.000	0.000	100	1.124	0.227
Other/NA	100	0.913	0.177	100	0.333	0.033	100	2.064	0.667	100	0.958	0.122
White	100	1.049	0.034	100	0.285	0.011	100	1.828	0.202	100	0.959	0.026
Region												
Midwest	100	0.917	0.050	100	0.293	0.024	100	2.232	0.509	100	1.056	0.046
Northeast	100	1.187	0.078	100	0.350	0.024	100	1.530	0.251	100	0.977	0.061
South	100	1.097	0.046	100	0.237	0.014	100	2.437	0.478	100	0.964	0.036
West	100	1.197	0.094	100	0.288	0.016	100	2.232	0.729	100	0.872	0.042

(continued)

Table 3-21a. Consumer-only intake of individual fruits and vegetables (g/kg-day as consumed)(continued)

Group	Strawberries			Tomatoes			White Potatoes		
	Percent consuming	Mean	SE	Percent consuming	Mean	SE	Percent consuming	Mean	SE
TOTAL	100	0.876	0.039	100	1.079	0.010	100	1.326	0.015
Age									
0–5 months	0	0.000	0.000	100	3.436	1.271	100	1.623	0.536
6–12 months	100	1.953	0.315	100	1.398	0.122	100	1.624	0.248
< 1 year	100	1.953	0.315	100	1.548	0.163	100	1.624	0.226
1–2 years	100	2.493	0.279	100	2.406	0.077	100	2.904	0.105
3–5 years	100	2.360	0.279	100	1.971	0.060	100	2.592	0.089
6–11 years	100	1.445	0.177	100	1.349	0.037	100	1.906	0.060
12–19 years	100	0.854	0.072	100	1.061	0.025	100	1.463	0.050
20–39 years	100	0.731	0.060	100	1.018	0.018	100	1.162	0.025
40–69 years	100	0.593	0.031	100	0.858	0.013	100	1.022	0.017
70 + years	100	0.747	0.093	100	0.840	0.025	100	1.040	0.032
Season									
Fall	100	0.839	0.107	100	1.104	0.022	100	1.326	0.028
Spring	100	0.907	0.056	100	1.033	0.019	100	1.341	0.030
Summer	100	0.839	0.077	100	1.106	0.020	100	1.325	0.028
Winter	100	0.859	0.101	100	1.070	0.021	100	1.313	0.031
Urbanization									
Central City	100	0.802	0.076	100	1.132	0.019	100	1.290	0.027
Nonmetropolitan	100	0.774	0.062	100	0.987	0.020	100	1.493	0.033
Suburban	100	0.936	0.056	100	1.082	0.015	100	1.274	0.020
Race									
Asian	100	2.005	0.530	100	1.537	0.074	100	1.016	0.089
Black	100	1.057	0.237	100	0.945	0.026	100	1.365	0.046
Native American	100	0.407	0.153	100	1.316	0.330	100	1.633	0.279
Other/NA	100	1.041	0.177	100	1.540	0.063	100	1.357	0.068
White	100	0.841	0.039	100	1.051	0.011	100	1.328	0.016
Region									
Midwest	100	0.782	0.053	100	1.057	0.020	100	1.497	0.032
Northeast	100	0.833	0.083	100	1.141	0.024	100	1.224	0.032
South	100	0.938	0.102	100	0.990	0.016	100	1.359	0.025
West	100	0.941	0.062	100	1.187	0.025	100	1.170	0.030

Table 3-22. Per capita intake of individual fats (g/kg-day as consumed)

Group	Animal Fat			Butter			Dressing			Margarine		
	Percent consuming	Mean	SE	Percent consuming	Mean	SE	Percent consuming	Mean	SE	Percent consuming	Mean	SE
TOTAL	0.0	0.000	0.001	17.3	0.022	0.002	30.7	0.099	0.003	31.4	0.041	0.002
Age												
0–5 months	0.0	0.000	0.000	0.0	0.000	0.000	0.0	0.000	0.000	0.9	0.002	0.016
6–12 months	0.0	0.000	0.000	3.1	0.003	0.009	1.5	0.006	0.029	5.0	0.006	0.016
< 1 year	0.0	0.000	0.000	1.5	0.002	0.007	0.7	0.003	0.020	2.8	0.004	0.011
1–2 years	0.0	0.000	0.000	13.4	0.034	0.010	12.6	0.062	0.020	29.5	0.073	0.009
3–5 years	0.0	0.000	0.000	15.0	0.040	0.010	18.4	0.084	0.016	31.3	0.085	0.009
6–11 years	0.0	0.000	0.000	15.0	0.030	0.008	23.4	0.094	0.013	33.3	0.062	0.007
12–19 years	0.0	0.000	0.000	12.6	0.015	0.005	24.5	0.080	0.011	25.6	0.034	0.005
20–39 years	0.0	0.000	0.000	17.2	0.020	0.003	33.2	0.110	0.007	26.0	0.028	0.003
40–69 years	0.1	0.000	0.002	20.5	0.020	0.002	37.5	0.113	0.005	36.3	0.039	0.002
70 + years	0.1	0.000	0.001	19.9	0.022	0.005	30.8	0.079	0.009	45.8	0.054	0.005
Season												
Fall	0.1	0.000	0.002	18.2	0.025	0.004	29.4	0.094	0.007	31.9	0.043	0.003
Spring	0.0	0.000	0.000	15.8	0.019	0.003	32.3	0.104	0.007	29.2	0.038	0.003
Summer	0.1	0.000	0.001	16.3	0.021	0.003	30.3	0.100	0.007	32.2	0.041	0.003
Winter	0.0	0.000	0.000	18.8	0.021	0.003	30.7	0.099	0.007	32.4	0.042	0.003
Urbanization												
Central City	0.1	0.000	0.001	16.7	0.021	0.003	28.5	0.093	0.006	29.6	0.037	0.003
Nonmetropolitan	0.0	0.000	0.001	13.6	0.021	0.004	31.4	0.092	0.006	32.1	0.047	0.003
Suburban	0.0	0.000	0.001	19.4	0.023	0.002	31.8	0.107	0.005	32.4	0.041	0.002
Race												
Asian	0.0	0.000	0.000	6.2	0.006	0.010	19.0	0.075	0.028	13.8	0.011	0.006
Black	0.1	0.000	0.002	14.1	0.023	0.006	24.6	0.065	0.009	24.5	0.029	0.004
Native American	0.0	0.000	0.000	20.7	0.014	0.010	28.6	0.045	0.023	21.8	0.018	0.009
Other/NA	0.0	0.000	0.000	9.7	0.009	0.007	19.7	0.059	0.013	18.1	0.024	0.007
White	0.0	0.000	0.001	18.7	0.023	0.002	32.9	0.109	0.004	34.2	0.046	0.002
Region												
Midwest	0.1	0.000	0.002	16.1	0.019	0.003	36.8	0.122	0.007	38.2	0.052	0.003
Northeast	0.0	0.000	0.000	27.4	0.042	0.005	28.3	0.093	0.008	28.5	0.040	0.004
South	0.0	0.000	0.000	12.6	0.014	0.002	28.1	0.086	0.006	29.5	0.037	0.002
West	0.0	0.000	0.001	16.9	0.019	0.003	30.4	0.100	0.007	29.8	0.037	0.003

(continued)

Table 3-22. Per capita intake of individual fats (g/kg-day as consumed)(continued)

Group	Mayonnaise			Sauce			Vegetable Oil		
	Percent consuming	Mean	SE	Percent consuming	Mean	SE	Percent consuming	Mean	SE
TOTAL	19.2	0.024	0.001	2.2	0.005	0.003	1.7	0.003	0.002
Age									
0–5 months	0.0	0.000	0.000	0.0	0.000	0.000	0.0	0.000	0.000
6–12 months	2.0	0.001	0.007	0.0	0.000	0.000	1.4	0.010	0.083
< 1 year	0.9	0.001	0.005	0.0	0.000	0.000	0.6	0.005	0.057
1–2 years	8.9	0.024	0.010	0.5	0.004	0.025	0.4	0.001	0.014
3–5 years	14.6	0.036	0.008	0.6	0.003	0.016	0.8	0.002	0.007
6–11 years	15.2	0.028	0.006	0.6	0.003	0.013	0.4	0.001	0.008
12–19 years	21.9	0.032	0.005	1.4	0.005	0.012	0.5	0.000	0.002
20–39 years	20.5	0.024	0.003	3.0	0.007	0.006	2.2	0.004	0.006
40–69 years	21.4	0.022	0.002	2.8	0.005	0.003	2.3	0.003	0.002
70 + years	16.9	0.019	0.004	2.2	0.003	0.005	2.4	0.002	0.002
Season									
Fall	18.3	0.022	0.003	2.2	0.006	0.007	1.6	0.002	0.003
Spring	20.1	0.028	0.003	2.3	0.005	0.004	1.9	0.002	0.003
Summer	19.2	0.025	0.003	2.4	0.005	0.005	1.6	0.004	0.005
Winter	19.3	0.023	0.003	2.1	0.004	0.005	2.0	0.003	0.004
Urbanization									
Central City	19.5	0.025	0.003	2.7	0.006	0.005	1.8	0.003	0.004
Nonmetropolitan	16.4	0.023	0.003	2.2	0.005	0.005	1.3	0.002	0.006
Suburban	20.3	0.025	0.002	1.9	0.004	0.004	1.9	0.002	0.002
Race									
Asian	14.1	0.016	0.007	1.7	0.002	0.008	2.4	0.002	0.009
Black	17.1	0.021	0.004	3.6	0.010	0.011	0.9	0.001	0.007
Native American	11.3	0.014	0.014	0.0	0.000	0.000	1.4	0.001	0.010
Other/NA	16.3	0.021	0.006	0.6	0.001	0.008	1.7	0.002	0.006
White	20.0	0.026	0.002	2.2	0.005	0.003	1.9	0.003	0.002
Region									
Midwest	13.2	0.016	0.003	2.3	0.004	0.004	1.0	0.001	0.002
Northeast	21.7	0.033	0.005	2.5	0.008	0.010	3.5	0.006	0.005
South	20.9	0.025	0.002	1.9	0.004	0.004	0.9	0.001	0.003
West	20.8	0.026	0.003	2.5	0.005	0.005	2.3	0.004	0.005

Table 3-22a. Consumer-only intake of individual fats (g/kg-day as consumed)

Group	Animal Fat			Butter			Dressing		
	Percent consuming	Mean	SE	Percent consuming	Mean	SE	Percent consuming	Mean	SE
Total	100	0.114	0.026	100	0.126	0.003	100	0.323	0.005
Age									
0–5 months	0	0.000	0.000	0	0.000	0.000	0	0.000	0.000
6–12 months	0	0.000	0.000	100	0.103	0.017	100	0.372	0.102
< 1 year	0	0.000	0.000	100	0.103	0.017	100	0.372	0.102
1–2 years	0	0.000	0.000	100	0.255	0.020	100	0.492	0.043
3–5 years	0	0.000	0.000	100	0.268	0.019	100	0.456	0.027
6–11 years	0	0.000	0.000	100	0.204	0.015	100	0.401	0.019
12–19 years	0	0.000	0.000	100	0.117	0.010	100	0.328	0.016
20–39 years	0	0.000	0.000	100	0.117	0.006	100	0.330	0.010
40–69 years	100	0.135	0.031	100	0.099	0.004	100	0.300	0.006
70 + years	100	0.055	0.023	100	0.112	0.009	100	0.258	0.011
Season									
Fall	100	0.153	0.052	100	0.139	0.007	100	0.320	0.009
Spring	0	0.000	0.000	100	0.122	0.006	100	0.321	0.009
Summer	100	0.097	0.021	100	0.130	0.007	100	0.331	0.010
Winter	100	0.022	0.000	100	0.114	0.005	100	0.321	0.008
Urbanization									
Central City	100	0.104	0.036	100	0.129	0.006	100	0.325	0.009
Nonmetropolitan	100	0.109	0.000	100	0.151	0.008	100	0.294	0.009
Suburban	100	0.125	0.041	100	0.117	0.004	100	0.335	0.007
Race									
Asian	0	0.000	0.000	100	0.091	0.034	100	0.392	0.046
Black	100	0.085	0.033	100	0.163	0.014	100	0.263	0.015
Native American	0	0.000	0.000	100	0.065	0.016	100	0.156	0.035
Other/NA	0	0.000	0.000	100	0.095	0.018	100	0.299	0.022
White	100	0.134	0.035	100	0.124	0.003	100	0.331	0.005
Region									
Midwest	100	0.163	0.037	100	0.120	0.006	100	0.331	0.009
Northeast	100	0.022	0.000	100	0.154	0.007	100	0.330	0.011
South	100	0.037	0.019	100	0.111	0.005	100	0.307	0.008
West	100	0.094	0.001	100	0.110	0.006	100	0.331	0.010

(continued)

Table 3-22a. Consumer-only intake of individual fats (g/kg-day as consumed) (continued)

Group	Mayonnaise			Sauce			Vegetable Oil		
	Percent consuming	Mean	SE	Percent consuming	Mean	SE	Percent consuming	Mean	SE
TOTAL	100	0.127	0.003	100	0.221	0.012	100	0.151	0.012
Age									
0–5 months	0	0.000	0.000	0	0.000	0.000	0	0.000	0.000
6–12 months	100	0.074	0.003	0	0.000	0.000	100	0.746	0.476
< 1 year	100	0.074	0.003	0	0.000	0.000	100	0.746	0.476
1–2 years	100	0.273	0.026	100	0.746	0.138	100	0.314	0.161
3–5 years	100	0.247	0.014	100	0.518	0.126	100	0.234	0.044
6–11 years	100	0.185	0.010	100	0.418	0.107	100	0.263	0.058
12–19 years	100	0.147	0.009	100	0.342	0.056	100	0.076	0.018
20–39 years	100	0.115	0.005	100	0.234	0.020	100	0.203	0.029
40–69 years	100	0.104	0.004	100	0.169	0.014	100	0.110	0.010
70 + years	100	0.113	0.008	100	0.136	0.021	100	0.070	0.008
Season									
Fall	100	0.121	0.005	100	0.283	0.028	100	0.113	0.022
Spring	100	0.140	0.006	100	0.200	0.019	100	0.125	0.015
Summer	100	0.129	0.005	100	0.201	0.023	100	0.225	0.032
Winter	100	0.119	0.004	100	0.200	0.024	100	0.146	0.021
Urbanization									
Central City	100	0.127	0.004	100	0.225	0.021	100	0.181	0.025
Nonmetropolitan	100	0.138	0.006	100	0.230	0.026	100	0.173	0.039
Suburban	100	0.124	0.004	100	0.212	0.018	100	0.124	0.011
Race									
Asian	100	0.117	0.011	100	0.105	0.042	100	0.091	0.050
Black	100	0.124	0.007	100	0.269	0.035	100	0.158	0.062
Native American	100	0.126	0.026	0	0.000	0.000	100	0.083	0.000
Other/NA	100	0.130	0.009	100	0.194	0.080	100	0.133	0.025
White	100	0.128	0.003	100	0.212	0.013	100	0.155	0.013
Region									
Midwest	100	0.124	0.007	100	0.191	0.020	100	0.096	0.015
Northeast	100	0.151	0.008	100	0.325	0.034	100	0.169	0.021
South	100	0.118	0.003	100	0.197	0.022	100	0.140	0.029
West	100	0.123	0.005	100	0.187	0.021	100	0.158	0.020

Table 3-23. Per capita intake of beef (g/kg-day as consumed)

Group	Percent consuming			Percentile									
	Mean	SE		1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	88.2	0.816	0.008	0	0	0.000	0.184	0.557	1.108	1.880	2.526	4.261	25.065
Age													
0–5 months	5.3	0.069	0.103	0	0	0.000	0.000	0.000	0.000	0.000	0.408	1.957	4.152
6–12 months	66.6	1.006	0.152	0	0	0.000	0.000	0.429	1.465	2.841	4.134	7.890	7.890
< 1 years	34.0	0.508	0.111	0	0	0.000	0.000	0.000	0.467	1.770	2.740	5.590	7.890
1–2 years	88.9	1.389	0.045	0	0	0.000	0.373	0.887	1.852	3.350	4.572	6.916	14.313
3–5 years	86.7	1.311	0.042	0	0	0.000	0.249	0.846	1.926	3.149	4.189	6.470	12.232
6–11 years	88.7	1.073	0.035	0	0	0.000	0.256	0.703	1.458	2.558	3.294	5.383	14.000
12–19 years	93.3	0.917	0.033	0	0	0.061	0.250	0.676	1.288	1.928	2.476	4.197	25.065
20–39 years	91.4	0.817	0.016	0	0	0.033	0.229	0.579	1.127	1.860	2.454	4.218	9.189
40–69 years	87.2	0.666	0.011	0	0	0.000	0.144	0.487	0.959	1.536	2.003	3.188	8.577
70 +	81.8	0.511	0.015	0	0	0.000	0.081	0.384	0.760	1.205	1.549	2.226	3.565
Season													
Fall	88.7	0.832	0.017	0	0	0.000	0.200	0.569	1.101	1.908	2.621	4.218	14.313
Spring	87.6	0.797	0.016	0	0	0.000	0.170	0.521	1.079	1.880	2.559	4.379	12.232
Summer	88.1	0.843	0.019	0	0	0.000	0.182	0.562	1.127	1.931	2.603	4.572	25.065
Winter	88.2	0.793	0.016	0	0	0.000	0.185	0.575	1.124	1.798	2.337	3.732	9.316
Urbanization													
Central City	87.6	0.835	0.016	0	0	0.000	0.175	0.540	1.109	2.014	2.744	4.379	14.313
Nonmetropolitan	87.1	0.842	0.020	0	0	0.000	0.199	0.591	1.143	1.869	2.495	4.257	25.065
Suburban	89.0	0.792	0.011	0	0	0.000	0.183	0.549	1.093	1.812	2.402	4.197	12.154
Race													
Asian	86.8	1.200	0.070	0	0	0.000	0.382	0.896	1.688	2.397	3.457	6.730	10.705
Black	86.4	0.864	0.028	0	0	0.000	0.144	0.486	1.101	2.183	3.226	4.946	12.232
Native American	79.3	0.871	0.094	0	0	0.000	0.149	0.705	1.411	1.969	2.594	4.781	5.903
Other/NA	84.9	0.970	0.043	0	0	0.000	0.172	0.667	1.302	2.253	2.996	4.779	14.000
White	88.8	0.783	0.009	0	0	0.000	0.187	0.549	1.078	1.798	2.390	4.004	25.065
Region													
Midwest	89.8	0.854	0.019	0	0	0.000	0.202	0.598	1.138	1.880	2.556	4.260	25.065
Northeast	87.0	0.784	0.020	0	0	0.000	0.149	0.502	1.027	1.820	2.512	4.577	14.000
South	88.3	0.787	0.013	0	0	0.000	0.185	0.547	1.086	1.819	2.454	4.109	12.101
West	87.3	0.851	0.017	0	0	0.000	0.191	0.585	1.176	2.002	2.684	4.273	14.313

Table 3-23a. Consumer-only intake of beef (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
Total	100	0.926	0.009	0.025	0.072	0.128	0.310	0.665	1.207	2.001	2.659	4.419	25.065
Age													
0–5 months	100	1.298	0.231	0.408	0.408	0.515	0.833	0.889	1.829	1.996	1.996	4.152	4.152
6–12 months	100	1.510	0.163	0.034	0.176	0.239	0.429	0.893	1.846	3.763	5.590	7.890	7.890
< 1 years	100	1.493	0.149	0.034	0.176	0.249	0.467	0.889	1.846	3.397	4.396	7.890	7.890
1–2 years	100	1.563	0.045	0.060	0.135	0.255	0.496	1.035	1.989	3.591	4.723	6.944	14.313
3–5 years	100	1.513	0.043	0.042	0.120	0.185	0.436	1.030	2.127	3.341	4.578	6.567	12.232
6–11 years	100	1.210	0.036	0.032	0.089	0.170	0.400	0.827	1.625	2.739	3.390	5.435	14.000
12–19 years	100	0.983	0.034	0.025	0.075	0.142	0.331	0.764	1.330	2.003	2.544	4.197	25.065
20–39 years	100	0.893	0.016	0.027	0.080	0.137	0.318	0.655	1.179	1.941	2.510	4.218	9.189
40–69 years	100	0.763	0.011	0.024	0.057	0.106	0.261	0.591	1.040	1.622	2.088	3.259	8.577
70 +	100	0.625	0.015	0.019	0.053	0.092	0.245	0.512	0.867	1.316	1.632	2.337	3.565
Season													
Fall	100	0.938	0.017	0.022	0.070	0.137	0.314	0.663	1.231	2.031	2.773	4.519	14.313
Spring	100	0.909	0.016	0.027	0.072	0.125	0.297	0.629	1.172	2.017	2.696	4.577	12.232
Summer	100	0.957	0.019	0.023	0.076	0.123	0.315	0.676	1.238	2.042	2.746	4.676	25.065
Winter	100	0.899	0.016	0.027	0.073	0.130	0.313	0.683	1.199	1.899	2.468	3.956	9.316
Urbanization													
Central City	100	0.953	0.016	0.027	0.076	0.129	0.305	0.655	1.248	2.161	2.863	4.672	14.313
Nonmetropolitan	100	0.966	0.020	0.023	0.079	0.149	0.348	0.720	1.227	2.008	2.647	4.283	25.065
Suburban	100	0.889	0.011	0.025	0.067	0.117	0.298	0.650	1.179	1.904	2.510	4.273	12.154
Race													
Asian	100	1.383	0.070	0.056	0.139	0.293	0.587	1.052	1.821	2.577	3.543	6.730	10.705
Black	100	0.999	0.028	0.023	0.066	0.118	0.281	0.628	1.223	2.426	3.420	5.082	12.232
Native American	100	1.098	0.091	0.100	0.149	0.204	0.498	0.798	1.474	2.034	2.594	5.215	5.903
Other/NA	100	1.141	0.044	0.031	0.074	0.139	0.385	0.842	1.450	2.446	3.129	5.387	14.000
White	100	0.881	0.009	0.025	0.071	0.126	0.303	0.644	1.158	1.885	2.476	4.120	25.065
Region													
Midwest	100	0.951	0.020	0.022	0.071	0.133	0.321	0.696	1.234	2.001	2.654	4.305	25.065
Northeast	100	0.902	0.021	0.026	0.062	0.107	0.291	0.596	1.138	1.964	2.646	4.863	14.000
South	100	0.892	0.013	0.022	0.075	0.129	0.298	0.650	1.171	1.941	2.536	4.265	12.101
West	100	0.974	0.017	0.035	0.081	0.137	0.340	0.720	1.309	2.155	2.808	4.372	14.313

Table 3-24. Per capita intake of pork (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	86.4	0.219	0.004	0	0	0.000	0.024	0.070	0.178	0.596	1.036	2.172	12.304
Age													
0–5 months	4.6	0.006	0.011	0	0	0.000	0.000	0.000	0.000	0.000	0.000	0.163	0.461
6–12 months	68.5	0.190	0.044	0	0	0.000	0.000	0.100	0.181	0.392	0.501	2.522	3.128
< 1 years	34.6	0.092	0.030	0	0	0.000	0.000	0.000	0.099	0.253	0.347	2.522	3.128
1–2 years	86.6	0.400	0.025	0	0	0.000	0.057	0.140	0.321	0.973	1.897	3.990	12.304
3–5 years	84.4	0.375	0.024	0	0	0.000	0.036	0.113	0.271	0.964	1.853	4.365	10.436
6–11 years	85.9	0.265	0.016	0	0	0.000	0.031	0.080	0.189	0.663	1.454	2.764	5.842
12–19 years	90.9	0.209	0.011	0	0	0.005	0.034	0.080	0.174	0.579	1.006	1.849	3.957
20–39 years	89.7	0.201	0.008	0	0	0.000	0.028	0.069	0.154	0.512	1.001	1.927	5.726
40–69 years	85.0	0.200	0.006	0	0	0.000	0.019	0.061	0.173	0.610	0.988	1.771	5.972
70 +	83.2	0.188	0.010	0	0	0.000	0.017	0.061	0.167	0.604	0.878	1.424	4.929
Season													
Fall	87.2	0.228	0.008	0	0	0.000	0.026	0.076	0.186	0.625	1.074	2.291	6.600
Spring	85.7	0.232	0.009	0	0	0.000	0.022	0.064	0.178	0.634	1.099	2.391	7.561
Summer	85.7	0.212	0.008	0	0	0.000	0.021	0.066	0.172	0.604	1.039	2.014	10.436
Winter	86.9	0.204	0.008	0	0	0.000	0.026	0.075	0.175	0.524	0.938	1.906	12.304
Urbanization													
Central City	85.8	0.224	0.007	0	0	0.000	0.025	0.073	0.182	0.621	1.061	2.172	7.697
Nonmetropolitan	85.4	0.253	0.010	0	0	0.000	0.024	0.074	0.202	0.697	1.138	2.537	8.477
Suburban	87.2	0.201	0.006	0	0	0.000	0.023	0.066	0.162	0.529	0.977	2.031	12.304
Race													
Asian	83.0	0.300	0.029	0	0	0.000	0.038	0.115	0.269	0.963	1.252	2.635	3.157
Black	86.9	0.284	0.013	0	0	0.000	0.030	0.082	0.279	0.810	1.307	2.609	7.027
Native American	73.9	0.180	0.035	0	0	0.000	0.000	0.079	0.197	0.455	0.672	1.632	1.632
Other/NA	80.9	0.253	0.019	0	0	0.000	0.018	0.073	0.205	0.752	1.283	2.391	5.923
White	86.9	0.203	0.004	0	0	0.000	0.024	0.067	0.161	0.530	0.976	2.080	12.304
Region													
Midwest	89.2	0.276	0.010	0	0	0.000	0.030	0.079	0.241	0.798	1.265	2.629	10.436
Northeast	84.7	0.213	0.010	0	0	0.000	0.019	0.064	0.156	0.583	1.075	2.217	7.027
South	86.7	0.210	0.006	0	0	0.000	0.024	0.070	0.179	0.588	0.991	1.906	12.304
West	84.3	0.179	0.007	0	0	0.000	0.022	0.068	0.151	0.445	0.820	1.805	4.621

Table 3-24a. Consumer-only intake of pork (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	100	0.254	0.004	0.004	0.012	0.020	0.041	0.088	0.218	0.688	1.122	2.295	12.304
Age													
0–5 months	100	0.134	0.027	0.045	0.045	0.069	0.081	0.099	0.163	0.222	0.222	0.461	0.461
6–12 months	100	0.277	0.051	0.004	0.019	0.021	0.095	0.146	0.262	0.501	0.578	2.522	3.128
< 1 years	100	0.267	0.047	0.004	0.019	0.021	0.095	0.146	0.262	0.461	0.578	2.522	3.128
1–2 years	100	0.461	0.026	0.008	0.030	0.046	0.093	0.176	0.363	1.236	2.172	4.054	12.304
3–5 years	100	0.445	0.025	0.008	0.020	0.033	0.068	0.146	0.371	1.216	2.038	4.534	10.436
6–11 years	100	0.309	0.017	0.006	0.015	0.026	0.049	0.102	0.228	0.938	1.575	3.078	5.842
12–19 years	100	0.230	0.011	0.005	0.013	0.020	0.043	0.090	0.199	0.633	1.070	1.925	3.957
20–39 years	100	0.224	0.009	0.004	0.012	0.020	0.040	0.079	0.179	0.577	1.039	2.008	5.726
40–69 years	100	0.235	0.006	0.004	0.010	0.017	0.036	0.079	0.233	0.691	1.034	1.897	5.972
70 +	100	0.226	0.011	0.003	0.009	0.017	0.037	0.082	0.245	0.670	0.937	1.704	4.929
Season													
Fall	100	0.262	0.008	0.004	0.011	0.020	0.043	0.093	0.219	0.715	1.148	2.389	6.600
Spring	100	0.271	0.010	0.005	0.012	0.020	0.039	0.082	0.233	0.736	1.193	2.522	7.561
Summer	100	0.248	0.008	0.005	0.011	0.018	0.040	0.082	0.214	0.691	1.123	2.195	10.436
Winter	100	0.235	0.008	0.004	0.013	0.020	0.043	0.091	0.212	0.605	1.009	1.991	12.304
Urbanization													
Central City	100	0.261	0.008	0.005	0.013	0.022	0.044	0.092	0.228	0.717	1.136	2.289	7.697
Nonmetropolitan	100	0.296	0.010	0.005	0.012	0.021	0.044	0.093	0.268	0.832	1.256	2.785	8.477
Suburban	100	0.230	0.006	0.004	0.011	0.018	0.039	0.081	0.192	0.606	1.040	2.111	12.304
Race													
Asian	100	0.362	0.031	0.009	0.024	0.039	0.077	0.155	0.350	0.987	1.578	2.826	3.157
Black	100	0.327	0.014	0.004	0.013	0.023	0.046	0.109	0.347	0.903	1.377	2.779	7.027
Native American	100	0.244	0.039	0.006	0.011	0.030	0.056	0.116	0.270	0.605	1.152	1.632	1.632
Other/NA	100	0.313	0.021	0.007	0.013	0.020	0.043	0.102	0.296	0.905	1.386	2.743	5.923
White	100	0.234	0.005	0.004	0.011	0.019	0.040	0.082	0.192	0.614	1.037	2.171	12.304
Region													
Midwest	100	0.310	0.010	0.004	0.011	0.020	0.043	0.093	0.287	0.882	1.341	2.819	10.436
Northeast	100	0.252	0.011	0.004	0.011	0.017	0.040	0.081	0.204	0.675	1.171	2.322	7.027
South	100	0.242	0.007	0.004	0.012	0.020	0.040	0.087	0.214	0.668	1.046	2.040	12.304
West	100	0.212	0.007	0.005	0.013	0.021	0.044	0.089	0.185	0.526	0.937	2.008	4.621

Table 3-25. Per capita intake of poultry (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	88.9	0.612	0.008	0	0	0.000	0.062	0.269	0.816	1.625	2.312	4.106	15.933
Age													
0–5 months	4.6	0.025	0.045	0	0	0.000	0.000	0.000	0.000	0.000	0.000	0.711	1.771
6–12 months	70.6	0.718	0.145	0	0	0.000	0.000	0.159	0.669	2.011	2.440	9.658	10.071
< 1 years	35.5	0.350	0.100	0	0	0.000	0.000	0.000	0.243	0.923	1.842	5.516	10.071
1–2 years	89.9	1.408	0.051	0	0	0.000	0.153	0.641	2.142	3.769	4.958	7.686	15.587
3–5 years	89.0	1.307	0.047	0	0	0.000	0.122	0.588	2.043	3.475	4.361	7.938	15.933
6–11 years	88.5	0.829	0.032	0	0	0.000	0.075	0.315	1.238	2.350	3.177	4.924	15.397
12–19 years	94.1	0.619	0.022	0	0	0.018	0.082	0.317	0.861	1.679	2.226	3.711	6.526
20–39 years	91.8	0.565	0.015	0	0	0.011	0.076	0.273	0.797	1.483	1.998	3.299	11.220
40–69 years	87.7	0.473	0.010	0	0	0.000	0.049	0.230	0.683	1.219	1.696	2.874	6.313
70 +	84.3	0.403	0.016	0	0	0.000	0.035	0.206	0.573	1.035	1.534	2.530	5.551
Season													
Fall	89.5	0.653	0.016	0	0	0.000	0.075	0.311	0.856	1.757	2.440	4.314	12.203
Spring	88.1	0.591	0.015	0	0	0.000	0.055	0.230	0.800	1.546	2.280	4.221	15.587
Summer	88.6	0.605	0.016	0	0	0.000	0.054	0.246	0.789	1.645	2.326	4.147	15.933
Winter	89.4	0.598	0.015	0	0	0.000	0.068	0.283	0.817	1.540	2.175	3.916	12.745
Urbanization													
Central City	89.6	0.681	0.015	0	0	0.000	0.073	0.315	0.909	1.797	2.547	4.383	15.933
Nonmetropolitan	86.4	0.537	0.015	0	0	0.000	0.046	0.227	0.676	1.443	2.110	3.934	12.745
Suburban	89.5	0.598	0.011	0	0	0.000	0.063	0.265	0.816	1.564	2.218	3.994	15.587
Race													
Asian	89.9	0.775	0.049	0	0	0.000	0.146	0.477	1.105	2.037	2.520	4.143	8.969
Black	90.1	0.862	0.027	0	0	0.003	0.115	0.498	1.178	2.164	3.022	5.170	11.220
Native American	79.1	0.528	0.082	0	0	0.000	0.011	0.190	0.594	1.691	2.205	3.442	4.153
Other/NA	83.6	0.634	0.037	0	0	0.000	0.033	0.262	0.817	1.611	2.558	4.173	15.397
White	89.1	0.564	0.008	0	0	0.000	0.059	0.242	0.761	1.486	2.115	3.934	15.933
Region													
Midwest	90.5	0.615	0.016	0	0	0.005	0.063	0.262	0.818	1.620	2.329	4.138	15.587
Northeast	88.1	0.644	0.020	0	0	0.000	0.061	0.290	0.881	1.697	2.330	4.337	11.394
South	89.0	0.616	0.013	0	0	0.000	0.066	0.271	0.837	1.623	2.323	4.117	15.397
West	87.8	0.573	0.016	0	0	0.000	0.057	0.255	0.735	1.520	2.283	3.729	15.933

Table 3-25a. Consumer-only intake of poultry (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
Total	100	0.688	0.008	0.008	0.019	0.037	0.118	0.344	0.913	1.755	2.449	4.299	15.933
Age													
0–5 months	100	0.539	0.126	0.159	0.159	0.243	0.346	0.346	0.570	0.777	1.615	1.771	1.771
6–12 months	100	1.018	0.163	0.013	0.063	0.069	0.127	0.510	1.066	2.280	5.208	10.071	10.071
< 1 years	100	0.984	0.151	0.013	0.063	0.072	0.146	0.510	1.020	2.178	4.837	10.071	10.071
1–2 years	100	1.566	0.052	0.017	0.048	0.094	0.243	0.843	2.367	3.967	5.182	7.764	15.587
3–5 years	100	1.468	0.048	0.009	0.034	0.072	0.237	0.812	2.255	3.608	4.513	8.259	15.933
6–11 years	100	0.937	0.033	0.009	0.023	0.048	0.142	0.415	1.389	2.499	3.245	4.938	15.397
12–19 years	100	0.658	0.022	0.007	0.020	0.036	0.112	0.363	0.931	1.734	2.243	3.711	6.526
20–39 years	100	0.616	0.015	0.008	0.020	0.037	0.115	0.319	0.868	1.546	2.053	3.402	11.220
40–69 years	100	0.540	0.010	0.006	0.016	0.031	0.104	0.305	0.774	1.288	1.770	3.033	6.313
70 +	100	0.478	0.017	0.006	0.017	0.032	0.102	0.276	0.657	1.152	1.618	2.606	5.551
Season													
Fall	100	0.730	0.017	0.008	0.022	0.043	0.133	0.390	0.944	1.883	2.534	4.711	12.203
Spring	100	0.671	0.016	0.009	0.019	0.035	0.108	0.309	0.902	1.704	2.418	4.461	15.587
Summer	100	0.684	0.016	0.007	0.018	0.034	0.110	0.318	0.906	1.766	2.457	4.321	15.933
Winter	100	0.668	0.015	0.008	0.019	0.037	0.122	0.352	0.897	1.645	2.354	4.011	12.745
Urbanization													
Central City	100	0.760	0.016	0.008	0.021	0.039	0.135	0.412	1.005	1.916	2.652	4.500	15.933
Nonmetropolitan	100	0.622	0.015	0.008	0.019	0.035	0.107	0.292	0.794	1.638	2.244	4.038	12.745
Suburban	100	0.668	0.012	0.007	0.018	0.036	0.113	0.329	0.904	1.653	2.326	4.213	15.587
Race													
Asian	100	0.862	0.049	0.015	0.040	0.083	0.226	0.585	1.185	2.081	2.602	4.147	8.969
Black	100	0.956	0.028	0.010	0.025	0.049	0.195	0.573	1.307	2.296	3.102	5.428	11.220
Native American	100	0.667	0.086	0.000	0.006	0.025	0.126	0.346	0.926	1.836	2.337	3.442	4.153
Other/NA	100	0.758	0.039	0.007	0.018	0.033	0.120	0.385	0.981	1.936	2.695	4.444	15.397
White	100	0.633	0.009	0.008	0.019	0.036	0.107	0.305	0.837	1.591	2.263	4.016	15.933
Region													
Midwest	100	0.680	0.016	0.007	0.019	0.036	0.113	0.316	0.902	1.765	2.442	4.426	15.587
Northeast	100	0.731	0.020	0.009	0.019	0.037	0.122	0.385	1.001	1.795	2.472	4.383	11.394
South	100	0.693	0.013	0.007	0.020	0.039	0.120	0.351	0.943	1.729	2.468	4.286	15.397
West	100	0.652	0.017	0.008	0.020	0.037	0.118	0.327	0.817	1.682	2.390	4.012	15.933

Table 3-26. Per capita intake of game (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	0.7	0.007	0.010	0	0	0	0	0	0	0	0	0.000	5.622
Age													
0–5 months	0.0	0.000	0.000	0	0	0	0	0	0	0	0	0.000	0.000
6–12 months	0.0	0.000	0.000	0	0	0	0	0	0	0	0	0.000	0.000
< 1 years	0.0	0.000	0.000	0	0	0	0	0	0	0	0	0.000	0.000
1–2 years	0.4	0.009	0.067	0	0	0	0	0	0	0	0	0.000	4.865
3–5 years	0.5	0.009	0.054	0	0	0	0	0	0	0	0	0.000	5.622
6–11 years	0.8	0.013	0.053	0	0	0	0	0	0	0	0	0.000	5.607
12–19 years	0.8	0.006	0.027	0	0	0	0	0	0	0	0	0.000	1.757
20–39 years	0.7	0.008	0.020	0	0	0	0	0	0	0	0	0.000	2.963
40–69 years	0.7	0.005	0.011	0	0	0	0	0	0	0	0	0.000	4.942
70 +	0.5	0.002	0.017	0	0	0	0	0	0	0	0	0.000	2.022
Season													
Fall	1.2	0.013	0.021	0	0	0	0	0	0	0	0	0.372	4.942
Spring	0.4	0.003	0.022	0	0	0	0	0	0	0	0	0.000	5.607
Summer	0.4	0.003	0.019	0	0	0	0	0	0	0	0	0.000	5.622
Winter	0.9	0.007	0.015	0	0	0	0	0	0	0	0	0.000	2.783
Urbanization													
Central City	0.2	0.003	0.023	0	0	0	0	0	0	0	0	0.000	5.622
Nonmetropolitan	1.9	0.020	0.022	0	0	0	0	0	0	0	0	0.592	5.607
Suburban	0.5	0.003	0.010	0	0	0	0	0	0	0	0	0.000	4.865
Race													
Asian	0.0	0.000	0.000	0	0	0	0	0	0	0	0	0.000	0.000
Black	0.3	0.001	0.011	0	0	0	0	0	0	0	0	0.000	1.294
Native American	0.0	0.000	0.000	0	0	0	0	0	0	0	0	0.000	0.000
Other/NA	0.3	0.004	0.083	0	0	0	0	0	0	0	0	0.000	1.587
White	0.8	0.008	0.011	0	0	0	0	0	0	0	0	0.000	5.622
Region													
Midwest	0.5	0.005	0.020	0	0	0	0	0	0	0	0	0.000	5.622
Northeast	0.4	0.003	0.020	0	0	0	0	0	0	0	0	0.000	4.865
South	1.0	0.008	0.014	0	0	0	0	0	0	0	0	0.000	3.571
West	0.8	0.011	0.027	0	0	0	0	0	0	0	0	0.000	5.607

Table 3-26a. Consumer-only intake of game (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	100	0.960	0.082	0.062	0.156	0.201	0.395	0.588	1.403	2.027	2.963	4.942	5.622
Age													
0–5 months	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
6–12 months	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
< 1 years	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
1–2 years	100	2.369	0.631	0.572	0.572	0.572	0.923	1.323	4.310	4.865	4.865	4.865	4.865
3–5 years	100	1.713	0.477	0.174	0.174	0.174	1.378	1.431	1.645	2.783	5.622	5.622	5.622
6–11 years	100	1.566	0.392	0.298	0.298	0.351	0.372	0.992	2.408	3.571	5.607	5.607	5.607
12–19 years	100	0.777	0.184	0.201	0.201	0.201	0.201	0.512	1.616	1.716	1.757	1.757	1.757
20–39 years	100	1.087	0.135	0.168	0.194	0.234	0.532	0.757	1.471	2.303	2.963	2.963	2.963
40–69 years	100	0.635	0.087	0.062	0.131	0.176	0.375	0.506	0.616	0.882	2.123	2.823	4.942
70 +	100	0.460	0.194	0.010	0.010	0.010	0.070	0.589	0.664	0.664	2.022	2.022	2.022
Season													
Fall	100	1.127	0.129	0.069	0.201	0.328	0.496	0.592	1.619	2.823	3.247	4.865	4.942
Spring	100	0.938	0.287	0.248	0.248	0.304	0.395	0.532	0.664	2.123	2.408	5.607	5.607
Summer	100	0.915	0.233	0.062	0.062	0.176	0.341	0.581	0.992	2.431	2.431	5.622	5.622
Winter	100	0.765	0.102	0.010	0.074	0.168	0.201	0.566	1.403	1.616	1.905	2.303	2.783
Urbanization													
Central City	100	1.394	0.318	0.194	0.194	0.310	0.572	1.619	2.023	2.431	2.431	5.622	5.622
Nonmetropolitan	100	1.068	0.113	0.010	0.072	0.168	0.395	0.664	1.471	2.408	2.963	5.607	5.607
Suburban	100	0.658	0.097	0.201	0.201	0.201	0.354	0.535	0.604	1.310	1.883	2.783	4.865
Race													
Asian	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Black	100	0.488	0.084	0.201	0.201	0.201	0.496	0.506	0.576	0.616	0.616	1.294	1.294
Native American	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Other/NA	100	1.587	0.000	1.587	1.587	1.587	1.587	1.587	1.587	1.587	1.587	1.587	1.587
White	100	0.972	0.086	0.062	0.131	0.201	0.395	0.589	1.403	2.123	2.963	5.607	5.622
Region													
Midwest	100	1.072	0.200	0.069	0.070	0.131	0.310	0.757	1.716	2.431	2.431	5.622	5.622
Northeast	100	0.608	0.241	0.201	0.201	0.201	0.201	0.438	0.600	0.616	2.123	4.865	4.865
South	100	0.820	0.093	0.062	0.156	0.239	0.395	0.547	1.190	1.836	2.027	3.571	3.571
West	100	1.315	0.198	0.010	0.168	0.176	0.581	0.772	1.587	2.963	2.963	5.607	5.607

Table 3-27. Per capita intake of breads^a (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	87.2	1.105	0.009	0	0	0.000	0.400	0.869	1.474	2.347	3.086	5.066	19.986
Age													
0–5 months	0.9	0.013	0.084	0	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1.752
6–12 months	30.2	0.530	0.161	0	0	0.000	0.000	0.000	0.459	1.816	2.992	4.777	7.285
< 1 years	14.6	0.256	0.114	0	0	0.000	0.000	0.000	0.000	0.772	1.743	4.630	7.285
1–2 years	77.2	1.950	0.063	0	0	0.000	0.403	1.433	2.860	4.428	5.974	8.478	19.986
3–5 years	86.5	2.289	0.054	0	0	0.000	0.939	1.968	3.273	4.729	5.763	8.661	13.154
6–11 years	87.1	1.698	0.040	0	0	0.000	0.740	1.436	2.350	3.497	4.330	6.680	11.285
12–19 years	86.2	1.068	0.026	0	0	0.000	0.412	0.922	1.464	2.309	2.847	4.033	7.468
20–39 years	88.1	0.936	0.016	0	0	0.000	0.376	0.766	1.283	1.951	2.452	3.864	6.230
40–69 years	90.0	0.936	0.011	0	0	0.000	0.402	0.801	1.307	1.867	2.255	3.536	8.385
70+ years	91.6	0.934	0.019	0	0	0.151	0.410	0.813	1.326	1.861	2.299	2.942	4.284
Season													
Fall	87.4	1.130	0.019	0	0	0.000	0.416	0.889	1.497	2.411	3.143	4.948	14.630
Spring	87.1	1.102	0.018	0	0	0.000	0.396	0.867	1.49	2.303	3.091	5.072	11.574
Summer	87.3	1.108	0.018	0	0	0.000	0.398	0.885	1.478	2.353	3.071	5.228	17.086
Winter	86.9	1.080	0.020	0	0	0.000	0.394	0.827	1.439	2.271	3.055	5.117	19.986
Urbanization													
Central City	85.6	1.075	0.018	0	0	0.000	0.370	0.823	1.435	2.285	3.06	5.144	13.154
Nonmetropolitan	88.5	1.121	0.019	0	0	0.000	0.436	0.893	1.492	2.327	3.086	4.960	19.986
Suburban	87.7	1.119	0.014	0	0	0.000	0.412	0.890	1.493	2.366	3.118	5.045	14.630
Race													
Asian	69.1	0.766	0.061	0	0	0.000	0.000	0.449	1.166	1.851	2.869	4.543	14.630
Black	83.1	1.053	0.031	0	0	0.000	0.304	0.731	1.367	2.273	3.275	6.310	11.574
Native American	82.2	1.407	0.179	0	0	0.000	0.328	0.948	1.746	3.581	4.068	6.183	19.986
Other/NA	80.4	1.186	0.044	0	0	0.000	0.337	0.882	1.634	2.664	3.448	5.614	7.496
White	89.0	1.118	0.010	0	0	0.000	0.441	0.901	1.484	2.32	3.041	4.890	17.086
Region													
Midwest	89.1	1.169	0.020	0	0	0.000	0.435	0.896	1.535	2.494	3.287	5.732	12.009
Northeast	88.3	1.084	0.020	0	0	0.000	0.441	0.884	1.457	2.261	2.898	4.540	9.845
South	87.5	1.097	0.015	0	0	0.000	0.404	0.863	1.470	2.320	3.072	4.909	17.086
West	83.7	1.069	0.021	0	0	0.000	0.339	0.830	1.449	2.375	3.184	5.117	19.986

^a Includes breads, rolls, muffins, bagels, biscuits, cornbread, and tortillas.

Table 3-27a. Consumer-only intake of breads^a (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	100	1.268	0.009	0.135	0.256	0.339	0.584	0.997	1.597	2.480	3.226	5.255	19.986
Age													
0–5 months	100	1.517	0.198	0.905	0.905	0.905	1.690	1.690	1.690	1.752	1.752	1.752	1.752
6–12 months	100	1.754	0.209	0.036	0.125	0.288	0.735	1.450	2.740	3.307	4.754	7.285	7.285
< 1 years	100	1.746	0.200	0.036	0.125	0.288	0.735	1.474	2.740	3.307	4.754	7.285	7.285
1–2 years	100	2.525	0.061	0.186	0.498	0.698	1.075	2.077	3.218	4.960	6.684	9.061	19.986
3–5 years	100	2.645	0.050	0.296	0.606	0.803	1.394	2.227	3.527	4.907	5.916	9.393	13.154
6–11 years	100	1.950	0.038	0.285	0.483	0.608	1.016	1.629	2.521	3.622	4.480	6.680	11.285
12–19 years	100	1.240	0.025	0.124	0.296	0.376	0.612	1.036	1.562	2.426	2.908	4.183	7.468
20–39 years	100	1.063	0.015	0.131	0.235	0.313	0.509	0.866	1.376	2.054	2.563	3.896	6.230
40–69 years	100	1.040	0.011	0.122	0.234	0.311	0.538	0.891	1.374	1.920	2.315	3.581	8.385
70 +	100	1.020	0.018	0.124	0.215	0.310	0.521	0.882	1.374	1.913	2.375	2.970	4.284
Season													
Fall	100	1.292	0.019	0.124	0.265	0.352	0.590	1.012	1.634	2.550	3.261	5.064	14.630
Spring	100	1.265	0.018	0.140	0.260	0.339	0.579	0.989	1.595	2.468	3.260	5.214	11.574
Summer	100	1.270	0.018	0.140	0.245	0.336	0.590	1.010	1.601	2.469	3.177	5.393	17.086
Winter	100	1.243	0.019	0.138	0.251	0.328	0.578	0.979	1.567	2.425	3.191	5.328	19.986
Urbanization													
Central City	100	1.256	0.017	0.139	0.249	0.336	0.565	0.970	1.587	2.495	3.189	5.285	13.154
Nonmetropolitan	100	1.266	0.018	0.140	0.257	0.344	0.588	0.992	1.585	2.423	3.198	5.072	19.986
Suburban	100	1.276	0.013	0.126	0.257	0.340	0.596	1.018	1.611	2.485	3.261	5.318	14.630
Race													
Asian	100	1.108	0.061	0.160	0.235	0.316	0.431	0.861	1.433	2.407	3.088	4.543	14.630
Black	100	1.266	0.031	0.124	0.212	0.306	0.497	0.898	1.572	2.548	3.611	6.660	11.574
Native American	100	1.712	0.182	0.135	0.284	0.331	0.748	1.174	2.389	3.581	5.153	6.183	19.986
Other/NA	100	1.474	0.043	0.162	0.298	0.406	0.683	1.110	1.891	2.960	3.692	5.920	7.496
White	100	1.256	0.010	0.133	0.261	0.343	0.592	1.009	1.585	2.434	3.147	4.948	17.086
Region													
Midwest	100	1.312	0.020	0.140	0.248	0.331	0.582	0.997	1.638	2.582	3.500	5.973	12.009
Northeast	100	1.229	0.019	0.151	0.282	0.365	0.597	0.995	1.568	2.337	2.992	4.774	9.845
South	100	1.253	0.015	0.128	0.249	0.338	0.581	1.001	1.577	2.439	3.180	5.118	17.086
West	100	1.278	0.021	0.136	0.247	0.336	0.576	0.995	1.620	2.555	3.351	5.285	19.986

^a Includes breads, rolls, muffins, bagels, biscuits, cornbread, and tortillas.

Table 3-28. Per capita intake of sweets^a (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	52.6	0.597	0.012	0	0	0	0	0.139	0.828	1.764	2.480	4.586	21.957
Age													
0–5 months	2.5	0.011	0.036	0	0	0	0	0.000	0.000	0.000	0.000	0.441	0.588
6–12 months	23.0	0.324	0.142	0	0	0	0	0.000	0.000	1.102	1.954	3.642	6.425
< 1 years	12.1	0.158	0.096	0	0	0	0	0.000	0.000	0.401	1.020	3.552	6.425
1–2 years	53.2	1.155	0.066	0	0	0	0	0.321	1.694	3.538	4.758	7.215	19.320
3–5 years	62.1	1.342	0.064	0	0	0	0	0.760	1.915	3.625	4.624	8.785	21.957
6–11 years	64.2	1.151	0.055	0	0	0	0	0.625	1.716	3.172	3.929	6.746	20.879
12–19 years	54.3	0.621	0.033	0	0	0	0	0.236	0.965	1.837	2.432	3.714	10.716
20–39 years	47.2	0.433	0.020	0	0	0	0	0.000	0.627	1.363	1.931	3.246	11.125
40–69 years	52.9	0.455	0.015	0	0	0	0	0.117	0.652	1.345	1.912	3.156	7.316
70 + years	58.6	0.548	0.028	0	0	0	0	0.227	0.833	1.635	2.077	3.647	5.699
Season													
Fall	53.7	0.621	0.025	0	0	0	0	0.173	0.896	1.766	2.535	4.654	20.879
Spring	52.2	0.610	0.023	0	0	0	0	0.115	0.831	1.810	2.579	4.664	21.957
Summer	50.0	0.520	0.020	0	0	0	0	0.012	0.705	1.601	2.268	4.107	18.204
Winter	54.5	0.635	0.025	0	0	0	0	0.187	0.864	1.888	2.615	4.815	12.279
Urbanization													
Central City	51.2	0.568	0.022	0	0	0	0	0.098	0.787	1.641	2.345	4.563	20.879
Nonmetropolitan	50.5	0.593	0.026	0	0	0	0	0.058	0.764	1.799	2.472	5.065	21.957
Suburban	54.6	0.618	0.016	0	0	0	0	0.191	0.887	1.830	2.562	4.529	12.736
Race													
Asian	40.2	0.427	0.079	0	0	0	0	0.000	0.611	1.350	1.977	3.128	15.668
Black	41.4	0.504	0.037	0	0	0	0	0.000	0.631	1.524	2.321	4.737	19.320
Native American	35.3	0.379	0.112	0	0	0	0	0.000	0.337	1.727	2.148	2.779	2.878
Other/NA	35.0	0.392	0.045	0	0	0	0	0.000	0.450	1.286	1.867	4.056	6.992
White	56.3	0.634	0.013	0	0	0	0	0.224	0.885	1.844	2.542	4.654	21.957
Region													
Midwest	60.1	0.744	0.025	0	0	0	0	0.326	1.023	2.040	2.857	5.264	21.957
Northeast	55.4	0.614	0.026	0	0	0	0	0.202	0.861	1.708	2.514	4.815	12.743
South	49.1	0.550	0.019	0	0	0	0	0.000	0.769	1.674	2.300	4.409	20.879
West	47.7	0.499	0.023	0	0	0	0	0.000	0.657	1.589	2.255	3.849	15.668

^a Includes breakfast foods made with grains such as pancakes, waffles, and french toast.

Table 3-28a. Consumer-only intake of sweets^a (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	100	1.134	0.013	0.054	0.139	0.210	0.387	0.781	1.470	2.410	3.303	5.490	21.957
Age													
0–5 months	100	0.448	0.047	0.276	0.276	0.319	0.441	0.441	0.441	0.588	0.588	0.588	0.588
6–12 months	100	1.409	0.207	0.096	0.096	0.363	0.606	0.980	1.954	2.878	3.642	6.425	6.425
< 1 years	100	1.304	0.191	0.096	0.276	0.363	0.441	0.980	1.954	2.553	3.642	6.425	6.425
1–2 years	100	2.174	0.072	0.154	0.294	0.449	0.894	1.617	2.939	4.657	5.711	8.491	19.320
3–5 years	100	2.161	0.067	0.122	0.315	0.490	0.894	1.575	2.800	4.361	5.794	8.874	21.957
6–11 years	100	1.791	0.058	0.088	0.230	0.371	0.701	1.273	2.383	3.713	4.474	8.188	20.879
12–19 years	100	1.143	0.036	0.090	0.189	0.268	0.447	0.894	1.539	2.313	2.931	4.567	10.716
20–39 years	100	0.918	0.022	0.051	0.134	0.200	0.348	0.675	1.207	1.977	2.472	3.710	11.125
40–69 years	100	0.860	0.017	0.042	0.112	0.177	0.315	0.620	1.123	1.877	2.391	4.333	7.316
70 + years	100	0.936	0.029	0.055	0.115	0.171	0.343	0.701	1.318	1.975	2.432	4.253	5.699
Season													
Fall	100	1.156	0.029	0.058	0.152	0.205	0.394	0.832	1.433	2.480	3.266	5.544	20.879
Spring	100	1.168	0.027	0.056	0.124	0.220	0.399	0.800	1.519	2.516	3.403	5.622	21.957
Summer	100	1.040	0.023	0.046	0.143	0.210	0.368	0.705	1.362	2.268	2.954	5.065	18.204
Winter	100	1.165	0.028	0.056	0.137	0.213	0.393	0.782	1.529	2.477	3.540	5.657	12.279
Urbanization													
Central City	100	1.110	0.026	0.060	0.147	0.207	0.368	0.750	1.400	2.304	3.222	5.443	20.879
Nonmetropolitan	100	1.175	0.031	0.058	0.138	0.214	0.382	0.752	1.517	2.462	3.432	6.436	21.957
Suburban	100	1.132	0.018	0.049	0.138	0.213	0.401	0.802	1.484	2.477	3.246	5.190	12.736
Race													
Asian	100	1.063	0.103	0.055	0.112	0.184	0.339	0.783	1.323	2.050	2.892	4.558	15.668
Black	100	1.217	0.048	0.075	0.157	0.238	0.404	0.815	1.519	2.684	3.779	7.073	19.320
Native American	100	1.075	0.134	0.080	0.080	0.118	0.231	0.729	1.857	2.417	2.779	2.779	2.878
Other/NA	100	1.119	0.058	0.028	0.102	0.218	0.423	0.839	1.431	2.452	3.333	5.320	6.992
White	100	1.127	0.015	0.053	0.140	0.209	0.386	0.775	1.469	2.405	3.226	5.461	21.957
Region													
Midwest	100	1.237	0.028	0.068	0.157	0.231	0.426	0.843	1.598	2.636	3.647	6.436	21.957
Northeast	100	1.108	0.029	0.051	0.120	0.205	0.400	0.772	1.362	2.411	3.361	5.446	12.743
South	100	1.119	0.023	0.056	0.144	0.217	0.387	0.783	1.476	2.321	3.200	5.225	20.879
West	100	1.045	0.028	0.046	0.124	0.191	0.327	0.693	1.362	2.321	3.031	4.836	15.668

^a Includes breakfast foods made with grains such as pancakes, waffles, and french toast.

Table 3-29. Per capita intake of breakfast foods^a (g/kg-day as consumed)

Group	Percent consuming			Percentile									
	Mean	SE		1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	11.8	0.132	0.011	0	0	0	0	0	0	0.392	1.009	2.388	13.617
Age													
0–5 months	0.0	0.000	0.000	0	0	0	0	0	0	0.000	0.000	0.000	0.000
6–12 months	4.2	0.102	0.235	0	0	0	0	0	0	0.000	0.000	4.052	4.052
< 1 years	2.0	0.048	0.162	0	0	0	0	0	0	0.000	0.000	2.727	4.052
1–2 years	20.4	0.429	0.066	0	0	0	0	0	0	1.869	2.687	4.777	13.617
3–5 years	20.8	0.391	0.055	0	0	0	0	0	0	1.607	2.450	4.532	8.047
6–11 years	23.7	0.370	0.045	0	0	0	0	0	0	1.535	2.184	3.412	6.488
12–19 years	13.0	0.130	0.031	0	0	0	0	0	0	0.545	0.926	2.262	3.908
20–39 years	8.9	0.075	0.018	0	0	0	0	0	0	0.000	0.633	1.535	2.972
40–69 years	9.5	0.071	0.012	0	0	0	0	0	0	0.000	0.578	1.387	3.806
70 + years	10.4	0.071	0.020	0	0	0	0	0	0	0.130	0.674	1.154	3.505
Season													
Fall	11.6	0.127	0.022	0	0	0	0	0	0	0.391	0.985	2.283	13.617
Spring	11.6	0.129	0.020	0	0	0	0	0	0	0.355	1.028	2.315	6.370
Summer	12.8	0.136	0.020	0	0	0	0	0	0	0.470	1.016	2.362	6.016
Winter	11.3	0.135	0.024	0	0	0	0	0	0	0.349	0.935	2.632	8.047
Urbanization													
Central City	12.0	0.132	0.020	0	0	0	0	0	0	0.375	1.024	2.458	13.617
Nonmetropolitan	10.7	0.113	0.021	0	0	0	0	0	0	0.257	0.882	2.165	6.370
Suburban	12.2	0.140	0.016	0	0	0	0	0	0	0.477	1.020	2.416	7.826
Race													
Asian	5.9	0.078	0.074	0	0	0	0	0	0	0.000	0.588	1.954	2.769
Black	12.7	0.137	0.031	0	0	0	0	0	0	0.396	1.213	2.149	6.696
Native American	8.8	0.055	0.075	0	0	0	0	0	0	0.000	0.253	1.202	1.202
Other/NA	10.2	0.124	0.047	0	0	0	0	0	0	0.039	0.860	2.582	8.047
White	12.0	0.134	0.012	0	0	0	0	0	0	0.425	0.959	2.405	13.617
Region													
Midwest	12.1	0.141	0.023	0	0	0	0	0	0	0.416	1.064	2.553	6.696
Northeast	12.7	0.143	0.025	0	0	0	0	0	0	0.484	1.176	2.337	8.047
South	10.7	0.110	0.017	0	0	0	0	0	0	0.237	0.845	2.184	7.826
West	12.4	0.145	0.024	0	0	0	0	0	0	0.486	1.037	2.631	13.617

^a Includes breakfast foods made with grains such as pancakes, waffles, and french toast.

Table 3-29a. Consumer-only intake of breakfast foods^a (g/kg-day as consumed)

Group	Percent consuming			Percentile									
	MEAN	SE		1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	100	1.115	0.021	0.116	0.232	0.314	0.514	0.860	1.427	2.226	2.756	4.641	13.617
Age (years)													
0–5 months	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
6–12 months	100	2.427	0.607	0.149	0.149	0.551	0.943	2.727	4.052	4.052	4.052	4.052	4.052
< 1 years	100	2.427	0.607	0.149	0.149	0.551	0.943	2.727	4.052	4.052	4.052	4.052	4.052
1–2 years	100	2.102	0.090	0.315	0.386	0.605	1.181	1.804	2.677	3.779	4.777	7.826	13.617
3–5 years	100	1.876	0.073	0.152	0.502	0.623	0.955	1.543	2.388	3.582	4.532	6.696	8.047
6–11 years	100	1.561	0.053	0.239	0.496	0.619	0.915	1.378	2.024	2.632	3.307	4.835	6.488
12–19 years	100	1.000	0.051	0.136	0.281	0.358	0.572	0.816	1.246	1.954	2.550	3.665	3.908
20–39 years	100	0.849	0.035	0.115	0.215	0.272	0.453	0.710	1.194	1.549	1.960	2.838	2.972
40–69 years	100	0.744	0.024	0.116	0.203	0.247	0.389	0.606	0.987	1.429	1.748	2.559	3.806
70 + years	100	0.680	0.032	0.098	0.156	0.253	0.404	0.622	0.896	1.154	1.316	2.144	3.505
Season													
Fall	100	1.099	0.044	0.130	0.247	0.325	0.521	0.866	1.372	2.205	2.713	4.630	13.617
Spring	100	1.114	0.038	0.145	0.240	0.302	0.505	0.877	1.481	2.184	2.550	4.299	6.370
Summer	100	1.066	0.036	0.115	0.232	0.304	0.514	0.841	1.326	2.090	2.687	4.162	6.016
Winter	100	1.187	0.049	0.110	0.233	0.304	0.519	0.882	1.447	2.484	2.985	4.960	8.047
Urbanization													
Central City	100	1.099	0.038	0.077	0.210	0.284	0.479	0.854	1.403	2.321	2.769	4.409	13.617
Nonmetropolitan	100	1.059	0.041	0.109	0.238	0.315	0.472	0.772	1.366	2.104	2.719	4.835	6.370
Suburban	100	1.148	0.031	0.160	0.240	0.343	0.563	0.877	1.447	2.205	2.778	4.777	7.826
Race													
Asian	100	1.326	0.137	0.037	0.377	0.477	0.884	1.286	1.869	1.954	2.769	2.769	2.769
Black	100	1.078	0.058	0.110	0.197	0.244	0.452	1.018	1.343	1.960	2.521	4.630	6.696
Native American	100	0.622	0.142	0.187	0.187	0.187	0.253	0.551	1.004	1.202	1.202	1.202	1.202
Other/NA	100	1.222	0.102	0.039	0.239	0.304	0.537	0.832	1.483	2.550	2.901	6.308	8.047
White	100	1.114	0.023	0.136	0.240	0.335	0.521	0.837	1.429	2.260	2.774	4.641	13.617
Region													
Midwest	100	1.163	0.043	0.169	0.253	0.328	0.522	0.896	1.496	2.379	2.972	4.491	6.696
Northeast	100	1.131	0.044	0.039	0.203	0.302	0.537	0.937	1.433	2.090	2.756	4.299	8.047
South	100	1.029	0.034	0.125	0.232	0.281	0.477	0.785	1.323	2.165	2.630	4.175	7.826
West	100	1.168	0.046	0.130	0.235	0.337	0.576	0.829	1.456	2.396	2.887	4.835	13.617

^a Includes breakfast foods made with grains such as pancakes, waffles, and french toast.

Table 3-30. Per capita intake of snacks containing grains^a (g/kg-day as consumed)

Group	Percent consuming			Percentile									
	Mean	SE		1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	43.1	0.245	0.007	0	0	0	0	0.000	0.267	0.714	1.174	2.624	9.108
Age													
0–5 months	1.0	0.016	0.114	0	0	0	0	0.000	0.000	0.000	0.000	0.110	3.704
6–12 months	29.0	0.270	0.084	0	0	0	0	0.000	0.216	0.882	2.170	2.455	2.756
< 1 years	14.1	0.135	0.063	0	0	0	0	0.000	0.000	0.551	0.882	2.205	3.704
1–2 years	58.1	0.738	0.039	0	0	0	0	0.354	1.102	2.047	2.806	4.982	8.919
3–5 years	56.7	0.701	0.042	0	0	0	0	0.294	0.882	1.839	3.154	5.854	9.108
6–11 years	51.3	0.461	0.030	0	0	0	0	0.088	0.621	1.302	1.922	4.630	7.285
12–19 years	45.0	0.287	0.022	0	0	0	0	0.000	0.384	0.854	1.430	2.368	5.059
20–39 years	41.1	0.190	0.012	0	0	0	0	0.000	0.220	0.597	0.901	1.793	5.525
40–69 years	41.1	0.147	0.007	0	0	0	0	0.000	0.187	0.459	0.656	1.389	5.625
70 +	37.7	0.093	0.008	0	0	0	0	0.000	0.124	0.289	0.495	0.827	1.837
Season													
Fall	42.3	0.221	0.012	0	0	0	0	0.000	0.261	0.657	1.042	2.300	7.963
Spring	43.6	0.267	0.014	0	0	0	0	0.000	0.283	0.763	1.347	2.868	8.919
Summer	40.6	0.213	0.012	0	0	0	0	0.000	0.240	0.655	0.986	2.318	7.114
Winter	45.8	0.278	0.016	0	0	0	0	0.000	0.301	0.793	1.314	2.939	9.108
Urbanization													
Central City	40.1	0.226	0.012	0	0	0	0	0.000	0.237	0.693	1.102	2.591	7.788
Nonmetropolitan	44.1	0.231	0.013	0	0	0	0	0.000	0.254	0.672	1.073	2.250	8.134
Suburban	44.6	0.264	0.011	0	0	0	0	0.000	0.298	0.747	1.245	2.737	9.108
Race													
Asian	24.1	0.143	0.040	0	0	0	0	0.000	0.000	0.407	0.986	2.264	4.449
Black	29.5	0.160	0.018	0	0	0	0	0.000	0.130	0.517	0.882	2.058	7.375
Native American	38.3	0.212	0.078	0	0	0	0	0.000	0.191	0.573	1.102	3.154	4.934
Other/NA	28.4	0.161	0.030	0	0	0	0	0.000	0.099	0.463	0.817	2.352	8.715
White	47.1	0.269	0.008	0	0	0	0	0.000	0.306	0.765	1.245	2.692	9.108
Region													
Midwest	49.2	0.281	0.014	0	0	0	0	0.000	0.339	0.781	1.240	2.725	8.919
Northeast	41.9	0.233	0.016	0	0	0	0	0.000	0.240	0.713	1.157	2.743	9.108
South	41.1	0.231	0.011	0	0	0	0	0.000	0.246	0.670	1.102	2.381	7.963
West	40.7	0.239	0.015	0	0	0	0	0.000	0.247	0.689	1.187	2.627	8.715

^a Includes grain snacks such as crackers, salty snacks, popcorn, and pretzels.

Table 3-30a. Consumer-only intake of snacks containing grains^a (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	100	0.569	0.009	0.032	0.064	0.091	0.165	0.331	0.670	1.283	1.839	3.750	9.108
Age (years)													
0–5 months	100	1.599	0.804	0.110	0.110	0.110	0.206	0.808	3.704	3.704	3.704	3.704	3.704
6–12 months	100	0.934	0.106	0.050	0.174	0.216	0.331	0.689	1.295	2.205	2.269	2.756	2.756
< 1 years	100	0.959	0.110	0.050	0.174	0.216	0.331	0.689	1.295	2.205	2.455	3.704	3.704
1–2 years	100	1.271	0.042	0.083	0.177	0.288	0.501	0.919	1.639	2.684	3.472	6.020	8.919
3–5 years	100	1.237	0.048	0.120	0.220	0.276	0.441	0.794	1.429	2.810	4.087	6.908	9.108
6–11 years	100	0.898	0.036	0.050	0.117	0.179	0.312	0.612	1.160	1.911	2.457	5.334	7.285
12–19 years	100	0.638	0.027	0.027	0.082	0.119	0.223	0.431	0.759	1.524	2.009	3.068	5.059
20–39 years	100	0.463	0.015	0.035	0.063	0.094	0.161	0.288	0.588	0.997	1.500	2.632	5.525
40–69 years	100	0.359	0.009	0.028	0.055	0.076	0.128	0.245	0.455	0.716	0.991	1.999	5.625
70 + years	100	0.247	0.010	0.024	0.047	0.059	0.099	0.173	0.303	0.541	0.724	1.078	1.837
Season													
Fall	100	0.523	0.016	0.026	0.063	0.088	0.159	0.318	0.626	1.160	1.677	3.181	7.963
Spring	100	0.611	0.019	0.034	0.068	0.094	0.168	0.342	0.708	1.470	2.094	3.858	8.919
Summer	100	0.526	0.016	0.030	0.062	0.090	0.167	0.315	0.651	1.102	1.547	3.230	7.114
Winter	100	0.607	0.020	0.036	0.070	0.093	0.169	0.341	0.716	1.433	1.960	4.745	9.108
Urbanization													
Central City	100	0.564	0.016	0.034	0.064	0.087	0.167	0.325	0.692	1.282	1.860	3.674	7.788
Nonmetropolitan	100	0.524	0.017	0.033	0.065	0.088	0.159	0.305	0.623	1.190	1.653	3.254	8.134
Suburban	100	0.591	0.014	0.030	0.065	0.096	0.169	0.345	0.682	1.314	1.904	4.045	9.108
Race													
Asian	100	0.593	0.064	0.058	0.081	0.099	0.194	0.342	0.805	1.372	2.116	2.733	4.449
Black	100	0.543	0.027	0.040	0.075	0.094	0.173	0.323	0.661	1.190	1.706	3.215	7.375
Native American	100	0.555	0.109	0.046	0.053	0.065	0.129	0.279	0.573	1.245	1.914	4.934	4.934
Other/NA	100	0.567	0.048	0.039	0.063	0.093	0.147	0.324	0.661	1.193	1.929	5.000	8.715
White	100	0.571	0.010	0.030	0.064	0.090	0.165	0.331	0.670	1.295	1.837	3.830	9.108
Region													
Midwest	100	0.571	0.017	0.038	0.067	0.096	0.182	0.347	0.678	1.245	1.777	3.726	8.919
Northeast	100	0.555	0.022	0.021	0.051	0.076	0.142	0.306	0.678	1.274	1.837	3.750	9.108
South	100	0.562	0.015	0.041	0.073	0.098	0.172	0.327	0.655	1.260	1.846	3.568	7.963
West	100	0.588	0.021	0.031	0.063	0.090	0.161	0.331	0.677	1.429	1.929	4.409	8.715

^a Includes grain snacks such as crackers, salty snacks, popcorn, and pretzels.

Table 3-31. Per capita intake of pasta (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile										
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th	
TOTAL	13.0	0.300	0.024	0	0	0	0	0	0	0	1.015	2.205	5.144	29.061
Age														
0–5 months	0.0	0.000	0.000	0	0	0	0	0	0	0	0.000	0.000	0.000	0.000
6–12 months	7.5	0.140	0.215	0	0	0	0	0	0	0	0.000	0.989	3.307	6.660
< 1 years	3.5	0.066	0.149	0	0	0	0	0	0	0	0.000	0.000	2.273	6.660
1–2 years	16.0	0.795	0.152	0	0	0	0	0	0	0	3.392	6.173	10.643	16.683
3–5 years	12.8	0.552	0.128	0	0	0	0	0	0	0	2.100	4.440	8.398	14.289
6–11 years	13.4	0.488	0.115	0	0	0	0	0	0	0	2.006	3.753	7.473	11.871
12–19 years	11.7	0.264	0.088	0	0	0	0	0	0	0	0.795	2.071	4.209	29.061
20–39 years	13.9	0.281	0.044	0	0	0	0	0	0	0	1.102	2.205	4.070	11.223
40–69 years	13.7	0.241	0.031	0	0	0	0	0	0	0	0.965	1.924	3.553	11.758
70 + years	9.0	0.151	0.057	0	0	0	0	0	0	0	0.000	1.270	2.858	7.696
Season														
Fall	13.6	0.319	0.047	0	0	0	0	0	0	0	1.187	2.374	4.724	16.683
Spring	13.2	0.316	0.048	0	0	0	0	0	0	0	1.058	2.258	5.812	14.697
Summer	12.6	0.284	0.046	0	0	0	0	0	0	0	0.935	2.089	5.187	15.432
Winter	12.6	0.281	0.055	0	0	0	0	0	0	0	0.843	2.067	5.112	29.061
Urbanization														
Central City	13.4	0.335	0.049	0	0	0	0	0	0	0	1.218	2.490	5.328	29.061
Nonmetropolitan	10.3	0.207	0.045	0	0	0	0	0	0	0	0.081	1.470	4.171	14.109
Suburban	14.0	0.319	0.034	0	0	0	0	0	0	0	1.155	2.233	5.328	16.683
Race														
Asian	19.4	0.531	0.166	0	0	0	0	0	0	0	1.998	3.307	6.614	11.223
Black	7.0	0.200	0.101	0	0	0	0	0	0	0	0.000	1.702	3.631	29.061
Native American	1.8	0.052	0.225	0	0	0	0	0	0	0	0.000	0.000	2.383	3.578
Other/NA	9.6	0.210	0.090	0	0	0	0	0	0	0	0.000	1.963	3.509	15.432
White	14.1	0.316	0.026	0	0	0	0	0	0	0	1.143	2.273	5.276	16.683
Region														
Midwest	12.1	0.279	0.048	0	0	0	0	0	0	0	0.772	2.100	5.187	16.683
Northeast	20.1	0.454	0.053	0	0	0	0	0	0	0	1.857	2.806	5.937	15.432
South	9.5	0.232	0.047	0	0	0	0	0	0	0	0.000	1.827	4.368	29.061
West	13.2	0.292	0.05	0	0	0	0	0	0	0	0.938	2.205	5.708	14.109

Table 3-31a. Consumer-only intake of pasta (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	100	2.306	0.046	0.075	0.376	0.600	1.069	1.852	2.858	4.409	6.092	10.288	29.061
Age													
0–5 months	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
6–12 months	100	1.863	0.511	0.434	0.434	0.624	0.689	1.286	2.273	3.307	6.660	6.660	6.660
< 1 years	100	1.863	0.511	0.434	0.434	0.624	0.689	1.286	2.273	3.307	6.660	6.660	6.660
1–2 years	100	4.958	0.222	0.301	0.804	1.516	2.411	4.294	6.949	9.448	11.390	15.432	16.683
3–5 years	100	4.302	0.195	0.179	0.919	1.429	2.245	3.897	6.089	7.716	9.448	12.860	14.289
6–11 years	100	3.642	0.185	0.118	0.382	0.830	1.996	3.149	4.850	6.859	9.002	11.574	11.871
12–19 years	100	2.255	0.199	0.099	0.481	0.620	1.137	1.852	2.679	3.858	4.409	9.283	29.061
20–39 years	100	2.015	0.073	0.062	0.376	0.627	1.015	1.781	2.572	3.561	4.355	7.826	11.223
40–69 years	100	1.757	0.049	0.070	0.261	0.450	0.909	1.559	2.315	3.296	3.919	5.767	11.758
70 + years	100	1.675	0.118	0.128	0.519	0.551	0.938	1.342	1.882	2.939	5.276	6.496	7.696
Season													
Fall	100	2.345	0.082	0.184	0.551	0.694	1.137	2.013	2.858	4.368	6.052	9.645	16.683
Spring	100	2.391	0.089	0.107	0.386	0.670	1.069	1.852	3.094	4.545	6.660	10.833	14.697
Summer	100	2.250	0.087	0.069	0.351	0.536	1.102	1.819	2.731	4.368	5.846	10.582	15.432
Winter	100	2.230	0.115	0.062	0.273	0.494	0.985	1.707	2.806	4.287	5.661	9.836	29.061
Urbanization													
Central City	100	2.498	0.093	0.095	0.455	0.735	1.216	2.085	3.026	4.379	5.879	10.811	29.061
Nonmetropolitan	100	2.008	0.098	0.049	0.224	0.397	0.830	1.467	2.362	4.090	6.052	9.836	14.109
Suburban	100	2.279	0.062	0.078	0.367	0.594	1.069	1.786	2.885	4.409	6.269	10.288	16.683
Race													
Asian	100	2.737	0.259	0.095	0.321	0.413	1.216	2.023	3.307	5.661	6.660	11.223	11.223
Black	100	2.876	0.293	0.470	0.562	0.827	1.522	2.205	3.086	4.409	7.265	14.289	29.061
Native American	100	2.816	0.379	2.205	2.205	2.205	2.205	2.383	3.578	3.578	3.578	3.578	3.578
Other/NA	100	2.184	0.185	0.179	0.551	0.678	0.946	2.057	2.731	3.509	4.409	9.221	15.432
White	100	2.243	0.047	0.070	0.363	0.589	1.052	1.776	2.806	4.379	6.052	9.645	16.683
Region													
Midwest	100	2.300	0.091	0.066	0.216	0.562	1.029	1.859	2.894	4.916	6.063	9.768	16.683
Northeast	100	2.260	0.078	0.168	0.466	0.643	1.102	1.837	2.806	4.206	5.937	9.645	15.432
South	100	2.441	0.109	0.062	0.429	0.747	1.152	1.924	2.894	4.440	6.614	11.223	29.061
West	100	2.219	0.091	0.078	0.322	0.470	0.951	1.749	2.837	4.409	6.052	8.718	14.109

Table 3-32. Per capita intake of cooked cereals (g/kg-day as consumed)

Group	Percent consuming			Percentile									
	Mean	SE		1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	10.4	0.351	0.038	0	0	0	0	0	0	0.565	2.299	7.218	72.486
Age													
0–5 months	0.9	0.053	0.538	0	0	0	0	0	0	0.000	0.000	0.000	5.557
6–12 months	16.6	1.926	1.179	0	0	0	0	0	0	9.448	16.121	22.759	22.759
< 1 years	8.3	0.931	0.819	0	0	0	0	0	0	0.000	5.701	22.759	22.759
1–2 years	18.4	1.618	0.286	0	0	0	0	0	0	6.909	10.747	20.635	33.932
3–5 years	16.0	1.260	0.283	0	0	0	0	0	0	5.269	7.878	16.121	72.486
6–11 years	8.7	0.471	0.171	0	0	0	0	0	0	0.000	3.968	9.425	24.135
12–19 years	5.6	0.164	0.090	0	0	0	0	0	0	0.000	1.026	4.299	10.588
20–39 years	6.2	0.131	0.046	0	0	0	0	0	0	0.000	1.050	3.265	9.158
40–69 years	11.6	0.248	0.034	0	0	0	0	0	0	0.877	1.911	4.397	8.727
70 + years	24.5	0.590	0.070	0	0	0	0	0	0	2.243	3.439	5.642	10.574
Season													
Fall	12.0	0.416	0.081	0	0	0	0	0	0	1.111	2.601	8.106	45.919
Spring	9.1	0.293	0.064	0	0	0	0	0	0	0.000	1.951	6.448	20.944
Summer	9.3	0.316	0.076	0	0	0	0	0	0	0.000	2.112	6.909	72.486
Winter	11.1	0.379	0.080	0	0	0	0	0	0	0.883	2.546	7.370	44.549
Urbanization													
Central City	11.6	0.410	0.078	0	0	0	0	0	0	0.895	2.579	8.061	72.486
Nonmetropolitan	9.7	0.322	0.067	0	0	0	0	0	0	0.000	2.323	5.701	26.928
Suburban	9.9	0.323	0.053	0	0	0	0	0	0	0.000	2.149	6.917	45.919
Race													
Asian	4.4	0.170	0.198	0	0	0	0	0	0	0.000	0.000	5.318	16.121
Black	20.1	0.698	0.102	0	0	0	0	0	0	2.205	4.355	10.869	33.932
Native American	7.6	0.292	0.323	0	0	0	0	0	0	0.000	2.144	5.833	12.283
Other/NA	7.6	0.392	0.297	0	0	0	0	0	0	0.000	2.015	10.574	72.486
White	9.3	0.299	0.040	0	0	0	0	0	0	0.000	2.032	6.124	45.919
Region													
Midwest	9.6	0.290	0.067	0	0	0	0	0	0	0.000	2.073	5.732	45.919
Northeast	9.0	0.314	0.102	0	0	0	0	0	0	0.000	2.157	5.896	72.486
South	12.4	0.400	0.059	0	0	0	0	0	0	1.067	2.554	7.937	31.689
West	9.4	0.370	0.091	0	0	0	0	0	0	0.000	2.345	7.995	39.525

Table 3-32a. Consumer-only intake of cooked cereals (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	100	3.375	0.090	0.216	0.642	0.873	1.358	2.211	3.962	7.035	9.921	20.151	72.486
Age													
0–5 months	100	5.557	0.000	5.557	5.557	5.557	5.557	5.557	5.557	5.557	5.557	5.557	5.557
6–12 months	100	11.613	1.568	3.293	3.293	3.293	5.505	11.454	17.155	22.759	22.759	22.759	22.759
< 1 years	100	11.244	1.516	3.293	3.293	3.293	5.505	11.086	17.155	22.759	22.759	22.759	22.759
1–2 years	100	8.788	0.404	0.398	1.842	2.618	4.391	7.370	11.207	17.784	21.954	27.963	33.932
3–5 years	100	7.888	0.503	0.758	1.551	2.345	4.119	6.369	9.389	13.558	18.424	45.919	72.486
6–11 years	100	5.405	0.352	0.283	1.184	2.080	2.964	4.303	7.219	9.755	10.885	23.413	24.135
12–19 years	100	2.954	0.210	0.263	0.702	1.026	1.727	2.565	3.705	5.159	7.586	8.972	10.588
20–39 years	100	2.115	0.105	0.262	0.581	0.742	1.219	1.721	2.767	3.632	4.836	6.909	9.158
40–69 years	100	2.140	0.060	0.188	0.494	0.785	1.196	1.682	2.789	4.268	5.002	7.370	8.727
70 + years	100	2.411	0.087	0.205	0.638	0.873	1.354	1.951	3.055	4.878	5.527	8.463	10.574
Season													
Fall	100	3.474	0.180	0.196	0.579	0.834	1.383	2.186	4.268	7.268	10.499	20.635	45.919
Spring	100	3.199	0.151	0.270	0.581	0.762	1.387	2.097	3.833	6.873	9.380	16.204	20.944
Summer	100	3.379	0.197	0.242	0.783	0.981	1.427	2.249	3.821	7.165	9.212	17.017	72.486
Winter	100	3.408	0.184	0.340	0.661	0.883	1.305	2.276	3.939	6.917	10.068	22.759	44.549
Urbanization													
Central City	100	3.547	0.183	0.270	0.581	0.798	1.334	2.205	4.035	7.427	10.747	22.759	72.486
Nonmetropolitan	100	3.332	0.150	0.185	0.742	0.939	1.501	2.418	4.035	6.069	9.755	19.133	26.928
Suburban	100	3.256	0.127	0.263	0.661	0.889	1.332	2.149	3.902	6.917	9.158	18.298	45.919
Race													
Asian	100	3.891	0.516	0.849	1.235	1.670	1.951	2.887	5.318	5.862	8.061	16.121	16.121
Black	100	3.465	0.174	0.185	0.425	0.741	1.265	2.195	4.355	7.370	10.869	17.784	33.932
Native American	100	3.815	0.684	1.290	1.290	1.290	1.720	3.071	4.690	7.038	12.283	12.283	12.283
Other/NA	100	5.190	0.911	0.658	0.672	1.038	1.513	2.948	5.887	11.207	16.121	49.569	72.486
White	100	3.226	0.100	0.235	0.665	0.889	1.358	2.161	3.764	6.448	9.212	20.151	45.919
Region													
Midwest	100	3.025	0.157	0.270	0.645	0.846	1.387	2.149	3.764	5.952	7.586	13.558	45.919
Northeast	100	3.498	0.277	0.430	0.665	0.988	1.429	2.441	3.902	6.261	9.921	19.678	72.486
South	100	3.240	0.130	0.196	0.494	0.785	1.290	2.001	3.647	7.218	10.092	20.151	31.689
West	100	3.928	0.218	0.206	0.827	1.002	1.517	2.607	4.941	8.061	10.574	22.759	39.525

Table 3-33. Per capita intake of rice (g/kg-day as consumed)

Group	Percent consuming			Percentile									
	Mean	SE		1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	17.6	0.424	0.029	0	0	0	0	0.000	0.000	1.306	2.567	6.799	42.990
Age													
0–5 months	0.2	0.011	0.239	0	0	0	0	0.000	0.000	0.000	0.000	0.000	5.197
6–12 months	9.2	0.345	0.418	0	0	0	0	0.000	0.000	0.000	1.989	8.063	14.514
< 1 years	4.4	0.167	0.283	0	0	0	0	0.000	0.000	0.000	0.000	6.699	14.514
1–2 years	19.2	0.905	0.166	0	0	0	0	0.000	0.000	3.225	5.805	12.011	27.921
3–5 years	17.0	0.795	0.179	0	0	0	0	0.000	0.000	2.292	4.838	12.493	42.990
6–11 years	15.8	0.492	0.098	0	0	0	0	0.000	0.000	1.935	3.516	7.187	12.493
12–19 years	17.1	0.462	0.105	0	0	0	0	0.000	0.000	1.501	2.898	7.565	20.019
20–39 years	19.2	0.435	0.058	0	0	0	0	0.000	0.000	1.493	2.756	6.029	24.383
40–69 years	18.4	0.336	0.038	0	0	0	0	0.000	0.000	1.078	1.923	5.528	14.151
70 + years	13.3	0.236	0.078	0	0	0	0	0.000	0.000	0.645	1.366	3.928	15.833
Season													
Fall	17.8	0.451	0.062	0	0	0	0	0.000	0.000	1.361	2.894	6.864	24.383
Spring	16.5	0.400	0.053	0	0	0	0	0.000	0.000	1.244	2.440	6.967	16.077
Summer	17.9	0.449	0.060	0	0	0	0	0.000	0.000	1.371	2.580	7.874	42.990
Winter	18.3	0.398	0.056	0	0	0	0	0.000	0.000	1.244	2.488	5.830	30.713
Urbanization													
Central City	24.7	0.652	0.054	0	0	0	0	0.000	0.000	2.177	3.783	8.708	42.990
Nonmetropolitan	9.8	0.151	0.035	0	0	0	0	0.000	0.000	0.000	1.161	2.986	14.514
Suburban	16.3	0.392	0.044	0	0	0	0	0.000	0.000	1.161	2.289	6.712	30.713
Race													
Asian	74.7	3.974	0.249	0	0	0	0	3.266	5.537	9.345	12.116	20.019	24.383
Black	25.3	0.544	0.062	0	0	0	0	0.000	0.117	1.853	3.073	6.967	21.770
Native American	16.7	0.227	0.171	0	0	0	0	0.000	0.000	1.161	1.493	3.003	4.278
Other/NA	35.3	1.064	0.146	0	0	0	0	0.000	1.177	2.695	5.805	12.937	42.990
White	13.0	0.227	0.023	0	0	0	0	0.000	0.000	0.728	1.582	3.829	30.713
Region													
Midwest	10.7	0.204	0.045	0	0	0	0	0.000	0.000	0.400	1.399	3.870	18.831
Northeast	21.2	0.550	0.069	0	0	0	0	0.000	0.000	1.985	3.384	7.187	42.990
South	17.2	0.343	0.040	0	0	0	0	0.000	0.000	1.089	2.090	5.210	30.713
West	22.5	0.676	0.077	0	0	0	0	0.000	0.000	1.978	4.010	11.053	24.383

Table 3-33a. Consumer-only intake of rice (g/kg-day as consumed)

Group	Percent consuming			Percentile									
	Mean	SE		1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	100	2.409	0.054	0.133	0.374	0.528	0.889	1.513	2.895	5.278	7.213	13.330	42.990
Age													
0–5 months	100	5.197	0.000	5.197	5.197	5.197	5.197	5.197	5.197	5.197	5.197	5.197	5.197
6–12 months	100	3.765	0.960	0.573	0.573	1.452	1.797	1.989	6.699	8.063	14.514	14.514	14.514
< 1 years	100	3.801	0.915	0.573	0.573	1.452	1.797	1.989	6.699	8.063	14.514	14.514	14.514
1–2 years	100	4.710	0.271	0.374	0.936	1.382	2.073	3.349	5.898	8.892	13.854	23.222	27.921
3–5 years	100	4.670	0.334	0.432	0.654	1.177	1.742	2.837	5.842	10.926	12.963	30.713	42.990
6–11 years	100	3.111	0.157	0.032	0.505	0.898	1.451	2.354	4.147	6.699	8.021	11.875	12.493
12–19 years	100	2.694	0.198	0.073	0.352	0.581	1.089	1.639	3.317	5.688	7.917	19.351	20.019
20–39 years	100	2.267	0.099	0.156	0.380	0.581	0.898	1.540	2.855	4.750	6.123	11.551	24.383
40–69 years	100	1.827	0.070	0.128	0.344	0.466	0.741	1.161	1.996	3.888	5.584	12.116	14.151
70 + years	100	1.785	0.177	0.118	0.205	0.341	0.670	1.123	1.785	3.483	5.225	14.760	15.833
Season													
Fall	100	2.539	0.114	0.173	0.396	0.564	0.920	1.555	3.163	5.805	7.213	13.854	24.383
Spring	100	2.429	0.096	0.128	0.379	0.544	0.917	1.583	2.935	5.805	7.741	11.890	16.077
Summer	100	2.508	0.116	0.115	0.363	0.566	0.941	1.583	2.875	4.805	8.708	16.075	42.990
Winter	100	2.168	0.104	0.133	0.354	0.484	0.781	1.375	2.612	4.791	6.176	11.611	30.713
Urbanization													
Central City	100	2.639	0.085	0.152	0.435	0.581	0.921	1.791	3.266	5.542	7.874	13.330	42.990
Nonmetropolitan	100	1.534	0.080	0.127	0.305	0.380	0.650	1.166	1.833	2.986	4.112	8.021	14.514
Suburban	100	2.408	0.087	0.128	0.354	0.544	0.925	1.457	2.808	5.390	7.565	14.514	30.713
Race													
Asian	100	5.317	0.241	0.636	0.968	1.489	2.679	4.354	6.333	10.885	14.151	20.019	24.383
Black	100	2.154	0.093	0.117	0.348	0.513	0.866	1.451	2.672	4.354	6.450	12.440	21.770
Native American	100	1.362	0.216	0.642	0.642	0.642	0.693	1.161	1.866	2.111	3.003	4.278	4.278
Other/NA	100	3.016	0.204	0.139	0.482	0.651	1.089	1.884	2.898	7.565	9.845	16.075	42.990
White	100	1.750	0.048	0.128	0.338	0.479	0.774	1.262	2.143	3.483	4.568	8.708	30.713
Region													
Midwest	100	1.906	0.101	0.133	0.342	0.497	0.792	1.340	2.177	3.786	5.805	9.784	18.831
Northeast	100	2.597	0.114	0.197	0.425	0.588	1.005	1.903	3.233	5.390	7.187	13.330	42.990
South	100	1.998	0.077	0.118	0.352	0.500	0.788	1.290	2.295	4.278	5.386	12.493	30.713
West	100	3.002	0.127	0.128	0.377	0.561	0.990	1.760	3.628	6.712	10.601	18.246	24.383

Table 3-34. Per capita intake of ready-to-eat cereals^a (g/kg-day as consumed)

Group	Percent consuming			Percentile									
	Mean	SE		1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	39.7	0.327	0.008	0	0	0	0	0.000	0.446	1.040	1.516	2.888	10.084
Age													
0–5 months	0.0	0.000	0.000	0	0	0	0	0.000	0.000	0.000	0.000	0.000	0.000
6–12 months	19.9	0.126	0.068	0	0	0	0	0.000	0.000	0.345	1.044	1.816	2.584
< 1 years	9.3	0.059	0.048	0	0	0	0	0.000	0.000	0.000	0.345	1.653	2.584
1–2 years	64.9	0.965	0.039	0	0	0	0	0.661	1.472	2.531	3.307	4.888	8.780
3–5 years	69.8	1.100	0.038	0	0	0	0	0.870	1.668	2.611	3.307	4.823	10.084
6–11 years	64.0	0.794	0.031	0	0	0	0	0.594	1.213	2.004	2.544	3.981	8.010
12–19 years	45.7	0.360	0.023	0	0	0	0	0.000	0.570	1.068	1.470	2.241	6.437
20–39 years	30.5	0.193	0.013	0	0	0	0	0.000	0.266	0.707	1.020	1.723	5.253
40–69 years	31.8	0.170	0.009	0	0	0	0	0.000	0.237	0.597	0.877	1.425	5.180
70 + years	47.9	0.238	0.014	0	0	0	0	0.000	0.398	0.673	0.919	1.502	2.672
Season													
Fall	39.1	0.335	0.017	0	0	0	0	0.000	0.444	1.085	1.559	2.904	8.780
Spring	40.1	0.324	0.015	0	0	0	0	0.000	0.436	1.018	1.483	2.903	7.695
Summer	39.6	0.328	0.015	0	0	0	0	0.000	0.447	1.058	1.571	2.980	7.760
Winter	39.9	0.322	0.016	0	0	0	0	0.000	0.455	1.024	1.443	2.722	10.084
Urbanization													
Central City	40.0	0.336	0.014	0	0	0	0	0.000	0.479	1.069	1.503	2.756	10.084
Nonmetropolitan	35.8	0.262	0.014	0	0	0	0	0.000	0.353	0.841	1.244	2.564	8.780
Suburban	41.2	0.351	0.012	0	0	0	0	0.000	0.476	1.095	1.608	3.055	8.010
Race													
Asian	25.4	0.223	0.051	0	0	0	0	0.000	0.145	0.794	1.206	2.722	4.867
Black	34.0	0.305	0.024	0	0	0	0	0.000	0.362	1.009	1.516	3.192	10.084
Native American	33.1	0.258	0.094	0	0	0	0	0.000	0.380	0.827	1.443	2.646	4.382
Other/NA	33.3	0.315	0.035	0	0	0	0	0.000	0.326	1.122	1.658	2.976	6.614
White	41.7	0.336	0.009	0	0	0	0	0.000	0.468	1.056	1.516	2.844	8.780
Region													
Midwest	42.2	0.355	0.016	0	0	0	0	0.000	0.487	1.090	1.627	2.888	7.983
Northeast	42.3	0.357	0.019	0	0	0	0	0.000	0.498	1.116	1.592	2.910	8.010
South	37.4	0.291	0.012	0	0	0	0	0.000	0.396	0.951	1.340	2.756	10.084
West	38.4	0.329	0.017	0	0	0	0	0.000	0.441	1.089	1.572	3.081	8.780

^a Includes dry ready-to-eat corn, rice, wheat, and bran cereals in the form of flakes, puffs, etc.

Table 3-34a. Consumer-only intake of ready-to-eat cereals^a (g/kg-day as consumed)

Group	Percent consuming			Percentile									
	Mean	SE		1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	100	0.825	0.009	0.098	0.165	0.213	0.342	0.591	1.045	1.698	2.241	3.754	10.084
Age													
0–5 months	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
6–12 months	100	0.631	0.115	0.040	0.040	0.045	0.135	0.345	1.044	1.653	1.816	2.584	2.584
< 1 years	100	0.631	0.115	0.040	0.040	0.045	0.135	0.345	1.044	1.653	1.816	2.584	2.584
1–2 years	100	1.488	0.038	0.081	0.294	0.367	0.696	1.181	1.949	2.953	3.593	5.203	8.780
3–5 years	100	1.576	0.036	0.220	0.406	0.501	0.812	1.295	2.047	2.962	3.660	5.211	10.084
6–11 years	100	1.240	0.030	0.192	0.313	0.418	0.639	1.020	1.576	2.359	2.939	4.260	8.010
12–19 years	100	0.788	0.025	0.138	0.211	0.265	0.388	0.610	1.024	1.473	1.963	3.142	6.437
20–39 years	100	0.631	0.016	0.115	0.164	0.206	0.309	0.484	0.831	1.212	1.494	2.142	5.253
40–69 years	100	0.534	0.011	0.078	0.138	0.172	0.264	0.413	0.685	1.062	1.234	2.102	5.180
70 + years	100	0.496	0.014	0.065	0.126	0.165	0.249	0.414	0.617	0.927	1.188	1.821	2.672
Season													
Fall	100	0.856	0.021	0.098	0.165	0.206	0.344	0.595	1.102	1.850	2.428	3.858	8.780
Spring	100	0.807	0.018	0.096	0.158	0.206	0.334	0.583	1.018	1.653	2.176	3.631	7.695
Summer	100	0.829	0.018	0.103	0.162	0.219	0.344	0.594	1.058	1.753	2.271	3.527	7.760
Winter	100	0.808	0.019	0.104	0.172	0.220	0.344	0.594	1.027	1.589	2.178	3.605	10.084
Urbanization													
Central City	100	0.839	0.016	0.115	0.173	0.229	0.358	0.636	1.068	1.723	2.205	3.613	10.084
Nonmetropolitan	100	0.732	0.018	0.093	0.161	0.202	0.316	0.505	0.906	1.503	2.069	3.527	8.780
Suburban	100	0.851	0.015	0.092	0.158	0.209	0.341	0.605	1.070	1.748	2.348	3.981	8.010
Race													
Asian	100	0.879	0.069	0.098	0.235	0.294	0.456	0.649	1.206	1.523	2.439	3.494	4.867
Black	100	0.895	0.031	0.116	0.169	0.202	0.354	0.643	1.102	2.012	2.614	4.120	10.084
Native American	100	0.777	0.126	0.141	0.141	0.145	0.380	0.429	0.882	1.944	2.374	3.344	4.382
Other/NA	100	0.947	0.044	0.135	0.180	0.218	0.329	0.689	1.323	1.904	2.508	4.233	6.614
White	100	0.808	0.010	0.094	0.164	0.211	0.340	0.582	1.029	1.653	2.205	3.582	8.780
Region													
Midwest	100	0.841	0.019	0.084	0.169	0.220	0.352	0.595	1.063	1.830	2.401	3.941	7.983
Northeast	100	0.845	0.023	0.105	0.170	0.215	0.331	0.609	1.075	1.696	2.205	3.777	8.010
South	100	0.778	0.015	0.104	0.159	0.202	0.325	0.573	0.989	1.543	2.137	3.613	10.084
West	100	0.858	0.021	0.108	0.161	0.220	0.353	0.608	1.122	1.780	2.365	3.674	8.780

^a Includes dry ready-to-eat corn, rice, wheat, and bran cereals in the form of flakes, puffs, etc.

Table 3-35. Per capita intake of baby cereals (g/kg-day as consumed)

Group	Percent consuming			Percentile									
	Mean	SE		1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	1.0	0.028	0.030	0	0	0	0	0.000	0.000	0.000	0.000	0.052	37.625
Age (years)													
0–5 months	40.8	0.828	0.238	0	0	0	0	0.000	1.033	2.411	3.149	8.818	26.610
6–12 months	67.8	2.466	0.449	0	0	0	0	0.827	2.756	6.944	11.344	21.076	37.625
< 1 years	53.4	1.595	0.265	0	0	0	0	0.203	1.723	4.061	7.266	19.737	37.625
1–2 years	6.2	0.162	0.095	0	0	0	0	0.000	0.000	0.000	0.787	5.751	12.461
3–5 years	0.3	0.004	0.055	0	0	0	0	0.000	0.000	0.000	0.000	0.000	3.775
6–11 years	0.1	0.000	0.002	0	0	0	0	0.000	0.000	0.000	0.000	0.000	0.077
12–19 years	0.0	0.000	0.000	0	0	0	0	0.000	0.000	0.000	0.000	0.000	0.000
20–39 years	0.0	0.000	0.000	0	0	0	0	0.000	0.000	0.000	0.000	0.000	0.000
40–69 years	0.1	0.000	0.004	0	0	0	0	0.000	0.000	0.000	0.000	0.000	0.327
70 + years	0.0	0.000	0.000	0	0	0	0	0.000	0.000	0.000	0.000	0.000	0.000
Season													
Fall	0.9	0.027	0.069	0	0	0	0	0.000	0.000	0.000	0.000	0.000	21.076
Spring	1.2	0.031	0.048	0	0	0	0	0.000	0.000	0.000	0.000	0.580	26.610
Summer	0.8	0.024	0.064	0	0	0	0	0.000	0.000	0.000	0.000	0.000	25.970
Winter	1.1	0.031	0.062	0	0	0	0	0.000	0.000	0.000	0.000	0.262	37.625
Urbanization													
Central City	1.1	0.033	0.061	0	0	0	0	0.000	0.000	0.000	0.000	0.262	37.625
Nonmetropolitan	0.8	0.022	0.061	0	0	0	0	0.000	0.000	0.000	0.000	0.000	25.970
Suburban	1.1	0.028	0.039	0	0	0	0	0.000	0.000	0.000	0.000	0.138	21.076
Race													
Asian	0.7	0.005	0.037	0	0	0	0	0.000	0.000	0.000	0.000	0.000	2.067
Black	1.0	0.034	0.117	0	0	0	0	0.000	0.000	0.000	0.000	0.000	37.625
Native American	0.6	0.005	0.043	0	0	0	0	0.000	0.000	0.000	0.000	0.000	0.870
Other/NA	1.7	0.058	0.195	0	0	0	0	0.000	0.000	0.000	0.000	1.163	26.610
White	1.0	0.026	0.029	0	0	0	0	0.000	0.000	0.000	0.000	0.000	25.970
Region													
Midwest	1.1	0.042	0.082	0	0	0	0	0.000	0.000	0.000	0.000	0.262	21.076
Northeast	1.2	0.027	0.044	0	0	0	0	0.000	0.000	0.000	0.000	0.459	12.461
South	0.9	0.025	0.049	0	0	0	0	0.000	0.000	0.000	0.000	0.000	37.625
West	0.9	0.020	0.060	0	0	0	0	0.000	0.000	0.000	0.000	0.000	26.610

^a Data presented only for children less than 1 year of age. Available data for other age groups was based on a very small number of observations.

Table 3-35a. Consumer-only intake of baby cereals (g/kg-day as consumed)

Group	Percent consuming			Percentile									
	Mean	SE	1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th	
TOTAL	100	2.812	0.247	0.052	0.138	0.306	0.714	1.470	2.926	6.430	9.019	21.076	37.625
Age (years)													
0–5 months	100	2.031	0.331	0.074	0.203	0.318	0.637	1.297	2.411	4.409	6.250	9.019	26.610
6–12 months	100	3.637	0.508	0.086	0.138	0.306	0.787	1.837	4.008	8.580	14.155	25.970	37.625
< 1 years	100	2.986	0.331	0.074	0.172	0.306	0.735	1.575	2.926	7.098	10.069	25.970	37.625
1–2 years	100	2.611	0.271	0.122	0.394	0.459	0.919	1.653	3.527	6.413	8.523	12.461	12.461
3–5 years	100	1.272	0.702	0.408	0.408	0.408	0.408	0.513	0.551	3.775	3.775	3.775	3.775
6–11 years	100	0.077	0.000	0.077	0.077	0.077	0.077	0.077	0.077	0.077	0.077	0.077	0.077
12–19 years	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
20–39 years	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
40–69 years	100	0.170	0.096	0.052	0.052	0.052	0.052	0.052	0.327	0.327	0.327	0.327	0.327
70 + years	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Season													
Fall	100	2.916	0.602	0.052	0.058	0.203	0.327	1.166	2.909	9.019	12.461	21.076	21.076
Spring	100	2.553	0.341	0.086	0.138	0.251	0.637	1.653	3.116	5.460	8.398	8.621	26.610
Summer	100	3.116	0.593	0.074	0.152	0.441	0.919	1.297	3.470	5.879	14.155	19.737	25.970
Winter	100	2.793	0.504	0.122	0.226	0.344	0.735	1.670	2.756	6.413	7.813	37.625	37.625
Urbanization													
Central City	100	3.022	0.501	0.086	0.203	0.291	0.827	1.723	3.149	5.460	9.019	37.625	37.625
Nonmetropolitan	100	2.858	0.552	0.048	0.325	0.325	0.584	1.297	3.481	8.523	8.818	13.359	25.970
Suburban	100	2.651	0.307	0.052	0.138	0.172	0.661	1.450	2.926	6.263	8.398	21.076	21.076
Race													
Asian	100	0.762	0.333	0.052	0.052	0.052	0.052	0.052	1.917	2.067	2.067	2.067	2.067
Black	100	3.519	1.045	0.138	0.262	0.424	0.959	1.739	3.673	4.641	14.155	37.625	37.625
Native American	100	0.805	0.074	0.639	0.639	0.639	0.639	0.870	0.870	0.870	0.870	0.870	0.870
Other/NA	100	3.474	1.287	0.074	0.077	0.077	0.459	1.725	2.926	8.621	19.137	26.610	26.610
White	100	2.687	0.236	0.122	0.184	0.325	0.714	1.450	2.909	6.944	8.818	21.076	25.970
Region													
Midwest	100	3.789	0.613	0.138	0.138	0.262	0.735	1.378	4.641	9.019	14.155	21.076	21.076
Northeast	100	2.279	0.296	0.058	0.152	0.327	0.584	1.450	2.756	5.879	8.398	10.069	12.461
South	100	2.687	0.439	0.138	0.291	0.325	0.787	1.653	2.939	5.816	7.353	37.625	37.625
West	100	2.328	0.568	0.048	0.052	0.122	0.580	1.503	2.321	4.312	5.879	26.610	26.610

^a Data presented only for children less than 1 year of age. Available data for other age groups was based on a very small number of observations.

4.0. TRENDS

Table 4-1 presents the trends in food consumption by showing the Mean consumer-only consumption of the major food groups for the both the 1989–1991 and 1994–1996 survey data. One should note that, with the exception of total fruits, consumption of the major food groups has remained fairly constant. The consumption of total fruits, however, has increased by 62%.

Table 4-1. Consumer-only Consumption of the Major Food Groups

Food Group	Consumers-only Mean Consumption	
	Based on CSFII 1989–1991 (g/kg-day)	Based on CSFII 1994–1996 (g/kg-day)
Total Meats	2.2	2.2
Total Dairy Products	8.2	8.2
Total Fish	1.7 ^a	1.5 ^b
Total Grains	4.1	4.5
Total Vegetables	4.3	4.7
Total Fruits	3.4	5.5

^a Based on the Office of Water’s analysis of CSFII data from 1989 through 1991 (U.S. EPA, 1998).

^b Based on the Office of Water’s analysis of CSFII data from 1994 through 1996 (U.S. EPA, 2000).

REFERENCES

USDA (Department of Agriculture, Agricultural Research Service.) (1995) Food and nutrient intakes by individuals in the United States, 1 day, 1989-91. NFS Report No. 91-2.

U.S. EPA (Environmental Protection Agency). (1998) Daily average per capita fish consumption estimates based on the combined USDA 1989, 1990, 1991 continuing survey of food intakes by individuals (CSFII), vol. I: uncooked fish consumption national estimates; and vol. II: as consumed fish consumption national estimates. Office of Water. Prepared by SAIC under Contract #68-C4-0046.

U.S. EPA. (1997) Exposure factors handbook. Office of Research and Development. EPA/600/P-95/002Fa.

U.S. EPA. (2000) Estimated per capita fish consumption in the United States. Office of Water. EPA/821/R-00/025.

APPENDIX A

Calculations Used to Correct for Mixtures

Distributions of intake for various food groups were generated for the food/items groups using the U.S. Department of Agriculture's (USDA's) 1994–96 CSFII data set. However, several of the food categories used did not include meats, dairy products, and vegetables that were eaten as mixtures with other foods. Thus, adjusted intake rates were calculated for food items that were identified by USDA (1995) as comprising a significant portion of grain and meat mixtures.

To account for the amount of these foods consumed as mixtures, the Mean fractions of total meat or grain mixtures represented by these food items were calculated using Appendix C of USDA (1995) (see Table A-1). Mean values for all individuals were used to calculate these fractions. These fractions were multiplied by each individual's intake rate for total meat mixtures or grain mixtures to calculate the amount of the individual's food mixture intake that could be categorized into one of the selected food groups. These amounts were then added to the total intakes rates for meats, grains, total vegetables, tomatoes, and white potatoes to calculate an individual's total intake of these food groups, as shown below in the example for meats.

$$IR_{meat-adjusted} = (IR_{gr\ mixtures} * Fr_{meat/gr}) + (IR_{mt\ mixtures} * Fr_{meat/mt}) + (IR_{meat})$$

where:

$IR_{meat-adjusted}$	=	adjusted individual intake rate for total meat;
$IR_{gr\ mixtures}$	=	individual intake rate for grain mixtures;
$Fr_{meat/gr}$	=	fraction of grain mixture that is meat; and
$IR_{mt\ mixtures}$	=	individual intake rate for meat mixtures;
$Fr_{meat/mt}$	=	fraction of meat mixture that is meat.
IR_{meat}	=	individual intake rate for meats;

Population distributions for mixture-adjusted intakes were based on adjusted intake rates for the population of interest.

Table A-1. Fraction of grain and meat mixture intake represented by various food items/groups

<u>Grain Mixtures</u>	
Total vegetables	0.2584
Tomatoes	0.1685
White potatoes	0.0000
Total meats	0.0787
Fish	0.0000
Beef	0.0449
Pork	0.0112
Poultry	0.0112
Dairy	0.1348
Eggs	0.0112
Total fats	0.0225
Total grains	0.3146
<u>Meat Mixtures</u>	
Total vegetables	0.3000
Tomatoes	0.1111
White potatoes	0.0333
Total meats	0.3111
Fish	0.0444
Beef	0.2000
Pork	0.0222
Poultry	0.0778
Dairy	0.0556
Eggs	0.0111
Total fats	0.0222
Total grains	0.1333

APPENDIX B

Intake Distributions for Individual Fruits and Vegetables

Table B-1. Per capita intake of apples (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	24.9	0.996	0.056	0	0	0	0	0.000	0.000	2.337	4.972	18.050	77.078
Age													
0–5 months	24.3	4.675	1.658	0	0	0	0	0.000	0.000	20.988	37.504	59.083	63.419
6–12 months	64.4	9.700	1.184	0	0	0	0	6.834	14.575	25.036	30.093	58.793	66.270
<1 year	43.1	7.030	0.977	0	0	0	0	0.000	9.863	23.663	30.093	59.083	66.270
1–2 years	55.0	8.020	0.448	0	0	0	0	2.597	11.866	23.771	32.993	56.952	75.413
3–5 years	47.2	4.103	0.273	0	0	0	0	0.000	5.732	11.866	18.393	32.544	77.078
6–11 years	34.7	1.437	0.135	0	0	0	0	0.000	1.947	4.633	6.637	16.599	32.203
12–19 years	21.3	0.582	0.093	0	0	0	0	0.000	0.000	2.040	3.645	7.131	14.911
20–39 years	17.8	0.342	0.046	0	0	0	0	0.000	0.000	1.207	2.074	5.071	14.019
40–69 years	22.9	0.357	0.027	0	0	0	0	0.000	0.000	1.311	2.097	4.456	11.600
70+ years	25.8	0.434	0.059	0	0	0	0	0.000	0.247	1.425	2.304	5.587	17.330
Season													
Fall	29.0	1.142	0.112	0	0	0	0	0.000	0.801	2.766	5.484	19.974	73.500
Spring	24.2	1.002	0.107	0	0	0	0	0.000	0.000	2.441	5.311	18.372	77.078
Summer	20.0	0.832	0.115	0	0	0	0	0.000	0.000	1.855	4.167	16.599	74.851
Winter	26.3	1.008	0.117	0	0	0	0	0.000	0.479	2.226	4.764	16.473	75.413
Urbanization													
Central City	25.3	1.073	0.106	0	0	0	0	0.000	0.184	2.608	5.564	18.225	63.933
Nonmetropolitan	20.8	0.716	0.105	0	0	0	0	0.000	0.000	1.757	3.454	12.125	65.811
Suburban	26.4	1.069	0.083	0	0	0	0	0.000	0.532	2.485	5.257	20.250	77.078
Race													
Asian	32.0	1.144	0.355	0	0	0	0	0.000	1.087	2.829	4.868	18.225	61.935
Black	18.3	0.863	0.170	0	0	0	0	0.000	0.000	1.976	4.608	17.196	73.500
Native American	27.1	1.014	0.630	0	0	0	0	0.000	0.181	3.334	5.943	14.019	40.826
Other/NA	26.4	1.281	0.296	0	0	0	0	0.000	0.691	2.734	5.433	23.663	63.419
White	25.5	0.992	0.062	0	0	0	0	0.000	0.249	2.330	4.970	17.799	77.078
Region													
Midwest	26.2	0.986	0.109	0	0	0	0	0.000	0.426	2.377	4.970	18.789	73.500
Northeast	28.2	1.197	0.143	0	0	0	0	0.000	0.735	2.897	6.223	22.230	77.078
South	20.4	0.856	0.094	0	0	0	0	0.000	0.000	1.952	4.346	17.020	65.811
West	27.5	1.047	0.118	0	0	0	0	0.000	0.664	2.576	5.071	17.086	75.413

B-2

Table B-1a. Consumer-only intake of apples (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	100	4.006	0.100	0.172	0.467	0.675	1.016	1.855	3.905	8.960	15.865	33.816	77.078
Age													
0–5 months	100	19.251	2.313	0.464	1.720	2.790	5.879	18.026	24.315	40.227	59.083	63.419	63.419
6–12 months	100	15.067	1.174	0.980	3.362	4.449	6.920	11.464	21.164	26.977	37.111	59.230	66.270
<1 year	100	16.320	1.092	0.464	2.241	3.779	6.889	12.589	23.074	37.111	40.877	63.419	66.270
1–2 years	100	14.576	0.486	1.004	1.769	2.756	5.257	10.637	19.500	30.910	43.599	61.559	75.413
3–5 years	100	8.688	0.316	0.735	1.521	2.113	3.457	6.093	10.637	19.485	25.628	40.826	77.078
6–11 years	100	4.137	0.172	0.396	1.018	1.277	1.899	2.921	4.992	8.052	11.163	20.360	32.203
12–19 years	100	2.737	0.140	0.290	0.611	0.895	1.217	1.907	3.246	5.612	7.070	13.669	14.911
20–39 years	100	1.920	0.077	0.197	0.461	0.632	0.899	1.301	2.254	3.902	5.291	9.346	14.019
40–69 years	100	1.563	0.039	0.129	0.339	0.517	0.761	1.168	1.921	3.048	4.126	6.557	11.600
70+ years	100	1.683	0.088	0.098	0.355	0.507	0.780	1.119	1.931	3.680	4.972	6.533	17.330
Season													
Fall	100	3.932	0.185	0.159	0.474	0.687	1.014	1.870	3.968	8.451	15.518	34.171	73.500
Spring	100	4.145	0.190	0.144	0.426	0.661	1.014	1.885	4.206	10.251	17.086	30.151	77.078
Summer	100	4.165	0.227	0.150	0.464	0.667	1.021	1.864	4.173	8.736	16.599	37.726	74.851
Winter	100	3.838	0.205	0.217	0.493	0.676	1.021	1.819	3.505	8.787	14.746	37.768	75.413
Urbanization													
Central City	100	4.247	0.185	0.184	0.481	0.691	1.087	1.953	4.474	9.427	15.865	34.326	63.933
Nonmetropolitan	100	3.444	0.206	0.117	0.328	0.548	0.922	1.690	3.380	7.185	11.512	37.504	65.811
Suburban	100	4.047	0.144	0.197	0.510	0.708	1.014	1.841	3.803	9.348	17.020	32.804	77.078
Race													
Asian	100	3.578	0.572	0.227	0.322	0.661	1.110	1.693	3.417	5.612	13.882	37.706	61.935
Black	100	4.710	0.342	0.268	0.581	0.801	1.222	2.239	5.144	10.190	18.372	35.887	73.500
Native American	100	3.748	1.067	0.181	0.181	0.679	0.992	1.855	4.483	6.404	14.019	40.826	40.826
Other/NA	100	4.846	0.515	0.211	0.691	0.806	1.049	1.953	4.556	11.023	21.582	57.772	63.419
White	100	3.885	0.108	0.159	0.457	0.649	0.988	1.813	3.684	8.788	15.513	32.993	77.078
Region													
Midwest	100	3.760	0.188	0.129	0.431	0.611	0.980	1.757	3.680	7.811	14.950	31.404	73.500
Northeast	100	4.248	0.241	0.172	0.535	0.689	1.049	1.874	4.346	9.094	16.448	37.768	77.078
South	100	4.204	0.180	0.156	0.461	0.698	1.028	1.901	4.271	10.141	17.020	35.740	65.811
West	100	3.801	0.200	0.195	0.466	0.680	1.014	1.855	3.597	8.052	14.706	33.816	75.413

Table B-2. Per capita intake of asparagus (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile										
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th	
TOTAL	1.4	0.014	0.011	0	0	0	0	0	0	0	0	0	0.495	7.020
Age														
0–5 months	0.0	0.000	0.000	0	0	0	0	0	0	0	0	0	0.000	0.000
6–12 months	0.0	0.000	0.000	0	0	0	0	0	0	0	0	0	0.000	0.000
<1 year	0.0	0.000	0.000	0	0	0	0	0	0	0	0	0	0.000	0.000
1–2 years	0.6	0.014	0.082	0	0	0	0	0	0	0	0	0	0.000	6.285
3–5 years	0.7	0.009	0.041	0	0	0	0	0	0	0	0	0	0.000	3.451
6–11 years	0.8	0.014	0.065	0	0	0	0	0	0	0	0	0	0.000	7.020
12–19 years	0.5	0.003	0.022	0	0	0	0	0	0	0	0	0	0.000	1.511
20–39 years	1.2	0.012	0.026	0	0	0	0	0	0	0	0	0	0.397	5.207
40–69 years	1.8	0.016	0.016	0	0	0	0	0	0	0	0	0	0.646	4.271
70+ years	3.0	0.031	0.034	0	0	0	0	0	0	0	0	0	1.156	3.314
Season														
Fall	1.2	0.011	0.025	0	0	0	0	0	0	0	0	0	0.397	7.020
Spring	1.9	0.020	0.020	0	0	0	0	0	0	0	0	0	0.709	6.285
Summer	0.9	0.007	0.018	0	0	0	0	0	0	0	0	0	0.000	4.764
Winter	1.5	0.017	0.026	0	0	0	0	0	0	0	0	0	0.661	5.207
Urbanization														
Central City	1.6	0.018	0.024	0	0	0	0	0	0	0	0	0	0.594	7.020
Nonmetropolitan	1.4	0.016	0.023	0	0	0	0	0	0	0	0	0	0.570	4.764
Suburban	1.1	0.010	0.014	0	0	0	0	0	0	0	0	0	0.292	6.285
Race														
Asian	0.9	0.006	0.040	0	0	0	0	0	0	0	0	0	0.000	0.987
Black	0.4	0.004	0.055	0	0	0	0	0	0	0	0	0	0.000	7.020
Native American	1.4	0.010	0.081	0	0	0	0	0	0	0	0	0	0.694	0.694
Other/NA	0.1	0.000	0.008	0	0	0	0	0	0	0	0	0	0.000	0.641
White	1.6	0.017	0.012	0	0	0	0	0	0	0	0	0	0.594	6.285
Region														
Midwest	1.4	0.014	0.019	0	0	0	0	0	0	0	0	0	0.504	2.668
Northeast	1.3	0.011	0.019	0	0	0	0	0	0	0	0	0	0.455	3.078
South	1.1	0.014	0.025	0	0	0	0	0	0	0	0	0	0.397	7.020
West	1.8	0.016	0.022	0	0	0	0	0	0	0	0	0	0.570	5.462

B-4

Table B-2a. Consumer-only intake of asparagus (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	100	1.013	0.065	0.131	0.256	0.311	0.481	0.687	1.280	2.002	2.646	5.207	7.020
Age													
0–5 months	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
6–12 months	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
<1 year	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
1–2 years	100	2.490	0.738	0.174	0.174	0.367	0.612	1.837	5.462	6.285	6.285	6.285	6.285
3–5 years	100	1.308	0.275	0.101	0.101	0.378	0.490	1.482	1.582	2.878	3.451	3.451	3.451
6–11 years	100	1.831	0.493	0.152	0.152	0.152	1.012	1.470	1.937	2.668	7.020	7.020	7.020
12–19 years	100	0.570	0.144	0.254	0.254	0.254	0.551	0.551	0.570	0.570	1.511	1.511	1.511
20–39 years	100	1.005	0.163	0.131	0.303	0.392	0.455	0.648	0.987	2.362	2.723	5.207	5.207
40–69 years	100	0.895	0.070	0.117	0.277	0.321	0.469	0.661	1.092	1.772	2.425	3.139	4.271
70+ years	100	1.022	0.114	0.208	0.256	0.291	0.510	0.818	1.334	2.220	2.286	3.314	3.314
Season													
Fall	100	0.940	0.168	0.131	0.254	0.292	0.397	0.620	1.085	1.755	2.668	7.020	7.020
Spring	100	1.075	0.092	0.152	0.283	0.343	0.546	0.775	1.543	2.220	2.521	5.462	6.285
Summer	100	0.740	0.140	0.101	0.152	0.256	0.311	0.481	0.808	1.488	2.723	4.271	4.764
Winter	100	1.160	0.133	0.277	0.323	0.529	0.604	0.741	1.681	2.362	2.485	5.207	5.207
Urbanization													
Central City	100	1.099	0.131	0.152	0.311	0.418	0.495	0.709	1.102	2.362	2.878	7.020	7.020
Nonmetropolitan	100	1.105	0.108	0.131	0.283	0.478	0.551	0.694	1.772	2.220	2.286	3.314	4.764
Suburban	100	0.877	0.085	0.117	0.254	0.291	0.397	0.648	1.133	1.755	1.852	3.451	6.285
Race													
Asian	100	0.676	0.143	0.439	0.439	0.439	0.439	0.709	0.987	0.987	0.987	0.987	0.987
Black	100	1.149	0.795	0.208	0.208	0.208	0.256	0.287	0.945	7.020	7.020	7.020	7.020
Native American	100	0.694	0.000	0.694	0.694	0.694	0.694	0.694	0.694	0.694	0.694	0.694	0.694
Other/NA	100	0.216	0.145	0.117	0.117	0.117	0.117	0.117	0.117	0.641	0.641	0.641	0.641
White	100	1.023	0.062	0.152	0.288	0.343	0.495	0.687	1.359	2.068	2.646	5.207	6.285
Region													
Midwest	100	1.041	0.090	0.131	0.256	0.362	0.495	0.687	1.608	2.103	2.220	2.668	2.668
Northeast	100	0.813	0.090	0.152	0.208	0.303	0.463	0.688	0.919	1.755	1.822	3.078	3.078
South	100	1.240	0.171	0.261	0.397	0.397	0.494	0.743	1.516	2.485	3.451	7.020	7.020
West	100	0.897	0.111	0.117	0.204	0.277	0.522	0.582	0.992	1.840	2.646	4.271	5.462

Table B-3. Per capita intake of bananas (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	20.7	0.322	0.017	0	0	0	0	0	0.000	1.062	1.794	4.444	30.443
Age													
0–5 months	8.0	0.380	0.332	0	0	0	0	0	0.000	0.000	4.167	6.920	12.500
6–12 months	39.2	2.030	0.517	0	0	0	0	0	3.307	6.250	7.813	26.770	26.770
<1 year	22.6	1.153	0.342	0	0	0	0	0	0.000	4.152	6.556	14.205	26.770
1–2 years	34.7	1.688	0.138	0	0	0	0	0	2.710	5.709	7.808	11.993	30.443
3–5 years	21.0	0.713	0.095	0	0	0	0	0	0.000	3.252	4.065	7.226	16.470
6–11 years	15.4	0.353	0.073	0	0	0	0	0	0.000	1.530	2.499	5.203	9.564
12–19 years	9.5	0.119	0.037	0	0	0	0	0	0.000	0.000	1.071	2.168	5.291
20–39 years	16.4	0.184	0.022	0	0	0	0	0	0.000	0.839	1.182	2.168	4.591
40–69 years	24.9	0.271	0.016	0	0	0	0	0	0.000	1.016	1.513	2.539	5.273
70+ years	37.1	0.389	0.027	0	0	0	0	0	0.765	1.301	1.664	2.168	3.910
Season													
Fall	21.5	0.335	0.033	0	0	0	0	0	0.000	1.113	1.858	4.485	20.811
Spring	20.4	0.320	0.036	0	0	0	0	0	0.000	1.071	1.805	4.214	26.770
Summer	19.5	0.290	0.031	0	0	0	0	0	0.000	0.976	1.657	4.233	30.443
Winter	21.5	0.343	0.034	0	0	0	0	0	0.000	1.131	1.858	4.591	16.470
Urbanization													
Central City	21.2	0.333	0.030	0	0	0	0	0	0.000	1.131	1.856	4.282	30.443
Nonmetropolitan	17.3	0.231	0.028	0	0	0	0	0	0.000	0.839	1.414	3.423	15.609
Suburban	21.9	0.356	0.026	0	0	0	0	0	0.000	1.153	1.887	5.018	26.770
Race													
Asian	20.8	0.378	0.116	0	0	0	0	0	0.000	1.433	2.168	3.716	11.724
Black	13.1	0.215	0.047	0	0	0	0	0	0.000	0.671	1.445	4.065	13.628
Native American	12.7	0.238	0.173	0	0	0	0	0	0.000	0.765	1.858	3.748	6.944
Other/NA	23.9	0.450	0.085	0	0	0	0	0	0.000	1.406	2.499	6.504	30.443
White	21.8	0.329	0.018	0	0	0	0	0	0.000	1.084	1.785	4.336	26.770
Region													
Midwest	21.0	0.316	0.031	0	0	0	0	0	0.000	1.024	1.821	4.591	13.036
Northeast	22.0	0.335	0.042	0	0	0	0	0	0.000	1.094	1.712	4.136	26.770
South	17.6	0.276	0.028	0	0	0	0	0	0.000	0.909	1.678	4.233	19.511
West	24.3	0.388	0.037	0	0	0	0	0	0.000	1.301	2.081	5.003	30.443

B-6

Table B-3a. Consumer-only intake of bananas (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	100	1.552	0.028	0.184	0.397	0.542	0.731	1.032	1.758	3.010	4.336	8.333	30.443
Age													
0–5 months	100	4.762	0.579	0.689	1.957	1.957	2.450	4.282	5.581	7.651	9.641	12.500	12.500
6–12 months	100	5.174	0.629	0.383	1.478	1.626	3.114	3.797	6.250	8.129	14.205	26.770	26.770
<1 year	100	5.097	0.505	0.383	1.626	1.740	3.114	3.890	6.250	8.129	12.500	26.770	26.770
1–2 years	100	4.867	0.148	0.521	1.301	1.971	2.601	4.123	5.912	9.278	10.973	15.616	30.443
3–5 years	100	3.393	0.111	0.504	1.102	1.465	1.988	3.172	3.976	6.345	7.226	8.970	16.470
6–11 years	100	2.293	0.113	0.146	0.413	0.723	1.275	1.920	2.883	4.453	5.309	9.291	9.564
12–19 years	100	1.249	0.062	0.141	0.441	0.685	0.856	1.084	1.484	2.194	2.365	5.291	5.291
20–39 years	100	1.122	0.029	0.197	0.491	0.577	0.723	0.929	1.369	2.000	2.295	3.252	4.591
40–69 years	100	1.089	0.019	0.180	0.370	0.489	0.671	0.882	1.406	1.927	2.365	3.423	5.273
70+ years	100	1.048	0.025	0.208	0.344	0.420	0.696	0.929	1.341	1.817	2.017	3.153	3.910
Season													
Fall	100	1.557	0.053	0.269	0.401	0.542	0.743	1.041	1.782	3.147	4.336	7.883	20.811
Spring	100	1.569	0.063	0.141	0.352	0.484	0.688	1.041	1.794	3.061	4.174	9.333	26.770
Summer	100	1.485	0.053	0.184	0.412	0.513	0.731	0.994	1.666	2.828	4.282	7.883	30.443
Winter	100	1.594	0.054	0.197	0.472	0.605	0.769	1.057	1.794	3.025	4.485	8.065	16.470
Urbanization													
Central City	100	1.569	0.049	0.171	0.397	0.557	0.742	1.084	1.794	3.061	4.136	8.622	30.443
Nonmetropolitan	100	1.331	0.048	0.141	0.344	0.465	0.685	0.929	1.534	2.501	3.716	7.226	15.609
Suburban	100	1.620	0.043	0.283	0.440	0.558	0.750	1.056	1.794	3.252	4.878	8.671	26.770
Race													
Asian	100	1.814	0.171	0.739	0.747	0.856	1.041	1.314	2.168	2.818	3.716	9.314	11.724
Black	100	1.644	0.094	0.209	0.355	0.468	0.685	1.041	1.927	3.656	4.878	8.671	13.628
Native American	100	1.880	0.297	0.132	0.619	0.619	0.765	1.504	2.726	3.252	4.817	6.944	6.944
Other/NA	100	1.886	0.139	0.141	0.547	0.619	0.813	1.084	2.082	3.832	5.912	10.058	30.443
White	100	1.507	0.030	0.184	0.394	0.531	0.723	1.001	1.697	2.883	4.174	7.883	26.770
Region													
Midwest	100	1.505	0.049	0.259	0.394	0.529	0.723	0.999	1.764	3.097	4.453	6.846	13.036
Northeast	100	1.521	0.072	0.283	0.435	0.566	0.743	1.016	1.657	2.499	4.002	9.635	26.770
South	100	1.570	0.049	0.178	0.392	0.559	0.718	1.016	1.782	3.172	4.485	8.696	19.511
West	100	1.600	0.058	0.167	0.384	0.535	0.769	1.084	1.807	3.061	4.336	8.671	30.443

Table B-4. Per capita intake of beets (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	1.3	0.009	0.008	0	0	0	0	0	0	0	0	0.254	5.215
Age													
0–5 months	0.2	0.001	0.030	0	0	0	0	0	0	0	0	0.000	0.781
6–12 months	1.7	0.067	0.507	0	0	0	0	0	0	0	0	3.906	3.906
<1 year	0.9	0.032	0.247	0	0	0	0	0	0	0	0	0.000	3.906
1–2 years	0.5	0.004	0.035	0	0	0	0	0	0	0	0	0.000	3.451
3–5 years	0.9	0.012	0.051	0	0	0	0	0	0	0	0	0.000	2.825
6–11 years	0.3	0.003	0.033	0	0	0	0	0	0	0	0	0.000	1.552
12–19 years	0.2	0.001	0.015	0	0	0	0	0	0	0	0	0.000	0.694
20–39 years	0.6	0.004	0.015	0	0	0	0	0	0	0	0	0.000	5.215
40–69 years	2.1	0.012	0.011	0	0	0	0	0	0	0	0	0.385	4.910
70+ years	4.4	0.032	0.028	0	0	0	0	0	0	0	0	1.026	3.781
Season													
Fall	1.2	0.006	0.011	0	0	0	0	0	0	0	0	0.247	1.837
Spring	1.3	0.011	0.018	0	0	0	0	0	0	0	0	0.274	5.215
Summer	1.5	0.010	0.014	0	0	0	0	0	0	0	0	0.351	3.451
Winter	1.3	0.010	0.020	0	0	0	0	0	0	0	0	0.190	3.906
Urbanization													
Central City	1.3	0.008	0.012	0	0	0	0	0	0	0	0	0.220	3.781
Nonmetropolitan	1.4	0.008	0.015	0	0	0	0	0	0	0	0	0.191	5.215
Suburban	1.3	0.010	0.013	0	0	0	0	0	0	0	0	0.274	4.910
Race													
Asian	0.6	0.001	0.006	0	0	0	0	0	0	0	0	0.000	0.153
Black	0.6	0.003	0.015	0	0	0	0	0	0	0	0	0.000	1.474
Native American	0.0	0.000	0.000	0	0	0	0	0	0	0	0	0.000	0.000
Other/NA	0.5	0.006	0.047	0	0	0	0	0	0	0	0	0.000	2.825
White	1.5	0.011	0.009	0	0	0	0	0	0	0	0	0.310	5.215
Region													
Midwest	1.5	0.009	0.015	0	0	0	0	0	0	0	0	0.254	1.957
Northeast	1.5	0.012	0.022	0	0	0	0	0	0	0	0	0.365	4.910
South	1.0	0.005	0.010	0	0	0	0	0	0	0	0	0.061	2.418
West	1.5	0.011	0.019	0	0	0	0	0	0	0	0	0.310	5.215

B-8

Table B-4a. Consumer-only intake of beets (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	100	0.675	0.050	0.045	0.086	0.113	0.259	0.424	0.909	1.552	1.943	3.906	5.215
Age													
0–5 months	100	0.781	0.000	0.781	0.781	0.781	0.781	0.781	0.781	0.781	0.781	0.781	0.781
6–12 months	100	3.906	0.000	3.906	3.906	3.906	3.906	3.906	3.906	3.906	3.906	3.906	3.906
<1 year	100	3.623	0.634	0.781	0.781	3.906	3.906	3.906	3.906	3.906	3.906	3.906	3.906
1–2 years	100	0.797	0.385	0.469	0.469	0.469	0.469	0.488	0.510	0.804	3.451	3.451	3.451
3–5 years	100	1.286	0.285	0.153	0.153	0.153	0.840	1.339	1.837	2.825	2.825	2.825	2.825
6–11 years	100	1.215	0.155	0.857	0.857	0.857	0.931	1.047	1.552	1.552	1.552	1.552	1.552
12–19 years	100	0.540	0.057	0.446	0.446	0.446	0.446	0.520	0.694	0.694	0.694	0.694	0.694
20–39 years	100	0.596	0.148	0.085	0.085	0.095	0.301	0.438	0.561	1.378	1.800	5.215	5.215
40–69 years	100	0.556	0.055	0.045	0.086	0.113	0.247	0.356	0.759	1.250	1.615	2.418	4.910
70+ years	100	0.722	0.091	0.041	0.095	0.154	0.274	0.483	0.931	1.943	1.943	2.610	3.781
Season													
Fall	100	0.496	0.062	0.041	0.113	0.142	0.254	0.306	0.603	1.026	1.310	1.837	1.837
Spring	100	0.826	0.112	0.045	0.061	0.180	0.302	0.604	1.123	1.378	2.383	4.910	5.215
Summer	100	0.642	0.076	0.076	0.086	0.095	0.247	0.467	0.804	1.615	1.882	2.825	3.451
Winter	100	0.731	0.130	0.071	0.085	0.108	0.220	0.402	0.907	1.943	1.943	3.906	3.906
Urbanization													
Central City	100	0.579	0.076	0.045	0.095	0.113	0.247	0.375	0.931	1.339	1.562	2.610	3.781
Nonmetropolitan	100	0.597	0.093	0.061	0.085	0.086	0.149	0.467	0.756	1.310	1.837	2.418	5.215
Suburban	100	0.776	0.080	0.071	0.162	0.190	0.279	0.490	0.986	1.837	1.957	3.906	4.910
Race													
Asian	100	0.111	0.018	0.095	0.095	0.095	0.095	0.095	0.153	0.153	0.153	0.153	0.153
Black	100	0.459	0.128	0.054	0.054	0.093	0.215	0.265	0.457	0.986	1.474	1.474	1.474
Native American	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Other/NA	100	1.251	0.429	0.348	0.348	0.348	0.438	0.510	2.418	2.825	2.825	2.825	2.825
White	100	0.684	0.052	0.045	0.086	0.129	0.265	0.446	0.919	1.552	1.943	3.906	5.215
Region													
Midwest	100	0.639	0.082	0.045	0.099	0.134	0.215	0.356	0.931	1.882	1.943	1.957	1.957
Northeast	100	0.790	0.130	0.041	0.095	0.153	0.308	0.500	0.986	1.378	2.383	4.910	4.910
South	100	0.529	0.063	0.061	0.085	0.109	0.220	0.375	0.598	1.310	1.474	1.837	2.418
West	100	0.767	0.114	0.086	0.087	0.185	0.301	0.446	0.907	1.615	2.610	3.781	5.215

Table B-5. Per capita intake of broccoli (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	9.5	0.102	0.013	0	0	0	0	0	0	0.000	0.694	2.154	11.524
Age													
0–5 months	0.0	0.000	0.000	0	0	0	0	0	0	0.000	0.000	0.000	0.000
6–12 months	2.2	0.036	0.160	0	0	0	0	0	0	0.000	0.000	0.814	3.642
<1 year	1.0	0.017	0.110	0	0	0	0	0	0	0.000	0.000	0.558	3.642
1–2 years	8.9	0.242	0.095	0	0	0	0	0	0	0.000	1.860	5.607	11.524
3–5 years	7.6	0.137	0.060	0	0	0	0	0	0	0.000	0.814	3.582	7.286
6–11 years	7.6	0.108	0.055	0	0	0	0	0	0	0.000	0.589	3.579	6.761
12–19 years	6.0	0.064	0.036	0	0	0	0	0	0	0.000	0.360	1.965	3.867
20–39 years	9.2	0.100	0.030	0	0	0	0	0	0	0.000	0.716	2.023	10.524
40–69 years	11.1	0.097	0.017	0	0	0	0	0	0	0.147	0.746	2.003	6.388
70+ years	13.9	0.112	0.028	0	0	0	0	0	0	0.393	0.849	1.882	4.012
Season													
Fall	10.9	0.117	0.026	0	0	0	0	0	0	0.173	0.905	2.308	11.524
Spring	9.1	0.100	0.025	0	0	0	0	0	0	0.000	0.724	2.113	9.470
Summer	8.8	0.096	0.024	0	0	0	0	0	0	0.000	0.622	2.149	6.388
Winter	9.1	0.093	0.026	0	0	0	0	0	0	0.000	0.581	2.151	10.524
Urbanization													
Central City	9.9	0.108	0.025	0	0	0	0	0	0	0.000	0.819	2.113	10.524
Nonmetropolitan	6.6	0.059	0.020	0	0	0	0	0	0	0.000	0.227	1.690	5.607
Suburban	10.5	0.116	0.019	0	0	0	0	0	0	0.110	0.816	2.417	11.524
Race													
Asian	12.0	0.192	0.100	0	0	0	0	0	0	0.630	1.479	4.091	6.752
Black	10.5	0.120	0.036	0	0	0	0	0	0	0.185	0.983	2.167	8.566
Native American	8.6	0.119	0.245	0	0	0	0	0	0	0.000	0.433	6.761	6.761
Other/NA	5.0	0.064	0.053	0	0	0	0	0	0	0.000	0.072	1.852	9.517
White	9.5	0.097	0.014	0	0	0	0	0	0	0.000	0.634	2.149	11.524
Region													
Midwest	8.8	0.092	0.026	0	0	0	0	0	0	0.000	0.512	2.513	11.524
Northeast	11.1	0.114	0.026	0	0	0	0	0	0	0.208	0.943	2.149	9.517
South	9.5	0.104	0.021	0	0	0	0	0	0	0.000	0.786	2.135	8.566
West	8.9	0.097	0.030	0	0	0	0	0	0	0.000	0.589	1.985	10.524

B-10

Table B-5a. Consumer-only intake of broccoli (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	100	1.071	0.030	0.053	0.113	0.165	0.354	0.764	1.365	2.223	3.169	5.435	11.524
Age													
0–5 months	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
6–12 months	100	1.680	0.698	0.558	0.558	0.558	0.678	0.678	3.642	3.642	3.642	3.642	3.642
<1 year	100	1.680	0.698	0.558	0.558	0.558	0.678	0.678	3.642	3.642	3.642	3.642	3.642
1–2 years	100	2.712	0.210	0.132	0.384	0.654	1.014	2.123	3.457	6.399	7.813	10.053	11.524
3–5 years	100	1.810	0.145	0.176	0.262	0.334	0.600	1.333	2.687	4.127	4.777	6.752	7.286
6–11 years	100	1.427	0.145	0.047	0.116	0.173	0.402	0.970	1.775	3.688	4.252	6.761	6.761
12–19 years	100	1.063	0.094	0.023	0.152	0.233	0.478	0.694	1.521	2.149	2.717	3.867	3.867
20–39 years	100	1.084	0.073	0.067	0.118	0.197	0.386	0.857	1.365	2.064	2.823	5.191	10.524
40–69 years	100	0.867	0.035	0.043	0.086	0.147	0.269	0.628	1.183	1.822	2.57	3.680	6.388
70+ years	100	0.806	0.049	0.029	0.078	0.147	0.340	0.637	1.116	1.742	2.124	3.534	4.012
Season													
Fall	100	1.081	0.057	0.073	0.145	0.185	0.347	0.801	1.365	2.270	2.986	4.829	11.524
Spring	100	1.106	0.063	0.039	0.113	0.179	0.359	0.833	1.360	2.149	3.558	6.215	9.470
Summer	100	1.082	0.056	0.066	0.118	0.233	0.393	0.800	1.370	2.219	3.380	4.293	6.388
Winter	100	1.015	0.068	0.043	0.084	0.124	0.303	0.634	1.303	2.223	2.976	5.269	10.524
Urbanization													
Central City	100	1.089	0.059	0.067	0.135	0.219	0.467	0.845	1.365	2.130	3.020	5.538	10.524
Nonmetropolitan	100	0.892	0.057	0.026	0.067	0.117	0.230	0.569	1.263	2.083	2.776	3.821	5.607
Suburban	100	1.111	0.043	0.064	0.121	0.173	0.346	0.772	1.461	2.371	3.399	5.952	11.524
Race													
Asian	100	1.599	0.185	0.282	0.303	0.555	0.716	1.283	1.755	3.457	4.091	5.191	6.752
Black	100	1.146	0.072	0.066	0.185	0.279	0.551	0.983	1.365	2.117	3.086	4.012	8.566
Native American	100	1.374	0.709	0.307	0.414	0.414	0.414	0.433	0.589	6.761	6.761	6.761	6.761
Other/NA	100	1.274	0.165	0.072	0.220	0.239	0.478	0.955	1.647	2.965	3.774	3.821	9.517
White	100	1.023	0.034	0.047	0.104	0.152	0.307	0.693	1.303	2.174	2.986	5.269	11.524
Region													
Midwest	100	1.049	0.067	0.029	0.113	0.173	0.296	0.661	1.399	2.604	3.399	4.829	11.524
Northeast	100	1.034	0.055	0.084	0.146	0.213	0.417	0.816	1.365	2.130	2.671	5.081	9.517
South	100	1.095	0.048	0.055	0.092	0.162	0.414	0.819	1.370	2.220	3.243	5.191	8.566
West	100	1.096	0.081	0.053	0.116	0.146	0.303	0.658	1.365	2.270	3.655	6.752	10.524

Table B-6. Per capita intake of cabbage (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile										
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th	
TOTAL	11.5	0.093	0.009	0	0	0	0	0	0	0	0.104	0.647	1.942	8.543
Age														
0–5 months	0.0	0.000	0.000	0	0	0	0	0	0	0	0.000	0.000	0.000	0.000
6–12 months	1.6	0.049	0.304	0	0	0	0	0	0	0	0.000	0.000	4.068	4.068
<1 year	0.8	0.023	0.209	0	0	0	0	0	0	0	0.000	0.000	0.000	4.068
1–2 years	4.2	0.071	0.070	0	0	0	0	0	0	0	0.000	0.000	2.817	7.119
3–5 years	5.7	0.099	0.060	0	0	0	0	0	0	0	0.000	0.122	3.397	5.892
6–11 years	6.9	0.074	0.040	0	0	0	0	0	0	0	0.000	0.220	2.136	8.543
12–19 years	6.2	0.039	0.024	0	0	0	0	0	0	0	0.000	0.126	1.178	2.935
20–39 years	10.5	0.078	0.020	0	0	0	0	0	0	0	0.047	0.526	1.800	4.764
40–69 years	16.2	0.128	0.015	0	0	0	0	0	0	0	0.423	0.946	2.083	7.813
70+ years	17.5	0.131	0.024	0	0	0	0	0	0	0	0.503	0.922	1.896	4.387
Season														
Fall	11.4	0.086	0.017	0	0	0	0	0	0	0	0.088	0.654	1.670	8.543
Spring	11.5	0.098	0.020	0	0	0	0	0	0	0	0.115	0.647	2.028	7.813
Summer	11.0	0.095	0.019	0	0	0	0	0	0	0	0.059	0.676	2.083	7.119
Winter	12.1	0.093	0.019	0	0	0	0	0	0	0	0.143	0.624	1.866	6.708
Urbanization														
Central City	11.7	0.111	0.020	0	0	0	0	0	0	0	0.153	0.845	2.136	8.543
Nonmetropolitan	10.5	0.078	0.017	0	0	0	0	0	0	0	0.053	0.563	1.790	7.119
Suburban	11.8	0.087	0.013	0	0	0	0	0	0	0	0.102	0.622	1.839	7.813
Race														
Asian	23.4	0.337	0.087	0	0	0	0	0	0	0	1.335	2.120	4.019	5.897
Black	13.5	0.161	0.036	0	0	0	0	0	0	0	0.467	1.125	3.397	8.543
Native American	9.4	0.045	0.085	0	0	0	0	0	0	0	0.000	0.075	1.424	1.424
Other/NA	4.1	0.013	0.016	0	0	0	0	0	0	0	0.000	0.000	0.467	2.044
White	11.2	0.079	0.009	0	0	0	0	0	0	0	0.082	0.579	1.696	7.813
Region														
Midwest	11.8	0.095	0.019	0	0	0	0	0	0	0	0.127	0.634	2.010	8.543
Northeast	9.8	0.088	0.024	0	0	0	0	0	0	0	0.000	0.585	2.000	6.328
South	13.0	0.107	0.015	0	0	0	0	0	0	0	0.249	0.818	1.984	7.119
West	10.3	0.073	0.021	0	0	0	0	0	0	0	0.023	0.394	1.560	7.813

Table B-6a. Consumer-only intake of cabbage (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	100	0.809	0.021	0.018	0.050	0.082	0.211	0.564	1.102	1.848	2.381	4.201	8.543
Age													
0–5 months	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
6–12 months	100	3.014	1.102	0.712	0.712	0.712	0.712	4.068	4.068	4.068	4.068	4.068	4.068
<1 year	100	3.014	1.102	0.712	0.712	0.712	0.712	4.068	4.068	4.068	4.068	4.068	4.068
1–2 years	100	1.697	0.254	0.043	0.049	0.128	0.325	1.102	2.817	4.656	6.328	7.119	7.119
3–5 years	100	1.731	0.169	0.048	0.077	0.121	0.362	1.449	2.535	4.271	4.882	5.892	5.892
6–11 years	100	1.061	0.111	0.015	0.088	0.120	0.188	0.815	1.557	2.441	3.417	4.067	8.543
12–19 years	100	0.630	0.068	0.009	0.044	0.053	0.153	0.461	0.899	1.526	2.136	2.136	2.935
20–39 years	100	0.743	0.046	0.023	0.047	0.077	0.181	0.493	0.949	1.769	2.318	3.890	4.764
40–69 years	100	0.786	0.028	0.015	0.051	0.079	0.208	0.574	1.103	1.709	2.212	4.134	7.813
70+ years	100	0.749	0.040	0.015	0.075	0.099	0.307	0.597	1.013	1.508	2.004	3.006	4.387
Season													
Fall	100	0.748	0.037	0.015	0.045	0.075	0.202	0.566	1.114	1.597	2.205	3.169	8.543
Spring	100	0.855	0.045	0.032	0.074	0.104	0.242	0.551	1.117	1.953	2.450	5.339	7.813
Summer	100	0.867	0.043	0.013	0.043	0.068	0.230	0.598	1.179	1.998	2.441	4.764	7.119
Winter	100	0.772	0.041	0.024	0.060	0.085	0.189	0.551	1.014	1.690	2.443	4.134	6.708
Urbanization													
Central City	100	0.950	0.043	0.022	0.068	0.110	0.260	0.654	1.272	2.016	2.817	4.764	8.543
Nonmetropolitan	100	0.739	0.038	0.026	0.053	0.084	0.239	0.520	0.963	1.690	2.315	3.215	7.119
Suburban	100	0.742	0.029	0.015	0.048	0.075	0.175	0.520	0.989	1.696	2.205	3.89	7.813
Race													
Asian	100	1.439	0.120	0.088	0.243	0.371	0.545	1.272	1.810	3.215	3.890	4.823	5.897
Black	100	1.190	0.071	0.022	0.082	0.146	0.445	0.854	1.526	2.629	3.635	4.764	8.543
Native American	100	0.474	0.219	0.011	0.011	0.011	0.011	0.075	1.220	1.424	1.424	1.424	1.424
Other/NA	100	0.315	0.061	0.008	0.033	0.045	0.056	0.172	0.467	0.882	1.051	2.044	2.044
White	100	0.700	0.020	0.018	0.049	0.079	0.179	0.507	0.929	1.601	2.067	3.164	7.813
Region													
Midwest	100	0.802	0.042	0.033	0.070	0.098	0.223	0.563	1.014	1.907	2.491	4.134	8.543
Northeast	100	0.890	0.057	0.034	0.072	0.110	0.238	0.611	1.217	2.000	2.589	4.764	6.328
South	100	0.828	0.030	0.015	0.047	0.085	0.267	0.615	1.133	1.837	2.281	3.635	7.119
West	100	0.713	0.053	0.017	0.036	0.058	0.140	0.385	0.893	1.552	2.450	4.882	7.813

Table B-7. Per capita intake of carrots (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile										
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th	
TOTAL	18.6	0.110	0.012	0	0	0	0	0	0	0	0.267	0.619	1.751	83.285
Age														
0–5 months	7.9	0.683	0.698	0	0	0	0	0	0	0.000	7.441	11.931	20.760	
6–12 months	18.5	0.671	0.350	0	0	0	0	0	0	3.125	4.409	11.223	12.704	
<1 year	12.9	0.678	0.348	0	0	0	0	0	0	1.568	5.435	11.931	20.760	
1–2 years	14.7	0.343	0.177	0	0	0	0	0	0	0.631	2.113	5.190	83.285	
3–5 years	15.2	0.182	0.043	0	0	0	0	0	0	0.496	1.328	3.258	8.268	
6–11 years	19.4	0.153	0.032	0	0	0	0	0	0	0.521	0.970	2.113	10.844	
12–19 years	12.6	0.057	0.019	0	0	0	0	0	0	0.121	0.316	1.135	4.850	
20–39 years	18.2	0.083	0.014	0	0	0	0	0	0	0.217	0.529	1.450	6.250	
40–69 years	21.6	0.086	0.009	0	0	0	0	0	0	0.285	0.535	1.274	5.203	
70+ years	20.3	0.100	0.018	0	0	0	0	0	0	0.329	0.690	1.567	4.522	
Season														
Fall	21.4	0.129	0.035	0	0	0	0	0	0	0.324	0.688	1.764	83.285	
Spring	19.1	0.106	0.017	0	0	0	0	0	0	0.264	0.634	1.706	15.625	
Summer	15.3	0.092	0.019	0	0	0	0	0	0	0.182	0.551	1.438	15.951	
Winter	18.6	0.114	0.019	0	0	0	0	0	0	0.253	0.606	2.149	11.223	
Urbanization														
Central City	16.8	0.106	0.031	0	0	0	0	0	0	0.225	0.551	1.989	83.285	
Nonmetropolitan	17.3	0.094	0.019	0	0	0	0	0	0	0.204	0.506	1.543	15.625	
Suburban	20.3	0.120	0.013	0	0	0	0	0	0	0.337	0.716	1.732	20.760	
Race														
Asian	18.9	0.125	0.062	0	0	0	0	0	0	0.313	0.739	1.791	12.704	
Black	9.4	0.049	0.024	0	0	0	0	0	0	0.000	0.202	1.189	8.523	
Native American	14.6	0.054	0.090	0	0	0	0	0	0	0.031	0.294	0.567	4.437	
Other/NA	13.4	0.149	0.174	0	0	0	0	0	0	0.140	0.420	1.953	83.285	
White	20.5	0.117	0.010	0	0	0	0	0	0	0.310	0.680	1.824	15.951	
Region														
Midwest	19.5	0.113	0.019	0	0	0	0	0	0	0.299	0.625	1.612	15.625	
Northeast	19.0	0.115	0.019	0	0	0	0	0	0	0.328	0.634	1.787	7.116	
South	15.9	0.098	0.029	0	0	0	0	0	0	0.184	0.538	1.732	83.285	
West	21.4	0.122	0.021	0	0	0	0	0	0	0.303	0.708	1.927	20.760	

B-14

Table B-7a. Consumer-only intake of carrots (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	100	0.593	0.026	0.017	0.045	0.066	0.138	0.300	0.659	1.269	1.824	4.850	83.285
Age													
0–5 months	100	8.671	1.112	2.081	2.081	2.081	6.920	8.231	9.582	11.931	20.760	20.760	20.760
6–12 months	100	3.625	0.551	0.365	0.365	0.372	1.123	3.289	4.409	7.566	11.223	12.704	12.704
<1 year	100	5.266	0.628	0.365	0.372	0.468	2.081	4.152	7.566	11.223	11.931	20.760	20.760
1–2 years	100	2.331	0.435	0.030	0.110	0.223	0.474	1.268	2.664	4.235	5.365	15.951	83.285
3–5 years	100	1.191	0.079	0.050	0.105	0.152	0.315	0.882	1.681	2.535	3.347	5.356	8.268
6–11 years	100	0.787	0.059	0.024	0.080	0.124	0.237	0.560	0.974	1.649	2.113	4.056	10.844
12–19 years	100	0.448	0.044	0.016	0.049	0.058	0.128	0.230	0.560	1.040	1.420	2.064	4.850
20–39 years	100	0.457	0.027	0.024	0.040	0.057	0.114	0.253	0.555	1.044	1.525	3.122	6.250
40–69 years	100	0.400	0.015	0.010	0.042	0.061	0.121	0.251	0.509	0.870	1.213	2.269	5.203
70+ years	100	0.493	0.031	0.020	0.044	0.066	0.132	0.320	0.682	1.088	1.567	2.422	4.522
Season													
Fall	100	0.604	0.073	0.015	0.041	0.063	0.139	0.298	0.645	1.330	1.732	4.044	83.285
Spring	100	0.559	0.035	0.018	0.046	0.074	0.139	0.280	0.661	1.148	1.788	4.174	15.625
Summer	100	0.598	0.044	0.013	0.043	0.058	0.133	0.337	0.718	1.189	1.694	5.144	15.951
Winter	100	0.611	0.038	0.030	0.049	0.067	0.140	0.300	0.629	1.282	2.205	5.156	11.223
Urbanization													
Central City	100	0.630	0.073	0.028	0.049	0.069	0.130	0.294	0.660	1.365	2.080	5.156	83.285
Nonmetropolitan	100	0.542	0.042	0.016	0.042	0.052	0.110	0.253	0.573	1.131	1.817	4.850	15.625
Suburban	100	0.592	0.026	0.012	0.045	0.072	0.156	0.329	0.708	1.272	1.732	4.556	20.760
Race													
Asian	100	0.665	0.123	0.054	0.062	0.100	0.173	0.449	0.750	1.525	1.917	2.969	12.704
Black	100	0.523	0.067	0.020	0.049	0.057	0.117	0.223	0.551	1.189	1.849	5.203	8.523
Native American	100	0.370	0.217	0.008	0.008	0.008	0.031	0.154	0.481	0.567	0.780	4.437	4.437
Other/NA	100	1.112	0.468	0.015	0.060	0.097	0.140	0.282	0.674	1.561	3.242	10.844	83.285
White	100	0.574	0.019	0.017	0.044	0.066	0.138	0.303	0.660	1.264	1.788	4.630	15.951
Region													
Midwest	100	0.578	0.038	0.021	0.045	0.065	0.152	0.308	0.636	1.274	1.612	4.850	15.625
Northeast	100	0.603	0.038	0.034	0.056	0.080	0.153	0.346	0.655	1.245	1.818	5.156	7.116
South	100	0.619	0.069	0.014	0.042	0.056	0.123	0.261	0.675	1.269	2.080	5.144	83.285
West	100	0.570	0.040	0.016	0.041	0.069	0.134	0.287	0.668	1.256	1.897	3.958	20.760

Table B-8. Per capita intake of corn (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile										
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th	
TOTAL	15.2	0.167	0.012	0	0	0	0	0	0	0	0.596	1.130	2.583	27.812
Age														
0–5 months	0.0	0.000	0.000	0	0	0	0	0	0	0	0.000	0.000	0.000	0.000
6–12 months	8.4	0.351	0.510	0	0	0	0	0	0	0	0.000	1.563	7.327	9.582
<1 year	3.9	0.164	0.355	0	0	0	0	0	0	0	0.000	0.000	7.327	9.582
1–2 years	17.6	0.462	0.097	0	0	0	0	0	0	0	1.738	3.013	6.456	27.812
3–5 years	18.6	0.426	0.071	0	0	0	0	0	0	0	1.725	2.664	5.649	12.554
6–11 years	20.8	0.316	0.046	0	0	0	0	0	0	0	1.310	1.967	3.704	7.354
12–19 years	12.9	0.144	0.036	0	0	0	0	0	0	0	0.581	1.096	2.348	5.346
20–39 years	14.3	0.122	0.018	0	0	0	0	0	0	0	0.522	0.873	1.883	4.464
40–69 years	15.2	0.125	0.014	0	0	0	0	0	0	0	0.510	0.904	1.778	9.203
70+ years	14.6	0.109	0.023	0	0	0	0	0	0	0	0.395	0.773	1.837	3.805
Season														
Fall	14.1	0.147	0.023	0	0	0	0	0	0	0	0.486	1.035	2.469	9.582
Spring	15.1	0.164	0.023	0	0	0	0	0	0	0	0.600	1.012	2.450	12.709
Summer	19.0	0.224	0.023	0	0	0	0	0	0	0	0.839	1.478	2.756	17.637
Winter	12.5	0.135	0.027	0	0	0	0	0	0	0	0.334	0.857	2.581	27.812
Urbanization														
Central City	14.1	0.165	0.024	0	0	0	0	0	0	0	0.548	1.050	2.760	17.637
Nonmetropolitan	16.1	0.157	0.020	0	0	0	0	0	0	0	0.583	1.029	2.410	12.709
Suburban	15.6	0.174	0.018	0	0	0	0	0	0	0	0.621	1.242	2.581	27.812
Race														
Asian	9.0	0.093	0.071	0	0	0	0	0	0	0	0.000	0.716	1.774	5.562
Black	15.2	0.184	0.036	0	0	0	0	0	0	0	0.607	1.242	2.780	8.474
Native American	11.7	0.109	0.114	0	0	0	0	0	0	0	0.320	0.415	2.348	3.476
Other/NA	12.0	0.132	0.057	0	0	0	0	0	0	0	0.323	0.916	2.008	10.021
White	15.7	0.171	0.013	0	0	0	0	0	0	0	0.618	1.135	2.583	27.812
Region														
Midwest	17.8	0.196	0.024	0	0	0	0	0	0	0	0.712	1.255	2.756	12.709
Northeast	15.7	0.180	0.030	0	0	0	0	0	0	0	0.689	1.289	2.583	27.812
South	15.3	0.168	0.020	0	0	0	0	0	0	0	0.582	1.123	2.661	17.637
West	11.8	0.125	0.025	0	0	0	0	0	0	0	0.294	0.904	2.260	12.554

Table B-8a. Consumer-only intake of corn (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	100	1.102	0.023	0.086	0.173	0.278	0.489	0.786	1.370	2.218	2.825	5.512	27.812
Age													
0–5 months	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
6–12 months	100	4.189	1.049	0.565	0.565	1.563	1.563	2.611	7.327	7.327	8.304	9.582	9.582
<1 year	100	4.189	1.049	0.565	0.565	1.563	1.563	2.611	7.327	7.327	8.304	9.582	9.582
1–2 years	100	2.620	0.175	0.092	0.312	0.416	1.076	1.965	3.337	5.317	7.669	12.709	27.812
3–5 years	100	2.298	0.109	0.097	0.353	0.518	1.226	1.883	2.756	4.435	5.856	9.259	12.554
6–11 years	100	1.520	0.064	0.093	0.194	0.388	0.776	1.282	1.952	2.866	3.704	5.423	7.354
12–19 years	100	1.118	0.062	0.110	0.235	0.385	0.615	0.867	1.412	2.070	2.587	4.779	5.346
20–39 years	100	0.852	0.029	0.090	0.166	0.264	0.450	0.675	1.130	1.582	2.009	2.995	4.464
40–69 years	100	0.822	0.023	0.072	0.148	0.226	0.426	0.694	1.035	1.581	2.035	2.822	9.203
70+ years	100	0.744	0.039	0.036	0.131	0.213	0.366	0.591	0.870	1.611	2.009	2.532	3.805
Season													
Fall	100	1.037	0.043	0.090	0.137	0.194	0.441	0.776	1.270	2.272	2.717	5.022	9.582
Spring	100	1.087	0.044	0.102	0.254	0.331	0.503	0.763	1.282	2.094	2.801	5.822	12.709
Summer	100	1.177	0.037	0.093	0.235	0.344	0.579	0.874	1.512	2.269	2.756	5.026	17.637
Winter	100	1.078	0.062	0.068	0.137	0.197	0.383	0.706	1.318	2.191	3.287	7.327	27.812
Urbanization													
Central City	100	1.172	0.047	0.108	0.194	0.305	0.511	0.787	1.433	2.347	3.135	7.327	17.637
Nonmetropolitan	100	0.977	0.037	0.054	0.136	0.202	0.421	0.738	1.161	1.961	2.703	5.022	12.709
Suburban	100	1.117	0.034	0.088	0.179	0.291	0.501	0.825	1.435	2.205	2.756	5.154	27.812
Race													
Asian	100	1.032	0.165	0.079	0.097	0.097	0.377	0.800	1.444	1.774	3.149	5.562	5.562
Black	100	1.213	0.067	0.108	0.194	0.327	0.535	0.807	1.606	2.433	3.105	7.354	8.474
Native American	100	0.933	0.238	0.045	0.045	0.045	0.354	0.397	1.660	2.348	2.348	3.476	3.476
Other/NA	100	1.103	0.128	0.153	0.195	0.227	0.358	0.783	1.304	1.937	2.911	8.157	10.021
White	100	1.087	0.025	0.086	0.173	0.282	0.483	0.783	1.336	2.205	2.781	5.346	27.812
Region													
Midwest	100	1.102	0.043	0.068	0.166	0.290	0.491	0.776	1.329	2.205	2.866	5.346	12.709
Northeast	100	1.149	0.055	0.108	0.254	0.348	0.535	0.841	1.481	2.272	2.740	4.657	27.812
South	100	1.096	0.037	0.079	0.148	0.250	0.481	0.774	1.368	2.260	2.911	5.479	17.637
West	100	1.059	0.055	0.078	0.166	0.226	0.397	0.776	1.294	2.040	2.825	7.327	12.554

Table B-9. Per capita intake of cucumbers (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	18.3	0.084	0.007	0	0	0	0	0	0	0.213	0.448	1.385	13.933
Age													
0–5 months	0.0	0.000	0.000	0	0	0	0	0	0	0.000	0.000	0.000	0.000
6–12 months	0.2	0.001	0.017	0	0	0	0	0	0	0.000	0.000	0.000	0.351
<1 year	0.1	0.000	0.011	0	0	0	0	0	0	0.000	0.000	0.000	0.351
1–2 years	6.9	0.089	0.054	0	0	0	0	0	0	0.000	0.339	2.469	8.976
3–5 years	11.6	0.130	0.059	0	0	0	0	0	0	0.182	0.596	2.704	13.933
6–11 years	15.0	0.123	0.038	0	0	0	0	0	0	0.281	0.716	2.501	8.418
12–19 years	15.6	0.094	0.037	0	0	0	0	0	0	0.182	0.412	1.508	9.645
20–39 years	18.6	0.072	0.011	0	0	0	0	0	0	0.210	0.389	1.385	3.858
40–69 years	22.8	0.080	0.008	0	0	0	0	0	0	0.234	0.455	1.217	4.013
70+ years	18.6	0.073	0.015	0	0	0	0	0	0	0.220	0.489	1.187	2.809
Season													
Fall	17.7	0.070	0.014	0	0	0	0	0	0	0.194	0.361	0.978	13.933
Spring	19.2	0.079	0.011	0	0	0	0	0	0	0.219	0.455	1.262	7.265
Summer	20.8	0.126	0.019	0	0	0	0	0	0	0.288	0.669	2.050	10.425
Winter	15.4	0.060	0.013	0	0	0	0	0	0	0.163	0.350	1.134	12.529
Urbanization													
Central City	17.1	0.069	0.010	0	0	0	0	0	0	0.191	0.395	1.261	6.764
Nonmetropolitan	18.1	0.084	0.014	0	0	0	0	0	0	0.218	0.472	1.385	8.382
Suburban	19.2	0.093	0.013	0	0	0	0	0	0	0.224	0.475	1.491	13.933
Race													
Asian	18.9	0.232	0.145	0	0	0	0	0	0	0.315	0.755	7.262	9.645
Black	12.4	0.045	0.015	0	0	0	0	0	0	0.106	0.241	1.055	6.764
Native American	16.6	0.074	0.085	0	0	0	0	0	0	0.134	0.336	1.102	4.064
Other/NA	14.8	0.070	0.034	0	0	0	0	0	0	0.131	0.310	1.772	5.952
White	19.5	0.085	0.007	0	0	0	0	0	0	0.230	0.482	1.385	13.933
Region													
Midwest	19.7	0.083	0.012	0	0	0	0	0	0	0.224	0.466	1.410	8.382
Northeast	19.4	0.084	0.014	0	0	0	0	0	0	0.246	0.513	1.385	10.425
South	17.4	0.075	0.011	0	0	0	0	0	0	0.199	0.421	1.262	13.933
West	17.3	0.098	0.022	0	0	0	0	0	0	0.194	0.421	1.549	9.645

B-18

Table B-9a. Consumer-only intake of cucumbers (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	100	0.457	0.015	0.029	0.057	0.082	0.134	0.236	0.486	0.992	1.430	3.650	13.933
Age													
0–5 months	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
6–12 months	100	0.351	0.000	0.351	0.351	0.351	0.351	0.351	0.351	0.351	0.351	0.351	0.351
<1 year	100	0.351	0.000	0.351	0.351	0.351	0.351	0.351	0.351	0.351	0.351	0.351	0.351
1–2 years	100	1.296	0.159	0.052	0.100	0.189	0.304	0.803	1.569	3.307	4.008	8.976	8.976
3–5 years	100	1.115	0.153	0.041	0.117	0.147	0.308	0.514	1.020	2.205	4.478	12.529	13.933
6–11 years	100	0.815	0.082	0.031	0.089	0.148	0.243	0.416	0.923	1.470	3.086	8.382	8.418
12–19 years	100	0.601	0.086	0.042	0.068	0.098	0.140	0.238	0.552	1.055	1.772	7.262	9.645
20–39 years	100	0.384	0.020	0.034	0.066	0.088	0.131	0.220	0.413	0.919	1.385	2.216	3.858
40–69 years	100	0.350	0.013	0.025	0.046	0.073	0.120	0.205	0.398	0.769	1.157	2.489	4.013
70+ years	100	0.393	0.026	0.021	0.049	0.070	0.118	0.241	0.529	0.935	1.245	2.039	2.809
Season													
Fall	100	0.398	0.031	0.028	0.056	0.080	0.124	0.220	0.426	0.850	1.152	2.974	13.933
Spring	100	0.411	0.020	0.031	0.057	0.082	0.143	0.228	0.476	0.974	1.265	2.790	7.265
Summer	100	0.603	0.036	0.028	0.064	0.087	0.148	0.271	0.637	1.429	2.050	6.859	10.425
Winter	100	0.387	0.028	0.031	0.043	0.079	0.126	0.219	0.434	0.777	1.385	3.481	12.529
Urbanization													
Central City	100	0.404	0.020	0.026	0.049	0.080	0.134	0.228	0.452	0.916	1.378	2.770	6.764
Nonmetropolitan	100	0.466	0.027	0.032	0.063	0.083	0.129	0.241	0.525	1.134	1.385	3.650	8.382
Suburban	100	0.486	0.026	0.030	0.061	0.082	0.135	0.234	0.498	0.992	1.510	4.154	13.933
Race													
Asian	100	1.230	0.300	0.007	0.096	0.132	0.177	0.336	0.755	5.321	7.262	9.645	9.645
Black	100	0.361	0.036	0.023	0.056	0.071	0.114	0.191	0.367	0.853	1.265	1.822	6.764
Native American	100	0.444	0.185	0.039	0.039	0.103	0.103	0.230	0.468	1.102	1.102	4.064	4.064
Other/NA	100	0.471	0.077	0.060	0.066	0.086	0.120	0.226	0.319	1.049	2.122	3.858	5.952
White	100	0.438	0.014	0.028	0.056	0.082	0.137	0.238	0.493	0.977	1.385	2.974	13.933
Region													
Midwest	100	0.421	0.023	0.034	0.068	0.086	0.142	0.228	0.472	0.937	1.514	2.809	8.382
Northeast	100	0.431	0.026	0.034	0.059	0.086	0.136	0.256	0.530	0.977	1.385	2.501	10.425
South	100	0.433	0.024	0.026	0.053	0.078	0.129	0.236	0.468	0.974	1.335	2.858	13.933
West	100	0.567	0.048	0.024	0.056	0.079	0.124	0.226	0.498	1.236	1.759	6.859	9.645

Table B-10. Per capita intake of lettuce (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	38.1	0.205	0.006	0	0	0	0	0	0.213	0.700	1.054	2.016	7.395
Age													
0–5 months	0.0	0.000	0.000	0	0	0	0	0	0.000	0.000	0.000	0.000	0.000
6–12 months	0.0	0.000	0.000	0	0	0	0	0	0.000	0.000	0.000	0.000	0.000
<1 year	0.0	0.000	0.000	0	0	0	0	0	0.000	0.000	0.000	0.000	0.000
1–2 years	12.4	0.109	0.035	0	0	0	0	0	0.000	0.206	0.758	2.165	5.052
3–5 years	19.8	0.166	0.029	0	0	0	0	0	0.000	0.648	1.137	2.165	5.211
6–11 years	24.7	0.184	0.027	0	0	0	0	0	0.000	0.718	1.157	2.195	7.395
12–19 years	35.9	0.177	0.018	0	0	0	0	0	0.138	0.606	1.010	1.966	4.042
20–39 years	42.4	0.219	0.013	0	0	0	0	0	0.253	0.723	1.090	2.076	6.437
40–69 years	45.8	0.238	0.009	0	0	0	0	0	0.340	0.743	1.083	1.967	4.336
70+ years	37.7	0.184	0.016	0	0	0	0	0	0.252	0.631	0.959	1.663	2.765
Season													
Fall	38.1	0.212	0.013	0	0	0	0	0	0.226	0.701	1.102	2.083	6.437
Spring	40.5	0.215	0.012	0	0	0	0	0	0.237	0.715	1.068	2.165	4.664
Summer	36.1	0.194	0.012	0	0	0	0	0	0.195	0.674	1.011	1.903	7.395
Winter	37.7	0.201	0.012	0	0	0	0	0	0.217	0.713	1.010	1.823	5.211
Urbanization													
Central City	37.1	0.204	0.012	0	0	0	0	0	0.201	0.677	1.045	2.076	7.395
Nonmetropolitan	36.5	0.166	0.010	0	0	0	0	0	0.152	0.576	0.898	1.727	4.229
Suburban	39.5	0.224	0.009	0	0	0	0	0	0.271	0.758	1.112	2.080	6.437
Race													
Asian	35.3	0.247	0.049	0	0	0	0	0	0.174	0.898	1.461	2.270	3.743
Black	27.4	0.136	0.020	0	0	0	0	0	0.050	0.446	0.728	1.895	7.395
Native American	38.0	0.114	0.038	0	0	0	0	0	0.105	0.433	0.669	1.036	1.924
Other/NA	39.2	0.208	0.028	0	0	0	0	0	0.202	0.700	1.045	2.284	5.952
White	39.9	0.216	0.007	0	0	0	0	0	0.253	0.732	1.092	2.012	6.437
Region													
Midwest	38.3	0.219	0.013	0	0	0	0	0	0.264	0.745	1.142	1.980	5.052
Northeast	39.8	0.233	0.017	0	0	0	0	0	0.305	0.723	1.102	2.195	7.395
South	34.9	0.166	0.009	0	0	0	0	0	0.138	0.606	0.885	1.742	4.336
West	41.4	0.229	0.013	0	0	0	0	0	0.253	0.758	1.137	2.165	4.229

B-20

Table B-10a. Consumer-only intake of lettuce (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	100	0.539	0.008	0.026	0.045	0.063	0.138	0.379	0.722	1.213	1.617	2.798	7.395
Age													
0–5 months	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
6–12 months	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
<1 year	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
1–2 years	100	0.882	0.075	0.076	0.108	0.131	0.236	0.606	1.057	1.924	3.031	4.664	5.052
3–5 years	100	0.838	0.048	0.051	0.098	0.140	0.264	0.659	1.137	1.732	2.165	3.989	5.211
6–11 years	100	0.746	0.043	0.044	0.076	0.106	0.211	0.527	0.970	1.518	2.067	4.021	7.395
12–19 years	100	0.493	0.025	0.028	0.050	0.064	0.117	0.266	0.674	1.247	1.664	2.913	4.042
20–39 years	100	0.518	0.017	0.027	0.044	0.059	0.118	0.352	0.694	1.147	1.535	2.836	6.437
40–69 years	100	0.521	0.011	0.025	0.044	0.061	0.144	0.395	0.700	1.113	1.582	2.324	4.336
70+ years	100	0.489	0.020	0.018	0.034	0.060	0.178	0.377	0.674	1.040	1.378	2.282	2.765
Season													
Fall	100	0.556	0.018	0.023	0.043	0.059	0.136	0.389	0.728	1.213	1.742	3.089	6.437
Spring	100	0.530	0.015	0.026	0.046	0.065	0.133	0.357	0.713	1.213	1.595	2.927	4.664
Summer	100	0.537	0.016	0.027	0.042	0.061	0.142	0.372	0.700	1.230	1.665	2.695	7.395
Winter	100	0.533	0.015	0.029	0.052	0.071	0.150	0.410	0.748	1.157	1.516	2.205	5.211
Urbanization													
Central City	100	0.549	0.016	0.029	0.048	0.064	0.137	0.379	0.713	1.213	1.684	2.913	7.395
Nonmetropolitan	100	0.454	0.014	0.019	0.043	0.058	0.117	0.303	0.616	1.045	1.378	2.165	4.229
Suburban	100	0.568	0.012	0.025	0.046	0.067	0.152	0.420	0.758	1.246	1.676	2.823	6.437
Race													
Asian	100	0.701	0.063	0.058	0.077	0.088	0.164	0.527	1.061	1.684	2.205	3.743	3.743
Black	100	0.498	0.032	0.021	0.038	0.055	0.126	0.311	0.648	0.994	1.707	3.368	7.395
Native American	100	0.299	0.050	0.018	0.018	0.045	0.101	0.169	0.433	0.707	0.892	1.924	1.924
Other/NA	100	0.532	0.038	0.030	0.044	0.056	0.113	0.337	0.710	1.118	1.653	3.537	5.952
White	100	0.541	0.009	0.027	0.046	0.063	0.141	0.391	0.735	1.213	1.582	2.738	6.437
Region													
Midwest	100	0.570	0.016	0.028	0.052	0.074	0.178	0.418	0.758	1.288	1.615	2.798	5.052
Northeast	100	0.586	0.022	0.029	0.050	0.071	0.167	0.430	0.723	1.254	1.723	3.047	7.395
South	100	0.476	0.012	0.023	0.042	0.055	0.118	0.330	0.674	1.068	1.415	2.314	4.336
West	100	0.552	0.017	0.024	0.044	0.059	0.119	0.387	0.748	1.237	1.732	3.031	4.229

Table B-11. Per capita intake of lima beans (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile										
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th	
TOTAL	1.2	0.015	0.012	0	0	0	0	0	0	0	0	0	0.413	7.339
Age														
0–5 months	0.0	0.000	0.000	0	0	0	0	0	0	0	0	0	0.000	0.000
6–12 months	0.6	0.001	0.012	0	0	0	0	0	0	0	0	0	0.000	0.145
<1 year	0.3	0.000	0.008	0	0	0	0	0	0	0	0	0	0.000	0.145
1–2 years	1.7	0.037	0.074	0	0	0	0	0	0	0	0	0	1.503	6.889
3–5 years	0.7	0.010	0.044	0	0	0	0	0	0	0	0	0	0.000	3.156
6–11 years	1.0	0.018	0.057	0	0	0	0	0	0	0	0	0	0.043	3.931
12–19 years	0.4	0.007	0.062	0	0	0	0	0	0	0	0	0	0.000	7.339
20–39 years	0.9	0.012	0.032	0	0	0	0	0	0	0	0	0	0.000	4.695
40–69 years	1.6	0.015	0.016	0	0	0	0	0	0	0	0	0	0.582	5.057
70+ years	2.8	0.031	0.032	0	0	0	0	0	0	0	0	0	1.020	3.378
Season														
Fall	1.2	0.014	0.025	0	0	0	0	0	0	0	0	0	0.150	4.080
Spring	1.2	0.013	0.021	0	0	0	0	0	0	0	0	0	0.459	4.695
Summer	1.1	0.015	0.024	0	0	0	0	0	0	0	0	0	0.459	6.038
Winter	1.3	0.018	0.026	0	0	0	0	0	0	0	0	0	0.580	7.339
Urbanization														
Central City	1.5	0.020	0.022	0	0	0	0	0	0	0	0	0	0.783	6.889
Nonmetropolitan	1.1	0.010	0.021	0	0	0	0	0	0	0	0	0	0.098	7.339
Suburban	1.1	0.014	0.019	0	0	0	0	0	0	0	0	0	0.154	4.080
Race														
Asian	0.2	0.002	0.056	0	0	0	0	0	0	0	0	0	0.000	1.302
Black	2.7	0.032	0.028	0	0	0	0	0	0	0	0	0	1.319	6.889
Native American	0.0	0.000	0.000	0	0	0	0	0	0	0	0	0	0.000	0.000
Other/NA	0.6	0.009	0.072	0	0	0	0	0	0	0	0	0	0.000	3.779
White	1.1	0.013	0.014	0	0	0	0	0	0	0	0	0	0.134	7.339
Region														
Midwest	1.0	0.012	0.022	0	0	0	0	0	0	0	0	0	0.158	3.906
Northeast	1.3	0.015	0.024	0	0	0	0	0	0	0	0	0	0.551	6.889
South	1.8	0.023	0.021	0	0	0	0	0	0	0	0	0	0.822	6.038
West	0.4	0.005	0.032	0	0	0	0	0	0	0	0	0	0.000	7.339

Table B-11a. Consumer-only intake of lima beans (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	100	1.232	0.072	0.088	0.145	0.276	0.551	0.910	1.592	2.557	3.906	4.724	7.339
Age													
0–5 months	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
6–12 months	100	0.145	0.000	0.145	0.145	0.145	0.145	0.145	0.145	0.145	0.145	0.145	0.145
<1 year	100	0.145	0.000	0.145	0.145	0.145	0.145	0.145	0.145	0.145	0.145	0.145	0.145
1–2 years	100	2.108	0.338	0.411	0.566	0.566	1.078	1.663	2.646	4.724	6.038	6.889	6.889
3–5 years	100	1.448	0.303	0.106	0.106	0.200	0.364	1.451	2.217	2.681	3.156	3.156	3.156
6–11 years	100	1.785	0.339	0.043	0.250	0.385	0.881	1.488	2.555	3.931	3.931	3.931	3.931
12–19 years	100	1.896	0.758	0.266	0.266	0.266	0.705	1.302	1.360	3.779	7.339	7.339	7.339
20–39 years	100	1.328	0.235	0.088	0.088	0.134	0.546	0.779	1.828	3.135	3.906	4.695	4.695
40–69 years	100	0.983	0.076	0.094	0.150	0.221	0.486	0.818	1.197	2.067	2.367	4.080	5.057
70+ years	100	1.085	0.105	0.069	0.370	0.413	0.631	0.867	1.236	2.294	2.500	3.378	3.378
Season													
Fall	100	1.120	0.158	0.088	0.088	0.134	0.278	0.714	1.563	3.289	3.931	4.080	4.080
Spring	100	1.129	0.121	0.145	0.317	0.398	0.551	0.900	1.236	2.142	2.541	4.695	4.695
Summer	100	1.327	0.141	0.043	0.158	0.436	0.617	0.971	1.828	3.135	3.135	5.057	6.038
Winter	100	1.343	0.149	0.133	0.276	0.370	0.580	0.965	1.790	2.577	3.906	7.339	7.339
Urbanization													
Central City	100	1.287	0.108	0.145	0.278	0.413	0.620	1.040	1.690	2.294	3.156	4.724	6.889
Nonmetropolitan	100	0.895	0.159	0.069	0.098	0.127	0.282	0.652	1.102	1.615	3.289	7.339	7.339
Suburban	100	1.330	0.118	0.088	0.154	0.282	0.557	0.900	1.790	3.135	3.906	3.931	4.080
Race													
Asian	100	1.302	0.000	1.302	1.302	1.302	1.302	1.302	1.302	1.302	1.302	1.302	1.302
Black	100	1.184	0.092	0.043	0.145	0.278	0.662	1.040	1.592	2.142	2.294	2.660	6.889
Native American	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Other/NA	100	1.531	0.576	0.551	0.551	0.551	0.551	1.757	1.757	3.779	3.779	3.779	3.779
White	100	1.240	0.096	0.088	0.127	0.250	0.486	0.850	1.488	3.135	3.931	4.724	7.339
Region													
Midwest	100	1.152	0.138	0.069	0.158	0.250	0.486	0.919	1.406	2.294	3.906	3.906	3.906
Northeast	100	1.122	0.131	0.088	0.088	0.333	0.551	0.965	1.690	1.838	2.334	3.779	6.889
South	100	1.300	0.104	0.094	0.134	0.266	0.564	0.900	1.663	3.135	3.931	4.724	6.038
West	100	1.290	0.394	0.200	0.276	0.276	0.546	0.730	1.302	2.085	4.080	7.339	7.339

Table B-12. Per capita intake of okra (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	0.9	0.006	0.007	0	0	0	0	0	0	0	0	0.000	8.526
Age													
0–5 months	0.0	0.000	0.000	0	0	0	0	0	0	0	0	0.000	0.000
6–12 months	0.0	0.000	0.000	0	0	0	0	0	0	0	0	0.000	0.000
<1 year	0.0	0.000	0.000	0	0	0	0	0	0	0	0	0.000	0.000
1–2 years	0.7	0.010	0.041	0	0	0	0	0	0	0	0	0.000	4.134
3–5 years	0.2	0.006	0.084	0	0	0	0	0	0	0	0	0.000	8.526
6–11 years	0.9	0.008	0.030	0	0	0	0	0	0	0	0	0.000	2.070
12–19 years	0.5	0.003	0.018	0	0	0	0	0	0	0	0	0.000	1.560
20–39 years	0.7	0.004	0.012	0	0	0	0	0	0	0	0	0.000	1.736
40–69 years	1.2	0.008	0.012	0	0	0	0	0	0	0	0	0.253	4.899
70+ years	1.6	0.011	0.020	0	0	0	0	0	0	0	0	0.367	2.852
Season													
Fall	0.8	0.004	0.014	0	0	0	0	0	0	0	0	0.000	1.894
Spring	0.8	0.005	0.012	0	0	0	0	0	0	0	0	0.000	2.671
Summer	1.5	0.011	0.016	0	0	0	0	0	0	0	0	0.454	8.526
Winter	0.6	0.005	0.016	0	0	0	0	0	0	0	0	0.000	2.305
Urbanization													
Central City	0.9	0.006	0.013	0	0	0	0	0	0	0	0	0.000	4.899
Nonmetropolitan	1.5	0.008	0.010	0	0	0	0	0	0	0	0	0.367	2.305
Suburban	0.6	0.006	0.014	0	0	0	0	0	0	0	0	0.000	8.526
Race													
Asian	0.6	0.003	0.030	0	0	0	0	0	0	0	0	0.000	0.606
Black	1.8	0.013	0.018	0	0	0	0	0	0	0	0	0.555	4.899
Native American	0.6	0.003	0.028	0	0	0	0	0	0	0	0	0.000	0.647
Other/NA	0.3	0.004	0.040	0	0	0	0	0	0	0	0	0.000	1.819
White	0.8	0.006	0.009	0	0	0	0	0	0	0	0	0.000	8.526
Region													
Midwest	0.1	0.001	0.011	0	0	0	0	0	0	0	0	0.000	1.718
Northeast	0.3	0.003	0.024	0	0	0	0	0	0	0	0	0.000	1.736
South	2.0	0.014	0.012	0	0	0	0	0	0	0	0	0.568	8.526
West	0.5	0.003	0.016	0	0	0	0	0	0	0	0	0.000	4.899

Table B-12a. Consumer-only intake of okra (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	100	0.712	0.053	0.051	0.149	0.216	0.317	0.568	0.845	1.560	1.736	2.671	8.526
Age													
0–5 months	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
6–12 months	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
<1 year	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
1–2 years	100	1.350	0.321	0.181	0.181	0.181	0.254	0.978	2.305	2.671	4.134	4.134	4.134
3–5 years	100	2.683	1.219	0.254	0.254	0.254	1.408	1.408	2.332	8.526	8.526	8.526	8.526
6–11 years	100	0.867	0.177	0.214	0.254	0.254	0.441	0.780	1.070	1.894	2.070	2.070	2.070
12–19 years	100	0.646	0.135	0.220	0.220	0.243	0.367	0.461	0.845	1.560	1.560	1.560	1.560
20–39 years	100	0.618	0.079	0.051	0.051	0.290	0.398	0.587	0.801	1.127	1.736	1.736	1.736
40–69 years	100	0.651	0.067	0.030	0.141	0.202	0.274	0.505	0.780	1.328	1.736	2.205	4.899
70+ years	100	0.693	0.097	0.122	0.122	0.213	0.313	0.555	1.052	1.521	1.718	2.852	2.852
Season													
Fall	100	0.553	0.096	0.104	0.149	0.202	0.263	0.461	0.579	1.014	1.718	1.894	1.894
Spring	100	0.657	0.086	0.030	0.141	0.216	0.290	0.465	0.845	1.560	2.070	2.671	2.671
Summer	100	0.782	0.093	0.051	0.122	0.249	0.334	0.587	0.936	1.290	1.819	4.134	8.526
Winter	100	0.833	0.122	0.161	0.229	0.307	0.398	0.682	1.052	1.736	1.736	1.736	2.305
Urbanization													
Central City	100	0.724	0.085	0.098	0.202	0.202	0.327	0.579	0.845	1.560	1.736	2.015	4.899
Nonmetropolitan	100	0.551	0.045	0.051	0.104	0.161	0.294	0.461	0.757	1.014	1.127	1.521	2.305
Suburban	100	0.869	0.123	0.030	0.213	0.254	0.317	0.579	1.052	1.894	2.205	4.134	8.526
Race													
Asian	100	0.526	0.097	0.291	0.291	0.291	0.291	0.606	0.606	0.606	0.606	0.606	0.606
Black	100	0.702	0.086	0.122	0.149	0.216	0.327	0.579	0.801	1.410	1.736	2.305	4.899
Native American	100	0.460	0.137	0.260	0.260	0.260	0.260	0.647	0.647	0.647	0.647	0.647	0.647
Other/NA	100	1.225	0.310	0.253	0.253	0.253	0.634	1.560	1.819	1.819	1.819	1.819	1.819
White	100	0.708	0.068	0.051	0.141	0.202	0.313	0.505	0.845	1.521	1.894	2.671	8.526
Region													
Midwest	100	0.659	0.188	0.213	0.213	0.213	0.229	0.441	0.634	1.718	1.718	1.718	1.718
Northeast	100	1.041	0.210	0.253	0.253	0.367	0.423	0.801	1.736	1.736	1.736	1.736	1.736
South	100	0.694	0.059	0.051	0.149	0.214	0.317	0.568	0.845	1.408	1.894	2.671	8.526
West	100	0.651	0.162	0.098	0.141	0.211	0.294	0.555	0.647	1.126	1.819	4.899	4.899

Table B-13. Per capita intake of onions (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	19.4	0.055	0.004	0	0	0	0	0	0.000	0.160	0.319	0.802	6.063
Age													
0–5 months	0.0	0.000	0.000	0	0	0	0	0	0.000	0.000	0.000	0.000	0.000
6–12 months	0.5	0.014	0.197	0	0	0	0	0	0.000	0.000	0.000	0.000	2.694
<1 year	0.3	0.007	0.135	0	0	0	0	0	0.000	0.000	0.000	0.000	2.694
1–2 years	3.9	0.019	0.021	0	0	0	0	0	0.000	0.000	0.000	0.533	3.485
3–5 years	4.8	0.022	0.021	0	0	0	0	0	0.000	0.000	0.000	0.549	3.511
6–11 years	6.5	0.026	0.017	0	0	0	0	0	0.000	0.000	0.130	0.700	6.063
12–19 years	13.5	0.044	0.015	0	0	0	0	0	0.000	0.121	0.226	0.802	4.200
20–39 years	23.2	0.066	0.009	0	0	0	0	0	0.000	0.224	0.397	0.897	4.669
40–69 years	25.5	0.067	0.007	0	0	0	0	0	0.014	0.194	0.353	0.856	4.622
70+ years	21.6	0.052	0.010	0	0	0	0	0	0.000	0.147	0.315	0.775	2.835
Season													
Fall	19.5	0.052	0.008	0	0	0	0	0	0.000	0.160	0.318	0.782	4.622
Spring	20.5	0.061	0.009	0	0	0	0	0	0.000	0.172	0.349	0.805	4.669
Summer	18.9	0.055	0.008	0	0	0	0	0	0.000	0.148	0.305	0.800	6.063
Winter	18.7	0.052	0.008	0	0	0	0	0	0.000	0.158	0.313	0.804	3.542
Urbanization													
Central City	20.0	0.057	0.008	0	0	0	0	0	0.000	0.180	0.332	0.802	4.669
Nonmetropolitan	18.3	0.047	0.007	0	0	0	0	0	0.000	0.138	0.269	0.782	3.936
Suburban	19.4	0.057	0.007	0	0	0	0	0	0.000	0.158	0.329	0.882	6.063
Race													
Asian	28.9	0.092	0.028	0	0	0	0	0	0.082	0.266	0.500	1.067	3.511
Black	13.9	0.044	0.012	0	0	0	0	0	0.000	0.124	0.296	0.702	3.287
Native American	16.6	0.083	0.083	0	0	0	0	0	0.000	0.170	0.254	2.081	2.081
Other/NA	18.0	0.058	0.019	0	0	0	0	0	0.000	0.182	0.396	0.809	6.063
White	20.0	0.055	0.005	0	0	0	0	0	0.000	0.158	0.313	0.797	4.669
Region													
Midwest	20.2	0.048	0.006	0	0	0	0	0	0.000	0.158	0.308	0.700	4.622
Northeast	20.4	0.063	0.011	0	0	0	0	0	0.000	0.195	0.378	0.919	4.409
South	17.4	0.054	0.008	0	0	0	0	0	0.000	0.138	0.309	0.916	6.063
West	20.6	0.055	0.009	0	0	0	0	0	0.000	0.171	0.306	0.728	4.580

Table B-13a. Consumer-only intake of onions (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	100	0.283	0.008	0.010	0.029	0.047	0.086	0.170	0.327	0.578	0.806	2.081	6.063
Age													
0–5 months	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
6–12 months	100	2.694	0.000	2.694	2.694	2.694	2.694	2.694	2.694	2.694	2.694	2.694	2.694
<1 year	100	2.694	0.000	2.694	2.694	2.694	2.694	2.694	2.694	2.694	2.694	2.694	2.694
1–2 years	100	0.491	0.085	0.018	0.038	0.071	0.118	0.276	0.533	1.235	1.342	3.354	3.485
3–5 years	100	0.447	0.077	0.008	0.026	0.045	0.092	0.224	0.493	0.980	1.769	3.307	3.511
6–11 years	100	0.409	0.055	0.017	0.030	0.071	0.138	0.256	0.468	0.882	1.318	1.781	6.063
12–19 years	100	0.329	0.034	0.013	0.039	0.067	0.113	0.183	0.392	0.721	0.903	2.241	4.200
20–39 years	100	0.284	0.015	0.010	0.032	0.053	0.091	0.188	0.340	0.551	0.797	1.610	4.669
40–69 years	100	0.264	0.012	0.010	0.026	0.041	0.079	0.150	0.289	0.539	0.751	2.081	4.622
70+ years	100	0.240	0.018	0.012	0.026	0.038	0.067	0.138	0.299	0.515	0.756	1.455	2.835
Season													
Fall	100	0.267	0.015	0.010	0.028	0.047	0.083	0.170	0.331	0.527	0.794	1.677	4.622
Spring	100	0.298	0.018	0.008	0.027	0.044	0.087	0.171	0.333	0.620	0.802	3.354	4.669
Summer	100	0.290	0.017	0.016	0.032	0.050	0.085	0.157	0.315	0.578	0.854	2.239	6.063
Winter	100	0.276	0.015	0.010	0.031	0.047	0.094	0.176	0.329	0.575	0.841	1.844	3.542
Urbanization													
Central City	100	0.286	0.015	0.012	0.030	0.048	0.089	0.180	0.332	0.563	0.802	1.781	4.669
Nonmetropolitan	100	0.257	0.014	0.014	0.033	0.051	0.083	0.157	0.298	0.518	0.800	1.812	3.936
Suburban	100	0.292	0.013	0.008	0.026	0.045	0.084	0.165	0.334	0.627	0.897	2.694	6.063
Race													
Asian	100	0.319	0.042	0.017	0.060	0.080	0.106	0.233	0.351	0.714	1.030	1.481	3.511
Black	100	0.318	0.025	0.018	0.037	0.049	0.106	0.214	0.405	0.609	0.937	1.677	3.287
Native American	100	0.501	0.173	0.046	0.050	0.078	0.087	0.182	0.329	2.081	2.081	2.081	2.081
Other/NA	100	0.322	0.037	0.024	0.034	0.050	0.093	0.200	0.431	0.697	0.904	1.331	6.063
White	100	0.273	0.009	0.008	0.028	0.045	0.082	0.157	0.313	0.551	0.797	2.213	4.669
Region													
Midwest	100	0.239	0.012	0.009	0.026	0.040	0.077	0.154	0.307	0.522	0.698	1.291	4.622
Northeast	100	0.310	0.020	0.007	0.029	0.045	0.094	0.188	0.375	0.630	0.916	2.239	4.409
South	100	0.312	0.017	0.015	0.035	0.052	0.087	0.170	0.343	0.685	0.948	2.559	6.063
West	100	0.266	0.017	0.010	0.026	0.046	0.086	0.161	0.298	0.504	0.721	2.803	4.580

Table B-14. Per capita intake of other berries (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile										
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th	
TOTAL	2.6	0.028	0.017	0	0	0	0	0	0	0	0	0	0.763	24.607
Age														
0–5 months	0.0	0.000	0.000	0	0	0	0	0	0	0	0	0	0.000	0.000
6–12 months	1.3	0.011	0.099	0	0	0	0	0	0	0	0	0	0.868	0.868
<1 year	0.6	0.005	0.068	0	0	0	0	0	0	0	0	0	0.000	0.868
1–2 years	1.5	0.073	0.229	0	0	0	0	0	0	0	0	0	0.777	24.607
3–5 years	1.6	0.034	0.084	0	0	0	0	0	0	0	0	0	0.636	10.726
6–11 years	2.1	0.029	0.057	0	0	0	0	0	0	0	0	0	0.661	6.192
12–19 years	1.3	0.016	0.043	0	0	0	0	0	0	0	0	0	0.381	5.025
20–39 years	1.9	0.020	0.027	0	0	0	0	0	0	0	0	0	0.632	4.290
40–69 years	4.1	0.036	0.025	0	0	0	0	0	0	0	0	0	0.822	11.233
70+ years	3.7	0.026	0.029	0	0	0	0	0	0	0	0	0	0.835	4.648
Season														
Fall	3.6	0.034	0.024	0	0	0	0	0	0	0	0	0	1.018	12.204
Spring	1.9	0.023	0.028	0	0	0	0	0	0	0	0	0	0.516	5.695
Summer	3.5	0.029	0.026	0	0	0	0	0	0	0	0	0	0.847	19.920
Winter	1.5	0.025	0.062	0	0	0	0	0	0	0	0	0	0.290	24.607
Urbanization														
Central City	2.0	0.018	0.021	0	0	0	0	0	0	0	0	0	0.588	10.726
Nonmetropolitan	2.1	0.022	0.028	0	0	0	0	0	0	0	0	0	0.632	12.204
Suburban	3.3	0.037	0.029	0	0	0	0	0	0	0	0	0	0.954	24.607
Race														
Asian	0.8	0.007	0.061	0	0	0	0	0	0	0	0	0	0.000	1.316
Black	0.9	0.009	0.033	0	0	0	0	0	0	0	0	0	0.000	3.575
Native American	0.0	0.000	0.000	0	0	0	0	0	0	0	0	0	0.000	0.000
Other/NA	0.6	0.011	0.078	0	0	0	0	0	0	0	0	0	0.000	4.648
White	3.1	0.033	0.019	0	0	0	0	0	0	0	0	0	0.872	24.607
Region														
Midwest	2.7	0.030	0.027	0	0	0	0	0	0	0	0	0	0.898	6.536
Northeast	3.8	0.038	0.040	0	0	0	0	0	0	0	0	0	0.847	11.233
South	1.6	0.012	0.016	0	0	0	0	0	0	0	0	0	0.300	6.192
West	3.2	0.043	0.047	0	0	0	0	0	0	0	0	0	1.066	24.607

Table B-14a. Consumer-only intake of other berries (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	100	1.061	0.088	0.032	0.091	0.138	0.254	0.545	1.094	2.451	3.575	11.233	24.607
Age													
0–5 months	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
6–12 months	100	0.868	0.000	0.868	0.868	0.868	0.868	0.868	0.868	0.868	0.868	0.868	0.868
<1 year	100	0.868	0.000	0.868	0.868	0.868	0.868	0.868	0.868	0.868	0.868	0.868	0.868
1–2 years	100	4.745	1.513	0.300	0.389	0.389	0.707	1.598	4.240	19.920	19.92	24.607	24.607
3–5 years	100	2.126	0.506	0.031	0.031	0.068	0.477	0.881	3.669	5.810	8.202	10.726	10.726
6–11 years	100	1.366	0.291	0.043	0.049	0.153	0.196	0.654	2.437	3.858	4.104	6.192	6.192
12–19 years	100	1.237	0.254	0.147	0.147	0.367	0.400	0.847	1.577	2.391	3.984	5.025	5.025
20–39 years	100	1.079	0.130	0.041	0.066	0.173	0.351	0.848	1.594	2.451	3.099	3.847	4.290
40–69 years	100	0.871	0.109	0.054	0.098	0.126	0.225	0.441	0.804	2.136	3.214	11.233	11.233
70+ years	100	0.701	0.118	0.030	0.106	0.150	0.242	0.402	0.937	1.174	3.486	3.638	4.648
Season													
Fall	100	0.951	0.099	0.030	0.067	0.127	0.273	0.587	1.018	2.423	3.550	4.290	12.204
Spring	100	1.212	0.145	0.062	0.100	0.138	0.289	0.583	2.058	3.486	3.847	5.025	5.695
Summer	100	0.831	0.122	0.041	0.110	0.150	0.234	0.510	0.968	1.918	2.231	4.134	19.920
Winter	100	1.652	0.449	0.059	0.066	0.066	0.196	0.537	1.110	3.486	11.233	12.125	24.607
Urbanization													
Central City	100	0.905	0.118	0.023	0.092	0.150	0.242	0.588	1.018	2.136	3.214	6.192	10.726
Nonmetropolitan	100	1.038	0.156	0.032	0.091	0.138	0.270	0.599	1.145	2.333	3.347	4.104	12.204
Suburban	100	1.132	0.138	0.049	0.068	0.127	0.254	0.510	1.211	2.821	3.847	11.233	24.607
Race													
Asian	100	0.938	0.239	0.636	0.636	0.636	0.636	0.636	1.316	1.316	1.316	1.316	1.316
Black	100	1.008	0.256	0.030	0.160	0.166	0.212	0.358	1.463	3.214	3.575	3.575	3.575
Native American	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Other/NA	100	1.754	0.620	0.061	0.061	0.061	0.263	2.423	2.423	2.423	4.648	4.648	4.648
White	100	1.055	0.092	0.032	0.091	0.127	0.254	0.537	1.066	2.437	3.669	11.233	24.607
Region													
Midwest	100	1.116	0.115	0.123	0.157	0.192	0.371	0.694	1.598	2.789	3.486	5.695	6.536
Northeast	100	0.986	0.180	0.031	0.066	0.100	0.218	0.455	0.895	2.145	3.746	11.233	11.233
South	100	0.742	0.093	0.030	0.067	0.098	0.226	0.441	0.954	1.858	2.220	4.240	6.192
West	100	1.347	0.230	0.023	0.110	0.142	0.263	0.616	1.430	3.214	4.183	12.125	24.607

Table B-15. Per capita intake of peaches (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	5.7	0.099	0.020	0	0	0	0	0	0	0.000	0.473	2.520	31.238
Age													
0–5 months	5.3	0.280	0.447	0	0	0	0	0	0	0.000	1.260	7.212	9.965
6–12 months	23.3	1.508	0.576	0	0	0	0	0	0	6.239	7.785	19.841	31.238
<1 year	13.7	0.856	0.393	0	0	0	0	0	0	4.119	6.591	10.458	31.238
1–2 years	9.7	0.447	0.145	0	0	0	0	0	0	0.000	4.001	9.820	19.023
3–5 years	6.5	0.248	0.117	0	0	0	0	0	0	0.000	1.805	6.288	18.050
6–11 years	5.5	0.125	0.077	0	0	0	0	0	0	0.000	0.732	3.288	9.223
12–19 years	4.5	0.064	0.051	0	0	0	0	0	0	0.000	0.000	1.875	5.954
20–39 years	3.3	0.037	0.023	0	0	0	0	0	0	0.000	0.000	1.282	4.243
40–69 years	5.9	0.063	0.019	0	0	0	0	0	0	0.000	0.426	1.566	14.212
70+ years	12.6	0.144	0.034	0	0	0	0	0	0	0.583	1.029	2.282	3.847
Season													
Fall	3.3	0.067	0.044	0	0	0	0	0	0	0.000	0.000	2.000	18.050
Spring	5.4	0.090	0.036	0	0	0	0	0	0	0.000	0.390	2.177	10.628
Summer	10.8	0.174	0.040	0	0	0	0	0	0	0.373	1.019	3.680	31.238
Winter	3.4	0.068	0.041	0	0	0	0	0	0	0.000	0.000	2.039	14.118
Urbanization													
Central City	5.2	0.108	0.044	0	0	0	0	0	0	0.000	0.357	2.935	31.238
Nonmetropolitan	5.7	0.090	0.034	0	0	0	0	0	0	0.000	0.439	2.356	14.212
Suburban	6.1	0.098	0.027	0	0	0	0	0	0	0.000	0.548	2.231	18.050
Race													
Asian	4.1	0.064	0.098	0	0	0	0	0	0	0.000	0.000	1.430	7.103
Black	4.0	0.100	0.087	0	0	0	0	0	0	0.000	0.000	2.820	31.238
Native American	1.7	0.073	0.398	0	0	0	0	0	0	0.000	0.000	4.524	4.524
Other/NA	6.8	0.162	0.114	0	0	0	0	0	0	0.000	1.185	4.079	19.023
White	6.0	0.096	0.020	0	0	0	0	0	0	0.000	0.514	2.407	18.050
Region													
Midwest	6.4	0.101	0.038	0	0	0	0	0	0	0.000	0.624	2.406	31.238
Northeast	6.1	0.105	0.046	0	0	0	0	0	0	0.000	0.510	2.884	14.197
South	5.1	0.101	0.038	0	0	0	0	0	0	0.000	0.113	2.811	19.841
West	5.6	0.091	0.037	0	0	0	0	0	0	0.000	0.473	2.274	19.023

Table B-15a. Consumer-only intake of peaches (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	100	1.739	0.064	0.117	0.311	0.435	0.655	1.111	1.935	3.599	5.954	9.965	31.238
Age													
0–5 months	100	5.338	0.899	1.260	1.260	1.260	2.935	6.697	7.212	8.319	9.965	9.965	9.965
6–12 months	100	6.460	0.747	0.226	1.894	2.315	4.119	6.239	7.447	10.458	10.458	31.238	31.238
<1 year	100	6.232	0.628	0.710	1.680	2.315	3.892	6.239	7.327	9.965	10.458	31.238	31.238
1–2 years	100	4.613	0.270	0.215	1.018	1.462	2.251	4.079	6.346	9.820	10.796	14.118	19.023
3–5 years	100	3.803	0.283	0.583	1.069	1.333	1.907	3.086	4.663	6.944	9.223	14.197	18.050
6–11 years	100	2.288	0.212	0.420	0.487	0.766	1.112	1.660	2.820	4.148	7.692	9.223	9.223
12–19 years	100	1.427	0.151	0.086	0.360	0.398	0.595	0.939	1.755	2.944	3.074	5.954	5.954
20–39 years	100	1.116	0.062	0.288	0.386	0.530	0.675	0.915	1.394	1.923	2.306	3.144	4.243
40–69 years	100	1.058	0.053	0.113	0.219	0.309	0.512	0.800	1.350	1.948	2.747	4.524	14.212
70+ years	100	1.141	0.053	0.104	0.360	0.454	0.641	0.865	1.566	2.213	2.493	3.783	3.847
Season													
Fall	100	2.016	0.178	0.176	0.402	0.503	0.756	1.312	2.274	3.843	6.876	9.965	18.050
Spring	100	1.671	0.115	0.086	0.277	0.439	0.624	1.064	1.906	3.600	6.239	10.458	10.628
Summer	100	1.610	0.097	0.147	0.309	0.422	0.632	0.961	1.728	3.458	4.787	8.896	31.238
Winter	100	1.987	0.164	0.113	0.303	0.387	0.781	1.283	2.593	4.158	6.697	11.123	14.118
Urbanization													
Central City	100	2.080	0.150	0.108	0.386	0.503	0.720	1.350	2.399	4.152	6.524	11.653	31.238
Nonmetropolitan	100	1.584	0.106	0.164	0.271	0.386	0.600	1.029	1.906	3.113	4.415	10.458	14.212
Suburban	100	1.606	0.084	0.113	0.309	0.428	0.639	1.024	1.722	3.483	5.682	9.370	18.050
Race													
Asian	100	1.573	0.322	0.557	0.635	0.745	0.875	1.313	1.430	2.446	4.663	7.103	7.103
Black	100	2.503	0.360	0.086	0.288	0.352	0.600	1.260	2.820	6.579	9.223	19.841	31.238
Native American	100	4.357	0.260	3.547	3.547	3.547	4.524	4.524	4.524	4.524	4.524	4.524	4.524
Other/NA	100	2.364	0.333	0.341	0.624	0.659	1.080	1.350	2.307	5.954	7.212	14.197	19.023
White	100	1.605	0.059	0.125	0.309	0.422	0.632	1.029	1.863	3.346	5.041	9.223	18.050
Region													
Midwest	100	1.588	0.116	0.176	0.311	0.432	0.692	1.085	1.845	2.944	4.598	7.813	31.238
Northeast	100	1.708	0.142	0.201	0.363	0.400	0.637	0.911	1.935	4.106	5.435	10.458	14.197
South	100	1.973	0.130	0.091	0.272	0.395	0.611	1.166	2.251	4.554	7.212	11.123	19.841
West	100	1.616	0.112	0.219	0.360	0.471	0.680	1.224	1.879	3.131	4.243	8.642	19.023

Table B-16. Per capita intake of pears (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	4.1	0.086	0.025	0	0	0	0	0	0.000	0.000	0.000	2.287	25.794
Age													
0–5 months	12.9	0.929	0.669	0	0	0	0	0	0.000	3.125	9.582	13.393	25.794
6–12 months	25.9	1.835	0.709	0	0	0	0	0	1.197	6.836	10.318	17.223	25.794
<1 year	19.0	1.354	0.490	0	0	0	0	0	0.000	5.536	9.582	16.383	25.794
1–2 years	9.0	0.393	0.159	0	0	0	0	0	0.000	0.000	3.112	7.503	23.306
3–5 years	4.7	0.178	0.114	0	0	0	0	0	0.000	0.000	0.000	5.107	19.005
6–11 years	5.1	0.114	0.070	0	0	0	0	0	0.000	0.000	0.407	2.918	9.419
12–19 years	1.8	0.023	0.039	0	0	0	0	0	0.000	0.000	0.000	1.046	2.327
20–39 years	2.3	0.030	0.026	0	0	0	0	0	0.000	0.000	0.000	1.270	3.395
40–69 years	4.1	0.049	0.020	0	0	0	0	0	0.000	0.000	0.000	1.408	4.608
70+ years	7.7	0.098	0.039	0	0	0	0	0	0.000	0.000	0.915	2.091	5.585
Season													
Fall	5.7	0.114	0.049	0	0	0	0	0	0.000	0.000	0.642	2.394	23.306
Spring	2.9	0.058	0.039	0	0	0	0	0	0.000	0.000	0.000	1.833	17.223
Summer	3.2	0.070	0.052	0	0	0	0	0	0.000	0.000	0.000	2.008	19.328
Winter	4.4	0.101	0.054	0	0	0	0	0	0.000	0.000	0.000	2.756	25.794
Urbanization													
Central City	4.2	0.088	0.041	0	0	0	0	0	0.000	0.000	0.000	2.359	19.005
Nonmetropolitan	3.2	0.059	0.039	0	0	0	0	0	0.000	0.000	0.000	1.830	11.931
Suburban	4.3	0.096	0.040	0	0	0	0	0	0.000	0.000	0.000	2.394	25.794
Race													
Asian	7.3	0.131	0.165	0	0	0	0	0	0.000	0.000	1.280	2.296	23.306
Black	2.4	0.072	0.091	0	0	0	0	0	0.000	0.000	0.000	1.926	17.223
Native American	3.5	0.050	0.139	0	0	0	0	0	0.000	0.000	0.000	1.097	4.575
Other/NA	4.6	0.114	0.126	0	0	0	0	0	0.000	0.000	0.000	2.951	19.005
White	4.2	0.084	0.026	0	0	0	0	0	0.000	0.000	0.000	2.287	25.794
Region													
Midwest	3.2	0.074	0.055	0	0	0	0	0	0.000	0.000	0.000	2.026	23.306
Northeast	5.3	0.109	0.059	0	0	0	0	0	0.000	0.000	0.355	2.327	25.794
South	3.3	0.071	0.041	0	0	0	0	0	0.000	0.000	0.000	2.116	25.794
West	5.1	0.101	0.047	0	0	0	0	0	0.000	0.000	0.202	2.637	19.328

Table B-16a. Consumer-only intake of pears (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	100	2.115	0.095	0.152	0.407	0.569	0.897	1.345	2.287	4.152	6.614	13.393	25.794
Age													
0–5 months	100	7.196	1.099	1.529	1.720	1.841	3.676	6.049	10.031	13.393	13.393	25.794	25.794
6–12 months	100	7.097	0.902	0.280	1.197	1.764	3.904	6.250	8.105	16.383	16.383	25.794	25.794
<1 year	100	7.132	0.699	0.280	1.529	1.764	3.676	6.250	9.582	13.393	16.383	25.794	25.794
1–2 years	100	4.377	0.360	0.490	0.882	1.116	2.394	3.297	5.291	7.624	12.110	19.328	23.306
3–5 years	100	3.823	0.294	0.569	1.345	1.830	2.255	3.127	5.026	7.215	7.448	19.005	19.005
6–11 years	100	2.225	0.179	0.399	0.720	0.758	1.236	2.026	2.745	3.665	4.632	9.419	9.419
12–19 years	100	1.276	0.139	0.155	0.202	0.353	0.728	1.280	1.890	2.296	2.327	2.327	2.327
20–39 years	100	1.310	0.077	0.074	0.293	0.554	0.871	1.193	1.830	2.159	2.425	3.101	3.395
40–69 years	100	1.199	0.050	0.152	0.347	0.523	0.762	1.122	1.408	1.871	2.743	3.786	4.608
70+ years	100	1.274	0.079	0.084	0.284	0.598	0.832	1.064	1.422	2.292	2.614	5.585	5.585
Season													
Fall	100	1.987	0.160	0.197	0.523	0.572	0.943	1.355	2.148	3.101	6.049	13.393	23.306
Spring	100	1.970	0.161	0.074	0.267	0.490	0.871	1.307	2.205	4.538	5.754	8.300	17.223
Summer	100	2.216	0.231	0.227	0.293	0.597	0.876	1.262	2.395	4.917	6.662	16.383	19.328
Winter	100	2.308	0.203	0.152	0.425	0.633	0.926	1.355	2.614	4.913	8.105	11.277	25.794
Urbanization													
Central City	100	2.091	0.151	0.289	0.524	0.572	0.989	1.355	2.296	3.937	6.250	11.277	19.005
Nonmetropolitan	100	1.834	0.153	0.074	0.226	0.463	0.833	1.396	1.923	3.676	4.608	11.931	11.931
Suburban	100	2.225	0.155	0.143	0.407	0.597	0.906	1.273	2.287	4.632	7.223	16.383	25.794
Race													
Asian	100	1.798	0.497	0.197	0.425	0.425	1.228	1.355	2.159	2.425	2.554	23.306	23.306
Black	100	2.989	0.448	0.293	0.300	0.482	1.017	1.704	3.779	6.614	9.419	17.223	17.223
Native American	100	1.439	0.467	0.543	0.543	0.543	0.543	1.097	1.830	2.577	4.575	4.575	4.575
Other/NA	100	2.505	0.474	0.074	0.155	0.524	0.524	1.262	2.222	9.582	10.031	11.005	19.005
White	100	2.028	0.098	0.213	0.415	0.622	0.897	1.336	2.287	3.909	5.718	12.110	25.794
Region													
Midwest	100	2.330	0.244	0.197	0.409	0.597	0.852	1.345	2.395	5.107	9.419	13.393	23.306
Northeast	100	2.053	0.204	0.226	0.355	0.524	0.963	1.270	2.091	3.693	6.836	16.383	25.794
South	100	2.157	0.173	0.143	0.407	0.620	0.882	1.335	2.400	4.632	5.967	10.860	25.794
West	100	1.987	0.156	0.155	0.425	0.598	0.963	1.355	2.287	3.445	6.049	10.380	19.328

Table B-17. Per capita intake of peas (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	9.6	0.105	0.013	0	0	0	0	0	0	0.000	0.689	2.232	10.153
Age													
0–5 months	7.3	0.276	0.393	0	0	0	0	0	0	0.000	1.378	8.897	9.207
6–12 months	20.9	0.973	0.460	0	0	0	0	0	0	4.347	6.250	10.153	10.153
<1 year	13.7	0.603	0.313	0	0	0	0	0	0	3.125	4.934	9.207	10.153
1–2 years	12.0	0.257	0.072	0	0	0	0	0	0	0.551	2.054	5.362	7.943
3–5 years	10.1	0.163	0.054	0	0	0	0	0	0	0.100	1.260	3.162	6.889
6–11 years	8.4	0.111	0.049	0	0	0	0	0	0	0.000	0.808	2.342	7.496
12–19 years	5.5	0.060	0.037	0	0	0	0	0	0	0.000	0.195	1.603	3.766
20–39 years	7.7	0.073	0.027	0	0	0	0	0	0	0.000	0.480	1.479	7.773
40–69 years	11.3	0.094	0.016	0	0	0	0	0	0	0.174	0.673	1.744	7.716
70+ years	15.7	0.148	0.037	0	0	0	0	0	0	0.484	0.978	2.210	9.921
Season													
Fall	9.0	0.097	0.025	0	0	0	0	0	0	0.000	0.612	2.296	9.207
Spring	9.1	0.097	0.025	0	0	0	0	0	0	0.000	0.590	2.205	10.071
Summer	9.7	0.093	0.020	0	0	0	0	0	0	0.000	0.653	1.855	8.304
Winter	10.6	0.133	0.031	0	0	0	0	0	0	0.141	0.919	2.696	10.153
Urbanization													
Central City	9.7	0.102	0.021	0	0	0	0	0	0	0.000	0.706	2.075	7.943
Nonmetropolitan	10.2	0.107	0.023	0	0	0	0	0	0	0.031	0.689	2.231	8.304
Suburban	9.2	0.106	0.021	0	0	0	0	0	0	0.000	0.674	2.296	10.153
Race													
Asian	8.4	0.170	0.183	0	0	0	0	0	0	0.000	0.502	6.250	7.773
Black	10.9	0.131	0.034	0	0	0	0	0	0	0.276	0.984	2.552	7.943
Native American	9.7	0.131	0.145	0	0	0	0	0	0	0.000	1.041	1.992	4.931
Other/NA	5.2	0.047	0.049	0	0	0	0	0	0	0.000	0.038	1.432	5.708
White	9.7	0.102	0.014	0	0	0	0	0	0	0.000	0.678	2.143	10.153
Region													
Midwest	9.3	0.086	0.021	0	0	0	0	0	0	0.000	0.551	1.764	7.716
Northeast	11.1	0.132	0.034	0	0	0	0	0	0	0.222	0.866	2.552	9.921
South	10.1	0.111	0.020	0	0	0	0	0	0	0.044	0.802	2.158	10.153
West	7.8	0.093	0.033	0	0	0	0	0	0	0.000	0.455	2.696	9.207

Table B-17a. Consumer-only intake of peas (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	100	1.094	0.032	0.044	0.103	0.175	0.402	0.726	1.310	2.276	3.251	7.138	10.153
Age													
0–5 months	100	3.799	0.886	0.081	0.081	1.378	1.378	3.913	5.708	9.207	9.207	9.207	9.207
6–12 months	100	4.648	0.519	1.137	1.137	1.160	3.125	4.152	6.250	7.785	10.153	10.153	10.153
<1 year	100	4.408	0.455	0.081	1.137	1.160	1.957	3.913	5.949	8.304	10.071	10.153	10.153
1–2 years	100	2.141	0.139	0.021	0.170	0.391	0.808	1.624	3.149	4.248	6.111	7.327	7.943
3–5 years	100	1.619	0.107	0.103	0.276	0.525	0.735	1.260	2.143	3.162	4.409	5.512	6.889
6–11 years	100	1.327	0.119	0.047	0.108	0.251	0.535	0.984	1.807	2.342	3.919	7.496	7.496
12–19 years	100	1.105	0.101	0.071	0.167	0.217	0.490	0.791	1.441	2.205	3.606	3.766	3.766
20–39 years	100	0.943	0.074	0.049	0.095	0.159	0.337	0.630	1.133	1.653	2.696	7.773	7.773
40–69 years	100	0.832	0.033	0.031	0.096	0.155	0.334	0.606	1.072	1.671	2.273	3.779	7.716
70+ years	100	0.942	0.073	0.067	0.132	0.163	0.387	0.627	1.186	1.999	2.296	4.012	9.921
Season													
Fall	100	1.080	0.061	0.044	0.095	0.144	0.375	0.722	1.260	2.416	3.289	5.362	9.207
Spring	100	1.064	0.066	0.052	0.123	0.176	0.356	0.675	1.306	2.342	3.462	5.949	10.071
Summer	100	0.960	0.049	0.021	0.108	0.175	0.389	0.678	1.206	1.867	2.273	5.564	8.304
Winter	100	1.256	0.073	0.050	0.127	0.235	0.468	0.854	1.429	2.677	3.766	7.773	10.153
Urbanization													
Central City	100	1.045	0.050	0.049	0.110	0.213	0.420	0.735	1.284	2.077	2.979	6.250	7.943
Nonmetropolitan	100	1.051	0.053	0.021	0.091	0.165	0.374	0.678	1.413	2.205	2.939	5.958	8.304
Suburban	100	1.152	0.055	0.047	0.107	0.168	0.414	0.760	1.306	2.654	3.766	7.773	10.153
Race													
Asian	100	2.022	0.499	0.095	0.095	0.095	0.310	0.714	2.959	7.773	7.773	7.773	7.773
Black	100	1.198	0.071	0.073	0.159	0.311	0.536	0.909	1.441	2.362	3.748	5.076	7.943
Native American	100	1.348	0.299	0.321	0.321	0.321	0.420	1.441	1.663	1.992	3.481	4.931	4.931
Other/NA	100	0.913	0.177	0.038	0.038	0.101	0.201	0.383	1.237	2.143	3.105	5.708	5.708
White	100	1.049	0.034	0.044	0.108	0.175	0.389	0.694	1.266	2.185	3.125	6.250	10.153
Region													
Midwest	100	0.917	0.050	0.050	0.138	0.186	0.348	0.588	1.171	1.879	2.857	5.076	7.716
Northeast	100	1.187	0.078	0.021	0.116	0.222	0.490	0.798	1.328	2.247	3.836	7.496	9.921
South	100	1.097	0.046	0.047	0.103	0.183	0.473	0.801	1.378	2.158	3.077	5.512	10.153
West	100	1.197	0.094	0.038	0.095	0.129	0.318	0.606	1.312	2.871	3.906	7.773	9.207

Table B-18. Per capita intake of peppers (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile										
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th	
TOTAL	12.5	0.036	0.004	0	0	0	0	0	0	0	0.066	0.231	0.723	5.942
Age														
0–5 months	0.0	0.000	0.000	0	0	0	0	0	0	0	0.000	0.000	0.000	0.000
6–12 months	0.7	0.002	0.020	0	0	0	0	0	0	0	0.000	0.000	0.000	0.240
<1 year	0.3	0.001	0.014	0	0	0	0	0	0	0	0.000	0.000	0.000	0.240
1–2 years	1.6	0.007	0.015	0	0	0	0	0	0	0	0.000	0.000	0.285	1.295
3–5 years	3.2	0.018	0.023	0	0	0	0	0	0	0	0.000	0.000	0.604	3.820
6–11 years	4.5	0.018	0.015	0	0	0	0	0	0	0	0.000	0.000	0.532	2.429
12–19 years	6.9	0.018	0.010	0	0	0	0	0	0	0	0.000	0.089	0.514	1.901
20–39 years	16.3	0.049	0.008	0	0	0	0	0	0	0	0.125	0.311	0.856	3.150
40–69 years	16.3	0.043	0.007	0	0	0	0	0	0	0	0.114	0.254	0.704	5.942
70+ years	12.1	0.033	0.014	0	0	0	0	0	0	0	0.045	0.211	0.520	3.307
Season														
Fall	13.7	0.042	0.010	0	0	0	0	0	0	0	0.094	0.261	0.750	5.942
Spring	12.7	0.033	0.007	0	0	0	0	0	0	0	0.065	0.242	0.631	2.876
Summer	11.8	0.037	0.009	0	0	0	0	0	0	0	0.040	0.216	0.833	4.250
Winter	12.0	0.032	0.007	0	0	0	0	0	0	0	0.056	0.190	0.639	3.307
Urbanization														
Central City	13.4	0.041	0.008	0	0	0	0	0	0	0	0.089	0.268	0.723	4.250
Nonmetropolitan	12.8	0.033	0.007	0	0	0	0	0	0	0	0.061	0.196	0.723	2.739
Suburban	11.8	0.035	0.006	0	0	0	0	0	0	0	0.056	0.218	0.719	5.942
Race														
Asian	9.4	0.033	0.024	0	0	0	0	0	0	0	0.000	0.243	0.822	1.160
Black	12.3	0.033	0.011	0	0	0	0	0	0	0	0.046	0.150	0.695	2.405
Native American	18.5	0.044	0.032	0	0	0	0	0	0	0	0.168	0.331	0.923	0.923
Other/NA	19.0	0.063	0.018	0	0	0	0	0	0	0	0.163	0.402	1.083	2.385
White	12.2	0.035	0.005	0	0	0	0	0	0	0	0.061	0.227	0.678	5.942
Region														
Midwest	12.0	0.035	0.010	0	0	0	0	0	0	0	0.048	0.216	0.724	5.942
Northeast	14.3	0.050	0.011	0	0	0	0	0	0	0	0.108	0.344	0.883	4.250
South	10.6	0.025	0.006	0	0	0	0	0	0	0	0.014	0.157	0.514	3.307
West	14.7	0.042	0.008	0	0	0	0	0	0	0	0.104	0.274	0.813	2.739

Table B-18a. Consumer-only intake of peppers (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	100	0.288	0.010	0.007	0.020	0.035	0.079	0.172	0.345	0.677	0.883	1.971	5.942
Age													
0–5 months	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
6–12 months	100	0.240	0.000	0.240	0.240	0.240	0.240	0.240	0.240	0.240	0.240	0.240	0.240
<1 year	100	0.240	0.000	0.240	0.240	0.240	0.240	0.240	0.240	0.240	0.240	0.240	0.240
1–2 years	100	0.431	0.076	0.069	0.080	0.106	0.133	0.293	0.719	0.951	1.295	1.295	1.295
3–5 years	100	0.554	0.096	0.061	0.073	0.093	0.178	0.437	0.661	0.973	1.573	3.820	3.820
6–11 years	100	0.403	0.049	0.007	0.022	0.045	0.121	0.307	0.476	0.903	1.292	1.644	2.429
12–19 years	100	0.258	0.031	0.008	0.018	0.029	0.075	0.142	0.306	0.570	0.855	1.776	1.901
20–39 years	100	0.298	0.016	0.008	0.021	0.037	0.083	0.185	0.367	0.695	0.886	1.751	3.150
40–69 years	100	0.266	0.015	0.007	0.022	0.037	0.076	0.160	0.309	0.551	0.782	1.984	5.942
70+ years	100	0.276	0.035	0.004	0.014	0.024	0.060	0.148	0.329	0.514	0.863	2.876	3.307
Season													
Fall	100	0.310	0.022	0.007	0.030	0.045	0.094	0.196	0.360	0.695	0.864	2.043	5.942
Spring	100	0.261	0.015	0.009	0.018	0.038	0.074	0.171	0.334	0.532	0.838	1.751	2.876
Summer	100	0.316	0.021	0.004	0.018	0.025	0.073	0.166	0.382	0.733	1.131	2.111	4.250
Winter	100	0.263	0.017	0.008	0.018	0.034	0.076	0.161	0.328	0.576	0.873	1.984	3.307
Urbanization													
Central City	100	0.304	0.017	0.004	0.018	0.029	0.089	0.184	0.373	0.695	0.868	1.984	4.250
Nonmetropolitan	100	0.254	0.016	0.009	0.018	0.028	0.068	0.156	0.301	0.591	0.820	1.884	2.739
Suburban	100	0.292	0.016	0.008	0.023	0.043	0.080	0.173	0.339	0.631	0.906	1.960	5.942
Race													
Asian	100	0.354	0.050	0.004	0.005	0.013	0.171	0.248	0.465	0.822	0.886	1.160	1.160
Black	100	0.268	0.026	0.005	0.011	0.018	0.058	0.114	0.297	0.695	0.821	1.764	2.405
Native American	100	0.238	0.057	0.004	0.004	0.004	0.049	0.168	0.331	0.798	0.923	0.923	0.923
Other/NA	100	0.333	0.033	0.016	0.023	0.037	0.089	0.176	0.448	0.838	1.196	1.971	2.385
White	100	0.285	0.011	0.009	0.023	0.040	0.080	0.179	0.342	0.620	0.873	1.984	5.942
Region													
Midwest	100	0.293	0.024	0.005	0.018	0.030	0.071	0.171	0.314	0.651	0.903	1.984	5.942
Northeast	100	0.350	0.024	0.015	0.034	0.053	0.096	0.228	0.439	0.733	1.035	1.776	4.250
South	100	0.237	0.014	0.004	0.012	0.031	0.070	0.140	0.273	0.505	0.750	1.587	3.307
West	100	0.288	0.016	0.008	0.018	0.030	0.084	0.185	0.373	0.640	0.876	1.971	2.739

Table B-19. Per capita intake of pumpkins (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	0.9	0.017	0.025	0	0	0	0	0	0	0	0.000	0.000	19.504
Age													
0–5 months	4.9	0.282	0.454	0	0	0	0	0	0	0	0.000	8.231	10.991
6–12 months	9.2	0.605	0.598	0	0	0	0	0	0	0	5.208	18.290	19.504
<1 year	6.9	0.433	0.383	0	0	0	0	0	0	0	2.595	10.984	19.504
1–2 years	1.0	0.054	0.172	0	0	0	0	0	0	0	0.000	0.000	12.229
3–5 years	0.3	0.003	0.034	0	0	0	0	0	0	0	0.000	0.000	3.307
6–11 years	0.1	0.001	0.017	0	0	0	0	0	0	0	0.000	0.000	0.921
12–19 years	0.1	0.002	0.039	0	0	0	0	0	0	0	0.000	0.000	2.120
20–39 years	0.4	0.004	0.021	0	0	0	0	0	0	0	0.000	0.000	2.656
40–69 years	1.2	0.017	0.025	0	0	0	0	0	0	0	0.000	0.779	3.779
70+ years	2.1	0.020	0.029	0	0	0	0	0	0	0	0.000	0.914	1.731
Season													
Fall	1.6	0.023	0.035	0	0	0	0	0	0	0	0.000	1.059	9.582
Spring	0.5	0.017	0.077	0	0	0	0	0	0	0	0.000	0.000	19.504
Summer	0.7	0.013	0.036	0	0	0	0	0	0	0	0.000	0.000	11.243
Winter	0.6	0.012	0.055	0	0	0	0	0	0	0	0.000	0.000	18.290
Urbanization													
Central City	0.8	0.019	0.053	0	0	0	0	0	0	0	0.000	0.000	19.504
Nonmetropolitan	0.9	0.014	0.040	0	0	0	0	0	0	0	0.000	0.000	12.229
Suburban	0.9	0.016	0.034	0	0	0	0	0	0	0	0.000	0.000	18.290
Race													
Asian	0.6	0.005	0.077	0	0	0	0	0	0	0	0.000	0.000	5.401
Black	0.3	0.013	0.133	0	0	0	0	0	0	0	0.000	0.000	19.504
Native American	0.0	0.000	0.000	0	0	0	0	0	0	0	0.000	0.000	0.000
Other/NA	0.8	0.017	0.089	0	0	0	0	0	0	0	0.000	0.000	9.582
White	1.0	0.018	0.026	0	0	0	0	0	0	0	0.000	0.000	18.290
Region													
Midwest	0.8	0.017	0.057	0	0	0	0	0	0	0	0.000	0.000	19.504
Northeast	2.2	0.033	0.047	0	0	0	0	0	0	0	0.000	1.070	10.991
South	0.4	0.011	0.043	0	0	0	0	0	0	0	0.000	0.000	12.229
West	0.5	0.011	0.060	0	0	0	0	0	0	0	0.000	0.000	18.290

Table B-19a. Consumer-only intake of pumpkins (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	100	1.925	0.213	0.124	0.311	0.422	0.750	1.180	1.828	3.748	6.920	12.229	19.504
Age													
0–5 months	100	5.741	1.038	1.645	1.645	1.841	2.058	5.581	8.231	10.991	10.991	10.991	10.991
6–12 months	100	6.601	1.253	1.624	2.019	2.595	2.595	5.435	8.590	18.290	19.504	19.504	19.504
<1 year	100	6.276	0.879	1.624	1.645	1.841	2.595	5.581	8.231	10.991	18.290	19.504	19.504
1–2 years	100	5.652	0.918	0.32	0.973	1.403	2.287	4.934	8.147	11.243	11.243	12.229	12.229
3–5 years	100	0.813	0.447	0.336	0.336	0.336	0.336	0.388	0.724	3.307	3.307	3.307	3.307
6–11 years	100	0.664	0.113	0.565	0.565	0.565	0.565	0.565	0.921	0.921	0.921	0.921	0.921
12–19 years	100	1.629	0.476	0.704	0.704	0.704	0.704	2.120	2.120	2.120	2.120	2.120	2.120
20–39 years	100	0.990	0.178	0.215	0.265	0.265	0.366	0.912	1.355	1.929	2.656	2.656	2.656
40–69 years	100	1.380	0.112	0.083	0.212	0.682	0.924	1.145	1.646	2.575	3.498	3.748	3.779
70+ years	100	0.928	0.088	0.244	0.354	0.466	0.491	0.835	1.213	1.731	1.731	1.731	1.731
Season													
Fall	100	1.500	0.193	0.215	0.289	0.642	0.869	1.145	1.447	2.575	5.435	8.147	9.582
Spring	100	3.232	0.846	0.083	0.212	0.244	0.366	1.355	5.208	10.984	10.991	19.504	19.504
Summer	100	1.853	0.278	0.124	0.336	0.565	0.724	1.452	2.290	3.565	3.779	11.243	11.243
Winter	100	1.951	0.581	0.338	0.338	0.422	0.466	0.960	2.058	3.750	8.231	18.290	18.290
Urbanization													
Central City	100	2.371	0.471	0.083	0.265	0.338	0.955	1.447	2.120	5.931	10.984	19.504	19.504
Nonmetropolitan	100	1.611	0.321	0.124	0.289	0.611	0.823	1.070	1.452	3.125	3.788	8.590	12.229
Suburban	100	1.781	0.287	0.212	0.388	0.466	0.696	1.062	1.748	3.779	5.949	11.243	18.290
Race													
Asian	100	0.760	0.892	0.215	0.215	0.215	0.215	0.265	0.265	0.265	5.401	5.401	5.401
Black	100	3.927	1.862	0.338	0.338	0.338	0.347	0.960	5.435	8.590	19.504	19.504	19.504
Native American	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Other/NA	100	2.064	0.667	0.083	0.083	0.366	1.452	2.019	2.287	3.565	3.565	9.582	9.582
White	100	1.828	0.202	0.212	0.354	0.497	0.828	1.180	1.731	3.498	5.949	10.991	18.290
Region													
Midwest	100	2.232	0.509	0.388	0.642	0.750	1.213	1.686	2.205	3.748	5.581	19.504	19.504
Northeast	100	1.530	0.251	0.124	0.338	0.466	0.696	1.062	1.412	2.575	5.435	10.991	10.991
South	100	2.437	0.478	0.215	0.265	0.265	0.705	1.206	2.595	8.147	8.590	8.590	12.229
West	100	2.232	0.729	0.083	0.212	0.212	0.538	1.046	2.019	3.750	11.243	18.290	18.290

Table B-20. Per capita intake of snap beans (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	13.8	0.135	0.011	0	0	0	0	0	0.000	0.441	0.912	2.126	19.531
Age													
0–5 months	5.1	0.257	0.427	0	0	0	0	0	0.000	0.000	2.853	6.511	9.375
6–12 months	26.7	1.040	0.360	0	0	0	0	0	0.155	5.190	5.767	8.304	10.417
<1 year	15.2	0.624	0.267	0	0	0	0	0	0.000	3.114	5.435	7.832	10.417
1–2 years	20.1	0.490	0.086	0	0	0	0	0	0.000	1.691	3.100	6.665	13.889
3–5 years	15.6	0.239	0.050	0	0	0	0	0	0.000	0.941	1.730	3.445	8.916
6–11 years	12.0	0.160	0.057	0	0	0	0	0	0.000	0.504	1.181	2.480	19.531
12–19 years	7.9	0.063	0.024	0	0	0	0	0	0.000	0.000	0.573	1.405	2.255
20–39 years	12.1	0.097	0.018	0	0	0	0	0	0.000	0.316	0.811	1.715	4.209
40–69 years	15.6	0.113	0.012	0	0	0	0	0	0.000	0.441	0.809	1.596	4.486
70+ years	19.7	0.152	0.023	0	0	0	0	0	0.000	0.592	0.989	1.816	3.445
Season													
Fall	14.5	0.140	0.026	0	0	0	0	0	0.000	0.471	0.908	2.178	19.531
Spring	12.7	0.127	0.021	0	0	0	0	0	0.000	0.392	0.887	2.094	9.645
Summer	15.6	0.151	0.021	0	0	0	0	0	0.000	0.563	0.985	2.086	11.023
Winter	12.4	0.121	0.021	0	0	0	0	0	0.000	0.354	0.882	2.205	13.889
Urbanization													
Central City	13.1	0.141	0.024	0	0	0	0	0	0.000	0.425	0.924	2.269	19.531
Nonmetropolitan	15.6	0.138	0.020	0	0	0	0	0	0.000	0.465	0.872	2.188	9.375
Suburban	13.4	0.129	0.016	0	0	0	0	0	0.000	0.441	0.925	1.964	13.889
Race													
Asian	11.3	0.126	0.071	0	0	0	0	0	0.000	0.386	0.970	1.977	5.026
Black	15.7	0.166	0.033	0	0	0	0	0	0.000	0.563	1.063	2.439	10.417
Native American	11.8	0.133	0.116	0	0	0	0	0	0.000	0.297	1.139	2.756	3.916
Other/NA	5.3	0.051	0.042	0	0	0	0	0	0.000	0.000	0.230	1.302	5.315
White	14.2	0.136	0.012	0	0	0	0	0	0.000	0.465	0.908	2.067	19.531
Region													
Midwest	15.3	0.162	0.024	0	0	0	0	0	0.000	0.524	1.039	2.756	10.417
Northeast	11.0	0.107	0.027	0	0	0	0	0	0.000	0.192	0.745	1.818	13.889
South	17.9	0.172	0.019	0	0	0	0	0	0.000	0.625	1.077	2.269	19.531
West	8.2	0.071	0.018	0	0	0	0	0	0.000	0.000	0.572	1.449	6.228

B-40

Table B-20a. Consumer-only intake of snap beans (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	100	0.978	0.023	0.056	0.139	0.241	0.425	0.713	1.148	1.849	2.48	5.767	19.531
Age													
0–5 months	100	5.063	0.738	2.853	2.853	2.853	2.853	4.604	5.952	8.818	8.818	9.375	9.375
6–12 months	100	3.891	0.397	0.155	0.155	0.930	1.903	3.460	5.662	6.920	7.832	10.417	10.417
<1 year	100	4.099	0.358	0.155	0.155	1.034	2.031	3.916	5.662	6.920	8.304	10.417	10.417
1–2 years	100	2.438	0.136	0.097	0.310	0.404	1.068	1.671	3.100	5.952	6.665	9.645	13.889
3–5 years	100	1.530	0.083	0.073	0.276	0.482	0.772	1.240	1.886	2.756	4.094	7.349	8.916
6–11 years	100	1.329	0.135	0.107	0.211	0.404	0.620	1.029	1.488	2.269	3.368	4.570	19.531
12–19 years	100	0.798	0.044	0.152	0.233	0.328	0.551	0.671	1.029	1.442	1.860	2.255	2.255
20–39 years	100	0.800	0.031	0.052	0.136	0.192	0.392	0.676	1.026	1.584	1.977	2.912	4.209
40–69 years	100	0.724	0.019	0.065	0.138	0.225	0.391	0.594	0.930	1.405	1.715	2.480	4.486
70+ years	100	0.773	0.032	0.088	0.144	0.259	0.416	0.601	0.992	1.531	1.816	2.985	3.445
Season													
Fall	100	0.970	0.056	0.069	0.162	0.257	0.417	0.675	1.077	1.844	2.239	5.952	19.531
Spring	100	1.000	0.044	0.052	0.129	0.219	0.414	0.715	1.227	1.929	2.717	5.662	9.645
Summer	100	0.971	0.039	0.089	0.148	0.277	0.438	0.744	1.128	1.730	2.559	5.952	11.023
Winter	100	0.974	0.045	0.053	0.128	0.211	0.413	0.743	1.162	1.813	2.471	5.952	13.889
Urbanization													
Central City	100	1.070	0.052	0.077	0.138	0.237	0.429	0.763	1.251	2.088	2.826	6.514	19.531
Nonmetropolitan	100	0.887	0.038	0.067	0.128	0.213	0.392	0.605	1.061	1.717	2.608	5.434	9.375
Suburban	100	0.964	0.032	0.052	0.177	0.271	0.441	0.725	1.146	1.772	2.265	5.716	13.889
Race													
Asian	100	1.122	0.126	0.064	0.257	0.343	0.551	0.924	1.630	1.977	2.358	3.409	5.026
Black	100	1.055	0.062	0.102	0.138	0.258	0.429	0.772	1.246	2.178	2.756	5.952	10.417
Native American	100	1.124	0.227	0.162	0.162	0.162	0.297	1.135	1.417	2.756	3.249	3.916	3.916
Other/NA	100	0.958	0.122	0.214	0.230	0.276	0.528	0.701	1.054	2.293	2.853	4.791	5.315
White	100	0.959	0.026	0.053	0.139	0.234	0.418	0.699	1.131	1.772	2.397	5.952	19.531
Region													
Midwest	100	1.056	0.046	0.052	0.164	0.257	0.429	0.701	1.227	2.126	3.125	5.952	10.417
Northeast	100	0.977	0.061	0.066	0.136	0.202	0.441	0.718	1.148	1.772	2.178	6.514	13.889
South	100	0.964	0.036	0.067	0.138	0.240	0.413	0.723	1.139	1.791	2.358	5.767	19.531
West	100	0.872	0.042	0.077	0.193	0.265	0.425	0.715	1.029	1.587	2.067	4.791	6.228

Table B-21. Per capita intake of strawberries (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	4.7	0.041	0.011	0	0	0	0	0	0	0	0.000	1.214	14.109
Age													
0–5 months	0.0	0.000	0.000	0	0	0	0	0	0	0	0.000	0.000	0.000
6–12 months	0.8	0.015	0.125	0	0	0	0	0	0	0	0.000	0.000	2.205
<1 year	0.4	0.007	0.086	0	0	0	0	0	0	0	0.000	0.000	2.205
1–2 years	4.7	0.116	0.091	0	0	0	0	0	0	0	0.000	3.465	8.976
3–5 years	4.1	0.096	0.081	0	0	0	0	0	0	0	0.000	3.123	14.109
6–11 years	4.4	0.064	0.053	0	0	0	0	0	0	0	0.000	1.764	8.377
12–19 years	3.8	0.032	0.026	0	0	0	0	0	0	0	0.000	1.220	2.480
20–39 years	4.0	0.029	0.018	0	0	0	0	0	0	0	0.000	0.882	3.199
40–69 years	5.7	0.034	0.011	0	0	0	0	0	0	0	0.184	0.930	4.357
70+ years	5.6	0.042	0.029	0	0	0	0	0	0	0	0.220	1.022	5.879
Season													
Fall	1.5	0.013	0.019	0	0	0	0	0	0	0	0.000	0.439	6.777
Spring	9.0	0.082	0.022	0	0	0	0	0	0	0	0.584	1.726	11.243
Summer	4.6	0.038	0.021	0	0	0	0	0	0	0	0.000	1.130	8.976
Winter	3.6	0.031	0.024	0	0	0	0	0	0	0	0.000	0.838	14.109
Urbanization													
Central City	3.9	0.032	0.019	0	0	0	0	0	0	0	0.000	0.859	11.243
Nonmetropolitan	3.3	0.025	0.017	0	0	0	0	0	0	0	0.000	0.873	5.291
Suburban	5.8	0.054	0.017	0	0	0	0	0	0	0	0.254	1.478	14.109
Race													
Asian	2.8	0.055	0.133	0	0	0	0	0	0	0	0.000	3.046	8.976
Black	1.6	0.017	0.038	0	0	0	0	0	0	0	0.000	0.487	8.377
Native American	3.8	0.016	0.054	0	0	0	0	0	0	0	0.000	0.690	0.690
Other/NA	3.1	0.032	0.046	0	0	0	0	0	0	0	0.000	1.044	4.177
White	5.4	0.045	0.012	0	0	0	0	0	0	0	0.137	1.260	14.109
Region													
Midwest	5.4	0.042	0.018	0	0	0	0	0	0	0	0.220	1.213	7.606
Northeast	4.7	0.039	0.024	0	0	0	0	0	0	0	0.000	1.114	8.377
South	3.7	0.034	0.023	0	0	0	0	0	0	0	0.000	0.809	14.109
West	5.5	0.052	0.021	0	0	0	0	0	0	0	0.156	1.519	5.839

B-42

Table B-21a. Consumer-only intake of strawberries (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	100	0.876	0.039	0.049	0.132	0.189	0.328	0.566	1.081	1.764	2.584	5.213	14.109
Age													
0–5 months	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
6–12 months	100	1.953	0.315	1.167	1.167	1.167	2.205	2.205	2.205	2.205	2.205	2.205	2.205
<1 year	100	1.953	0.315	1.167	1.167	1.167	2.205	2.205	2.205	2.205	2.205	2.205	2.205
1–2 years	100	2.493	0.279	0.318	0.335	0.490	0.902	1.960	2.889	5.213	8.267	8.976	8.976
3–5 years	100	2.360	0.279	0.283	0.389	0.572	1.017	1.804	3.123	4.189	6.981	11.243	14.109
6–11 years	100	1.445	0.177	0.096	0.189	0.283	0.611	1.047	1.696	2.801	3.867	7.986	8.377
12–19 years	100	0.854	0.072	0.068	0.156	0.322	0.485	0.690	1.220	1.633	2.080	2.480	2.480
20–39 years	100	0.731	0.060	0.037	0.084	0.151	0.281	0.547	0.882	1.639	2.246	3.046	3.199
40–69 years	100	0.593	0.031	0.049	0.112	0.160	0.288	0.450	0.762	1.287	1.483	2.268	4.357
70+ years	100	0.747	0.093	0.094	0.147	0.215	0.349	0.544	0.831	1.420	1.613	5.879	5.879
Season													
Fall	100	0.839	0.107	0.037	0.147	0.210	0.351	0.541	1.041	1.696	2.268	4.535	6.777
Spring	100	0.907	0.056	0.068	0.142	0.220	0.356	0.630	1.114	1.830	2.501	5.144	11.243
Summer	100	0.839	0.077	0.039	0.096	0.136	0.285	0.479	0.971	1.653	2.841	4.669	8.976
Winter	100	0.859	0.101	0.056	0.097	0.192	0.321	0.551	0.992	1.675	2.480	5.879	14.109
Urbanization													
Central City	100	0.802	0.076	0.037	0.132	0.151	0.265	0.540	0.882	1.653	2.405	4.357	11.243
Nonmetropolitan	100	0.774	0.062	0.068	0.142	0.189	0.335	0.531	0.976	1.519	1.830	3.674	5.291
Suburban	100	0.936	0.056	0.054	0.122	0.193	0.361	0.595	1.197	1.915	2.801	5.879	14.109
Race													
Asian	100	2.005	0.530	0.330	0.330	0.330	0.735	1.359	3.046	3.199	3.642	8.976	8.976
Black	100	1.057	0.237	0.084	0.084	0.200	0.313	0.566	1.134	2.334	4.189	8.377	8.377
Native American	100	0.407	0.153	0.142	0.142	0.142	0.142	0.309	0.690	0.690	0.690	0.690	0.690
Other/NA	100	1.041	0.177	0.068	0.068	0.142	0.294	0.867	1.526	2.460	2.646	4.177	4.177
White	100	0.841	0.039	0.049	0.128	0.189	0.327	0.551	1.041	1.645	2.246	5.144	14.109
Region													
Midwest	100	0.782	0.053	0.049	0.204	0.249	0.356	0.578	0.967	1.634	1.915	4.357	7.606
Northeast	100	0.833	0.083	0.037	0.137	0.189	0.305	0.594	0.912	1.675	2.584	4.833	8.377
South	100	0.938	0.102	0.072	0.122	0.147	0.262	0.496	0.931	2.473	3.046	8.267	14.109
West	100	0.941	0.062	0.054	0.097	0.165	0.399	0.694	1.279	2.080	2.460	3.867	5.839

B-43

Table B-22. Per capita intake of tomatoes (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	90.8	0.980	0.010	0	0.000	0.037	0.298	0.672	1.267	2.147	2.995	5.303	40.893
Age													
0–5 months	4.6	0.159	0.356	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	9.459	9.459
6–12 months	66.2	0.926	0.121	0	0.000	0.000	0.000	0.728	1.504	2.262	3.460	6.525	6.525
<1 year	33.5	0.518	0.119	0	0.000	0.000	0.000	0.000	0.731	1.623	2.360	6.525	9.459
1–2 years	88.9	2.139	0.076	0	0.000	0.000	0.563	1.505	2.953	4.419	6.179	11.003	40.893
3–5 years	88.3	1.741	0.059	0	0.000	0.000	0.527	1.188	2.275	3.888	5.077	9.906	24.014
6–11 years	90.2	1.217	0.037	0	0.000	0.024	0.404	0.867	1.578	2.623	3.722	6.531	17.233
12–19 years	95.1	1.010	0.025	0	0.019	0.173	0.407	0.791	1.328	2.059	2.693	4.421	8.824
20–39 years	94.2	0.959	0.018	0	0.000	0.131	0.355	0.714	1.243	1.983	2.698	4.843	12.085
40–69 years	90.0	0.772	0.013	0	0.000	0.000	0.235	0.536	1.021	1.747	2.340	4.039	14.881
70+ years	87.9	0.739	0.025	0	0.000	0.000	0.168	0.468	0.969	1.787	2.536	4.321	7.128
Season													
Fall	91.1	1.006	0.022	0	0.000	0.042	0.281	0.690	1.336	2.193	3.121	5.334	40.893
Spring	90.6	0.937	0.019	0	0.000	0.029	0.286	0.632	1.220	2.074	2.815	5.213	21.517
Summer	91.7	1.014	0.020	0	0.000	0.070	0.321	0.707	1.297	2.170	3.080	5.500	24.014
Winter	89.8	0.961	0.020	0	0.000	0.000	0.295	0.666	1.215	2.111	2.948	5.273	14.992
Urbanization													
Central City	90.9	1.029	0.019	0	0.000	0.038	0.310	0.697	1.349	2.245	3.188	5.781	24.014
Nonmetropolitan	88.4	0.873	0.020	0	0.000	0.000	0.244	0.585	1.135	1.915	2.730	4.601	40.893
Suburban	91.8	0.994	0.015	0	0.000	0.070	0.309	0.690	1.271	2.162	2.980	5.317	23.243
Race													
Asian	89.9	1.382	0.074	0	0.000	0.000	0.561	1.045	1.813	2.820	3.926	6.381	9.284
Black	88.7	0.838	0.026	0	0.000	0.000	0.222	0.547	1.106	1.863	2.486	5.098	16.831
Native American	84.4	1.111	0.307	0	0.000	0.000	0.160	0.548	1.384	2.543	2.652	5.110	40.893
Other/NA	86.0	1.325	0.061	0	0.000	0.000	0.349	0.894	1.614	2.931	4.081	8.732	22.413
White	91.6	0.962	0.011	0	0.000	0.063	0.307	0.670	1.246	2.107	2.965	5.093	24.014
Region													
Midwest	92.1	0.973	0.020	0	0.000	0.068	0.304	0.667	1.238	2.123	2.980	5.317	23.243
Northeast	90.6	1.034	0.024	0	0.000	0.028	0.305	0.730	1.358	2.240	3.173	5.241	21.517
South	90.6	0.898	0.015	0	0.000	0.034	0.279	0.605	1.175	1.946	2.729	4.962	24.014
West	89.9	1.067	0.024	0	0.000	0.000	0.325	0.749	1.360	2.343	3.260	6.334	40.893

Table B-22a. Consumer-only intake of tomatoes (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	100	1.079	0.010	0.04	0.123	0.198	0.394	0.756	1.350	2.243	3.137	5.470	40.893
Age													
0–5 months	100	3.436	1.271	0.227	0.227	0.347	0.814	0.826	9.459	9.459	9.459	9.459	9.459
6–12 months	100	1.398	0.122	0.059	0.098	0.282	0.731	1.015	1.772	2.879	3.597	6.525	6.525
<1 year	100	1.548	0.163	0.059	0.098	0.282	0.731	1.015	1.845	2.888	4.461	9.459	9.459
1–2 years	100	2.406	0.077	0.067	0.264	0.417	0.856	1.779	3.146	4.670	6.570	11.807	40.893
3–5 years	100	1.971	0.060	0.056	0.210	0.380	0.745	1.394	2.431	4.182	5.347	9.906	24.014
6–11 years	100	1.349	0.037	0.054	0.197	0.271	0.537	0.995	1.701	2.715	3.931	6.582	17.233
12–19 years	100	1.061	0.025	0.077	0.161	0.250	0.469	0.839	1.360	2.147	2.747	4.455	8.824
20–39 years	100	1.018	0.018	0.052	0.143	0.221	0.408	0.763	1.286	2.023	2.780	4.886	12.085
40–69 years	100	0.858	0.013	0.036	0.096	0.155	0.327	0.605	1.096	1.810	2.428	4.069	14.881
70+ years	100	0.840	0.025	0.014	0.071	0.129	0.271	0.557	1.074	1.972	2.686	4.321	7.128
Season													
Fall	100	1.104	0.022	0.035	0.107	0.184	0.378	0.778	1.428	2.313	3.230	5.347	40.893
Spring	100	1.033	0.019	0.039	0.128	0.199	0.371	0.713	1.306	2.183	2.939	5.436	21.517
Summer	100	1.106	0.020	0.041	0.125	0.203	0.408	0.779	1.357	2.253	3.210	5.809	24.014
Winter	100	1.070	0.021	0.047	0.130	0.209	0.410	0.761	1.299	2.265	3.099	5.386	14.992
Urbanization													
Central City	100	1.132	0.019	0.038	0.133	0.221	0.401	0.780	1.442	2.383	3.313	6.117	24.014
Nonmetropolitan	100	0.987	0.020	0.039	0.109	0.183	0.367	0.691	1.243	2.074	2.901	4.893	40.893
Suburban	100	1.082	0.015	0.045	0.122	0.195	0.400	0.759	1.337	2.243	3.097	5.470	23.243
Race													
Asian	100	1.537	0.074	0.036	0.212	0.366	0.731	1.176	1.961	2.946	3.936	8.639	9.284
Black	100	0.945	0.026	0.031	0.102	0.170	0.322	0.647	1.179	1.868	2.621	5.490	16.831
Native American	100	1.316	0.330	0.070	0.094	0.125	0.375	0.692	1.612	2.567	2.713	13.136	40.893
Other/NA	100	1.540	0.063	0.089	0.211	0.284	0.575	1.060	1.795	3.210	4.212	8.943	22.413
White	100	1.051	0.011	0.040	0.124	0.198	0.393	0.740	1.316	2.203	3.060	5.230	24.014
Region													
Midwest	100	1.057	0.020	0.037	0.110	0.184	0.381	0.732	1.306	2.237	3.129	5.334	23.243
Northeast	100	1.141	0.024	0.034	0.126	0.205	0.413	0.813	1.450	2.392	3.278	5.328	21.517
South	100	0.990	0.016	0.041	0.119	0.189	0.358	0.682	1.258	2.090	2.837	5.076	24.014
West	100	1.187	0.025	0.056	0.145	0.236	0.453	0.846	1.474	2.488	3.460	6.487	40.893

B-45

Table B-23. Per capita intake of white potatoes (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	82.1	1.089	0.014	0	0	0	0.059	0.634	1.520	2.760	3.790	7.011	34.284
Age													
0–5 months	7.4	0.120	0.185	0	0	0	0.000	0.000	0.000	0.000	0.148	5.581	5.581
6–12 months	62.1	1.008	0.213	0	0	0	0.000	0.198	0.945	3.086	6.092	9.755	12.531
<1 year	33.0	0.537	0.151	0	0	0	0.000	0.000	0.218	1.543	3.391	7.140	12.531
1–2 years	77.3	2.245	0.100	0	0	0	0.056	1.218	3.156	6.098	7.773	14.743	34.284
3–5 years	78.2	2.027	0.085	0	0	0	0.068	1.130	2.985	5.252	7.011	14.491	32.045
6–11 years	79.2	1.510	0.058	0	0	0	0.069	0.898	2.161	3.929	5.050	9.407	20.591
12–19 years	84.9	1.243	0.049	0	0	0	0.111	0.819	1.719	2.931	3.977	7.661	17.917
20–39 years	84.7	0.984	0.024	0	0	0	0.077	0.639	1.446	2.474	3.294	5.631	12.381
40–69 years	82.8	0.846	0.016	0	0	0	0.051	0.545	1.248	2.160	2.907	4.427	11.996
70+ years	81.4	0.847	0.031	0	0	0	0.045	0.525	1.316	2.205	2.987	4.406	9.763
Season													
Fall	82.8	1.098	0.027	0	0	0	0.071	0.656	1.508	2.770	3.742	7.167	18.768
Spring	81.5	1.094	0.028	0	0	0	0.048	0.580	1.544	2.843	3.871	7.165	30.030
Summer	81.2	1.076	0.027	0	0	0	0.054	0.644	1.482	2.722	3.633	6.874	25.814
Winter	82.8	1.088	0.030	0	0	0	0.074	0.635	1.545	2.737	3.826	6.620	34.284
Urbanization													
Central City	79.9	1.031	0.026	0	0	0	0.039	0.524	1.424	2.636	3.842	6.907	25.537
Nonmetropolitan	84.5	1.262	0.032	0	0	0	0.106	0.772	1.744	2.987	4.056	8.856	34.284
Suburban	82.5	1.051	0.019	0	0	0	0.063	0.635	1.475	2.732	3.605	6.608	26.459
Race													
Asian	81.9	0.832	0.084	0	0	0	0.045	0.264	0.949	2.366	3.837	6.696	16.648
Black	78.0	1.065	0.043	0	0	0	0.026	0.530	1.390	2.776	4.228	7.313	19.475
Native American	78.5	1.282	0.258	0	0	0	0.046	0.928	1.868	2.852	2.963	11.150	34.284
Other/NA	74.7	1.014	0.063	0	0	0	0.000	0.427	1.326	2.697	3.644	7.703	15.316
White	83.3	1.106	0.015	0	0	0	0.073	0.669	1.558	2.770	3.735	6.731	32.045
Region													
Midwest	84.9	1.271	0.031	0	0	0	0.104	0.779	1.773	3.138	4.228	7.418	26.459
Northeast	79.6	0.975	0.030	0	0	0	0.041	0.504	1.383	2.549	3.561	6.742	17.765
South	83.0	1.128	0.024	0	0	0	0.069	0.701	1.553	2.754	3.771	7.140	30.030
West	79.9	0.935	0.028	0	0	0	0.039	0.428	1.341	2.424	3.354	6.308	34.284

Table B-23a. Consumer-only intake of white potatoes (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	100	1.326	0.015	0.011	0.040	0.069	0.269	0.887	1.768	3.059	4.055	7.410	34.284
Age													
0–5 months	100	1.623	0.536	0.058	0.068	0.104	0.148	0.244	2.894	5.581	5.581	5.581	5.581
6–12 months	100	1.624	0.248	0.031	0.077	0.104	0.244	0.626	2.136	4.057	6.430	10.365	12.531
<1 year	100	1.624	0.226	0.031	0.076	0.104	0.218	0.612	2.136	5.581	6.430	10.365	12.531
1–2 years	100	2.904	0.105	0.028	0.079	0.159	0.617	1.976	3.885	6.964	8.640	16.648	34.284
3–5 years	100	2.592	0.089	0.022	0.080	0.168	0.656	1.788	3.404	5.836	7.410	14.764	32.045
6–11 years	100	1.906	0.060	0.029	0.068	0.127	0.482	1.389	2.572	4.419	5.517	9.643	20.591
12–19 years	100	1.463	0.050	0.009	0.044	0.087	0.400	1.040	1.898	3.221	4.069	8.372	17.917
20–39 years	100	1.162	0.025	0.012	0.040	0.065	0.242	0.825	1.623	2.702	3.526	5.741	12.381
40–69 years	100	1.022	0.017	0.009	0.031	0.054	0.193	0.742	1.448	2.371	3.118	4.525	11.996
70+ years	100	1.040	0.032	0.010	0.032	0.053	0.139	0.756	1.541	2.404	3.248	4.617	9.763
Season													
Fall	100	1.326	0.028	0.011	0.040	0.075	0.297	0.901	1.761	3.029	4.070	7.617	18.768
Spring	100	1.341	0.030	0.009	0.032	0.059	0.235	0.860	1.818	3.093	4.228	7.467	30.030
Summer	100	1.325	0.028	0.013	0.043	0.067	0.291	0.902	1.725	3.046	3.935	7.477	25.814
Winter	100	1.313	0.031	0.012	0.043	0.079	0.240	0.872	1.776	3.023	4.031	7.174	34.284
Urbanization													
Central City	100	1.290	0.027	0.008	0.034	0.059	0.215	0.842	1.719	3.039	4.234	7.276	25.537
Nonmetropolitan	100	1.493	0.033	0.014	0.050	0.092	0.377	1.003	1.944	3.294	4.361	9.763	34.284
Suburban	100	1.274	0.020	0.013	0.040	0.069	0.266	0.857	1.711	2.995	3.864	7.090	26.459
Race													
Asian	100	1.016	0.089	0.006	0.024	0.052	0.155	0.455	1.198	2.708	4.055	6.913	16.648
Black	100	1.365	0.046	0.006	0.032	0.055	0.267	0.853	1.732	3.277	4.457	7.767	19.475
Native American	100	1.633	0.279	0.046	0.046	0.081	0.329	1.217	2.099	2.917	3.243	11.495	34.284
Other/NA	100	1.357	0.068	0.007	0.047	0.068	0.249	0.808	1.749	3.157	4.469	9.110	15.316
White	100	1.328	0.016	0.013	0.040	0.073	0.287	0.905	1.785	3.037	3.974	7.281	32.045
Region													
Midwest	100	1.497	0.032	0.012	0.047	0.085	0.380	0.998	1.997	3.409	4.412	7.671	26.459
Northeast	100	1.224	0.032	0.012	0.039	0.063	0.206	0.809	1.633	2.973	3.870	7.276	17.765
South	100	1.359	0.025	0.011	0.041	0.072	0.331	0.930	1.819	3.081	4.048	7.607	30.030
West	100	1.170	0.030	0.009	0.032	0.057	0.167	0.739	1.590	2.744	3.742	6.913	34.284

APPENDIX C

Intake Distributions for Individual Fats

Table C-1. Per capita intake of animal fat (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	0.0	0	0.001	0	0	0	0	0	0	0	0	0	0.262
Age													
0–5 months	0.0	0	0.000	0	0	0	0	0	0	0	0	0	0.000
6–12 months	0.0	0	0.000	0	0	0	0	0	0	0	0	0	0.000
<1 year	0.0	0	0.000	0	0	0	0	0	0	0	0	0	0.000
1–2 years	0.0	0	0.000	0	0	0	0	0	0	0	0	0	0.000
3–5 years	0.0	0	0.000	0	0	0	0	0	0	0	0	0	0.000
6–11 years	0.0	0	0.000	0	0	0	0	0	0	0	0	0	0.000
12–19 years	0.0	0	0.000	0	0	0	0	0	0	0	0	0	0.000
20–39 years	0.0	0	0.000	0	0	0	0	0	0	0	0	0	0.000
40–69 years	0.1	0	0.002	0	0	0	0	0	0	0	0	0	0.262
70+ years	0.1	0	0.001	0	0	0	0	0	0	0	0	0	0.109
Season													
Fall	0.1	0	0.002	0	0	0	0	0	0	0	0	0	0.262
Spring	0.0	0	0.000	0	0	0	0	0	0	0	0	0	0.000
Summer	0.1	0	0.001	0	0	0	0	0	0	0	0	0	0.167
Winter	0.0	0	0.000	0	0	0	0	0	0	0	0	0	0.022
Urbanization													
Central City	0.1	0	0.001	0	0	0	0	0	0	0	0	0	0.240
Nonmetropolitan	0.0	0	0.001	0	0	0	0	0	0	0	0	0	0.109
Suburban	0.0	0	0.001	0	0	0	0	0	0	0	0	0	0.262
Race													
Asian	0.0	0	0.000	0	0	0	0	0	0	0	0	0	0.000
Black	0.1	0	0.002	0	0	0	0	0	0	0	0	0	0.167
Native American	0.0	0	0.000	0	0	0	0	0	0	0	0	0	0.000
Other/NA	0.0	0	0.000	0	0	0	0	0	0	0	0	0	0.000
White	0.0	0	0.001	0	0	0	0	0	0	0	0	0	0.262
Region													
Midwest	0.1	0	0.002	0	0	0	0	0	0	0	0	0	0.262
Northeast	0.0	0	0.000	0	0	0	0	0	0	0	0	0	0.022
South	0.0	0	0.000	0	0	0	0	0	0	0	0	0	0.082
West	0.0	0	0.001	0	0	0	0	0	0	0	0	0	0.095

Table C-1a. Consumer-only intake of animal fat (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	100	0.114	0.026	0.006	0.014	0.014	0.015	0.095	0.167	0.240	0.262	0.262	0.262
Age													
0–5 months	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
6–12 months	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
<1 year	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
1–2 years	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
3–5 years	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
6–11 years	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
12–19 years	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
20–39 years	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
40–69 years	100	0.135	0.031	0.006	0.006	0.015	0.022	0.167	0.240	0.262	0.262	0.262	0.262
70+ years	100	0.055	0.023	0.014	0.014	0.014	0.014	0.082	0.082	0.109	0.109	0.109	0.109
Season													
Fall	100	0.153	0.052	0.006	0.006	0.014	0.014	0.240	0.240	0.262	0.262	0.262	0.262
Spring	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Summer	100	0.097	0.021	0.015	0.015	0.015	0.082	0.095	0.167	0.167	0.167	0.167	0.167
Winter	100	0.022	0.000	0.022	0.022	0.022	0.022	0.022	0.022	0.022	0.022	0.022	0.022
Urbanization													
Central City	100	0.104	0.036	0.015	0.015	0.015	0.022	0.082	0.167	0.240	0.240	0.240	0.240
Nonmetropolitan	100	0.109	0.000	0.109	0.109	0.109	0.109	0.109	0.109	0.109	0.109	0.109	0.109
Suburban	100	0.125	0.041	0.006	0.006	0.014	0.014	0.095	0.240	0.262	0.262	0.262	0.262
Race													
Asian	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Black	100	0.085	0.033	0.015	0.015	0.015	0.015	0.082	0.167	0.167	0.167	0.167	0.167
Native American	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Other/NA	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
White	100	0.134	0.035	0.006	0.006	0.014	0.014	0.095	0.240	0.262	0.262	0.262	0.262
Region													
Midwest	100	0.163	0.037	0.014	0.014	0.014	0.109	0.167	0.240	0.262	0.262	0.262	0.262
Northeast	100	0.022	0.000	0.022	0.022	0.022	0.022	0.022	0.022	0.022	0.022	0.022	0.022
South	100	0.037	0.019	0.006	0.006	0.006	0.015	0.015	0.082	0.082	0.082	0.082	0.082
West	100	0.094	0.001	0.091	0.091	0.091	0.091	0.095	0.095	0.095	0.095	0.095	0.095

Table C-2. Per capita intake of butter (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile										
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th	
TOTAL	17.3	0.022	0.002	0	0	0	0	0	0	0.000	0.063	0.130	0.401	1.564
Age														
0–5 months	0.0	0.000	0.000	0	0	0	0	0	0	0.000	0.000	0.000	0.000	0.000
6–12 months	3.1	0.003	0.009	0	0	0	0	0	0	0.000	0.000	0.000	0.098	0.196
<1 year	1.5	0.002	0.007	0	0	0	0	0	0	0.000	0.000	0.000	0.098	0.196
1–2 years	13.4	0.034	0.010	0	0	0	0	0	0	0.000	0.100	0.217	0.652	1.564
3–5 years	15.0	0.040	0.010	0	0	0	0	0	0	0.000	0.109	0.261	0.686	1.466
6–11 years	15.0	0.030	0.008	0	0	0	0	0	0	0.000	0.088	0.196	0.521	1.489
12–19 years	12.6	0.015	0.005	0	0	0	0	0	0	0.000	0.040	0.099	0.291	0.857
20–39 years	17.2	0.020	0.003	0	0	0	0	0	0	0.000	0.059	0.121	0.414	1.050
40–69 years	20.5	0.020	0.002	0	0	0	0	0	0	0.000	0.067	0.119	0.314	1.255
70+ years	19.9	0.022	0.005	0	0	0	0	0	0	0.000	0.062	0.131	0.334	0.999
Season														
Fall	18.2	0.025	0.004	0	0	0	0	0	0	0.000	0.065	0.148	0.547	1.564
Spring	15.8	0.019	0.003	0	0	0	0	0	0	0.000	0.056	0.120	0.318	1.252
Summer	16.3	0.021	0.003	0	0	0	0	0	0	0.000	0.055	0.120	0.407	1.489
Winter	18.8	0.021	0.003	0	0	0	0	0	0	0.000	0.073	0.130	0.344	1.264
Urbanization														
Central City	16.7	0.021	0.003	0	0	0	0	0	0	0.000	0.059	0.127	0.447	1.564
Nonmetropolitan	13.6	0.021	0.004	0	0	0	0	0	0	0.000	0.048	0.120	0.434	1.264
Suburban	19.4	0.023	0.002	0	0	0	0	0	0	0.000	0.070	0.134	0.366	1.489
Race														
Asian	6.2	0.006	0.010	0	0	0	0	0	0	0.000	0.000	0.017	0.108	0.645
Black	14.1	0.023	0.006	0	0	0	0	0	0	0.000	0.043	0.112	0.547	1.466
Native American	20.7	0.014	0.010	0	0	0	0	0	0	0.000	0.045	0.099	0.116	0.348
Other/NA	9.7	0.009	0.007	0	0	0	0	0	0	0.000	0.000	0.042	0.207	1.564
White	18.7	0.023	0.002	0	0	0	0	0	0	0.000	0.073	0.140	0.375	1.489
Region														
Midwest	16.1	0.019	0.003	0	0	0	0	0	0	0.000	0.056	0.124	0.368	1.372
Northeast	27.4	0.042	0.005	0	0	0	0	0	0	0.022	0.119	0.233	0.551	1.489
South	12.6	0.014	0.002	0	0	0	0	0	0	0.000	0.031	0.092	0.276	1.466
West	16.9	0.019	0.003	0	0	0	0	0	0	0.000	0.059	0.112	0.306	1.564

C-4

Table C-2a. Consumer-only intake of butter (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	100	0.126	0.003	0.007	0.016	0.022	0.038	0.076	0.149	0.283	0.430	0.767	1.564
Age													
0–5 months	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
6–12 months	100	0.103	0.017	0.072	0.072	0.072	0.098	0.098	0.098	0.196	0.196	0.196	0.196
<1 year	100	0.103	0.017	0.072	0.072	0.072	0.098	0.098	0.098	0.196	0.196	0.196	0.196
1–2 years	100	0.255	0.020	0.024	0.028	0.050	0.090	0.174	0.313	0.577	0.711	1.264	1.564
3–5 years	100	0.268	0.019	0.015	0.033	0.050	0.085	0.181	0.347	0.626	0.892	1.235	1.466
6–11 years	100	0.204	0.015	0.013	0.023	0.043	0.075	0.141	0.250	0.377	0.684	1.372	1.489
12–19 years	100	0.117	0.010	0.007	0.022	0.027	0.042	0.073	0.134	0.234	0.391	0.588	0.857
20–39 years	100	0.117	0.006	0.007	0.014	0.021	0.036	0.072	0.136	0.268	0.434	0.558	1.050
40–69 years	100	0.099	0.004	0.005	0.016	0.020	0.033	0.065	0.116	0.212	0.313	0.521	1.255
70+ years	100	0.112	0.009	0.005	0.010	0.020	0.035	0.062	0.133	0.264	0.334	0.999	0.999
Season													
Fall	100	0.139	0.007	0.007	0.015	0.020	0.037	0.079	0.160	0.340	0.547	0.907	1.564
Spring	100	0.122	0.006	0.008	0.014	0.022	0.039	0.079	0.162	0.261	0.354	0.743	1.252
Summer	100	0.130	0.007	0.006	0.017	0.024	0.039	0.072	0.139	0.298	0.476	0.990	1.489
Winter	100	0.114	0.005	0.007	0.017	0.024	0.038	0.077	0.133	0.261	0.350	0.626	1.264
Urbanization													
Central City	100	0.129	0.006	0.006	0.014	0.021	0.039	0.073	0.150	0.283	0.547	0.680	1.564
Nonmetropolitan	100	0.151	0.008	0.009	0.021	0.025	0.045	0.089	0.170	0.379	0.493	0.999	1.264
Suburban	100	0.117	0.004	0.007	0.015	0.021	0.037	0.074	0.140	0.267	0.368	0.720	1.489
Race													
Asian	100	0.091	0.034	0.006	0.006	0.006	0.020	0.043	0.053	0.256	0.645	0.645	0.645
Black	100	0.163	0.014	0.007	0.013	0.020	0.036	0.075	0.174	0.547	0.547	0.782	1.466
Native American	100	0.065	0.016	0.007	0.007	0.029	0.035	0.042	0.087	0.116	0.116	0.348	0.348
Other/NA	100	0.095	0.018	0.009	0.017	0.018	0.025	0.043	0.098	0.216	0.261	0.522	1.564
White	100	0.124	0.003	0.007	0.016	0.024	0.039	0.079	0.149	0.276	0.379	0.743	1.489
Region													
Midwest	100	0.120	0.006	0.008	0.017	0.025	0.039	0.077	0.149	0.241	0.375	0.695	1.372
Northeast	100	0.154	0.007	0.005	0.017	0.024	0.041	0.087	0.179	0.379	0.547	0.999	1.489
South	100	0.111	0.005	0.006	0.016	0.021	0.034	0.067	0.143	0.241	0.338	0.570	1.466
West	100	0.110	0.006	0.009	0.014	0.020	0.037	0.074	0.124	0.232	0.314	0.645	1.564

Table C-3. Per capita intake of dressing (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile										
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th	
TOTAL	30.7	0.099	0.003	0	0	0	0	0	0	0.095	0.361	0.540	1.013	2.676
Age														
0–5 months	0.0	0.000	0.000	0	0	0	0	0	0	0.000	0.000	0.000	0.000	0.000
6–12 months	1.5	0.006	0.029	0	0	0	0	0	0	0.000	0.000	0.000	0.153	0.540
<1 year	0.7	0.003	0.020	0	0	0	0	0	0	0.000	0.000	0.000	0.000	0.540
1–2 years	12.6	0.062	0.020	0	0	0	0	0	0	0.000	0.098	0.368	1.542	2.491
3–5 years	18.4	0.084	0.016	0	0	0	0	0	0	0.000	0.300	0.579	1.181	2.676
6–11 years	23.4	0.094	0.013	0	0	0	0	0	0	0.000	0.383	0.574	1.060	2.384
12–19 years	24.5	0.080	0.011	0	0	0	0	0	0	0.000	0.294	0.527	1.002	1.542
20–39 years	33.2	0.110	0.007	0	0	0	0	0	0	0.125	0.391	0.563	1.012	2.206
40–69 years	37.5	0.113	0.005	0	0	0	0	0	0	0.163	0.382	0.540	1.012	2.280
70+ years	30.8	0.079	0.009	0	0	0	0	0	0	0.084	0.293	0.444	0.766	1.502
Season														
Fall	29.4	0.094	0.007	0	0	0	0	0	0	0.087	0.343	0.540	0.949	2.083
Spring	32.3	0.104	0.007	0	0	0	0	0	0	0.114	0.369	0.543	1.060	2.676
Summer	30.3	0.100	0.007	0	0	0	0	0	0	0.089	0.362	0.550	1.185	2.575
Winter	30.7	0.099	0.007	0	0	0	0	0	0	0.103	0.377	0.528	0.939	2.232
Urbanization														
Central City	28.5	0.093	0.006	0	0	0	0	0	0	0.077	0.344	0.518	0.978	2.384
Nonmetropolitan	31.4	0.092	0.006	0	0	0	0	0	0	0.089	0.333	0.495	0.977	2.460
Suburban	31.8	0.107	0.005	0	0	0	0	0	0	0.116	0.385	0.571	1.020	2.676
Race														
Asian	19.0	0.075	0.028	0	0	0	0	0	0	0.000	0.247	0.492	1.126	1.864
Black	24.6	0.065	0.009	0	0	0	0	0	0	0.000	0.213	0.401	0.864	2.575
Native American	28.6	0.045	0.023	0	0	0	0	0	0	0.032	0.116	0.309	0.413	1.365
Other/NA	19.7	0.059	0.013	0	0	0	0	0	0	0.000	0.191	0.405	0.919	2.460
White	32.9	0.109	0.004	0	0	0	0	0	0	0.130	0.391	0.571	1.018	2.676
Region														
Midwest	36.8	0.122	0.007	0	0	0	0	0	0	0.156	0.405	0.630	1.102	2.575
Northeast	28.3	0.093	0.008	0	0	0	0	0	0	0.081	0.346	0.509	1.058	2.384
South	28.1	0.086	0.006	0	0	0	0	0	0	0.064	0.318	0.480	0.875	2.676
West	30.4	0.100	0.007	0	0	0	0	0	0	0.090	0.381	0.560	0.977	2.460

Table C-3a. Consumer-only intake of dressing (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	100	0.323	0.005	0.017	0.035	0.060	0.124	0.242	0.424	0.676	0.871	1.440	2.676
Age													
0–5 months	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
6–12 months	100	0.372	0.102	0.153	0.153	0.153	0.153	0.449	0.540	0.540	0.540	0.540	0.540
<1 year	100	0.372	0.102	0.153	0.153	0.153	0.153	0.449	0.540	0.540	0.540	0.540	0.540
1–2 years	100	0.492	0.043	0.029	0.042	0.051	0.129	0.289	0.600	1.424	1.759	2.460	2.491
3–5 years	100	0.456	0.027	0.026	0.053	0.072	0.142	0.338	0.623	0.960	1.214	2.575	2.676
6–11 years	100	0.401	0.019	0.018	0.047	0.066	0.144	0.324	0.540	0.852	1.023	1.658	2.384
12–19 years	100	0.328	0.016	0.017	0.036	0.051	0.116	0.247	0.454	0.717	0.925	1.326	1.542
20–39 years	100	0.330	0.010	0.018	0.034	0.062	0.125	0.249	0.436	0.682	0.863	1.495	2.206
40–69 years	100	0.300	0.006	0.016	0.032	0.064	0.125	0.231	0.397	0.623	0.810	1.227	2.280
70+ years	100	0.258	0.011	0.010	0.032	0.045	0.108	0.195	0.342	0.553	0.672	1.039	1.502
Season													
Fall	100	0.320	0.009	0.016	0.034	0.066	0.125	0.236	0.428	0.687	0.899	1.285	2.083
Spring	100	0.321	0.009	0.013	0.030	0.051	0.125	0.241	0.413	0.648	0.863	1.433	2.676
Summer	100	0.331	0.010	0.017	0.036	0.059	0.113	0.241	0.426	0.711	0.931	1.620	2.575
Winter	100	0.321	0.008	0.028	0.041	0.070	0.135	0.249	0.430	0.656	0.844	1.206	2.232
Urbanization													
Central City	100	0.325	0.009	0.019	0.034	0.060	0.130	0.247	0.425	0.648	0.836	1.440	2.384
Nonmetropolitan	100	0.294	0.009	0.015	0.029	0.042	0.103	0.211	0.395	0.640	0.860	1.298	2.460
Suburban	100	0.335	0.007	0.017	0.041	0.070	0.130	0.253	0.435	0.711	0.902	1.468	2.676
Race													
Asian	100	0.392	0.046	0.044	0.054	0.080	0.142	0.255	0.540	1.079	1.126	1.864	1.864
Black	100	0.263	0.015	0.013	0.025	0.034	0.085	0.170	0.325	0.540	0.710	1.440	2.575
Native American	100	0.156	0.035	0.013	0.013	0.032	0.075	0.095	0.193	0.330	0.410	1.365	1.365
Other/NA	100	0.299	0.022	0.023	0.033	0.042	0.103	0.193	0.405	0.703	0.919	1.136	2.460
White	100	0.331	0.005	0.017	0.037	0.068	0.134	0.253	0.432	0.691	0.869	1.433	2.676
Region													
Midwest	100	0.331	0.009	0.017	0.033	0.055	0.123	0.247	0.428	0.727	0.925	1.495	2.575
Northeast	100	0.330	0.011	0.016	0.044	0.077	0.136	0.249	0.423	0.641	0.925	1.440	2.384
South	100	0.307	0.008	0.016	0.032	0.057	0.120	0.236	0.405	0.639	0.792	1.433	2.676
West	100	0.331	0.010	0.017	0.037	0.060	0.120	0.249	0.447	0.720	0.887	1.434	2.460

Table C-4. Per capita intake of margarine (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile										
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th	
TOTAL	31.4	0.041	0.002	0	0	0	0	0	0	0.034	0.131	0.217	0.521	2.305
Age														
0–5 months	0.9	0.002	0.016	0	0	0	0	0	0	0.000	0.000	0.000	0.000	0.163
6–12 months	5.0	0.006	0.016	0	0	0	0	0	0	0.000	0.000	0.000	0.262	0.584
<1 year	2.8	0.004	0.011	0	0	0	0	0	0	0.000	0.000	0.000	0.163	0.584
1–2 years	29.5	0.073	0.009	0	0	0	0	0	0	0.065	0.234	0.396	0.841	2.305
3–5 years	31.3	0.085	0.009	0	0	0	0	0	0	0.072	0.291	0.467	0.956	1.955
6–11 years	33.3	0.062	0.007	0	0	0	0	0	0	0.065	0.198	0.326	0.692	1.683
12–19 years	25.6	0.034	0.005	0	0	0	0	0	0	0.012	0.120	0.204	0.403	0.861
20–39 years	26.0	0.028	0.003	0	0	0	0	0	0	0.011	0.089	0.167	0.361	1.734
40–69 years	36.3	0.039	0.002	0	0	0	0	0	0	0.041	0.125	0.197	0.402	1.200
70+ years	45.8	0.054	0.005	0	0	0	0	0	0	0.071	0.156	0.210	0.526	1.728
Season														
Fall	31.9	0.043	0.003	0	0	0	0	0	0	0.036	0.142	0.224	0.548	1.739
Spring	29.2	0.038	0.003	0	0	0	0	0	0	0.026	0.123	0.211	0.471	2.305
Summer	32.2	0.041	0.003	0	0	0	0	0	0	0.036	0.127	0.210	0.495	1.878
Winter	32.4	0.042	0.003	0	0	0	0	0	0	0.037	0.131	0.217	0.536	1.955
Urbanization														
Central City	29.6	0.037	0.003	0	0	0	0	0	0	0.027	0.120	0.213	0.464	2.305
Nonmetropolitan	32.1	0.047	0.003	0	0	0	0	0	0	0.041	0.143	0.234	0.601	1.739
Suburban	32.4	0.041	0.002	0	0	0	0	0	0	0.035	0.132	0.213	0.495	1.955
Race														
Asian	13.8	0.011	0.006	0	0	0	0	0	0	0.000	0.039	0.088	0.193	0.401
Black	24.5	0.029	0.004	0	0	0	0	0	0	0.000	0.090	0.163	0.430	1.683
Native American	21.8	0.018	0.009	0	0	0	0	0	0	0.000	0.063	0.149	0.261	0.372
Other/NA	18.1	0.024	0.007	0	0	0	0	0	0	0.000	0.052	0.138	0.495	0.905
White	34.2	0.046	0.002	0	0	0	0	0	0	0.044	0.144	0.234	0.529	2.305
Region														
Midwest	38.2	0.052	0.003	0	0	0	0	0	0	0.062	0.160	0.245	0.526	2.305
Northeast	28.5	0.040	0.004	0	0	0	0	0	0	0.022	0.121	0.225	0.612	1.683
South	29.5	0.037	0.002	0	0	0	0	0	0	0.028	0.117	0.204	0.519	1.423
West	29.8	0.037	0.003	0	0	0	0	0	0	0.028	0.125	0.201	0.460	1.419

Table C-4a. Consumer-only intake of margarine (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	100	0.131	0.002	0.006	0.014	0.022	0.039	0.084	0.159	0.284	0.401	0.796	2.305
Age													
0–5 months	100	0.163	0.000	0.163	0.163	0.163	0.163	0.163	0.163	0.163	0.163	0.163	0.163
6–12 months	100	0.128	0.056	0.015	0.015	0.029	0.030	0.052	0.262	0.262	0.584	0.584	0.584
<1 year	100	0.134	0.048	0.015	0.015	0.029	0.030	0.052	0.163	0.262	0.584	0.584	0.584
1–2 years	100	0.246	0.012	0.018	0.035	0.049	0.088	0.175	0.316	0.563	0.686	1.266	2.305
3–5 years	100	0.272	0.013	0.019	0.033	0.048	0.092	0.174	0.348	0.601	0.848	1.391	1.955
6–11 years	100	0.186	0.009	0.014	0.025	0.036	0.066	0.123	0.239	0.435	0.631	0.966	1.683
12–19 years	100	0.132	0.007	0.007	0.018	0.027	0.048	0.095	0.174	0.274	0.375	0.612	0.861
20–39 years	100	0.109	0.005	0.006	0.013	0.019	0.033	0.067	0.133	0.242	0.337	0.616	1.734
40–69 years	100	0.108	0.003	0.006	0.012	0.018	0.034	0.073	0.133	0.232	0.330	0.638	1.200
70+ years	100	0.117	0.006	0.005	0.014	0.023	0.040	0.083	0.149	0.219	0.294	0.905	1.728
Season													
Fall	100	0.134	0.005	0.006	0.014	0.022	0.040	0.087	0.171	0.286	0.427	0.841	1.739
Spring	100	0.129	0.004	0.006	0.013	0.020	0.039	0.082	0.162	0.285	0.393	0.782	2.305
Summer	100	0.129	0.004	0.006	0.014	0.021	0.039	0.082	0.150	0.293	0.391	0.796	1.878
Winter	100	0.130	0.005	0.007	0.016	0.023	0.039	0.085	0.158	0.263	0.401	0.752	1.955
Urbanization													
Central City	100	0.126	0.004	0.006	0.013	0.020	0.039	0.080	0.158	0.276	0.393	0.745	2.305
Nonmetropolitan	100	0.145	0.005	0.007	0.018	0.027	0.044	0.089	0.168	0.321	0.512	0.913	1.739
Suburban	100	0.127	0.003	0.006	0.014	0.020	0.038	0.082	0.156	0.270	0.375	0.729	1.955
Race													
Asian	100	0.081	0.011	0.006	0.015	0.016	0.039	0.048	0.090	0.150	0.250	0.385	0.401
Black	100	0.119	0.007	0.004	0.012	0.019	0.032	0.072	0.142	0.259	0.373	0.841	1.683
Native American	100	0.081	0.015	0.006	0.011	0.011	0.018	0.053	0.149	0.195	0.261	0.372	0.372
Other/NA	100	0.131	0.014	0.007	0.010	0.013	0.020	0.062	0.143	0.375	0.584	0.848	0.905
White	100	0.133	0.002	0.006	0.015	0.023	0.042	0.087	0.164	0.289	0.401	0.780	2.305
Region													
Midwest	100	0.136	0.004	0.006	0.016	0.025	0.045	0.090	0.169	0.279	0.386	0.745	2.305
Northeast	100	0.139	0.006	0.006	0.013	0.018	0.034	0.077	0.163	0.321	0.492	0.913	1.683
South	100	0.125	0.004	0.006	0.014	0.021	0.040	0.080	0.152	0.276	0.401	0.704	1.423
West	100	0.124	0.004	0.007	0.014	0.021	0.037	0.079	0.158	0.268	0.393	0.667	1.419

Table C-5. Per capita intake of mayonnaise (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile										
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th	
TOTAL	19	0.024	0.001	0	0	0	0	0	0	0	0.086	0.154	0.371	2.526
Age														
0–5 months	0.0	0.000	0.000	0	0	0	0	0	0	0	0.000	0.000	0.000	0.000
6–12 months	2.0	0.001	0.007	0	0	0	0	0	0	0	0.000	0.000	0.076	0.076
<1 year	0.9	0.001	0.005	0	0	0	0	0	0	0	0.000	0.000	0.000	0.076
1–2 years	8.9	0.024	0.010	0	0	0	0	0	0	0	0.000	0.168	0.561	2.526
3–5 years	14.6	0.036	0.008	0	0	0	0	0	0	0	0.123	0.304	0.549	1.732
6–11 years	15.2	0.028	0.006	0	0	0	0	0	0	0	0.107	0.192	0.431	0.929
12–19 years	21.9	0.032	0.005	0	0	0	0	0	0	0	0.118	0.203	0.431	1.190
20–39 years	20.5	0.024	0.003	0	0	0	0	0	0	0	0.089	0.138	0.343	1.010
40–69 years	21.4	0.022	0.002	0	0	0	0	0	0	0	0.080	0.138	0.287	1.527
70+ years	16.9	0.019	0.004	0	0	0	0	0	0	0	0.057	0.119	0.376	0.898
Season														
Fall	18.3	0.022	0.003	0	0	0	0	0	0	0	0.079	0.141	0.332	1.782
Spring	20.1	0.028	0.003	0	0	0	0	0	0	0	0.095	0.175	0.391	2.526
Summer	19.2	0.025	0.003	0	0	0	0	0	0	0	0.083	0.155	0.406	1.010
Winter	19.3	0.023	0.003	0	0	0	0	0	0	0	0.087	0.148	0.343	0.745
Urbanization														
Central City	19.5	0.025	0.003	0	0	0	0	0	0	0	0.088	0.157	0.371	2.526
Nonmetropolitan	16.4	0.023	0.003	0	0	0	0	0	0	0	0.080	0.138	0.433	1.782
Suburban	20.3	0.025	0.002	0	0	0	0	0	0	0	0.087	0.157	0.357	1.527
Race														
Asian	14.1	0.016	0.007	0	0	0	0	0	0	0	0.059	0.128	0.276	0.313
Black	17.1	0.021	0.004	0	0	0	0	0	0	0	0.084	0.141	0.337	1.010
Native American	11.3	0.014	0.014	0	0	0	0	0	0	0	0.009	0.154	0.268	0.268
Other/NA	16.3	0.021	0.006	0	0	0	0	0	0	0	0.069	0.168	0.325	0.689
White	20.0	0.026	0.002	0	0	0	0	0	0	0	0.087	0.157	0.390	2.526
Region														
Midwest	13.2	0.016	0.003	0	0	0	0	0	0	0	0.044	0.113	0.284	2.526
Northeast	21.7	0.033	0.005	0	0	0	0	0	0	0	0.104	0.207	0.446	1.527
South	20.9	0.025	0.002	0	0	0	0	0	0	0	0.089	0.151	0.352	1.782
West	20.8	0.026	0.003	0	0	0	0	0	0	0	0.089	0.157	0.379	1.213

Table C-5a. Consumer-only intake of mayonnaise (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	100	0.127	0.003	0.007	0.017	0.027	0.046	0.089	0.157	0.264	0.376	0.631	2.526
Age													
0–5 months	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
6–12 months	100	0.074	0.003	0.067	0.067	0.067	0.067	0.076	0.076	0.076	0.076	0.076	0.076
<1 years	100	0.074	0.003	0.067	0.067	0.067	0.067	0.076	0.076	0.076	0.076	0.076	0.076
1–2 years	100	0.273	0.026	0.022	0.042	0.055	0.101	0.187	0.367	0.572	0.689	1.782	2.526
3–5 years	100	0.247	0.014	0.017	0.046	0.054	0.103	0.187	0.362	0.451	0.606	1.122	1.732
6–11 years	100	0.185	0.010	0.014	0.028	0.049	0.084	0.148	0.241	0.376	0.504	0.761	0.929
12–19 years	100	0.147	0.009	0.011	0.019	0.028	0.055	0.107	0.189	0.276	0.384	0.788	1.190
20–39 years	100	0.115	0.005	0.008	0.018	0.027	0.046	0.088	0.135	0.225	0.343	0.576	1.010
40–69 years	100	0.104	0.004	0.006	0.013	0.021	0.038	0.077	0.130	0.213	0.278	0.481	1.527
70+ years	100	0.113	0.008	0.011	0.020	0.027	0.037	0.078	0.132	0.257	0.391	0.544	0.898
Season													
Fall	100	0.121	0.005	0.011	0.017	0.027	0.045	0.085	0.147	0.247	0.352	0.612	1.782
Spring	100	0.140	0.006	0.008	0.019	0.028	0.049	0.095	0.175	0.284	0.391	0.875	2.526
Summer	100	0.129	0.005	0.007	0.016	0.024	0.042	0.087	0.158	0.289	0.410	0.787	1.010
Winter	100	0.119	0.004	0.006	0.017	0.027	0.046	0.087	0.152	0.248	0.352	0.530	0.745
Urbanization													
Central City	100	0.127	0.004	0.008	0.018	0.027	0.048	0.091	0.163	0.269	0.371	0.599	2.526
Nonmetropolitan	100	0.138	0.006	0.010	0.023	0.031	0.053	0.094	0.163	0.284	0.452	0.576	1.782
Suburban	100	0.124	0.004	0.007	0.016	0.023	0.042	0.086	0.155	0.257	0.357	0.787	1.527
Race													
Asian	100	0.117	0.011	0.007	0.017	0.027	0.051	0.116	0.138	0.264	0.289	0.313	0.313
Black	100	0.124	0.007	0.006	0.017	0.027	0.043	0.102	0.156	0.243	0.373	0.606	1.010
Native American	100	0.126	0.026	0.008	0.008	0.009	0.062	0.154	0.216	0.268	0.268	0.268	0.268
Other/NA	100	0.130	0.009	0.006	0.016	0.022	0.041	0.092	0.193	0.276	0.374	0.481	0.689
White	100	0.128	0.003	0.008	0.017	0.027	0.046	0.087	0.157	0.264	0.390	0.713	2.526
Region													
Midwest	100	0.124	0.007	0.010	0.021	0.029	0.046	0.089	0.152	0.246	0.362	0.787	2.526
Northeast	100	0.151	0.008	0.007	0.016	0.023	0.049	0.101	0.196	0.337	0.446	1.010	1.527
South	100	0.118	0.003	0.009	0.018	0.027	0.046	0.085	0.145	0.243	0.343	0.591	1.782
West	100	0.123	0.005	0.007	0.016	0.028	0.044	0.087	0.155	0.259	0.374	0.571	1.213

Table C-6. Per capita intake of sauce (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile										
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th	
TOTAL	2.2	0.005	0.003	0	0	0	0	0	0	0	0	0	0.182	1.585
Age														
0–5 months	0.0	0.000	0.000	0	0	0	0	0	0	0	0	0	0.000	0.000
6–12 months	0.0	0.000	0.000	0	0	0	0	0	0	0	0	0	0.000	0.000
<1 years	0.0	0.000	0.000	0	0	0	0	0	0	0	0	0	0.000	0.000
1–2 years	0.5	0.004	0.025	0	0	0	0	0	0	0	0	0	0.000	1.083
3–5 years	0.6	0.003	0.016	0	0	0	0	0	0	0	0	0	0.000	1.585
6–11 years	0.6	0.003	0.013	0	0	0	0	0	0	0	0	0	0.000	1.013
12–19 years	1.4	0.005	0.012	0	0	0	0	0	0	0	0	0	0.141	1.003
20–39 years	3.0	0.007	0.006	0	0	0	0	0	0	0	0	0	0.241	0.762
40–69 years	2.8	0.005	0.003	0	0	0	0	0	0	0	0	0	0.165	0.931
70+ years	2.2	0.003	0.005	0	0	0	0	0	0	0	0	0	0.096	0.437
Season														
Fall	2.2	0.006	0.007	0	0	0	0	0	0	0	0	0	0.357	1.180
Spring	2.3	0.005	0.004	0	0	0	0	0	0	0	0	0	0.182	0.880
Summer	2.4	0.005	0.005	0	0	0	0	0	0	0	0	0	0.164	1.003
Winter	2.1	0.004	0.005	0	0	0	0	0	0	0	0	0	0.132	1.585
Urbanization														
Central City	2.7	0.006	0.005	0	0	0	0	0	0	0	0	0	0.209	1.180
Nonmetropolitan	2.2	0.005	0.005	0	0	0	0	0	0	0	0	0	0.178	1.585
Suburban	1.9	0.004	0.004	0	0	0	0	0	0	0	0	0	0.144	1.083
Race														
Asian	1.7	0.002	0.008	0	0	0	0	0	0	0	0	0	0.055	0.453
Black	3.6	0.010	0.011	0	0	0	0	0	0	0	0	0	0.433	0.939
Native American	0.0	0.000	0.000	0	0	0	0	0	0	0	0	0	0.000	0.000
Other/NA	0.6	0.001	0.008	0	0	0	0	0	0	0	0	0	0.000	0.651
White	2.2	0.005	0.003	0	0	0	0	0	0	0	0	0	0.160	1.585
Region														
Midwest	2.3	0.004	0.004	0	0	0	0	0	0	0	0	0	0.132	0.990
Northeast	2.5	0.008	0.010	0	0	0	0	0	0	0	0	0	0.433	1.083
South	1.9	0.004	0.004	0	0	0	0	0	0	0	0	0	0.125	1.585
West	2.5	0.005	0.005	0	0	0	0	0	0	0	0	0	0.152	1.003

Table C-6a. Consumer-only intake of sauce (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	100	0.221	0.012	0.010	0.030	0.043	0.085	0.152	0.309	0.454	0.651	0.940	1.585
Age													
0–5 months	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
6–12 months	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
<1 years	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
1–2 years	100	0.746	0.138	0.120	0.120	0.264	0.660	0.660	1.083	1.083	1.083	1.083	1.083
3–5 years	100	0.518	0.126	0.066	0.066	0.066	0.164	0.480	0.690	1.180	1.585	1.585	1.585
6–11 years	100	0.418	0.107	0.069	0.069	0.076	0.094	0.360	0.561	1.013	1.013	1.013	1.013
12–19 years	100	0.342	0.056	0.014	0.121	0.121	0.128	0.331	0.495	0.495	0.939	1.003	1.003
20–39 years	100	0.234	0.020	0.024	0.033	0.055	0.094	0.182	0.433	0.433	0.497	0.762	0.762
40–69 years	100	0.169	0.014	0.006	0.022	0.031	0.067	0.115	0.211	0.352	0.499	0.841	0.931
70+ years	100	0.136	0.021	0.009	0.014	0.032	0.058	0.094	0.152	0.362	0.437	0.437	0.437
Season													
Fall	100	0.283	0.028	0.006	0.024	0.044	0.102	0.238	0.433	0.437	0.651	1.083	1.180
Spring	100	0.200	0.019	0.022	0.029	0.038	0.073	0.160	0.269	0.469	0.561	0.841	0.880
Summer	100	0.201	0.023	0.014	0.029	0.043	0.081	0.125	0.211	0.454	0.733	0.931	1.003
Winter	100	0.200	0.024	0.009	0.031	0.046	0.088	0.128	0.220	0.469	0.495	1.013	1.585
Urbanization													
Central City	100	0.225	0.021	0.014	0.031	0.044	0.082	0.165	0.433	0.433	0.495	0.931	1.180
Nonmetropolitan	100	0.230	0.026	0.029	0.031	0.038	0.086	0.163	0.284	0.497	0.690	1.013	1.585
Suburban	100	0.212	0.018	0.006	0.024	0.038	0.088	0.148	0.269	0.437	0.762	0.880	1.083
Race													
Asian	100	0.105	0.042	0.014	0.014	0.014	0.055	0.085	0.113	0.127	0.453	0.453	0.453
Black	100	0.269	0.035	0.012	0.033	0.055	0.094	0.206	0.433	0.433	0.495	0.939	0.939
Native American	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Other/NA	100	0.194	0.080	0.032	0.032	0.061	0.061	0.109	0.212	0.651	0.651	0.651	0.651
White	100	0.212	0.013	0.009	0.029	0.040	0.085	0.142	0.269	0.469	0.660	1.003	1.585
Region													
Midwest	100	0.191	0.020	0.023	0.030	0.038	0.082	0.117	0.264	0.454	0.495	0.931	0.990
Northeast	100	0.325	0.034	0.022	0.076	0.096	0.182	0.289	0.433	0.480	0.762	0.880	1.083
South	100	0.197	0.022	0.006	0.029	0.043	0.066	0.131	0.211	0.449	0.497	1.013	1.585
West	100	0.187	0.021	0.014	0.031	0.038	0.070	0.118	0.209	0.437	0.651	0.778	1.003

Table C-7. Per capita intake of vegetable oil (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	1.7	0.003	0.002	0	0	0	0	0	0	0	0	0.083	1.684
Age													
0–5 months	0.0	0.000	0.000	0	0	0	0	0	0	0	0	0.000	0.000
6–12 months	1.4	0.010	0.083	0	0	0	0	0	0	0	0	0.263	1.684
<1 years	0.6	0.005	0.057	0	0	0	0	0	0	0	0	0.000	1.684
1–2 years	0.4	0.001	0.014	0	0	0	0	0	0	0	0	0.000	1.252
3–5 years	0.8	0.002	0.007	0	0	0	0	0	0	0	0	0.000	0.518
6–11 years	0.4	0.001	0.008	0	0	0	0	0	0	0	0	0.000	0.687
12–19 years	0.5	0.000	0.002	0	0	0	0	0	0	0	0	0.000	0.140
20–39 years	2.2	0.004	0.006	0	0	0	0	0	0	0	0	0.165	0.903
40–69 years	2.3	0.003	0.002	0	0	0	0	0	0	0	0	0.088	0.523
70+ years	2.4	0.002	0.002	0	0	0	0	0	0	0	0	0.071	0.190
Season													
Fall	1.6	0.002	0.003	0	0	0	0	0	0	0	0	0.031	0.757
Spring	1.9	0.002	0.003	0	0	0	0	0	0	0	0	0.087	0.523
Summer	1.6	0.004	0.005	0	0	0	0	0	0	0	0	0.096	1.252
Winter	2.0	0.003	0.004	0	0	0	0	0	0	0	0	0.122	1.684
Urbanization													
Central City	1.8	0.003	0.004	0	0	0	0	0	0	0	0	0.096	0.903
Nonmetropolitan	1.3	0.002	0.006	0	0	0	0	0	0	0	0	0.070	1.684
Suburban	1.9	0.002	0.002	0	0	0	0	0	0	0	0	0.083	1.252
Race													
Asian	2.4	0.002	0.009	0	0	0	0	0	0	0	0	0.041	0.687
Black	0.9	0.001	0.007	0	0	0	0	0	0	0	0	0.000	1.684
Native American	1.4	0.001	0.010	0	0	0	0	0	0	0	0	0.083	0.083
Other/NA	1.7	0.002	0.006	0	0	0	0	0	0	0	0	0.119	0.518
White	1.9	0.003	0.002	0	0	0	0	0	0	0	0	0.094	1.252
Region													
Midwest	1.0	0.001	0.002	0	0	0	0	0	0	0	0	0.016	0.444
Northeast	3.5	0.006	0.005	0	0	0	0	0	0	0	0	0.183	0.903
South	0.9	0.001	0.003	0	0	0	0	0	0	0	0	0.000	1.684
West	2.3	0.004	0.005	0	0	0	0	0	0	0	0	0.173	0.687

Table C-7a. Consumer-only intake of vegetable oil (g/kg-day as consumed)

Group	Percent consuming	Mean	SE	Percentile									
				1 st	5 th	10 th	25 th	50 th	75 th	90 th	95 th	99 th	100 th
TOTAL	100	0.151	0.012	0.006	0.014	0.023	0.039	0.103	0.188	0.356	0.484	0.903	1.684
Age													
0–5 months	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
6–12 months	100	0.746	0.476	0.263	0.263	0.263	0.263	0.263	1.684	1.684	1.684	1.684	1.684
<1 year	100	0.746	0.476	0.263	0.263	0.263	0.263	0.263	1.684	1.684	1.684	1.684	1.684
1–2 years	100	0.314	0.161	0.070	0.070	0.070	0.103	0.147	0.300	1.252	1.252	1.252	1.252
3–5 years	100	0.234	0.044	0.013	0.013	0.039	0.152	0.235	0.338	0.341	0.518	0.518	0.518
6–11 years	100	0.263	0.058	0.150	0.150	0.150	0.228	0.229	0.229	0.231	0.687	0.687	0.687
12–19 years	100	0.076	0.018	0.016	0.016	0.016	0.030	0.066	0.126	0.140	0.140	0.140	0.140
20–39 years	100	0.203	0.029	0.004	0.009	0.023	0.063	0.161	0.215	0.429	0.757	0.903	0.903
40–69 years	100	0.110	0.010	0.007	0.014	0.017	0.034	0.083	0.131	0.220	0.356	0.484	0.523
70+ years	100	0.070	0.008	0.008	0.009	0.020	0.034	0.064	0.110	0.122	0.138	0.190	0.190
Season													
Fall	100	0.113	0.022	0.009	0.014	0.016	0.029	0.050	0.122	0.231	0.496	0.757	0.757
Spring	100	0.125	0.015	0.004	0.007	0.016	0.039	0.094	0.173	0.392	0.402	0.484	0.523
Summer	100	0.225	0.032	0.008	0.027	0.034	0.079	0.131	0.273	0.643	0.903	0.903	1.252
Winter	100	0.146	0.021	0.011	0.027	0.033	0.066	0.124	0.188	0.229	0.388	0.444	1.684
Urbanization													
Central City	100	0.181	0.025	0.014	0.016	0.023	0.039	0.109	0.228	0.392	0.757	0.903	0.903
Nonmetropolitan	100	0.173	0.039	0.016	0.017	0.023	0.071	0.188	0.188	0.401	0.429	1.684	1.684
Suburban	100	0.124	0.011	0.004	0.009	0.014	0.035	0.087	0.179	0.273	0.388	0.496	1.252
Race													
Asian	100	0.091	0.050	0.009	0.009	0.009	0.023	0.041	0.092	0.235	0.300	0.687	0.687
Black	100	0.158	0.062	0.011	0.011	0.030	0.034	0.102	0.180	0.239	0.263	1.684	1.684
Native American	100	0.083	0.000	0.083	0.083	0.083	0.083	0.083	0.083	0.083	0.083	0.083	0.083
Other/NA	100	0.133	0.025	0.031	0.032	0.047	0.079	0.119	0.140	0.229	0.229	0.518	0.518
White	100	0.155	0.013	0.006	0.014	0.020	0.039	0.104	0.188	0.388	0.484	0.903	1.252
Region													
Midwest	100	0.096	0.015	0.016	0.016	0.020	0.033	0.071	0.125	0.235	0.273	0.444	0.444
Northeast	100	0.169	0.021	0.004	0.009	0.019	0.045	0.108	0.207	0.392	0.757	0.903	0.903
South	100	0.140	0.029	0.008	0.011	0.017	0.034	0.096	0.161	0.280	0.356	1.684	1.684
West	100	0.158	0.020	0.009	0.016	0.023	0.041	0.120	0.188	0.359	0.496	0.643	0.687



United States
Environmental Protection Agency/ORD
National Center for
Environmental Assessment
Washington, DC 20460

Official Business
Penalty for Private Use
\$300

EPA/600/R-03/029
March 2003

Please make all necessary changes on the below label,
detach or copy, and return to the address in the upper left-
hand corner.

If you do not wish to receive these reports CHECK HERE ;
detach, or copy this cover, and return to the address in the
upper left-hand corner.

PRESORTED STANDARD
POSTAGE & FEES PAID
EPA
PERMIT No. G-35
