



CDC Home Search Health Topics A-Z



DataWarehouse

[NCHS Home](#) | [Data Warehouse Home](#) | [Tabulated data](#)
[Micro-data](#) | [Tabulated State data](#) | [Data base searches](#)
[ICD-9-CM](#) | [Mortality](#) | [NCHS definitions](#)
[CDC/NCHS Privacy Policy Notice](#) | [Accessibility](#) | [Search NCHS](#) | [Contact us](#)

GMWK250F Total number of deaths for 113 selected causes, 1999-2004

Worktable 250F lists the number of deaths for NCHS' mortality tabulation list of 113 selected causes of death. Deaths are tabulated for 10-year age groups and for the race categories black and white. Selected causes include such major conditions as heart disease, cancer, stroke, chronic respiratory diseases, pneumonia and influenza, diabetes, accidents (unintentional injuries), kidney conditions, atherosclerosis (hardening of the arteries), septicemia (infection of the bloodstream), Alzheimer's disease, birth defects, conditions originating in the perinatal period, complications related to pregnancy and childbirth, assault (homicide), intentional self-harm (suicide), anemia, chronic liver disease and cirrhosis, hypertension, and other major causes of death. A number of States did not provide complete confirmation of deaths for 1999-2004 from infrequent and rare causes. For technical details, see [technical notes](#) until [technical appendix](#) becomes available.

■ GMWK250F_2004 (70 pages)	PDF	553,888	
■ GMWK250F_2003 (70 pages)	PDF	556,902	
■ GMWK250F_2002 (70 pages)	PDF not 508	557,271	⇒ 554,000
■ GMWK250F_2001 (136 pages)	PDF not 508	553,768	
■ GMWK250F_2000 (136 pages)	PDF not 508	553,091	
■ GMWK250F_1999 (69 pages)	PDF not 508	549,838	

Average

[NCHS Home](#) | [Data Warehouse Home](#) | [Tabulated data](#)
[Micro-data](#) | [Tabulated State data](#) | [Database searches](#)
[ICD-9-CM](#) | [Mortality](#) | [NCHS definitions](#)
[CDC/NCHS Privacy Policy Notice](#) | [Accessibility](#) | [Search NCHS](#) | [Contact us](#)

[CDC Home](#) | [Search](#) | [Health Topics A-Z](#)

This page last reviewed March 30, 2007

- About NCHS ▶
- NCHS en Español ■
- FASTSTATS A to Z ■
- Help ▶
- Events ■
- Surveys and Data Collection Systems ■
- NHANES ▶
- NHCS ▶
- NHIS ■
- NIS ■
- LSOAs ■
- NSFG ■
- SLAITS ■
- Vital Statistics ▶
- Initiatives ■
- Aging ▶
- Disease Classification ■
- Healthy People ■
- Injury ■
- Research and Development ■
- Research Data Center ■
- Press Room ■
- News Releases ■
- Publications and Information Products ■
- SETS ■
- Listservs ■
- Other Sites ■
- Download: ■
- Adobe Acrobat Reader ■
- Microsoft PowerPoint Viewer ■
- National Center for Health Statistics
3311 Toledo Road
Hyattsville, MD 20782
- Toll Free Data Inquiries
1-800-232-4636



U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES

Centers for Disease Control and Prevention

National Center for Health Statistics

Hyattsville, MD

20782

1-800-232-4636

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics Mortality, 2004." Data specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09, B25-B49,B55-B99)													
All races, both sexes.....	7,540	167	65	47	95	144	434	1,236	1,237	1,309	1,714	1,092	-
Male.....	4,097	100	35	25	59	81	257	834	760	710	790	446	-
Female.....	3,443	67	30	22	36	63	177	402	477	599	924	646	-
White, both sexes.....	6,270	116	45	32	70	90	324	1,021	1,002	1,084	1,501	985	-
Male.....	3,414	69	24	18	44	50	194	695	615	598	697	410	-
Female.....	2,856	47	21	14	26	40	130	326	387	486	804	575	-
Black, both sexes.....	967	44	12	10	20	42	93	166	179	151	164	86	-
Male.....	525	25	8	5	12	23	49	111	115	76	71	30	-
Female.....	442	19	4	5	8	19	44	55	64	75	93	56	-
American Indian 1/, both sexes.....	78	6	4	1	-	4	6	22	14	10	8	3	-
Male.....	42	5	2	-	-	2	4	11	7	5	5	1	-
Female.....	36	1	2	1	-	2	2	11	7	5	3	2	-
Asian or Pacific Islander 2/, both sexes.....	225	1	4	4	5	8	11	27	42	64	41	18	-
Male.....	116	1	1	2	3	6	10	17	23	31	17	5	-
Female.....	109	-	3	2	2	2	1	10	19	33	24	13	-
Malignant neoplasms (C00-C97)													
All races, both sexes.....	553,888	74	399	1,019	1,709	3,633	14,723	49,520	96,956	139,417	166,085	80,345	8
Male.....	286,830	37	212	572	1,027	1,750	6,408	25,432	52,738	76,487	86,734	35,427	6
Female.....	267,058	37	187	447	682	1,883	8,315	24,088	44,218	62,930	79,351	44,918	2
White, both sexes.....	478,134	63	311	793	1,323	2,783	11,386	39,028	81,073	120,167	148,497	72,704	6
Male.....	247,450	31	161	453	801	1,401	5,068	20,108	44,020	65,946	77,484	31,973	4
Female.....	230,684	32	150	340	522	1,382	6,318	18,920	37,053	54,221	71,013	40,731	2
Black, both sexes.....	62,499	7	65	170	311	667	2,682	8,753	13,296	15,871	14,384	6,291	2
Male.....	32,443	2	37	84	176	265	1,035	4,489	7,359	8,730	7,497	2,767	2
Female.....	30,056	5	28	86	135	402	1,647	4,264	5,937	7,141	6,887	3,524	-
American Indian 1/, both sexes.....	2,392	1	3	8	16	25	106	313	564	670	511	175	-
Male.....	1,241	1	2	7	9	11	42	166	305	358	265	75	-
Female.....	1,151	-	1	1	7	14	64	147	259	312	246	100	-
Asian or Pacific Islander 2/, both sexes.....	10,863	3	20	48	59	158	549	1,426	2,023	2,709	2,693	1,175	-
Male.....	5,696	3	12	28	41	73	263	669	1,054	1,453	1,488	612	-
Female.....	5,167	-	8	20	18	85	286	757	969	1,256	1,205	563	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other states; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data specified race other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Other and unspecified infectious and parasitic diseases and their sequelae (A00.A05.A20-A36.A42-A44.A48-A49.A54-A79.A81-A82.A85.0-A85.1.A85.8.A86-B04.B06-B09, B25-B49,B55-B99)													
All races, both sexes.....	7,427	174	85	51	88	140	447	1,185	1,136	1,344	1,715	1,062	-
Male.....	3,964	86	43	25	52	83	284	792	689	711	816	383	-
Female.....	3,463	88	42	26	36	57	163	393	447	633	899	679	-
White, both sexes.....	6,182	110	53	39	63	97	334	939	909	1,161	1,497	980	-
Male.....	3,289	51	26	19	40	57	220	640	553	608	720	355	-
Female.....	2,893	59	27	20	23	40	114	299	356	553	777	625	-
Black, both sexes.....	960	53	25	9	18	33	101	208	168	119	159	67	-
Male.....	523	30	13	5	9	20	57	127	98	76	66	22	-
Female.....	437	23	12	4	9	13	44	81	70	43	93	45	-
American Indian 1/, both sexes.....	72	4	4	2	2	2	5	19	14	8	8	4	-
Male.....	33	1	2	1	-	2	2	10	8	3	3	1	-
Female.....	39	3	2	1	2	-	3	9	6	5	5	3	-
Asian or Pacific Islander 2/, both sexes	213	7	3	1	5	8	7	19	45	56	51	11	-
Male.....	119	4	2	-	3	4	5	15	30	24	27	5	-
Female.....	94	3	1	1	2	4	2	4	15	32	24	6	-
Malignant neoplasms (C00-C97)													
All races, both sexes.....	556,902	75	392	1,076	1,651	3,741	15,509	49,843	95,692	141,248	167,617	80,046	12
Male.....	287,990	34	227	591	979	1,804	6,825	25,542	51,927	77,793	87,382	34,878	8
Female.....	268,912	41	165	485	672	1,937	8,684	24,301	43,765	63,455	80,235	45,168	4
White, both sexes.....	481,556	64	317	853	1,324	2,868	12,066	39,259	80,298	122,223	149,848	72,425	11
Male.....	249,053	29	182	472	790	1,432	5,422	20,158	43,526	67,430	78,084	31,520	8
Female.....	232,503	35	135	381	534	1,436	6,644	19,101	36,772	54,793	71,764	40,905	3
Black, both sexes.....	62,660	7	57	173	247	667	2,817	8,903	13,015	15,816	14,606	6,352	-
Male.....	32,442	4	31	96	143	269	1,127	4,590	7,190	8,680	7,602	2,710	-
Female.....	30,218	3	26	77	104	398	1,690	4,313	5,825	7,136	7,004	3,642	-
American Indian 1/, both sexes.....	2,154	-	7	8	19	24	101	303	465	557	494	176	-
Male.....	1,092	-	7	2	13	11	44	153	239	301	234	88	-
Female.....	1,062	-	-	6	6	13	57	150	226	256	260	88	-
Asian or Pacific Islander 2/, both sexes	10,532	4	11	42	61	182	525	1,378	1,914	2,652	2,669	1,093	1
Male.....	5,403	1	7	21	33	92	232	641	972	1,382	1,462	560	-
Female.....	5,129	3	4	21	28	90	293	737	942	1,270	1,207	533	1

Wortable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2002

(Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002")

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09, B25-B49,B55-B99)

	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
All races, both sexes.....	6,707	224	61	84	97	169	453	916	889	1,223	1,594	997	-
Male.....	3,622	125	39	40	52	96	291	626	532	663	785	373	-
Female.....	3,085	99	22	44	45	73	162	290	357	560	809	624	-
White, both sexes.....	5,528	155	45	66	64	117	307	708	692	1,048	1,412	914	-
Male.....	2,967	85	28	35	33	63	207	492	410	577	695	342	-
Female.....	2,561	70	17	31	31	54	100	216	282	471	717	572	-
Black, both sexes.....	943	59	14	10	27	47	125	181	152	122	133	73	-
Male.....	526	33	10	3	15	29	71	118	99	62	59	27	-
Female.....	417	26	4	7	12	18	54	63	53	60	74	46	-
American Indian 1/, both sexes.....	54	4	1	1	-	-	9	8	12	11	8	-	-
Male.....	28	3	1	1	-	-	5	6	6	3	3	-	-
Female.....	26	1	-	-	-	-	4	2	6	8	5	-	-
Asian or Pacific Islander 2/, both sexes.....	182	6	1	7	6	5	12	19	33	42	41	10	-
Male.....	101	4	-	1	4	4	8	10	17	21	28	4	-
Female.....	81	2	1	6	2	1	4	9	16	21	13	6	-
Malignant neoplasms (C00-C97)													
All races, both sexes.....	557,271	74	402	1,072	1,730	3,872	16,085	49,637	93,391	144,757	167,062	79,182	7
Male.....	288,768	42	216	600	1,016	1,868	7,056	25,192	51,115	80,085	86,952	34,621	5
Female.....	268,503	32	186	472	714	2,004	9,029	24,445	42,276	64,672	80,110	44,561	2
White, both sexes.....	482,481	56	306	846	1,399	2,997	12,582	39,516	78,140	125,458	149,525	71,652	4
Male.....	249,867	35	168	459	830	1,472	5,604	20,157	42,632	69,588	77,649	31,270	3
Female.....	232,614	21	138	387	569	1,525	6,978	19,359	35,508	55,870	71,876	40,382	1
Black, both sexes.....	62,617	12	74	172	250	669	2,903	8,450	12,825	16,245	14,664	6,350	3
Male.....	32,627	4	34	106	140	290	1,172	4,240	7,183	8,931	7,749	2,776	2
Female.....	29,990	8	40	66	110	379	1,731	4,210	5,642	7,314	6,915	3,574	1
American Indian 1/, both sexes.....	2,175	1	3	12	20	35	100	293	485	589	460	177	-
Male.....	1,081	-	2	7	10	14	44	138	265	307	236	58	-
Female.....	1,094	1	1	5	10	21	56	155	220	282	224	119	-
Asian or Pacific Islander 2/, both sexes.....	9,998	5	19	42	61	171	500	1,378	1,941	2,465	2,413	1,003	-
Male.....	5,193	3	12	28	36	92	236	657	1,035	1,259	1,318	517	-
Female.....	4,805	2	7	14	25	79	264	721	906	1,206	1,095	486	-

WORK TABLE 250F. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2001

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001")

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Other and unspecified infectious and parasitic diseases and their sequelae (A00-A05, A20-A36, A42-A44, A48-A49, A54-A79, A81-A82, A85.0-A85.1, A85.8, A86-B04, B06-B09, B25-B49, B55-B99)									
All races, both sexes	5,715	191	64	64	86	147	369	663	771
Male	2,931	101	37	29	51	83	227	426	449
Female	2,784	90	27	35	35	64	142	237	322
White, both sexes	4,688	120	44	49	58	96	258	508	609
Male	2,405	62	25	22	33	61	160	332	360
Female	2,283	58	19	27	25	35	98	176	249
Black, both sexes	825	62	16	13	23	45	94	131	130
Male	427	36	10	6	15	19	59	81	71
Female	398	26	6	7	8	26	35	50	59
American Indian 1/, both sexes	51	5	3	2	2	-	8	5	7
Male	21	2	2	1	2	-	3	2	2
Female	30	3	1	1	-	-	5	3	5
Asian or Pacific Islander 2/, both sexes	151	4	1	-	3	6	9	19	25
Male	78	1	-	-	1	3	5	11	16
Female	73	3	1	-	2	3	4	8	9
Malignant neoplasms (C00-C97)									
All races, both sexes	553,768	66	420	1,008	1,704	3,994	16,569	49,562	90,223
Male	287,075	31	229	533	1,024	1,860	7,297	25,071	49,244
Female	266,693	35	191	475	680	2,134	9,272	24,491	40,979
White, both sexes	479,651	54	353	780	1,359	3,094	12,959	39,686	75,603
Male	240,146	24	189	398	824	1,493	5,783	20,069	41,155
Female	231,505	30	164	382	535	1,601	7,176	19,617	34,448
Black, both sexes	62,170	6	48	176	262	697	2,981	8,245	12,323
Male	32,679	3	30	102	153	270	1,217	4,235	6,833
Female	29,491	3	18	74	109	427	1,764	4,010	5,490
American Indian 1/, both sexes	2,155	3	4	5	22	34	114	282	470
Male	1,103	3	3	3	15	19	53	135	244
Female	1,052	-	1	2	7	15	61	147	226
Asian or Pacific Islander 2/, both sexes	9,792	3	15	47	61	169	515	1,349	1,827
Male	5,147	1	7	30	32	78	244	632	1,012
Female	4,645	2	8	17	29	91	271	717	815

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
--	-------------	-----------------	-----------	------------	-------------	-------------	-------------	-------------	-------------

Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-AB 5.1,A85.8,A86-B04,B06-B09,B25-B49,B55-B99)

All races, both sexes	5,532	167	71	67	96	141	350	585	707
Male	2,861	94	41	35	54	75	220	358	383
Female	2,671	73	30	32	42	66	130	227	324
White, both sexes	4,550	101	50	52	71	84	242	444	560
Male	2,334	59	27	25	41	48	153	274	311
Female	2,216	42	23	27	30	36	89	170	249
Black, both sexes	826	61	14	10	22	50	95	127	119
Male	432	31	10	5	10	22	58	76	62
Female	394	30	4	5	12	28	37	51	57
American Indian 1/, both sexes	34	2	2	-	-	1	5	5	12
Male	13	1	-	-	-	-	2	5	3
Female	21	1	2	-	-	1	3	-	9
Asian or Pacific Islander 2/, both sexes	122	3	5	5	3	6	8	9	16
Male	82	3	4	5	3	5	7	3	7
Female	40	-	1	-	-	1	1	6	9

Malignant neoplasms (C00-C97)

All races, both sexes	553,091	92	420	1,014	1,713	3,916	16,520	48,034	89,005
Male	286,082	50	233	569	1,022	1,854	7,344	24,215	48,427
Female	267,009	42	187	445	691	2,062	9,176	23,819	40,578
White, both sexes	480,011	75	330	818	1,333	3,072	12,764	38,478	74,759
Male	247,403	42	190	456	798	1,500	5,739	19,353	40,457
Female	232,608	33	140	362	535	1,572	7,025	19,125	34,302
Black, both sexes	61,945	11	70	150	301	649	3,108	8,147	12,119
Male	32,817	4	34	87	179	262	1,309	4,192	6,829
Female	29,128	7	36	63	122	387	1,799	3,955	5,290
American Indian 1/, both sexes	1,914	2	3	8	13	26	105	220	417
Male	997	2	2	4	7	13	49	116	226
Female	917	-	1	4	6	13	56	104	191
Asian or Pacific Islander 2/, both sexes	9,221	4	17	38	66	169	543	1,189	1,710
Male	4,865	2	7	22	38	79	247	554	915
Female	4,356	2	10	16	28	90	296	635	795

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09,B25-B49,B55-B99)													
All races,both sexes	7,279	203	81	79	90	242	545	836	898	1,443	1,739	1,123	-
Male	3,655	119	51	44	49	131	333	478	482	760	827	381	-
Female	3,624	84	30	35	41	111	212	358	416	683	912	742	-
White,both sexes	5,794	135	56	56	64	144	353	580	691	1,208	1,510	997	-
Male	2,910	85	37	31	34	78	239	345	377	644	710	330	-
Female	2,884	50	19	25	30	66	114	235	314	564	800	667	-
All other,both sexes	1,485	68	25	23	26	98	192	256	207	235	229	126	-
Male	745	34	14	13	15	53	94	133	105	116	117	51	-
Female	740	34	11	10	11	45	98	123	102	119	112	75	-
Black,both sexes	1,260	60	23	17	20	89	172	221	171	194	186	107	-
Male	624	31	14	10	12	48	83	115	83	95	94	39	-
Female	636	29	9	7	8	41	89	106	88	99	92	68	-
Malignant neoplasms (C00-C97)													
All races,both sexes	549,838	68	418	1,012	1,724	4,005	16,732	46,681	89,067	152,338	162,770	75,014	9
Male	285,832	36	227	555	1,023	1,959	7,471	23,634	48,833	84,544	85,060	32,484	6
Female	264,006	32	191	457	701	2,046	9,261	23,047	40,234	67,794	77,710	42,530	3
White,both sexes	477,238	53	353	780	1,327	3,147	13,060	37,489	74,568	132,703	146,009	67,742	7
Male	247,396	31	194	434	784	1,561	5,934	18,839	40,768	73,679	76,066	29,102	4
Female	229,842	22	159	346	543	1,586	7,126	18,650	33,800	59,024	69,943	38,640	3
All other,both sexes	72,600	15	65	232	397	858	3,672	9,192	14,499	19,635	16,761	7,272	2
Male	38,436	5	33	121	239	398	1,537	4,795	8,065	10,865	8,994	3,382	2
Female	34,164	10	32	111	158	460	2,135	4,397	6,434	8,770	7,767	3,890	-
Black,both sexes	61,951	11	49	183	318	671	3,080	7,830	12,433	16,764	14,312	6,299	1
Male	32,850	3	26	96	184	297	1,267	4,144	6,993	9,314	7,674	2,851	1
Female	29,101	8	23	87	134	374	1,813	3,686	5,440	7,450	6,638	3,448	-