REFERENCES

Agee, James K. 1993. Fire ecology of Pacific Northwest Forests. Washington DC: Island Press; 493 p.

Agee, James K. 1996. **The influence of forest structure on fire behavior.** University of Washington, College of Forest Resources. In: Proceedings: 17th annual forest vegetation management conference. Redding, CA: January 16–18, 1996: 52–68.

Agee, James K.; Skinner, Carl N. 2005. **Basic principles of forest fuel reduction treatments.** Forest ecology and management 211: 83-96.

Alvarado, Maribel. 2005. 2005 Soil monitoring report for the Kings River Project. Open-file report. Clovis, CA: Sierra National Forest, USDA Forest Service; 27 p.

Amaranthus, M.; Jubas, H.; Arthur, D. 1989. **Stream shading, summer streamflow and maximum water temperature following intense wildfire in headwater streams**. Gen. Tech. Rep. PSW-109. Symposium on fire and watershed management Sacramento, CA:. USDA Forest Service. October 26-28, 1988: 75-78.

American Public Health Association; American Water works Association; Water Environment Federation. 1998. **Standard methods for the examination of water and wastewater**; 20 p.

Anderson, Hal E. 1982. **Aids to determining fuel models for estimating fire behavior.** Gen. Tech. Rep. INT-122. Ogden, UT: Intermountain Forest and Range Experiment Station, USDA Forest Service; 22 p.

Anderson, Kat. 1992. The mountains smell like fire: Indian management of black oak for acorns. Unpublished manuscript.

Anderson, Kat. 1997. **California's endangered peoples and endangered ecosystems.** American Indian Culture and Research Journal 21(3): 7-31.

Anderson, Kat; Moratto, Michael J. 1996. **Native American land-use practices and ecological impacts.** In: Sierra Nevada Ecosystem Project, Final report to Congress 2, Assessments and scientific basis for management options. Davis, CA: University of California, Centers for Water and Wildland Resources.

Anderson, R. Scott; Moratto, Michael J. 1991. **Vegetation change in Yosemite Valley, Yosemite National Park, California, during the protohistoric period.** Madrono 38(1): 1013-1024.

Andrews, Patricia L. 1986. **Behave: fire behavior prediction and fuel modeling system – Burn subsystem, part 1.** Gen. Tech. Rep. INT-194. Ogden, UT: Intermountain Research Station, USDA Forest Service; 130 p.

Arno, Stephen F.; Scott, Joe H. 1995. **Age-class structure of old growth ponderosa pine/Douglas-fir stands and its relationship to fire history.** USDA RP-481.

Arthur, S.M.; W.B. Krohn. 1991. Activity patterns, movements, and reproductive ecology of fishers in southcentral Maine. Journal of Mammalogy 72: 379-85.

Aubry, KB. 2002. Ecological characteristics of fishers in the southern Oregon Cascade Range: final progress report. Pacific Northwest Research Station, Olympia, Washington: USDA Forest Service. June 1, 2002.

Aubry, KB; Houston, D.B. 1992. **Distribution and status of the fisher** (*Martes pennanti*) in Washington. Northwestern Naturalist 73: 69-79.

Aubry, KB.; Raley, C.M.; Catton, TJ.; Tomb, G.W. 2000. **Ecological characteristics of fishers in southwestern Oregon (Progress report: January 1 - December 31, 1999).** Pacific Northwest Research Station, Olympia, Washington: USDA Forest Service.

Assmann E. 1970. The principles of forest yield study. Oxford, NY: Pergamon Press; 506 p.

Bagne, K. 2003. Pacific Southwest Researcher and Wells, Stephanie, High Sierra Ranger Assistant District Aquatic Biologist. Concerning ongoing research on salamanders in the Rush Creek and Big Creeks areas of the High Sierra Ranger District. August 5, 2003. (personal communications).

Baker, W.L.; Ehle, D. 2001. Uncertainty in surface-fire history: The case of ponderosa pine forests in the western United States. Canadian Journal of Forest Research 31: 1205-1226.

Bakke, David. 2001. A review and assessment of the results of water monitoring for herbicide residues for the years 1991 to 1999. Vallejo, CA: Region 5, USDA Forest Service.

Ballard, K. 1999. **Barnes Mountain underburn monitoring evaluation.** Unpublished internal report. Prather, CA: Kings River Ranger District, Sierra National Forest, USDA Forest Service; 3 p.

Barbour, Michael G.; Burk, Jack H.; Pitts, Wanna D. 1980. **Terrestrial plant ecology.** Menlo Park, CA: Benjamin/Cummings Publishing Co., Inc.; 604 p.

Barbour, M.; Kelley, E.; Maloney, P.; Rizzo, D.; Royce, E.; Fites-Kaufmann, J. 2002. **Present and past old-growth forests of the Lake Tahoe Basin Sierra Nevada.** Journal of Vegetation Science. In-press.

Barrows, C. 1980. Feeding ecology of the spotted owl in California. J. Raptor Res. 14: 73-78.

Bart, J. 1995. Amount of suitable habitat and viability of northern spotted owls. Conservation Biology 9: 943-946.

Bartelt, P.E.; Peterson, C.; Klaver, R.L. 2004. **Sexual differences in the post-breeding movements and habitats selected by western toads** (*Bufo boreas*) in southeastern Idaho. Herpetologica 60(4): 455-467.

Battles, John; Newburn, David. 2000. **Red fir forest dynamics: the interaction of fine-scale disturbances and prescribed fire.** Annual fire report on research. Berkeley, CA: Monitoring and Inventory Ecosystem Sciences Division, University of California.

Bêche, Leah A.; Stephens, Scott L.; Resh, Vincent H. 2005. Effects of prescribed fire on a Sierra Nevada (California, USA) stream and its riparian zone. Forest ecology and management 218: 37-59.

Benavides-Solorio, Juan; MacDonald, Lee H. 2001. **Post-fire runoff and erosion from simulated rainfall on small plots.** Colorado Front Range. Hydrological Processes 15: 2931-2952.

Bendall J.F. 1974. **Effects of fire on birds and mammals.** In: Kozlowski T.T., Ahlgren, C.E., eds. Fire and ecosystems. New York, NY: NY Academic Press; 73-138.

Berg, N.A.; Azuma, D.; Carlson, A. 2002. Effects of wildfire on in-channel woody debris in the eastern Sierra Nevada, California. Gen. Tech. Rep. PSW-GTR-181. USDA Forest Service.

Beschta, R.L.; Bilby, R.E.; Brown, G.W.; Holtby. L.B.; Hofstra, T.D. 1987. **Stream temperature and aquatic habitat: fisheries and forestry interactions**. University of Washington, Seattle, Washington: Institute of Forest Resources, 57: 191-232. In: Sal, E.O.; Cundy, T.W. eds. Proceedings: Forestry and fisheries interactions.

Binns, N.A.; Eiserman, F.M. 1979. **Quantification of fluvial trout habitat in Wyoming.** Transactions of the American Fisheries Society 108: 215-228.

Bisson, P.A.; Bilby, R.E.; Bryant, M.D.; Dolloff, C.A.; Grette, G.B.; House, R.A.; Murphy, M.L.; Koski, V.K.; Sedell, J.R.. 1987. **Large woody debris in forest streams in the Pacific Northwest: past, present, and future.** University of Washington, Seattle, Washington: Institute of Forest Resources. In: Sal, E.O.; Cundy, T.W. eds. Proceedings: Forestry and fisheries interactions 57: 143-190

Bisson, P.A.; Rieman, B.E.; Luce, C.; Hessburg, P.F.; Lee, D.C.; Kershner, J.L.; Reeves, G.H.; Greswell, R.E. 2003. **Fire in aquatic ecosystems of the western USA: current knowledge and key questions**. Forest ecology and management 178(1&2): 213-229.

Black, S.H. 2005. Logging to control insects: The science and myths behind managing forest insect "pests." A synthesis of independently reviewed research. Portland, OR: The Xerces Society for Invertebrate Conservation.

Blackburn, Thomas C.; Anderson, M. Kat. 1993. **Before the wilderness.** Environmental Management by Native Californians, Ballena Press.

Blackwell, Jack. 2004. **Sierra Nevada forest plan amendment, record of decision, rationale.** Vallejo, CA: Region 5, USDA Forest Service; January.

Blackwell, Jack. 2004. **Best management practices evaluation program (BMPEP) monitoring report.** Open file report. Clovis, CA: Sierra National Forest, USDA Forest Service; 6 p.

Bonnicksen, T.M.; Stone, E.C. 1981. The giant sequoia-mixed conifer forest community characterized through pattern analysis as a mosaic of aggregations. Forest ecology and management 3: 307-328.

Bonnicksen, T.M.; Stone, E.C. 1982. **Reconstruction of a presettlement giant sequoia-mixed-conifer forest community using the aggregation approach.** Ecology 63: 1134-1148.

Boroski, B.B.; Golightly, R.T.; Mazzoni, A.K.; Sager, KA. 2002. **Fisher research and the Kings River sustainable forest ecosystems project: current results and future efforts.** Gen. Tech Rep. PSW-GTR-183. USDA Forest Service.

Boroski, Brian; Mazzoni, Amie K. 2000. **Progress report on capture data for Pacific fishers within the Kings River sustainable forest ecosystem project.**October 27.

Bouldin, J. 1999. **Twentieth-century changes in Forests of the Sierra Nevada, California.** Davis, CA: University of California: PhD dissertation.

Boussu, M.F. 1954. **Relationships between trout populations and cover on a small stream.** Journal of Wildlife Management 18: 229-239.

Bragg, D.C.; Kershner, J.L. 2002. **Influence of bank afforestation and snag angle-of-fall on riparian large woody debris recruitment**. Gen. Tech. Rep. PSW-181. USDA Forest Service.

Bragg, D.C.; Kershner, J.L. 2004. **Sensitivity of a riparian large woody debris recruitment model to the number of contributing banks and tree fall patterns**. Western Journal of Applied Forestry. April 2004. 19(2).

Bragg, D.C.; Kershner, J.L.; Roberts, D.W. 2000. **Modeling large woody debris recruitment for small streams of the central Rocky Mountains**. Gen. Tech. Rep. RMRS-GTR-55. Rocky Mountain Research Station. USDA Forest Service.

Brown, James K.; Smith, Jane Kapler, eds. 2000. **Wildland fire in ecosystems: effects of fire on flora.** Gen. Tech. Rep. RMRS-GTR-42-vol. 2. Ogden, UT: Rocky Mountain Research Station, USDA Forest

Service; 257 p.

Brown, Kathy. 2005. Pacific Southwest Research Station, USDA Forest Service. Unpublished data concerning the Yosemite Toad. (personal communications).

Brown, Richard T.; Agee, James K.; Franklin, Jerry F. 2004. Forest restoration and fire: Principles in the context of place. Conservation Biology 18(4): 903-912.

Buck, S.G.; Mullis C.; Mossman, A.S. 1983. **Final report: Corral Bottom-Hayfork Bally fisher study.** Arcata, CA: Humboldt State University, USDA Forest Service.

Buck, S.G.; Mullis, C.; Mossman, A.S.; Show, I.; Coolahan, C. 1994. **Habitat use by fishers in adjoining heavily and lightly harvested forest.** In: Buskirk, S.W.; Harestad, A.S.; Raphael, M.G.; Powell, R.A. eds. Proceedings: Martens, sables and fishers: biology and conservation. Ithaca, NY: Cornell University Press 368-376.

Buskirk, S. W.; Powell, R.A. 1994. **Habitat ecology of fishers and American martens**. In: Buskirk, S. W.; Harestad, A.S.; Raphael, M.G.; Powell, R.A. eds. Proceedings: Martens, sables and fishers: biology and conservation. Ithaca, NY: Cornell University Press: 283-296.

CDF (California Department of Forestry and Fire Protection). 2005. **California Practices Rules 2005**. Via online: www.fire.ca.gov as of 7/28/2006.

CDF (California Department of Forestry and Fire Protection); USDA (US Department of Agriculture, Forest Service). 2004. **California fire siege 2003, the story.** 98 p.

CDFG (California Department of Fish and Game). 2002. **California wildlife habitat relationships version 8.0 personal computing program.** Sacramento, CA: California Interagency Wildlife Task Group, CDFG Department of Fish and Game.

Camp, C.L. 1916. **Description of** *Bufo canorus*, a new toad from Yosemite National Park. University of California Publications in Zoology 17: 59-62.

Caprio, Anthony C.; Graber, David M. 2000. Returning fire to the mountains: Can we successfully restore the ecological role of pre-European fire regimes to the Sierra Nevada? Proc. RMRS-P-000. Odgen, UT: Rocky Mountain Research Station, USDA Forest Service. In: Cole, David N.; Stephen F. McCool. 2000. Proceedings: Wilderness science in a time of change.

Caprio A.C.; Swetnam, T.W. 1995. **Historic fire regimes along an elevational gradient on the west slope of the Sierra Nevada, California.** Gen. Tech. Rep. INT-GTR-320. Ogden, UT: Intermountain Research Station, USDA Forest Service; 173–179. In: Brown, J.K.; Mutch, R.W.; Spoon, C.W.; Wakimoto, R.H., Tech. Cords. Proceedings: Symposium on fire in wilderness and park management, Missoula, MT: March 30–April 1, 1993.

Carroll, C.R.; Zielinski, W.J.; Noss, R.F. 1999. Using presence/absence data to build and test spatial habitat models for the fisher in the Klamath region, USA. Conservation Biology 13(6): 1344-59.

Central Valley Regional Water Quality Control Board. 2004. Water quality control plan for the Tulare Lake Basin, 2. Available via:

http://www.waterboards.ca.gov/centralvalley/available_documents/index.html#anchor616381

Central Valley Regional Water Quality Control Board. 2005. **Conditional waiver of waste discharge requirements for discharges related to timber harvest activities.** Res. R5-2005-0052. Available via: http://www.swrcb.ca.gov/rwqcb5/adopted_orders/Waivers/R5-2005-0052.pdf

Chamberlin, T.W.; Harr, R.D.; Everest, F.H. 1991. **Timber harvesting, silviculture, and watershed processes.** American Fisheries Society special publication 19: 181-206.

Clark, Bob. 2001. **Soils, water, and watersheds.** National Wildlife coordinating group, fire use working team. Chapter 5 in: Fire effects guide. Available via: http://www.nwcg.gov/pms/RxFire/FEG.pdf

Click, C.; Fiske, J.; Sherlock, J.; Wescom, R. 1994. Alternative to herbicides in the USDA Forest Service, Pacific Southwest Region, 10-year update. Proceedings: 15th annual forest vegetation management conference. Redding, CA: January 25-27: 46-60.

Clines, Joanna. 2005. **Noxious weed risk assessment for Kings River Project EIS.** Prather, CA: High Sierra Ranger District, Sierra National Forest, USDA Forest Service.

Clines, Joanna; Tuietle-Lewis, Jamison. 2005. **Biological assessment and biological evaluation for threatened, endangered, and sensitive plant species for the Kings River Project – initial eight management units (2006 to 2009).** Prather, CA: High Sierra Ranger District, Sierra National Forest, USDA Forest Service.

Coe, Drew B. 2006. Sediment production and delivery from forest roads in the Sierra Nevada, California. Colorado State University, Fort Collins, CO: Masters Thesis.

Cohen, J.D. 1999. **Reducing the wildfire threat to homes: Where and how much?** PSW-GTR-173. Pacific Southwest Forest and Range Experiment Station, USDA Forest Service. Symposium on fire economics, policy and planning: Bottom lines April 5-9: 329-332.

Cohen, Jack; Stratton, Rick. 2003. **Home destruction within the Haymen Fire perimeter.** Gen. Tech. Rep. RMRS-GTR-114. Fort Collins, CO: Rocky Mountain Research Station, USDA Forest Service.

Conroy, W.J. 2003. **ANOVA of instream turbidity measurements for TMDL effectiveness monitoring of forest BMPs.** American Society of Agricultural Engineers, Annual International Meeting. Las Vegas, NV: July 28-30, ASAE Paper #032349.

Covington, Wallace W.; Fule, Peter Z.; Moore, Margaret M.; Hart, Stephen C.; Kolb, Thomas E.; Mast, Joy N.; Sackett, Stephen S.; Wagner, Michael R. 1997. **Restoring ecosystem health in ponderosa pine forests of the Southwest.** Journal of Forestry 95: 23-29.

Crookston, N.L. 1997. **Suppose: an interface to the forest vegetation simulator**. Gen. Tech. Rep. INT-GTR-373. Forest Vegetation Simulator Conference. UT: USDA Forest Service.

Cummins, K.W. 1974. Structure and function of stream ecosystems. BioScience 24: 631-641.

Dark, S.J. 1997. A landscape-scale analysis of mammalian carnivore distribution and habitat use by fisher. Arcata, CA: Humboldt State University, Masters Thesis.

Davies-Colley, R.J; Smith, D.G. 2001. **Turbidity, suspended sediment, and water clarity: a review.** Journal of the American Water Resources Association 37(5): 1085-1101.

Davis, William C. 1999. **Ecophysiology of Hydrothyria venosa – An aquatic lichen.** Arizona State University. PhD Dissertation.

Dean, Thomas J.; Baldwin, Clark V. Jr. 1996. **Crown management and stand density**. Baton Rouge, LA: Louisiana State University Agricultural Center, Louisiana Agricultural Experiment Station: 148-159a-e. [159ii revised].In: Carter, Mason C., ed. Growing trees in a greener world. Proceedings: Industrial forestry in the 21st century; 35th LSU forestry symposium.

DeGraff. J. 2003. Cumulative watershed effects analysis, South of Shaver Project. Clovis, CA: Sierra

National Forest, USDA Forest Service. Unpublished internal report.

Dixon, G.E. 1994. Western Sierra Nevada prognosis geographic variant of the forest vegetation simulator. WO Timber Management Service Center.

Drew, R.E.; Hallett, J.G.; Aubry, K.B.; Cullings, K.W.; Koepf, S.M.; Zielinski, W.J. 2003. **Conservation genetics of the fisher** (*Martes pennanti*) **based on mitochondrial DNA - sequencing.** Molecular Ecology 12: 51-62.

Drew, T.J.; Flewelling, J.W. 1979. **Stand density management: An alternative approach and its application to Douglas-fir plantations.** USDA Forest Service. 25: 518-532.

Drost C.; Fellers, G. 1996. Collapse of a regional frog fauna in the Yosemite area of the California Sierra Nevada, USA. Conservation Biology 10(2): 414-425.

Drumm, Mary K. 1996. Fire history in mixed conifer series of the Kings River Adaptive Management Area, Sierra National Forest. Arcata, CA: Humboldt State University. M. S. Thesis.

Dunham, J.B.; Young, M.K.; Greswell, R.E.; Rieman, R.E. 2003. **Effects of fire on fish populations: landscape perspectives on persistence of native fishes and nonnative fish invasions**. Forest ecology and management 178(1&2): 183-196.

Dunning, Duncan. 1923. **Some results of cutting in the Sierra Forests of California.** Dept. Bull. 1176. Washington DC: USDA Forest Service.

Dunning. 1942. A site classification for the mixed-conifer selection forest of the Sierra Nevada. Research Note 28. California Forest and Range Experiment Station, USDA Forest Service.

Dunning, Duncan; Reineke, L.H. 1933. **Preliminary yield tables for second-growth stands in the California pine region.** Tech. Bull. 354. Washington DC: USDA Forest Service; 24 p.

Dwire, K.A.; Kauffman, J.B. 2003. **Fire and riparian ecosystems in landscapes of the western USA**. Forest ecology and management 178(1&2): 61-74.

Dwire, K.A.; Rhoades, C.C.; and Young, M.K. 2006. **Potential effects of fuel management activities on riparian areas**. RMRS GTR-10. In: Elliot, B.; Potyondy, J.; Kershner, J. (eds). Proceedings: Cumulative Watershed Effects of Fuel Management: A Western Synopsis.

Eddinger, H. 2000a. California red-legged frog site assessment for the Bear Meadow fuels reduction project, site assessment #0515South001. In: Letter to Wayne White – Field Supervisor, Sacramento Office, USDI Fish and Wildlife Service. Proceedings: from Holly Eddinger – District Aquatic Biologist. USDA Forest Service, Sierra National Forest, High Sierra Ranger District (formerly the Pineridge and Kings River Ranger Districts). Prather, CA. February 22, 2000; 7 p (plus maps).

Eddinger, H. 2000b. California red-legged frog site assessment for five grazing allotments and an OHV event, site assessment #0515South003. In: Letter to Wayne White – Field Supervisor, Sacramento Office, USDI, Fish and Wildlife Service Proceedings: from Holly Eddinger – District Aquatic Biologist. USDA Forest Service, Sierra National Forest, High Sierra Ranger District (formerly the Pineridge and Kings River Ranger Districts). Prather, CA. September 14, 2000; 6 p (plus maps).

Eddinger, H. 2003. **Biological assessment/evaluation of the Mt. Toppers 4WDC.** Prather, CA: High Sierra Ranger District, Sierra National Forest, USDA Forest Service., March 18; 18 p (plus attachments).

EPA. 1991. Monitoring guidelines to evaluate effects of forestry activities on streams in the Pacific Northwest and Alaska. Center for streamside studies in forestry, fisheries and wildlife. College of Forest Resources/College of Ocean and Fishery Sciences, University of Washington, Seattle, Washington.

Erickson, Heather E.; Soto, Patricia; Johnson, Dale W.; Roath, Brent; Hunsaker, Carolyn. 2005. **Effects of vegetation patches on soil nutrient pools and fluxes within a mixed-conifer forest.** Forest Science 51(3).

Erman, N.A. 1996. **Status of aquatic invertebrates**. In: Sierra Nevada ecosystem. Proceedings: Final report to Congress, 35(2). Centers for water and wildland resources, University of California, Davis, Davis, CA.

Feder, J.H. 1977. **Genetic variation and biochemical systematics in western** *Bufo*. Berkeley, CA: University of California. Masters Thesis.

Federal Register. (61 FR 25813). Determination of threatened status for the California red-legged frog. May 23, 1996: 67(237). 25813–25833.

Federal Register. (66 FR 14626). Final determination of critical habitat for the California red-legged frog. March 13, 2001: 66(49). 14626–14674.

Federal Register. (67 FR 57830). Notice of availability of final recovery plan for the California redlegged frog. September 12, 2002: 67(177). 57830–57831.

Federal Register. (67 FR 75834). 12-month finding for a petition to list the Yosemite toad. December 10, 2002: 67(237). 75834–75843.

Federal Register. (68 FR 2283). **12-month finding for a petition to list the Sierra Nevada Distinct Population of Mountain yellow-legged frogs (***Rana muscosa***)**. January 16, 2003: 68(11): 2283–2303.

Federal Register. (69 FR 19619). Proposed designation of critical habitat for the California red-legged frog (Rana aurora draytonii). April 13, 2004: 69(71). 19619–19642.

FEMAT. 1993. **Forest ecosystem management: ecological, economic, and social assessment**. In: Aquatic Ecosystem Assessment, Chapter 5. Proceedings: Forest ecosystem management assessment team.

Ferrell, G.T. 1996. **The influence of insect pests and pathogens in Sierra forests.** p. 1177. In: Sierra Nevada Ecosystem Project, final report to Congress, vol. 2, Chapter 21, Assessments and scientific basis for management options. Davis, CA: University of California, Centers for Water and Wildland Resources.

Fiddler, G.O.; P.M. McDonald. 1984. **Alternatives to herbicides in vegetation management: a study.** Proceedings: Fifth Annual Forest Vegetation Conference, Redding, CA: November 2-3, 1983.

Fiske, J.N. 1981. **Evaluating the need for release from competition from woody plants to improve conifer growth rates.** Proceedings: Third Annual Forest Vegetation Management Conference, Redding, CA, November 4-5, 1981.

Fiske, J. 1984. Estimating effects of competing plants on conifer growth and yield and determining release needs. In: Proceedings, Sixth Annual Forest Vegetation Management Conference, Redding, CA, November 1-2, 1984.

Flintham, S. J. 1904. Forest extension in the Sierra Forest Reserve. Bureau of Forestry.

Ford, William M.; Menzel, Alex M.; McGill, David W.; Laerm, Joshua; McCay, Timothy S. 1999. **Effects of a community restoration fire on small mammals and herpetofauna in the southern Appalachians.** Forest Ecology and Management 114: 233-243.

Fowler, Catherine S. 1994. **Historical perspectives on Timbisha Shoshone land management practices, Death Valley, CA.** Manuscript in possession of author.

Franklin, A.B.; Gutiérrez, R.J.; Nichols, J.D.; Seamans, M.E.; White, G.C.; Zimmerman, G.S.; Hines, J.E.; Munton, T.E.; LaHaye, W.S.; Blakesley, J.A.; Steger, G.N.; Noon, B.R.; Shaw, D.W.H.; Keane, J.J.; McDonald, T.L.; Britting, S. 2004. **Population dynamics of the California spotted owl** (*Strix occidentalis occidentalis*): a meta-analysis. Ornithological Monographs 54; 54 p.

Franklin, J.F. 2003. Personal communications with Malcolm North, PSW Scientist.

Franks, Earle W. 2005. **RCO consistency analysis for King River Project, Aquatic, riparian, and meadow ecosystems and associated species.** Open-file report. Clovis, CA: Sierra National Forest, USDA Forest Service; 12 p.

Frazier J.W.; Roby, K.B.; Boberg, J.A.; Kenfield, K.; Reiner, J.B.; Azuma, D.L.; Furnish, J.L.; Staab, B.P.; Grant, S.L. 2005. **Stream condition inventory technical guide**. Ecosystem Conservation Staff, USDA, Forest Service, Pacific Southwest Region, Vallejo, CA; 111 p.

Freel, M. 1991. A literature review for management of the marten and fisher on National Forests in California. Pacific Southwest Region, USDA Forest Service.

Furniss, M.J.; Roelofs, T.D.; Yee, C.S. 1991. **Road construction and maintenance.** American Fisheries Society Special Publication 19: 297-324.

Furniss, R. L.; Carolin, V.M. 1977. **Western forest insects.** Misc. Publ. 1339. Washington DC: USDA Forest Service; November; 383 p.

Gallegos, Alan J. 1999. **Kings River Sustainable Ecosystem Project Bear Meadow watershed restoration plan, Sierra National Forest.** Open-file report. Clovis, CA: Sierra National Forest, USDA Forest Service; 20 p.

Gallegos, Alan J., 2004a. **Big Creek watershed analysis**. Open-file report. Clovis, CA: Sierra National Forest, USDA Forest Service; 64 p.

Gallegos, Alan J., 2004b. **Dinkey Creek watershed analysis.** Open-file report. Clovis, CA: Sierra National Forest, USDA Forest Service; 18 p.

Gallegos, Alan J. 2005a. **2005 Kings River Project baseline CWE assessment.** Open file report. Clovis, CA: Sierra National Forest, USDA Forest Service; May 9; 8 p. plus tables and maps.

Gallegos, Alan J. 2005b. **2005 Kings River Project detailed CWE assessment.** Open file report. Clovis, CA: Sierra National Forest, USDA Forest Service; May 9; 30 p. (plus tables and maps).

Gallegos, Alan J. 2006a. **2006 Kings River Project – Revised detailed CWE Assessment.** Open file report. Clovis, CA: Sierra National Forest, USDA Forest Service; 130 pages.

Gallegos, Alan J. 2006b. Soil Condition Report for the Soaproot, Glen Meadow, KREW Providence 1 and KREW Bull Creek Management Units. Open file report. Clovis, CA: Sierra National Forest, USDA Forest Service.

Gallegos, Alan J.; Phillips, Erin H. 2004. Watershed improvement needs (WIN) inventory for the **Providence 1 and 4 management areas, Kings River Project Area, Sierra National Forest.** Open-file report. Clovis, CA: Sierra National Forest, USDA Forest Service; 38 p.

Geluso, K.N.; Schroder, G.D.; Bragg, T.B. 1986. **Fire-avoidance behavior of meadow voles (Microtus pennsylvanicus).** American Midland Naturalist 116(1): 202-205. In: Smith, J.K., ed. 2000. Wildland fire ecosystems: effects of fire on fauna. Gen. Tech. Rep. RMRS-GTR-42-vol 1. Ogden, UT: Rocky Mountain Research Station, USDA Forest Service; 83 p.

Ghassemi, Masood; others. 1981. Environmental fates and impacts of major forest use pesticides. EPA Contract No. 68-02-3174. Washington DC: Office of Pesticides and Toxic Substances, U.S. Environmental

Protection Agency; 310 p.

Giger, David R. 1993. **Soil Survey of Sierra National Forest Area, California**. Open-file report. Clovis, CA: Sierra National Forest, USDA Forest Service.

Goldman, F.A. 1935. **New American mustelids of the genera** *Martes*, *Gulo*, and *Lutra*. Paper presented at the proceedings Biological Society of Washington. 48p.

Golightly, R.T. 1997. **Fisher** (*Martes pennanti*): ecology, conservation, and management. In: Harris J.; Ogan, C. ed. Proceedings: Mesocarnivores of northern California: biology, management, and survey techniques. Humboldt State University, Arcata, CA: The Wildlife Society, California North Coast Chapter. August 12-15, 1997: 7-16.

Gott, J. 2006. Watershed report for the Kings River Project – initial eight management units – final environmental impact statement. Prather, CA: Sierra National Forest, High Sierra Ranger District, USDA Forest Service.

Graham, Russell T. 2004. Science basis for changing forest structure to modify wildfire behavior and severity. Gen. Tech. Rep. RMRS-GTR-120. Sarah McCaffrey; Theresa B. Jain (tech. eds.). Fort Collins, CO: Rocky Mountain Research Station, USDA Forest Service; 43 p.

Graham, Russell T.; Harvey, Alan E.; Jain, Theresa B.; Tonn, Jonalea R. 1999. **The effects of thinning and similar stand treatments on fire behavior in Western forests.** Gen. Tech. Rep. PNW-GTR-463. Portland, OR: Pacific Northwest Research Station, USDA Forest Service; 27 p.

Graham, Russell T.; McCaffrey, Sarah. 2003. **Influence of forest structure on wildfire behavior and the severity of its effects.** Executive summary of a report edited by: Rocky Mountain Research Station, USDA Forest Service.

Gray, Andrew N.; Zald, Harold S.J.; Kern, Ruth A.; North, Malcolm. 2005. **Stand conditions associated with tree regeneration in Sierran mixed-conifer forests.** Forest Science 51(3).

Green, D.E.; Kagarise Sherman, C. 2001. **Diagnostic histological findings in Yosemite toads** (*Bufo canorus*) from a die-off in the 1970s. Journal of Herpetology 35: 92-103.

Gregory, S.V.; Lamberti G.V.; Erman, D.C.; Koski, K.V.; Murphy, M.L.; Sedell, J.R. 1987. **Influence of forest practices on aquatic production**. In: Salo, E.O.; Cundy, T.W. eds. Proceedings: Streamside management. Forest and fishery interactions. Institute of Forest Resources, University of Washington, Seattle, WA, 57: 233-55.

Gregory, S.V.; Swanson, F.J.; McKee, W.A.; Cummins, K. 1991. **An ecosystem perspective of riparian zones**. BioScience 41(8): 540-551.

Grenfell, W.E.; Fasenfest, M. 1979. Winter food habits of fishers (*Martes pennanti*) in northwestern California. California Fish and Game 65: 186-189.

Greswell, R.W. 1999. Fire and aquatic ecosystems in forested biomes of North America. Transactions of the American Fisheries Society 128: 193-221.

Griffiths, R.A. 1997. **Temporary ponds as amphibian habitats**. Aquatic conservation: marine and freshwater ecosystems. 7: 119-126.

Grinnell, J.; Storer, T.I. 1924. Animal life in Yosemite. Berkeley, CA: University of California Press.

Grinnell, J.; Dixon, J.L; Linsdale, J. M. 1937. **Fur-bearing mammals of California.** Berkeley, CA: University of California Press.

Gucinski, Hermann; Furniss, Michael J.; Ziemer, Robert R.; Brookes, Martha H., eds. 2001. **Forest roads:** a synthesis of scientific information. PNW-GTR-509. Pacific Northwest Research Station, Portland, OR: 103p.

Guildin, James M. 1991. **Uneven-aged BDQ regulation of Sierra Nevada mixed conifers.** Western Journal of Applied Forestry 6: 27-32.

Guildin, James M. 1995. **The role of uneven-aged silviculture in the context of ecosystem management**. MFCES Misce. 56. Missoula, MT: School of Forestry, University of Montana: 1-26. In: O'Hara, K.L., ed. Proceedings: Uneven-aged management: opportunities, constraints and methodologies.

Hagmeir, E. M. 1959. A re-evaluation of the subspecies of fisher. Canadian Field-Naturalist 73: 185-197.

Hale, Mason E., Jr.; Cole, Maritte. 1988. **Lichens of California.** Berkeley and Los Angeles, CA: University of California Press.

Hamer, T.E., Hays, D.L.; Senger, C.M.; Forsman, E.D. 2001. **Diets of northern barred owls and northern spotted owls in an area of sympatry.** Journal of Raptor Research 35(3): 221–227.

Hansen, Bob. 2005. **Amphibian declines: The conservation status of United State species.** CA: University of California Press.

Hanson, D.L. 1977. **Habitat selection and spatial interaction in allopatric and sympatric populations of cutthroat and selected steelhead trout.** Doctoral dissertation. Moscow, ID: University of Idaho.

Hanson, R. 2006. Summary of the biology and current taxonomy of plethodontid salamanders (genus *Batrachospes*) in the Sierra Nevada, California. Tech. Rep. prepared for Phil Strand, Fisheries Program Manager, Sierra National Forest, Clovis, CA; 42 p.

Hargis, C.D. 1981. Winter habitat utilization and food habits of pine marten in Yosemite National Park. Berkeley, CA: University of California. Masters Thesis.

Harris, Richard R; Cox, Randi. 1997. Curriculum on ecology and natural resource management for Indian natural resource workers. American Indian Culture and Research Journal 1(3): 33-48.

Hatchett, B.; Hogan, Michael P.; Grismer, Mark E. 2006. **Mechanical mastication thins Lake Tahoe forest with few adverse impacts.** California Agriculture 60(2): 77-82.

Haufler, J.B.; Crow T.; Wilcove, D. 1999. Scale considerations of ecosystem management in ecological stewardship. Oxford, UK: Elsevier Science.

Hayes, M.P.; Jennings, M.R.; 1986. **Decline of ranid frog species in western North America: are bullfrogs** (*Rana catesbeiana*) **responsible?** Journal of Herpetology. 20(4): 490-509.

Hedlund, J.D.; Richard, W.H. 1981. **Wildfire and the short term response of small mammals inhabiting a sagebrush-bunchgrass community.** Murrelet. 62(10): 10-14. In: Smith, J.K., ed. 2000. Wildland fire in ecosystems: effects of fire on fauna. Gen. Tech. Rep. RMRS-GTR-42-vol 1. Ogden, UT. Rocky Mountain Research Station, USDA Forest Service; 83 p.

Heinemeyer K.S.; Jones, J.L. 1994. **Fisher biology and management in the western United States.** Northern Region and Interagency Forest Carnivore Working Group, USDA Forest Service; 120 p.

Hendrickson, J. R.; 1954. **Ecology and systematics of salamanders of the genus** *Batrachoseps*. Publ. Zool. University of California. 54: 1-46.

Hicks, Brendan J.; Beschta, Robert L.; Harr, Dennis R. 1991. Long-term changes in streamflow following logging in western Oregon and associated fisheries implications. Water Resources Bulletin 27(2): 217-226.

Highway 168 Fire Safe Council. 2005. **Community wildfire protection plan.** Fresno County Board of Supervisor. May 17.

Hilton, Sue; Lisle, T.E. 1993. **Measuring the fraction of pool volume filled with fine sediment.** Research Note PSW-RN-414-WEB. Pacific Southwest Research Station, USDA Forest Service, Albany, CA; 11p.

Hitt, N.P.; 2003. **Immediate effects of wildfire on stream temperature**. Journal of Freshwater Ecology. 18: 171-173.

Holland, D. C.; 1985. An ecological and quantitative study of the western pond turtle (*Clemmys marmorata*) in San Luis Obispo County, California. Masters Thesis, Fresno State University, California.

Holland, D.C.; 1991. A synopsis of the ecology and status of the western pond turtle in 1991. Department of Biology, University of Southwestern Louisiana; 118 p.

Hollenstein, K.; Graham, R.L.; Shepperd, W.D. 2001. Simulating the effects of fuel reduction and presettlement restoration treatments. *Journal of Forestry* 99(10): 12-19.

Hopkins, T.; Strand, P.C. 2002. **Resource: fisheries, aquatics, and riparian areas, McNally Fire BAER, Phase 2.** Sequoia National Forest, USDA Forest Service. September 10, 2002.

Hopson, Rick; Strand, Phil. 2004. **Proposed amendments to aquatic species project design measures for the Kings River Project.** Letter to the High Sierra District Ranger and interdisciplinary team of the Kings River Project dated November 15. Prather, CA: High Sierra Ranger District, Sierra National Forest, USDA Forest Service; 4 p.

Hubbert, K.R.; Beyeers, J.L.; Graham, R.C. 2001. **Roles of weathered bedrock and soil in seasonal water relation of** *Pinus Jeffrey* and *Arctostaphylos patula*. Can. J. For. Res. 31: 1947-1957.

Hunsaker, Carolyn. 2004. **Kings River Experimental Watershed design requirements for proposed action discussion.** Letter to the High Sierra District Ranger and interdisciplinary team of the Kings River Project dated November 15. Prather, CA: High Sierra Ranger District, Sierra National Forest, USDA Forest Service; 3 p.

Hunsaker, Carolyn, 2006. **Personal communication of soil pit data and soil cover and large woody debris data collected in the KREW Study Area.** Pacific Southwest Research Station – Fresno, CA. http://www.fs.fed.us/psw/programs/snrc/staff/hunsaker/

Hunt, R.L. 1969. Effects of habitat alteration on production, standing crops and yield of brook trout in Lawrence Creek, Wisconsin. Northcote: 281-312.

Hurt.1940. **A sawmill history of the Sierra National Forest U. S. Forest Service.** Fresno County, CA: Sierra National Forest, USDA Forest Service.

Isaacs, L.A. 1956. **Place of partial cutting in old-growth stands of the Douglas-fir region.** Research Paper No. 16. Pacific Southwest Experimental Station, USDA Forest Service; 38 p.

Jain, Theresa Benavidez; Graham, Russell T. 2004. Is forest structure related to fire severity? Yes, no, and maybe: Methods and insights in quantifying the answer. Proceedings RMRS-P-34. Fort Collins, CO: Rocky Mountain Research Station, USDA Forest Service.

Janicki, Alex; Potter, Don. 2003. **Effects of grass seeding on post-fire erosion in a Sierra Nevada pine-hardwood community**. Open-file report. Sonora, CA: Stanislaus National Forest, USDA Forest Service; 20 p.

Jennings, M.R.; Hayes, M.P.; 1994. **Amphibian and reptile species of special concern in California**. Rancho Cordova, CA: California Department of Fish and Game; 255 p.

Jockush, E.; Wake, D. 2002. **Falling apart and merging: diversification of slender salamanders** (**Plethodontidae:** *Batrachoseps*) **in the American west**. Biological Journal of the Linnean Society, 76: 361-391.

Jockush, E.; Wake, D.; Yanev, K. 1998. **New species of slender salamanders, Batrachoseps (Amphibia:** *Plethodontidae*) from the Sierra Nevada of California. Contribution in Science. Natural History Museum of Los Angeles County, 472; 16 p.

Johnson, T. 1985. **Fisher** (*Martes pennant*) behavior in proximity to human activity. Canadian Field Naturalist 99: 367-369.

Jones, J.A.; Grant, G.E. 1996. Peak flow responses to clear-cutting and roads in small and large basins, western Cascades, Oregon. Water resources research 32(4): 959-974.

Jones J.L.; Garton, E.O. 1994. **Selection of successional stages by fishers in north-central Idaho**. In: Buskirk S.W., Harestad A.S., Raphael M.G., Powell R.A., eds. Proceedings: Martens, sables and fishers: biology and conservation. Ithaca, NY: Cornell University Press.

Jordan, Mark. 2006. University of California. Unpublished data concerning the fisher. (personal communications).

Jordan, M.J., K. D. Elowe; R. B. Boone. 2005. **Fisher population monitoring in the Kings River Project adaptive management area, draft report.** Sacramento, CA: California Department of Fish and Game; 27 p.

Kagarise Sherman, C. 1980. A comparison of the natural history and mating system of two anurans: Yosemite toads (*Bufo canorus*) and black toads (*Bufo exsul*). Ann Arbor, MI: University of Michigan. PhD Dissertation.

Kagarise Sherman, C.; Morton M.L. 1984. The toad that stays on its toes. Natural History 93: 72-78.

Kagarise Sherman, C.; Morton M.L. 1993. **Population declines of Yosemite toads in the eastern Sierra Nevada of California**. Journal of Herpetology 27: 186-198.

Kaplan-Henry, Terry A.; and Shoener, Heather A. 2002. **Relationship of Sierra Nevada-wide flood frequency curves and local Kern River discharge curves for the McNalley Fire.** Open File Report. Sequoia National Forest, Porterville, CA.

Karlstrom, E.L. 1957. The use of Co₆₀ as a tag for recovering amphibians in the field. Ecology 38: 187-195.

Karlstrom, E.L. 1962. **The toad genus** *Bufo* in the Sierra Nevada of California: ecological and systematic relationships. University of California Publications in Zoology 62: 1-104.

Karlstrom, E.L.; Livezey, R.L. 1955. **The eggs and larvae of the Yosemite toad** *Bufo canorus* **camp**. Herpetologica 11: 221-227.

Kattleman, R. 1996. **Hydrology and water resources**. In: Sierra Nevada ecosystem. Proceedings: Final report to Congress, 30(2). Centers for water and wildland resources, University of California, Davis.

Kauffman, J.B.; and Martin, R.E. 1990. **Sprouting shrub response to different seasons and fuel consumption levels of prescribed fire in Sierra Nevada mixed conifer ecosystems.** Forest Science 36: 748-764.

Keeley, Jon E. 2001. **Fire and invasive species in Mediterranean-climate ecosystems of California.** In: K.E. Galley; and T.P. Wilson, editors. Misc. pub. 2. Proceedings of the invasive species work shop: The role of fire in the control and spread of invasive species. Tallahassee, FL: Tall Timbers Research Station; 81-94.

Keeley, J.E. 2006. Fire Management Impacts on Invasive Plants in the Western United States. Conservation Biology, 20(2): 375-384.

Kelly, G.M. 1977. Fisher (*Martes pennanti*) biology in the White Mountain National Forest and adjacent areas. Amherst, MA: University of Massachusetts.

Keppeler, Elizabeth T.; Ziemer, Robert R. 1990. **Logging effects on streamflow: water yield and summer low flows at Caspar Creek in northwestern California.** Water resources research, 26(7): 1669-1679.

Kie, J.G. 1985. **Production of deer brush and mountain whitethorn related to shrub volume and overstory crown closure.** Pacific Southwest Forest and Range Experiment Station, USDA Forest Service.

Kilgore, Bruce M. 1973. The ecological role of fire in Sierran conifer forests: Its application to National Park Management. Res. Paper. University of Washington. Quat. Res. 3: 496-513.

Knapp, Eric E. 2006. **Effects of fire and fire Surrogate treatments on vegetation.** Reno, NV: Proceedings at the 2006 region 5 fuels and vegetation conference.

Knapp, Eric E.; Keeley, J. 2006. **Heterogeniety in fire severity within early season and late season prescribed fire burns in a mixed-conifer forest.** International Journal of wildland fire 15: 37-45.

Knapp, Eric E.; Stephens, Scott, L.; McIver, James D.; Moghaddas, Jason J.; Keeley, Jon E. 2004. Fire and fire surrogate study in the Sierra Nevada: Evaluating restoration treatments at Blodgett Forest and Sequoia National Park. Gen. Tech. Rep. PSW-GTR-193. USDA Forest Service.

Koehler, G.M.; Hornocker, M.G. 1977. **Fire effects on marten habitat in the Selway-Bitterroot Wilderness**. Journal of Wildlife Management 48(1): 140-146.

Kolb, Thomas E.; Wagner, Michael R.; and Covington, W.W. 1995. **Forest health from different perspectives.** In: RM-GTR-267. Proceedings of national silviculture work shop: Forest health through silviculture. Fort Collins, CO: Rocky Mountain Forest and Range Experiment Station, USDA Forest Service.

Krohn, W.B.; Elowe, K.D.; Boone, R.B. 1995. **Relations among fishers, snow and marten: Development and evaluation of two hypotheses.** Forestry Chronicle 71: 97-105.

Kuehn, D.W. 1989. **Winter foods of fishers during a snowshoe hare decline.** Journal of Wildlife Management 53: 688-692.

Laan, R.; Verboom, B. 1990. **Effects of pool size and isolation on amphibian communities**. Biol. Cons. 54: 251-262.

Lamberson, Ronald H.; Truex, Richard L.; Zielinski, William J.; MacFarlane, Diane C. 2000. **Preliminary analysis of fisher population viability in the southern Sierra Nevada.** Arcata, CA: Humboldt State University. February 15.

Larson, M.M.; Schubert, Gilbert H. 1969. **Root competition between ponderosa pine seedlings and grass.** Res. Paper RM-54. Fort Collins, CO: Rocky Mountain Forest and Range Experiment Station, USDA Forest Service; 12 p.

Larson, S.; Oren, R.; Waring, R.H.; Barrett, J.W. 1983. Attacks of mountain pine beetle as related to

tree vigor of ponderosa pine. Forest Science 29: 395-402.

Lawton, Harry W.; Wilke, Philip J.; Dedecker, Mary; Mason, William M. 1976. **Agriculture among the Paiute of Owens Valley.** Journal of California Anthropology 3(1): 13-50.

Ledwith, T. 1996. The effects of buffer strip width on air temperature and relative humidity in a stream riparian zone. The watershed management council, network 6(5). Via online: http://www.watershed.org/news/sum 96.

Lee, D.C. 2005. Correspondence with Livezey, Kent concerning questions about Lee, D.C., Irwin L.L. In litt. October 13. (personal communications).

Lee, D.C.; Irwin, L.L. 2005. Assessing risks to spotted owls from forest thinning in fire-adapted forests of the western United States. Forest ecology and management 211: 191-209.

Lewis, Henry T. 1973. **Patterns of Indian burning in California: Ecology and ethnohistory.** Ballena Press Anthropological Papers 1.

Lewis, J.; Mori, S.R.; Keppeler, E.T.; Ziemer, R.R. 2001. **Impacts of logging on storm peak flows, flow volumes, and suspended sediment loads in Caspar Creek, California.** Water Science and Application 2: 85-125. American Geophysical Union, Washington, D.C. In: Wigmosta, M.S.; S.J. Burges, eds. Proceedings: Land use and watersheds: human influence on hydrology and geomorphology in urban and forest areas.

Lewis, J.C.; Stinson, D.W. 1998. **Washington State status report for the fisher**. Olympia, WA: Washington Department of Fish and Wildlife.

Lewis, K.J.; Lindgren, B.S. 2000. A conceptual model of biotic disturbance ecology in the central interior of BC: How forest management can turn Dr. Jekyll into Mr. Hyde. Forestry Chronicle 76(3): 433-443.

Lilieholm, R.J.; Davis, L.S.; Heald, R.C.; Holmen, S.P. 1990. **Effects of single tree selection harvests on stand structure, species composition and understory tree growth in a Sierra mixed conifer forest.** Western Journal of Applied Forestry 5(2): 43-47.

Lind, A.J.; Conway, L.; Sanders, H.; Strand, P.; Tharalson, T. 2003. **Distribution, relative abundance,** and habitat of foothill yellow-legged frogs (*Rana boylii*) on National Forests in the southern Sierra Nevada mountains of California. Unpublished report to the Fish Habitat Relationships (FHR) Program, USDA Forest Service, Region 5 (California); 31 p.

Lisle, Thomas E.; Hilton, Sue. 1992. The volume of fine sediment in pools: an index of sediment supply in gravel-bed streams. Water Resources Bulletin 28(2): 371-383.

Luce, Charles H.; Black, Thomas A. 1999. **Sediment production from forest roads in western Oregon.** Water resources research 35(8): 2561-2570.

MacDonald, L.H.; Stednick, J.D. 2003. **Forests and water: a state-of-the art review for Colorado.** CWRRI completion report 196. Colorado State University, Fort Collins, CO.

Maloney, P. E.; Rizzo, D. M. 2002. **Pathogens and insects in a pristine forest ecosystem: the Sierra San Pedro Martir, Baja, Mexico.** Canadian Journal Forest Res. 32: 448–457.

Mann, W.; Dorn, P.; Brandl, R. 1991. Local distribution of amphibians: the importance of habitat fragmentation. Global ecology and biogeography letters 1: 36-41.

Marsh, D. M.; Fegraus, E. H.; Harrison, S. 1999. **Effects of breeding pond isolation on the spatial and temporal dynamics of pond use by the tungara frog** (*Physalaemus pustulosus*). Anim. J. Ecol. 68: 804-814.

Marsh, Steve. 2005. **Archaeological resource management of the Kings River Project.** ARR 2005051554005. Clovis, CA: Sierra National Forest, USDA Forest Service.

Martin, D. 1991. **Captive husbandry as a technique to conserve a species of special concern, the Yosemite toad**. Proceedings of the Northern California Herpetological Society's conference on captive propagation and husbandry of reptiles and amphibians; 32 p.

Martin, Dave. 2002. University of California. Unpublished data concerning the Yosemite Toad. (personal communications).

Martin, Dave. 2006. University of California. Unpublished data concerning the Yosemite Toad. (personal communications).

Martin, S.K. 1994. **Feeding ecology of American martens and fishers**. In: Buskirk, S.W.; Harestad, A.S.; Raphael, M.G.; Powell, R.A. eds. Proceedings: Martens, sables and fishers: biology and conservation. Ithaca, NY: Cornell University Press: 297-315.

Mayer, K.; Laudenslayer, W.F., Jr. 1988. **A guide to wildlife habitats of California.** Sacramento, CA: California Department of Fish and Game; 166 p.

Mazzoni, Amie Kristine. 2002. **Habitat use by fishers** (Martes pennanti) in the Southern Sierra Nevada, California. Fresno, CA: California State University Fresno. Masters Thesis.

McCandliss, D. 1998. **Prescribed burning in the Kings River Ecosystems Project Area: Lessons learned.** In: PSW-GTR-183. Proceedings of a Symposium on the Kings River Sustainable Forest Ecosystems Project: Progress and Current Status. Albany, CA: Pacific Southwest Research Station, USDA Forest Service.

McCarter, JB.; J.N. Long. 1986. A lodgepole pine density management diagram. Western Journal of Applied Forestry 1: 6-11.

McCarthy, Helen. 1993. **Managing oaks and the acorn crop.** In: Blackburn, Thomas C.; Anderson, Kat, tech. coord. and eds. Before the wilderness. Environmental management by Native Californians. Ballena Press.

McDade, M.H.; Swanson, F.J.; McKee, W.A.; Franklin, J.F.; VanSickle, J. 1990. **Source distances for coarse woody debris entering small streams in western Oregon and Washington**. Canadian Journal of Forestry 20: 326-330.

McDonald, Philip M. 1986. **Grass in young conifer plantations – Hindrance and help.** Northwest Science 60(4): 271-278.

McDonald, Philip M.; Fiddler, G.O. 1989. **Competing vegetation in ponderosa pine plantations: Ecology and control.** Gen. Tech. Rep. PSW-113. Pacific Southwest Forest and Range Experiment Station, USDA Forest Service; 26 p.

McDonald, Philip M.; Fiddler, Gary O. 1990. **Ponderosa pine seedlings and competing vegetation: ecology, growth, and cost.** Res. Paper PSW-199. Berkeley, CA: Pacific Southwest Research Station, USDA Forest Service; 10 p.

McDonald, Philip M.; Fiddler, G.O. 1995. **Development of a mixed-shrub-ponderosa pine community in a natural and treated condition.** Res. Paper PSW. Pacific Southwest Forest and Range Experiment Station, USDA Forest Service.

McDonald, P.M.; Fiddler, G. O. 1996. **Development of a mixed shrub–tanoak–Douglas-fir community in a treated and untreated condition.** Res. Paper PSW-RP-225. Pacific Southwest Forest and Range Experiment Station, USDA Forest Service; 15 p.

McDonald, P.M.; Fiddler, G.O. 1997a. **Mechanical and chemical release in a 12-year-old ponderosa pine plantation.** Gen. Tech. Rep. PSW-232. Pacific Southwest Forest and Range Experiment Station, USDA Forest Service; 12 p.

McDonald, P.M.; Fiddler, G.O. 1997b. **Timing and duration of release treatments affect vegetation development in a young California red fir plantation.** Gen. Tech. Rep. PSW-233. Pacific Southwest Forest and Range Experiment Station, USDA Forest Service; 14 p.

McDonald, P.M.; Fiddler, G.O. 2001. **Timing and duration of release treatments affect vegetation development in a young California white fir plantation.** Gen. Tech. Rep. PSW-246. Pacific Southwest Forest and Range Experiment Station, USDA Forest Service; 14 p.

McDonald, Philip M.; Fiddler, Gary O.; Potter, Donald A. 2004. **Ecology and manipulation of bearclover** (*Chamaebatia foliolosa*) in northern and central California: The status of our knowledge. Gen. Tech. Rep. PSW-GTR-190. Albany, CA: Pacific Southwest Research Station, USDA Forest Service; 26 p.

McDonald, P.M.; Oliver, W.W. 1984. **Woody shrubs retard the growth of ponderosa pine seedlings and saplings.** Proceedings: Fifth Annual Forest Vegetation Management Conference, Redding, CA. November 2-3, 1983.

McDonald, Phillip M.; Reynolds, Phillip E. 1999. **Plant community development after 28 years in small group-selection openings.** Res. Paper PSW-RP-241. USDA Forest Service.

McHugh, Charles W.; Kolb, Thomas E.; Wilson, Jill L. 2003. **Bark beetle attacks on ponderosa pine following fire in northern Arizona.** Population Ecology. June.

McKelvey, K.S.; Johnston, J.D. 1992. **Historical perspectives on Forests of the Sierra Nevada and the transverse ranges of southern California: forest conditions at the turn of the century.** In: PSW-GTR-133. The California spotted owl: a technical assessment of its current status. Albany, CA: Pacific Southwest Research Station, USDA Forest Service: 225-246.

Meehan, W.R., ed. 1991. **Influences of forest and rangeland management on salmonid fishes and their habitats.** American Fisheries Society Special Publication: 19.

Meleason, M.A.; Gregory, S.V.; Bolte, J. 2002. Simulation of stream wood source distance for small streams in the western Cascades, Oregon. Gen. Tech. Rep. PSW-GTR-181. USDA Forest Service.

Melen, K.; and Ager; A. 2002. **A coarse wood dynamics model for the western cascades**. Gen. Tech. Rep. PSW-GTR-181. USDA Forest Service.

Merriam, K. E., J.E. Keeley, and J. L. Beyers. 2006. **Fuel breaks affect nonnative species abundance in California plant communities.** Ecological Applications 16: 515-527.

Meyers, Walter H. 1934. **Growth of selectively cut ponderosa pine forests of the Pacific Northwest.** Pacific Northwest Research Station, USDA Forest Service. Tech. Bull. 407.

Meyers, Walter H. 1938. **Yield of even-aged stands of ponderosa pine.** Tech. Bull. 630. Washington DC, USDA Forest Service: 59 p.

Miller, J.M.; Keen, F.P. 1960. **Biology and control of the western pine beetle.** Rep. 37, Misc. Publ. 800. Washington DC: USDA Forest Service; 381 p.

Minnich, Richard A.; Barbour, Michael G.; Burk, J.H.; Fernau, Robert F. 1995. Sixty years of change in Californian conifer forest of the San Bernardino Mountains. Conservation Biology 9(4): 902-914.

Minshall, G.W. 2003. **Responses of stream benthic macroinvertebrates to fire**. In: Forest ecology and management. 178(1&2): 155-161.

Mitchell, Richard G.; Martin, R.E. 1980. **Fire and insects in pine culture of the Pacific Northwest.** Proceedings: Sixth Conference on Fire and Forest Meteorology, Seattle, WA: April 22-24, 1980.

Moody, John A.; Martin, Deborah A. 2001. **Post-fire rainfall intensity-peak discharge relations for three mountainous watersheds in the western USA.** Hydrological Processes 15: 2891-2993.

Moore, Rick. 2002. **Personal conversations**. Fresno, CA: Emergency Command Center, Sierra National Forest, USDA Forest Service. August 22.

Moore, R.D.; Spittlehouse, D.L.; Story, A. 2005. **Riparian microclimate and stream temperature response to forest harvesting: a review**. Journal of American water resources association. August 2005: 813-834.

Morton, M.L.; Sokolski, K.N. 1978. **Sympatry in** *Bufo boreas* and *Bufo canorus* and evidence of natural hybridization. Bulletin of the Southern California Academyof Science 77: 52-55.

Moyle, P.B. 2002. Inland fishes of California. University of California; 502 p.

Moyle, P.B.; Kattleman, R.; Zomer, R.; Randall, P.J. 1996b. **Management of riparian areas in the Sierra Nevada**, In: Sierra Nevada Ecosystem Project. Proceedings: Final report to Congress, 3: chapter 1. Centers for water and wildland resources, University of California, Davis.

Moyle, P.B.; Yoshiyama, R.M.; Knapp, R.A. 1996a. **Status of fish and fisheries**. In: Sierra Nevada ecosystem project. Proceedings: Final report to Congress, 2: chapter 33. Centers for water and wildland resources, University of California, Davis.

Mullally, D.P. 1953. Observations on the ecology of the toad *Bufo canorus*. Copeia 1953: 182-183.

Mullaly, D.P. 1956. The relationships of the Yosemite and western toads. Herpetologica 12: 133-135.

Mullaly, D.P; Cunningham, J.D. 1956. **Aspects of the thermal ecology of the Yosemite toad**. Herpetologica 12: 57-67.

Mutch, L.S.; Parsons, D. 1998. Mixed conifer forest mortality and establishment before and after prescribed fire in Sequoia National Park, California. Forest Science 44 (2): 341-355.

Mutch, Robert W.; Cook, Wayne. 1996. **Restoring fire to ecosystems: Methods vary with land management goals.** In: Gen. Tech. Rep. INT-GTR-341. Proceedings of the use of fire in forest restoration. Ogden, UT: Intermountain Research Station, USDA Forest Service; 86 p.

Muths, E. 2003. Home range and movements of boreal toads in undisturbed habitat. Copeia 2003(1): 160-165.

NCASI (National Council for Air and Stream Improvement). 1999. **Scale considerations and the detectability of sedimentary cumulative watershed effects.** Tech. Bull. 776. National Council of the Paper Industry for Air and Stream Improvement, Inc. Research Triangle Park, NC; 328 p.

Neary, D.G.; Folliott, P.F.; Landsberg, J.D. 2005. **Fire and streamflow regimes.** In: Neary, D.G.; Ryan, K.C.; DeBano, L.F. eds. Proceedings: Wildland fire in ecosystems: effects of fire on soil and water. RMRS-GTR-42. Rocky Mountain Research Station, USDA Forest Service, Fort Collins, CO: 4: 250 p. (chapter5).

Neary, D.G.; Landsberg, J.D.; Tiedemann, A.R.; Folliott, P.F. 2005. **Chapter 6: water quality**. In: Wildland fire in ecosystems, effects of fire on soil and water. Proceedings: Gen. Tech. Rep., RMRS-GTR-42, USDA Forest Service, Rocky Mountain Research Station, 4: 119-134.

Newton, Michael; Knight, F.B. 1981. **Handbook of weed and insect control chemicals for forest resource managers.** Timber Press.

Norris, Vol. 1993. The **use of buffer zones to protect water quality: a review.** Water Resources Management 7: 257-272.

North, Malcolm; Chen, Jiquan; Oakley, Brian; Song, Bo; Rudnicki, Mark; Gray, Andrew; Innes, Jim. 2004. **Forest stand structure and pattern of old-growth western hemlock/douglas-fir and mixed-conifer forests.** Forest Science 50(3): 299.

North, Malcolm; Hurteau, Matthew; Fiegener, Robert; Barbour, Michael. 2005. **Influence of fire and El Nino on tree recruitment varies by species in Sierran mixed conifer.** Forest Science 51(3).

North, Malcolm; Jim I.; Zald, H. 2006. Comparison for thinning and prescribed fire restoration treatments to Sierran mixed-conifer historic conditions. In Press.

Nowak, R.M.; Paradiso, J.L. 1983. **Walker's Mammals of the World, 4th Edition**. Baltimore and London: Johns Hopkins University Press; 1362 p.

O'Hara, Kevin L. 1998. Silviculture for structural diversity: A new look at multiaged systems. Journal of Forestry 96(7): 4-10.

Oliver, Chadwick D. 1995. **Uneven-aged stand dynamics.** MFCES Misce. Pub. No. 56. Missoula, MT, School of Forestry, University of Montana: 82-93. In: O'Hara, K.L., ed. Proceedings: Uneven-aged management: opportunities, constraints and methodologies.

Oliver, Chadwick D.; Larson, B.C. 1996. Forest stand dynamics. New York, NY: John Wiley and Sons.

Oliver, William W. 1979. **Growth of planted ponderosa pine thinned to different stocking levels in northern California.** Res. Pap. PSW-47. Pacific Southwest Forest and Range Experiment Station, USDA Forest Service.

Oliver, William W. 1984. **Brush reduces growth of thinned ponderosa pine in northern California.** Research Paper PSW–172. Pacific Southwest Forest and Range Experiment Station, USDA Forest Service.

Oliver, William W. 1990. Spacing and shrub competition influence 20-year development of planted ponderosa pine. West. J. Applied Forestry 5(3): 79-82.

Oliver, William W. 1995. **Is self-thinning of ponderosa pine ruled by dendroctonus bark beetles?** Gen. Tech. Rep. RM-GTR-267. Fort Collins, CO: Rocky Mountain Research Station, USDA Forest Service; 213-218. In: Eskew, Lane G. (comp.). Proceedings: Forest health through silviculture. Mescalero, NM: National Silviculture Workshop, USDA Forest Service; May 8-11.

Oliver, William W. 2001. Can we create and sustain late successional attributes in interior ponderosa pine stands? RMRS-P-22. In: Proceedings: Large-scale ecological research studies. Northeastern California, USDA Forest Service.

Oliver, William W.; Powers, R.F. 1978. **Growth models for ponderosa pine: I. Yield of unthinned plantations in northern California.** Res. Paper PSW-133. Pacific Southwest Forest and Range Experiment Station, USDA Forest Service.

Oliver, William W.; Uzoh F.C.C. 1997. **Maximum stand densities of ponderosa pine and red and white fir in Northern California.** Proceedings: 18th Annual Forest Vegetation Management Conference,

Sacramento, CA: January 14-16, 1997.

Omi, Phillip N.; Martinson, Erik J. 2002. **Final report: Effects of fuels treatments on wildfire severity.** Fort Collins, CO: Western Forest Research Center, Joint Fire Sciences Program, Colorado State University.

Parks, Sean; Rojas, Ramiro. 2005. **Modeling future vegetation in the Kings River Project area.** Openfile report. Prather, CA: High Sierra Ranger District, USDA Forest Service. July 1.

Parks, Sean; Rojas, Ramiro. 2006. **Modeling future vegetation in the Kings River Project Area**. Prather, CA: Sierra National Forest, USDA Forest Service. Open-File Report. August.

Parr, Steve. 2004. Prather, CA: Sierra National Forest, USDA Forest Service. (personal communications).

Perry, D.A.; Jing, Huang; Youngblood, A.; Oetter, D.R. 2004. Forest structure and fire susceptibility in volcanic landscapes of the eastern High Cascades, Oregon. Cons. Bio. 18: 913-926

Phillips, Cathrine, 1998. Fire-return intervals in mixed-conifer forests of the Kings River Sustainable Forest Ecosystems Project Area. Unpublished internal report.

Platts, W.S. 1991. Livestock grazing. American Fisheries Society Special Publication 19: 389-424.

Poage, Nathan J.; Tappeiner, John C., II. 2002. Long-term patterns of diameter and basal area growth of old-growth Douglas-fir trees in western Oregon. Canadian Journal of Forest Research 32:1232-1243.

Pollet, Jolie; Omi, Phillip N. 2002. Effect of thinning and prescribed burning on wildfire severity in ponderosa pine forests. International Journal of Wildland Fire 11: 1-10.

Porter, Ray. 2005. **Kings River Project California red-legged frog (CRLF) buffer in the wildland urban intermix (WUI).** Letter to files from the District Ranger of the High Sierra Ranger District dated May 12. Prather CA: High Sierra Ranger District, Sierra National Forest, USDA Forest Service; 1 p.

Potter, D. 1994. **Guide to forested communities of the upper montane in the Central and Southern Sierra Nevada.** R5-ECOL-TP-003. San Francisco, CA: Pacific Southwest Region, USDA Forest Service: 164.

Powell, RA. 1993. **The fisher: life history, ecology and behavior, 2nd edition**. Saint Paul, MN: University of Minnesota Press.

Powell, R.A.; Zielinski, J. 1994. In: Ruggiero, L.F.; Aubry, K.B.; Buskirk, S.W.; Zielinski, W.J. tech. eds. Proceedings: The scientific basis for conserving forest carnivores: American marten, fisher, lynx, and wolverine. GTR-RM-254. Fort Collins, CO: Rocky Mountain. Forest and Range Experiment Station, USDA Forest Service: 38-73

Powers, Robert F.; Sanchez, Felipe G.; Scott, D. Andrew; Page-Dumroese, Deborah. 2004. **The North American long-term soil productivity experiment: Coast-to-coast findings from the first decade.** Proceedings RMRS-P-34. USDA Forest Service. In: Gale, P.; Powers, R.; Boyle, J. (eds.) Forest Soils Research: Theory, Reality, and its Role in Technology Transfer Proceedings of the 10th North American Forest Soils Conference, Sault Ste. Marie, ON, Canada: July 20-24, 2003.

Purcell, Kathryn. 2006. PSW Scientist, USDA Forest Service. Personal communications with Kim Sorini-Wilson, HS District Wildlife Biologist on various occassions.

Quinn, R.D. 1979. Effects of fire on small mammals in the chaparral.

CA-NV Wildlife Transactions: 125-133. In: Smith, Jane Kapler, ed 2000. Wildland fire in ecosystems: effects of fire on fauna. Gen. Tech.

Rep. RMTS-GTR-42-vol 1. Ogden, UT: Rocky Mountain Research Station, USDA Forest Service; 83 p.

Raloff, J. 1994. Are environmental "hormones" emasculating wildlife? Science News 145(2): 17-32.

Rathbun, G.B.; Siepel, N., Holland, D.C. 1992. **Nesting behavior and movements of western pond turtles** (*Clemmys marmorata*). In: Reardon, J.R.; Ryan, K.C.; DeBano, L.F.; Neary, D.C. eds. Proceedings: The southwestern naturalist 37(3): 319-324. Chapter 8: wetland and riparian systems. In: Wildland fire in ecosystems, effects of fire on soil and water. Proceedings: Gen. Tech. Rep. RMRS-GTR-42. Rocky Mountain Research Station, USDA Forest Service. 4: 149-169.

Ratliff, Ray D.; Denton, Renee G. 1993. **Bolander's clover in the central Sierra Nevada: A sensitive species?** Madrono 40(3); 166-173.

Reardon, J.R.; Ryan, K.C.; DeBano, L.F.; Neary, D.C. **Chapter 8: wetland and riparian systems**. In: Wildland fire in ecosystems, effects of fire on soil and water. Proceedings: Gen. Tech. Rep. RMRS-GTR-42. Rocky Mountain Research Station, USDA Forest Service. 4: 149-169.

Reh, W; Seitz, A. 1990. The influence of land use on the genetic structure of populations of the common frog *Rana temporaria*. Biol Cons. 54:239-249.

Reid, Leslie M. 2006 (March 21, last update). **Channel erosion, mass wasting, and fuels treatments.** Chapter 6 In: Elliot, W.J.; and Audin, L.J. eds. Proceedings: Draft cumulative watershed effects of fuels management in the eastern United States. Available via: http://forest.moscowfsl.wsu.edu/engr/cwe/

Reid, Leslie; Dunne, Thomas. 1984. Sediment **production from forest road surfaces.** Water resources research 20(11): 1753-1761.

Reineke, L.H. 1933. **Perfecting a stand density index for even-aged forests.** Journal of Agricultural Research 46: 627-638.

Reynolds, Linda Ann. 1996. In the dwelling place of a Great Spirit: The prehistory of the pinyon-juniper woodland of the Inyo-White Mountain Range, Eastern California. NV: University of Nevada. Unpublished PhD Dissertation.

Rieman, B.; Clayton, J. 1997. Wildfire and native fish: issues of forest health and conservation of sensitive species. Fisheries 22(11): 6-15.

Rieman, B.; Dunham, J.; Luce, C.; Rosenberger, A. 2005. **Implications of changing fire regimes for aquatic systems.** In: Taylor, L.; Zelnik, J.; Cadwallader, S., Hughes, eds. Mixed severity fire regimes: Ecology and management; Symposium Proceedings; Spokane, WA; November 15-19, 2004. Pullman, WA: Washington State University; 187-191.

Renn, Charles E. 1970. **Investigating Water Problems: A Water Analysis Manual.** Chestertown, MD: LaMotte Company; 55 p.

Rinne, J.A.; Jacoby, G.R. 2005. **Chapter 7: aquatic biota**. In: Wildland fire in ecosystems, effects of fire on soil and water. Proceedings: Gen. Tech. Rep. RMRS-GTR-42. Rocky Mountain Research Station, USDA Forest Service. 4: 135-143.

Roath, Brent. 1996. **Results, 1996 soil monitoring, Kings River adaptive management area.** Open-file report. Clovis, CA: Sierra National Forest, USDA Forest Service; 6 p.

Roath; Prentice. 2001. **Soil Report.** North Fork, CA: Bass Lake Ranger District, Sierra National Forest, USDA Forest Service. District files.

Robichaud, P.R.; Beyers, J.L.; Neary, D.G. 2000. **Evaluating the effectiveness of postfire rehabilitation treatments.** RMRS-GTR-63. USDA Forest Service Rocky Mountain Research Station, Fort Collins, CO; 85 p.

Robichaud, P.R.; MacDonald, L.H.; Foltz, R.B. 2006 (March 21, last update). **Fuel management and erosion.** Chapter 5. In: Elliot, W.J.; Audin, L.J. eds. Proceedings: Draft cumulative watershed effects of fuels management in the western United States. Via online: http://forest.moscowfsl.wsu.edu/engr/cwe/

Robinson, C.T.; Uehlinger, U.; Minshall, G.W. 2005. **Functional characteristics of wilderness streams twenty years following wildfire**. West North American Naturalist 65(1): 1-10.

Robinson, John C. 2006a. **Effects on migratory birds specialist report Kings River Project.** Sierra National Forest, USDA Forest Service. On My Mountain, Inc. August.

Robinson, John C. 2006b. **Management indicator species specialist report Kings River Project.** Sierra National Forest, USDA Forest Service. On My Mountain, Inc. August.

Robison, E.G.; R.L. Beschta. 1990. **Identifying trees in riparian areas that can provide coarse woody debris to streams**. Forest Science 36(3): 790-801.

Rojas, Ramiro. 2004a. **Kings River Project historic forest condition.** Prather, CA: High Sierra Ranger District, Sierra National Forest, USDA Forest Service. Unpublished internal report.

Rojas, Ramiro. 2004b. **The uneven-aged management strategy (prescription) – Kings River Project.** Prather CA: High Sierra Ranger District, Sierra National Forest, USDA Forest Service. Unpublished internal report.

Rojas, Ramiro; Cougoulat, Yvonne; McCandliss, Dave. 2004. **Strategy for historical forest restoration using uneven-aged silviculture and prescribed fire at the landscape scale, Kings River Project.**Prather, CA: High Sierra Ranger District, Sierra National Forest, USDA Forest Service; 68 p. Unpublished internal report.

Rosenberg, D.K; Anthony, R.G. 1992. Characteristics of northern flying squirrel populations in young second- and old-growth forests in western Oregon. Can. J. Zoll. 70: 161-166.

Rosgen, Dave. 1996. Applied river morphology. Wildland hydrology, Pagosa Springs, CO.

Ruediger, R; Ward, J. 1996. Abundance and function of large woody debris in central Sierra Nevada streams. Tech. Bull. 20. FHR current, fish habitat relationships. May 1996.

Ruggiero, Leonard F.; Aubry, Keith B.; Buskirk, Steve W.; Lyon, L. Jack; Zielinski, William J. 1994. **The scientific basis for conserving forest carnivores – American marten, fisher, lynx and wolverine in the western United States.** GTR RM-254. Fort Collins, CO: Rocky Mountain Forest and Range Experiment Station, USDA Forest Service.

Sadinski, Walter. 2004. US Geological Survey. Unpublished data concerning the Yosemite Toad. (personal communications).

Sanders, H. 2004. **General project design measures for the proposed action of the Kings River Project** – **EIS 2004.** Letter to project files for EIS proposed action project design measures. High Sierra Ranger District, Sierra National Forest, USDA Forest Service, Prather, CA; 3 p.

Sanders, H. 2005. Aquatic species biological assessment and biological evaluation, including management indicator species, for the Billy Creek, Haslett, Sycamore, and Thompson C&H grazing allotments environmental assessment for term grazing permits (2005 to 2015), including noxious weed treatments. Prather, CA: High Sierra Ranger District, Sierra National Forest, USDA Forest Service; 25 p.

Sanders, H. 2006a. Aquatic species biological assessment and biological evaluation, including management indicator species, for the Kings River Project – initial eight management units (2006 to 2008) – draft environmental impact statement. Prather, CA: High Sierra Ranger District, Sierra National

Forest, USDA Forest Service; 59 p. (plus appendices).

Sanders, H. 2006b. Aquatic species biological assessment and biological evaluation for the Kings River Project – initial eight management units (2006 to 2008) – final environmental impact statement. Prather, CA: High Sierra Ranger District, Sierra National Forest, USDA Forest Service.

Sanders, H.; Hopson, R. 2005. **2005 Kings River Project baseline assessment – cumulative watershed effects (CWE) review of channel conditions and fisheries habitat for sub-watersheds over threshold of concern (TOC).** Letter to Alan Gallegos – CWE Team Leader. Prather, CA: High Sierra Ranger District, Sierra National Forest, USDA Forest Service. June 10; 16 p.

Satko, Shannon. 2004. **Botany project design measures for the proposed action of the Kings River Project – EIS 2004.** Memo in project files for EIS proposed action project design measures for threatened, endangered, and sensitive plants and noxious weeds. Prather, CA: High Sierra Ranger District, Sierra National Forest, USDA Forest Service.

Savage, M. 1994. Anthropogenic and natural disturbance and patterns of mortality in a mixed conifer forest in California. Can. J. For. Res. 24: 1149-1159.

Schnackenberg, E.S.; MacDonald, L.H. 1998. **Detecting cumulative effects on headwater streams in the Riutt National Forest, Colorado.** Journal of the American Water Resources Assoc. 34(5): 1163-1177.

Schindler, D.W. 1998. **Replication versus realism: The need for ecosystem-scale experiments.** Ecosystems 1: 323-334.

Scott, Joe H. 1999. **NEXUS: A system for assessing crown fire hazard.** Fire Management Notes 59(2): 20-24.

Scott, Joe H.; Reinhart, Elizabeth. 1999. **NEXUS: Fire behavior and hazard assessment system.** Missoula, MT: Systems for Environmental Management and Intermountain Fire Sciences Lab, Rocky Mountain Research Station; Winter.

Scott, Joe H.; Reinhardt, Elizabeth D. 2001. **Assessing crown fire potential by linking models of surface and crown fire behavior.** Res. Paper RMRS-RP-29. Fort Collins, CO: Rocky Mountain Research Station, USDA Forest Service; 59 p.

Sedell, J.R.; Bisson, P.A.; Swanson, F.J.; Gregory, S.V. 1988. What we know about large trees that fall into streams and rivers. In: Maser, C.; Tarrant, R.F.; Trappe, J.M.; J.F. Franklin. tech. eds. Proceedings from the forest to the sea: a story of fallen trees. Gen. Tech. Rep. PNW-GTR-229. Portland, OR: Pacific Northwest Forest and Range Experiment Station, USDA Forest Service.

Seglund, A.E. 1995. **The use of rest sites by the Pacific fisher**. Arcata, CA: Humboldt State University; 66 p. (Masters Thesis).

SERA. 1996. **Selected commercial formulations of glyphosate - Accord, rodeo, and roundup risk assessment final report.** SERA TR 96-22-02-01b. Fayetteville, NY: Syracuse Environmental Research Associates, Inc.

SERA. 2002. Neurotoxicity, immuntoxicity, and endocrine disruption with specific commentary on gylphosate, triclopyr, and hexazinone: Final report. SERA TR 01-43-08-04a. Fayetteville, NY: Syracuse Environmental Research Associates, Inc.

SERA. 2003. **Glyphosate – Human health and ecological risk assessment: Final report.** SERA TR 02-43-09-04a. Fayetteville, NY: Syracuse Environmental Research Associates, Inc.

Sestrich, C.M. 2005. Changes in native and nonnative fish assemblages and habitat following wildfire in the Bitterroot River Basin, Montana. Masters Thesis. Montana State University, Bozeman, Montana November 2005.

Shaffer, H.B.; Fellers, G.M.; Magee, A.; Voss, R. 2000. The genetics of amphibian declines: population substructure and molecular differentiation in the Yosemite toad, *Bufo canorus*, (Anura, Bufonidae) based on single strand conformation polymorphism analysis (SSCP) and mitochondrial DNA sequence data. Molecular Ecology 9: 245-257.

Shakesby, R.A.; Doerr, S.H. 2006. **Wildfire as a hydrological and geomorphological agent.** Earth-Science Reviews 74: 269-307.

Show S.B; Kotok, E.I. 1924. **The role of fire in the California pine forests.** Dept. Bull. 1294. Washington DC: USDA Forest Service.

Simons, L.H. 1991. **Rodent dynamics in relation to fire in the Sonoran Desert.** Journal of Mammalogy 72(3): 518-524.

Sjogren-Gulve, P. 1994. **Distribution and extinction patterns within a northern metapopulation of the pool frog,** (*Rana lessonae*). Ecology 75:1357-1367.

SJVUAPCD (San Joaquin Valley Unified Air Pollution Control District). 2003. Available via: www.valleyair.org.

SJVUAPCD (San Joaquin Valley Unified Air Pollution Control District). 2005. Smoke management work plan.

Skinner, C.N. 2002. Influence of fire on the dynamics of dead woody material in the forests of California and southwestern Oregon. Gen. Tech. Rep. PSW-GTR-181. USDA Forest Service.

Skinner, C.N.; Chang, C. 1996. **Fire regimes, past and present.** In: Sierra Nevada Ecosystem Project: Final report to Congress, 2: Assessments and scientific basis for management options. Wildland Resources Center Report No. 37. Davis, CA: University of California, Centers for Wildland Resources; 1041-1069.

Smith, David M. 1986. The practice of silviculture. New York, NY: John Wiley & Sons Inc.

Smith, M. 2004. **Kings River Project design measures for resident trout.** Letter to High Sierra District Ranger dated November 26. Prather, CA: High Sierra Ranger District, Sierra National Forest, USDA Forest Service; 1 p.

SNEP. 1996. Sierra Nevada Ecosystem Project, Final report to Congress, Vol. II, Assessments and scientific basis for management options. Wildland Resources Center Report No. 37. Davis, CA: Centers for Wildland Resources, University of California; 1528 p.

Spenser, W.D. 1981. Pine marten habitat preferences at Sagehen Creek, California., Berkeley, CA: University of California. (Masters Thesis).

Stebbins, RC. 1951. **Amphibians of western North America**. Berkeley, CA: University of California Press.

Stebbins, R.C. 1985. **Western reptiles and amphibians**. Peterson Field Guides. Boston, MA: Houghton Mifflin Co.; 336 p.

Stephens, M.R. 2001. **Phylogeography of the** *Bufo boreas* (**Anura, Bufonidae**) **species complex and the biogeography of California**. Rhonert Park, CA: Sonoma State University. Masters Thesis.

Stephens, S.L. 2001. Fire history of adjacent Jeffrey pine and upper montane forests in the eastern

Sierra Nevada. International Journal of Wildland Fire 10: 161-167.

Stephens, Scott L.; Elliott-Fisk, Deborah L.1998. Sequoiadendron giganteum-mixed conifer forest structure in 1900-1901 from the Southern Sierra Nevada, CA. Madrono 45(3): 221-230.

Stephens, Scott L.; Gill, Samantha J. 2004. Forest structure and mortality in an old-growth Jeffrey pine-mixed conifer forest in northwestern Mexico. Forest ecology and management 205, 2005: 15–28.

Stephens, Scott L.; Moghaddas, Jason J. 2005. Silvicultural and reserve impacts on potential fire behavior and forest conservation: Twenty-five years of experience from Sierra Nevada mixed conifer forests. Biological Conservation.

Stephenson, N. L. 1996. **Ecology and management of giant sequoia groves.** In: Sierra Nevada Ecosystem Project, Final Report to Congress, Vol. II, Assessments and Scientific Basis for Management Options. Wildland Resources Center Report 37. Davis, CA: Centers for Wildland Resources, University of California; 1528 p.

Stephenson, N.L. 1999. **Reference conditions for giant sequoia forest restoration: structure, process, and precision.** Ecological Applications 9: 1253-1265.

Stephenson, J.R.; Calcarone, G.M. 1999. **Southern California mountains and foothills assessment: Habitat and species conservation issues.** Gen Tech. Rpt. PSW-GTR-172. Albany, CA: Pacific Southwest Research Station, USDA Forest Service; 402 p.

Storer, T.I. 1925. **A synopsis of the amphibia of California**. University of California Publications in Zoology 27:1-342.

Strand, P. 2006. Resident trout management indicator species report for the Kings River Project – initial eight management units (2006 – 2008) – final environmental impact statement. Clovis, CA: Sierra National Forest, USDA Forest Service.

Sudworth, G.B. 1900a. Notes on regions in the Sierra Forest Reserve 1898-1900. Unpublished.

Sudworth, G.B. 1900b. **Stanislaus and Lake Tahoe Forest Reserves, California, and adjacent territory.** United States Geological Survey Professional Paper No. 8, Series H, Forestry, 5. Washington DC: Government Printing Office.

Swanston, D.N. 1991. Natural processes. American Fisheries Society Special Publication 19: 139-179.

Swetnam, Thomas W.; Allen, Craig D.; Betancourt, Julio L. 1999. **Applied historical ecology: using the past to manage for the future.** The Ecological Society of America, ecological applications 9(4). 1189–1206q.

Tappeiner, John C.; Huffman, David; Marshall, David; Spies, Thomas A.; Bailey, John D. 1997. **Density, ages, and growth rates in old-growth and young-growth forests in coastal Oregon.** Can. J. For. Res. 27: 638-648.

Tappeiner, J.C.; McDonald, P.M. 1996. **Regeneration of Sierra Nevada Forests.** 302–324. In: Sierra Nevada Ecosystem Project final report to Congress: Status of the Sierra Nevada. Davis, CA: Sierra Nevada Ecosystem Project Science Team, Centers for Water and Wildland Resources, University of California.

Tappeiner, J.C.; Radosevich, S.R. 1982. Effect of bearmat (*chamaebatia foliolosa*) on soil moisture and ponderosa pine growth. Weed Science, 30: 98-101.

Taylor, Alan H. 2003. Climatic influences on fire regimes in the northern Sierra Nevada mountains, Lake Tahoe Basin, NV, USA. Journal of Biogeography 31: 1-14.

Taylor, A H. 2004. Identifying forest reference conditions on early cut-over lands, Lake Tahow Basin, USA. Ecological Applications. August.

Tesky, J.L. 1994. **Neotoma cinera.** In: Fire effects information system. Fire Sciences Laboratory, Rocky Mountain Research Station, USDA Forest Service. Via online: http://www.fs.fed.us/database/feis/

Thomas, J.W.; Forsman, E.D.; Lint, J.B.; others. 1990. A conservation strategy for the northern spotted owl; a report of the interagency scientific committee to address the conservation of the northern spotted owl. Portland, OR: Bureau of Land Management, Fish and Wildlife Service and National Park Service, USDI Fish and Wildlife; 427 p.

Timossi, I. 1990. **California's statewide wildlife habitat relationships system**. Sacramento, CA: California Department of Fish and Game. Computerized database.

Timossi, I.C.; Woodard, E.L.; Barrett, R.H. 1995. **Habitat suitability models for use with ARC/INFO: Marten.** CWHR Tech. Rep. 7. Sacramento, CA: CWHR Program, California Department of Fish and Game; 24p.

Troendle, C.A.; MacDonald, L.H.; and C.H. Luce. 2006 (May 22, last update). **Fuels management and water yield.** Chapter 7 In: Elliot, W.J., Audin, L.J., eds. Proceedings: Draft cumulative watershed effects of fuels management in the western United States. Via online: http://forest.moscowfsl.wsu.edu/engr/cwe/

Truex, Richard. 2006. Sequoia National Forest, USDA Forest Service. Personal communications on unpublished data concerning the fisher with Kim Sorini-Wilson, HS District Wildlife Biologist.

Truex, RL.; Zielinski, J. 2005. Short-term effects of fire and fire surrogate treatments on fisher habitat in the Sierra Nevada. Final Report to Joint Fire Science Program - Project JFSP 01 C-3-3-02.

Truex, R.L.; Zielinski, W,J.; Golightly, RT.; Barrett, RL.; Wisely, S.M. 1998. A meta-analysis of regional variation in fisher morphology, demography, and habitat ecology in California [draft report submitted to California Department of Fish and Game]. Fort Collins, CO: Pacific Southwest Research Station, Redwood Sciences Lab, USDA Forest Service.

Trumbo, Joel. 2000. Control of giant cane in riparian and wetland areas of northern and central California. California Dept. of Fish and Game. Unpublished internal report.

Tuitele-Lewis, Jamison; Clines; Joanna. 2005. **Noxious weed risk assessment for the Kings River Project – initial eight management units (2006 to 2008).** Prather, CA: High Sierra Ranger District, Sierra National Forest, USDA Forest Service.

US Army Corps of Engineers. 1992. **The archaeological sites protection and preservation handbook.** Vicksburg, MS: Waterways Experiment Station, U.S. Army Corps of Engineers.

USDA (U.S. Department of Agriculture). 1926. Timber surveys- Sierra USDA Forest Service – Cruises of the Dinkey Creek Country. Fresno Country, CA: Sierra Forest Reserve.

USDA (U.S. Department of Agriculture). 1988. **Environmental impact statement for vegetation management for reforestation (VMFEIS).** San Francisco, CA: Pacific Southwest Region, USDA Forest Service.

USDA (U.S. Department of Agriculture). 1990. **Soil and water conservation handbook.** FSH 2509.22. San Francisco, CA: Pacific Southwest Region, USDA Forest Service.

USDA (U.S. Department of Agriculture). 1992. **Sierra National Forest land and resource management plan.** Clovis, CA: Sierra National Forest, USDA Forest Service.

- USDA (U.S. Department of Agriculture). 1995a. **Goals for noxious weed management.** FSM 2081.2. San Francisco, CA: Pacific Southwest Region, USDA Forest Service. November 29.
- USDA (U.S. Department of Agriculture). 1995b. Landscape analysis plan, Kings River administrative study. Prather, CA: Kings River Ranger District, Sierra National Forest, USDA Forest Service.
- USDA (U.S. Department of Agriculture). 1996. **Forest vegetation simulator.** San Francisco, CA: Pacific Southwest Region, USDA Forest Service. Electronic version only.
- USDA (U.S. Department of Agriculture). 1997. Forest Service national resource book on American Indian and Alaska Native relations. USDA Forest Service. April.
- USDA (U.S. Department of Agriculture). 2000a. Protecting the people and sustaining resources in fire-adapted ecosystems: A cohesive strategy. The Forest Service management response to the General Account Office report GAO/RCED-99-65. USDA Forest Service. April 13, 2000.
- USDA (U.S. Department of Agriculture). 2000b. Water quality management for national forest system lands in California Best management practices. San Francisco, CA: Pacific Southwest Region, USDA Forest Service.
- USDA (U.S. Department of Agriculture). 2001a. **Sierra Nevada Forest Plan Amendment, Final environmental impact statement, Record of decision.** Vallejo, CA: Pacific Southwest Region and Research Station, USDA Forest Service; 55p (plus appendices).
- USDA (U.S. Department of Agriculture). 2001b. **Sierra National Forest programatic agreement.** Clovis, CA: Sierra National Forest, USDA Forest Service.
- USDA (U.S. Department of Agriculture). 2001c. A collaborative approach for reducing wildland fire risks to communities and the environment: 10 year comprehensive strategy. Pacific Southwest Range and Experimental Station, USDA Forest Service; and Vallejo, CA: Region 5, USDA Forest Service. National fire plan, public law 106-291; August; 106th Congress; 21 p. Via Online: http://www.fireplan.gov/
- USDA (U.S. Department of Agriculture). 2002. A collaborative approach for reducing wildland fire risks to communities and the environment: 10 year comprehensive strategy Implementation plan. Pacific Southwest Range and Experimental Station, USDA Forest Service; and Vallejo, CA: Region 5, USDA Forest Service. May; 27 p.
- USDA (U.S. Department of Agriculture). 2002. **Best management practices evaluation program** (**BMPEP**) **user's guide**. Pacific Southwest Station, Vallejo, CA, USDA Forest Service. June; 128 p.
- USDA (U.S. Department of Agriculture). 2003. **Human and ecological risk assessment of nonylphenol polyethoxylate-based (NPE) surfactants in Forest Service herbicide applications.** Internal Report. USDA Forest Service; 110 p.
- USDA (U.S. Department of Agriculture). 2004. BMP monitoring report. USDA Forest Service.
- USDA (U.S. Department of Agriculture). 2004a. **Sierra Nevada Forest Plan Amendment, Final supplemental environmental impact statement, Record of decision.** Vallejo, CA: Pacific Southwest Region, USDA Forest Service; 72 p.
- USDA (U.S. Department of Agriculture). 2004b. **Best management practices evaluation procedures** (BMPEP) monitoring results and corrective actions. Vallejo, CA: Region 5, USDA Forest Service.
- USDA (U.S. Department of Agriculture). 2005. **2005 End of season report for Dinkey and Mugler grazing allotments.** Clovis, CA: Sierra National Forest, USDA Forest Service.

- USDI (U.S. Fish and Wildlife Service).2002. **Endangered and threatened wildlife and plants; 12-month finding for a petition to list the west coast distinct population segment of the fisher** (*Martes pennanti*); **proposed rule**. Federal Register 69: 18770-18792.
- USDI (U.S. Department of Interior). 2002. **Recovery plan for the California red-legged frog** (*Rana aurora draytonii*). Portland, OR: USDI Fish and Wildlife Service; 258 p.
- USDI (U.S. Department of Interior). 2003. **12-month finding for a petition to list the California spotted owl** (*Strix occidentalis*). Federal Register 68(31): 7580-7608.
- USDI (U.S. Department of Interior). 2004. Endangered and threatened wildlife and plants; 12-month finding for a petition to list the west coast distinct population segment of the fisher (*Martes pennanti*); proposed rule. USDI Fish and Wildlife Service. Federal Register 69: 18770-18792.
- USDI (U.S. Department of Interior). 2005. Endangered and threatened wildlife and plants; review of native species that are candidates or proposed for listing as endangered or threatened; annual notice of findings on resubmitted petitions; annual description of progress on listing actions; proposed rule. USDI Fish and Wildlife Service. Federal Register 70:24870-24934.
- USDI (U.S. Department of Interior). 2006. **Species list of threatened, endangered, or proposed species that are known or suspected on the Sierra National Forest**. USDI Fish and Wildlife Service. July 10. Memo 0506140102650. Database last updated May 5, 2006.
- US EPA/OPP (US Environmental Protection Agency/Office of Pesticide Programs). 2002. **Glyphosate: Pesticide Tolerances,** 40 CFR Part 180. Federal Register. 67(188): 60934-60950.
- USGS (US Geological Survey). 1997. **The stream segment and stream network temperature models**. Fort Collins, CO and Colorado State University, College of Natural Resources: US Geological Survey, Biological Resource Division, Midcontinent Ecological Science Center, River Systems Management Section Version 1.
- USGS (US Geological Survey). 2000. The stream segment and stream network temperature models. Fort Collins, CO and Colorado State University, College of Natural Resources.: US Geological Survey, Biological Resource Division, Midcontinent Ecological Science Center, River Systems Management Section Version 2.
- Vankat, J. L.; Major, J. 1978. **Vegetation changes in Sequoia National Park.** California Blackwell Scientific Publications Res. Paper. Journal of Biogeography 5: 377-402.
- Van Sickle, J.; S.V. Gregory. 1990. **Modeling inputs of large woody debris to streams from falling s**. Can. J. For. Res. 20: 1593-1601.
- Van Wagner, C.E. 1977. Conditions for the start and spread of crown fire. Can. J. For. Res. 7: 23–34.
- Van Wagtendonk, J.W. 1996. **Use of a deterministic fire growth model to test fuel treatments.** In: Wildland Resources Center Report 37. Sierra Nevada Ecosystem Project: Final report to Congress, vol. 2: Assessments and scientific basis for management options. Davis, CA: University of California, Centers for Water and Wildland Resources: 1155–1166.
- Verner, Jared; McKelvey, Kevin S.; Noon, Barry R.; Guiterrez, R.J.; Gould, Gordan I., Jr.; Beck, Thomas W. (tech. cords). 1992. **The California spotted owl: A technical assessment of its current status.** Gen. Tech. Rep. PSW-GTR-133. Albany, CA: Pacific Southwest Research Station, USDA Forest Service; 285 p.
- Ver Steeg, J.M.; Harty, F.M.; Harty, L. 1983. **Prescribed fire kills meadow Voles (Illinois).** Restoration and Management Notes 1(4): 21. Reprinted in: Smith, Jane Kapler, ed. 2000. Wildland fire in ecosystems: effects of fire on fauna. Gen. Tech. Rep. RMRS-GTR-42-vol. 1. Ogden, UT: Rocky Mountain Research Station, USDA Forest Service; 83 p.

Vreeland, J.K.; Tietje, W.D. 2002. Numerical response of small vertebrates to prescribed fire in a California oak woodland. Gen. Tech. Rep. PSW-GTR-184. USDA Forest Service; 269-279.

Waananen, A. O.; Crippen, J.R. 1977. **Magnitude and frequency of floods in California.** USGS water resources investigations 77-21; 96p.

Wagner, R.G.; Petersen, T.D.; Ross, D.W.; and Radosevich, S.R. 1989. Competition thresholds for the survival and growth of ponderosa pine seedlings associated with woody and herbaceous vegetation. New Forests 3: 151-170.

Wallbrink, P.J.; Croke, J. 2002. A combined rainfall simulator and tracer approach to assess the role of best management practices in minimizing sediment redistribution and loss in forests after harvesting. Forest ecology and management 170: 217-232.

Waters, J.R.; Zabel, C.J. 1995. Northern flying squirrel densities in the fir forests of northeastern California. J. Wildl. Manage. 59(4): 858-866.

Weatherspoon, C.P. 1996. **Fire-silviculture relationships in Sierra forests.** In: Sierra Nevada Ecosystem Project, Final report to Congress, vol. 2, Assessments, scientific basis for management options, Report 37. Davis, CA: Center for Water and Wildland Resources, University of California: 1167-1176.

Weatherspoon, C. Phillip and Carl N. Skinner, 1995. Landscape level strategies for fuels management in Sierra Nevada forests – Draft. July 20, 1995. 58 pps. (SNEP, 1996)

Wells, Stephanie. 2003. Aquatic species biological assessment and biological evaluation, including management indicator species, for the South of Shaver fuels reduction project. High Sierra Ranger District, Sierra National Forest, USDA Forest Service; 19 p. (plus attachments).

Wemple, Beverly C.; Jones, Julia A.; Grant, Gordon E. 1996. **Channel network extension by logging roads in two basins, western Cascades, Oregon.** Water resources bulletin 32(6): 1195-1207.

Wisely, S, M.; Buskirk, S.W.; Russell, G.A., Aubry, K.B.; Zielinski, W.J. **Genetic diversity and structure of the fisher** (*Martes pennanti*) **in a peninsular and peripheral metapopulation**. Journal of Mammalogy 85(4): 640-648.

Wolcott, S. Kelly. 2006. **Sierra National Forest, Kings River Project, biological evaluation for the California spotted owl**. Clovis, CA: Sierra National Forest Specialist Report, USDA Forest Service. February 2. Unpublished

Wolfley, J. 1998. **Ecological risk assessment and management: The failure to value indigenous traditional ecological knowledge and protect tribal homelands.** American Indian Culture and Research Journal 22(2): 151-169.

Wondzell, Steven M.; King, John G. 2003. **Post-fire erosional processes in the Pacific Northwest and Rocky Mountain regions.** Forest ecology and management 178: 75-87.

Woodall, C.W.; Fiedler, C.E.; K.S. Milner. 2003. **Stand density index in uneven-aged ponderosa pine stands**. Can. J. For. Res. 33: 96–100

Woods, S.W.; McCaughey, W.; Ahl, R.; Sappington, J. 2004. **Effect of alternative silvicultural treatments on snow accumulatin in lodgepole pine stands, Montana, USA.** Proceedings: Western Snow Conference, 2004.

Woolfenden, Wallace B. 1996. **Quaternary vegetation history.** In: Sierra National Ecosystem Project, Final report to Congress, vol. 2: 47-70.

- Wright, A.H.; Wright, A.A. 1949. **Handbook of frogs and toads of the United States and Canada**. Ithaca, NY: Comstock Publishing Company, Inc. 12: 640 p.
- York, Robert A.; Battles, John J.; Heald, Robert C.; York, Jennifer D. 2004. **Group selection management in conifer forests: Relationships between opening size and tree growth.** Can. J. For. Res. 34: 630–641.
- Zabel, Cynthia; McKelvey, Kevin; Ward, James P., Jr. 1995. **Influence of primary prey on home-range size and habitat-use patterns of northern spotted owls.** Can. J. Zool. 73: 433-39.
- Zielinski, W.J. 1997. **Monitoring mesocarnivore population status**. In: Harris, J; Ogan, C. eds. Proceedings: Mesocarnivores of northern California: Biology, management, and survey techniques. Arcata, CA: Humboldt State University, The Wildlife Society, California North Coast Chapter. August 12-15, 1997: 119-127.
- Zielinski, W.J.; Barrett, R.H.; Truex, R.L. 1997. **Southern Sierra Nevada fisher and marten study: progress report 4**. Arcata, CA: Pacific Southwest Research Station, USDA Forest Service.
- Zielinski, W.J.; Duncan, N.P.; Farmer, E.C.; Truex, R.L.; Clevenger, A.P.; Barrett, R.H. 1999. **Diet of fishers** (*Martes pennanti*) at the southern most extent of their range. Journal of Mammalogy 80(3): 961-971.
- Zielinski, W.J.; Kucera, Thomas, E. 1995. American marten, fisher, lynx and wolverine: Survey methods for their detection. Gen. Tech. Rep. PSW-GTR-157. Pacific Southwest Research Station, USDA Forest Service.
- Zielinski, W.J.; Kucera T.E.; Barrett, R.H. 1995. Current distribution of the fisher (*Martes pennanti*) in California. California Fish and Game. 81(3): 104-112.
- Zielinski, W.J.; Stauffer, H.B. 1996. Monitoring *Martes* populations in California: survey design and power analysis. Ecological Applications 6: 1254-1267.
- Zielinski, W.J.; Truex, R.L.; Ogan, C.V.; Busse, K. 1997. **Detection surveys for fishers and American martens in California, 1989-1994: summary and interpretations.** In: Proulx, G.; Bryant, H.N.; Woodard, P.M. eds. *Martes*: taxonomy, ecology, techniques and management. Proceedings of the second international *Martes* symposium. Edmonton, Alberta, Canada: 372-392
- Zielinski, W.J.; Truex, R.L.; Schlexer, F.V.; Campbell, L.A.; Carroll, C. 2005. **Historical and contemporary distributions of carnivores in forests of the Sierra Nevada.** California, USA. Journal of Biogeography 32: 1385-1407.
- Zielinski, W.J.; Truex, Richard L.; Schmidt, Gregory A.; Schlexer, Fredrick V.; Schmidt, Kristin N.; Barrett, Reginal H. 2004a. **Resting habitat selection by fishers in California.** Journal of Wildlife Management 68(3): 475-492.
- Zielinski, W.J.; Truex, Richard L.; Schmidt, Gregory A.; Schlexer, Fredrick V.; Schmidt, Kristin N.; Barrett, Reginal H. 2004b. **Home range characteristics of fishers in California**. Journal of Mammalogy 85: 649-657.
- Zweifel, R.G. 1988. Habitat correlates of distribution of the California red-legged frog (*Rana aurora draytonii*) and the foothill yellow-legged frog (*Rana boylii*): implications for management. In: Szaro, R.C.; Severson, K.E.; Patton, D.R. (tech. cords.). Proceedings of the symposium on the management of amphibians, reptiles, and small mammals in North America. Gen. Tech. Rep. RM-166. USDA Forest Service: 144-158.
- Zwolinski, Malcom. 2000. The role of fire in management of watershed responses. RMRS-P-13. USDA Forest Service.