Mail Application To: P.O. Box 4944 Diamond Bar, CA 91765

Tel: (909) 396-3385

www.aqmd.gov

Title IV – Acid Phase II New Unit Exemption Request

(See application instructions)												
Section I - New Unit Exemption Request												
Permit to be issued to (Business name of operator to appear on permit):						2. ORIS Co	ode (5-Digit):	Valid AQMD Facility ID (Available on Permit or Invoice Issued by AQMD):				
4. This New Ur	nit Exemption Red	quest is (Check or	ne): a. No	ew b. Re	vised							
New Unit Data		Connected Generator Data			Curren	t Fuels Used	sed		Expected Fuels to be Used			
AQMD Device #	EPA Unit #	Connected to Generator Device #	Capacity (MWe)	Fuel Burned #1 (Name)	SO2 in Fuel #1 (%)	Fuel Burned #2 (Name)	SO2 in Fuel #2 (%)	Fuel Burned (Name)		Fuel Burned #2 (Name)	SO2 in Fuel #2 (%)	

To complete this application, type or print the information in the appropriate blanks.

This form shall be completed by Acid Rain facilities ONLY. Attach this form to a completed Form 500-A1, Form 500-A2, Form 500-F1 if an initial permit, permit renewal, or permit revision is requested and any other supplemental Acid Rain forms (Forms 500-F2 and 500-F4) as appropriate.

The Acid Rain Program regulations allow any new, affected utility unit that serves generators with total nameplate capacity not greater than 25 MWe and that burns only fuels with sulfur content of 0.05 percent or less to be exempted from the requirements to obtain an Acid Rain permit, monitor emissions, and hold allowances.

Section I - Facility Information

1. Facility Name: Provide the name of the legal entity that operates the facility.

AQMD Facility ID: Complete only if the facility has been issued a 6-digit identification or ID number by AQMD. If not, leave these boxes blank. An ID number will be assigned when the application is submitted

ORIS Code: Provide the 5-digit code that has been assigned to facility by Department of Energy.

Section II - New Unit Exemption Request

1. Check one box to indicate whether this is a new application or a revision.

The Acid Rain Program regulations allow any new, affected utility unit that serves generators with total nameplate capacity not greater than 25 MWe and that burns only fuels with sulfur content of 0.05 percent by weight or less to be exempted from the requirements to obtain an Acid Rain permit, monitor emissions, and hold allowances. The designated representative of such a unit may qualify the unit for the exemption by submitting the New Unit Exemption form. The provisions governing new unit exemption are found at 40 CFR 72.7.

New Unit Data	
AQMD Device #:	Provide the identification number for each AQMD-assigned device that is expected to be modified with repowering technology or replaced with a device that is already
	equipped with repowering technology.
EPA Unit #:	Provide the identification number for each EPA-assigned device that is expected to be modified with repowering technology or replaced with a device that is already
	equipped with repowering technology.
Connected Generator Data	
Connected to	Provide the AQMD-assigned device number of each generator that is served by the unit for which the exemption is sought.
Generator Device #:	
Capacity:	List to one decimal place the nameplate capacity of each generator served by the unit. The total of these entries must be 25 MWe or less in order to qualify for the
	exemption from the requirements of the Acid Rain Program. Nameplate capacity is defined in 40 CFR 72.2 as the maximum electrical generating output (in MW) that a
	generator can sustain over a specified period of time when not restricted by seasonal or other deratings, as listed in NADB or, if not in NADB, as measured in accordance
	with the United States Department of Energy standards.
Current Fuels Used and Expected Fuels to be	
Used	
Fuel Burned #1-2:	List the primary and secondary fuels that is currently burned and expected to be burned by the unit.
% S02 in Fuel #1-2:	Provide the percent of sulfur (S) for each fuel that is currently burned and expected to be burned by the device. To qualify for the exemption, the device must currently burn
	only fuels with a sulfur content of 0.05% or less by weight, as determined using the test methods (and, for natural gas, the assumption is 0.4 grains/ 100 cu. ft.) specified in
	40 CFR 72.7(d)(2). To maintain the exemption, the device must continue to burn only fuels of this sulfur content and demonstrate compliance through the tests (and, for
	natural gas, the assumption is 0.4 grains/ 100 cu. ft.) under 40 CFR 72.7(d)(2) on fuels burned at any time during the period that the exemption is in effect.List the percent
	sulfur content by weight of the primary fuel. Note: The fuel sulfur content must be 0.05% or less for all fuels burned for the unit to qualify for the exemption.