

Motor Carrier Group Chairman Report Attachment G

> FMCSA Compliance Review February 7, 2008 (9 pages)

MEXICAN HAT, UTAH HWY-08-M-H012

1

		D STATES DE		NT OF TRANSPORTA			
US DOT #	Legal: BUSCO						
433377	Operating (DE		TAGE LINE	ES			
MC/MX #: 232723				ID:			
Review Type: Complia	nce Review (C.R.)						
Scope: Principal				idit: Company facility	in the LL C	Torniton	
		T			<u> </u>	Territory:	
Operation Types Inte	n-HM N/A		ornoration				
Carrier: No Shipper: N//		Business: Co Gross Rever	•	for	year ending: 12/	31/2007	
Cargo Tank:	N/A				year enang. 12/	0112001	
l		<u></u>					
Company Physical Ad	dress:						
720 E NORFOLK AVE	NUE						
NORFOLK, NE 68701							
Contact Name:	STEVE BUSSKO	HL					
Phone numbers: (1)		(2)		Fax 402-371-326	7		
E-Mail Address:							
Company Mailing Add	ress:						
720 E NORFOLK AVE	NUE						
NORFOLK, NE 68701							
Carrier Classification				n ma <u>-</u> monta-		<u></u> <u>-</u>	
Authorized for Hire							
Cargo Classification							
Passengers							
Does carrier transpor	rt placardable qu	antities of HN	? No				
Is an HM Permit requ			N/A				
Driver Information							
	nter Intra	Average tri	n loseod d	lrivers/month: 0			
< 100 Miles:	2	Average in	-	Total Drivers: 363			
	361			CDL Drivers: 361			
ļ						<u> </u>	
Equipment	Owned Terr	n Leased Trip			Owned Term	Leased Trip L	oseod
Trailer	<u></u> 4		0	Motor Coach	179		easeu 0
School Bus, 16+	19	0	0	Minibus, 16+	14	0	0
Van, 9-15	20	0	0	,			
Power units used in the	U.S.:232						
Percentage of time used	l in the U.S.:99						
							<u> </u>
2/7/2008 8:29:58 AM			Page 1 of	DE ER RIE EXHERE DIENNIN I P		Capri	6.6.1.10
				JV28JFUS01	NNAA		



Part A

Questions about this report or the Federal Motor Carrier Safety or Hazardous Materials regulations may be addressed to the Federal Motor Carrier Safety Administration at:

FMCSA 100 Centennial Mall North, Room 220 Lincoln, NE 68508-3851 Phone: (402)437-5986 Fax:(402)437-5146

This report will be used to assess your safety compliance.

Person(s) Interviewed Name: Kimball Kinnersley Name: Steve Busskohl

Title: Safety Director Title: Chief Executive Officer

2/7/2008 8:29:58 AM

Page 2 of 2

JV28JFUSONNAA



1 FEDERAL	Primary: 382.301(a)	Discovered	Checked 26	Drivers/Vehicles In Violation Checked 1 26
Example	before the motor carrier has received a negative pre-em	ployment contro	lled substance	e test result.
2 FEDERAL CRITICAL	Primary: 382.303(a)	Discovered	Checked 3	Drivers/Vehicles In Violation Checked
Example	luct post accident testing on driver for alcohol.			
3 FEDERAL	Primary: 382.303(b)	Discovered	Checked 3	Drivers/Vehicles In Violation Checked 1 3
Exam	luct post accident testing on driver for controlled substan	ces.		
4 FEDERAL	Primary: 382.305(b)(2)	Discovered	Checked 177	Drivers/Vehicles In Violation Checked 7 177
average numb Example	uct random controlled substances testing at an annual ra er of driver positions. trip date 11/30/2007.	ate of not less th	an the applica	ble annual rate of the
5 FEDERAL	Primary: 382.305(i)(3)	Discovered 9	Checked 220	Drivers/Vehicles In Violation Checked 9 220
Description Failing to ensu Exam Driver	re that drivers are tested within the selection period.	. next selection	was made on	11/7/2007
6 FEDERAL	Primary: 382.307(c)	Discovered	Checked 1	Drivers/Vehicles In Violation Checked 1 1 1
Example	asonable suspicion testing at the direction of an untrained	d supervisor or c	ompany officia	al.

2/7/2008 8:29:58 AM

Page 1 of 4

JV28JFUSONNAA



7 FEDERAL	Primary: 383.93	Discovered	Checked 65	Drivers/Vehicl In Violation Che	
Example	mmercial motor vehicle without having the proper endors	sements on com	mercial driver	s license.	
8 FEDERAL	Primary: 390.15(b)(1)	Discovered	Checked 6	Drivers/Vehicl In Violation Che 5	
Description Failing to keep Example Driver	an accident register in the form and manner prescribed.	not have neares	<u>t city or town.</u>	and state	
9 FEDERAL	Primary: 391.45(b)(1) Secondary: 391.11(a)	Discovered	Checked 65	Drivers/Vehicl In Violation Che 2	
Description Using a driver Exam Driver	not medically examined and certified during the preceding	g 24 months.			
10 FEDERAL	Primary: 395.5(a)(1)	Discovered	Checked 1154	Drivers/Vehicl In Violation Che 17	es cked 36
Example	ermitting a passenger-carrying commercial motor vehicle	driver to drive n	nore than 10 h	ours.	
11 FEDERAL	Primary: 395.5(a)(2)	Discovered	Checked 1154	Drivers/Vehicl In Violation Che 11	es cked 36
Example	ermitting a passenger-carrying commercial motor vehicle	driver to drive a	fter having be	en on duty 15 hours	
12 FEDERAL	Primary: 395.5(b)(2)	Discovered 8	Checked 883	Drivers/Vehicl In Violation Che 1	
hours in 8 cons Example	ermitting a passenger-carrying commercial motor vehicle secutive days.	driver to drive a	fter having be	en on duty more tha	n 70

2/7/2008 8:29:58 AM

Page 2 of 4

JV28JFUSDNNAA



13 FEDERAL CRITICAL	Primary: 395.8(e)	Discovered	Checked 683	Drivers/Vehicles In Violation Checked 9 36
Exam	of records of duty status.			
14 FEDERAL	Primary: 395.8(e)	Discovered	Checked 683	Drivers/Vehicles In Violation Checked 15 36
Example	of records of duty status (non-critical).			
15 FEDERAL	Primary: 395.8(f)	Discovered 37	Checked 1154	Drivers/Vehicles In Violation Checked 5 36
Example	re driver to prepare record of duty status in form and m	anner prescribed.		
16 FEDERAL	Primary: 395.8(k)(1)	Discovered 14	Checked 1168	Drivers/Vehicles In Violation Checked 7 36
Example	erve driver's record of duty status for 6 months.			
17 FEDERAL	Primary: 395.8(k)(1)	Discovered 15	Checked 2050	Drivers/Vehicles In Violation Checked 2 36
Example	erve driver's records of duty status supporting documen			
18 FEDERAL CRITICAL	Primary: 396.17(a)	Discovered 10	Checked 50	Drivers/Vehicles In Violation Checked 10 50
Example	ercial motor vehicle not periodically inspected.			
Safety Fitness F Total Mile Recordab	Rating Information:es Operated10,333,556ble Accidents6	Number of Vel O nber of Vehicles	DS Vehicle (N	ed (CR): 0 MCMIS): 2
2/7/2008 8:29:58 AM			IN AND A 11 A BUILD AND	Capri 6.6.1.10

g



our proposed safety rating is :	Rating Factors		Acute Critical	
· · · · · · · · · · · · · · · · · · ·	Factor 1:	S	0	0
	Factor 2:	С	0	1
CONDITIONAL	Factor 3:	U	0	2
	Factor 4:	С	0	1
	Factor 5:	Ν	0	0
	Factor 6:	S	-	-

This rating will become the final rating 45 days from the date indicated on a forthcoming official notice from the Federal Motor Carrier Safety Administration headquarters office in Washington, D.C.

However, if this rating improves a previous Unsatisfactory rating, it will become effective on the date of the official notice from the FMCSA headquarters.

Corrective actions must be taken for the violations (deficiencies) listed on Part B of this review. Title 49 CFR Sections 385.15 and 385.17 provide for administrative review of and a change to a safety rating based on corrective actions, respectively. A request for a change to a safety rating under section 385.17 may be made at any time. A request for administrative review under section 385.15 must be made within 90 days of the date of the proposed safety rating issued under section 385.11(c) or a final safety rating issued under section 385.11(b), or within 90 days after denial of a request for a change in rating under section 385.17.

2/7/2008 8:29:58 AM

Page 4 of 4



Part B Requirements and/or Recommendations

- 1. This report contains citations of regulations that are deemed serious in nature and could result in penalties against your company and/or your drivers.
- 2. PLEASE NOTE: The violations discovered during this compliance review may affect the civil penalty proposed in any subsequent Notice of Claim. In addition, your history of prior violations of the Federal Motor Carrier Safety Regulations, Federal Hazardous Materials Regulations or the Federal Motor Carrier Commercial Regulations may also affect the civil penalty proposed in any subsequent Notice of Claim. Your signature for receipt of this report acknowledges your understanding that the violations discovered by the FMCSA during this review may be used to calculate any civil penalty proposed as a result of this review. Your signature is not an admission of the violations identified to you by the investigator.

Attached to this report is Table I, which identifies all the documented violations which were discovered during the course of this compliance review.

- 3. Notice: recurring violations of the same or related acute or critical regulations (violations of the same Part in Title 49, Code of Federal Regulations) that result in three enforcement actions within a six year period will cause the maximum penalties allowed by law to be assessed for the third enforcement action.
- 4. Within 15 days, send a letter to the FMCSA describing what actions you have taken in response to this review to ensure that you are complying with the Federal Motor Carrier Safety Regulations.
- 5. Maintain all required controlled substance testing records including yearly summaries, quarterly summaries, test information, test results, records of training etc., as required by 49 CFR Parts 40 and 382 of the FMCSR.
- 6. Ensure that all drivers subject to pre-employment, random, reasonable cause, post accident, return to duty, and/or follow-up controlled substance testing are tested as required by 49 CFR Parts 40 and 382 of the FMCSR.
- 7. Employers are responsible for their officers', employees', agents', consortia, and/or contractors' compliance with the requirements of 49 CFR Parts 40 and 382.
- 8. Do not allow drivers to drive interstate unless they have been physically re-examined each 24 months.
- 9. Ensure all drivers have a valid CDL with proper endorsements.
- **10.** Require all drivers to prepare complete and accurate records of duty status for each day, and to submit them within 13 days. Maintain all duty status records on file, with all supporting documents, for at least 6 months.
- 11. Obtain from any driver used for the first time (or intermittently) a signed statement showing the total time on-duty during the preceding seven (7) days and the time at which the driver was last relieved from duty.
- 12. If you want some drivers to use the 100 air-mile radius exemption, make sure that the drivers meet all terms of the exemption, including being released from duty no more than 12 hours from when they report for duty. Logs must be prepared if a driver does not meet the 12 hour requirement.
- **13.** Establish a system to control drivers' hours of service. Do not dispatch drivers who don't have adequate hours available to complete assigned trips legally. Do not allow drivers to exceed the 10, 15, and 60/70 hour limits.
- 14. Ensure that all drivers' records of duty status (logs) are accurate. Check them against "supporting documents" to verify accuracy. Maintain, and utilize time-dated fuel reports and toll receipts to verity the accuracy of logs. Prohibit falsification of logs by any driver. Review the rules on supporting documents. Take appropriate action against drivers who falsify logs.

2/7/2008 8:29:59 AM

Page 1 of 2

JV28JFUSONNAA.



Part B Requirements and/or Recommendations

- **15.** Ensure that all vehicles are periodically inspected at least once every 12 months. Maintain the periodic inspection reports for 14 months.
- 16. Ensure that drivers do not record sleeper berth time on their records of duty status, unless the vehicle is equipped with an adequate sleeper berth that meets the requirements described in 393.76.
- 17. FMCSA has web sites on the internet which may be beneficial to you: Home Page: www.fmcsa.dot.gov Carrier Ratings: www.safersys.org Do It Yourself Filings (for economic authority): www.diy.dot.gov Carrier Data (SafeStat Ratings): www.ai.volpe.dot.gov Pipeline and Hazardous Material Safety Administration: hazmat.dot.gov

