



CAMERA

A Metagenomics Resource for Microbial Ecology

Saul A. Kravitz

Rekha Seshadri

J. Craig Venter Institute

DOE GTL PI Meeting

February 12, 2008



J. Craig Venter™
I N S T I T U T E

Presentation Outline


- Introduction to Metagenomics
- Global Ocean Sampling (GOS) Expedition
- Challenges of Metagenomics
- The CAMERA Project
- Live Demonstration of CAMERA

Genomics vs Metagenomics

- **Genomics – ‘Old School’**
 - Study of a single organism's genome
 - Genome sequence determined using shotgun sequencing and assembly
 - ~1300 microbes sequenced, first in 1995
 - DNA usually obtained from pure cultures (<1%)
- **Metagenomics**
 - Application of genome sequencing methods to environmental samples (no culturing)
 - Environmental shotgun sequencing is the most widely used approach
 - Environmental Metadata provides key context

Metadata

- Metagenomics
 - Genomics + Metadata
- Environmental Metadata
 - Time and location (lat, long, depth) of sample collection
 - Correlate w/remote sensing data
 - Physico-chemical properties (e.g. temperature, nutrients, salinity)



MODIS-Aqua satellite image of ocean chlorophyll in the Sargasso Sea grid about the BATS site from 22 February 2003

Metagenomic Questions

- Within an environment
 - What biological functions are present (absent)?
 - What organisms are present (absent)
- Compare data from (dis)similar environments
 - What are the fundamental rules of microbial ecology
- How do organisms adapt to environmental conditions?
- Search for novel proteins and protein families

Complexity of Microbial Communities

- Simple (e.g., AMD, gutless worm)
 - Few species present (<10)
 - Diverse
 - Variations on standard genomics techniques
- Complex (e.g., Soil or Marine)
 - Many species present (>10, often >1000)
 - Many closely related
 - New techniques

JCVI Global Ocean Sampling Expedition Largest Metagenomic Study to Date




Global Ocean Sampling (GOS)

178 Total Sampling Locations

Phase 1: 41 samples, 7.7M reads, >6M proteins

Diverse Environments

Open ocean, estuary, embayment, upwelling, fringing reef, atoll, warm seep, mangrove, fresh water, biofilms, sediments, soils



Challenges of Complex Metagenomic Datasets

- Most sequence reads are unique
 - Very limited assembly
 - Most sequences not taxonomically anchored
 - Annotation of annotated reads required
 - Relating shotgun data to reference genomes
- Annotation challenging
 - Which ORFs code for predicted proteins?
 - Lack of genomic context
 - Large data volume

Motivations for CAMERA

- Significant investment in sequencing
 - Only accessible to bioinformatics elite
 - Diversity of user sophistication and needs
- Bioinformatics and Computation Challenges
 - Assembly, annotation, comparative analysis, visualization
 - Dedicated compute resources
- Importance of Metadata
 - Metadata required for environmental analysis
 - Need to drive standards
- Compliance with Convention on Biodiversity

CAMERA Team

- J. Craig Venter Institute
 - Marv Frazier, co-PI
 - Saul Kravitz, Program Manager
 - Rekha Seshadri, Chief Scientist
- UCSD/Calit2
 - Larry Smarr, co-PI
 - Paul Gilna, Executive Director
- UC Davis
 - Jonathan Eisen, co-investigator
- Gordon and Betty Moore Foundation
 - David Kingsbury and Mary Maxon




Demo of CAMERA 1.3


- **Data and Metadata Collections**
 - ALL metagenomic nt sequence and metadata
 - Coding sequences functionally annotated
- **BLAST with Environmental Metadata**
 - Large query and subject sizes
 - 454 FLX run or microbe VS All Metagenomic
- **Fragment Recruitment Viewer**
 - Based on Rusch's GOS viewer
- **Text Search of Annotations**

Research Home [? help](#)

Search



BLAST



Projects




Publications



Samples



Fragment Recruitment



Recent Searches [\[hide\]](#)

- ♦ [lipase](#) no matches
- ♦ [glycerol kinase](#) (about 4,239 matches)
- ♦ [Cellulase](#) (about 3,163 matches)
- ♦ [ATP synthase epsilon](#) (about 2,856 matches)
- ♦ [dehalogenase](#) (about 4,963 matches)

Recent BLAST Results [\[hide\]](#)

Job Name	Submit Date	Status	# Hits	Subject Sequences
test11	02/27/07 02:09 PM	completed	2	GOS: Assembled Sequences (N)
tst10	02/27/07 02:09 PM	completed	0	GOS: Combined Assembly ORF Peptides (P)
test09	02/27/07 02:08 PM	completed	1	GOS: All Metagenomic Sequence Reads (N)
test06	02/27/07 02:05 PM	completed	50	All Metagenomic Sequence Reads (N)

[View All BLAST Results](#)

Projects

Details

- Acid Mine Drainage Metagenome
- Alvinella pompejana Epibiont Metagenome
- Chesapeake Bay Virioplankton Metagenome (Data Coming Soon)
- Global Ocean Sampling Expedition
- Mediterranean Gutless Worm Metagenome
- Mediterranean Bathypelagic Habitat Metagenome
- Metagenome of Marine NaCl-Saturated Brine
- Microbial Community Genomics at the HOT/ALOHA
- Moore Marine Microbial Sequencing
- Ocean Viruses
- Phosphorous Removing (EBPR) Sludge Community
- Viral Metagenomes from Terrestrial Hot Springs
- Waseca County Farm Soil Metagenome
- Whale Fall Metagenome

Principal Investigator: J. Craig Venter
Funded By: Moore Foundation, DOE, Venter Science Foundation
Organization: J. Craig Venter Institute

The broad objective of the global ocean sampling expedition is to expand our understanding of the microbial world by studying the gene complement of marine microbial communities. Marine microbes influence the cycling of carbon (and other elements) in the world's oceans, acting as a biological conduit that transports carbon dioxide from the surface to the deep oceanic realms.

By sequestering carbon from the atmosphere, marine microorganisms (eukaryotes, prokaryotes and viruses) may significantly affect global climate. How they do so, however, is poorly understood, and our attempts to study their activities are limited by our inability to culture the vast majority of them.




The Sorcerer II Research Vessel Courtesy - J.Craig Venter Institute
 Click on the image for more information.

These studies have produced the largest catalogue of genes to date from thousands of new species, with no apparent slowing of the rate of discovery (i.e., attaining saturation of data). These data have potentially far-reaching implications for biological energy production, bioremediation, and creating solutions for reduction/management of greenhouse gas levels in our biosphere. For more information, see the J.Craig Venter Institute's [Global Ocean Sampling Project](#).

JCVI's GOS data is also available through NCBI's [Genbank](#)


JCVI has had many requests for GOS materials (clones, templates, DNA). Unfortunately, managing this large collection of materials is an expensive endeavor, and JCVI is not currently equipped to provide this service. JCVI is exploring the possibility of a 3rd party taking on this role, but there are no definitive plans as of yet.



Global Ocean Sampling Expedition

More Information

- >> [Samples](#)
- >> [Publications & Data](#)
- >> [Website](#)
- >> [Contact](#)



Click on the image for full collection of articles for Global Ocean Sampling.

One avenue of exploration is to sequence the genomes of marine microbes using a metagenomics approach. In Spring of 2003, the J. Craig Venter Institute conducted a whole environment shotgun sequencing project to study marine microorganisms in the nutrient-poor Sargasso Sea near Bermuda. This study revealed an unforeseen breadth and depth of microbial diversity - about 1,800 different microbial species encoding over 1.2 million genes were discovered, nearly doubling the number of prokaryotic genes available in public databases. Notably, this study expanded our knowledge of ocean photobiology and nutrient pools. Results from the pilot study were reported in Science in 2004.

This pilot study served as the springboard for launching a more comprehensive survey of the bacterial, archaeal and viral diversity of the world's oceans. A global circumnavigation aboard the Sorcerer II sailing yacht began in August 2003, starting in Halifax, Canada and samples were collected at sites along the U.S. east coast, Gulf of Mexico, Galapagos Islands, central and south Pacific Oceans, Australia, Indian Ocean, South Africa, across the Atlantic back to the U.S., and was completed in January 2006. An initial analysis of the microbial data from the first leg of the trip - Halifax to the Galapagos Islands - was reported in PLoS Biology in January 2007. Shotgun sequencing and deep sequencing of 16S and 18S rRNA continues on the samples from the Pacific and Indian Ocean during 2007.

Project Samples

Project: Global Ocean Sampling Expedition [view project] [export to Excel]

1 - 20 of 59 [Advanced Sort](#) < prev 20 | goto | next 20 >

Sample Dataset ▲	Size	Habitat Type	Geographic Location	Sample Location	Country	Filter Size	Latitude	Longitude	Depth
GS000a Shotgun	1,106 MB	Open Ocean	Sargasso Sea	Sargasso Station 13	Bermuda (UK)	0.1 - 0.8	31d 10'30"n	64d 19'27.6"w	5 m
GS000a Shotgun	1,106 MB	Open Ocean	Sargasso Sea	Sargasso Station 11	Bermuda (UK)	0.1 - 0.8	31d 10'30"n	64d 19'27.6"w	5 m
GS000b Shotgun	541.6 MB	Open Ocean	Sargasso Sea	Sargasso Station 13	Bermuda (UK)	0.22 - 0.8	31d 10'30"n	64d 19'27.6"w	5 m
GS000b Shotgun	541.6 MB	Open Ocean	Sargasso Sea	Sargasso Station 11	Bermuda (UK)	0.22 - 0.8	31d 10'30"n	64d 19'27.6"w	5 m
GS000c Shotgun	628 MB	Open Ocean	Sargasso Sea	Sargasso Stations 3	Bermuda (UK)	0.22 - 0.8	32d 10'29.4"n	64d 00'36.6"w	5 m
GS000d Shotgun	566.8 MB	Open Ocean	Sargasso Sea	Sargasso Station 13	Bermuda (UK)	0.22 - 0.8	31d 10'30"n	64d 19'27.6"w	5 m
GS001a Shotgun	242.2 MB	Open Ocean	Sargasso Sea	Hydrostation S	Bermuda (UK)	3 - 20	32d 10'00"n	64d 3	
GS001b Shotgun	154.5 MB	Open Ocean	Sargasso Sea	Hydrostation S	Bermuda (UK)	0.8 - 3	32d 10'00"n	64d 3	
GS001c Shotgun	156.8 MB	Open Ocean	Sargasso Sea	Hydrostation S	Bermuda (UK)	0.1 - 0.8	32d 10'00"n	64d 3	
GS002 Shotgun	150.2 MB	Coastal	North American Ea...	Gulf of Maine	USA	0.1 - 0.8	42d 30'11"n	67d 1	
GS003 Shotgun	108.4 MB	Coastal	North American Ea...	Browns Bank, Gulf...	Canada	0.1 - 0.8	42d 51'10"n	66d	
GS004 Shotgun	92.8 MB	Coastal	North American Ea...	Outside Halifax, ...	Canada	0.1 - 0.8	44d 8'14"n	63d 3	
GS005 Shotgun	107.1 MB	Embayment	North American Ea...	Bedford Basin, No...	Canada	0.1 - 0.8	44d 41'25"n	63d 3	
GS006 Shotgun	104.8 MB	Estuary	North American Ea...	Bay of Fundy, Nov...	Canada	0.1 - 0.8	45d 6'42"n	64d 5	
GS007 Shotgun	89.7 MB	Coastal	North American Ea...	Northern Gulf of ...	Canada	0.1 - 0.8	43d 37'56"n	66d 5	
				Newport Harbor, RI	USA	0.1 - 0.8	41d 29'9"n	71d 21'4"w	1 m
				Block Island, NY	USA	0.1 - 0.8	41d 5'28"n	71d 36'8"w	1 m
				Cape May, NJ	USA	0.1 - 0.8	38d 56'24"n	74d 41'6"w	1 m
				Delaware Bay, NJ	USA	0.1 - 0.8	39d 25'4"n	75d 30'15"w	1 m
				Chesapeake Bay, MD	USA	0.1 - 0.8	38d 56'49"n	76d 25'2"w	13.2 m

Advanced Sort

Sort By: Ascending Descending

Then By: Ascending Descending

Then By: Ascending Descending

Download File

File description: *GS006 Shotgun, Bay of Fundy, Nova Scotia*

>> Download as [.zip](#)

>> Download as [.gz](#)

Publications

Project:

Details Downloads


- **The Sorcerer II Global Ocean Sampling Expedition: Northwest Atlantic through Eastern Tropical Pacific**
Douglas B. Rusch, Aaron L. Hal...
- **Structural and functional diversity of the microbial kinome**
Natarajan Kannan, Susan S. Tay...
- **The Sorcerer II Global Ocean Sampling Expedition: Expanding the Universe of Protein Families**
Shibu Yooseph, Granger Sutton,...
- **Environmental Genome Shotgun Sequencing of the Sargasso Sea**
J. Craig Venter, Karin Remingt...
- **Assessing diversity and biogeography of aerobic anoxygenic phototrophic bacteria in surface waters of the Atlantic and Pacific Oceans using the Global Ocean Sampling expedition metagenomes**
Natalya Yutin, Marcelino T. Su...
- **Prokaryotic Gene Finding and Protein Classification via Incremental Clustering**
Shibu Yooseph, Weizhong Li, Gr...
- **Viral Photosynthetic Reaction Centre Genes and Transcripts in the Marine Environment**
Oded Beja, Yael Mandel-Gutfre...

The Sorcerer II Global Ocean Sampling Expedition: Expanding the Universe of Protein Families

Citation: [The Sorcerer II Global Ocean Sampling Expedition: Expanding the Universe of Protein Families](#)
Shibu Yooseph, Granger Sutton, Douglas B. Rusch, Aaron L. Halpern et al.
PLoS Biology Vol. 5, Issue 3, e16 doi:10.1371/journal.pbio.0050016
CAMERA Identifier CAM_PUB_Yooseph07a

Synopsis: The sequence similarity based clustering approach described in this paper was used both to predict proteins from the Global Ocean Sampling data and to cluster the predicted proteins in the context of an inclusive collection of proteins from public data sources. The clustering results then serve as a resource to address various questions on protein family evolution, diversity, and rate of novel family discovery.

- More Information
- >> [Download this publication](#)
 - >> [Download publication data](#)
 - >> [Browse the project](#)
 - >> [Browse project samples](#)
 - >> [View the project website](#)



Venn Diagram Showing Breakdown the 17,067 Medium and Large Clusters by three Categories GOS, Known Prokaryotic and Known Non-Prokaryotic
Click to enlarge.

The versions of the following publicly available data sets from February 10, 2005, were utilized in the clustering effort reported in the paper: NCBI's non-redundant protein database (NR), NCBI Prokaryotic Genomes (PG), TIGR Gene Indices (TGI-EST), and Ensembl (ENS). These data sets are available for download and search. (CAMERA note: Weizhong Li and Shibu Yooseph are currently in the process of building a pipeline for incrementally recomputing the clusters and annotations. Starting in the 2nd quarter of 2007, CAMERA will be updating the clusters periodically incorporating new data, including data from other genomics/metagenomics studies.)

Reads from the Sargasso Sea study were pooled together with the reads from the Sorcerer II Global Ocean Sampling Expedition and the combined set is referred to as the GOS data set. Assembly of the GOS data set was performed using the [Celera Assembler](#). All of the reads and assemblies are available for download and search, and a mapping of GOS ORFs to scaffolds in the GOS assembly is provided in gff format.

[Open Reading Frames\(ORFs\)](#) were identified from the DNA sequences in the PG, TGI-EST, ENS, and GOS data sets. An ORF is commonly defined as a translated DNA sequence that begins with a start codon and ends with a stop codon. To accommodate partial DNA sequences, this definition was extended to allow an ORF to be bracketed by either a start codon or the start of the DNA sequence, and by either a stop codon or the end of the DNA sequence. While generating ORFs from the PG and TGI-EST data sets, the appropriate codon usage table for the DNA sequence was used. GOS ORFs were generated from the assembled sequences only using translation table 11 (the code for bacteria, archaea, and prokaryotic viruses). Only ORFs of length 60 amino acids (aa) were considered for all data sets. Not all ORFs are proteins. In this study, ORFs that have reasonable evidence for being proteins, are denoted as predicted proteins; other ORFs are denoted as spurious ORFs. All of these ORF sets are available for download and search.

The primary input to the clustering process was pairwise sequence similarity, computed using an all-against-all BLAST search. The sequences were clustered in four steps. In the first step, a non-redundant set of sequences from the entire data set was identified. Only pairwise matches with 98% similarity involving 95% length of the shorter sequence, were considered. Only non-redundant sequences were considered for further steps in the clustering. In the second step, core sets of similar sequences were identified. Only matches between two sequences involving 80% of the length of the longer sequence were considered. In the third step, these core sets were transformed into profiles and a profile-profile method was used to merge related core sets. In the final step, sequences were recruited using sequence-profile matching (PSI-BLAST) and using BLAST matches to core-set members. The recruitment required the match to involve 60% of the length of the sequence being recruited.

Publications

Project:

■ **The Sorcerer II Global Ocean Sampling Expedition: Northwest Atlantic through Eastern Tropical Pacific**
Douglas B. Rusch, Aaron L. Hal...

■ **Structural and functional diversity of the microbial kinome**
Natarajan Kannan, Susan S. Tay...

■ **The Sorcerer II Global Ocean Sampling Expedition: Expanding the Universe of Protein Families**
Shibu Yooseph, Granger Sutton,...

■ **Environmental Genome Shotgun Sequencing of the Sargasso Sea**
J. Craig Venter, Karin Remingt...

■ **Assessing diversity and biogeography of aerobic anoxygenic phototrophic bacteria in surface waters of the Atlantic and Pacific Oceans using the Global Ocean Sampling expedition metagenomes**
Natalya Yutin, Marcelino T. Su...

■ **Prokaryotic Gene Finding and Protein Classification via Incremental Clustering**
Shibu Yooseph, Weizhong Li, Gr...

■ **Viral Photosynthetic Reaction Centre Genes and Transcripts in the Marine Environment**
Oded Beja, Yael Mandel-Gutfreu...

Details **Downloads** [width]**The Sorcerer II Global Ocean Sampling Expedition: Expanding the Universe of Protein Families**

Publication Downloads

[Publication](#)

Publication Data Downloads

Filters [show]

[\[expand all\]](#) [\[collapse all\]](#)

- + ORFs
- + ncRNAs
- + Supporting Material
- + Peptides
- + Clusters
- Predicted Proteins
 - + Underlying Predicted cDNAs
 - + Kingdom Classification
 - [GOS Proteins](#) (1.9 GB)
 - [TIGR Gene Index Proteins](#) (370 MB)
 - [ENSEMBL Proteins](#) (220 MB)
 - [NCBI Microbial Genomes Proteins](#) (270 MB)
 - [NCBI NRAA Proteins](#) (1.1 GB)
 - [MOVE858 Chesapeake Bay Viral Proteins](#) (3.2 MB)

This is the "Downloads" tab view of the "Publications" page

Download FileFile description: *MOVE858 Chesapeake Bay Viral Proteins*

- >> Download as [.zip](#)
- >> Download as [.gz](#)

[\[close\]](#)


Moore Marine Microbial Sequencing

Principal Investigator:	Various
Funded By:	The Gordon and Betty Moore Foundation
Organization:	The Gordon and Betty Moore Foundation
Affiliation:	The J. Craig Venter Institute

More Information

- >> [Samples](#)
- >> [Publications & Data](#)
- >> [Website](#)
- >> [Contact](#)

The overarching goal of the marine microbial sequencing project is to explore the distribution, function and ecological role of marine microbes, and their role in the overall health of oceans and climates. The field of marine microbiology has made amazing progress in recent years through advances in genomic and metagenomic technologies, and is causing us to reevaluate many of the basic precepts of microbial ecology and evolution. Nonetheless, out of the 300+ prokaryotic genomes that have been completely sequenced to date, only about 18 are from the marine environment. In an attempt to bridge this gap, we are sequencing the draft genomes of over 155 diverse, ecologically relevant marine microorganisms that were selected for sequencing based on the following criteria:



1. Open ocean and coastal bacterioplankton isolates most closely related to uncultured marine clades abundant in ribosomal RNA surveys.
2. Open ocean and coastal bacterioplankton isolates for .cluster sequencing. from ecologically relevant marine clades.
3. Bacterioplankton isolates representing broad physiological diversity (photoautotrophs, photoheterotrophs, nitrifiers, methanotrophs, etc.).
4. Isolates from diverse environments/habitats (greater depths, more extreme temperatures, specialized habitats).

These genome data not only hold the promise of delivering tremendous biological insight through individual and broad comparative genome analyses, but also provide a key reference collection for culture-independent metagenomic surveys like the global ocean sampling expedition and many others.

The project was initiated in Fall 2004 with a grant to the J. Craig Venter Institute. Auto-annotated genome sequences have been deposited in GenBank. For further information, see the J. Craig Venter Institute's [Marine Microbial Genome Sequencing Project](#). The sequenced genomes from this project are included in

Publications and Data

Project: ▼




















This project has no papers.

Marine Organisms

1 - 20 of 168

[Advanced Sort](#)

◀ prev 20 | [goto](#) ▼ | next 20 ▶

Organism	Investigator	Release Date	Status
Acaryochloris sp. CCME 5410 	Michelle Wood		Not Yet Received
Aciduliprofundum boonei T469 	Anna-Louise Reysenbach	03/07/06	Released to Genbank
AEGEAN_169 clade (SAR11-like) HIMB37 	Michael Rappé		Not Yet Received
Alcanivorax sp. DG881 	Christopher Bolch	04/07/06	Released to Genbank
Algoriphagus sp. PR1 	Nicole King	12/14/05	Released to Genbank
alpha proteobacterium BAL199 	Åke Hagström	04/06/06	Released to Genbank
alpha proteobacterium HTCC2255 	Stephen J. Giovannoni, Jang-Cheon Cho	08/09/05	Released to Genbank
Alteromonadales TVV-7 	Farooq Azam	11/22/05	Released to Genbank
Alteromonas macleodii 'Deep ecotype' 	Francisco Rodriguez-Valera	11/19/04	Released to Genbank
Aurantimonas sp. SI85-9A1 	Bradley Tebo	08/17/04	Released to Genbank
Bacillus sp. B14905 	Rob Edwards	11/15/05	Released to Genbank
Bacillus sp. NRRL B-14911 	Janet Siefert	08/24/04	Released to Genbank
Bacillus sp. SG-1 	Bradley Tebo	11/29/05	Released to Genbank
Beggiatoa sp. 'Orange Guaymas' 	Andreas Teske	10/10/07	16S QC (PCR -- Analysis)
beta proteobacterium KB13 	Michael Rappé	02/20/07	Delivered to Researcher
Blastopirellula marina DSM 3645 	Rudolf Amann	09/01/04	Released to Genbank
Brevundimonas sp. BAL3 	Åke Hagström	04/06/06	Released to Genbank
Caldanaerobacter DSM 12653 	Juan Gonzalez, Tatyana Sokolova	05/17/06	Delivered to Researcher
Calothrix sp. SC01 	Jonathan Zehr		Not Yet Received
Caminibacter mediatlanticus TB-2 	Costa Vetriani	12/13/05	Released to Genbank


1 - 20 of 168

Show: [10](#) [20](#) [50](#)


◀ prev 20 | [goto](#) ▼ | next 20 ▶

Research Home [? help](#)

Search



BLAST



Projects




Publications



Samples



Fragment Recruitment



Recent Searches [\[hide\]](#)

- ♦ [lipase](#) no matches
- ♦ [glycerol kinase](#) (about 4,239 matches)
- ♦ [Cellulase](#) (about 3,163 matches)
- ♦ [ATP synthase epsilon](#) (about 2,856 matches)
- ♦ [dehalogenase](#) (about 4,963 matches)

Recent BLAST Results [\[hide\]](#)

Job Name	Submit Date	Status	# Hits	Subject Sequences
test11	02/27/07 02:09 PM	completed	2	GOS: Assembled Sequences (N)
tst10	02/27/07 02:09 PM	completed	0	GOS: Combined Assembly ORF Peptides (P)
test09	02/27/07 02:08 PM	completed	1	GOS: All Metagenomic Sequence Reads (N)
test06	02/27/07 02:05 PM	completed	50	All Metagenomic Sequence Reads (N)

[View All BLAST Results](#)

Specify Query Sequence

Specify a nucleotide or peptide query sequence (in [FASTA format](#)):

Back

Next

New Sequence

Previous Sequence

Sequence Name:

User sequence 02/08/08 05:50 AM

Enter sequence in fasta format:

Upload fasta sequence file

Browse...

Upload

Specify Query Sequence

Specify a nucleotide or peptide query sequence (in [FASTA format](#)):

[Back](#) [Next](#)

New Sequence Previous Sequence

1 - 15 of 40

◀ prev 15 | [goto](#) | next 15 ▶

	Sequence Name	Added ▼	Type	File size	Action
X	De-Dehalogenase [edit]	02/07/08 12:04 PM	peptide	497	Export ▼
X	NasA-uncultured-gamma [edit]	02/07/08 11:36 AM	peptide	897	Export ▼
X	AtzB [edit]	02/07/08 11:32 AM	peptide	363	Export ▼
X	User sequence 01/11/08 03:15 PM [edit]	01/11/08 03:15 PM	nucleotide	502	Export ▼
X	User sequence 01/07/08 03:20 PM [edit]	01/07/08 03:21 PM	peptide	363	Export ▼
X	NasA nitrate reductase [edit]	01/07/08 02:08 PM	peptide	897	Export ▼
X	Coxiella sterol reducta01/07/08 01:55 PM [edit]	01/07/08 01:56 PM	peptide	448	Export ▼
X	Arthrobacter AtzD [edit]	01/07/08 01:38 PM	peptide	363	Export ▼
X	User sequence 12/31/07 10:39 AM [edit]	12/31/07 10:39 AM	nucleotide	1,499	Export ▼
X	User sequence 12/31/07 10:18 AM [edit]	12/31/07 10:18 AM	nucleotide	1,388	Export ▼
X	User sequence 12/10/07 10:23 AM [edit]	12/10/07 11:13 AM	peptide	128	Export ▼
X	User sequence 11/06/07 08:51 AM [edit]	11/06/07 08:52 AM	peptide	554	Export ▼
X	User sequence 11/06/07 07:41 AM [edit]	11/06/07 07:42 AM	peptide	149	Export ▼
X	User sequence 11/06/07 07:39 AM [edit]	11/06/07 07:41 AM	peptide	149	Export ▼
X	User sequence 10/18/07 11:15 AM [edit]	10/18/07 11:17 AM	peptide	520,053	Export ▼

1 - 15 of 40

Show: [10](#) [20](#) [50](#)

◀ prev 15 | [goto](#) | next 15 ▶

• Click once to select. • Double click to select and apply.

Select Reference Datasets to Search Against

Read Datasets

Assembled Datasets

External Datasets

All Datasets

Description	Length	Sequence Type
All Metagenomic ncRNAs (N)	33,370,426	nucleotide
All Metagenomic ORF Peptides (P)	4,439,529,911	peptide
All Metagenomic ORFs (N)	13,318,589,733	nucleotide
All Metagenomic Sequence Reads (N)	8,393,828,709	nucleotide
FLAS: All Metagenomic Sequence Reads (N)	2,380,900	nucleotide
GOS: All Metagenomic Sequence Reads (N)	8,072,051,361	nucleotide
GOS: Translated peptide sequences of ORFs predicted from metagenomic sequence reads from the GOS Expedition		
GOS: All ORF Peptides (P)	4,395,420,221	peptide
GOS: All ORFs (N)	13,186,260,663	nucleotide
GOS: GS000a Reads from 0.1-0.8 Sargasso Sea Stations 11 and 13 (N)	658,755,696	nucleotide
GOS: GS000b Reads from 0.22-0.8 Sargasso Sea Stations 11 and 13 (N)	321,026,307	nucleotide
GOS: GS000c Reads from 0.22-0.8 Sargasso Sea Station 3 (N)	371,688,861	nucleotide
GOS: GS000d Reads from 0.22-0.8 Sargasso Sea Station 13 (N)	335,939,509	nucleotide
GOS: GS001a Reads from 3.0-20.0 Sargasso Sea Hydrostation S (N)	143,316,448	nucleotide
GOS: GS001b Reads from 0.8-3.0 Sargasso Sea Hydrostation S (N)	90,955,161	nucleotide
GOS: GS001c Reads from 0.1-0.8 Sargasso Sea Hydrostation S (N)	92,688,958	nucleotide
GOS: GS002 Reads from 0.1-0.8 Gulf of Maine USA (N)	128,761,768	nucleotide

▪ Click once to select. ▪ Double click to select and apply.

Job Criteria

Job Name:

Query Sequence: De-Dehalogenase [\[change\]](#)

Subject Datasets: GOS: All ORF Peptides (P) [\[change\]](#)

Job Options

Program:

Basic Options

database alignments:

evaluate exponent (1Ex):

filter low-complexity seq: True False

lower case filtering: True False

Advanced Options

[\[hide\]](#)

believe define: True False

best hits to keep:

database size:

final gapped dropoff:

gap extend cost:

gap open cost:

gapped alignment: True False

gapped alignment dropoff:

hit extension threshold:

matrix:

multihit window size:

search size:

show GIs: True False

ungapped extension dropoff:

wordsize:

[Back](#)

[Submit Job](#)

Job Results

1 - 20 of 38

[Advanced Sort](#)

◀ prev 20 | [goto](#) | next 20

	Job Name	Submit Date ▼	Status	Program	# Hits	Subject Sequences	Actions
X	testMoore [edit]	02/08/08 02:15 PM	completed	tblastn	10	MarineMicrobes: Moore Foundation Marine Microbi...	Results / Job / Export
X	De-dehaloVsGOS [edit]	02/07/08 12:03 PM	completed	blastp	82	GOS: All ORF Peptides (P)	Results / Job / Export
X	NasAvsGOS [edit]	02/07/08 11:51 AM	completed	blastp	1,019	GOS: All ORF Peptides (P)	Results / Job / Export
X	NasAvsGOS [edit]	02/07/08 11:36 AM	completed	blastp	4,060	GOS: All ORF Peptides (P)	Results / Job / Export
X	sdfs [edit]	01/11/08 03:14 PM	completed	blastn	25	GOS: All ncRNAs (N)	Results / Job / Export
X	testg [edit]	01/07/08 02:15 PM	completed	blastp	1,000	All Metagenomic ORF Peptides (P)	Results / Job / Export
X	testf [edit]	01/07/08 02:08 PM	completed	blastp	1,000	GOS: Combined Assembly ORF Peptides (P)	Results / Job / Export
X	TESTaaa [edit]	12/10/07 11:36 AM	completed	tblastn	2,615	All Metagenomic ORFs (N)	Results / Job / Export
X	test [edit]	11/06/07 07:41 AM	completed	blastp	318	GOS: All ORF Peptides (P)	Results / Job / Export
X	ntsars02vsnraa [edit]	10/18/07 11:17 AM	completed	blastp	3,180	CAMERA's Non-Identical Peptide Sequences (P)	Results / Job / Export
X	ntsars1vsnraa [edit]	10/18/07 10:46 AM	completed	blastp	2,447	CAMERA's Non-Identical Peptide Sequences (P)	Results / Job / Export
X	ttt [edit]	08/01/07 01:25 PM	completed	blastp	25	Microbial draft genome ORF peptide sequences (P)	Results / Job / Export
X	ess [edit]	07/20/07 09:58 AM	completed	tblastn	230	GOS: All Metagenomic Sequence Reads (N)	Results / Job / Export
X	atz [edit]	07/17/07 05:05 PM	completed	blastp	318	GOS: All ORF Peptides (P)	Results / Job / Export
X	atzAA [edit]	07/17/07 04:57 PM	completed	blastp	409	GOS: All ORF Peptides (P)	Results / Job / Export
X	atzD [edit]	07/17/07 04:47 PM	completed	blastp	11	GOS: All ORF Peptides (P)	Results / Job / Export
X	atzC [edit]	07/17/07 04:45 PM	completed	blastp	200	GOS: All ORF Peptides (P)	Results / Job / Export
X	atzB [edit]	07/17/07 04:44 PM	completed	blastp	200	GOS: All ORF Peptides (P)	Results / Job / Export

Re-run this job w/ new parameters
Show parameters

All Matching Query Sequences as FASTA
All Matching Subject Sequences as FASTA
All BLAST Results with Metadata as CSV
All BLAST Results as NCBI XML

Job Summary [show] [back to job results]

Matching Sequences [hide]

1 - 10 of 82

prev 10 goto next 10

	Eval	Score	Len.	Query	Subject	Sample(s)	Location(s)
<input type="checkbox"/>	5.142E-37	181.0	276	USER_PEP_1202414661201	JCVI_PEP_1105132741961	GS011	Delaware Bay, NJ
<input type="checkbox"/>	2.097E-22	112.5	144	USER_PEP_1202414661201	JCVI_PEP_1105156975833	GS011	Delaware Bay, NJ
<input type="checkbox"/>	2.482E-15	89.0	206	USER_PEP_1202414661201	JCVI_PEP_1105131342681	GS008	Newport Harbor, RI
<input type="checkbox"/>	2.748E-14	85.5	226	USER_PEP_1202414661201	JCVI_PEP_1105118692855	GS000c	Sargasso Stations 3
<input type="checkbox"/>	6.119E-14	84.3	241	USER_PEP_1202414661201	JCVI_PEP_1105116171163	GS021	Gulf of Panama
<input type="checkbox"/>				Query: 261 ANESQIMYAANLSRYRLFGNIQNSIQEFIRSLGYTCYGYA 300	78257	GS006	Bay of Fundy, Nova Scotia
<input type="checkbox"/>				Sbjct: 77 SGDDWIAVAQSMRAYLRFSLGGVIAKQIRNLGYSAKAHT 116	05957	GS031	Upwelling, Fernandina Island
<input type="checkbox"/>				Query: 301 SPFSGIMPATIASAQLTGITEGNRNGFCTSPEYGPVLGVF 340	34839	GS004	Outside Halifax, Nova Scotia
<input type="checkbox"/>				Sbjct: 117 STDGDVLPQ-PLLLSGLGEVSRIGEVIPLNPLLPRLKSG 155	37667	GS033	Punta Cormorant, Hypersalin...
<input type="checkbox"/>				Query: 341 SLVTDMPLEPTNPIDAGIWRFCQTCTKCADACPVNAIPKD 380	39069	GS033	Punta Cormorant, Hypersalin...
<input type="checkbox"/>				Sbjct: 156 VVTTDMPMLFDKPIDFGLQAFCESCNKCARECPAGAITAG 195			

Advanced Sort Export

Matching Query Sequences as FASTA
 Matching Subject Sequences as FASTA
 BLAST Results with Metadata as CSV
 BLAST Results as NCBI XML

Query: 381 HEPTWDLPNYIGKADIVHSPGRKQYWTNAVDCWLF-LTEY 419	99 / 276 (35%)
Sbjct: 196 PKLMFN-----GYEIKWSDSQKCTTYRLTNE 221	46 / 276 (16%)
Query: 420 NG--CGACMATCTFNTNTAPIHELVRATLATTPTLNTFLW 457	8
Sbjct: 222 GGAMCGRCMKTCPPWNLEGLFKEKPPRWLASNVPSVAPVLA 261	12

Seq

Sequ

Sequ

Align

Clear

Query: 458 QADKFFGY-GLNEDKEEWWDLSPVYGFDSAATSSHGGYD 496	
Sbjct: 262 KLDDRLGNGGLNEIKKWWWDLEL-----KDDGGYK 291	
Query: 497 K 497	
Sbjct: 292 K 292	

Query: 218 GKAYVFEDVDVGYEGATTFVLPANKQLYEFCFTVPMSKDMFRTA---NESQIMYAANLSRYRLFGNIQNSIQEFIRSLGY 294	
GK FEDV+ YE T V+P N + + FTV MS+++ + + AA + Y I + Q F+ LGY	
Sbjct: 28 GKRLDFEDVEKPYEEETRRVIPNNAR-WVIVFTVQWSEELLKRRVVGKTPTPFSAAAAGNAVARSRVIFDDTQIFLHCLGY 106	
Query: 295 TCYGY-ASPFGIMPATIASAQLTGITEGNRNGFCTSPEYGPVLGVFSLVTDMPLEPTNPIDAGIWRFCQTCTKCADACP 373	
YG A F+G+ A A + G+ E +R N T PEYGP++ VF ++T++PL P PIDAGI RFC+TC KCA CP	
Sbjct: 107 --YGLMAYWFNGLGIAPALGIMAGLGELSRLNRMIT-PEYGPVVRVFRMITNLPLAPNKPIDAGIMRFCKTCKKATECP 183	
Query: 374 VNAIPKDHEPTWDLPNYIGKADIVHSPGRKQYWTNAVDC---WLFLEYNCGACMATCTFN-TNTAPIHELVRATLATT 449	
+ D EP+W++ + ++PG K ++ ++ C WL T C C + C F+ + + +H V AT+A T	
Sbjct: 184 SGTLSLDTEPSWEVKGPW-----NNPGHKTWVEDSPKCMAYWLKATA--SCATCFVCPFSKKDKSFMHHFVEATI AKT 255	
Query: 450 PTLNTFLWQADKFFGYGLNEDKEEWWDLSPVYGFDSAATSSHGGYD 485	

Sequence Geography [hide]



>> 29 sample sites are represented in this data set

- Each sample site is marked on the map.
- Click a site marker for more information
- Drag the map with your mouse, or double-click to recenter

Peptide Detail

[\[hide\]](#) [\[back to job details\]](#)

PeptideAcc: JCVI_PEP_1105132741961

Def Line: JCVI_PEP_1105132741961 /read_id=JCVI_READ_1092351470431 /begin=0 /end=900 /orientation=1 /5_prime_stop=0 /3_prime_stop=TAG /orf_id=JCVI_ORF_1105132741960 /table=11 /length=300 /ergatis_id=7720 /read_define="/library_id=JCVI_LIB_GS-11-01-01-1P3-1P8KB /template_id=JCVI_TMPL_1061001659921 /sequencing_direction=forward /sample_id=JCVI_SMPL_1103283000017 /clr_range_begin=194 /clr_range_end=1073 /full_length=1124"

Seq Length: 300

Seq Type: AA

Sequence ERSGTSHVAFLELDEYNKKFIYSVDNDGKRLDFEDVEKPYEEETRRVVPNNARWVIVFTVQMSEELLKRRVVGKTPPFSAAAAAGNAYARSRVIFDDTQIFLHCLGYYGLMAYWFNGLGIAPALGIMAGLGELSRLNRMITPEYGPVVRVFRMITNLPLAPNKPIDAGIMRFCKTCKKCCATECPSGTLSLDTEPSWEVKGPWNNPGHKTWYEDSPKCMAYWLKATASCATCFVCPFSKDKSFMHHFVEATIAKTFIFNSLFTKMDTLLGYDIPRPDESWWWGTNMPPYGIDGLSGTRLE*

Intellectual Property Notice

None

Metadata & Geography

Sequence Features

Sample Metadata

[\[hide\]](#)

Sample Name: GS011
Sample Acc: JCVI_SMPL_1103283000017
Site Id: JCVI_SITE_GS011
Filter Size: 0.1 - 0.8 μ m


Site Metadata

[\[hide\]](#) [\[remove scroll\]](#)

site id: JCVI_SITE_GS011
project: CAM_PROJ_GOS
location: Delaware Bay, NJ
region: North American East Coast
comment: 2nd leg
country: USA
latitude: 39d 25'4"n
longitude: 75d 30'15"w
habitat: Estuary
sample depth: 1 m
chlorophyll density: 4.8 mg/M3 (sample month)
leg: 2nd leg

Sequence Geography


[\[hide\]](#)



>> 1 sample site is represented in this data set

- Each sample site is marked on the map.
- Click a site marker for more information on Site Metadata panel

	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q
	Filter Size (Length)	Site	Lat/Long	Smpl Pos	Geo Pos	Nation	Time	Date	Habitat	Smpl Depth	Water De	Temperat	Salinity	Chlorophyll Densi	
2	0.1 - 0.8	237	JCVI_SITE_GSD008	41d 299°n ; 7	Newport Harbor, F	North American East	USA	4:45 PM	11/16/2003	Coastal	1 m	12 m	9.4 C	26.5 ppt	2.2 mg/M3 (sample 1
3	0.1 - 0.8	360	JCVI_SITE_GSD021	8d 7'45°n ; 79	Gulf of Panama	Eastern Tropical Pac	Panama	4:48 PM	1/19/2004	Coastal	1.6 m	76 m	27.6 C	30.7 ppt	0.50 mg/M3 (sampl0
4	0.1 - 0.8	326	JCVI_SITE_GSD004	44d 8'14°n ; 6	Outside Halifax, N	North American East	Canada	5:25 AM	8/22/2003	Coastal	2 m	142 m	17.3 C	28.3 ppt	0.4 mg/M3 (sample0
5	0.1 - 0.8	325	JCVI_SITE_GSD003	42d 5'11°n ;	Browns Bank, Gu	North American East	Canada	11:50 AM	8/21/2003	Coastal	1 m	119 m	11.7 C	29.9 ppt	1.4 mg/M3 (sample 1
6	0.1 - 0.8	228	JCVI_SITE_GSD021	8d 7'45°n ; 79	Gulf of Panama	Eastern Tropical Pac	Panama	4:48 PM	1/19/2004	Coastal	1.6 m	76 m	27.6 C	30.7 ppt	0.50 mg/M3 (sampl0
7	0.1 - 0.8	336	JCVI_SITE_GSD008	41d 299°n ; 7	Newport Harbor, F	North American East	USA	4:45 PM	11/16/2003	Coastal	1 m	12 m	9.4 C	26.5 ppt	2.2 mg/M3 (sample 1
8	0.1 - 0.8	371	JCVI_SITE_GSD008	41d 299°n ; 7	Newport Harbor, F	North American East	USA	4:45 PM	11/16/2003	Coastal	1 m	12 m	9.4 C	26.5 ppt	2.2 mg/M3 (sample 1
9	0.1 - 0.8	303	JCVI_SITE_GSD010	38d 56'24°n ;	Cape May, NJ	North American East	USA	4:30 AM	11/18/2003	Coastal	1 m	10 m	12 C	31 ppt	2.0 mg/M3 (sample 2
10	0.1 - 0.8	359	JCVI_SITE_GSD013	36d 0'14°n ; 7	Off Nags Head, N	North American East	USA	6:28 AM	12/19/2003	Coastal	2.1 m	20 m	9.3 C		3.0 mg/M3 (sample 2
11	0.1 - 0.8	220	JCVI_SITE_GSD014	32d 30'25°n ;	South of Charlest	North American East	USA	5:12 PM	12/20/2003	Coastal	1 m	31 m	18.6 C		1.70 mg/M3 (sampl1
12	0.1 - 0.8	308	JCVI_SITE_GSD034	0d 22'59°s ; 9	North Seamore Isl	Galapagos Islands	Ecuador	5:06 PM	2/19/2004	Coastal	2.1 m	35 m	27.5 C		0.36 mg/M3 (sampl0
13	0.1 - 0.8	338	JCVI_SITE_GSD021	8d 7'45°n ; 79	Gulf of Panama	Eastern Tropical Pac	Panama	4:48 PM	1/19/2004	Coastal	1.6 m	76 m	27.6 C	30.7 ppt	0.50 mg/M3 (sampl0
14	0.1 - 0.8	337	JCVI_SITE_GSD021	8d 7'45°n ; 79	Gulf of Panama	Eastern Tropical Pac	Panama	4:48 PM	1/19/2004	Coastal	1.6 m	76 m	27.6 C	30.7 ppt	0.50 mg/M3 (sampl0
15	0.1 - 0.8	338	JCVI_SITE_GSD008	41d 299°n ; 7	Newport Harbor, F	North American East	USA	4:45 PM	11/16/2003	Coastal	1 m	12 m	9.4 C	26.5 ppt	2.2 mg/M3 (sample 1
16	0.1 - 0.8	179	JCVI_SITE_GSD008	41d 299°n ; 7	Newport Harbor, F	North American East	USA	4:45 PM	11/16/2003	Coastal	1 m	12 m	9.4 C	26.5 ppt	2.2 mg/M3 (sample 1
17	0.1 - 0.8	141	JCVI_SITE_GSD019	10d 42'59°n ;	Northeast of Color	Caribbean Sea	Panama	9:03 AM	1/12/2004	Coastal	1.7 m	3336 m	27.7 C	35.4 ppt	0.23 mg/M3 (sampl0
18	0.1 - 0.8	318	JCVI_SITE_GSD027	1d 12'58°s ; 9	Devil's Crown, Flo	Galapagos Islands	Ecuador	11:41 AM	2/4/2004	Coastal	2.2 m	2.3 m	25.5 C	34.9 ppt	0.40 mg/M3 (sampl0
19	0.1 - 0.8	341	JCVI_SITE_GSD013	36d 0'14°n ; 7	Off Nags Head, N	North American East	USA	6:28 AM	12/19/2003	Coastal	2.1 m	20 m	9.3 C		3.0 mg/M3 (sample 2
20	0.1 - 0.8	316	JCVI_SITE_GSD028	1d 13'1°s ; 90	Coastal Floreana	Galapagos Islands	Ecuador	3:47 PM	2/4/2004	Coastal	2 m	156 m			0.35 mg/M3 (sampl0
21	0.1 - 0.8	117	JCVI_SITE_GSD035	1d 23'21°n ; 9	Wolf Island	Galapagos Islands	Ecuador	4:44 PM	3/1/2004	Coastal	1.7 m	71 m	21.8 C	34.5 ppt	0.28 mg/M3 (sampl0
22	0.1 - 0.8	219	JCVI_SITE_GSD016	24d 10'29°n ;	Gulf of Mexico	Caribbean Sea	USA	2:15 PM	1/8/2004	Coastal Sea	2 m	3333 m	26.4 C	35.8 ppt	0.16 mg/M3 (sampl0
23	0.1 - 0.8	288	JCVI_SITE_GSD016	24d 10'29°n ;	Gulf of Mexico	Caribbean Sea	USA	2:15 PM	1/8/2004	Coastal Sea	2 m	3333 m	26.4 C	35.8 ppt	0.16 mg/M3 (sampl0
24	0.1 - 0.8	204	JCVI_SITE_GSD031	0d 18'4°s ; 91	Upwelling, Fernan	Galapagos Islands	Ecuador	2:43 PM	2/10/2004	Coastal upwelli	12 m	19.6 m	18.6 C		0.35 mg/M3 (sampl0
25	0.1 - 0.8	354	JCVI_SITE_GSD031	0d 18'4°s ; 91	Upwelling, Fernan	Galapagos Islands	Ecuador	2:43 PM	2/10/2004	Coastal upwelli	12 m	19.6 m	18.6 C		0.35 mg/M3 (sampl0
26	0.1 - 0.8	340	JCVI_SITE_GSD031	0d 18'4°s ; 91	Upwelling, Fernan	Galapagos Islands	Ecuador	2:43 PM	2/10/2004	Coastal upwelli	12 m	19.6 m	18.6 C		0.35 mg/M3 (sampl0
27	0.1 - 0.8	314	JCVI_SITE_GSD031	0d 18'4°s ; 91	Upwelling, Fernan	Galapagos Islands	Ecuador	2:43 PM	2/10/2004	Coastal upwelli	12 m	19.6 m	18.6 C		0.35 mg/M3 (sampl0
28	0.1 - 0.8	293	JCVI_SITE_GSD031	0d 18'4°								18.6 C			0.35 mg/M3 (sampl0
29	0.1 - 0.8	198	JCVI_SITE_GSD031	0d 18'4°								18.6 C			0.35 mg/M3 (sampl0
30	0.1 - 0.8	241	JCVI_SITE_GSD031	0d 18'4°								18.6 C			0.35 mg/M3 (sampl0
31	0.1 - 0.8	226	JCVI_SITE_GSD031	0d 18'4°								18.6 C			0.35 mg/M3 (sampl0
32	0.1 - 0.8	159	JCVI_SITE_GSD031	0d 18'4°								18.6 C			0.35 mg/M3 (sampl0
33	0.1 - 0.8	262	JCVI_SITE_GSD031	0d 18'4°								18.6 C			0.35 mg/M3 (sampl0
34	0.1 - 0.8	156	JCVI_SITE_GSD031	0d 18'4°								18.6 C			0.35 mg/M3 (sampl0
35	0.1 - 0.8	294	JCVI_SITE_GSD031	0d 18'4°								18.6 C			0.35 mg/M3 (sampl0
36	0.1 - 0.8	279	JCVI_SITE_GSD031	0d 18'4°								18.6 C			0.35 mg/M3 (sampl0
37	0.1 - 0.8	327	JCVI_SITE_GSD031	0d 18'4°								18.6 C			0.35 mg/M3 (sampl0
38	0.1 - 0.8	356	JCVI_SITE_GSD031	0d 18'4°								18.6 C			0.35 mg/M3 (sampl0
39	0.1 - 0.8	307	JCVI_SITE_GSD031	0d 18'4°								18.6 C			0.35 mg/M3 (sampl0
40	0.1 - 0.8	258	JCVI_SITE_GSD031	0d 18'4°								18.6 C			0.35 mg/M3 (sampl0
41	0.1 - 0.8	145	JCVI_SITE_GSD031	0d 18'4°								18.6 C			0.35 mg/M3 (sampl0
42	0.1 - 0.8	338	JCVI_SITE_GSD051	15d 8'37								27.3 C	34.2 ppt		
43	0.1 - 0.8	349	JCVI_SITE_GSD051	15d 8'37								27.3 C	34.2 ppt		
44	0.1 - 0.8	296	JCVI_SITE_GSD005	44d 41'2								15 C	30.2 ppt	6 mg/M3 (sample n6	
45	0.1 - 0.8	337	JCVI_SITE_GSD005	44d 41'2								15 C	30.2 ppt	6 mg/M3 (sample n6	
46	0.1 - 0.8	300	JCVI_SITE_GSD011	39d 25'4								11 C		4.8 mg/M3 (sample 9	
47	0.1 - 0.8	145	JCVI_SITE_GSD011	39d 25'4								11 C		4.8 mg/M3 (sample 9	
48	0.1 - 0.8	367	JCVI_SITE_GSD006	45d 6'42								11.2 C		2.8 mg/M3 (sample 1	
49	0.1 - 0.8	306	JCVI_SITE_GSD006	45d 6'42								11.2 C		2.8 mg/M3 (sample 1	
50	0.1 - 0.8	315	JCVI_SITE_GSD006	45d 6'42								11.2 C		2.8 mg/M3 (sample 1	
51	0.1 - 0.8	309	JCVI_SITE_GSD033	1d 13'42								37.6 C	63.4 ppt		



Research Home [? help](#)

Search



BLAST




Projects



Publications



Samples



Fragment Recruitment



Recent Searches [\[hide\]](#)

- ♦ [lipase](#) no matches
- ♦ [glycerol kinase](#) (about 4,239 matches)
- ♦ [Cellulase](#) (about 3,163 matches)
- ♦ [ATP synthase epsilon](#) (about 2,856 matches)
- ♦ [dehalogenase](#) (about 4,963 matches)

Recent BLAST Results [\[hide\]](#)

Job Name	Submit Date	Status	# Hits	Subject Sequences
test11	02/27/07 02:09 PM	completed	2	GOS: Assembled Sequences (N)
tst10	02/27/07 02:09 PM	completed	0	GOS: Combined Assembly ORF Peptides (P)
test09	02/27/07 02:08 PM	completed	1	GOS: All Metagenomic Sequence Reads (N)
test06	02/27/07 02:05 PM	completed	50	All Metagenomic Sequence Reads (N)

[View All BLAST Results](#)

Search [? search help](#)

Keywords:

Search

Examples

Find all words Find any word Find phrase

Search All



Accessions



Proteins



6301

Clusters



69

Publications



0

Projects



0

Samples




0

Website



Search Results


Proteins



6301

[\[detail view\]](#)


Protein search hits per Gene Ontology




Protein EC Summary



Protein Cluster Membership




Proteins




4915 matches


Gene Ontology Summary



Enzyme Summary



Protein Cluster Membership



All Matching Proteins

1 - 20 of 4915

[Advanced Sort](#)

< prev 20 | [goto](#) | next 20 >

Accession	External Acc	NCBI GI	Headline	DefLine	Length	Final
JCVI_PEP_1096665714389			... Accession: CAM_CNAM_102139 c...	JCVI_PEP_1096665714389 /source_dna_id=JCVI_ORF_...	147	CAM
JCVI_PEP_1096666313063			... Accession: CAM_CNAM_102139 c...	JCVI_PEP_1096666313063 /source_dna_id=JCVI_ORF_...	147	CAM
JCVI_PEP_1096668602421			... Accession: CAM_CNAM_102139 c...	JCVI_PEP_1096668602421 /source_dna_id=JCVI_ORF_...	155	CAM
JCVI_PEP_1096673421409			... Accession: CAM_CNAM_102139 c...	JCVI_PEP_1096673421409 /source_dna_id=JCVI_ORF_...	148	CAM
JCVI_PEP_1096676798831			... Accession: CAM_CNAM_102139 c...	JCVI_PEP_1096676798831 /source_dna_id=JCVI_ORF_...	90	CAM
JCVI_PEP_1096680464767			... Accession: CAM_CNAM_102139 c...	JCVI_PEP_1096680464767 /source_dna_id=JCVI_ORF_...	147	CAM
JCVI_PEP_1096680522357			... Accession: CAM_CNAM_102139 c...	JCVI_PEP_1096680522357 /source_dna_id=JCVI_ORF_...	160	CAM
JCVI_PEP_1096691663293			... Accession: CAM_CNAM_102139 c...	JCVI_PEP_1096691663293 /source_dna_id=JCVI_ORF_...	146	CAM
JCVI_PEP_1096692584989			... Accession: CAM_CNAM_102139 c...	JCVI_PEP_1096692584989 /source_dna_id=JCVI_ORF_...	100	CAM
JCVI_PEP_1096697966445			... Accession: CAM_CNAM_102139 c...	JCVI_PEP_1096697966445 /source_dna_id=JCVI_ORF_...	151	CAM
JCVI_PEP_1105173466959			... Accession: CAM_CNAM_102139 c...	JCVI_PEP_1105173466959 /read_id=HOT_READ_857589...	127	CAM
NCBI_PEP_37702690	AAR00932.1	37702690	... Accession: CAM_CNAM_102139 c...	>NCBI_PEP_37702690/ACCESSION=AAR00932.1/GI=3770...	150	CAM
JCVI_PEP_1096675606411			... Accession: CAM_CNAM_104264 c...	JCVI_PEP_1096675606411 /source_dna_id=JCVI_ORF_...	132	CAM
NCBI_PEP_111022131	YP_705103.1	111022131	... Accession: CAM_CNAM_104264 c...	NCBI_PEP_111022131 /offset=0 /translation_table...	276	CAM
JCVI_PEP_1096665787299			... Accession: CAM_CNAM_104669 c...	JCVI_PEP_1096665787299 /source_dna_id=JCVI_ORF_...	74	CAM
JCVI_PEP_1096670067379			... Accession: CAM_CNAM_104669 c...	JCVI_PEP_1096670067379 /source_dna_id=JCVI_ORF_...	71	CAM
JCVI_PEP_1096673037697			... Accession: CAM_CNAM_104669 c...	JCVI_PEP_1096673037697 /source_dna_id=JCVI_ORF_...	185	CAM
JCVI_PEP_1096674592091			... Accession: CAM_CNAM_104669 c...	JCVI_PEP_1096674592091 /source_dna_id=JCVI_ORF_...	175	CAM
JCVI_PEP_1096676803799			... Accession: CAM_CNAM_104669 c...	JCVI_PEP_1096676803799 /source_dna_id=JCVI_ORF_...	178	CAM
JCVI_PEP_1096688757069			... Accession: CAM_CNAM_104669 c...	JCVI_PEP_1096688757069 /source_dna_id=JCVI_ORF_...	121	CAM

Peptide Details

[\[hide\]](#) | [\[< back to search details\]](#) | [? help](#)

CAMERA Accession: JCVI_PEP_1105173466959

Entity Type: Protein

Sample: HF10_10-07-02 - HOT station ALOHA, 10 m

ORF: [JCVI_ORF_1105173466958](#)

Source DNA: [HOT_READ_85758924](#)

Translation begin: 64

Translation end: 445

Orientation: forward

Translation table: [11](#)

5' Stop: TAA

3' Stop: TAA

Define: JCVI_PEP_1105173466959 /read_id=HOT_READ_85758924 /begin=64 /end=445 /orientation=1 /5_prime_stop=TAA /3_prime_stop=TAA /orf_id=JCVI_ORF_1105173466958 /table=11 /length=127 /ergatis_id=7702 /sample_id=JGI_SMPL_HF10_10-07-02 /sample_name=HF10_10-07-02 /number_of_sites=1 /site_id_1=HAWAII_SITE_HOT_10 /location_1="Hawaii Ocean Time-series station ALOHA, 10 m" /region_1="North Pacific Subtropical Gyre" /country_1=USA /site_depth_1="10 m" /biomass_1="7.21 +/-2.68 ug/kg" /chlorophyll_density_1="0.08 ug/kg" /dissolved_inorganic_carbon_1="1,967.60 umol/kg" /dissolved_inorganic_phosphate_1="41 nmol/kg" /dissolved_organic_carbon_1="78 umol/kg" /dissolved_oxygen_1="204.6 nmol/kg" /nitrate+nitrite_1="1 nmol/kg" /salinity_1="35.08 psu" /temperature_1="26.4 C" /water_depth_1="4750 m" /core_cluster_id=CAM_CRCL_4671 /final_cluster_id=CAM_CL_10705

Seq Length: 127

Seq Type: AA

Sequence
IANDITNTHSKFTGANTFFAQQVIFQKNPKNSHFMMGGKLVKTKEIFLNGQIRAGRTSKVKKQLILGLRKILIKNTKLSDFIWWYLEDLLPHQMIEYGEVLPKSGQ
EKKWFNSLSSSLRKRRLKMEK*

Downloads

[Download Protein sequence](#)

Intellectual Property Notice

None

Metadata & Geography

Sequence Features

Annotations

Sample Metadata

[\[hide\]](#)

Sample Name: HF10_10-07-02
Sample Accession: JGI_SMPL_HF10_10-07-02
Site ID: HAWAII_SITE_HOT_10
Filter Size: 0.22 - 1.6 µm

Site Metadata

[\[hide\]](#) | [\[remove scroll\]](#)


region: North Pacific Subtropical Gyre
country: USA
latitude: 22°45'n
longitude: 158°w
habitat: upper euphotic
sample depth: 10 m
dissolved inorganic phosphate: 41 nmol/kg
nitrate+nitrite: 1 nmol/kg
water depth: 4750 m
biomass: 7.21 +/-2.68 ug/kg (+/-SE)
dissolved oxygen: 204.6 nmol/kg

Sample Data Download

[HF10_10-07-02 16s, ALOHA/HOT, 10 m](#)
[HF10_10-07-02 Shotgun, ALOHA/HOT, 10 m](#)

Sequence Geography


[\[hide\]](#)




>> 1 sample site is represented in this data set

Research Home [? help](#)

Search



BLAST



Projects




Publications



Samples



Fragment Recruitment



Recent Searches [\[hide\]](#)

- ♦ [lipase](#) no matches
- ♦ [glycerol kinase](#) (about 4,239 matches)
- ♦ [Cellulase](#) (about 3,163 matches)
- ♦ [ATP synthase epsilon](#) (about 2,856 matches)
- ♦ [dehalogenase](#) (about 4,963 matches)

Recent BLAST Results [\[hide\]](#)

Job Name	Submit Date	Status	# Hits	Subject Sequences
test11	02/27/07 02:09 PM	completed	2	GOS: Assembled Sequences (N)
tst10	02/27/07 02:09 PM	completed	0	GOS: Combined Assembly ORF Peptides (P)
test09	02/27/07 02:08 PM	completed	1	GOS: All Metagenomic Sequence Reads (N)
test06	02/27/07 02:05 PM	completed	50	All Metagenomic Sequence Reads (N)

[View All BLAST Results](#)

Controls [hide] [FRV help]


Data Sample Filters Mate Pair Filters Annotation Filters

Query Sequence: Candidatus Pelagibacter ubique HTCC1062, complete genome. [Export]


Subject Sequence: All Metagenomic Sequence Reads (N)

Submit Reset Save My Work

Fragment Recruitment Viewer [show legend] [export region] [select annotations]



Overview [hide]



Controls [hide] [FRV help]

Data Sample Filters Mate Pair Filters Annotation Filters


Query Sequence: Candidatus Pelagibacter ubique HTCC1062, complete genome. Export

Subject Sequence: All Metagenomic Sequence Reads (N)

Submit Reset Save My Work

Overview [show]

Fragment Recruitment Viewer [show legend] [export region] **[select annotations]**



Region

Base Pair range: [min] - [max]

Filter: (None)

Annotations:

1 - 50 of 61

◀ prev 50 | | next 50 ▶

Begin ▲	End	Strand	Length	GI Number	Protein ID	Product
512931	513007	+	76	GeneID:3517178		tRNA-Ile
513017	513092	+	75	GeneID:3517179		tRNA-Ala
513101	515997	+	2896	GeneID:3517180		23S ribosomal RNA
516442	516975	+	533	GeneID:3517181	YP_265947.1	glucose-6-phosphate isomerase-like protein
516956	517402	+	446	GeneID:3517182	YP_265948.1	hypothetical protein
517419	518273	+	854	GeneID:3517183	YP_265949.1	NAD dependent epimerase/dehydratase family
518270	519133	-	863	GeneID:3517184	YP_265950.1	NAD dependent epimerase/dehydratase family
519133	520869	-	1736	GeneID:3517185	YP_265951.1	acetolactate synthase II large chain
520922	521581	+	659	GeneID:3517186	YP_265952.1	Protein-L-isoaspartate(D-aspartate) O-methyltransferase (PCMT) family
521587	522627	+	1040	GeneID:3517152	YP_265953.1	zinc-containing alcohol dehydrogenase
522650	523831	+	1181	GeneID:3517153	YP_265954.1	cyclopropane-fatty-acyl-phospholipid synthase (CMAS family)
523831	524610	+	779	GeneID:3517154	YP_265955.1	FabG-like protein
524613	525977	-	1364	GeneID:3517155	YP_265956.1	FAD oxidase family
526036	526809	-	773	GeneID:3517156	YP_265957.1	methyltransferase
526790	528139	+	1349	GeneID:3517157	YP_265958.1	aminotransferase
528210	529664	-	1454	GeneID:3517158	YP_265959.1	deoxynucleotidase
529658	530587	-	929	GeneID:3517159	YP_265960.1	transketolase family
530587	531378	-	791	GeneID:3517160	YP_265961.1	transketolase
531418	532356	+	938	GeneID:3517161	YP_265962.1	UDP-glucose 4 epimerase
532349	533857	+	1508	GeneID:3517162	YP_265963.1	cytidyltransferase/carbohydrate (or pyrimidine) kinase
533858	534580	+	722	GeneID:3517163	YP_265964.1	spsA-like glycosyl transferase
534588	535577	+	989	GeneID:3517164	YP_265965.1	dTDPglucose 4,6-dehydratase
535581	537269	-	1688	GeneID:3517165	YP_265966.1	unknown membrane protein
537246	537701	+	455	GeneID:3517166	YP_265967.1	unknown membrane protein
537702	538163	+	461	GeneID:3517167	YP_265968.1	unknown membrane protein
538166	538732	+	566	GeneID:3517168	YP_265969.1	phosphoheptose isomerase
538725	539216	-	491	GeneID:3517169	YP_265970.1	D-glycerol-D-manno-heptose 1,7 bisphosphate phosphatase

>> **Global Ocean Sampling Expedition** [select all] [select none]

- | | | | |
|--|---|--|--|
| <input type="checkbox"/> GS000a - Sargasso Stations 11... | <input checked="" type="checkbox"/> GS010 - Cape May, NJ | <input checked="" type="checkbox"/> GS026 - 134 miles NE of Galap... | <input checked="" type="checkbox"/> GS041 - Tropical South Pacific |
| <input type="checkbox"/> GS000b - Sargasso Stations 11... | <input checked="" type="checkbox"/> GS011 - Delaware Bay, NJ | <input checked="" type="checkbox"/> GS027 - Devil's Crown, Florea... | <input checked="" type="checkbox"/> GS042 - Tropical South Pacific |
| <input type="checkbox"/> GS000c - Sargasso Station 3 | <input checked="" type="checkbox"/> GS012 - Chesapeake Bay, MD | <input checked="" type="checkbox"/> GS028 - Coastal Floreana | <input checked="" type="checkbox"/> GS043 - Tropical South Pacific |
| <input type="checkbox"/> GS000d - Sargasso Station 13 | <input checked="" type="checkbox"/> GS013 - Off Nags Head, NC | <input checked="" type="checkbox"/> GS029 - North James Bay, Sant... | <input checked="" type="checkbox"/> GS044 - 600 miles from F. Pol... |
| <input type="checkbox"/> GS001a - Hydrostation S | <input checked="" type="checkbox"/> GS014 - South of Charleston, SC | <input checked="" type="checkbox"/> GS030 - Warm seep, Roca Redonda | <input checked="" type="checkbox"/> GS045 - 400 miles from F. Pol... |
| <input type="checkbox"/> GS001b - Hydrostation S | <input checked="" type="checkbox"/> GS015 - Off Key West, FL | <input checked="" type="checkbox"/> GS031 - Upwelling, Fernandina... | <input checked="" type="checkbox"/> GS046 - 300 miles from F. Pol... |
| <input type="checkbox"/> GS001c - Hydrostation S | <input checked="" type="checkbox"/> GS016 - Gulf of Mexico | <input checked="" type="checkbox"/> GS032 - Mangrove on Isabella... | <input checked="" type="checkbox"/> GS047 - 201 miles from F. Pol... |
| <input checked="" type="checkbox"/> GS002 - Gulf of Maine | <input checked="" type="checkbox"/> GS017 - Yucatan Channel | <input checked="" type="checkbox"/> GS033 - Punta Cormorant, Hype... | <input checked="" type="checkbox"/> GS048 - Moorea, Cooks Bay |
| <input checked="" type="checkbox"/> GS003 - Browns Bank, Gulf of ... | <input checked="" type="checkbox"/> GS018 - Rosario Bank | <input checked="" type="checkbox"/> GS034 - North Seamore Island | <input checked="" type="checkbox"/> GS049 - Moorea, Outside Cooks... |
| <input checked="" type="checkbox"/> GS004 - Outside Halifax, Nova... | <input checked="" type="checkbox"/> GS019 - Northeast of Colon | <input checked="" type="checkbox"/> GS035 - Wolf Island | <input checked="" type="checkbox"/> GS050 - Tikehau Lagoon |

Submit

Reset


Save My Work

Fragment Recruitment Viewer

[show legend] [export region] [select annotations]

Overview

[show]




>> Global Ocean Sampling Expedition [select all] [select none]

- | | | | |
|--|---|--|--|
| <input type="checkbox"/> GS000a - Sargasso Stations 11... | <input checked="" type="checkbox"/> GS010 - Cape May, NJ | <input checked="" type="checkbox"/> GS026 - 134 miles NE of Galap... | <input checked="" type="checkbox"/> GS041 - Tropical South Pacific |
| <input type="checkbox"/> GS000b - Sargasso Stations 11... | <input checked="" type="checkbox"/> GS011 - Delaware Bay, NJ | <input checked="" type="checkbox"/> GS027 - Devil's Crown, Florea... | <input checked="" type="checkbox"/> GS042 - Tropical South Pacific |
| <input type="checkbox"/> GS000c - Sargasso Station 3 | <input checked="" type="checkbox"/> GS012 - Chesapeake Bay, MD | <input checked="" type="checkbox"/> GS028 - Coastal Floreana | <input checked="" type="checkbox"/> GS043 - Tropical South Pacific |
| <input type="checkbox"/> GS000d - Sargasso Station 13 | <input checked="" type="checkbox"/> GS013 - Off Naqs Head, NC | <input checked="" type="checkbox"/> GS029 - North James Bay, Sant... | <input checked="" type="checkbox"/> GS044 - 600 miles from F. Pol... |
| <input type="checkbox"/> GS001a - Hydrostation S | <input checked="" type="checkbox"/> GS014 - South of Charleston, SC | <input checked="" type="checkbox"/> GS030 - Warm seep, Roca Redonda | <input checked="" type="checkbox"/> GS045 - 400 miles from F. Pol... |
| <input type="checkbox"/> GS001b - Hydrostation S | <input checked="" type="checkbox"/> GS015 - Off Key West, FL | <input checked="" type="checkbox"/> GS031 - Upwelling, Fernandina... | <input checked="" type="checkbox"/> GS046 - 300 miles from F. Pol... |
| <input type="checkbox"/> GS001c - Hydrostation S | <input checked="" type="checkbox"/> GS016 - Gulf of Mexico | <input checked="" type="checkbox"/> GS032 - Mangrove on Isabella ... | <input checked="" type="checkbox"/> GS047 - 201 miles from F. Pol... |
| <input checked="" type="checkbox"/> GS002 - Gulf of Maine | <input checked="" type="checkbox"/> GS017 - Yucatan Channel | <input checked="" type="checkbox"/> GS033 - Punta Cormorant, Hype... | <input checked="" type="checkbox"/> GS048 - Moorea, Cooks Bay |
| <input checked="" type="checkbox"/> GS003 - Browns Bank, Gulf of ... | <input checked="" type="checkbox"/> GS018 - Rosario Bank | <input checked="" type="checkbox"/> GS034 - North Seamore Island | <input checked="" type="checkbox"/> GS049 - Moorea, Outside Cooks... |
| <input checked="" type="checkbox"/> GS004 - Outside Halifax, Nova... | <input checked="" type="checkbox"/> GS019 - Northeast of Colon | <input checked="" type="checkbox"/> GS035 - Wolf Island | <input checked="" type="checkbox"/> GS050 - Tikehau Lagoon |

Submit Reset Save My Work

Fragment Recruitment Viewer [show legend] [export region] [select annotations]



Overview [show]

Export Selected Sequences [X]

Region

Base Pair range: [min] 2,556 - 7,668 [max]

Percent Identity range: [min] 95.12 - 99.9 [max]

Export Cancel

POWERED BY Google

© 2007 CAMERA - Terms of Use

Controls

[\[hide\]](#) [\[FRV help\]](#)

Data

Sample Filters

Mate Pair Filters

Annotation Filters

Show annotations whose product have text:

[\[clear\]](#)


Submit

Reset

Save My Work

Fragment Recruitment Viewer

[\[show legend\]](#) [\[export region\]](#) [\[select annotations\]](#)



CAMERA

<http://camera.calit2.net>

- Website: <http://camera.calit2.net>
- Questions: camera-info@calit2.net

- Saul A. Kravitz skravitz@jcv.org
- Rekha Seshadri rseshadri@jcv.org