

9. REFERENCES

*Abalis IM, Eldefrawi ME, Eldefrawi AT. 1986. Effects of insecticides on GABA-induced chloride influx into rat brain microsacs. *J Toxicol Environ Health* 18:13-23.

Abbott DC, Collins GB, Goulding R, et al. 1981. Organochlorine pesticide residues in human fat in the United Kingdom 1976-1977. *Br Med J* 283:1425-1428.

Abdelsalam EB, Ford EJH. 1986. Effect of pretreatment with hepatic microsomal enzyme inducers on the toxicity of diazinon in calves. *Res Vet Sci* 41:336-339.

ACGIH. 1986a. Documentation of the threshold limit values and biological exposure indices. 5th ed. Cincinnati, OH: American Conference of Governmental Industrial Hygienists.

ACGIH. 1986b. Threshold limit values and biological exposure indices for 1986-1987. Cincinnati, OH: American Conference of Governmental Industrial Hygienists.

ACGIH. 1990. Threshold limit values and biological exposure indices for 1990-1991. Cincinnati, OH: American Conference of Governmental Industrial Hygienists.

*ACGIH. 1999. 1999 TLVs and BEIs: Threshold limit values for chemical substances and physical agents biological exposure indices. Cincinnati, OH: American Conference of Governmental Industrial Hygienists.

*ACGIH. 2001. Threshold limit values for chemical substances and physical agents and biological exposure indices. American Conference of Governmental Industrial Hygienists. Cincinnati, OH.

*Ackerman LB. 1980. Humans: Overview of human exposure to dieldrin residues in the environment and current trends of residue levels in tissue. *Pestic Monit J* 14:64-69.

Adamson RH, Seiber SM. 1981. Chemically induced leukemia in humans. *Environ Health Perspect* 39:93-103.

*Adeshina F, Todd EL. 1990. Organochlorine compounds in human adipose tissue from north Texas. *J Toxicol Environ Health* 29:147-156.

*Adinolfi M. 1985. The development of the human blood-CSF-brain barrier. *Dev Med Child Neurol* 27:532-537.

*Adlercreutz H. 1995. Phytoestrogens: Epidemiology and a possible role in cancer protection. *Environ Health Perspect Suppl* 103(7):103-112.

Agarwal AK, Sankaranaryanan A, Sharma PL. 1988. Insecticide induced acute neurobehavioural changes in rats and mice. *Indian J Med Res* 88:91-98.

* Cited in text

9. REFERENCES

- Agrawal D, Sultana P, Gupta GSD, et al. 1989a. Changes in glutathione, glucose 6-phosphate dehydrogenase and glutathione S-transferase of rat erythrocytes after pesticide exposure-in vitro. *J Adv Zool* 10:37-41.
- Agrawal D, Sultana P, Ray PK. 1989b. Effect of pesticides on red blood cells in vitro. *Indian Vet Med J* 13:14-20.
- Ahlborg UG, Lipworth L, Titus-Ernstoff L, et al. 1995. Organochlorine compounds in relation to breast cancer, endometrial cancer and endometriosis: An assessment of the biological and epidemiological evidence. *Crit Rev Toxicol* 25(6):469-531.
- *Ahmad N, Harsas W, Marolt RS, et al. 1988. Total DDT and dieldrin content of human adipose tissue. *Bull Environ Contam Toxicol* 41:802-808.
- *Ahmed AA, Nounou AH, Bakeer AM, et al. 1986a. Effect of sex on chronic dieldrin toxicity in white rats. *Vet Med J* 34:143-157.
- *Ahmed FE, Hart RW, Lewis NJ. 1977a. Pesticide induced DNA damage and its repair in cultured human cells. *Mutat Res* 42:161-173.
- *Ahmed FE, Lewis NJ, Hart RW. 1977b. Pesticide induced ouabain resistant mutants in Chinese hamster V79 cells. *Chem Biol Interactions* 9:369-374.
- Ahmed NA, Rawi SM, el-Behary MH. 1986b. Effect of dieldrin injection on the level of certain amino acids and some enzymes in rat brain. *Comp Biochem Physiol* 85:437-442.
- Albrecht WN. 1987. Central nervous system toxicity of some common environmental residues in the mouse. *J Toxicol Environ Health* 21:405-421.
- *Alford-Stevens AL, Bellar TA, Eichelberger JW, et al. 1986. Accuracy and precision of determinations of chlorinated pesticides and polychlorinated biphenyls with automatic interpretation of mass spectrometric data. *Anal Chem* 58(9):2022-2029.
- *Al-Hachim GM. 1971. Effect of aldrin on the condition avoidance response and electroshock seizure threshold of offspring from aldrin-treated mother. *Psychopharmacologia* 21:370-373.
- *Allen-Gil SM, Landers DH, Wade TL, et al. 1997. Heavy metal, organochlorine pesticide and polychlorinated biphenyl contamination in Arctic ground squirrels (*Spermophilus parryi*) in northern Alaska. *Arctic* 50(4):323-333.
- *Al-Omar MA, Abdul-Jalil FH, Al-ogaily NH, et al. 1986. A follow-up study of maternal milk contamination with organochlorine insecticide residues. *Environmental Pollution* 42:79-91.
- Al-Saleh I, Echeverria-Quevedo A, Al-Dgaither S, et al. 1998. Residue levels of organochlorinated insecticides in breast milk: A preliminary report from Al-Kharj, Saudi Arabia. *J Environ Pathol Toxicol Oncol* 17(1):37-50.
- *Altman PL, Dittmer DS. 1974. In: *Biological handbooks: Biology data book*. Vol. III. 2nd ed. Bethesda, MD: Federation of American Societies for Experimental Biology, 1987-2008.

9. REFERENCES

- *AMA. 1962. Semi-annual tabulation of reports submitted to the Registry on Blood Dyscrasias of the Study Group on Blood Dyscrasias. American Medical Association, Council on Drugs, Committee on Adverse Reactions. AMA vol. 6.
- *Amoateng-Adjepong Y, Sathiakumar N, Delzell E, et al. 1995. Mortality among workers at a pesticide manufacturing plant. *J Occup Environ Med* 37(4):471-478.
- *Andersen ME, Krishnan K. 1994. Relating in vitro to in vivo exposures with physiologically based tissue dosimetry and tissue response models. In: Salem H, ed. *Animal test alternatives: Refinement, reduction, replacement*. New York: Marcel Dekker, Inc., 9-25.
- *Andersen ME, Clewell HJ III, Gargas ML, et al. 1987. Physiologically based pharmacokinetics and the risk assessment process for methylene chloride. *Toxicol Appl Pharmacol* 87:185-205.
- Anderson EL. 1983. Quantitative approaches in use to assess cancer risk. *Risk Anal* 3(4):277-295.
- Anderson HA. 1985. Utilization of adipose tissue biopsy in characterizing human halogenated hydrocarbon exposure. *Environ Health Perspect* 60:127-131.
- Anderson DJ, Hites RA. 1989. Indoor air: Spatial variations of chlorinated pesticides. *Atmos Environ* 23:2063-2066.
- Anwar WA. 1997. Biomarkers of human exposure to pesticides. *Environ Health Perspect* 105(Suppl. 4):801-806.
- Arbuckle TE, Sever LE. 1998. Pesticide exposures and fetal death: A review of the epidemiologic literature. *Crit Rev Toxicol* 28(3):229-270.
- Arimoto R. 1989. Atmospheric deposition of chemical contaminants to the Great Lakes. *J Great Lakes Res* 15:339-356.
- Arnold SF, Klotz DM, Collins BM, et al. 1996. Synergistic activation of estrogen receptor with combinations of environmental chemicals. *Science* 272:1489-1492.
- Arnold SF, Vonier PM, Collins BM, et al. 1997. *In vitro* synergistic interaction of alligator and human estrogen receptors with combinations of environmental chemicals. *Environ Health Perspect* 105(Suppl. 3):615-618.
- *Arruda JA, Cringan MS, Layher WG, et al. 1988. Pesticides in fish tissue and water from Tuttle Creek Lake, Kansas. *Bull Environ Contam Toxicol* 41:617-624.
- Aschengrau A, Coogan PF, Quinn MM, et al. 1998. Occupational exposure to estrogenic chemicals and the occurrence of breast cancer: An exploratory analysis. *Am J Ind Med* 34:6-14.
- *Ashwood-Smith MJ, Trevino J, Ring R. 1972. Mutagenicity of dichlorvos. *Nature* 240:418-420.
- Ateia MM, Zaki, Korayem WI, et al. 1988. Effect of dieldrin on serum gonadotropin levels (FSH and LH) of mature female albino rats. *J Egypt Vet Med Assoc* 48:471-476.
- *Atkinson R, Carter WPL 1984. Kinetics and mechanisms of the gas-phase reactions of ozone with organic compounds under atmospheric conditions. *Chem Rev* 84(5):437-470.

9. REFERENCES

- *Atlas E, Giam CS. 1988. Ambient concentration and precipitation scavenging of atmospheric organic pollutants. *Wat Air Soil Pollut* 38:19-36.
- *ATSDR. 1989. Agency for Toxic Substances and Disease Registry. Decision guide for identifying substance-specific data needs related to toxicological profiles; Notice. *Federal Register* 54(174):37618-37634.
- *ATSDR. 1993. Agency for Toxic Substances and Disease Registry. Toxicological Profile for Aldrin/Dieldrin. Atlanta, Georgia.
- *Avar P, Czegledi-Janko. 1970. Occupational exposure of aldrin: Clinical and laboratory findings. *Br J Ind Med* 27:279-282.
- Aylsworth CF, Trosko JE, Chang CC, et al. 1989. Synergistic inhibition of metabolic cooperation by oleic acid or 12-0-tetradecanoylphorbol-13-acetate and dichlorodiphenyltrichloroethane (DDT) in Chinese hamster V79 cells: implications of a role for protein. *Cell Biol Toxicol* 5(1):27-37.
- Bachowski S, Xu Y, Baker TK, et al. 1995. The potential role of oxidative stress in nongenotoxic carcinogenesis in the mouse liver. In: McClain RM, Slaga TJ, LeBoeuf R, et al., eds. *Growth factors and tumor promotion: Implications for risk assessment: Proceedings of the seventh International Conference of Carcinogenesis and Risk Assessment held in Austin, Texas, on December 1-4, 1993*. New York: Wiley-Liss, 385-396.
- Bachowski S, Kolaja KL, Xu Y, et al. 1997. Role of oxidative stress in the mechanism of dieldrin's hepatotoxicity. *Ann Clin Lab Sci* 27(3):196-209.
- Bachowski S, Xu Y, Stevenson DE, et al. 1998. Role of oxidative stress in the selective toxicity of dieldrin in the mouse liver. *Toxicol Appl Pharmacol* 150:301-309.
- *Badawi AF, Cavalieri EL, Rogan EG. 2000. Effect of chlorinated hydrocarbons on expression of cytochrome P450 1A1, 1A2, and 1B1 and 2- and 4-hydroxylation of 17 β -estradiol in female Sprague-Dawley rats. *Carcinogenesis* 21:1593-1599.
- Baker TK, Bachowski S, Stevenson DE, et al. 1995. Modulation of gap junctional intercellular communication in rodent, monkey and human hepatocyte by nongenotoxic compounds. In: McClain RM, Slaga TJ, LeBoeuf R, et al., eds. *Growth factors and tumor promotion: Implications for risk assessment: Proceedings of the seventh International Conference of Carcinogenesis and Risk Assessment held in Austin, Texas, on December 1-4, 1993*. New York: Wiley-Liss, 71-80.
- Balasubramaniam E, Paul V, Jayakumar AR, et al. 1996. The effect of chronic cyclodiene insecticide treatment on some pharmacological actions of diazepam in rats. *Environ Toxicol Pharmacol* 1:141-146.
- *Baldwin MK, Bennett D, Benyon KI. 1977. The concentrations of aldrin and dieldrin and their photoisomers in the atmosphere. *Pesticide Science* 8:431-445.
- *Baldwin MK, Robinson J, Parke DV. 1972. A comparison of the metabolism of HEOD (dieldrin) in the CF₁ mouse with that in the CFE rat. *Food Cosmet Toxicol* 10:333-351.
- Ball HJ. 1983. Aldrin and dieldrin residues in Nebraska soils as related to decreasing LD₅₀ values for the adult western rootworm, 1962-1981. *J Environ Sci Health B18*:735-744.

9. REFERENCES

- Ball WL, Kay K, Sindair JW. 1953. Observations on toxicity of aldrin: 1. Growth and estrus in rats. *Arch Ind Hyg Occup Med* 7:292-300.
- Bandyopadhyay SK, Tiwari RK, Bhattacharyya A, et al. 1982a. Effects of dieldrin on rat liver plasma membrane enzymes. *Toxicol Lett* 11:131-134.
- *Bandyopadhyay SK, Tiwari RK, Mitra A, et al. 1982b. Effects of L-ascorbic acid supplementation on dieldrin toxicity in rats. *Arch Toxicol* 50:227-232.
- Bann JM, DeCino TJ, Earle NW, et al. 1956. The fate of aldrin and dieldrin in the animal body. *J Agric Food Chem* 4:937-941.
- *Barcarolo R, Tealdo E, Tutta C. 1988. Multiresidue determination of organochlorine and triazine pesticides in homogenized milk. *J High Resolution Chromatog Chromatog Comm* 11(7):539-541.
- *Barnes DG, Dourson M. 1988. Reference dose (RfD): Description and use in health risk assessments. *Regul Toxicol Pharmacol* 8:471-486.
- *Baron RL, Walton MS. 1971. Dynamics of HEOD (dieldrin) in adipose tissue of the rat. *Toxicol Appl Pharmacol* 18:958-963.
- *Battersby NS, Wilson V. 1988. Evaluation of a serum bottle technique for assessing the anaerobic biodegradability of organic chemicals under methanogenic conditions. *Chemosphere* 17:2441-2460.
- Battersby NS, Wilson V. 1989. Survey of the anaerobic biodegradation potential of organic chemicals in digesting sludge. *Appl Environ Microbio* 55:433-439.
- Battershill JM, Fielder RJ. 1998. Mouse-specific carcinogens: An assessment of hazard and significance for validation of short-term carcinogenicity bioassays in transgenic mice. *Hum Exp Toxicol* 17(4):193-205.
- Bauer-Hofmann R, Buchmann A, Mahr J, et al. 1992. The tumor promoters dieldrin and phenobarbital increase the frequency of c-Ha-*ras* wild-type, but not of c-Ha-*ras* mutated focal liver lesions in male C3H/He mice. *Carcinogenesis* 13(3):477-481.
- *Beall ML Jr, Nash RG. 1969. Crop seedling uptake of DDT, dieldrin, endrin, and heptachlor from soils. *Agronomy J* 61:571-575.
- *Beall ML Jr, Nash RG. 1971. Organochlorine insecticide residues in soybean plant tops: Root vs. vapor sorption. *Agronomy J* 63:460-464.
- *Becker PR, Mackey EA, Demiralp R, et al. 1997. Concentrations of chlorinated hydrocarbons and trace elements in marine mammal tissues archived in the U.S. National biomonitoring specimen bank. *Chemosphere* 34(9/10):2067-2098.
- *Bedford CT, Hutson DH. 1976. The comparative metabolism in rodents of the isomeric insecticides dieldrin and endrin. *Chem Ind* 10:440-447.
- Belluck D, Felsot A. 1983. Bioconcentration of pesticides by egg masses of the caddisfly, *triatenodes tardus milne*. *Bull Environ Contam* (26):299-306.

9. REFERENCES

Benigni R, Andreoli C, Giuliani A. 1989. Structure-activity studies of chemical carcinogens: Use of an electrophilic reactivity parameter in a new QSAR model. *Carcinogenesis* 10:55-61.

*Bennett, GW, Ballee DL, Hall RC, et al. 1974. Persistence and distribution of chlordane and dieldrin applied as termiticides. *Bull Environ Contam Toxicol* 11:64-69.

*Berger GS. 1994. Epidemiology of endometriosis. In: Berger GS, ed. *Endometriosis: Advanced management and surgical techniques*. New York, NY: Springer-Verlag.

*Bergersen EP. 1987. Aldrin, dieldrin, and mercury profiles in recent lake sediments at the Rocky Mountain Arsenal, Colorado. *Arch Environ Contam Toxicol* 16:61-67.

*Bernier J, Fournier M, Blais Y, et al. 1988. Immunotoxicity of aminocarb. I. Comparative studies of sublethal exposure to aminocarb and dieldrin in mice. *Pesticide Biochemistry and Physiology* 30:238-250.

*Bernier J, Hugo P, Krzystyniak K, et al. 1987. Suppression of humoral immunity in inbred mice by dieldrin. *Toxicol Lett* 35:231-240.

Bertin G, Schiavon M. 1989. [Non-extractable pesticide residues in soils]. *Agronomie* 9(2):117-124. (French).

Beyer WN, Krynitsky AJ. 1989. Long-term persistence of dieldrin DDT and heptachlor epoxide in earthworms. *Ambio* 18(5):271-273.

Beyermann K, Eckrich W. 1973. [Determination of traces of insecticides in air samples by GC.] *Z Anal Chem* 265:4-7. (German).

*Bhatnagar P, Kumar S, Lal R. 1988. Uptake and bioconcentration of dieldrin, dimethoate and permethrin by *Tetrahymena pyriformis*. *Water Air Soil Pollut* 40(3-4):345-349.

*Bhatnagar VK, Patel JS, Variya MR, et al. 1992. Levels of organochlorine insecticides in human blood from Ahmedabad (rural), India. *Bull Environ Contam Toxicol* 48:302-307.

*Bidleman TF. 1988. Atmospheric processes: Wet and dry deposition of organic compounds are controlled by their vapor-particle partitioning. *Environ Sci Technol* 22(4):361-367.

*Bidleman TF. 1999. Atmospheric transport and air-surface exchange of pesticides. *Water Air Soil Pollut* 115:115-166.

Bidleman T, Atlas EL, Atkinson R, et al. 1990. The long-range transport of organic compounds. In: Knap AH, Kaiser MS, eds. *NATO Advanced Science Institutes Series C Mathematical and Physical Sciences Workshop*, St. Georges, Bermuda; January 10-17, 1988. Boston, MA: Kluwer Academic Publishers, 259-301.

*Black AMS. 1974. Self-poisoning with dieldrin: A case report and pharmacokinetic discussion. *Anesth Intensive Care* 2:369-374.

Blair A, Thomas TL. 1979. Leukemia among Nebraska farmers: A death certificate study. *Am J Epidemiology* 110:264-273.

9. REFERENCES

- Blair A, Grauman DJ, Lubin JH, et al. 1983. Lung cancer and other causes of death among licensed pesticide applicators. *J Natl Cancer Inst* 71(1):31-37.
- *Bloom FE. 1990. Ch. 12: Neurohumoral transmission and the central nervous system. In: Gilman AG, Rall TW, Nies AS, et al., eds. *The pharmacological basis of therapeutics*, 8th edition. New York, NY: Pergamon Press, 244-268.
- *Bloomquist JR. 1992. Intrinsic lethality of chloride-channel-directed insecticides and convulsants in mammals. *Toxicol Lett* 60:289-298.
- *Bloomquist JR. 1993. Toxicology, mode of action and target site-mediated resistance to insecticides acting on chloride channels. *Comp Biochem Physiol C* 106(2):301-314.
- *Bloomquist JR, Soderlund DM. 1985. Neurotoxic insecticides inhibit GABA-dependent chloride uptake by mouse brain vesicles. *Biochem Biophys Res Commun* 133:37-43.
- *Bloomquist JR, Adams PM, Soderlund DM. 1986. Inhibition of γ -aminobutyric acid-stimulated chloride flux in mouse brain vesicles by polychlorocycloalkane and pyrethroid insecticides. *Neurotoxicology* 7:11-20.
- *BNA. 2001. Environment and Safety Library on the Web. States and Territories. Washington, D.C. Bureau of National Affairs, Inc. <http://www.esweb.bna.com/>. September 24, 2001.
- Bombard EM, Schmidt U, Löser E. 1998. Time course of enzyme induction in liver and kidneys and absorption, distribution and elimination of 1,4-dichlorobenzene in rats. *Toxicology* 131:73-91.
- Bombick DW. 1990. Gap junctional communication in various cell types after chemical exposure. *In Vitro Toxicol* 3:27-39.
- Bordet F, Mallet J, Maurice L, et al. 1993. Organochlorine pesticide and PCB congener content of french human milk. *Bull Environ Contam Toxicol* 50:425-432.
- Borgert CJ, Roberts SM, Harbison RD, et al. 1995. Influence of soil half-life on risk assessment of carcinogens. *Regul Toxicol Pharmacol* 22:143-151.
- *Botello AV, Diaz G, Rueda L, et al. 1994. Organochlorine compounds in oysters and sediments from coastal lagoons of the Gulf of Mexico. *Bull Environ Contam Toxicol* 53:238-245.
- *Boylan JJ, Egle JL, Guzelian PS. 1978. Cholestyramine: Use as a new therapeutic approach for chlordecon (kepone) poisoning. *Science* 199:893-895.
- *Bradman MA, Harnly ME, Draper W, et al. 1997. Pesticide exposures to children from California's central valley: Results of a pilot study. *J Expo Anal Environ Epidemiol* 7(2):217-234.
- Bradt I, Hogman PG. 1980. Selective binding of aldrin and dieldrin in cartilage. *Arch Toxicol* 45:223-226.
- *Braune B, Muir D, DeMarch B, et al. 1999. Spatial and temporal trends of contaminants in Canadian Arctic freshwater and terrestrial ecosystems: A review. *Sci Total Environ* 230:145-207.

9. REFERENCES

- *Briggs GG. 1981. Theoretical and experimental relationships between soil absorption, octanol-water partition coefficients, water solubilities, bioconcentration factors, and the parachor. *J Agric Food Chem* 29:1050-1059.
- *Brock JW, Melnyk LJ, Caudill SP, et al. 1998. Serum levels of several organochlorine pesticides in farmers correspond with dietary exposure and local use history. *Toxicol Ind Health* 14(1/2):275-289.
- Brooks GT, Harrison A. 1966. Metabolism of aldrin and dihydroaldrin by houseflies (*M. domesticas* L.) in vivo and by housefly and pig liver microsomes. *Life Sci* 5:2315-2320.
- Broomhall J, Kovar IZ. 1986. Environmental pollutants in breast milk. *Rev Environ Health* 6:311-337.
- *Brown DP. 1992. Mortality of workers employed at organochlorine pesticide manufacturing plants -- an update. *Scand J Work Environ Health* 18:155-161.
- Brown E, Abramovich DR, Wallace HM, et al. 1998. Testosterone and inhibin B secretion by human fetal testicular explants are suppressed by *in vitro* exposure to the environmental toxicant dieldrin. *J Reprod Fertil* 21:26.
- *Brown KW, Donnelly KC. 1988. An estimation of the risk associated with the organic constituents of hazardous and municipal waste landfill leachates. *Hazardous Waste and Hazardous Materials* 5:1-30.
- Brown LP, Flint OP, Orton TC, et al. 1986. Chemical teratogenesis: Testing methods and the role of metabolism. *Drug Metab Rev* 17:221-260.
- *Brown VKH, Hunter CG, Richardson A. 1964. A blood test diagnostic of exposure to aldrin and dieldrin. *Br J Ind Med* 21:283-286.
- Bruzzone R, Meda P. 1988. The gap junction: A channel for multiple functions? *Eur J Clin Invest* 18(5):444-453.
- *Buck WB, Van Note W. 1968. Aldrin poisoning resulting in dieldrin residues in meat and milk. *J Am Vet Med Assoc* 153:1472-1475.
- *Budavari S, O'Neil MJ, Smith A, et al., eds. 2001. *The Merck index: An encyclopedia of chemicals, drugs, and biologicals*. 13th ed. Whitehouse Station, NJ: Merck and Co., Inc., 44, 546-547.
- *Budavari S, O'Neil MJ, Smith A, et al., eds. 1996. *The Merck index: An encyclopedia of chemicals, drugs, and biologicals*. Whitehouse Station, NJ: Merck and Co., Inc. 42-525.
- *Buisson RSK, Kirk PWW, Lester JN. 1988. The behavior of selected chlorinated organic micropollutants in the activated sludge process: A pilot plant study. *Water Air Soil Pollut* 37(3-4):419-432.
- *Buisson RSK, Kirk PWW, Lester JN. 1990. Fate of selected chlorinated organic compounds during semi-continuous anaerobic sludge digestion. *Arch Environ Contam Toxicol* 19:428-432.
- *Bundren J, Howell DE, Heller VG. 1952. Absorption and toxicity of dieldrin. *Proc Exp Biol Med* 79:236-238.

9. REFERENCES

- Burchfiel JL, Duffy FH, Sim VM. 1976. Persistent effects of sarin and dieldrin upon the primate electroencephalogram. *Toxicol Appl Pharmacol* 35:365-379.
- Burmeister LF, VanLier SF, Isacson P. 1982. Leukemia and farm practices in Iowa. *Am J Epidemiology* 115:720-728.
- *Burse VW, Needham LL, Korver MP, et al. 1983. Gas-liquid chromatographic determination of polychlorinated biphenyls and a selected number of chlorinated hydrocarbons in serum. *J Assoc Off Anal Chem* 66(1):32-39.
- *Burt GS. 1975. Use of behavioral techniques in the assessment of environmental contaminants. In: Weiss B, Laties VG, eds. *Behavioral toxicology*. New York, NY: Plenum Press, 241-263.
- *Bus JS, Leber AP. 2001. Miscellaneous chlorinated hydrocarbon pesticides. In: *Patty's toxicology*. Vol. 5. 5th ed. New York, NY: John Wiley & Sons, 635-649.
- *Bush PB, Neary DG, Taylor JW Jr., et al. 1986. Effects of insecticide use in a pine seed orchard on pesticide levels in fish. *Water Resour Bull* 22(5):817-827.
- *Busser MT, Lutz WK. 1987. Stimulation of DNA synthesis in rat and mouse liver by various tumor promoters. *Carcinogenesis* 8(10):1433-1437.
- *Cabral JRP, Hall RK, Bronczyk SA, et al. 1979. A carcinogenicity study of the pesticide dieldrin in hamsters. *Cancer Lett* 6:241-246.
- *Calabrese EJ. 1978. *Pollutants and high risk groups: The biological basis of increased human susceptibility to environmental and occupational pollutants*. New York, NY: John Wiley and Sons.
- *Calder IC, Maynard EJ, Turczynowicz L. 1993. Aldrin contamination at a school in south Australia. *Bull. Environ. Contam. Toxicol.* 51:185-192.
- *California EPA. 1995. *Sampling for pesticide residues in California well water: 1995 update of the well inventory data base*. California Environmental Protection Agency, Department of Pesticide Regulation, 59.
- Cantor KP, Blair A, Everett G, et al. 1992. Pesticides and other agricultural risk factors for non-Hodgkin's lymphoma among men in Iowa and Minnesota. *Cancer Res* 52:2447-2455.
- Carey AE, Kutz FW. 1985. Trends in ambient concentration of agrochemicals in humans and the environment of the United States. *Environ Assess* 5:155-163.
- *Carlson JN, Rosellini RA. 1987. Exposure to low doses of the environmental chemical dieldrin causes behavioral deficits in animals prevented from coping with stress. *Psychopharmacology* 91(1):122-126.
- *Caro JH, Taylor AW. 1971. Pathways of loss of dieldrin from soil under field conditions. *J Agric Food Chem* 19:379-384.
- Carpenter DO, Arcaro KF, Bush B, et al. 1998. Human health and chemical mixtures: An overview. *Environ Health Perspect* 106(Suppl. 6):1263-1270.

9. REFERENCES

- Carpenter HM, Curtis LR. 1989. A characterization of chlordecone pretreatment altered pharmacokinetics in mice. *Drug Metab Dispos* 17(2):131-138.
- Carr RL, Couch TA, Liu J, et al. 1999. The interaction of chlorinated alicyclic insecticides with brain GABA_A receptors in channel catfish (*Ictalurus punctatus*). *J Toxicol Environ Health A*56:543-553.
- Carsel RF, Mulkey LA, Lorber MN, et al. 1985. The pesticide root zone model (PRZM): A procedure for evaluating pesticide leaching threats to groundwater. *Ecological Modeling* 30:49-69.
- Caruso RL. 1988. Role of gap junctions in adverse reproductive outcome. ISS no. PB89-164743.
- *Castro TF, Yoshida T. 1971. Degradation of organochlorine insecticides in flooded soils in the Phillipines. *J Agr Food Chem* 19:1168-1170.
- Castro VL, Palermo-Neto J. 1988. Alterations in the behavior of young and adult rats exposed to aldrin during lactation. *Braz J Med Biol Res* 21(5):987-990.
- Castro VL, Palermo-Neto J. 1989a. Effect of a specific stress (aldrin) on rat progeny behavior. *Braz J Med Biol Res* 22(8):979-982.
- Castro VL, Palermo-Neto J. 1989b. Effects of a long-term aldrin administration on seizure susceptibility of rats. *Pharmacol Toxicol* 65(3):204-208.
- Castro VL, Bernardi MM, Palermo-Neto J. 1992. Evaluation of prenatal aldrin intoxication in rats. *Arch Toxicol* 66:149-152.
- CELDS. 1990a. Computer-Environmental Legislative Data System. University of Illinois, Urbana, IL. June 21, 1990.
- CELDS. 1990b. Computer-Environmental Legislative Data System. University of Illinois, Urbana, IL. June 28, 1990.
- CELDS. 1990c. Computer-Environmental Legislative Data System. University of Illinois, Urbana, IL. November 28, 1990.
- Chambers JE, Carr RL. 1995. Biochemical mechanisms contributing to species differences in insecticidal toxicity. *Toxicology* 105:291-304.
- *Chan CH, Perkins LH. 1989. Monitoring of trace organic contaminants in atmospheric precipitation. *J Great Lakes Res* 15(3):465-475.
- Chandra M, Poddar MK. 1988. Aldrin induced change in developing rat brain serotonin. *Biogenic Amines* 5(5):317-322.
- Chapman PM. 1989. Current approaches to developing sediment quality criteria. *Environ Toxicol Chem* 8(7):589-600.
- *Chatterjee S, Ray A, Bagchi P, et al. 1988a. Suppression of testicular steroidogenesis in rats by the organochlorine insecticide aldrin. *Environmental Pollution* 51(2):87-94.

9. REFERENCES

- *Chatterjee S, Ray A, Bagchi P, et al. 1992. Estrogenic effects of aldrin and quinalphos in rats. *Bull Environ Contam Toxicol* 48:125-130.
- *Chatterjee S, Ray A, Deb C, et al. 1988b. Effect of aldrin on accessory sex glands and plasma testosterone levels in rats. *Andrologia* 20(6):472-476.
- *Chatterjee S, Ray A, Ghosh S, et al. 1988c. Effect of aldrin on spermatogenesis, plasma gonadotrophins and testosterone, and testicular testosterone in the rat. *J Endocrinol* 119(1):75-81.
- CHEMFATE. 1985a. Aldrin. Syracuse Research Corporation, Syracuse, NY.
- CHEMFATE. 1985b. Dieldrin. Syracuse Research Corporation, Syracuse, NY.
- *Chen ZM, Zabik MJ, Leavitt RA. 1984. Comparative study of thin film photodegradative rates for 36 pesticides. *Ind Eng Chem Prod Res Dev* 23(1):5-11.
- *Chernoff N, Kavlock RJ, Kathrein JR, et al. 1975. Prenatal effects of dieldrin and photodieldrin in mice and rats. *Toxicol Appl Pharmacol* 31:302-308.
- *Chipman JK, Walker CH. 1979. The metabolism of dieldrin and two of its analogues: The relationship between rates of microsomal metabolism and rates of excretion of metabolites in the male rat. *Biochem Pharmacol* 28:1337-1345.
- *Chung RA, Williams CS. 1986. RNA synthesis and aminoacyl transfer RNA activity of L-2071 cells exposed to dieldrin and DDT. *Arch Environ Contam Toxicol* 15(5):581-588.
- Cicchetti R, Bari M, Argentin G. 1999. Induction of micronuclei in bone marrow by two pesticides and their differentiation with CREST stainin: an in vivo study in mice. *Mutat Res* 439:239-248.
- *CITI. 1992. Biodegradation and bioaccumulation data of existing chemicals based on the CSCL Japan. Chemical Inspection and Testing Institute - Japan Chemical Industry Ecology-Toxicology & Information Center. 4-19, 4-20.
- *Clark DE, Ivie GW, Camp BJ. 1981. Effects of dietary hexachlorobenzene on in vivo biotransformation, residue deposition, and elimination of certain xenobiotics by rats. *J Agric Food Chem* 29(3):600-608.
- Clawson RL, Clark DR Jr. 1989. Pesticide contamination of endangered gray bats and their food base in Boone County, Missouri, 1982. *Bull Environ Contam Toxicol* 42:431-437.
- *Clayton GD, Clayton FE, (eds.). 1994. *Patty's industrial hygiene and toxicology*. 4th ed. New York, NY: John Wiley & Sons Inc., 1517-1523.
- *Clesceri LS, Greenberg AE, Eaton AD, et al. (eds.). 1998a. Method 6630C: Liquid-liquid extraction gas chromatographic method II. In: *Standard methods for examination of water and wastewater*. 20th ed. Washington, DC: American Public Health Association, 6.97-6.104.
- *Clesceri LS, Greenberg AE, Eaton AD, et al. (eds.). 1998b. Method 6410B: Liquid-liquid extraction gas chromatographic/mass spectrometric method. In: *Standard methods for examination of water and wastewater*. 20th ed. Washington, DC: American Public Health Association, 6.59-6.72.

9. REFERENCES

- *Cleveland FP. 1966. A summary of work on aldrin and dieldrin toxicity at the Kettering Laboratory. *Arch Environ Health* 13:195.
- *Clewell HJ III, Andersen ME. 1985. Risk assessment extrapolations and physiological modeling. *Toxicol Ind Health* 1(4):111-131.
- Clewell HJ, Gentry PR, Gearhart JM. 1997. Investigation of the potential impact of benchmark dose and pharmacokinetic modeling in noncancer risk assessment. *J Toxicol Environ Health* 52:475-515.
- *Cliath MM, Spencer WF. 1971. Movement and persistence of dieldrin and lindane in soil as influenced by placement and irrigation. *Soil Science Society of America Proceedings* 35:791-795.
- CLPSD. 1989. Contract Laboratories Program Statistical Database. U.S. Environmental Protection Agency, Washington, DC. July, 1989.
- *CO Department of Public Health & Environment. 1999. Reg-41 - The basic standards for ground water. Colorado Department of Public Health & Environment. <http://www.cdph.state.co.us/cdphereg.asp>.
- *Colborn T, Clement C, eds. 1992. Chemically-induced alterations in sexual and functional development: The wildlife-human connection. In: *Advances in modern environmental toxicology*, Vol. XXI, Princeton, NJ: Princeton Scientific Publishing.
- Colborn T, Smolen MJ, Rolland R. 1998. Environmental neurotoxic effects: The search for new protocols in functional teratology. *Toxicol Ind Health* 14(½):9-23.
- Colborn T, vom Saal FS, Soto AM. 1993. Developmental effects of endocrine-disrupting chemicals in wildlife and humans. *Environ Health Perspect* 101:378-384.
- *Cole JF, Klevay LM, Zavon MR. 1970. Endrin and dieldrin: A comparison of hepatic excretion in the rat. *Toxicol Appl Pharmacol* 16:547-555.
- *Cole LK, Metcalf RL, Sanborn JR. 1976. Environmental fate of insecticides in terrestrial model ecosystems. *Int J Environ Studies* 10:7-14.
- *Cole LM, Casida JE. 1986. Polychlorocycloalkane insecticide-induced convulsions in mice in relation to disruption of the GABA-regulated chloride ionophore. *Life Sci* 39:1855-1862.
- *Cole RH, Frederick RE, Healy RP, et al. 1984. Preliminary findings of the priority pollutant monitoring project of the nationwide urban runoff program. *J Water Pollut Control Fed* 56:898-908.
- *Connell DW. 1989. Biomagnification by aquatic organisms-a proposal. *Chemosphere* 19:1573-1584.
- Connell DW, Markwell RD. 1990. Bioaccumulation in the soil to earthworm system. *Chemosphere* 20:91-100.
- *Cooke GM, Newsome WH, Bondy GS, et al. 2001. The mammalian testis accumulates lower levels of organochloride chemicals compared with other tissues. *Reprod Toxicol* 15:333-338.
- Cordle MK. 1988. USDA regulation of residues in meat and poultry products. *J Anim Sci* 66:413-433.

9. REFERENCES

- *Cornelius CE. 1970. Liver function. In: Kaneko JJ, Cornelius CE, ed. Clinical biochemistry of domestic animals. New York, NY: Academic Press Inc., 161-230.
- Corrigan FM, French M, Murray L. 1996. Organochlorine compounds in human brain. *Hum Exp Toxicol* 15:262-264.
- *Corrigan FM, Macdonald S, Brown A, et al. 1994. Neurasthenic fatigue, chemical sensitivity and GABA_A receptor toxins. *Med Hypotheses* 43:195-200.
- Corrigan FM, Murray L, Wyatt CL, et al. 1998. Diorthosubstituted polychlorinated biphenyls in caudate nucleus in Parkinson's disease. *Exp Neurol* 150:339-342.
- *Corrigan FM, Wienburg CL, Shore RF, et al. 2000. Organochlorine insecticides in substantia nigra in Parkinson's disease. *J Toxicol Environ Health* 59:229-234.
- Costa LG. 1997. Basic toxicology of pesticides. *Occup Med* 12(2):251-268.
- *Costella JC, Virgo BB. 1980. Is dieldrin-induced congenital inviability mediated by central nervous system hyperstimulation or altered carbohydrate metabolism. *Can J Physiol Pharmacol* 58:633-637.
- Crain DA, Guillette LJ. 1998. Reptiles as models of contaminant-induced endocrine disruption. *Anim Reprod Sci* 53:77-86.
- Crane JL. 1996. Carcinogenic human health risks associated with consuming contaminated fish from five Great Lakes areas of concern. *J Great Lakes Res* 22(3):653-668.
- *Crebelli R, Bellincampi D, Conti G, et al. 1986. A comparative study on selected chemical carcinogens for chromosome malsegregation, mitotic crossing-over and forward mutation induction in *Aspergillus nidulans*. *Mutat Res* 172:139-149.
- CRISP. 1987. Computer Retrieval of Information on Scientific Projects. National Library of Medicine, Medlars Toxline File. July, 1990.
- Crisp TM, Clegg ED, Cooper RL, et al. 1998. Environmental endocrine disruption: An effects assessment and analysis. *Environ Health Perspect* 106(Suppl. 1):11-56.
- CRIS/USDA. 1990a. Current Research Information System: Aldrin. Beltsville, MD. U.S. Department of Agriculture. May 1990.
- CRIS/USDA. 1990b. Current Research Information System: Dieldrin. Beltsville, MD. U.S. Department of Agriculture. May 1990.
- *CRIS/USDA. 2000. Current Research Information System: Aldrin/dieldrin. Beltsville, MD. U.S. Department of Agriculture. March 2000.
- *CRIS/USDA. 2001. Current Research Information System: Aldrin/dieldrin. Beltsville, MD. U.S. Department of Agriculture. November 2001.
- *Crosby DG, Moilanen KW, 1974. Vapor-phase photodecomposition of aldrin and dieldrin. *Arch Environ Contam Toxicol* 2:62-74.

9. REFERENCES

- *Custer CM, Custer TW, Coffey M. 2000. Organochlorine chemicals in tree swallows nesting in pool 15 of the upper Mississippi River. *Bull Environ Contam Toxicol* 64:341-346.
- *Custer TW, Custer CM, Hines RK, et al. 1999. Organochlorine contaminants and reproductive success of double-crested cormorants from Green Bay, Wisconsin, USA. *Environ Toxicol Chem* 18(6):1209-1217.
- Dahl AR, Gerde P. 1994. Uptake and metabolism of toxicants in the respiratory tract. *Environ Health Perspect* 102(Suppl. 11):67-70.
- *Danzo BJ. 1997. Environmental xenobiotics may disrupt normal endocrine function by interfering with the binding of physiological ligands to steroid receptors and binding proteins. *Environ Health Perspect* 105(3):294-301.
- Danzo BJ. 1998. The effects of environmental hormones on reproduction. *Cell Mol Life Sci* 54:1249-1264.
- Daston GP, Gooch JW, Breslin WJ, et al. 1997. Environmental estrogens and reproductive health: A discussion of the human and environmental data. *Reprod Toxicol* 11(4):465-481.
- *Davies K. 1988. Concentrations and dietary intake of selected organochlorines, including PCB's, PCDD's and PCDF's in fresh food composites grown in Ontario, Canada. *Chemosphere* 17:263-276.
- *Davies D, Mes J. 1987. Comparison of the residue levels of some organochlorine compounds in breast milk of the general and indigenous Canadian populations. *Bull Environ Contam Toxicol* 39:743-749.
- *Davis KJ. 1965. Pathology report on mice fed aldrin, dieldrin, heptachlor or heptachlor epoxide for two years. Internal FDA memorandum to Dr. AJ Lehrman, July 19, 1965.
- *Davis KJ, Fitzhugh OG. 1962. Tumorigenic potential of aldrin and dieldrin for mice. *Toxicol Appl Pharmacol* 4:187-189.
- *Davison KL. 1973. Dieldrin-¹⁴C balance in rats, sheep and chickens. *Bull Environ Contam Toxicol* 10:16-24.
- Dawson R, Riley JP. 1977. Chlorine-containing pesticides and polychlorinated biphenyls in British coastal waters. *Estuarine and Coastal Marine Science* 4:55-69.
- *Dean BJ, Doak SMA, Somerville H. 1975. The potential mutagenicity of dieldrin (HOED) in mammals. *Food Cosmet Toxicol* 13(3):317-323.
- *De Flora S, Camoirano A, Izzotti A, et al. 1989. Photoactivation of mutagens. *Carcinogenesis* 10:1089-1097.
- *De Flora S, Zannacchi P, Camoirano A, et al. 1984. Genotoxic activity and potency of 135 compounds in the Ames reversion test and in a bacterial DNA-repair test. *Mutat Res* 133:161-198.
- Degraeve N, Chollet M-C, Moutschen J. 1984. Evaluation of the mutagenic potential of four commercial mixtures of insecticides. *Food Chem Toxicol* 22(8):683-687.

9. REFERENCES

Deichmann WB, MacDonald WE. 1977. Organochlorine pesticides and liver cancer deaths in the United States, 1930-1972. *Ecotoxicol Environ Safety* 1:89-110.

*Deichmann WB, Dressler I, Keplinger M, et al. 1968. Retention of dieldrin in blood, liver, and fat of rats fed dieldrin for six months. *Ind Med Surg* 37:837-839.

*Deichmann WB, Keplinger M, Sala F, et al. 1967. Synergism among oral carcinogens: IV. The simultaneous feeding of four tumorigens to rats. *Toxicol Appl Pharmacol* 11:88-103.

*Deichmann WB, MacDonald WE, Beasley AG, et al. 1971. Subnormal reproduction in beagle dogs induced by DDT and aldrin. *Ind Med Surg* 40:10-20.

*Deichmann WB, MacDonald WE, Blum E, et al. 1970. Tumorigenicity of aldrin, dieldrin and endrin in the albino rat. *Ind Med Surg* 39:37-45.

Deichmann WB, MacDonald WE, Cubit DA. 1975. Dieldrin and DDT in the tissues of mice fed aldrin and DDT for seven generations. *Arch Toxicol* 34:173-182.

*de Jong G. 1991. Long-term health effects of aldrin and dieldrin: A study of exposure, health effects and mortality of workers engaged in the manufacture and formulation of the insecticides aldrin and dieldrin. Amsterdam, Netherlands: Elsevier Science Publishers B.V.

*de Jong G, Swaen GMH, Slangen JJM. 1997. Mortality of workers exposed to dieldrin and aldrin: A retrospective cohort study. *Occup Environ Med* 54:702-707.

Delves H, Bicknell J, Clayton B. 1973. The excessive ingestion of lead and other metals by children. In: *Proceedings International Symposium: Environmental Health Aspects of Lead: Amsterdam (Nederland), Oct. 2-6, 1972. Luxembourg: Commission of the European Communities, Directorate General for Dissemination of Knowledge, Center for Information and Documentation, 345-356.*

de Mesquita HBB, Doornbos G, van der Kuip DAM, et al. 1993. Occupational exposure to phenoxy herbicides and chlorophenols and cancer mortality in the Netherlands. *Am J Ind Med* 23:289-300.

Demétrio RS, Antunes MC, Madeira VMC. 1998. Effects of aldrin on membrane fluidity and its implications for the mechanisms of toxicity. *Med Sci Res* 26:557-561.

*Den Tonkelaar EM, van Esch GJ. 1974. No effect levels of organochlorine pesticides based on induction of microsomal liver enzymes in short-term toxicity experiments. *Toxicology* 2:371-380.

*de Solla SR, Bishop CA, Lickers H, et al. 2001. Organochlorine pesticides, PCBs, dibenzodioxin, and furan concentrations in common snapping turtle eggs (*Chelydra serpentina serpentina*) in Akwesasne, Mohawk Territory, Ontario, Canada. *Arch Environ Contam Toxicol* 40:410-417.

*DeVault DS. 1985. Contaminants in fish from Great Lakes harbors and tributary mouths. *Arch Environ Contam Toxicol* 14:587-594.

*DeVault DS, Clark JM, Lahvis G, et al. 1988. Contaminants and trends in fall run coho salmon. *J Great Lakes Res* 14:23-33.

9. REFERENCES

- *DeVlieger M, Robinson J, Baldwin MK, et al. 1968. The organochlorine insecticide content of human tissue. *Arch Environ Health* 17:759-767.
- *Dewailly E, Ayotte P, Bruneau S, et al. 2000. Susceptibility to infections and immune status in Inuit infants exposed to organochlorines. *Environ Health Perspect* 108(3):205-211.
- Deweese LR, McEwen LC, Hensler GL, et al. 1986. Organochlorine contaminants in passeriformes and other avian prey of the peregrine falcon in the western United States. *Environ Toxicol Chem* 5:675-693.
- Dikshith TSS, Kumar SN, Raizada RB, et al. 1989a. Organochlorine insecticide residues in cattle feed. *Bull Environ Contam Toxicol* 43:691-696.
- Dikshith TSS, Kumar SN, Tandon GS, et al. 1989b. Pesticide residues in edible oil and oil seeds. *Bull Environ Contam Toxicol* 42:50-56.
- *Ding JY, Wu S-C. 1993. Laboratory studies of the effects of dissolved organic material on the adsorption of organochlorine pesticides by sediments and transport in rivers. *Water Sci Technol* 28(8-9):199-208.
- *Ding JY, Wu S-C. 1995. Partition coefficients of organochlorine pesticides on soil and on the dissolved organic matter in water. *Chemosphere* 30(12):2259-2266.
- *Dingle JHP, Palmer WA, Black RR. 1989. Residues of DDT and dieldrin in the subcutaneous fat and butterfat of cattle. *Australian J Exp Agric* 29:497-501.
- *Ditraglia D, Brown DP, Namekata T, et al. 1981. Mortality study of workers employed at organochlorine pesticide manufacturing plants. *Scand J Work Environ Health* 7:140-146 (Suppl 4).
- *Dix KM, Van der Pauw CL, McCarthy WV. 1977. Toxicity studies with dieldrin: teratological studies in mice dosed orally with HEOD. *Teratology* 16:57-62.
- Dixon LA. 1998. Chemtracts in brief: Potency of combined estrogenic pesticides synergy between synthetic oestrogens? *Chemtracts: Org Chem* 11(4):306-308.
- DNR. 1987. Order of the state of Wisconsin natural resources board repealing, renumbering, renumbering and amending, amending, repealing and recreating, and creating rules. Section 27, Chapter NR 105. Surface Water Quality Criteria for Toxic Substances. Wisconsin Department of Natural Resources.
- *Dobbs AJ, Williams N. 1983. Indoor air pollution from pesticides used in wood remedial treatments. *Environ Pollution (Series B)* 6:271-296.
- *Dobbs RA, Wang L, Govind R. 1989. Sorption of toxic organic compounds on wastewater solids: Correlation with fundamental properties. *Environ Sci Technol* 23:1092-1097.
- *Donaldson GM, Shutt JL, Hunter P. 1999. Organochlorine contamination in bald eagle eggs and nestlings from the Canadian Great Lakes. *Arch Environ Contam Toxicol* 36:70-80.
- *Dorgan JF, Brock JW, Rothman N, et al. 1999. Serum organochlorine pesticides and PCBs and breast cancer risk: Results from a prospective analysis (USA). *Cancer Causes Control* 10:1-11.

9. REFERENCES

- Dowd PF, Mayfield GU, Coulon DP, et al. 1985. Organochlorine residues in animals from three Louisiana watersheds in 1978 and 1979. *Bull Environ Contam Toxicol* 34:832-841.
- Duffy JR, Wong N. 1967. Residues of organochlorine insecticides and their metabolites in soils in the Atlantic Provinces of Canada. *J Agric Food Chem* 15:457-464.
- *Dulout FN, Pastori MC, Olivero OA, et al. 1985. Sister-chromatid exchanges and chromosomal aberrations in a population exposed to pesticides. *Mutat Res* 143:237-244.
- *Dureja P, Walia S, Mukerjee SK. 1986. Amine-induced photodehalogenation of photoisomers of aldrin, dieldrin and endrin. *Indian J Chem* 25B(7):741-742.
- Durham WF. 1969. Body burden of pesticides in man. *Ann NY Acad Sci* 160:183-195.
- Eadie BJ, Robbins JA. 1987. The role of particulate matter in the movement of contaminants in the Great Lakes. In: Hites RA, Eisenreich SJ, eds. *Sources and fates of aquatic pollutants. Advances in Chemistry Series 216*. Washington, DC: American Chemical Society, 319-363.
- Edwards JW, Priestly BG. 1994. Effect of occupational exposure to aldrin on urinary D-glucaric acid, plasma dieldrin, and lymphocyte sister chromatid exchange. *Int Arch Occup Environ Health* 66:229-234.
- Eiceman GA, Karasek FW. 1980. Retention behavior of chlorinated benzenes, chlorinated phenols, aldrin and arochlor 1242 on Tenax@GC, Chromosorb 101, Florisil and Carbopack C HT. *J Chromatogr* 200:115-124.
- *Eichelberger JW, Lichtenberg JJ. 1971. Persistence of pesticides in river water. *Environ Sci Technol* 5(6):541-544.
- *Eisenreich SJ, Capel PD, Robbins JA, et al. 1989. Accumulation and digenesis of chlorinated hydrocarbons in lacustrine sediments. *Environ Sci Technol* 23:1116-1126.
- *Eisenreich SJ, Looney BB, Thornton JD. 1981. Airborne organic contaminants in the Great Lakes ecosystem. *Environ Sci Technol* 15:30-38.
- El-Ahraf A, Marzouk M, Willis WV, et al. 1990. Dieldrin in the food-chain: Potential health-effects of recycled animal manure. *J Environ Health* 53:17-19.
- *El-Ahraf A, Reid E, Stevenson DE. 1972. Alkaline phosphatase patterns in dieldrin-treated dogs. *Hoppe Seylers Z Physiol Chem* 353:667-673.
- Elashoff RM, Fears TR, Schneidermann MA. 1987. Statistical analysis of a carcinogen mixture experiment. I. Liver carcinogens. *J Natl Cancer Inst* 79:509-526.
- *Elbeit IOD, Cotton DE, Wheelock V. 1983. Persistence of pesticides in soil leachates: Effect of pH ultra-violet irradiation and temperature. *Int J Environ Stud* 21:251-259.
- *Elgar KE. 1975. The dissipation and accumulation of aldrin and dieldrin residues in soil. *Environ Qual Saf* 3(Suppl):250-257.
- Ellenhorn MJ, Barceloux DG. 1988. *Medical toxicology: Diagnosis and treatment of human poisoning*. New York, NY: Elsevier, 1078.

9. REFERENCES

- *Elliott J. 1975. Monitoring of selected ecological components of the environment in four Alabama counties (1972-1974). In: Papers of Environ Chem Hum Anim Health Proc, 4th Annual Conference, Auburn University. Auburn, AL: Alabama Cooperative Extension Service, 233-279.
- *Elliot JE, Machmer MM, Wilson LK, et al. 2000. Contaminants in ospreys from the Pacific Northwest: II. Organochlorine pesticides, polychlorinated biphenyls, and mercury, 1991-1997. Arch Environ Contam Toxicol 38:93-106.
- Elliott JE, Noble DG, Norstrom RJ, et al. 1989. Organochlorine contaminants in seabird eggs from the Pacific coast of Canada, 1971-1986. Environmental Monitoring and Assessment 12:67-82.
- Ellis DH, Dewese LR, Grubb TG, et al. 1989. Pesticide residues in Arizona peregrine falcon eggs and prey. Bull Environ Contam Toxicol 42:57-64.
- *EMMI. 1997. Environmental Monitoring Methods Index. Version 1.1. PC# 4082. Rockville, MD: Government Institutes. U.S. Environmental Protection Agency.
- *Ennever FK, Rosenkranz HS. 1986. Short-term test results for NTP noncarcinogens: An alternate, more predictive battery. Environ Mutagen 8:849-865.
- *EPA. 1974a. Consolidated aldrin/dieldrin hearing. U.S. Environmental Protection Agency. Federal Register 39:37246-37251.
- EPA. 1974b. Volatilization losses of pesticides from soils. Washington, DC: U.S. Environmental Protection Agency, Off Res Dev. EPA-660/2-74-054.
- EPA. 1977a. The degradation of selected pesticides in soil: A review of published literature. Cincinnati, OH: U.S. Environmental Protection Agency, Office of Research and Development. EPA-600/9-77-022.
- EPA. 1977b. Toxic pollutant effluent standards: Aldrin/dieldrin. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 129.100
- EPA. 1977c. Toxic pollutant effluent standards: Aldrin/dieldrin. U.S. Environmental Protection Agency. Federal Register 42:2615.
- EPA. 1978a. Designation of hazardous substances. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 116.4.
- EPA. 1978b. Designation of hazardous substances. U.S. Environmental Protection Agency. Federal Register 43:10474-10488.
- EPA. 1979a. Identification of conventional pollutants. U.S. Environmental Protection Agency. Federal Register 44:44501-44503.
- EPA. 1979b. Toxic pollutants. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 401.15.
- *EPA. 1980a. Ambient water quality criteria for aldrin/dieldrin. Washington, DC: U.S. Environmental Protection Agency, Criteria and Standards Division. PB81-11730/OWRS.

9. REFERENCES

EPA. 1980b. Discarded commercial chemical products, off-specification species, container residues, and spill residues thereof. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 261.33.

EPA. 1980c. Hazardous waste management system: Identification and listing of hazardous waste. U.S. Environmental Protection Agency. Federal Register 45:78530-78550.

EPA. 1980d. Water quality criteria documents. U.S. Environmental Protection Agency. Federal Register 45:79318-79341.

EPA. 1981a. Hazardous constituents. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 261, Appendix VIII.

EPA. 1981b. Sources of toxic pollutants found in influents to sewage treatment plants. Washington, DC: U.S. Environmental Protection Agency. EPA-440/4-81-008. PB81-219685.

EPA. 1984. Proposed guidelines for carcinogen risk assessment. U.S. Environmental Protection Agency. Federal Register 49(227): 46294-46301.

EPA. 1985a. Designation, reportable quantities, and notification. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 302.

EPA. 1985b. Drastic: A standardized system for evaluating groundwater pollution potential using hydrogeologic settings. Ada, OK: U.S. Environmental Protection Agency. EPA/600/2-85-081.

EPA. 1985c. Pesticide chemicals. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 455.

EPA. 1985d. Pesticide chemicals: Category effluent limitations guidelines, pretreatment standards, and new source performance standards. U.S. Environmental Protection Agency. Federal Register 50:40672-40777.

*EPA. 1985e. Status of organic contaminants in Lake Huron: Atmosphere, water, algae, fish, herring gull eggs, and sediment. Chicago, IL: U.S. Environmental Protection Agency, Great Lakes National Program Office.

*EPA. 1986a. Broad scan analysis of the FY82 national human adipose tissue survey specimens. Volume III. Semi-volatile organic compounds. Washington, DC: U.S. Environmental Protection Agency, Office of Toxic Substances. EPA-560/5-860-037.

*EPA. 1986b. Determination of reportable quantities for hazardous substances. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 117.

EPA. 1986c. Determination of reportable quantities for hazardous substances. U.S. Environmental Protection Agency. Federal Register 51:34547-34549.

*EPA. 1986d. Guidance for the reregistration of pesticide products containing aldrin as the active ingredient. Case No. 0172. Washington, DC: U.S. Environmental Protection Agency, Office of Pesticide Programs.

9. REFERENCES

*EPA. 1986e. Guidelines for carcinogenic risk assessment. U.S. Environmental Protection Agency. Federal Register 51:33992-34003.

EPA. 1986f. Revocation of aldrin and dieldrin tolerances. U.S. Environmental Protection Agency. Federal Register 51:46662-46665.

EPA. 1986g. Superfund record of decision (EPA Region 1): Baird and McGuire, Holbrook, Massachusetts, September 1986. Washington, DC: U.S. Environmental Protection Agency. EPA/ROD/RO1-86-017.

EPA. 1986h. Superfund record of decision (EPA Region 5): Forest Waste disposal site, Genesee County, Michigan, June 1986. Washington, DC: U.S. Environmental Protection Agency. EPA/ROD/RO5-86-034.

*EPA. 1986i. Superfund record of decision (EPA Region 10): Toftdahl Drums, Brush Prairie, Clark County, Washington, DC: U.S. Environmental Protection Agency. EPA/ROD/R10-86-009.

*EPA. 1986j. Test methods for evaluating solid waste, 3rd ed. SW-846. Washington, DC: U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response. 8080-1-8080-27, 8250-1-8250-32.

EPA. 1986k. Tolerances and exemptions from tolerances for pesticide chemicals in or on raw agricultural commodities; Effluent guidelines and standards. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 180.1, 180.104, 180.319, 249, 260, 296, 297, 401.15.

*EPA. 1986l. Carcinogenicity assessment of aldrin and dieldrin. Washington, DC: U.S. Environmental Protection Agency. Office of Pesticides and Toxic Substances. OHEA-C-205.

*EPA. 1986m. Reference values for risk assessment. Cincinnati, OH: U.S. Environmental Protection Agency, Environmental Criteria and Assessment Office. EPA ECAO-CIN-477.

*EPA. 1987a. Carcinogenicity assessment of aldrin and dieldrin. Washington, DC: U.S. Environmental Protection Agency, Carcinogenesis Assessment Group. EPA 600/6-87/006.

EPA. 1987b. Determination of Henry's Law constants of selected priority pollutants. Cincinnati, OH: U.S. Environmental Protection Agency. EPA/600/D-87-229.

EPA. 1987c. Emergency planning and notification. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 355.

EPA. 1987d. Emergency planning and notification. U.S. Environmental Protection Agency. Federal Register 52:13395-13410.

EPA. 1987e. Ground water monitoring list. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 264, Appendix IX.

EPA. 1987f. Health effects assessment for aldrin. Cincinnati, OH: U.S. Environmental Protection Agency, Environmental Criteria and Assessment Office. EPA/600/8-88/015.

EPA. 1987g. Health effects assessment for dieldrin. Cincinnati, OH: U.S. Environmental Protection Agency, Environmental Criteria and Assessment Office. EPA/600/8-88/030.

9. REFERENCES

- *EPA. 1987h. List (phase 1) of hazardous constituents for ground-water monitoring. U.S. Environmental Protection Agency. Federal Register 52:25942-25952.
- *EPA. 1987i. Superfund record of decision (EPA Region 4): Gallaway Ponds Site, Gallaway, Tennessee, September 1986. Washington, DC: U.S. Environmental Protection Agency. EPA/ROD/R04-86-013. NITS PB87-189080.
- EPA. 1987j. Toxic chemical release reporting: Community right-to-know. U.S. Environmental Protection Agency. Federal Register 52:21152-21208.
- EPA. 1987k. Updated drinking water standards and health advisory table. San Francisco, CA: U.S. Environmental Protection Agency, Drinking Water Branch.
- *EPA. 1988a. Hazardous waste management system: Identification and listing of hazardous waste. U.S. Environmental Protection Agency. Federal Register 53:13382-13393.
- EPA. 1988b. Health advisories for 50 pesticides. Washington, DC: U.S. Environmental Protection Agency, Office of Drinking Water. EPA/PB88/245931 .
- EPA. 1988c. Pesticides in groundwater data base: 1988 Interim Report. Washington, DC: U.S. Environmental Protection Agency, Office of Pesticide Programs, Environmental Fate and Effects Division. PB89-164230.
- EPA. 1988d. Toxic chemical release reporting: Community right-to-know. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 372.
- *EPA. 1988e. Recommendations for and documentation of biological values for use in risk assessment. Cincinnati, OH: Environmental Criteria and Assessment Office. U.S. Environmental Protection Agency. EPA 600/6-87/008. PB88-179874.
- *EPA. 1989a. Chapman chemical Co.: Notice of intent to cancel registration. U.S. Environmental Protection Agency. Federal Register 54:8814-8816.
- EPA. 1989b. Interim methods for development of inhalation reference doses. U.S. Environmental Protection Agency. EPA/600/8-88/066F.
- EPA. 1989c. The toxics release inventory: A national perspective, 1987. Washington, DC: U.S. Environmental Protection Agency, Office of Toxic Substances, Economics and Technology Division.
- *EPA. 1989d. Hydrolysis rate constants for enhancing property-reactivity relationships. U.S. Environmental Protection Agency. EPA 600/3-89/043. PB89-220479.
- EPA. 1990a. Removal and fate of RCRA and CERCLA toxic organic pollutants in wastewater treatment. Cincinnati, OH: U.S. Environmental Protection Agency, Risk Reduction Engineering Laboratory. EPA/600/52-89-026.
- *EPA. 1990b. Suspended, canceled, and restricted pesticides. Washington, DC: U.S. Environmental Protection Agency, Office of Pesticides and Toxic Substances, Office of Compliance Monitoring. EPA/2OT-1002.

9. REFERENCES

- *EPA. 1990c. Title III list of lists: Consolidated list of chemicals subject to reporting under the emergency planning and community right-to-know act (title III of the Superfund amendments and reauthorization act of 1986). Washington, DC: U.S. Environmental Protection Agency. EPA/560/4-90-011.
- *EPA. 1990d. Interim methods for development of inhalation reference concentrations. Washington, DC: U.S. Environmental Protection Agency, Office of Health and Environmental Assessment, Office of Research and Development, Environmental Criteria and Assessment Office. EPA 600/8-90/066A.
- *EPA. 1996. Drinking water regulations and health advisories. Washington, DC: U.S. Environmental Protection Agency. Office of Water. EPA 822-B-96-002.
- *EPA. 1997. Special report on environmental endocrine disruption: An effects assessment and analysis. Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. EPA/630/R-96/012.
- EPA. 1998. Summary. Withdrawal of the national primary drinking water regulations: Analytical methods for regulated drinking water contaminants; Direct final rule. U.S. Environmental Protection Agency. 40 CFR 141 and 143. Federal Register, 63(251) FR 72200.
- *EPA. 1999a. Aldrin/dieldrin. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 129.100.
- EPA. 1999b. Applicability; description of the organic pesticide chemicals manufacturing subcategory. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 455.20.
- *EPA. 1999c. Chemicals and chemical categories to which this part applies. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 372.65.
- *EPA. 1999d. Designation of hazardous substances. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 302.4.
- *EPA. 1999e. Determination of reportable quantities. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 117.3.
- EPA. 1999f. General definitions. U.S. Environmental Protection Agency. Code of Federal Regulations. 40CFR 413.02.
- EPA. 1999g. Hazardous waste munitions and explosives storage. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 264 Subpart EE.
- *EPA. 1999h. National recommended water quality criteria - correction. U.S. Environmental Protection Agency, Office of Water. EPA 822-Z-99-001.
- *EPA. 1999i. Suspension of unregulated containment monitoring requirements for small public water systems; Final rule and proposed rule. U.S. Environmental Protection Agency. Federal Register. 40 FR 1495.
- *EPA. 1999j. Tolerances for related pesticide chemicals. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 180.3.

9. REFERENCES

- *EPA. 1999k. Toxic pollutants. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 401.15.
- *EPA. 1999l. Universal treatment standards. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 268.48.
- *EPA. 1999m. Discarded commercial chemical products, off-speciation species, container residues, and spill residues thereof. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261.33.
- *EPA. 2000. Drinking water standards and health advisories. United States Environmental Protection Agency. Office of Water. EPA 822-B-00-001.
- *EPA. 2001a. Designation, reportable quantities, and notification. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 302.4. <http://frwebgate.access.gpo.gov/cgi-bin/get-cfr.cgi?TITLE=40&PART=302&SECTION=4&YEAR=2001&TYPE=TEXT>. September 18, 2001.
- *EPA. 2001b. Determination of reportable quantity. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 117.3. <http://ecfrback.access.gpo.gov/otcgui/cfr...8&RGN=BSECCT&SUBSET=SUBSET&FROM=1&ITEM=1>. September 24, 2001.
- *EPA. 2001c. Effluent guidelines and standards. Toxic pollutants. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 401.15. <http://ecfrback.access.gpo.gov/otcgui/cfr...1&RGN=BSECCT&SUBSET=SUBSET&FROM=1&ITEM=1>. September 24, 2001.
- *EPA. 2001d. Groundwater monitoring list. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 264, Appendix IX. <http://ecfrback.access.gpo.gov/otcgui/cfr/otfilter.cgi...nd&QUERY=49673&RGN=BAPPCT&SUBSET=SUBSET&FROM=1&ITEM=1>. September 24, 2001.
- *EPA. 2001e. Health based limits for exclusion of waste-derived residues. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 266, Appendix VII. <http://ecfrback.access.gpo.gov/otcgui/cfr...0&RGN=BAPPCT&SUBSET=SUBSET&FROM=1&ITEM=1>. September 24, 2001.
- *EPA. 2001f. Identification and listing of hazardous waste. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261.33(e). <http://ecfrback.access.gpo.gov/otcgui/cfr...8&RGN=BSECCT&SUBSET=SUBSET&FROM=1&ITEM=1>. September 24, 2001.
- *EPA. 2001g. Land disposal restrictions. Universal treatment standards. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 268.48. <http://ecfrback.access.gpo.gov/otcgui/cfr...1&RGN=BSECCT&SUBSET=SUBSET&FROM=1&ITEM=1>. September 24, 2001.

9. REFERENCES

- *EPA. 2001h. Risk specific doses. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 266, Appendix V.
<http://ecfrback.access.gpo.gov/otcgi/cfr/otfilter.cgi...and&QUERY=9974&RGN=BAPPCT&SUBSET=SUBSET&FROM=1&ITEM=1>. September 24, 2001.
- *EPA. 2001i. Superfund—extremely hazardous substances and threshold planning quantity. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 355, Appendix A.
<http://ecfrback.access.gpo.gov/otcgi/cfr/otf...0&RGN=BAPPCT&SUBSET=SUBSET&FROM=1&ITEM=1>. September 24, 2001.
- *EPA. 2001j. Tolerances for related pesticide chemicals. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 180.3(e)(4).
<http://ecfrback.access.gpo.gov/otcgi/cfr...3&RGN=BSECCT&SUBSET=SUBSET&FROM=1&ITEM=1>. September 24, 2001.
- *EPA. 2001k. Toxic chemical release reporting; Community right-to-know. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 372.65.
<http://ecfrback.access.gpo.gov/otcgi/cfr...4&RGN=BSECCT&SUBSET=SUBSET&FROM=1&ITEM=1>. September 24, 2001.
- *EPA. 2001l. Toxic pollutant effluent standards. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 129.100.
<http://ecfrback.access.gpo.gov/otcgi/cfr...8&RGN=BSECCT&SUBSET=SUBSET&FROM=1&ITEM=1>. September 24, 2001.
- *EPA. 2001m. Water programs—designation of hazardous waste. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 116.4.
<http://ecfrback.access.gpo.gov/otcgi/cfr/otfilter.cgi?DB=...TI&QUERY=66703&RGN=BSECCT&SUBSET=SUBSET&FROM=1&ITEM=1>. September 24, 2001.
- *Epstein SS. 1975. The carcinogenicity of dieldrin. Part I. *Sci Total Environ* 4:1-52.
- *Epstein SS, Arnold E, Andrea J, et al. 1972. Detection of chemical mutagens by the dominant lethal assay in the mouse. *Toxicol Appl Pharmacol* 23:288-325.
- Evangelista de Duffard AM, Duffard R. 1996. Behavioral toxicology, risk assessment, and chlorinated hydrocarbons. *Environ Health Perspect* 104(Suppl. 2):353-360.
- Exon JH, Kerkvliet NI, Talcott PA. 1987. Immunotoxicity of carcinogenic pesticides and related chemicals. *J Environ Sci Health C5*:73-120.
- *Eye JD. 1968. Aqueous transport of dieldrin residues in soil. *J Water Pollut Control Fed* 40:R316-332.
- *Fahrig R. 1974. Comparative mutagenicity studies with pesticides. *IARC Sci Publ* 10:161-181.
- *Farb RM, Sanderson T, Moore BG, et al. 1973. Interaction: The effect of selected mycotoxins on the tissue distribution and retention of aldrin and dieldrin in the neonatal rat. Presented at the 8th Inter-America Conference on Toxicology and Occupational Medicine, 179-187.
- FDA. 1988. Food and Drug Administration pesticide program: Residues in foods-1987. *J Assoc Off Anal Chem* 71:156A-174A.

9. REFERENCES

- FDA. 1989. Food and Drug Administration pesticide program: Residues in foods-1988. *J Assoc Off Anal Chem* 72:134A-152A.
- *FDA. 1991. Food and Drug Administration pesticide program: Residues in foods-1990. *J Assoc Off Anal Chem* 74:121A-141A.
- *FDA. 1995. Food and Drug Administration Pesticide Program. Residue Monitoring-1994. *J Assoc Off Anal Chem Int.* Vol 78:1-24.
- *FEDRIP. 2000. Federal Research in Progress: Aldrin/dieldrin. Dialog Information Service, Inc. March, 2000.
- *FEDRIP. 2001. Federal Research in Progress: Aldrin/dieldrin. Dialog Information Service, Inc.
- Feeley MM, Jordan SA. 1998. Dietary and tissue residue analysis and contaminant intake estimations in rats consuming diets composed of Great Lakes salmon: A multigeneration study. *Regul Toxicol Pharmacol* 27:S8-S17.
- *Feldman RJ, Maibach HI. 1974. Percutaneous penetration of some pesticides and herbicides in man. *Toxicol Appl Pharmacol* 28:126-132.
- Ferguson JA, Korte F. 1977. Epoxidation of aldrin to exo-dieldrin by soil bacteria. *Appl Environ Microbiol* 34:7-13.
- ffrench-Constant R, Rocheleau TA, Steichen JC, et al. 1993. A point mutation in a *Drosophila* GABA receptor confers insecticide resistance. *Nature* 363:449-451.
- Fitzgerald DJ, Yamasaki H. 1990. Tumor promotion: Models and assay systems. *Teratogenesis Carcinog Mutagen* 10:89-102.
- *Fitzhugh OG, Nelson AA, Quaife ML. 1964. Chronic oral toxicity of aldrin and dieldrin in rats and dogs. *Food Cosmet Toxicol* 2:551-562.
- Fleming L, Mann JB, Bean J, et al. 1994. Parkinson's disease and brain levels of organochlorine pesticides. *Ann Neurol* 36:100-103.
- *Fletcher TE, Press JM, Wilson DB. 1959. Exposure of spray-men to dieldrin in residual spraying. *Bull WHO* 20:15-25.
- Flint OP, Orton TC. 1985. An *in vitro* assay for teratogens with cultures of rat embryo midbrain and limb bud cells. *Toxicol Appl Pharmacol* 76:383-395.
- Flint OP, Orton TC, Ferguson RA. 1984. Differentiation of rat embryo cells in culture: Response following acute maternal exposure to teratogens and non-teratogens. *J Appl Toxicol* 4:109-116.
- Flipo D, Bernier J, Girard D, et al. 1992. Combined effects of selected insecticides on humoral immune response in mice. *Int J Immunopharmacol* 14(5):747-752.
- *Fomon SJ. 1966. Body composition of the infant: Part I: The male "reference infant". In: Falkner F, ed. *Human development*. Philadelphia, PA: WB Saunders, 239-246.

9. REFERENCES

- *Fomon SJ, Haschke F, Ziegler EE, et al. 1982. Body composition of reference children from birth to age 10 years. *Am J Clin Nutr* 35:1169-1175.
- Fonovich de Schroeder T, Pechen de D'Angelo AM. 2000. The turnover of phospholipid fatty acyl chains is activated by the insecticide dieldrin in *Bufo arenarum* oocytes. *J Biochem Mol Toxicol* 14(2):82-87.
- Foran JA, Vanderploeg D. 1989. Consumption advisories for sport fish in the Great Lakes basin: Jurisdictional inconsistencies. *J Great Lakes* 15(3):476-4853
- Foran JA, Cox M, Croxton D. 1989. Sport fish consumption advisories and projected cancer risks in the Great Lakes basin. *Am J Public Health* 79:322-325.
- Fossi MC. 1998. Biomarkers as diagnostic and prognostic tools for wildlife risk assessment: Integrating endocrine-disrupting chemicals. *Toxicol Ind Health* 14(1/2):291-309.
- *Fournier M, Bernier J, Flipo D, et al. 1986. Evaluation of pesticide effects on humoral response to sheep erythrocytes and mouse hepatitis virus 3 by immunosorbent analysis. *Pesticide Biochem Physiol* 26:353-364.
- *Fournier M, Chevalier G, Nadeau D, et al. 1988. Virus-pesticide interactions with murine cellular immunity after sublethal exposure to dieldrin and aminocarb. *J Toxicol Environ Health* 25:103-118.
- Fox GR, Virgo BB. 1986a. Effects of dieldrin on hepatic carbohydrate metabolism in the suckling and adult rat. *Can J Physiol Pharmacol* 64:694-698.
- Fox GR, Virgo BB. 1986b. Relevance of hyperglycemia to dieldrin toxicity in suckling and adult rats. *Toxicology* 38:315-326.
- Frank R, Braun HE. 1990. Organochlorine residues in bird species collected dead in Ontario 1972-1988. *Bull Environ Contam Toxicol* 44:932-939.
- Frank R, Logan L. 1988. Pesticide and industrial chemical residues at the mouth of the Grand, Saugeen and Thames rivers, Ontario, Canada, 1981-1985. *Arch Environ Contam Toxicol* 17:741-754.
- Frank R, Braun HE, Ripley BD. 1987a. Residues of insecticides, fungicides, and herbicides in fruit produced in Ontario, Canada, 1980-1984. *Bull Environ Contam Toxicol* 39:272-279.
- Frank R, Braun H, Ripley BD. 1987b. Residues of insecticides, fungicides, and herbicides on Ontario-grown vegetables, 1980-1985. *J Assoc Off Anal Chem* 70:1081-1086.
- *Freedman B. 1989. Environmental ecology the impacts of pollution and other stresses on ecosystem structure and function. San Diego, CA: Academic Press, Inc., 180-224.
- *Freitag D, Bellhorn L, Geyer H, et al. 1985. Environmental hazard profile of organic chemicals: An experimental method for the behavior of organic chemicals in the ecosphere by means of simple laboratory tests with ¹⁴C labeled chemicals. *Chemosphere* 14(10):1589-1616.
- *Fries GF. 1972. Degradation of chlorinated hydrocarbons under anaerobic conditions. In: Fate of organic pesticides in the aquatic environment. American Chemical Society (Adv Chem Series 3).

9. REFERENCES

- FSTRAC. 1988. Summary of state and federal drinking water standards and guidelines. Federal-State Toxicology and Regulatory Alliance Committee, Chemical Communication Subcommittee.
- *FSTRAC. 1999. Summary of state and federal drinking water standards and guidelines. Federal-State Toxicology and Risk Analysis Committee.
- Fytianos K, Vasilikiotis G, Weil L, et al. 1985. Preliminary study of organochlorine compounds in milk products, human milk, and vegetables. *Bull Environ Contam Toxicol* 34:504-508.
- *Gaines TB. 1960. The acute toxicity of pesticides to rats. *Toxicol Appl Pharmacol* 2:88-99.
- Gaines TB. 1969. Acute toxicity of pesticides. *Toxicol Appl Pharmacol* 14:515-534.
- *Galloway SM, Armstrong MJ, Reuben C, et al. 1987. Chromosome aberrations and sister chromatid exchanges in Chinese hamster ovary cells: Evaluations of 108 chemicals. *Environ Mol Mutagen* 10:1-175.
- *Gannon N, Bigger JH. 1958. The conversion of aldrin and heptachlor to their epoxides in soil. *J Econ Entomol* 51:1-7.
- *Gant DB, Eldefrawi ME, Eldefrawi AT. 1987. Cyclodiene insecticides inhibit GABA_A receptor-regulated chloride transport. *Toxicol Appl Pharmacol* 88:313-321.
- *Garrettson LK, Curley A. 1969. Dieldrin: Studies in a poisoned child. *Arch Environ Health* 19:814-822.
- Gartrell MJ, Craun JC, Podrebarac DS, et al. 1985a. Pesticides, selected elements, and other chemicals in adult diet samples, October 1979-September 1980. *J Assoc Off Anal Chem* 68:1184-1197.
- Gartrell MJ, Craun JC, Podrebarac DS, et al. 1985b. Pesticides, selected elements, and other chemicals in infant and toddler diet samples, October 1979-September 1980. *J Assoc Off Anal Chem* 68:1163-1183.
- *Gartrell MJ, Craun JC, Podrebarac DS, et al. 1986a. Pesticides, selected elements, and other chemicals in adult total diet samples, October 1980 - March 1982. *J Assoc Off Anal Chem* 69:146-161.
- *Gartrell MJ, Craun JC, Podrebarac DS, et al. 1986b. Pesticides, selected elements, and other chemicals in infant and toddler total diet samples, October 1980 - March 1982. *J Assoc Off Anal Chem* 69:123-145.
- *Geyer H, Scheunart I, Korte F. 1986. Bioconcentration potential of organic environmental chemicals in humans. *Regul Toxicol Pharmacol* 6:313-347.
- *Geyer HJ, Scheunert I, Korte F. 1987. Correlation between the bioconcentration potential of organic environmental chemicals in humans and their n-octanol/water partition coefficients. *Chemosphere* 16:239-252.
- Gill BS, Sandhu SS. 1992. Application of the *Tradescantia* micronucleus assay for the genetic evaluation of chemical mixtures in soil and aqueous metals. *Mutat Res* 270:65-69.
- Gilmour JS, Synge B. 1987. Brain changes in dogs poisoned by the insecticide dieldrin. *J Comp Pathol* 97:273-279.

9. REFERENCES

- *Giwerzman A, Carlsen E, Keiding N, et al. 1993. Evidence for increasing incidence of abnormalities of the human testis: A review. *Environ Health Perspect Suppl* 101(2):65-71.
- *Glastonbury JRW, Walker RI, Kennedy DJ, et al. 1987. Dieldrin toxicity in housed Merino sheep. *Aust Vet J* 64:145-148.
- *Glatt H, Jung R, Oesch F. 1983. Bacterial mutagenicity investigation of epoxides: Drugs, drug metabolites, steroids and pesticides. *Mutat Res* 11:99-118.
- *Glotfelty DE. 1978. The atmosphere as a sink for applied pesticides. *J Air Pollut Control Assoc* 28:917-921.
- *Goel MR, Shara MA, Stohs SJ. 1988. Induction of lipid peroxidation by hexachlorocyclohexane, dieldrin, TCDD, carbon tetrachloride, and hexachlorobenzene in rats. *Bull Environ Contam Toxicol* 40:255-262.
- Golden RJ, Noller KL, Titus-Ernstoff L, et al. 1998. Environmental endocrine modulators and human health: An assessment of the biological evidence. *Crit Rev Toxicol* 28(2):109-227.
- *Gomez-Taylor MM, Kuehl D, Griffiths PR. 1978. Application of fourier transform infrared spectroscopy to the identification of trace organics in water. *Int J Environ Anal Chem* 5(2):103-117.
- *Good EE, Ware GW. 1969. Effects of insecticides on reproduction in the laboratory mouse. IV. Endrin and dieldrin. *Toxicol Appl Pharmacol* 14:201-203.
- *Graham MJ, Williams FM, Rettie AE, et al. 1987. Aldrin metabolism in the skin: In vitro and in vivo studies. In: Shroot B, Schaefer H, eds. 7th Symposium on Advances in Skin Pharmacology, Skin Pharmacokinetics, Nice, France, September 26-28, 1986. New York, NY: S. Karger, 252-255.
- Gray LE, Ostby J, Wolf C, et al. 1998. The value of mechanistic studies in laboratory animals for the prediction of reproductive effects in wildlife: Endocrine effects on mammalian sexual differentiation. *Environ Toxicol Chem* 17(1):109-118.
- *Grayson BT, Fosbraey LA. 1982. Determination of the vapour pressure of pesticides. *Pestic Sci* 13:269-278.
- Greenberg M, Anderson R, Keene J, et al. 1982. Empirical test of the association between gross contamination of wells with toxic substances and surrounding land use. *Environ Sci Technol* 16:14-19.
- Greenup LR, Singh D, Ahmad N, et al. 1989. Pesticide use and residue monitoring in fresh fruit and vegetables. Research and Development Conference on Vegetables, The Market and The Producer, July 11-15, 1988, Richmond, New Wales, Australia. *Acta Horti*, 403-405.
- *Gregor DJ, Gummer WD. 1989. Evidence of atmospheric transport and deposition of organochlorine pesticides and polychlorinated biphenyls in Canadian Arctic snow. *Environ Sci Technol* 23:561-565.
- *Griffith J, Duncan RC. 1985. Serum organochlorine residues in Florida citrus workers compared to the National health and nutrition examination survey sample. *Bull Environ Contam Toxicol* 35:411-417.
- Guenzi WD, Beard WE, Viets FG Jr. 1971. Influence of soil treatment on persistence of six chlorinated hydrocarbon insecticides in the field. *Soil Sci Soc Amer Proc* 35:91-913.

9. REFERENCES

- *Guerin TF, Kennedy IR. 1992. Distribution and dissipation of endosulfan and related cyclodienes in sterile aqueous systems: Implications for studies on biodegradation. *J Agric Food Chem* 40:2315-2323.
- *Guicherit R, Schulting FL. 1985. The occurrence of organic chemicals in the atmosphere of the Netherlands. *Sci Total Environ* 43:193-219.
- Guillette EA, Meza MM, Aquilar MG, et al. 1998. An anthropological approach to the evaluation of preschool children exposed to pesticides in Mexico. *Environ Health Perspect* 106(6):347-353.
- *Guillette LJ Jr, Brock JW, Rooney AA, et al. 1999. Serum concentrations of various environmental contaminants and their relationship to sex steroid concentrations and phallus size in juvenile American alligators. *Arch Environ Contam Toxicol* 36:447-455.
- *Gun RT, Pisaniello DL, Hann C, et al. 1992. Organochlorine pesticide exposure and uptake following treatment of domestic premises: Data from the first 6 months of follow-up. *Int J Environ Health Res* 2:52-59.
- *Gunderson EL. 1988. FDA total diet study, April 1982-April 1984: Dietary intakes of pesticides, selected elements, and other chemicals. *J Assoc Off Anal Chem* 71:1200-1209.
- Gupta HCL, Kavdia VS. 1979. Dissipation of aldrin residues in clay loam soil under the cover of root crops. *Ind J Plant Protection* 7:43-49.
- *Gupta HCL, Kushwaha KS, Kavdia VS, et al. 1979. Aldrin residues in soils and its translocation in maize and pearl-millet. *Indian J Ent* 41:47-57.
- *Gupta PC. 1975. Neurotoxicity of chronic chlorinated hydrocarbon insecticide poisoning--A clinical and electroencephalographic study in man. *Indian J Med Res* 63:601-605.
- Gustafson DI. 1989. Groundwater ubiquity score: A simple method for assessing pesticide leachability. *Environ Toxicol Chem* 8:339-357.
- Guthrie SC, Gilula NB. 1989. Gap junction communication and development. *Trends in neurosciences* 12:12-16.
- Gutierrez AG, McIntyre AE, Lester JN, et al. 1983. Comparison of gas chromatography and gas chromatography/mass spectrometry for the analysis of polychlorinated biphenyls and organochlorine insecticides in sewage sludges. *Environmental Technology Letters* 4:521-528.
- *Guzelian PS, Henry CJ, Olin SS, eds. 1992. Similarities and differences between children and adults: Implications for risk assessment. Washington, DC: International Life Sciences Institute Press.
- Haake J, Kelley M, Keys B, et al. 1987. The effects of organochlorine pesticides as inducers of testosterone and benzo[a]pyrene hydroxylases. *Gen Pharmacol* 18:165-169.
- Haddad LM, Winchester JF, eds. 1990. Clinical management of poisoning and drug overdose. 2nd ed. Philadelphia, PA: W. B. Saunders Company, 544.
- Haffner GD, Glooschenko V, Straughan CA, et al. 1998. Concentrations and distributions of polychlorinated biphenyls, including non-ortho congeners, in mink populations from southern Ontario. *J Great Lakes Res* 24(4):880-888.

9. REFERENCES

- *Hall AH, Rumack BH, eds. 1992. TOMES® information system. Denver, CO .
- *Hallberg GR. 1989. Pesticide pollution of groundwater in the humid United States. *Agriculture, Ecosystems and Environment* 26(3-4):299-367.
- *Hamilton HE, Morgan DP, Simmons A. 1978. A pesticide (dieldrin)-induced immunohemolytic anemia. *Environ Res* 17:155-164.
- Hansch C, Leo A. 1979. Substituent constants for correlation analysis in chemistry and biology. New York, NY: John Wiley & Sons.
- *Hansch C, Leo A, Hoekman D. 1995. Exploring QSAR: Hydrophobic, electronic, and steric constants. Washington, DC: American Chemical Society, 96.
- *Hardee DD, Gutenmann WH, Lisk DJ, et al. 1964. Zonal accumulation of dieldrin in soil and alfalfa residues. *J Econ Entomol* 57:583-585.
- Harding LE, Harris ML, Stephen CR, et al. 1999. Reproductive and morphological condition of wild mink (*Mustela vison*) and river otters (*Lutra canadensis*) in relation to chlorinated hydrocarbon contamination. *Environ Health Perspect* 107(2):141-147.
- *Harr JR, Claeys RR, Bone JF, et al. 1970. Dieldrin toxicosis: Rat reproduction. *Am J Vet Res* 31:181-189.
- Harris C, Chapman R, Miles J. 1977. Insecticide residues in soils on fifteen farms in Southwestern Ontario, 1964-1974. *Environ Sci Health* 12B(3):163-177.
- *Haworth S, Lowloe T, Mortelmans J, et al. 1983. Salmonella mutagenicity test results for 250 chemicals. *Environ Mutagen* 5:3-142.
- Hayes WJ. 1957. Dieldrin poisoning in man. *Public Health Report* 72:1087-1091.
- Hayes WJ. 1959. The toxicity of dieldrin to man: Report on a survey. *Bull WHO* 20:891-912.
- *Hayes WJ. 1974a. Distribution of dieldrin following a single oral dose. *Toxicol Appl Pharmacol* 28:485-492.
- Hayes WJ. 1974b. Toxicology of pesticides. Baltimore: The Williams & Wilkins Company.
- *Hayes WJ. 1982. Pesticides studied in man. Baltimore, MD: The Williams & Wilkins Co., 234-247.
- *Hayes WJ, Curley A. 1968. Storage and excretion of dieldrin and related compounds. *Arch Environ Health* 16:155-162.
- Hayes WJ, Laws ER, eds. 1991. Handbook of pesticide toxicology. New York, NY: Academic Press, Inc., 824-840.
- HazDat. 1992. Agency for Toxic Substance and Disease Registry (ATSDR), Atlanta, GA. October 30, 1992.

9. REFERENCES

- HazDat. 2000. Agency for Toxic Substance and Disease Registry (ATSDR), Atlanta, GA. October 30, 2000.
- HazDat. 2001. Agency for Toxic Substance and Disease Registry (ATSDR), Atlanta, GA. November 2001.
- *HazDat. 2002. Agency for Toxic Substance and Disease Registry (ATSDR), Atlanta, GA. January 2002.
- *Heath DF, Vandekar M. 1964. Toxicity and metabolism of dieldrin in rats. *Br J Ind Med* 21:269-279.
- Heeschen W, Bluethgen A. 1983. Residues of drugs and pesticides in milk. In: Ruckebush Y, et al. eds. *Veterinary pharmacology and Toxicology: Proceedings of the 2nd European Association for veterinary pharmacology and toxicology*. Westport, Ct: AVI, 609-623.
- Hellawell JM. 1988. Toxic substances in rivers and streams. *Environ Pollut* 50:61-85.
- *Helrich K, (ed). 1990. Method 970.52: Organochlorine and organophosphorus pesticide residues: General multiresidue methods. In: *Official methods of analysis of the Association of Official Analytical Chemists*. 15th ed. Arlington, VA: Association of Official Analytical Chemists, Inc., 274-282.
- Hemminki K, Vainio H, Rosenberg C, et al. 1982. Pesticide residues in food: How much and how safe? *Regul Toxicol Pharmacol* 2:229-231.
- *Hergenrather J, Hlady G, Wallace B, et al. 1981. Pollutants in breast milk of vegetarians. *New England J Med* 304:792.
- Herzel F. 1971. [The behavior of several persistent insecticides in the soil.] *Bundesgesundheitsblatt* 12:23-28. (German)
- Hewett JA, Roth RA. 1988. Dieldrin activates rat neutrophils in vitro. *Toxicol Appl Pharmacol* 96:269-278.
- *HI Department of Health. 1999a. Aldrin, dieldrin. Safe drinking water rules. Hawaii Department of Health. <http://www.hawaii.gov/health/rules/emd/dwrule.html>.
- *HI Department of Health. 1999b. Aldrin, dieldrin. Clean water rules. Hawaii Department of Health. <http://www.hawaii.gov/health/rules/emd/cwrule.html>.
- *Hill DW, McCarty PL. 1967. Anaerobic degradation of selected chlorinated hydrocarbon pesticides. *J Water Pollut Control Fed* 39:1259-1277.
- *Hindin E, May DS, Dunstan GH. 1964. Collection and analysis of synthetic organic pesticides from surface and ground water. *Residue Rev* 7:130-156.
- *Hodge HC, Boyce AM, Deichmann WB, et al. 1967. Toxicology and no-effect levels of aldrin and dieldrin. *Toxicol Appl Pharmacol* 10:613-675.
- *Hoel DG, Davis DL, Miller AB, et al. 1992. Trends in cancer mortality in 15 industrialized countries, 1969-1986. *J Natl Cancer Inst* 84(5):313-320.

9. REFERENCES

- *Hoff RM, Strachan WMJ, Sweet CW, et al. 1996. Atmospheric deposition of toxic chemicals to the great lakes: A review of data through 1994. *Atmos Environ* 30(20):3505-3527.
- Hoffman W. 1996. Organochlorine compounds: Risk of non-Hodgkin's lymphoma and breast cancer? *Arch Environ Health* 51(3):189-192.
- *Holt RL, Cruse S, Greer ES. 1986. Pesticide and polychlorinated biphenyl residues in human adipose tissue from Northeast Louisiana. *Bull Environ Toxicol* 36:651-655.
- *Hoogendam I, Versteeg JPJ, DeVlieger M. 1962. Electroencephalograms in insecticide toxicity. *Arch Environ Health* 4:92-100.
- *Hoogendam I, Versteeg JPJ, DeVlieger M. 1965. Nine years toxicity control in insecticide plants. *Arch Environ Health* 10:441-448.
- Hosie AM, Baylis HA, Buckingham SD, et al. 1995. Actions of the insecticide fipronil, on dieldrin-sensitive and -resistant GABA receptors of *Drosophila melanogaster*. *Br J Pharmacol* 115:909-912.
- Hosie AM, Ozoe Y, Koike K, et al. 1996. Actions of picrodendrin antagonists on dieldrin-sensitive and -resistant *Drosophila* GABA receptors. *Br J Pharmacol* 119:1569-1576.
- *Høyer AP, Grandjean P, Jørgensen T, et al. 1998. Organochlorine exposure and risk of breast cancer. *Lancet* 352(9143):1816-1820.
- *Høyer AP, Jørgensen T, Brock JW, et al. 2000. Organochlorine exposure and breast cancer survival. *J Clin Epidemiol* 53:323-330.
- HSDB. 1990a. Hazardous Substances Data Bank, aldrin. National Library of Medicine, National Toxicology Information Program. May 21, 1990.
- HSDB. 1990b. Hazardous Substances Data Bank, dieldrin. National Library of Medicine, National Toxicology Information Program. May 14, 1990.
- HSDB. 1992. Hazardous substance data bank. Bethesda, MD: National Library of Medicine, National Toxicology Information System. August 1992.
- HSDB. 2000a. Aldrin. Hazardous substance data bank. National Library of Medicine. National Toxicology Program, Bethesda, MD.
- HSDB. 2000b. Dieldrin. Hazardous substance data bank. National Library of Medicine. National Toxicology Program, Bethesda, MD.
- *HSDB. 2001a. Aldrin. Hazardous Substances Data Bank. National Library of Medicine. National Toxicology Program, Bethesda, MD. <http://toxnet.nlm.nih.gov/cgi-bin/sis/search>. September 05, 2001.
- *HSDB. 2001b. Dieldrin. Hazardous Substances Data Bank. National Library of Medicine. National Toxicology Program, Bethesda, MD. <http://toxnet.nlm.nih.gov/cgi-bin/sis/search>. September 05, 2001.
- *Huestis SY, Servos MR, Whittle DM, et al. 1996. Temporal and age-related trends in levels of polychlorinated biphenyl congeners and organochlorine contaminants in Lake Ontario lake trout (*Salvelinus namaycush*). *J Great Lakes Res* 22(2):310-330.

9. REFERENCES

- *Hugo P, Bernier J, Krzystyniak K, et al. 1988a. Abrogation of graft-versus-host reaction by dieldrin in mice. *Toxicol Lett* 41:11-22.
- *Hugo P, Bernier J, Krzystyniak K, et al. 1988b. Transient inhibition of mixed lymphocyte reactivity by dieldrin in mice. *Toxicol Lett* 41:1-9.
- *Hundley HK, Cairns T, Luke MA, et al. 1988. Pesticide residue findings by the Luke method in domestic and imported foods and animal feeds for fiscal years 1982-1986. *J Assoc Off Anal Chem* 71:875-892.
- *Hunt PF, Stevenson DE, Thorpe E, et al. 1975. Letters to the editor. *Food Cosmet Toxicol* 13:597-599.
- *Hunter CG, Robinson J. 1967. Pharmacodynamics of dieldrin (HEOD). I. Ingestion by human subjects for 18 months. *Arch Environ Health* 15:614-626.
- *Hunter CG, Robinson J. 1968. Aldrin, dieldrin and man. *Food Cosmet Toxicol* 6:253-260.
- *Hunter CG, Robinson J, Roberts M. 1969. Pharmacodynamics of dieldrin (HEOD): Ingestion by human subjects for 18 to 24 months, and postexposure for 8 months. *Arch Environ Health* 18:12-21.
- *Hunter J, Maxwell JD, Stewart DA, et al. 1972. Increased hepatic microsomal enzyme activity from occupational exposure to certain organochlorine pesticides. *Nature* 237:399-401.
- *Hutson DH. 1976. Comparative metabolism of dieldrin in the rat (CFE) and in two strains of mouse (CF1 and LACG). *Food Cosmet Toxicol* 14:557-591.
- *IARC. 1974a. Evaluation of the carcinogenic risk of chemicals to humans. Aldrin. Lyon, France: World Health Organization, International Agency for Research on Cancer. IARC Monogr 5:25-38.
- *IARC. 1974b. Evaluation of the carcinogenic risk of chemicals to humans. Dieldrin. Lyon, France: World Health Organization, International Agency for Research on Cancer. IARC Monogr 5:125-156.
- *IARC. 1987. Evaluation of the carcinogenic risk of chemicals to humans: Overall evaluations of carcinogenicity. Lyon, France: World Health Organization, International Agency for Research on Cancer. Suppl 7:88-89, 196-197.
- *IARC. 1998. Aldrin. International Agency for Research on Cancer. <http://193.51.164.11/htdocs/Monographs/Suppl7/aldrin.html>.
- *IARC. 2001. Aldrin. Dieldrin. International Agency for Research on Cancer. <http://193.51.164.11/htdocs/Monographs/Suppl7/aldrin.html> and <http://193.51.164.11/htdocs/Monographs/Suppl7/dieldrin.html>. September 20, 2001.
- *Iatropoulos MJ, Milling A, Muller WF, et al. 1975. Absorption, transport and organotropism of dichlorobiphenyl (DCB), dieldrin and hexachlorobenzene (HCB) in rats. *Environ Res* 10:384-389.
- ID Department of Health & Welfare. 1999. Aldrin, dieldrin. Rules for the control of air pollution in Idaho. Idaho Department of Health & Welfare. <http://www2.state.id.us/adm/adminrules/idapa16/16index.htm>.

9. REFERENCES

IEPA. 1988. State of Illinois rules and regulations. Title 35: Environmental protection. Subtitle C: Water pollution. Chapter 1: Pollution Control Board. Springfield, IL: Illinois Environmental Protection Agency.

*Ikeda T, Nagata K, Shono T, et al. 1998. Dieldrin and picrotoxinin modulation of GABA_A receptor single channels. *NeuroReport* 9:3189-3195.

Illahi A, Lodhi KM, Naeem-ur-Rehman. 1988. Incidence of dieldrin residues in vegetables and its accumulation in blood. *J Pure Appl Sci* 7:21-23.

IPCS. 1989a. Environmental health criteria 91: Aldrin and dieldrin. Geneva, Switzerland: International Programme on Chemical Safety, World Health Organization.

IPCS. 1989b. Health and safety guide no. 21: Aldrin and dieldrin health and safety guide. Geneva, Switzerland: International Programme on Chemical Safety, World Health Organization.

IRIS. 1990. Integrated Risk Information Systems. U.S. Environmental Protection Agency, Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office, Cincinnati, Ohio.

IRIS. 2000a. Aldrin. Integrated Risk Information System. <http://www.epa.gov/iris/subst/0130.htm>.

IRIS. 2000b. Dieldrin. Integrated Risk Information System. <http://www.epa.gov/iris/subst/0130.htm>.

IRIS. 2001a. Aldrin. Integrated Risk Information System. <http://www.epa.gov/iris/subst/0130.htm>. September 05, 2001.

IRIS. 2001b. Dieldrin. Integrated Risk Information System. <http://www.epa.gov/iris/subst/0225.htm>. September 05, 2001.

*IRIS. 2002a. Aldrin. Integrated Risk Information System. <http://www.epa.gov/iris/subst/0130.htm>. January 29, 2002.

*IRIS. 2002b. Dieldrin. Integrated Risk Information System. <http://www.epa.gov/iris/subst/0225.htm>. January 29, 2002.

*Jager KW. 1970. Aldrin, dieldrin, endrin and telodrin: An epidemiological and toxicological study of long-term occupational exposure. New York: Elsevier.

*Jagnow G, Haider K. 1972. Evolution of ¹⁴CO₂ from soil incubated with dieldrin -¹⁴C and the action of soil bacteria on labelled dieldrin. *Soil Biol Biochem* 4:43-49.

Jain A, Dixit NK, Dhanotiya RS. 1995. Hyperglycemia due to aldrin toxicity in goat. *J Environ Biol* 16(1):45-50.

Jenkins KJ, Hidiroglou M. 1989. Tolerance of the calf for excess copper in milk replacer. *J Dairy Sci* 72:150-156.

*Jenkins RB, Toole JF. 1964. Polyneuropathy following exposure to insecticides. *Arch Int Med* 113:691-695.

9. REFERENCES

- Jensen AA. 1983. Chemical contaminants in human milk. In: Gunther FA, Gunther JD, eds. Residue reviews, vol. 89. New York, NY: Springer-Verlag, 11, 13, 40-49, 109-128.
- *Johanson CE. 1980. Permeability and vascularity of the developing brain: Cerebellum vs cerebral cortex. *Brain Res* 190:3-16.
- Johns JM, Liu J, Bhasin N, et al. 1998. Prenatal exposure to organochlorine pesticide dieldrin effects on postnatal expression of GABA_A receptors and behavior in the rat. *Abstr Soc Neurosci* 24:101.
- *Jolicoeur P, Fournier M, Krzystyniak K. 1988. Suppression of microbicidal activity of peritoneal exudate by sublethal dieldrin exposure of outbred and inbred mice. *Pestic Biochem Physiol* 31:203-212.
- *Jone C, Trosko JE, Aylsworth CF, et al. 1985. Further characterization of the in vitro assay for inhibitors of metabolic cooperation in the Chinese hamster V79 cell line. *Carcinogenesis* 6:361-366.
- Jones G, Butler WH. 1975. Morphology of spontaneous and induced neoplasia. In: Butler WH, Newberne PM, eds. Mouse hepatic neoplasia. Proceedings of a workshop held at the H. T. S. Management Centre, Lane End, High Wycombe (Great Britain), May 12-17, 1974. New York, NY: Elsevier Scientific Publishing Company, 21-59.
- Jorgenson JL. 2001. Aldrin and Dieldrin: a review of research on their production, environmental deposition and fate, bioaccumulation, toxicology, and epidemiology in the United States. *Environ Health Perspect* 109:113-139.
- Joy FM, Stark LG, Peterson SL, et al. 1980. The kindled seizure: Production of and modification by dieldrin in rats. *Neurobehav Toxicol* 2:117-124.
- Joy RM. 1977. Contrasting actions of dieldrin and aldrin-transdiol, its metabolite, on cat CNS function. *Toxicol Appl Pharmacol* 42:137-148.
- *Joy RM. 1982. Mode of action of lindane, dieldrin, and related insecticides in the central nervous system. *Neurobehav Toxicol Tetratol* 4:813-823.
- Joy RM. 1983. Chlorinated hydrocarbon insecticides. In: Ecobichon DJ, Joh RM, eds. Pesticides and Neurologic Diseases. Boca Raton, FL: CRC Press, 91-159.
- Juneja S, Dogra RC. 1978. Biodegradation of aldrin and lindane by rhizobia. *Pesticides* 12:34-35.
- Jury WA, Focht DD, Farmer WJ. 1987a. Evaluation of pesticide groundwater pollution potential from standard indices of soil-chemical adsorption and biodegradation. *J Environ Qual* 16:422-428.
- *Jury WA, Winer AM, Spencer WF, et al. 1987b. Transport and transformation of organic chemicals in the soil-air-water ecosystem. *Environ Contam Toxicol* 99:119-164.
- Kahunyo JM, Maitai CK, Froslic A. 1986. Organochlorine pesticide residues in chicken fat: A survey. *Poultry Sci* 65:1084.
- Kakemoto E, Okuyama E, Nagata K, et al. 1999. Interaction of anisatin with rat brain γ -aminobutyric acid_A receptors: Allosteric modulation by competitive antagonists. *Biochem Pharmacol* 58:617-621.

9. REFERENCES

- *Kamendulis LM, Kolaja KL, Stevenson DE, et al. 2001. Comparative effects of dieldrin on hepatic ploidy, cell proliferation, and apoptosis in rodent liver. *J Toxicol Environ Health* 62:127-141.
- Kaminski NE, Roberts JF, Guthrie FD. 1982. The effects of DDT and dieldrin on rat peritoneal macrophages. *Pesticide Biochem Physiol* 17:191-195.
- Kang K-S, Wilson MR, Hayashi T, et al. 1996. Inhibition of gap junction intercellular communication in normal human breast epithelial cells after treatment with pesticides, PCBs, and PBBs, alone or in mixtures. *Environ Health Perspect* 104(2):192-200.
- *Kazantzis G, McLaughlin AIG, Prior PF. 1964. Poisoning in industrial workers by the insecticide aldrin. *Br J In Med* 21:46-51.
- *Kazen C, Bloomer A, Welch R, et al. 1974. Persistence of pesticides on the hands of some occupationally exposed people. *Arch Environ Health* 29:315-318.
- Khairy M. 1960. Effects of chronic dieldrin ingestion on the muscular efficiency of rats. *Br J Ind Med* 17:146-148.
- Khan MA, Matin MA, Beg MU. 1993. Effect of intratracheally administered lindane on aldrin and benzo(a)pyrene contents in lungs of rats. *Toxicol Lett* 69:63-67.
- Khan MAQ, Jovanovich LV, Martin LT, et al. 1998. Effects of photoisomers of cyclodiene insecticides on liver and microsomal cytochrome P450 in rats. *Arch Toxicol* 72:74-83.
- *Kirk PWW, Lester JN. 1988. The behavior of chlorinated organics during activated sludge treatment and anaerobic digestion. *Water Science and Technology* 20:353-359.
- Kitamura S, Mita M, Shimizu Y, et al. 1999. Conversion of dieldrin to aldrin by intestinal bacteria in rats. *Biol Pharm Bull* 22(8):880-882.
- *Kitselman CH. 1953. Long term studies on dogs fed aldrin and dieldrin in sublethal dosages, with reference to the histopathological findings and reproduction. *J Am Vet Med Assoc* 123:28-30.
- *Klaassen CD. 1990. Ch. 3: Principles of toxicology. In: Gilman AG, Rall TW, Nies AS, et al., eds. *The pharmacological basis of therapeutics*, 8th edition. New York, NY: Pergamon Press, 49-61.
- *Klaunig JE, Ruch RJ. 1987. Strain and species effects on the inhibition of hepatocyte intercellular communication by liver tumor promoters. *Cancer Lett* 36:161-168.
- *Klaunig JE, Goldblatt PJ, Hinton DE, et al. 1984. Carcinogen induced unscheduled DNA synthesis in mouse hepatocytes. *Toxicol Pathol* 12:119-125.
- *Klaunig JE, Ruch RJ, Weghorst CM, et al. 1990. Role of inhibition of intercellular communication in hepatic tumor promotion. *In Vitro Toxicol* 3:91-107.
- *Klaunig JE, Xu Y, Bachowski S, et al. 1995. Oxidative stress in nongenotoxic carcinogenesis. *Toxicol Lett* 82/83:683-691.
- *Klaunig JE, Xu Y, Isenberg JS, et al. 1998. The role of oxidative stress in chemical carcinogenesis. *Environ Health Perspect* 106(Suppl. 1):289-295.

9. REFERENCES

- *Klein AK, Link JD, Ives NF. 1968. Isolation and purification of metabolites found in the urine of male rats fed aldrin and dieldrin. *J Assoc Anal Chem* 51:895-898.
- Klein D, Dillon JC, Jirou-Najou JL, et al. 1986. [Elimination kinetics of organochlorine compounds during the first weeks of breast feeding] *Food Chem Toxicol* 24(8):869-873. (French).
- *Klevay LM. 1970. Dieldrin excretion by the isolated perfused rat liver: A sexual difference. *Toxicol Appl Pharmacol* 17:813-815.
- *Kloskowski R, Scheunert I, Klein W, et al. 1981. Laboratory screening of distribution, conversion and mineralization of chemicals in the soil-plant-system and comparison to outdoor experimental data. *Chemosphere* 10:1089-1100
- Knap, AH, Binkley KS, Artz RS. 1988. The occurrence and distribution of trace organic compounds in Bermuda precipitation. *Atmos Environ* 22:1411-1423.
- *Kobayashi H, Sato K, Matano O, et al. 1983. Determination of aldrin and dieldrin in soil by mass chromatography. *J Pest Sci* 8(1):105-110.
- Kodavanti PRS, Mehrotra BD, Chetty SC, et al. 1988. Effect of selected insecticides on rat brain synaptosomal adenylate cyclase and phosphodiesterase. *J Toxicol Environ Health* 25:207-215.
- Kodavanti PRS, Mehrotra BD, Chetty SC, et al. 1989. Inhibition of calmodulin activated adenylate cyclase in rat brain by selected insecticides. *Neurotoxicology* 10:219-228.
- *Kohli KK, Magoon KK, Venkitasubramanian TA. 1977. Induction of mixed function oxidases on oral administration of dieldrin. *Chem Biol Interact* 17:249-255.
- Kohli J, Weisgerber I, Klein W, et al. 1973. Beitrage zur okologischen chemie lix ruckstandsverhalten und umwandlung von dieldrin-¹⁴C in kulturpflanzen, boden und sickerwasser nach bodenapplikation. *Chemosphere* 4:153-156.
- *Kolaja KL, Stevenson DE, Johnson JT, et al. 1995a. Hepatic effects of dieldrin and phenobarbital in male B6C3F₁ mice and fischer 344 rats: Species selective induction of DNA synthesis. In: McClain RM, Slaga TJ, LeBoeuf R, et al., eds. *Growth factors and tumor promotion: Implications for risk assessment: Proceedings of the seventh International Conference of Carcinogenesis and Risk Assessment held in Austin, Texas, on December 1-4, 1993*. New York: Wiley-Liss, 397-408.
- *Kolaja KL, Stevenson DE, Johnson JT, et al. 1996a. Subchronic effects of dieldrin and phenobarbital on hepatic DNA synthesis in mice and rats. *Fundam Appl Toxicol* 29:219-228.
- *Kolaja KL, Stevenson DE, Walborg EF, et al. 1995b. The effect of dieldrin and phenobarbital on preneoplastic hepatic lesion growth in male F344 rat and B6C3F1 mouse. In: McClain RM, Slaga TJ, LeBoeuf R, et al., eds. *Growth factors and tumor promotion: Implications for risk assessment: Proceedings of the seventh International Conference of Carcinogenesis and Risk Assessment held in Austin, Texas, on December 1-4, 1993*. New York: Wiley-Liss, 409-423.
- Kolaja KL, Stevenson DE, Walborg EF, et al. 1996b. Reversibility of promoter induced hepatic focal lesion growth in mice. *Carcinogenesis* 17(7):1403-1409.

9. REFERENCES

- *Kolaja KL, Stevenson DE, Walborg EF, et al. 1996c. Selective dieldrin promotion of hepatic focal lesions in mice. *Carcinogenesis* 17(6):1243-1250.
- *Kolaja KL, Xu Y, Walborg EF, et al. 1998. Vitamin E modulation of dieldrin-induced hepatic focal lesion growth in mice. *J Toxicol Environ Health A*53:479-492.
- Kolpin DW, Barbash JE, Gilliom RJ. 1998. Occurrence of pesticides in shallow groundwater of the United States: Initial results from the National Water-Quality Assessment Program. *Environ Sci Technol* 32(5):558-566.
- *Kolpin DW, Barbash JE, Gilliom RJ. 2000. Pesticides in ground water of the United States, 1992-1996. *Ground Water* 38(6):858-863.
- *Kolpin DW, Squillace PJ, Zogorski JS, et al. 1997. Pesticides and volatile organic compounds in shallow urban groundwater of the United States. In: Chilton et al., ed. *Groundwater in the urban environment: Problems, processes and management*. Iowa City: US Geological Survey, 469-474.
- *Komori M, Nishio K, Kitada M, et al. 1990. Fetus-specific expression of a form of cytochrome P-450 in human livers. *Biochemistry* 29:4430-4433.
- *Korte F, Arent H. 1965. Metabolism of insecticides. IX(I). Isolation and identification of dieldrin metabolites from urine of rabbits after oral administration of dieldrin-¹⁴C. *Life Sci* 4:2017-2026.
- Kotonya R, Jensen N-E. 1993. No effect of dieldrin on progesterone production in gilts. *Toxicology* 81:165-171.
- *Kowalski LA, Laitinen AM, Mortazavi-Asl B, et al. 2000. In vitro determination of carcinogenicity of sixty-four compounds using a bovine papillomavirus DNA-carrying c3h/10t1/2 cell line. *Environ Mol Mutagen* 35:300-311.
- *Krishnan K, Andersen ME. 1994. Physiologically based pharmacokinetic modeling in toxicology. In: Hayes AW, ed. *Principles and methods of toxicology*. 3rd ed. New York, NY: Raven Press, Ltd., 149-188.
- *Krishnan K, Andersen ME, Clewell HJ III, et al. 1994. Physiologically based pharmacokinetic modeling of chemical mixtures. In: Yang RSH, ed. *Toxicology of chemical mixtures: Case studies, mechanisms, and novel approaches*. San Diego, CA: Academic Press, 399-437.
- *Krzystyniak K, Bernier J, Hugo P, et al. 1986. Suppression of MHV3 virus-activated macrophages by dieldrin. *Biochem Pharmacol* 35:2577-2586.
- *Krzystyniak K, Flipo D, Mansour S, et al. 1989. Suppression of avidin processing and presentation by mouse macrophages after sublethal exposure to dieldrin. *Immunopharmacology* 18:157-166.
- *Krzystyniak K, Hugo P, Flipo D, et al. 1985. Increased susceptibility to mouse hepatitis virus 3 of peritoneal macrophages exposed to dieldrin. *Toxicol Appl Pharmacol* 80:397-408.
- *Krzystyniak K, Trottier B, Jolicoeur P, et al. 1987. Macrophage functional activities versus cellular parameters upon sublethal pesticide exposure in mice. *Mol Toxicol* 1:247-259.

9. REFERENCES

- *KS Department of Health & Environment. 1999. Aldrin, dieldrin. Water pollution control. Kansas Department of Health & Environment. [wysiwyg://29/http://www.kdhe.state.ks.us/regs/index.html](http://www.kdhe.state.ks.us/regs/index.html).
- Kumar S, Dhanaraj PS, Bhatnagar P. 1989. Bioconcentration and effects of dieldrin, dimethoate, and permethrin on *Saccharomyces cerevisiae*. *Bull Environ Contam Toxicol* 43:246-253.
- Kumar S, Lal R, Bhatnagar P. 1988. Uptake of dieldrin, dimethoate and permethrin by cyanobacteria, *anabaena sp* and *aulosira fertilissima*. *Environmental Pollution* 54:55-61.
- *Kurata M, Hirose K, Umeda M. 1982. Inhibition of metabolic cooperation in Chinese hamster cells by organochloride pesticides. *Gann* 73:217-221.
- Kutz FW. 1983. Chemical exposure monitoring. *Res Rev* 85:277-292.
- *Kutz FW, Yobs AR, Yang HSC. 1976. National pesticide monitoring programs. In: Lee Re ed. *Air pollution from pesticides and agricultural processes*, Cleveland, OH: CRC Press, 95-136.
- *Kwok ESC, Atkinson R. 1995. Estimation of hydroxyl radical reaction rate constants for gas-phase organic compounds using a structure-reactivity relationship: An update. *Atmos Environ* 29(14):1685-1695.
- *Lang B, Frei K, Maier P. 1986. Prostaglandin synthase dependent aldrin epoxidation in hepatic and extrahepatic tissues of rats. *Biochem Pharmacol* 35:3643-3645.
- Laubscher JA, Dutt GR, Rian CC. 1971. Chlorinated insecticide residues in wildlife and soil as a function of distance from application. *Pestic Monit J* 5:251-258.
- *Lawrence LJ, Casida JE. 1984. Interactions of lindane, toxaphene and cyclodiene with brain specific t-butylbiscyclophosphorothionate receptor. *Life Sci* 35:171-178.
- *Lay JP, Malik JK, Klein W, et al. 1982. Effects of dosing and routes of administration on excretion and metabolism of 14-C dieldrin in rats. *Chemosphere* 11:1231-1242.
- Layher WG, Fox LB, Broxterman R. 1987. Environmental contaminants in raccoons in Kansas. *Bull Environ Contam Toxicol* 39:926-932.
- Layher WG, Wood RD, Lambley D, et al. 1985. Pesticide residues in Kansas pheasants. *Bull Environ Contam Toxicol* 34:317-322.
- Lazarini CA, Vassilieff I. 1998. Does magnesium chloride modify aldrin-induced neurotoxicity in rats? *Vet Hum Toxicol* 40(5):257-259.
- LeBel GL, Williams DT. 1986. Determination of halogenated contaminants in human adipose tissue. *J Assoc Off Anal Chem* 69(3):451-458.
- *Leeder JS, Kearns GL. 1997. Pharmacogenetics in pediatrics: Implications for practice. *Pediatr Clin North Am* 44(1):55-77.
- Lehman A. 1959. Appraisal of the safety of chemicals in foods, drugs and cosmetics. Association of Food and Drug Officials of the United States.

9. REFERENCES

- *Leung H-W. 1993. Physiologically-based pharmacokinetic modelling. In: Ballentine B, Marro T, Turner P, eds. General and applied toxicology. Vol. 1. New York, NY: Stockton Press, 153-164.
- Lewis RG, Bond AE, Fitz-Simons TR, et al. 1986. Monitoring for non-occupational exposure to pesticides in indoor and personal respiratory air. *Air Pollution Control Association* 79(2):1-15.
- *Lewis RG, Bond AE, Johnson DE, et al. 1988. Measurement of atmospheric concentrations of common household pesticides: A pilot study. *Environ Monit Assess* 10:59-73.
- *Lewis RG, Fortmann RC, Camann DE. 1994. Evaluation of methods for monitoring the potential exposure of small children to pesticides in the residential environment. *Arch Environ Contam Toxicol* 26:37-46.
- *Levy G. 1982. Gastrointestinal clearance of drugs with activated charcoal. *New Eng J Med* 307:676-677.
- Li W, Merrill DE, Haith DA. 1990. Loading functions for pesticide runoff. *Water Pollution Control Federation. Res J* 62:16-26.
- Lichtenstein EP, Fuhremann TW, Schulz KR. 1971. Persistence and vertical distribution of DDT, lindane, and aldrin residues, 10 and 15 years after a single soil application. *J Agric Food Chem* 19(4):718-720.
- *Lichtenstein EP, Schulz FR, Fuhremann TW, et al. 1970. Degradation of aldrin and heptachlor in field soils during a ten-year period: Translocation into crops. *J Agric Food Chem* 18:100-106.
- *Lindqvist R, Enfield CG. 1992. Biosorption of dichlorodiphenyltrichloroethane and hexachlorobenzene in groundwater and its implications for facilitated transport. *Appl Environ Microbiol* 58(7):2211-2218.
- *Lipsky MM, Trump BF, Hinton DE. 1989. Histogenesis of dieldrin and DDT-induced hepatocellular carcinoma in Balb/c mice. *J Environ Pathol Toxicol Oncol* 9:79-93.
- *Liu J, Morrow AL, Devaud LL, et al. 1997a. GABA_A receptors mediate trophic effects of GABA on embryonic brainstem monoamine neurons *in vitro*. *J Neurosci* 17(7):2420-2428.
- *Liu J, Morrow AL, Devaud LL, et al. 1997b. Regulation of GABA_A receptor subunit mRNA expression by the pesticide dieldrin in embryonic brainstem cultures: A quantitative, competitive reverse transcription-polymerase chain reaction study. *J Neurosci Res* 49:645-653.
- *Livingston, AL. 1978. Forage plant estrogens. *J Toxicol Environ Health* 4:301-324.
- Lloyd FA, Cain EC, Mast J, et al. 1974. Results of pesticide analysis of human maternal blood. *J Miss Acad Sci* 19:79-84.
- Loch-Carusio R. 1990. Application of cell-cell communication assays to problems of developmental toxicology. *In Vitro Methods in Developmental Toxicology* 3:45-67.
- *Lombardo P. 1986. The FDA total diet study program. In: Kopfler FC, Craun GF, eds. *Environmental epidemiology*. New York: Lewis Publishers, Inc., 141-148.

9. REFERENCES

- Lombardo P, Pomerantz IH, Egry IJ. 1972. Identification of photoaldrin chlorohydrin as a photoalteration product of dieldrin. *J Agric Food Chem* 20:1278-1279.
- Longnecker MP, Rogan WJ, Lucier G. 1997. The human health effects of DDT (dichlorodiphenyl-trichloroethane) and PCBs (polychlorinated biphenyls) and an overview of organochlorines in public health. *Annu Rev Public Health* 18:211-244.
- *Loose LD. 1982. Macrophage induction of T-suppressor cells in pesticide-exposed and protozoan-infected mice. *Environ Health Perspect* 43:89-97.
- *Loose LD, Silkworth JB, Charbonneau T, et al. 1981. Environmental chemical-induced macrophage dysfunction. *Environ Health Perspect* 39:79-92.
- Loury DJ, Goldsworthy TL, Butterworth BE. 1987. The value to measuring cell replication as a predictive index of tissue-specific tumorigenic potential. *Banbury Rep* 25:119-136.
- *Lovell RA, McChesney DG, Price WD. 1996. Organohalogen and organophosphorus pesticides in mixed feed rations: Findings from FDA's domestic surveillance during fiscal years 1989-1994. *J AOAC Int* 79(2):544-548.
- *Lu FC, Jessup DC, Lavalley A. 1965. Toxicity of pesticide in young versus adult rats. *Food Cosmet Toxicol* 3:591-596.
- *Ludwig G, Weis J, Korte F. 1964. Excretion and distribution of aldrin-¹⁴C and its metabolites after oral administration for a long period of time. *Life Sci* 3:123-130.
- Luke MA, Doose GM. 1984. A rapid analysis for pesticides in milk and oilseeds. *Bull Environ Contam Toxicol* 32:651-656.
- Luke MA, Masumoto HT, Cairns T, et al. 1988. Levels and incidences of pesticide residues in various foods and animal feeds analyzed by the Luke multiresidue methodology for fiscal years 1982-1986. *J Assoc Off Anal Chem* 71:415-420.
- Luster MI, Rosenthal GJ. 1993. Chemical agents and the immune response. *Environ Health Perspect* 100:219-236.
- Ma T-H, Sandhu SS, Peng Y, et al. 1992. Synergistic and antagonistic effects of genotoxicity of chemicals commonly found in hazardous waste sites. *Mutat Res* 270:71-77.
- MacAlady DL, Tratnyek PG, Grundl TJ. 1986. Abiotic reduction reactions of anthropogenic organic chemicals in anaerobic systems: A critical review. *J Contam Hydrol* 1:1-28.
- *MacCuaig RD. 1976. The occurrence of insecticides in the blood of staff of a locust control organization. *Bull Environ Contam Toxicol* 15:162-170.
- *MacIntosh DL, Hammerstrom K, Ryan PB. 1999. Longitudinal exposure to selected pesticides in drinking water. *Hum Ecol Risk Assess* 5(3):575-588.
- *MacIntosh DL, Spengler JD, Özkaynak H, et al. 1996. Dietary exposures to selected metals and pesticides. *Environ Health Perspect* 104(2):202-209.

9. REFERENCES

- Mackay D, Leinonen PJ. 1975. Rate of evaporation of low-solubility contaminants from water bodies to atmosphere. *Environ Sci Technol* 9:1178-1180.
- Mackay D, Wolkoff AW. 1973. Rate of evaporation of low-solubility contaminants from water bodies to atmosphere. *Environ Sci Technol* 7:611-614.
- Mackay D, Paterson S, Schroeder WH. 1986. Model describing the rates of transfer processes of organic chemicals between atmosphere and water. *Environ Sci Technol* 20:810-816.
- *Majumdar SK, Kopelman HA, Schnitman MJ. 1976. Dieldrin induced chromosome damage in mouse bone-marrow and WI-38 human lung cells. *J Hered* 67:303-307.
- *Majumdar SK, Maharam LG, Viglianti GA. 1977. Mutagenicity of dieldrin in the Salmonella-microsome test. *J Hered* 68:184-185.
- Marcus JM, Renfrow RT. 1990. Pesticides and PCBs in South Carolina estuaries. *Marine Pollution Bulletin* 21:96-99.
- *Marsalek J, Schroeter H. 1988. Annual loadings of toxic contaminants in urban runoff from the Canadian Great Lakes Basin. *Water Pollut Res J Can* 23:360-378.
- *Marsden PJ, Pearson JG, Bottrell DW. 1986. Pesticide analytical methods- general description and quality control considerations. *Hazardous and Industrial Solid Waste Testing* 5:198-212.
- *Marshall TC, Dorough HW, Swim HE. 1976. Screening of pesticides for mutagenic potential using *Salmonella typhimurium* mutants. *J Agric Food Chem* 24:560-563.
- *Martin DB, Hartman WA. 1985. Organochlorine pesticides and polychlorinated biphenyls in sediment and fish from wetlands in the north central United States. *J Assoc Off Anal Chem* 68:712-717.
- Mason CF, Reynolds P. 1988. Organochlorine residues and metals in otters from the Orkney Islands. *Marine Pollution Bulletin* 19:80-81.
- Matsumoto H, Murakami Y, Kuwabara K, et al. 1987. Average daily intake of pesticides and polychlorinated biphenyls in total diet samples in Osaka, Japan. *Bull Environ Contam Toxicol* 38:954-958.
- Matsumoto K, Eldefrawi ME, Eldefrawi AT. 1988. Action of polychlorocycloalkane insecticides on binding of ³⁵S-t-butylbicyclopophosphorothionate to torpedo electric organ membranes and stereospecificity of the binding site. *Toxicol Appl Pharmacol* 95:220-229.
- *Matsumura F, Ghiasuddin SM. 1983. Evidence for similarities between cyclodiene type insecticides and picrotoxinin in their action mechanisms. *J Environ Sci Health B* 18(1):1-14.
- Matsumura F, Bousch GM, Tai A. 1968. Breakdown of dieldrin in the soil by a micro-organism. *Nature* 219:965-967.
- *Matsumura F, Patil KC, Bousch GM. 1970. Formation of photodieldrin by microorganisms. *Science* 170:1206-1207.

9. REFERENCES

- *Matthews HB, Matsumura F. 1969. Metabolic fate of dieldrin in the rat. *J Agric Food Chem* 17:845-852.
- Matthews HB, McKinney JD. 1974. Dieldrin metabolism to cis-dihydroaldrindiol and epimerization of cis to trans-dihydroaldrindiol by rat liver microsomes. *Drug Metab Dispos* 2:333-340.
- *Matthews HB, McKinney JD, Lucier GW. 1971. Dieldrin metabolism, excretion, and storage in male and female rats. *J Agric Food Chem* 19:1244-1248.
- Matthews J, Celius T, Halgren R, et al. 2000. Differential estrogen receptor binding of estragenic substances: a species comparison. *J Steroid Biochem Mol Biol* 74:223-234.
- *Maule A, Plyte S, Quirk AV. 1987. Dehalogenation of organochlorine insecticides by mixed anaerobic microbial populations. *Pesticide Biochemistry and Physiology* 277:229-236.
- *Mayr U, Butsch A, Schneider S. 1992. Validation of two in vitro test systems for estrogenic activities with zearalenone, phytoestrogens and cereal extracts. *Toxicology* 74:135-149.
- McCabe M, Nowak M. 1986. Synergistic modulation of lymphocyte mitogenesis by carcinogenic xenobiotics. *Bull Environ Contam Toxicol* 37:187-191.
- *McDougall KW, Wan H, Harris CR. 1994. The stability of dieldrin, aldrin, lindane, chlorpyrifos and prothiofos in stored roof water. *J Environ Sci Health, B29(2):293-301.*
- *McFall JA, Antoine SR, DeLeon IR. 1985. Organics in the water column of Lake Pontchartrain. *Chemosphere* 14:1253-1265.
- McLachlan JA. 1997. Synergistic effect of environmental estrogens: Report withdrawn. *Science* 277(5325):462-463.
- McLachlan JA, Arnold SF, Klotz DM, et al. 1997. Potency of combined estrogenic pesticides: Response. *Science* 275:405-406.
- *McLean JE, Sims RC, Doucette WJ, et al. 1988. Evaluation of mobility of pesticides in soil using U.S. EPA methodology. *J Environ Eng* 114:689-703.
- McManus ME, Boobis AR, Minchin RF, et al. 1984. Relationship between oxidative metabolism of 2-acetylaminofluorine, dibrisoquinine, and aldrin in human liver microsomes. *Cancer Res* 44:5692-5697.
- Medved LI, Spynu EI, Kagan IS. 1964. The methods of conditioned reflexes in toxicology and its application for determining the toxicity of small quantities of pesticides. *Residues Review* 6:42-74.
- Meemken HA, Habersaat K. 1985. [Evaluation of organochlorine pesticides and polychlorinated biphenyls in human milk] German. *Lebensmittelchem Gerichrtl Chem* 39:112-113.
- Meharg AA, Wright J, Leeks GJL, et al. 2000. Spatial and temporal regulation of the pesticide dieldrin within industrial catchments. *Sci Total Environ* 251/252:255-263.
- *Mehendale HM, El-Bassiouni EA. 1975. Uptake and disposition of aldrin and dieldrin by isolated perfused rabbit lung. *Drug Metab Dispos* 3:543-556.

9. REFERENCES

- *Mehrotra BD, Moorthy KS, Reddy SR, et al. 1989. Effects of cyclodiene compounds on calcium pump activity in rat brain and heart. *Toxicology* 54:17-29.
- *Mehrotra BD, Reddy SR, Desai D. 1988. Effect of subchronic dieldrin treatment on calmodulin regulated Ca^{++} pump activity in rat brain. *J Toxicol Environ Health* 25:461-469.
- *Meierhenry EF, Reubner BH, Gershwin ME, et al. 1983. Dieldrin-induced Mallory bodies in hepatic tumors of mice of different strains. *Hepatology* 1:90-95.
- Mendel JL, Klein AK, Chen JT, et al. 1967. Metabolism of DDT and some other chlorinated organic compounds by *Aerobacter aerogenes*. *J Assoc Off Anal Chem* 50:897-903.
- Menzie CM. 1980. Metabolism of Pesticide-Uptake: III. Fish and wildlife. Washington, DC: U.S. Department of the Interior. Service Report 232, 11-19.
- Mes J. 1994. Temporal changes in some chlorinated hydrocarbon residue levels of Canadian breast milk and infant exposure. *Environ Pollut* 84:261-268.
- *Mes J, Davies DJ, Doucet J, et al. 1993. Levels of chlorinated hydrocarbon residues in Canadian human breast milk and their relationship to some characteristics of the donors. *Food Addit Contam* 10(4):429-441.
- *Mes J, Davies DJ, Turton D. 1982. Polychlorinated biphenyl and other chlorinated hydrocarbon residues in adipose tissue of Canadians. *Bull Environ Contam Toxicol* 28:97-104.
- Mes J, Davies DJ, Turton D. 1985. Environmental contaminants in human fat: A comparison between accidental and nonaccidental causes of death. *Ecotoxicol Environ Safety* 10:70-74.
- Mes J, Davies DJ, Turton D, et al. 1986. Levels and trends of chlorinated hydrocarbon contaminants in the breast milk of Canadian women. *Food Addit Contam* 3:313-322.
- *Metcalf RL, Kapoor IP, Lu P-Y, et al. 1973. Model ecosystem studies of the environmental fate of six organochlorine pesticides. *Environ Health Perspect* 4:35-44.
- Mick DL, Long KR, Bonderman DP. 1972. Aldrin and dieldrin in the blood of pesticide formulators. *Am Ind Hyg Assoc J* 33(2):94-99.
- Mick DL, Long KR, Dretchen JS, et al. 1971. Aldrin and dieldrin in human blood components. *Arch Environ Health* 23:177-180.
- Mikalsen S-O, Sanner T. 1993. Intercellular communication in colonies of Syrian hamster embryo cells and the susceptibility for morphological transformation. *Carcinogenesis* 14(2):251-257.
- *Miller MA, Madenjian CP, Masnado RG. 1992. Patterns of organochlorine contamination in lake trout from Wisconsin waters of the Great Lakes. *J Great Lakes Res* 18(4):742-754.
- *Millet M, Wortham H, Sanusi A, et al. 1997. Atmospheric Contamination by pesticides: Determination in the liquid, gaseous and particulate phases. *Environ Sci Pollut Res* 4(3):172-180.

9. REFERENCES

- MIS. 1990. ATSDR Management Information System. Agency for Toxic Substances and Disease Registry, Office of External Affairs, Exposure and Disease Registry Branch, Atlanta, GA. September 24, 1990.
- Miyagawa M, Takasawa H, Sugiyama A, et al. 1995. The in vivo-in replicative DNA synthesis (RDS) test with hepatocytes prepared from male B6C3F1 mice as an early prediction assay for putative nongenotoxic (Ames-negative) mouse hepatocarcinogens. *Mutat Res* 343:157-183.
- Moody RP, Chu I. 1995. Dermal exposure to environmental contaminants in the Great Lakes. *Environ Health Perspect* 103(Suppl. 9):103-114.
- Morgan DP. 1989. Recognition and management of pesticide poisonings. 4th ed. Washington, DC: U.S. Government Printing Office, 17-24.
- *Morgan DP, Lin LI. 1978. Blood organochlorine pesticide concentrations, clinical hematology and biochemistry in workers occupationally exposed to pesticides. *Arch Environ Contam Toxicol* 7:423-447.
- Morgan DP, Roan CC. 1970. Chlorinated hydrocarbon pesticide residue in human tissue. *Arch Environ Health* 20:452-457.
- *Morgan DP, Roan CC. 1974. Liver function in workers having high tissue stores of chlorinated hydrocarbon pesticides. *Arch Environ Health* 29:14-17.
- *Morgan DP, Lin LI, Saikaly HH. 1980. Morbidity and mortality in workers occupationally exposed to pesticides. *Arch Environ Contam Toxicol* 9:349-382.
- Morio Y, Imanishi T, Nishimura M, et al. 1987. Characteristics of neuronal effects of DDT and dieldrin in mice. *Jpn J Vet Sci* 49:1039-1044.
- Moriya M, Ohta T, Watanabe K, et al. 1983. Further mutagenicity studies on pesticides in bacterial reversion assay systems. *Mutat Res* 116:185-216.
- *Morrison DE, Robertson BK, Alexander M. 2000. Bioavailability to earthworms of aged DDT, DDE, DDD, and dieldrin in soil. *Environ Sci Technol* 34:709-713.
- *Morselli PL, Franco-Morselli R, Bossi L. 1980. Clinical pharmacokinetics in newborns and infants: Age-related differences and therapeutic implications. *Clin Pharmacokin* 5:485-527.
- Moser GJ, Smart RC. 1989. Hepatic tumor-promoting chlorinated hydrocarbons stimulate protein kinase C activity. *Carcinogenesis* 10:851-856.
- Moskalev JI, Buldakov LA, Lyaginskaya AM, et al. 1969. Experimental study of radionuclide transfer through the placenta and their biological action on the fetus. *AEC Symp Ser* 17:153-160.
- *Mossing ML, Redetzke KA, Applegate HG. 1985. Organochlorine pesticides in blood of persons from El Paso, Texas. *J Environ Health* 47:312-313.
- Mowafly LI, Marzouk MA, El-Ahraf A, et al. 1987. Determination of dieldrin concentrations in recycled cattle feed and manure by liquid chromatography. *Bull Environ Contam Toxicol* 38:396-403.

9. REFERENCES

- *Muir DCG, Koczanski K, Rosenberg B, et al. 1996. Persistent organochlorines in Beluga whales (*Delphinapterus leucas*) from the St. Lawrence river estuary -- II. Temporal trends, 1982-1994. *Environ Pollut* 93(2):235-245.
- Muir DCG, Norstrom RJ, Simon M. 1988. Organochlorine contaminants in Arctic marine food chains: Accumulation of specific polychlorinated biphenyls and chlordane related compounds. *Environ Sci Technol* 22:1071-1079.
- *Muirhead EE, Groves M, Guy R, et al. 1959. Acquired hemolytic anemia, exposure to insecticides and positive Coombs test dependent on insecticide preparations. *Vox Sang* 4:277-292.
- Muller WP, Korte F. 1975. [Microbial degradation of benzo(a)pyrene, monolinuron, and dieldrin in waste composting] German. *Chemosphere* 3:195-198.
- *Müller W, Nohynek G, Woods G, et al. 1975. Comparative metabolism of dieldrin-¹⁴C in mouse, rat, rabbit, Rhesus monkey and chimpanzee. *Chemosphere* 4(2):89-92.
- *Murphy R, Harvey C. 1985. Residues and metabolites of selected persistent halogenated hydrocarbons in blood specimens from a general population survey. *Environ Health Perspect* 60:115-120.
- Murray WT. 1981. Radiology of the colon. *N Engl J Med* :792.
- *Murray HE, Beck JN. 1990. Concentrations of selected chlorinated pesticides in shrimp collected from the Calcasieu River/Lake Complex, Louisiana. *Bull Environ Contam Toxicol* 44:798-804.
- *Nagahori H, Komai K, Tomigahara Y, et al. 2001. Initial induction and subsequent reduction of α_{2u} -globulin in urine and serum of mature male rats after repeated intraperitoneal injections of (anti)estrogen. *Toxicology* 162:73-80.
- *Nagata K, Narahashi T. 1994. Dual action of the cyclodiene insecticide dieldrin on the τ -aminobutyric acid receptor-chloride channel complex of rat dorsal root ganglion neurons. *J Pharmacol Exp Ther* 269(1):164-171.
- *Nagata K, Narahashi T. 1995. Multiple actions of dieldrin and lindane on the GABA_A receptor-chloride channel complex of rat dorsal root ganglion neurons. *Pestic Sci* 44:1-7.
- Nagata K, Hamilton BJ, Carter DB, et al. 1994. Selective effects of dieldrin on the GABA_A receptor-channel subunits expressed in human embryonic kidney cells. *Brain Res* 645:19-26.
- Nagayama J, Okamura K, Nakagawa R, et al. 1998a. Perinatal exposure to organochlorine pesticides on thyroid hormone status in Japanese breast-fed infants. *Organohalogen Compounds* 37:235-239.
- Nagayama J, Tsuji H, Nakagawa R, et al. 1998b. Perinatal exposure to organochlorine pesticides on lymphocyte subpopulations in Japanese breast-fed infants. *Organohalogen Compounds* 37:157-161.
- Nakagawa R, Hirakawa H, Iida T, et al. 1999. Maternal body burden of organochlorine pesticides and dioxins. *J AOAC Int* 82(3):716-724.
- *Narahashi T, Carter DB, Frey J, et al. 1995. Sodium channels and GABA_A receptor-channel complex as targets of environmental toxicants. *Toxicol Lett* 82/83:239-245.

9. REFERENCES

- *Narahashi T, Frey JM, Ginsburg KS, et al. 1992. Sodium and GABA-activated channels as the targets of pyrethroids and cyclodienes. *Toxicol Lett* 64/65:429-436.
- *Narahashi T, Ginsburg KS, Nagata K, et al. 1998. Ion channels as targets for insecticides. *Neurotoxicology* 19(4-5):581-590.
- NAS. 1977. Pesticides: Insecticides. In: *Drinking water and health*. Volume 1. Washington, DC: National Academy of Science, Safe Drinking Water Committee, 556-561, 822.
- NAS. 1982. An assessment of the health risks of seven pesticides used for termite control. Washington, DC: National Academy of Sciences, Commission of Life Sciences, Board on Toxicology and Environmental Health Hazards.
- *Nash RG. 1983. Comparative volatilization and dissipation rates of several pesticides from soil. *J Agric Food Chem* 31:210-217.
- *Nash RG, Gish TJ. 1989. Halogenated pesticide volatilization and dissipation from soil under controlled conditions. *Chemosphere* 18:2353-2362.
- *NAS/NRC. 1989. Report of the oversight committee. In: *Biologic markers in reproductive toxicology*. Washington, DC: National Academy of Sciences, National Research Council, National Academy Press.
- Natarajan AT, Obe G. 1986. How do in vivo mammalian assays compare to in vitro assays in their ability to detect mutagens? *Mutat Res* 167:189-201.
- NATICH. 1990. National Air Toxics Information Clearinghouse. Data base report on state, local, and EPA air toxics activities. Washington, DC. U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards. December 5, 1990.
- *NCI. 1978a. Bioassays of aldrin and dieldrin for possible carcinogenicity. Bethesda, MD: National Institutes of Health, National Cancer Institute, Division of Cancer Cause and Prevention, Carcinogenesis Program. U.S. Department of Health, Education, and Welfare, publication no. 78-821.
- *NCI. 1978b. Bioassay of dieldrin for possible carcinogenicity. Bethesda, MD: National Institutes of Health, National Cancer Institute, Division of Cancer Cause and Prevention, Carcinogenesis Program. U.S. Department of Health, Education, and Welfare, publication no. 78-822.
- *Nerin C, Polo T, Domeno C, et al. 1996. Determination of some organochlorine compounds in the atmosphere. *Int J Environ Anal Chem* 65:83-94.
- Nicholson RA, Williams MF. 1993. Sub-chronic administration of ethanol to mice does not modify the inhibitory effects of dieldrin, abamectin and the dihydropyrazole RH-3421 at their respective sites of action in the nervous system. *Comp Biochem Physiol C* 105:69-72.
- Niethammer KR, White DH, Baskett TS, et al. 1984. Presence and biomagnification of organochlorine chemical residues in Oxbow Lake of Northeastern Louisiana. *Arch Environ Contam Toxicol* 13:63-74.
- Nims RW, Lubet RA. 1995. Induction of cytochrome P-450 in the Norway rat, *Rattus norvegicus*, following exposure to potential environmental contaminants. *J Toxicol Environ Health* 46:271-292.

9. REFERENCES

- NIOSH. 1978. Special occupational hazard review for aldrin/dieldrin. Washington, DC: U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health. NIOSH 78-210.
- NIOSH. 1981. Health hazard evaluation report HETA 810176-968, Rocky Mountain Arsenal, Basin F, Commerce City, Colorado. Washington, DC: U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health. NTIS PB-83-161257.
- *NIOSH. 1984. NIOSH Manual of analytical methods, 3rd ed. Eller PM, ed. Cincinnati, OH: U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health. Volume 1.
- NIOSH. 1985. NIOSH pocket guide to chemical hazards. Washington, DC: U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health. NIOSH 85-114, 46-47, 102-103.
- NIOSH. 1988a. Occupational safety and health guidelines for aldrin, potential human carcinogen. Cincinnati, OH: U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health, Division of Standards Development and Technology Transfer.
- NIOSH. 1988b. Occupational safety and health guidelines for dieldrin, potential human carcinogen. Cincinnati, OH: U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health, Division of Standards Development and Technology Transfer.
- NIOSH. 1991. Mortality of workers employed at organochlorine pesticide manufacturing plants - An update. Cincinnati, OH: National Institute for Occupational Safety and Health.
- *NIOSH. 1997. NIOSH Pocket Guide to Chemical Hazards. Department of Health and Human Services. National Institute for Occupational Safety and Health. Publication No. 97-140. Washington, DC: U.S. Government Printing Office, 8-9, 104-105.
- *NIOSH. 2000. Aldrin, Dieldrin. NIOSH pocket guide to chemical hazards. National Institute for Occupational Safety and Health. [wysiwyg://187/http://www.cdc.gov/niosh/npg/pgdstart.html](http://www.cdc.gov/niosh/npg/pgdstart.html).
- *NIOSH. 2001. Aldrin. Dieldrin. NIOSH pocket guide to chemical hazards. National Institute for Occupational Safety and Health. <http://www.cdc.gov/niosh/npg/npgd0016.html> and <http://www.cdc.gov/niosh/npg/npgd0206.html>.
- *NJ Department of Environmental Protection. 1993. New Jersey ground water quality standards. New Jersey Department of Environmental Protection. <http://www.state.nj.us/dep/>.
- *NOES. 1990. National Occupational Exposure Survey: Aldrin and dieldrin. U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health, Cincinnati, Ohio. December 7, 1990.
- *Nojima K, Ohya T, Kanno S, et al. 1982. Studies on photochemical reactions of air pollutants. VIII. Photochemical epoxidation of olefins with NO₂ in a solid-gas phase system. Chem Pharm Bull 30(12):4500-4506.
- Nolte T, Harleman JH, Jahn W. 1995. Histopathology of chemically induced testicular atrophy in rats. Exp Toxicol Pathol 47:267-286.

9. REFERENCES

- *Norén K. 1988. Changes in the levels of organochlorine pesticides, polychlorinated biphenyls, dibenzo-p-dioxins and dibenzofurans in human milk from Stockholm, 1972-1852. *Chemosphere* 17:39-49.
- *Norén K, Meironyté D. 2000. Certain organochlorine and organobromine contaminants in Swedish human milk in perspective of past 20-30 years. *Chemosphere* 40:1111-1123.
- Norstrom RJ, Simon M, Muir DCG, et al. 1988. Organochlorine contaminants in Arctic marine food chains: Identification, geographical description and temporal trends in polar bears. *Environ Sci Technol* 22:1063-1071.
- *NRC. 1993. National Research Council. Pesticides in the diets of infants and children. Washington, DC: National Academy Press.
- NREPC. 1986. Proposed regulation. Frankfort, KY: Department for Environmental Protection, Natural Resources and Environmental Protection Cabinet. 401 KAR 63:022.
- NREPC. 1988. Kentucky Waste Management Regulations. Frankfort, KY: Department for Environmental Protection, Natural Resources and Environmental Protection Cabinet. 401 KAR 31:040, Chapters 30-49.
- *Obata T, Yamamura HI, Malatynska E, et al. 1988. Modulation of γ -aminobutyric acid stimulated chloride influx by bicycloorthocarboxylates, bicyclophosphorus esters, polychlorocycloalkanes and other cage convulsants. *J Pharmacol Exp Ther* 244:802-806.
- OHM/TADS. 1985a. Aldrin. Oil and Hazardous Materials/ Technical Assistance Data System.
- OHM/TADS. 1985b. Dieldrin. Oil and Hazardous Materials/ Technical Assistance Data System.
- *OHM/TADS. 1990a. Aldrin. Oil and Hazardous Materials/Technical Assistance Data System. Chemical Information Systems, Inc. July, 1990.
- *OHM/TADS. 1990b. Dieldrin. Oil and Hazardous Materials/Technical Assistance Data System. Chemical Information Systems, Inc. July, 1990.
- *Olson KL, Bousch GM, Matsumura F. 1980. Pre- and postnatal exposure to dieldrin: Persistent stimulatory and behavioral effects. *Pesticide Biochemistry and Physiology* 13:20-33.
- Ortega P, Hayes WJ, Durham WF. 1957. Pathologic changes in the liver of rats after feeding low levels of various insecticides. *AMA Arch Pathol* 64:614-622.
- Osaba L, Aguirre A, Alonso A, et al. 1999. Genotoxicity testing of six insecticides in two crosses of the *Drosophila* wing spot test. *Mutat Res* 439:49-61.
- Osborne BG, Barrett GM, Laal-Khoshab A, et al. 1989. The occurrence of pesticide residues in UK home-grown and imported wheat. *Pesticide Science* 27:103-109.
- OSHA. 1989a. OSHA safety and health standards for general industry. U.S. Department of Labor, Occupational Safety and Health Administration. Code of Federal Regulations 29 CFR 1910.1000 Sub part Z.

9. REFERENCES

- OSHA. 1989b. U.S. Department of Labor, Occupational Safety and Health Administration. Federal Register 54:2920-2960.
- *OSHA. 1999a. Air contaminants. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1910.1000.
- *OSHA. 1999b. Air contaminants. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1915.1000.
- *OSHA. 1999c. Gases, vapors, fumes, dusts, and mists. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1926.55.
- *OSHA. 2001a. Air contaminants—shipyards. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1915.1000. http://www.sha-slc.gov/OshStd_data/1915_1000.html.
- *OSHA. 2001b. Limits for air contaminants. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1910.1000. http://www.sha-slc.gov/OshStd_data/1910_1000_TABLE_Z.html.
- *OSHA. 2001c. Gases, vapors, fumes, dusts, and mists. Construction industry. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1926.55. <http://frwebgate.access.gpo.gov/cgi-bin/get-cfr.cgi?TITLE=29&PART=1926&SECTION=55&YEAR=2001&TYPE=TEXT>.
- *OSW. 1986a. Method 8081B - Organochlorine pesticides by gas chromatography. In: Test Methods for Evaluating Solid Waste, Physical/Chemical Methods SW 846. Office of Solid Waste, U.S. Environmental Protection Agency.
- *OSW. 1986b. Method 8250A - Semivolatile organic compounds by gas chromatography mass spectrometry (GC/MS). In: Test Methods for Evaluating Solid Waste, Physical/Chemical Methods SW 846. Office of Solid Waste, U.S. Environmental Protection Agency.
- Osweiler GD, Carson TL, Buck WB, et al., eds. 1985. Clinical and diagnostic veterinary toxicology. 3rd ed. Dubuque, IA: Kendall/Hunt Publishing Company, 286-297.
- *Ottolenghi AD, Haseman JK, Suggs F. 1974. Teratogenic effects of aldrin, dieldrin, and endrin in hamsters and mice. *Teratology* 9:11-16.
- *Owen GM, Brozek J. 1966. Influence of age, sex and nutrition on body composition during childhood and adolescence. In: Falkner F, ed. Human development. Philadelphia, PA: WB Saunders, 222-238.
- Owen RA. 1996. The neoplastic potential of liver tumors induced by mixed-function oxidase inducers in the mouse. *Toxicol Pathol* 24(4):507-508.
- Paasivirta J, Knuutila M, Paukku R, et al. 1985. Study of organochlorine pollutants in snow at North Pole and comparison to the snow at North, Central, and South Finland. *Chemosphere* 14:1741-1748.
- Page GW. 1981. Comparison of groundwater and surface water for patterns and levels of contamination by toxic substances. *Environ Sci Technol* 15:1475-1481.

9. REFERENCES

- *Patel TB, Rao VN. 1958. Dieldrin poisoning in man: A report of 20 cases observed in Bombay State. *Br Med J* 1:919-921.
- *Patil KC, Matsumura F, Boush GM. 1970. Degradation of endrin, Aldrin, and DDT by soil microorganisms. *Appl Microbiol* 5:879-881.
- *Patil KC, Matsumura F, Boush GM. 1972. Metabolic transformation of DDT, dieldrin, aldrin, and endrin by marine microorganisms. *Environ Sci Technol* 6:629-632.
- Paton MW, Peterson DS. 1997. Absorption by sheep of dieldrin from contaminated soil. *Aust Vet J* 75(6):441-445.
- Paul V, Balasubramaniam E, Sheela S, et al. 1992. Effects of endosulfan and aldrin on muscle coordination and conditioned avoidance response in rats. *Pharmacol Toxicol* 71:254-257.
- Pauwels A, Covaci A, Weyler J, et al. 2000. Comparison of persistent organic pollutant residues in serum and adipose tissue in female population in Belgium, 1996-1998. *Arch Environ Contam Toxicol* 39:265-270.
- *Pick A, Joshua H, Leffkowitz M, et al. 1965. [Aplastic anemia following exposure to aldrin.] *Medicine* 68:164-167. (Hebrew)
- *Pico Y, Viana E, Font G, et al. 1995. Determination of organochlorine pesticide content in human milk and infant formulas using solid phase extraction and capillary gas chromatography. *J Agric Food Chem* 43:1610-1615.
- Pines A, Cucos S, Ever-Hadani P, et al. 1986. Levels of some organochlorine residues in blood of patients with arteriosclerotic disease. *Sci Total Environ* 54:135-156.
- Pines A, Cucos S, Ever-Hadani P, et al. 1987. Some organochlorine insecticide and polychlorinated biphenyl blood residues in infertile males in the general Israeli population of the middle 1980's. *Arch Environ Contam Toxicol* 16:587-597.
- Pitts JF, Finbow ME, Kam E. 1988. Junctional communication and cellular differentiation. *Br J Cancer Suppl* 9:52-57.
- Pohl HR, Tylenda CA. 2000. Breast-feeding exposure of infants to selected pesticides: A public health viewpoint. *Toxicol Ind Health* 16:65-77.
- *Polishuk ZW, Ron M, Wassermann M, et al. 1977a. Pesticides in people: Organochlorine compounds in human blood plasma and milk. *Pest Monit J* 10:121-129.
- *Polishuk ZW, Wasserman D, Wasserman M, et al. 1977b. Organochlorine compounds in mother and fetus during labor. *Environ Res* 13:278-284.
- *Pomés A, Rodríguez-Farré E, Sunol C. 1994. Effects of organochlorine pesticides on $^{36}\text{Cl}^-$ flux in primary neuronal cultures. *Neurotoxicology* 15(3):745-750.
- *Probst GS, McMahon RE, Hill LE, et al. 1981. Chemically-induced unscheduled DNA synthesis in primary rat hepatocyte cultures: A comparison with bacterial mutagenicity using 218 compounds. *Environ Mutagen* 3:11-32.

9. REFERENCES

- Proulx G, Weseloh DVC, Elliot JE, et al. 1987. Organochlorine and PCB residues in Lake Erie mink populations. *Bull Environ Contam Toxicol* 39:939-944.
- Pulido JA, del Hoyo N, Pérez-Albarsanz MA. 1992. The effects of different hexachlorocyclohexanes and cyclodienes on glucose uptake and inositol phospholipid synthesis in rat brain cortex. *Life Sci* 50:1585-1596.
- Que Hee SS, Sutherland RG, McKinlay KS, et al. 1975. Factors affecting the volatility of DDT, dieldrin, and dimethylamine salt of (2,4-dichlorophenoxy) acetic acid (2,4-D) from leaf and glass surfaces. *Bull Environ Contam Toxicol* 13:284-290.
- *Quinsey PM, Donohue DC, Cumming FJ, et al. 1996. The importance of measured intake in assessing exposure of breast fed infants to organochlorines. *Eur J Clin Nutr* 50:438-442.
- Radomski JL, Astolfi E, Deichmann WB, et al. 1971a. Blood levels of organochlorine pesticides in Argentina: Occupationally and nonoccupationally exposed adults, children and newborn infants. *Toxicol Appl Pharmacol* 20:186-193.
- *Radomski JL, Deichmann WB, Clizer EE, et al. 1968. Pesticide concentrations in the liver, brain and adipose tissue of terminal hospital patients. *Food Cosmet Toxicol* 6:209-220.
- Radomski JL, Deichmann WB, Rey AA, et al. 1971b. Human pesticide blood levels as a measure of body burden and pesticide exposure. *Toxicol Appl Pharmacol* 20:175-185.
- Rahamimoff R, DeRiemer SA, Ginsburg S, et al. 1989. Ionic channels in synaptic vesicles: are they involved in transmitter release? *Q J Exp Physiol* 74:1019-1031.
- *Ramamoorthy K, Wang F, Chen I-C, et al. 1997a. Estrogenic activity of a dieldrin/toxaphene mixture in the mouse uterus, MCF-7 human breast cancer cells, and yeast based estrogen receptor assays: No apparent synergism. *Endocrinology* 138(4):1520-1527.
- *Ramamoorthy K, Wang F, Chen I-C, et al. 1997b. Potency of combined estrogenic pesticides. *Science* 275:405-406.
- Ramon F, Rivera A. 1986. Gap junction channel modulation--a physiological viewpoint. *Prog Biophys Mol Biol* 48:127-153.
- *Rani MVU, Reddy PP. 1986. Cytogenetic effects of aldrin and endosulfan in mice. *IRCS J Med Sci* 14:1125-1126.
- Rawi SM. 1986. Effects of acute toxicity of dieldrin on certain enzymes in plasma, heart and liver of rats. *Proceedings of the Zoological Society, United Arab Republic, Cairo* 10:109-119.
- Ray DE, Lister T, Joy RM. 1986. The action of dieldrin on regional brain blood flow in the rat. *Pesticide Biochemistry and Physiology* 25:205-210.
- Reddy GR, Babu GRV, Reddanna P, et al. 1989. Substrate-affinity relationship of succinate dehydrogenase in brain of albino rat during dieldrin toxicity. *Ecotoxicol Environ Safety* 18:141-144.
- Reed DV, Lombardo P, Wessel JR, et al. 1987. The FDA pesticides monitoring program. *J Assoc Off Anal Chem* 70:591-595.

9. REFERENCES

- Restum JC, Bursian SJ, Giesy JP, et al. 1998. Multigenerational study of the effects of consumption of PCB-contaminated carp from Saginaw Bay, Lake Huron, on mink. 1. Effects on mink reproduction, kit growth and survival, and selected biological parameters. *J Toxicol Environ Health* A54:343-375.
- Reuber MD. 1975. Transplantation studies. In: Butler WH, Newberne PM, eds. Mouse hepatic neoplasia. Proceedings of a workshop held at the H. T. S. Management Centre, Lane End, High Wycombe (Great Britain), May 12-17, 1974. New York, NY: Elsevier Scientific Publishing Company, 143-153.
- *Reuber MD. 1980. Significance of acute and chronic renal disease in Osborne-Mendel rats ingesting dieldrin or aldrin. *Clin Toxicol* 17:159-170.
- *Ribbens PH. 1985. Mortality study of industrial workers exposed to aldrin, dieldrin and endrin. *Int Arch Occup Environ Health* 56:75-79.
- *Richard JJ, Junk GA, Avery MJ, et al. 1975. Analysis of various Iowa waters for selected pesticides: azrazine, DDE, and dieldrin--1974. *Pestic Monit J* 9:117-123.
- *Richardson A, Robinson J. 1971. The identification of a major metabolite of HEOD (dieldrin) in human feces. *Xenobiotica* 1(3):213-219.
- Richardson A, Robinson J, Bush B, et al. 1967. Determination of Dieldrin (HEOD) in blood. *Arch Environ Health* 14:703-708.
- Rita P, Reddy PP, Venkatram Reddy S. 1987. Monitoring of workers occupationally exposed to pesticides in grape gardens of Andhra Pradesh. *Environ Res* 44:1-5.
- *Ritchie RJ, Ambrose S. 1996. Distribution and population of bald eagles (*Haliaeetus leucocephalus*) in interior Alaska. *Arctic* 49(2):120-128.
- Ritter WF. 1990. Pesticide contamination of ground water in the USA: A review. *J Environ Sci Health (B)* 25:1-30.
- *Roberts JW, Camann DE. 1989. Pilot study of a cotton glove press test for assessing exposure to pesticides in house dust. *Bull Environ Contam Toxicol* 43:717-724.
- Robinson J, Richardson A, Bush B, et al. 1966. A photoisomerization product of dieldrin. *Bull Environ Contam Toxicol* 1:127-132.
- *Robinson J, Richardson A, Davies JM. 1967. Comparison of analytical methods for determination of dieldrin (HEOD) in blood. *Arch Environ Health* 15:67-69.
- *Robinson J, Roberts M, Baldwin M, et al. 1969. The pharmacokinetics of HEOD (dieldrin) in the rat. *Food Cosmet Toxicol* 7:317-332.
- Rogan WJ, Ragan NB. 1994. Chemical contaminants, pharmacokinetics, and the lactating mother. *Environ Health Perspect* 1012(Suppl. 11):89-95.
- Rogiers V, Vandenberghe Y, Callaerts A, et al. 1988. The inducing and inhibiting effects of sodium valproate in vivo on the biotransformation systems of xenobiotics in isolated rat hepatocytes. *Xenobiotica* 18:665-673.

9. REFERENCES

- Rogiers V, Vandenberghe Y, Cornet M, et al. 1989. The use of cultures and co-cultures of rat hepatocytes for the study of the effects of valproate on phase I and II biotransformation systems of xenobiotics. In: Woodhouse KW, Yelland C, James OFW, eds. The liver, metabolism and ageing: Proceedings of the Eurage meeting "The ageing liver: An update," Nerja, Spain, November 17-19, 1988. Topics in ageing research in Europe series, vol. 13:75-82.
- Ron M, Cucos B, Rosenn B, et al. 1988. Maternal and fetal serum levels of organochlorine compounds in cases of premature rupture of membranes. *Acta Obstet Gynecol Scand* 67:695-698.
- *Ronco AM, Marcus D, Villena F, et al. 1998. *In vitro* effect of dieldrin on Leydig cell morphology and steroidogenic function. *In Vitro Mol Toxicol* 11(4):299-307.
- Ronis MJ, Walker CH, Peakall D. 1987. Hepatic metabolism of cyclodiene insecticides by constitutive forms of cytochrome P-450 from lower vertebrates. *Comp Biochem Physiol* 87:375-388.
- Rosenkranz HS, Klopman G. 1990a. Structural basis of carcinogenicity in rodents of genotoxicants and non-genotoxicants. *Mutat Res* 228:105-124.
- Rosenkranz HS, Klopman G. 1990b. The structural basis of the mutagenicity of chemicals in *Salmonella typhimurium*: The National Toxicology Program data base. *Mutat Res* 228:51-80.
- *Ross CM. 1964. Sock dermatitis from dieldrin. *Br J Dermatol* 76:494-495.
- *Ross RD, Crosby DG. 1975. The photooxidation of aldrin in water. *Chemosphere* 5:227-282.
- *Ross RD, Crosby DG. 1985. Photooxidant activity in natural waters. *Environ Toxicol Chem* 4:773-778.
- Rothman N, Cantor KP, Blair A, et al. 1997. A nested case-control study of non-Hodgkin lymphoma and serum organochlorine residues. *Lancet* 350(9073):240-244.
- Roy D, Palangat M, Chen C-W, et al. 1997. Biochemical and molecular changes at the cellular level in response to exposure to environmental estrogen-like chemicals. *J Toxicol Environ Health* 50:1-29.
- *Ruch RJ, Klaunig JE. 1986. Effects of tumor promoters, genotoxic carcinogens and hepatocytotoxins on mouse hepatocyte intercellular communication. *Cell Biol Toxicol* 2:469-483.
- Rudel R. 1997. Predicting health effects of exposures to compounds with estrogenic activity: Methodological issues. *Environ Health Perspect* 105(Suppl. 3):655-663.
- Sabljić A. 1984. Predictions of the nature and strength of soil sorption of organic pollutants by molecular topology. *J Agric Food Chem* 32:243-246.
- Sabourin TD, Stickle WB, Michot TC, et al. 1984. Organochlorine residue levels in Mississippi River water snakes in Southern Louisiana. *Bull Environ Contam Toxicol* 32:460-468.
- Safe SH. 1998. Interactions between hormones and chemicals in breast cancer. *Annu Rev Pharmacol Toxicol* 38:121-158.
- Safe S, Connor K, Ramamoorthy K, et al. 1997. Human exposure to endocrine-active chemicals: Hazard assessment problems. *Regul Toxicol Pharmacol* 26:52-58.

9. REFERENCES

- *Saiki MK, Schmitt CJ. 1986. Organochlorine chemical residues in bluegills and common carp from the irrigated San Joaquin Valley Floor, California. *Arch Environ Contam Toxicol* 15:357-366.
- Saleh MA, Afify AM, Ragab A, et al. 1996. Breast milk as a biomarker for monitoring human exposure to environmental pollutants. *AEC Symp Ser* 643:114-125.
- *Saleh MA, Zied MA, El-Baroty G, et al. 1993. Gamma aminobutyric acid radioreceptor-assay a possible biomarker for human exposure to certain agrochemicals. *J Environ Sci Health B* 28(6):687-699.
- *Sanborn JR, Yu C. 1973. The fate of dieldrin in a model ecosystem. *Bull Environ Contam Toxicol* 10:340-346.
- Sanchez-Medel L, Castanedo JP, Garcia-Rojas F. 1963. Insecticides and aplastic anemia. *New Engl J Med* 269:1365-1367.
- *Sandhu SS, Ma TH, Peng Y, et al. 1989. Clastogenicity evaluation of seven chemicals commonly found at hazardous industrial waste sites. *Mutat Res* 224:437-445.
- *Sandifer SH, Cupp CM, Wilkins RT, et al. 1981. A case-control study of persons with elevated blood levels of dieldrin. *Arch Environ Contam Toxicol* 10:35-45.
- Sandifer SH, Keil JE, Finklea JF, et al. 1972. Pesticide effects on occupationally exposed workers: A summary of 4 years observation of industry and farm volunteers in South Carolina. *Ind Med* 41:9-12.
- *Sandler BE, Van Gelder GA, Elsberry DD, et al. 1969. Dieldrin exposure and vigilance behavior in sheep. *Psychomonic Sci* 15:261-262.
- *Santa Maria I, Carmi JD, Valdivia M. 1986. Recovery studies of organochlorine insecticides in fruits and vegetables using cyclic steam distillation. *Bull Environ Contam Toxicol* 36:41-46.
- Sarkar A, Sengupta R. 1988. Chlorinated pesticide residues in marine sediments. *Marine Pollution Bulletin* 19:35-37.
- *Sauer TC Jr, Durell GS, Brown JS, et al. 1989. Concentrations of chlorinated pesticides and PCBs in microlayer and seawater samples collected in open-ocean waters off the U.S. East Coast and in the Gulf of Mexico. *Marine Chemistry* 27:235-257.
- *Savage EP, Keefe TJ, Tessari JD, et al. 1981. National study of chlorinated hydrocarbon insecticide residues in human milk, USA: I. Geographical distribution of dieldrin, heptachlor, heptachlor epoxide, chlordane, oxychlordane, and mirex. *Am J Epidemiol* 113:413-422.
- *Sawhney BL. 1989. Movement of organic chemicals through landfill and hazardous waste disposal. In: *Reactions and movement of organic chemicals in soils*. SSSA Special Publication No. 22. 447-474.
- Saxena MC. 1986. Placental modulation in the assessment of fetotoxicity of pesticides in humans. *Toxicol Lett* 31:83.
- *Saxena MC, Siddiqui MKJ, Bhargava AK, et al. 1980. Role of chlorinated hydrocarbon pesticides in abortions and premature labor. *Toxicology* 17:323-331.

9. REFERENCES

- *Schechter A, Furst P, Furst C, et al. 1989a. Levels of polychlorinated dibenzodioxins and dibenzofurans in cow's milk and in soybean derived infant formulas sold in the United States and other countries. *Chemosphere* 19:913-918.
- *Schechter A, Furst P, Kruger C, et al. 1989b. Levels of polychlorinated dibenzofurans, dibenzodioxins, PCBs, DDT and DDE, hexachlorobenzene, dieldrin, hexachlorocyclohexanes and oxychlorodane in human breast milk from the United States, Thailand, Vietnam, and Germany. *Chemosphere* 18:445-454.
- *Schmitt CJ, Zajicek JL, Ribick MA. 1985. National pesticide monitoring program: Residues of organochlorine chemicals in freshwater fish, 1980-1981. *Arch Environ Contam Toxicol* 14:225-260.
- Schulert AR, Glasser SR, Stant EG, et al. 1969. Development of placental discrimination among homologous elements. *AEC Symp Ser* 17:145-152.
- *SD Department of Environmental & Natural Resources. 1998. Aldrin, dieldrin. Drinking water standards. South Dakota Department of Environmental & Natural Resources. <http://www.state.sd.legis/lrc/rules/7404.htm>.
- Seifert J. 1989. Teratogenesis of polychlorocycloalkane insecticides in chicken embryos resulting from their interactions at the convulsant recognition sites of the Gaba (PRO) receptor complex. *Bull Environ Contam Toxicol* 42:707-715.
- Selby LA, Newell KW, Hauser GA, et al. 1969. Comparison of chlorinated hydrocarbon pesticides in maternal blood and placental tissues. *Environ Res* 2:247-255.
- *Setchell BP, Waites GMH. 1975. The blood-testis barrier. In: Creep RO, Astwood EB, Geiger SR, eds. *Handbook of physiology: Endocrinology V*. Washington, DC: American Physiological Society.
- Sethunathan N. 1973. Microbial degradation of insecticides in flooded soil and in anaerobic cultures. *Residue Rev* 47:143-165.
- *Shakoori AR, Rasul YG, Ali SS. 1982. Effect of dieldrin feeding for six months on albino rats-biochemical and histological changes in liver. *Pakistan J Z* 14:191-204.
- Shane BS. 1989. Human reproductive hazards: Evaluation and chemical etiology. *Environ Sci Technol* 23:1187-1195.
- *Shankland DL. 1982. Neurotoxic action of chlorinated hydrocarbon insecticides. *Neurobehav Toxicol Teratol* 4:805-811.
- *Shannon LR. 1977. Equilibrium between uptake and elimination of dieldrin by channel catfish, *Ictalurus punctatus*. *Bull Environ Contam Toxicol* 17:278-284.
- Sharma RP. 1973. Brain biogenic amines: Depletion by chronic dieldrin exposure. *Life Sci* 13:1245-1251.
- Sharma RP. 1976. Influence of dieldrin on serotonin turnover and 5-hydroxyindole acetic acid efflux in mouse brain. *Life Sci* 19:537-542.
- Sharma RP, Winn DS, Low JB. 1976. Toxic, neurochemical and behavioral effects of dieldrin exposure in mallard ducks. *Arch Environ Contam Toxicol* 5:43-53.

9. REFERENCES

- *Sharom MS, Miles JRW, Harris CR, et al. 1980. Persistence of 12 insecticides in water. *Water Research* 14:1089-1093.
- Sharon IM. 1988. The significance of teeth in pollution detection. *Perspect Biol Med* 32:124-131.
- Sher ES, Xu XM, Adams PM, et al. 1998. The effects of thyroid hormone level and action in developing brain: Are these targets for the actions of polychlorinated biphenyls and dioxins? *Toxicol Ind Health* 14(1/2):121-158.
- Shipp EB, Restum JC, Giesy JP, et al. 1998. Multigenerational study of the effect of consumption of PCB-contaminated carp from Saginaw Bay, Lake Huron, on mink. 2. Liver PCB concentration and induction of hepatic cytochrome P-450 activity as a potential biomarker for PCB exposure. *J Toxicol Environ Health A54*:377-401.
- *Shirasu Y. 1975. Significance of mutagenicity testing on pesticides. *Environ Qual Saf* 4:226-231.
- Shubat PH, Curtis LR. 1986. Ration and toxicant preexposure influence dieldrin accumulation by rainbow trout *salmo-gairdneri*. *Environ Toxicol Chem* 5:69-78.
- Siddiqui MKJ, Saxena MC. 1985. Placenta and milk as excretory routes of lipophilic pesticides in women. *Human Toxicol* 4:249-254.
- Sielken RL, Stevenson DE. 1992. Comparisons of human cancer potency projections for dieldrin based on human data with those based on animal data. In: D'Amato R, Slaga TJ, Farland WH, et al. eds. *Relevance of animal studies to the evaluation of human cancer risk. Proceedings of a symposium held December 5-8, 1990, Austin, Texas.* New York, NY: Wiley-Liss, 295-319.
- Sielken RL, Bretzlaff RS, Valdez-Flores C, et al. 1999. Cancer dose-response modeling of epidemiological data on worker exposures to aldrin and dieldrin. *Risk Anal* 19(6):1101-1111.
- Silbergeld EK. 1986. Maternally mediated exposure of the fetus: In utero exposure to lead and other toxins. *Neurotoxicology* 7:557-568.
- Simons SS. 1996. Environmental estrogens: Can two "alrights" make a wrong? *Science* 272:1451.
- Singh G, Kathpal TS, Kushwaha KS, et al. 1985. Persistence of aldrin in flooded soil under the cover of rice. *Ecotoxicol Environ Safety* 9:294-299.
- *Sipes IG, Gandolfi AJ. 1991. Ch.4: Biotransformation of toxicants. In: Amdur MO, Doull J, Klaassen CD, eds. *Casaret and Doull's toxicology: The basic science of poisons*, 4th ed. New York, NY: Pergamon Press, 88-126.
- *Sittig M. 1980. *Pesticide manufacturing and toxic materials control encyclopedia*. Park Ridge, NJ: Noyes Data Corporation, 38-44, 301-305.
- *Sittig M. 1985. *Handbook of toxic and hazardous chemicals and carcinogens*, 2nd ed. Park Ridge, NJ: Nyes Publications, 51-53, 338-341.
- Skaare JU, Tuveng JM, Sande HA. 1988. Organochlorine pesticides and polychlorinated biphenyls in maternal adipose tissue, blood, milk, and cord blood from mothers and their infants living in Norway. *Arch Environ Contam Toxicol* 17:55-63.

9. REFERENCES

- Slater RM, Spedding DJ. 1981. Transport of dieldrin between air and water. *Environ Contam Toxicol* 10:25-33.
- Smith EM, Hammond-Ehlers M, Clark MK, et al. 1997. Occupational exposures and risk of female infertility. *J Occup Environ Med* 39:138-147.
- *Smith RM, Cunningham WL Jr, Van Gelder, GA. 1976. Dieldrin toxicity and successive discrimination reversal in squirrel monkeys, *Saimiri sciureus*. *J Toxicol Environ Health* 1:737-747.
- Snedeker SM. 2001. Pesticides and breast cancer risk: A review of DDT, DDE, and dieldrin. *Environ Health Perspect Suppl* 109(Suppl. 1):35-47.
- Sonawane BR. 1995. Chemical contaminants in human milk: An overview. *Environ Health Perspect* 103(Suppl. 6):197-205.
- Sonnenschein C, Soto AM. 1998. An updated review of environmental estrogen and androgen mimics and antagonists. *J Steroid Biochem Mol Biol* 65(1-6):143-150.
- *Soto AM, Chung KL, Sonnenschein C. 1994. The pesticides endosulfan, toxaphene, and dieldrin have estrogenic effects on human estrogen-sensitive cells. *Environ Health Perspect* 102(4):380-383.
- *Soto AM, Sonnenschein C, Chung KL, et al. 1995. The E-SCREEN assay as a tool to identify estrogens: An update on estrogenic environmental pollutants. *Environ Health Perspect* 103(Suppl. 7):113-122.
- Soto AR, Deichmann WB. 1967. Major metabolism and acute toxicity of aldrin, dieldrin, and endrin. *Environ Res* 1:307-322.
- *Spalding RF, Junk CA, Richard JR. 1980. Water: Pesticides in groundwater beneath irrigated farmland in Nebraska, August 1978. *Pestic Monit J* 14:70-73.
- *Spiotta EJ. 1951. Aldrin poisoning in man. *Arch Ind Hyg Occup Med* 4:560-566.
- Spooner J, Wyatt L, Berryhill WS, et al. 1989. Fate and effects of pollutants: Nonpoint sources. *J Water Pollut Control Fed* 64:911-924.
- Squires RF, Saederup E. 1989. Polychlorinated convulsant insecticides potentiate the protective effect of NaCl against heat inactivation of [3H]flunitrazepam binding sites. *J Neurochem* 52:537-543.
- *Stacey CI, Tatum T. 1985. House treatment with organochlorine pesticides and their level in human milk--Perth, Western Australia. *Bull Environ Contam Toxicol* 35:202-208.
- Stachel B, Dougherty RC, Lahl U, et al. 1989. Toxic environmental chemicals in human semen: Analytical method and case studies. *Andrologia* 21:282-291.
- *Staples CA, Werner AF, Hoogheem T. 1985. Assessment of priority pollutant concentrations in the United States using STORET database. *Environ Toxicol Chem* 4:131-142.
- Starr HG Jr, Aldrich FD, McDougall WD, et al. 1974. Contribution of household dust to the human exposure to pesticides. *Pestic Monit J* 8:209-212.

9. REFERENCES

- Stedeford T, Cardozo-Pelaez F, Nemeth N, et al. 2000. Comparison of base-excision repair capacity in proliferating and differentiated PC12 cells following acute challenge with dieldrin. *Abstr Soc Neurosci* 26(1-2):265.
- *Stehr-Green PA. 1989. Demographic and seasonal influences on human serum pesticide residue levels. *J Toxicol Environ Health* 27:405-421.
- Steichen J, Koelliker J, Grosh D, et al. 1988. Contamination of farmstead wells by pesticides, volatile organics, and inorganic chemicals in Kansas. *Ground Water Monitoring Review* 8:153-160.
- Stein WJ, Hayes WJ. 1964. Health survey of pest control operators. *Ind Med Surg* 33:549-555.
- Steinberg KK, Garza A, Bueso JA, et al. 1989. *Bull Environ Contam Toxicol* 42:643-650.
- Stevens JT, Gfeller W, Machermer L, et al. 1998. Adequacy of requires regulatory hazard testing for the detection of potential hormonal activity of crop protection chemicals. *J Toxicol Environ Health B1*:59-79.
- *Stevens RJJ, Neilson MA. 1989. Inter- and intralake distributions of trace organic contaminants in surface waters of the Great Lakes. *J Great Lakes Res* 15:377-393.
- *Stevenson DE, Kehrer JP, Kolaja KL, et al. 1995a. Effect of dietary antioxidants on dieldrin-induced hepatotoxicity in mice. *Toxicol Lett* 75:177-183.
- Stevenson DE, Thorpe E, Hunt PF, et al. 1976. The toxic effects of dieldrin in rats: Re-evaluation of data obtained in a two-year feeding study. *Toxicol Appl Pharmacol* 36:247-254.
- Stevenson DE, Walborg EF, Klauning JE. 1995b. The species specificity of dieldrin- or phenobarbital-induced hepatocarcinogenesis: Case studies with implications for human health risk assessment. In: McClain RM, ed. *Growth factors and tumor promotion: Implications for risk assessment: Proceedings of the seventh International Conference of Carcinogenesis and Risk Assessment held in Austin, Texas, on December 1-4, 1993*. New York: Wiley-Liss, 337-345.
- *Stevenson DE, Walborg EF, North DW, et al. 1999. Monograph: Reassessment of human cancer risk of aldrin/dieldrin. *Toxicol Lett* 109:123-186.
- *Strachan WMJ. 1988. Toxic contaminants in rainfall in Canada, 1984. *Environ Toxicol Chem* 7:871-877.
- *Strandberg B, Bandh C, Van Bavel B, et al. 2000. Organochlorine compounds in the Gulf of Bothnia: Sediment and benthic species. *Chemosphere* 40:1205-1211.
- *Strassman SC, Kutz FW. 1977. Insecticide residues in human milk from Arkansas and Mississippi, 1973-74. *Pestic Monit J* 10:130-133.
- Street JC. 1969. Methods of removal of pesticide residues. *Can Med Assoc J* 100:154-160.
- *Street JC, Chadwick RW. 1967. Stimulation of dieldrin metabolism by DDT. *Toxicol Appl Pharmacol* 11:68-71.

9. REFERENCES

- *Stubin AI, Brosnan TM, Porter KD, et al. 1996. Organic priority pollutants in New York City municipal wastewaters: 1989-1993. *Water Environ Res* 68:1037-1044.
- Sturgeon SR, Brock JW, Potischman N, et al. 1998. Serum concentrations of organochlorine compounds and endometrial cancer risk (United States). *Cancer Causes Control* 9:417-424.
- Stutz DR, Janusz SJ. 1988. Hazardous materials injuries. 2nd ed. Beltsville, MD: Bradford Communications Corporation, 304-305.
- *Sundaram KS, Damodaran VN, Venkitasubramanian TA. 1978a. Absorption of dieldrin through monkey & dog skin. *Indian J Exp Biol* 16:101-103.
- *Sundaram KS, Damodaran VN, Venkitasubramanian TA. 1978b. Absorption of dieldrin through skin. *Indian J Exp Biol* 16:1004-1007.
- Suntio LR, Shiu WY, Mackay D, et al. 1988. Critical review of Henry's Law constants for pesticides. *Rev Environ Contam Toxicol* 103:1-59.
- *Suskind RR. 1959. The cutaneous appraisal of several fabrics treated with dieldrin. The Kettering Laboratory in the Department of Preventive Medicine and Industrial Health, College of Medicine, University of Cincinnati. Cincinnati, OH.
- Suter S, Trosko JE, el-Fouly MH, et al. 1987. Dieldrin inhibition of gap junctional intercellular communication in rat glial cells as measured by the fluorescence photobleaching and scrape loading/dye transfer assays. *Fundam Appl Toxicol* 9:785-794.
- *Suzuki M, Yamato Y, Watanabe T. 1974. Photodieldrin residues in field soils. *Bull Environ Contam Toxicol* 12(3):275-279.
- Suzuki M, Yamato Y, Watanabe T. 1975. Persistence of BHC (1,2,3,4,5,6-hexachlorocyclohexane) and dieldrin residues in field soils. *Bull Environ Contam Toxicol* 14:520-529.
- *Swann RL, Laskowski DA, McCall PJ, et al. 1983. A rapid method for the estimation of the environmental parameters octanol/water partition coefficient, soil sorption constant, water to air ratio, and water solubility. *Res Rev* 85:17-28.
- *Syverson U, Waldrum HL, Slordahl KW, et al. 2000. Synergistic effect of the pesticides toxaphene and dieldrin on bone mineral density in rats. *J Bone Miner Res* 15(Suppl. 1):SU498.
- *Szeto SY, Price PM. 1991. Persistence of pesticide residues in mineral and organic soils in the Fraser Valley of British Columbia. *J Agric Food Chem* 39:1679-1684
- Takahashi M, Hasegawa T, Furukawa F, et al. 1991. Enhanced lipid peroxidation in rat gastric mucosa caused by NaCl. *Carcinogenesis* 12:2201-2204.
- *Takei GH, Kanahikaua SM, Leong GH. 1983. Analysis of human milk samples collected in Hawaii for residues of organochlorine pesticides and polychlorobiphenyls. *Bull Environ Contam Toxicol* 30:606-613.
- Tanaka R, Fujisawa S, Nakai K, et al. 1980. Distribution and biliary excretion of carbaryl, dieldrin and paraquat in rats: Effect on diets. *J Toxicol Sci.* 5:151-162.

9. REFERENCES

- Tanaka R, Fujisawa S, Nakai K. 1981. Study on the absorption and protein binding of carbaryl, dieldrin and paraquat in rats on protein diet. *J Toxicol Sci* 6:1-11.
- Tennant RW. 1993. A perspective on nonmutagenic mechanisms in carcinogenesis. *Environ Health Perspect Suppl* 101(Suppl. 3):231-236.
- Tennekes H, van Ravenswaay B, Kunz HW. 1985. Quantitative aspects of enhanced liver tumor formation in CF-1 mice by dieldrin. *Carcinogenesis* 6:1457-1462.
- *Tennekes HA, Edler L, Kunz HW. 1982. Dose-response analysis of the enhancement of liver tumor formation in CF-1 mice by dieldrin. *Carcinogenesis* 3:941-945.
- *Tennekes HA, Wright AS, Dix KM, et al. 1981. Effects of dieldrin, diet, and bedding on enzyme function and tumor incidence in livers of male CF-1 mice. *Cancer Res* 41:3615-3620.
- Terrones MC, Llamas J, Jaramillo F, et al. 2000. [DDT and related pesticides in maternal milk and other tissues of healthy women at term pregnancy]. *Ginecol Obstet Mex* 68:97-104. (Spanish).
- Thier H-P, Stijve T. 1986. Ergebnisse eines ringversuches zur rückstandsanalyse von organochlor- und organophosphor-pestiziden in fett. *Lebensmittelchem Gerichtl Chem* 40:73-75.
- Thomann RV. 1989. Bioaccumulation model of organic chemical distribution in aquatic food chains. *Environ Sci Technol* 23:699-707.
- *Thomas RG. 1990. Volatilization from water. In: Lyman WJ, Reehl WF, Rosenblatt DH, eds. *Handbook of chemical property estimation methods. Environmental behavior of organic compounds.* New York, NY: McGraw-Hill, 15-34.
- Thomas JM, Skalski JR, Cline JF, et al. 1986. Characterization of chemical waste site contamination and determination of its extent using bioassays. *Environ Toxicol Chem* 5:487-501.
- Thongsinthusak T, Ross JH, Saiz SG, et al. 1999. Estimation of dermal absorption using the exponential saturation model. *Regul Toxicol Pharmacol* 29:37-43.
- *Thorpe E, Walker AIT. 1973. The toxicity of dieldrin (HEOD). II. Comparative long-term oral toxicology studies in mice with dieldrin, DDT, phenobarbitone, β -BHC and γ -BHC. *Food Cosmet Toxicol* 11:433-441.
- Togna G, Gallozzi S, Caprino L. 1989. Influence of strontium chloride on blood platelet function. *Arch Toxicol Suppl* 13:366-369.
- *Tomlin CDS, ed. 1997. *The pesticide manual.* 11th ed. Farnham, Surrey: British Crop Protection Council. 1283,1310.
- Topp E, Scheunert I, Attar A, et al. 1986. Factors affecting the uptake of C¹⁴-labeled organic chemicals by plants from soil. *Ecotoxicol Environ Safety* 11:219-228.
- *Travis CC, Arms AD. 1988. Bioconcentrations of organics in beef, milk, and vegetation. *Environ Sci Technol* 22:271-274.

9. REFERENCES

Trela BA, Carlson GP, Chadwick RW, et al. 1986. A comparison of in vitro and in vivo methods for evaluating alterations in hepatic drug metabolism following mercuric chloride administration. *Toxicol Lett* 32:133-140.

Treon JF, Borgmann AR. 1952. The effects of the complete withdrawal of food from rats previously fed diets containing aldrin and dieldrin. Cincinnati, OH. The Kettering Laboratory in the Department of Preventive Medicine and Industrial Health, College of Medicine, University of Cincinnati.

*Treon JF, Cleveland FP. 1955. Toxicity of certain chlorinated hydrogen insecticides for laboratory animals, with special reference to aldrin and dieldrin. *Agric Food Chem* 3:402-408.

*Treon JF, Boyd J, Berryman G, et al. 1954a. Final report on the effects on the reproductive capacity of three generations of rats being fed on a diets containing aldrin, dieldrin or DDT. Cincinnati, OH. The Kettering Laboratory in the Department of Preventive Medicine and Industrial Health, College of Medicine, University of Cincinnati.

Treon JF, Boyd J, Reichmann R. 1957a. The immediate toxicity of formulations of aldrin and dieldrin when maintained in contact with the skin of rabbits. Cincinnati, OH. The Kettering Laboratory in the Department of Preventive Medicine and Industrial Health, College of Medicine, University of Cincinnati.

Treon JF, Cappel J, Atchley R. 1956. The effect upon transaminase activity of the peripheral blood of dogs following the oral administration of carbon tetrachloride, aldrin or dieldrin. Cincinnati, OH. The Kettering Laboratory in the Department of Preventive Medicine and Industrial Health, College of Medicine, University of Cincinnati.

Treon JF, Cleveland FP, Cappel J. 1955a. The toxicity of hexachlorocyclopentadiene. *Arch Ind Health* 11:459-472.

*Treon JF, Cleveland FP, Shaffer FE et al. 1953b. The toxicity of aldrin, dieldrin, and DDT when fed to rats over the period of twenty-seven weeks. Cincinnati, OH. The Kettering Laboratory in the Department of Preventive Medicine and Industrial Health, College of Medicine, University of Cincinnati.

*Treon JF, Cleveland FP, Stemmer KL, et al. 1954b. The physiological effects of feeding rats on diets containing aldrin, dieldrin or DDT in various concentrations over the period of two years. Cincinnati, OH. The Kettering Laboratory in the Department of Preventive Medicine and Industrial Health, College of Medicine, University of Cincinnati.

*Treon JF, Cleveland FP, Stemmer KL, et al. 1955b. The toxicity of aldrin when fed to suckling dogs, and the toxicity of aldrin, dieldrin, DDT and lindane when incorporated in the diets of older dogs over a period of more than fifteen months. Cincinnati, OH. The Kettering Laboratory in the Department of Preventive Medicine and Industrial Health, College of Medicine, University of Cincinnati.

*Treon JF, Dutra FR, Shaffer KL, et al. 1951a. The toxicity of aldrin, dieldrin, and DDT when fed to rats over the period of six months. Cincinnati, OH. The Kettering Laboratory in the Department of Preventive Medicine and Industrial Health, College of Medicine, University of Cincinnati.

*Treon JF, Dutra FR, Shaffer KL, et al. 1951b. The toxicity of aldrin and dieldrin when fed to dogs for variable periods. Cincinnati, OH. The Kettering Laboratory in the Department of Preventive Medicine and Industrial Health, College of Medicine, University of Cincinnati.

9. REFERENCES

- *Treon JF, Gahegen T, Coomer J. 1952. The immediate toxicity of aldrin, dieldrin and compound 49-RL-5, a possible contaminant of impure aldrin. Cincinnati, OH. The Kettering Laboratory in the Department of Preventive Medicine and Industrial Health, College of Medicine, University of Cincinnati.
- *Treon JF, Hartman L, Gahegen T, et al. 1953a. The immediate and cumulative toxicity of aldrin, dieldrin and DDT when maintained in contact with the skin of rabbits. Cincinnati, OH. The Kettering Laboratory in the Department of Preventive Medicine and Industrial Health, College of Medicine, University of Cincinnati.
- *Treon JF, Larson EE, Cappel J. 1957b. The toxic effects sustained by animals subjected to the inhalation of air containing products of the sublimation of technical aldrin at various temperatures. Cincinnati, OH. The Kettering Laboratory in the Department of Preventive Medicine and Industrial Health, College of Medicine, University of Cincinnati.
- TRI 88. 1990. Toxic Chemical Release Inventory. National Library of Medicine, National Toxicology Information Program, Bethesda, MD.
- *TRI 97. 1999. Toxic Chemical Release Inventory. National Library of Medicine, National Toxicology Information Program, Bethesda, MD.
- *TRI 99. 2001. Toxic Chemical Release Inventory. National Library of Medicine, National Toxicology Information Program, Bethesda, MD.
- *Trosko YE, Jone C, Chang CC. 1987. Inhibition of gap junctional-mediated intercellular communication in vitro by aldrin, dieldrin and toxaphene: A possible cellular mechanism for their tumor promoting and neurotoxic effects. *Mol Toxicol* 1:83-93.
- *Trotter WJ, Dickerson R. 1993. Pesticide residues in composited milk collected through the U.S. pasteurized milk network. *J AOAC Int* 76(6):1220-1225.
- *Trotter WJ, Corneliusen PE, Laski RR, et al. 1989. Levels of polychlorinated biphenyls and pesticides in bluefish before and after cooking. *J Assoc Off Anal Chem* 72:501-503.
- Tu CM. 1988. Effects of selected pesticides on activities of invertase, amylase and microbial respiration in sandy soil. *Chemosphere* 17:159-163.
- Tucker RK, Haegle MA. 1971. Comparative acute oral toxicity of pesticides to six species of birds. *Toxicol Appl Pharmacol* 20:57-65.
- *Tully DB, Cox VT, Mumtaz MM, et al. 2000. Six high-priority organochlorine pesticides, either singly or in combination, are nonestrogenic in transfected HeLa cells. *Reprod Toxicol* 14:95-102.
- USDA. 1999. Accreditation of chemistry laboratories. United States Department of Agriculture. Code of Federal Regulations. 9 CFR 381.153.
- *USDA. 2000. Germination standards for vegetable seeds in interstate commerce. United States Department of Agriculture. Code of Federal Regulations. 7 CFR 201.31.
- *USDA. 2001. Labeling treated seed. United States Department of Agriculture. Code of Federal Regulations. 7 CFR 201.31a©(2). <http://frwebgate.access.gpo.gov/cgi-bin/...PART=201&SECTION=31a&YEAR=2001&TYPE=TEXT>.

9. REFERENCES

- *USGS. 1985. Pesticides in the nations rivers, 1975-1980, and implications for future monitoring. U.S. Geological Survey Water Supply Paper 2271.
- *Uversky VN, Li J, Fink AL. 2001. Pesticides directly accelerate the rate of α -synuclein fibril formation: A possible factor in Parkinson's disease. FEBS Lett 500:105-108.
- Uzoukwu M, Sleight SD. 1972. Dieldrin toxicosis: Fetotoxicosis, tissue concentrations, and microscopic ultrastructural changes in guinea pigs. Am J Vet Res 33:579-583.
- *Van Gelder GA. 1975. Behavioral toxicologic studies of dieldrin, DDT, and ruelene in sheep. In: Weiss B, Laties VG, eds. Behavioral toxicology. New York, NY: Plenum Press, 217-239.
- Van Gelder GA, Sandler BE, Buck B, et al. 1969a. Behavioral and electrophysiological effects of dieldrin in sheep. Ind Med 38:64-67.
- Van Gelder GA, Sandler BE, Buck B, et al. 1969b. Convulsive seizures in dieldrin exposed sheep during photic stimulation. Psychological Reports 24:502.
- *Van Oostdam J, Gilman A, Dewailly E, et al. 1999. Human health implications of environmental contaminants in Arctic Canada: a review. Sci Total Environ 230:1-82.
- *van Raalte HGS. 1977. Human experience with dieldrin in perspective. Ecotoxicol Environ Safety 1:203-210.
- *van Ravenzwaay B, Kunz W. 1988. Quantitative aspects of accelerated nuclear polyploidization and tumour formation in dieldrin treated CF-1 mouse liver. Br J Cancer 58:52-56.
- van Ravenzwaay B, Tennekes H, Stohr M, et al. 1987. The kinetics of nuclear polyploidization and tumor formation in livers of CF-1 mice exposed to dieldrin. Carcinogenesis 8:265-269.
- van Ravenzwaay B, Toussaint HJ, Schmitt RL. 1988. Dieldrin-induced changes in isoenzyme composition in the livers of CF-1 mice. Int J Cancer 15:305-308.
- van Sittert NJ. 1989. Individual exposure monitoring from plasma metabolite determination. Arch Toxicol Suppl 91-100.
- *van Sittert NJ, de Jong G. 1987. Evaluation of liver function with biochemical tests of operators engaged in aldrin and dieldrin manufacturing. Shell Oil Company.
- van Sittert NJ, Tordoir WF. 1987. Aldrin and dieldrin. Biological indicators for the assessment of human exposure to industrial chemicals. Alessio L, Berlin A, Boui M, et al., eds. Commission of European Communities, 8-21.
- *Van Wijnen JH, Strijkel A. 1988. Health risk assessment of residents living on harbour sludge. Int Arch Occup Environ health 61:77-87.
- Venkataramani ES, Ahlert RC, Corbo P. 1984. Biological treatment of landfill leachates. CRC Crit Rev Environ Control 14:333-376.
- Verdenhalven J. 1988. Determination of polychlorocycloalkane and cyclodiene insecticides by receptor binding. Germany, Offen 3717063, issued 8 Dec 1988.

9. REFERENCES

- Verschueren K. 1983. Handbook of environmental data on organic chemicals, 2nd ed. New York, NY: Van Nostrand Reinhold Company, 168-173, 513-518.
- *Verschueren, K. 1996. Handbook of environmental data on organic chemicals. 3rd ed. New York, NY: Van Nostrand Reinhold Co., 149-753.
- *Verschueren, K. 2001. Handbook of environmental data on organic chemicals. 4th ed. New York, NY: John Wiley and Sons, Inc.
- *Versteeg JPJ, Jager KW. 1973. Long-term occupational exposure to the insecticides aldrin, dieldrin, endrin, and telodrin. *Br J Ind Med* 30:201-202.
- *Vieira I, Sonnier M, Cresteil T. 1996. Developmental expression of *CYP2E1* in the human liver: Hypermethylation control of gene expression during the neonatal period. *Eur J Biochem* 238:476-483.
- *Virgo BB, Bellward GD. 1975. Effects of dietary dieldrin on reproduction in the Swiss-Vancouver (SWV) mouse. *Environ Physiol Biochem* 5:440-450.
- *Virgo BB, Bellward GD. 1977. Effects of dietary dieldrin on offspring viability, maternal behavior, and milk production in the mouse. *Res Commun Chem Pathol Pharmacol* 17:399-409.
- Voccia I, Blakley B, Brousseau P, et al. 1999. Immunotoxicity of pesticides: a review. *Toxicol Ind Health* 15:119-132.
- Voerman S, Besemer AFH. 1970. Residue of dieldrin, lindane, DDT, and parathion in a light sandy soil after repeated application throughout a period of 15 years. *J Agric Food Chem* 18:717-719.
- *Voerman S, Besemer AFH. 1975. Persistence of dieldrin, lindane, and DDT in a light sandy soil and their uptake by grass. *Bull Environ Contam Toxicol* 13:501-505.
- *Vonier PM, Crain DA, McLachlan JA, et al. 1996. Interaction of environmental chemicals with the estrogen and progesterone receptors from the oviduct of the American alligator. *Environ Health Perspect* 104(12):1318-1322.
- WAC. 1988. Control of hazardous pollutants. Wisconsin Administrative Code, Chapter NR 445. Department of Natural Resources.
- *WA Department of Ecology. 1998. Controls for new sources of toxic air pollutants. Air quality regulations. Washington Department of Ecology. [wysiwyg://240/http://www.wa.gov/ecology/](http://www.wa.gov/ecology/).
- *Wade MG, Desaylniers D, Leingartner K, et al. 1997. Interactions between endosulfan and dieldrin on estrogen-mediated processed in vitro and in vivo. *Reprod Toxicol* 11(6):791-798.
- *Wade MH, Trosko JE, Schindler M. 1986. A fluorescence photobleaching assay of gap junction-mediated communication between human cells. *Science* 232:525-528.
- *Wagner SR, Greene FE. 1978. Dieldrin-induced alterations in biogenic amine content of rat brain. *Toxicol Appl Pharmacol* 43:45-55.
- *Wakeling AE, Schmidt TJ, Visek WJ. 1973. Effects of dieldrin on 5 α -dihydrotestosterone binding in the cytosol and nucleus of the rat ventral prostate. *Toxicol Appl Pharmacol* 25:267-275.

9. REFERENCES

- *Walker AIT, Stevenson DE, Robinson J, et al. 1969. The toxicology and pharmacodynamics of dieldrin (HEOD): Two-year oral exposures of rats and dogs. *Toxicol Appl Pharmacol* 15:345-373.
- *Walker AIT, Thorpe E, Stevenson DE. 1972. The toxicology of dieldrin (HEOD). I. Long-term oral toxicity studies in mice. *Food Cosmet Toxicol* 11:415-432.
- *Wallace BG, Sherren AJ. 1986. Measurement of aldrin by gas chromatography with sorbent-filled trapping tube. *J AOAC* 69(1):93-97.
- *Wallace JC, Brzuzy LP, Simonich SL, et al. 1996. Case study of organochlorine pesticides in the indoor air of a home. *Environ Sci Technol* 30:2715-2718.
- Walsh CT, Neville MC. 1994. Effects of xenobiotics on milk secretion and composition. *J Nutr Biochem* 5:418-441.
- *Walton MS, Bastone VB, Barone RL. 1971. Subchronic toxicity of photodieldrin, photodecomposition product of dieldrin. *Toxicol Appl Pharmacol* 20:82-88.
- Wang HH, Grufferman S. 1981. Aplastic anemia and occupational pesticide exposure: A case-control study. *J Occup Med* 23:364-368.
- Wang HH, MacMahon B. 1979. Mortality of pesticide applicators. *J Occup Med* 21:741-744.
- Ward CH, Tomson MB, Bedient PH, et al. 1986. Transport and fate processes in the subsurface. In: Loehr RC, Malina JF Jr, eds. *Land treatment: A hazardous waste management alternative*; sponsored by the U.S. Environmental Protection Agency and the University of Texas at Austin. Water resources symposium series, vol. 13:19-39.
- Warner A. 1988. The gap junction. *J Cell Sci* 89:1-7.
- *Warnick SL, Carter JE. 1972. Some findings in a study of workers occupationally exposed to pesticides. *Arch Environ Health* 25:265-270.
- Wassermann M, Wassermann D, Kedar E, et al. 1972. Effects of dieldrin and gamma BHC on serum proteins and PBI. *Bull Environ Contam Toxicol* 8:177-185.
- Watanabe I. 1973. Decomposition of pesticides by soil microorganisms. Special emphasis on flooded soil condition. *Japan Agricultural Research Quarterly* 7:15-18.
- *Weaver L, Gunnerson CG, Briedenbach AW, et al. 1965. Chlorinated hydrocarbon pesticides in major U.S. river basins. *Public Health Rep* 80:481-493.
- Weber JB, Miller CT. 1989. Organic chemical movement over and through soil. In: *Reactions and movement of organic chemicals in soils*. Soil Science Society of America Special Publication No. 22, 305-333.
- *Wedemeyer G. 1968. Partial hydrolysis of dieldrin by aerobacter aerogenes. *Appl Microbiol* 16:661-662.

9. REFERENCES

- *Weisbrod AV, Shea D, Moore MJ, et al. 2000. Organochlorine exposure and bioaccumulation in the endangered northwest Atlantic right whale (*Eubalaena glacialis*) population. *Environ Toxicol Chem* 19(3):654-666.
- Weisgerber I, Kohli J, Kaul R, et al. 1974. Fate of Aldrin-¹⁴C in maize, wheat, and soils under outdoor conditions. *J Agric Food Chem* 22:609-612.
- *Weiss G, ed. 1986. Hazardous chemicals data book. 2nd ed. Park Ridge, NJ: Noyes Data Corporation. 58, 373.
- *West JR, Smith HW, Chasis H. 1948. Glomerular filtration rate, effective renal blood flow, and maximal tubular excretory capacity in infancy. *J Pediatr* 32:10-18.
- WHO. 1975. 1974 evaluations of some pesticide residues in food: The monographs. WHO Pesticide Residues Series, No. 4. Geneva, Switzerland: World Health Organization, 537-542.
- WHO. 1989. International Programme on Chemical Safety. Environmental Health Criteria 91: Aldrin and Dieldrin. Geneva, Switzerland: World Health Organization.
<http://www.inchem.org/documents/ehc/ehc/ehc91.htm>.
- *WI Department of Natural Resources. 1997. Aldrin, dieldrin. Air pollution control. Control of hazardous pollutants. Wisconsin Department of Natural Resources.
<http://www.legis.state.wi.us/rsb/code/nr/nr400.html>.
- *Widdowson EM, Dickerson JWT. 1964. Chemical composition of the body. In: Comar CL, Bronner F, eds. Mineral metabolism: An advanced treatise. Volume II: The elements Part A. New York: Academic Press.
- Wiemeyer SN, Scott JM, Anderson MP, et al. 1988. Environmental contaminants in California condors. *J Wildl Manag* 52:238-247.
- Wild SR, Jones KC. 1989. The effect of sludge treatment on the organic contamination content of sewage sludges. *Chemosphere* 19:1765-1778.
- *Williams DT, LeBel GL, Junkins E. 1988. Organohalogen residues in human adipose autopsy samples from six Ontario municipalities. *J AOAC* 71:410-414.
- Williams GM. 1997. Chemicals with carcinogenic activity in the rodent liver; Mechanistic evaluation of human risk. *Cancer Lett* 117:175-188.
- Willis GH, McDowell LL. 1982. Pesticides in agricultural runoff and their effects on downstream water quality. *Environ Toxicol Chem* 1:267-279.
- *Willis GH, McDowell LL. 1987. Pesticide persistence on foliage. *Rev Environ Contam Toxicol* 100:23-73.
- *Willis GH, Parr JF, Smith S, et al. 1972. Volatilization of dieldrin from fallow soil as affected by different soil water regimes. *J Environ Qual* 1:193-196.
- Windholz M, ed. 1983. The Merck Index. 10th ed. Rahway, NJ: Merck & Co., Inc. Monogr 220 and 3084.

9. REFERENCES

*Winger PV, Schultz DP, Johnson WW. 1990. Environmental contaminant concentrations in Biota from the lower Savannah River, Georgia and South Carolina. *Arch Environ Contam Toxicol* 19:101-117.

Winteringham FPW, Barnes JM. 1955. Comparative response of insects and mammals to certain halogenated hydro carbons used as insecticides. *Physiol Rev* 35:701-739.

*Witherup S, Stemmer KL, Roberts JL, et al. 1961. Prolonged cutaneous contact of wool impregnated with dieldrin. Cincinnati, OH. The Kettering Laboratory in the Department of Preventive Medicine and Industrial Health, College of Medicine, University of Cincinnati.

Wnuk M, Kelly R, Breuer G, et al. 1988. Pesticides in water supplies using surface water sources. PB88-136916.

Wolfe HR, Durham WF, Armstrong JF. 1963. Health hazards of the pesticides endrin and dieldrin. *Arch Environ Health* 6:458-464.

*Wolff IT22, Deml E, Wanders H. 1979. Aldrin epoxidation, an highly sensitive indicator specific for cytochrome P-450-dependent monooxygenase activities. *Drug Metab Dispos* 7:301-305.

*Wong DT, Terriere LC. 1965. Epoxidation of aldrin, isodrin and heptachlor by rat liver microsomes. *Biochem Pharmacol* 14:375-377.

Woodrow JE, Crosby DG, Seiber JN. 1983. Vapor-phase photochemistry of pesticides. *Residue Rev* 85:111-125.

*Woolley D, Zimmer L, Dodge D, et al. 1985. Effects of lindane-type insecticides in mammals: Unsolved problems. *Neurotoxicology* 6:165-192.

*Worthing CR, Walker SB, eds. 1983. *The pesticide manual: A world compendium*, 7th ed. Suffolk, Great Britain: The Lavenham Press Limited, 6, 191.

Wright AS, Akintonwa DAA, Woodner MF. 1977. Studies on the interaction of dieldrin with mammalian liver cells at the subcellular level. *Ecotoxicol Environ Safety* 1:7-16.

*Wright AS, Donninger C, Greenland RD, et al. 1978. The effects of prolonged ingestion of dieldrin on the livers of male rhesus monkeys. *Ecotoxicol Environ Safety* 1:477-502.

*Wright AS, Potter D, Wooder MF, et al. 1972. The effects of dieldrin on the subcellular structure and function of mammalian liver cells. *Food Cosmet Toxicol* 10:311-332.

*Zabik ME, Booren A, Zabik MJ, et al. 1996. Pesticide residues, PCBs and PAHs in baked, charbroiled, salt boiled and smoked Great Lakes lake trout. *Food Chem* 55(3):231-239.

Zahm SH, Ward MH. 1998. Pesticides and childhood cancer. *Environ Health Perspect* 106(Suppl 3):893-908.

Zanoni AE. 1987. Characteristics and treatability of urban runoff residuals. *Water Res* 20:651-660.

Zepp RG, Schlotzhauer PF. 1983. Influence of algae of photolysis rates of chemicals in water. *Environ Sci Technol* 17:462-4683

9. REFERENCES

- *Zhong-Xiang L, Kavanagh T, Trosko JE, et al. 1986. Inhibition of gap junctional intercellular communication in human teratocarcinoma cells by organochlorine pesticides. *Toxicol Appl Pharmacol* 83:10-19.
- *Ziegler EE, Edwards BB, Jensen RL, et al. 1978. Absorption and retention of lead by infants. *Pediatr Res* 12:29-34.

