

$\Delta(\sim 3000 \text{ Region})$ Partial-Wave Analyses

OMITTED FROM SUMMARY TABLE

We list here miscellaneous high-mass candidates for isospin-3/2 resonances found in partial-wave analyses.

Our 1982 edition also had a $\Delta(2850)$ and a $\Delta(3230)$. The evidence for them was deduced from total cross-section and 180° elastic cross-section measurements. The $\Delta(2850)$ has been resolved into the $\Delta(2750) I_{3,13}$ and $\Delta(2950) K_{3,15}$. The $\Delta(3230)$ is perhaps related to the $K_{3,13}$ of HENDRY 78 and to the $L_{3,17}$ of KOCH 80.

$\Delta(\sim 3000)$ BREIT-WIGNER MASS

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
≈ 3000 OUR ESTIMATE			
3300	¹ KOCH	80	IPWA $\pi N \rightarrow \pi N$ $L_{3,17}$ wave
3500	¹ KOCH	80	IPWA $\pi N \rightarrow \pi N$ $M_{3,19}$ wave
2850 ± 150	HENDRY	78	MPWA $\pi N \rightarrow \pi N$ $I_{3,11}$ wave
3200 ± 200	HENDRY	78	MPWA $\pi N \rightarrow \pi N$ $K_{3,13}$ wave
3300 ± 200	HENDRY	78	MPWA $\pi N \rightarrow \pi N$ $L_{3,17}$ wave
3700 ± 200	HENDRY	78	MPWA $\pi N \rightarrow \pi N$ $M_{3,19}$ wave
4100 ± 300	HENDRY	78	MPWA $\pi N \rightarrow \pi N$ $N_{3,21}$ wave

$\Delta(\sim 3000)$ BREIT-WIGNER WIDTH

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
700 ± 200	HENDRY	78	MPWA $\pi N \rightarrow \pi N$ $I_{3,11}$ wave
1000 ± 300	HENDRY	78	MPWA $\pi N \rightarrow \pi N$ $K_{3,13}$ wave
1100 ± 300	HENDRY	78	MPWA $\pi N \rightarrow \pi N$ $L_{3,17}$ wave
1300 ± 400	HENDRY	78	MPWA $\pi N \rightarrow \pi N$ $M_{3,19}$ wave
1600 ± 500	HENDRY	78	MPWA $\pi N \rightarrow \pi N$ $N_{3,21}$ wave

$\Delta(\sim 3000)$ DECAY MODES

Mode
$\Gamma_1 \quad N\pi$

$\Delta(\sim 3000)$ BRANCHING RATIOS

$\Gamma(N\pi)/\Gamma_{\text{total}}$	<i>DOCUMENT ID</i>	<i>TECN</i>	<i>COMMENT</i>	Γ_1/Γ
<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	<u>Γ_1/Γ</u>
0.06 \pm 0.02	HENDRY	78	MPWA $\pi N \rightarrow \pi N$ $I_{3,11}$ wave	
0.045 \pm 0.02	HENDRY	78	MPWA $\pi N \rightarrow \pi N$ $K_{3,13}$ wave	
0.03 \pm 0.01	HENDRY	78	MPWA $\pi N \rightarrow \pi N$ $L_{3,17}$ wave	
0.025 \pm 0.01	HENDRY	78	MPWA $\pi N \rightarrow \pi N$ $M_{3,19}$ wave	
0.018 \pm 0.01	HENDRY	78	MPWA $\pi N \rightarrow \pi N$ $N_{3,21}$ wave	

$\Delta(\sim 3000)$ FOOTNOTES

¹ In addition, KOCH 80 reports some evidence for an S_{31} $\Delta(2700)$ and a P_{33} $\Delta(2800)$.

$\Delta(\sim 3000)$ REFERENCES

KOCH	80	Toronto Conf. 3	R. Koch	
HENDRY	78	PRL 41 222	A.W. Hendry	(KARLT) IJP
Also		ANP 136 1	A.W. Hendry	(IND, LBL) IJP
				(IND)