

$$J^G(J^{PC}) = 0^-(1^{--})$$

J/ψ(1S) MASS

VALUE (MeV)	EVTs	DOCUMENT ID	TECN	COMMENT
3096.916 ± 0.011 OUR AVERAGE				
3096.917 ± 0.010 ± 0.007		AULCHENKO 03	KEDR	$e^+e^- \rightarrow \text{hadrons}$
3096.89 ± 0.09	502	¹ ARTAMONOV 00	OLYA	$e^+e^- \rightarrow \text{hadrons}$
3096.91 ± 0.03 ± 0.01		² ARMSTRONG 93B	E760	$\bar{p}p \rightarrow e^+e^-$
3096.95 ± 0.1 ± 0.3	193	BAGLIN 87	SPEC	$\bar{p}p \rightarrow e^+e^-X$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
3097.5 ± 0.3		GRIBUSHIN 96	FMPS	515 $\pi^- \text{Be} \rightarrow 2\mu X$
3098.4 ± 2.0	38k	LEMOIGNE 82	GOLI	185 $\pi^- \text{Be} \rightarrow \gamma\mu^+\mu^-A$
3096.93 ± 0.09	502	³ ZHOLENTZ 80	REDE	e^+e^-
3097.0 ± 1		⁴ BRANDELIK 79C	DASP	e^+e^-

¹ Reanalysis of ZHOLENTZ 80 using new electron mass (COHEN 87) and radiative corrections (KURAEV 85).

² Mass central value and systematic error recalculated by us according to Eq. (16) in ARMSTRONG 93B, using the value for the $\psi(2S)$ mass from AULCHENKO 03.

³ Superseded by ARTAMONOV 00.

⁴ From a simultaneous fit to e^+e^- , $\mu^+\mu^-$ and hadronic channels assuming $\Gamma(e^+e^-) = \Gamma(\mu^+\mu^-)$.

J/ψ(1S) WIDTH

VALUE (keV)	EVTs	DOCUMENT ID	TECN	COMMENT
93.2 ± 2.1 OUR AVERAGE				
96.1 ± 3.2	13k	⁵ ADAMS 06A	CLEO	$e^+e^- \rightarrow \mu^+\mu^-\gamma$
93.7 ± 3.5	7.8k	⁵ AUBERT 04	BABR	$e^+e^- \rightarrow \mu^+\mu^-\gamma$
84.4 ± 8.9		BAI 95B	BES	e^+e^-
91 ± 11 ± 6		⁶ ARMSTRONG 93B	E760	$\bar{p}p \rightarrow e^+e^-$
85.5 ⁺ ₋ 6.1 5.8		⁷ HSUEH 92	RVUE	See Υ mini-review

⁵ Calculated by us from the reported values of $\Gamma(e^+e^-) \times B(\mu^+\mu^-)$ using $B(e^+e^-) = (5.94 \pm 0.06)\%$ and $B(\mu^+\mu^-) = (5.93 \pm 0.06)\%$.

⁶ The initial-state radiation correction reevaluated by ANDREOTTI 07 in its Ref. [4].

⁷ Using data from COFFMAN 92, BALDINI-CELIO 75, BOYARSKI 75, ESPOSITO 75B, BRANDELIK 79C.

J/ψ(1S) DECAY MODES

Mode	Fraction (Γ_i/Γ)	Scale factor/ Confidence level
Γ_1 hadrons	(87.7 ± 0.5) %	
Γ_2 virtual $\gamma \rightarrow$ hadrons	(13.50 ± 0.30) %	
Γ_3 e^+e^-	(5.94 ± 0.06) %	
Γ_4 $\mu^+\mu^-$	(5.93 ± 0.06) %	

Decays involving hadronic resonances

Γ_5	$\rho\pi$		$(1.69 \pm 0.15) \%$	S=2.4
Γ_6	$\rho^0\pi^0$		$(5.6 \pm 0.7) \times 10^{-3}$	
Γ_7	$a_2(1320)\rho$		$(1.09 \pm 0.22) \%$	
Γ_8	$\omega\pi^+\pi^+\pi^-\pi^-$		$(8.5 \pm 3.4) \times 10^{-3}$	
Γ_9	$\omega\pi^+\pi^-\pi^0$		$(4.0 \pm 0.7) \times 10^{-3}$	
Γ_{10}	$\omega\pi^+\pi^-$		$(8.6 \pm 0.7) \times 10^{-3}$	S=1.1
Γ_{11}	$\omega f_2(1270)$		$(4.3 \pm 0.6) \times 10^{-3}$	
Γ_{12}	$K^*(892)^0\bar{K}_2^*(1430)^0 + \text{c.c.}$		$(6.0 \pm 0.6) \times 10^{-3}$	
Γ_{13}	$K^*(892)^0\bar{K}_2^*(1770)^0 + \text{c.c.} \rightarrow$ $K^*(892)^0 K^- \pi^+ + \text{c.c.}$		$(6.9 \pm 0.9) \times 10^{-4}$	
Γ_{14}	$\omega K^*(892)\bar{K} + \text{c.c.}$		$(6.1 \pm 0.9) \times 10^{-3}$	
Γ_{15}	$K^+\bar{K}^*(892)^- + \text{c.c.}$		$(5.12 \pm 0.30) \times 10^{-3}$	
Γ_{16}	$K^+\bar{K}^*(892)^- + \text{c.c.} \rightarrow$ $K^+ K^- \pi^0$		$(1.97 \pm 0.20) \times 10^{-3}$	
Γ_{17}	$K^+\bar{K}^*(892)^- + \text{c.c.} \rightarrow$ $K^0 K^\pm \pi^\mp$		$(3.0 \pm 0.4) \times 10^{-3}$	
Γ_{18}	$K^0\bar{K}^*(892)^0 + \text{c.c.}$		$(4.39 \pm 0.31) \times 10^{-3}$	
Γ_{19}	$K^0\bar{K}^*(892)^0 + \text{c.c.} \rightarrow$ $K^0 K^\pm \pi^\mp$		$(3.2 \pm 0.4) \times 10^{-3}$	
Γ_{20}	$K_1(1400)^\pm K^\mp$		$(3.8 \pm 1.4) \times 10^{-3}$	
Γ_{21}	$\bar{K}^*(892)^0 K^+ \pi^- + \text{c.c.}$		seen	
Γ_{22}	$\omega\pi^0\pi^0$		$(3.4 \pm 0.8) \times 10^{-3}$	
Γ_{23}	$b_1(1235)^\pm \pi^\mp$	[a]	$(3.0 \pm 0.5) \times 10^{-3}$	
Γ_{24}	$\omega K^\pm K_S^0 \pi^\mp$	[a]	$(3.4 \pm 0.5) \times 10^{-3}$	
Γ_{25}	$b_1(1235)^0 \pi^0$		$(2.3 \pm 0.6) \times 10^{-3}$	
Γ_{26}	$\eta K^\pm K_S^0 \pi^\mp$	[a]	$(2.2 \pm 0.4) \times 10^{-3}$	
Γ_{27}	$\phi K^*(892)\bar{K} + \text{c.c.}$		$(2.18 \pm 0.23) \times 10^{-3}$	
Γ_{28}	$\omega K\bar{K}$		$(1.6 \pm 0.5) \times 10^{-4}$	
Γ_{29}	$\omega f_0(1710) \rightarrow \omega K\bar{K}$		$(4.8 \pm 1.1) \times 10^{-4}$	
Γ_{30}	$\phi 2(\pi^+\pi^-)$		$(1.66 \pm 0.23) \times 10^{-3}$	
Γ_{31}	$\Delta(1232)^{++} \bar{p}\pi^-$		$(1.6 \pm 0.5) \times 10^{-3}$	
Γ_{32}	$\omega\eta$		$(1.74 \pm 0.20) \times 10^{-3}$	S=1.6
Γ_{33}	$\phi K\bar{K}$		$(1.83 \pm 0.24) \times 10^{-3}$	S=1.5
Γ_{34}	$\phi f_0(1710) \rightarrow \phi K\bar{K}$		$(3.6 \pm 0.6) \times 10^{-4}$	
Γ_{35}	$\Delta(1232)^{++} \bar{\Delta}(1232)^{--}$		$(1.10 \pm 0.29) \times 10^{-3}$	
Γ_{36}	$\Sigma(1385)^- \bar{\Sigma}(1385)^+ (\text{or c.c.})$	[a]	$(1.03 \pm 0.13) \times 10^{-3}$	
Γ_{37}	$\phi f_2'(1525)$		$(8 \pm 4) \times 10^{-4}$	S=2.7
Γ_{38}	$\phi\pi^+\pi^-$		$(9.4 \pm 0.9) \times 10^{-4}$	S=1.2
Γ_{39}	$\phi\pi^0\pi^0$		$(5.6 \pm 1.6) \times 10^{-4}$	
Γ_{40}	$\phi K^\pm K_S^0 \pi^\mp$	[a]	$(7.2 \pm 0.8) \times 10^{-4}$	
Γ_{41}	$\omega f_1(1420)$		$(6.8 \pm 2.4) \times 10^{-4}$	
Γ_{42}	$\phi\eta$		$(7.5 \pm 0.8) \times 10^{-4}$	S=1.5
Γ_{43}	$\Xi^0 \Xi^0$		$(1.20 \pm 0.24) \times 10^{-3}$	

Γ_{44}	$\Xi(1530)^- \Xi^+$	$(5.9 \pm 1.5) \times 10^{-4}$	
Γ_{45}	$\rho K^- \bar{\Sigma}(1385)^0$	$(5.1 \pm 3.2) \times 10^{-4}$	
Γ_{46}	$\omega \pi^0$	$(4.5 \pm 0.5) \times 10^{-4}$	S=1.4
Γ_{47}	$\phi \eta'(958)$	$(4.0 \pm 0.7) \times 10^{-4}$	S=2.1
Γ_{48}	$\phi f_0(980)$	$(3.2 \pm 0.9) \times 10^{-4}$	S=1.9
Γ_{49}	$\phi f_0(980) \rightarrow \phi \pi^+ \pi^-$	$(1.8 \pm 0.4) \times 10^{-4}$	
Γ_{50}	$\phi f_0(980) \rightarrow \phi \pi^0 \pi^0$	$(1.7 \pm 0.7) \times 10^{-4}$	
Γ_{51}	$\Xi(1530)^0 \Xi^0$	$(3.2 \pm 1.4) \times 10^{-4}$	
Γ_{52}	$\Sigma(1385)^- \bar{\Sigma}^+$ (or c.c.)	[a] $(3.1 \pm 0.5) \times 10^{-4}$	
Γ_{53}	$\phi f_1(1285)$	$(2.6 \pm 0.5) \times 10^{-4}$	S=1.1
Γ_{54}	$\eta \pi^+ \pi^-$	$(4.0 \pm 1.7) \times 10^{-4}$	
Γ_{55}	$\rho \eta$	$(1.93 \pm 0.23) \times 10^{-4}$	
Γ_{56}	$\omega \eta'(958)$	$(1.82 \pm 0.21) \times 10^{-4}$	
Γ_{57}	$\omega f_0(980)$	$(1.4 \pm 0.5) \times 10^{-4}$	
Γ_{58}	$\rho \eta'(958)$	$(1.05 \pm 0.18) \times 10^{-4}$	
Γ_{59}	$a_2(1320)^\pm \pi^\mp$	[a] $< 4.3 \times 10^{-3}$	CL=90%
Γ_{60}	$K \bar{K}_2^*(1430) + \text{c.c.}$	$< 4.0 \times 10^{-3}$	CL=90%
Γ_{61}	$K_1(1270)^\pm K^\mp$	$< 3.0 \times 10^{-3}$	CL=90%
Γ_{62}	$K_2^*(1430)^0 \bar{K}_2^*(1430)^0$	$< 2.9 \times 10^{-3}$	CL=90%
Γ_{63}	$K^*(892)^0 \bar{K}^*(892)^0$	$(2.3 \pm 0.7) \times 10^{-4}$	
Γ_{64}	$\phi f_2(1270)$	$(7.2 \pm 1.3) \times 10^{-4}$	
Γ_{65}	$\phi \eta(1405) \rightarrow \phi \eta \pi \pi$	$< 2.5 \times 10^{-4}$	CL=90%
Γ_{66}	$\omega f_2'(1525)$	$< 2.2 \times 10^{-4}$	CL=90%
Γ_{67}	$\Sigma(1385)^0 \bar{\Lambda}$	$< 2 \times 10^{-4}$	CL=90%
Γ_{68}	$\Delta(1232)^+ \bar{p}$	$< 1 \times 10^{-4}$	CL=90%
Γ_{69}	$\Theta(1540) \bar{\Theta}(1540) \rightarrow$ $K_S^0 p K^- \bar{n} + \text{c.c.}$	$< 1.1 \times 10^{-5}$	CL=90%
Γ_{70}	$\Theta(1540) K^- \bar{n} \rightarrow K_S^0 p K^- \bar{n}$	$< 2.1 \times 10^{-5}$	CL=90%
Γ_{71}	$\Theta(1540) K_S^0 \bar{p} \rightarrow K_S^0 \bar{p} K^+ n$	$< 1.6 \times 10^{-5}$	CL=90%
Γ_{72}	$\bar{\Theta}(1540) K^+ n \rightarrow K_S^0 \bar{p} K^+ n$	$< 5.6 \times 10^{-5}$	CL=90%
Γ_{73}	$\bar{\Theta}(1540) K_S^0 p \rightarrow K_S^0 p K^- \bar{n}$	$< 1.1 \times 10^{-5}$	CL=90%
Γ_{74}	$\Sigma^0 \bar{\Lambda}$	$< 9 \times 10^{-5}$	CL=90%
Γ_{75}	$\phi \pi^0$	$< 6.4 \times 10^{-6}$	CL=90%

Decays into stable hadrons

Γ_{76}	$2(\pi^+ \pi^-) \pi^0$	$(4.1 \pm 0.5) \%$	S=2.4
Γ_{77}	$3(\pi^+ \pi^-) \pi^0$	$(2.9 \pm 0.6) \%$	
Γ_{78}	$\pi^+ \pi^- \pi^0$	$(2.07 \pm 0.13) \%$	S=1.7
Γ_{79}	$\pi^+ \pi^- \pi^0 K^+ K^-$	$(1.79 \pm 0.29) \%$	S=2.2
Γ_{80}	$4(\pi^+ \pi^-) \pi^0$	$(9.0 \pm 3.0) \times 10^{-3}$	
Γ_{81}	$\pi^+ \pi^- K^+ K^-$	$(6.6 \pm 0.5) \times 10^{-3}$	
Γ_{82}	$\pi^+ \pi^- K^+ K^- \eta$	$(1.84 \pm 0.28) \times 10^{-3}$	
Γ_{83}	$\pi^0 \pi^0 K^+ K^-$	$(2.45 \pm 0.31) \times 10^{-3}$	
Γ_{84}	$\eta \phi f_0(980) \rightarrow \eta \phi \pi^+ \pi^-$	$(3.2 \pm 1.0) \times 10^{-4}$	

Γ_{85}	$K\bar{K}\pi$	$(6.1 \pm 1.0) \times 10^{-3}$	
Γ_{86}	$2(\pi^+\pi^-)$	$(3.55 \pm 0.23) \times 10^{-3}$	
Γ_{87}	$3(\pi^+\pi^-)$	$(4.3 \pm 0.4) \times 10^{-3}$	
Γ_{88}	$2(\pi^+\pi^-\pi^0)$	$(1.62 \pm 0.21) \%$	
Γ_{89}	$2(\pi^+\pi^-\eta)$	$(2.29 \pm 0.24) \times 10^{-3}$	
Γ_{90}	$3(\pi^+\pi^-\eta)$	$(7.2 \pm 1.5) \times 10^{-4}$	
Γ_{91}	$\rho\bar{\rho}$	$(2.17 \pm 0.07) \times 10^{-3}$	
Γ_{92}	$\rho\bar{\rho}\pi^0$	$(1.09 \pm 0.09) \times 10^{-3}$	
Γ_{93}	$\rho\bar{\rho}\pi^+\pi^-$	$(6.0 \pm 0.5) \times 10^{-3}$	S=1.3
Γ_{94}	$\rho\bar{\rho}\pi^+\pi^-\pi^0$	[b] $(2.3 \pm 0.9) \times 10^{-3}$	S=1.9
Γ_{95}	$\rho\bar{\rho}\eta$	$(2.09 \pm 0.18) \times 10^{-3}$	
Γ_{96}	$\rho\bar{\rho}\rho$	< 3.1 $\times 10^{-4}$	CL=90%
Γ_{97}	$\rho\bar{\rho}\omega$	$(1.10 \pm 0.15) \times 10^{-3}$	S=1.3
Γ_{98}	$\rho\bar{\rho}\eta'(958)$	$(9 \pm 4) \times 10^{-4}$	S=1.7
Γ_{99}	$\rho\bar{\rho}\phi$	$(4.5 \pm 1.5) \times 10^{-5}$	
Γ_{100}	$n\bar{n}$	$(2.2 \pm 0.4) \times 10^{-3}$	
Γ_{101}	$n\bar{n}\pi^+\pi^-$	$(4 \pm 4) \times 10^{-3}$	
Γ_{102}	$\Sigma^+\bar{\Sigma}^-$	$(1.50 \pm 0.24) \times 10^{-3}$	
Γ_{103}	$\Sigma^0\bar{\Sigma}^0$	$(1.29 \pm 0.09) \times 10^{-3}$	
Γ_{104}	$2(\pi^+\pi^-)K^+K^-$	$(4.7 \pm 0.7) \times 10^{-3}$	S=1.3
Γ_{105}	$\rho\bar{n}\pi^-$	$(2.12 \pm 0.09) \times 10^{-3}$	
Γ_{106}	$nN(1440)$	seen	
Γ_{107}	$nN(1520)$	seen	
Γ_{108}	$nN(1535)$	seen	
Γ_{109}	$\Xi^-\bar{\Xi}^+$	$(8.5 \pm 1.6) \times 10^{-4}$	S=1.5
Γ_{110}	$\Lambda\bar{\Lambda}$	$(1.61 \pm 0.15) \times 10^{-3}$	S=2.0
Γ_{111}	$\Lambda\bar{\Sigma}^-\pi^+$ (or c.c.)	[a] $(8.3 \pm 0.7) \times 10^{-4}$	S=1.2
Γ_{112}	$\rho K^-\bar{\Lambda}$	$(8.9 \pm 1.6) \times 10^{-4}$	
Γ_{113}	$2(K^+K^-)$	$(7.6 \pm 0.9) \times 10^{-4}$	
Γ_{114}	$\rho K^-\bar{\Sigma}^0$	$(2.9 \pm 0.8) \times 10^{-4}$	
Γ_{115}	K^+K^-	$(2.37 \pm 0.31) \times 10^{-4}$	
Γ_{116}	$K_S^0 K_L^0$	$(1.46 \pm 0.26) \times 10^{-4}$	S=2.7
Γ_{117}	$\Lambda\bar{\Lambda}\eta$	$(2.6 \pm 0.7) \times 10^{-4}$	
Γ_{118}	$\Lambda\bar{\Lambda}\pi^0$	< 6.4 $\times 10^{-5}$	CL=90%
Γ_{119}	$\bar{\Lambda}nK_S^0 + \text{c.c.}$	$(6.5 \pm 1.1) \times 10^{-4}$	
Γ_{120}	$\pi^+\pi^-$	$(1.47 \pm 0.23) \times 10^{-4}$	
Γ_{121}	$\Lambda\bar{\Sigma} + \text{c.c.}$	< 1.5 $\times 10^{-4}$	CL=90%
Γ_{122}	$K_S^0 K_S^0$	< 1 $\times 10^{-6}$	CL=95%

Radiative decays

Γ_{123}	3γ	$(1.2 \pm 0.4) \times 10^{-5}$	
Γ_{124}	4γ	< 9 $\times 10^{-6}$	CL=90%
Γ_{125}	5γ	< 1.5 $\times 10^{-5}$	CL=90%
Γ_{126}	$\gamma\eta_c(1S)$	$(1.7 \pm 0.4) \%$	S=1.7

Γ_{127}	$\gamma\eta_c(1S) \rightarrow 3\gamma$	$(1.2^{+2.7}_{-1.1}) \times 10^{-6}$	
Γ_{128}	$\gamma\pi^+\pi^-2\pi^0$	$(8.3 \pm 3.1) \times 10^{-3}$	
Γ_{129}	$\gamma\eta\pi\pi$	$(6.1 \pm 1.0) \times 10^{-3}$	
Γ_{130}	$\gamma\eta_2(1870) \rightarrow \gamma\eta\pi^+\pi^-$	$(6.2 \pm 2.4) \times 10^{-4}$	
Γ_{131}	$\gamma\eta(1405/1475) \rightarrow \gamma K\bar{K}\pi$	[c] $(2.8 \pm 0.6) \times 10^{-3}$	S=1.6
Γ_{132}	$\gamma\eta(1405/1475) \rightarrow \gamma\gamma\rho^0$	$(7.8 \pm 2.0) \times 10^{-5}$	S=1.8
Γ_{133}	$\gamma\eta(1405/1475) \rightarrow \gamma\eta\pi^+\pi^-$	$(3.0 \pm 0.5) \times 10^{-4}$	
Γ_{134}	$\gamma\eta(1405/1475) \rightarrow \gamma\gamma\phi$	$< 8.2 \times 10^{-5}$	CL=95%
Γ_{135}	$\gamma\rho\rho$	$(4.5 \pm 0.8) \times 10^{-3}$	
Γ_{136}	$\gamma\rho\omega$	$< 5.4 \times 10^{-4}$	CL=90%
Γ_{137}	$\gamma\rho\phi$	$< 8.8 \times 10^{-5}$	CL=90%
Γ_{138}	$\gamma\eta'(958)$	$(4.71 \pm 0.27) \times 10^{-3}$	S=1.1
Γ_{139}	$\gamma 2\pi^+ 2\pi^-$	$(2.8 \pm 0.5) \times 10^{-3}$	S=1.9
Γ_{140}	$\gamma f_2(1270) f_2(1270)$	$(9.5 \pm 1.7) \times 10^{-4}$	
Γ_{141}	$\gamma f_2(1270) f_2(1270)$ (non resonant)	$(8.2 \pm 1.9) \times 10^{-4}$	
Γ_{142}	$\gamma K^+ K^- \pi^+ \pi^-$	$(2.1 \pm 0.6) \times 10^{-3}$	
Γ_{143}	$\gamma f_4(2050)$	$(2.7 \pm 0.7) \times 10^{-3}$	
Γ_{144}	$\gamma\omega\omega$	$(1.61 \pm 0.33) \times 10^{-3}$	
Γ_{145}	$\gamma\eta(1405/1475) \rightarrow \gamma\rho^0\rho^0$	$(1.7 \pm 0.4) \times 10^{-3}$	S=1.3
Γ_{146}	$\gamma f_2(1270)$	$(1.43 \pm 0.11) \times 10^{-3}$	
Γ_{147}	$\gamma f_0(1710) \rightarrow \gamma K\bar{K}$	$(8.5^{+1.2}_{-0.9}) \times 10^{-4}$	S=1.2
Γ_{148}	$\gamma f_0(1710) \rightarrow \gamma\pi\pi$	$(4.0 \pm 1.0) \times 10^{-4}$	
Γ_{149}	$\gamma f_0(1710) \rightarrow \gamma\omega\omega$	$(3.1 \pm 1.0) \times 10^{-4}$	
Γ_{150}	$\gamma\eta$	$(9.8 \pm 1.0) \times 10^{-4}$	S=1.7
Γ_{151}	$\gamma f_1(1420) \rightarrow \gamma K\bar{K}\pi$	$(7.9 \pm 1.3) \times 10^{-4}$	
Γ_{152}	$\gamma f_1(1285)$	$(6.1 \pm 0.8) \times 10^{-4}$	
Γ_{153}	$\gamma f_1(1510) \rightarrow \gamma\eta\pi^+\pi^-$	$(4.5 \pm 1.2) \times 10^{-4}$	
Γ_{154}	$\gamma f_2'(1525)$	$(4.5^{+0.7}_{-0.4}) \times 10^{-4}$	
Γ_{155}	$\gamma f_2(1640) \rightarrow \gamma\omega\omega$	$(2.8 \pm 1.8) \times 10^{-4}$	
Γ_{156}	$\gamma f_2(1910) \rightarrow \gamma\omega\omega$	$(2.0 \pm 1.4) \times 10^{-4}$	
Γ_{157}	$\gamma f_2(1950) \rightarrow \gamma K^*(892)\bar{K}^*(892)$	$(7.0 \pm 2.2) \times 10^{-4}$	
Γ_{158}	$\gamma K^*(892)\bar{K}^*(892)$	$(4.0 \pm 1.3) \times 10^{-3}$	
Γ_{159}	$\gamma\phi\phi$	$(4.0 \pm 1.2) \times 10^{-4}$	S=2.1
Γ_{160}	$\gamma\rho\bar{\rho}$	$(3.8 \pm 1.0) \times 10^{-4}$	
Γ_{161}	$\gamma\eta(2225)$	$(3.3 \pm 0.5) \times 10^{-4}$	
Γ_{162}	$\gamma\eta(1760) \rightarrow \gamma\rho^0\rho^0$	$(1.3 \pm 0.9) \times 10^{-4}$	
Γ_{163}	$\gamma\eta(1760) \rightarrow \gamma\omega\omega$	$(1.98 \pm 0.33) \times 10^{-3}$	
Γ_{164}	$\gamma X(1835)$	$(2.2 \pm 0.6) \times 10^{-4}$	
Γ_{165}	$\gamma(K\bar{K}\pi) [J^{PC} = 0^{-+}]$	$(7 \pm 4) \times 10^{-4}$	S=2.1
Γ_{166}	$\gamma\pi^0$	$(3.3^{+0.6}_{-0.4}) \times 10^{-5}$	

Γ_{167}	$\gamma p \bar{p} \pi^+ \pi^-$	< 7.9	$\times 10^{-4}$	CL=90%
Γ_{168}	$\gamma \Lambda \bar{\Lambda}$	< 1.3	$\times 10^{-4}$	CL=90%
Γ_{169}	$\gamma f_0(2200)$			
Γ_{170}	$\gamma f_J(2220)$	> 2.50	$\times 10^{-3}$	CL=99.9%
Γ_{171}	$\gamma f_J(2220) \rightarrow \gamma \pi \pi$	(8 ± 4)	$\times 10^{-5}$	
Γ_{172}	$\gamma f_J(2220) \rightarrow \gamma K \bar{K}$	(8.1 ± 3.0)	$\times 10^{-5}$	
Γ_{173}	$\gamma f_J(2220) \rightarrow \gamma p \bar{p}$	(1.5 ± 0.8)	$\times 10^{-5}$	
Γ_{174}	$\gamma f_0(1500)$	$> (5.7 \pm 0.8)$	$\times 10^{-4}$	
Γ_{175}	$\gamma e^+ e^-$	(8.8 ± 1.4)	$\times 10^{-3}$	

Weak decays

Γ_{176}	$D^- e^+ \nu_e + \text{c.c.}$	< 1.2	$\times 10^{-5}$	CL=90%
Γ_{177}	$\bar{D}^0 e^+ e^- + \text{c.c.}$	< 1.1	$\times 10^{-5}$	CL=90%
Γ_{178}	$D_s^- e^+ \nu_e + \text{c.c.}$	< 3.6	$\times 10^{-5}$	CL=90%
Γ_{179}	$D^- \pi^+ + \text{c.c.}$	< 7.5	$\times 10^{-5}$	CL=90%
Γ_{180}	$\bar{D}^0 K^0 + \text{c.c.}$	< 1.7	$\times 10^{-4}$	CL=90%
Γ_{181}	$D_s^- \pi^+ + \text{c.c.}$	< 1.3	$\times 10^{-4}$	CL=90%

Charge conjugation (C), Parity (P), Lepton Family number (LF) violating modes

Γ_{182}	$\gamma \gamma$	C	< 5	$\times 10^{-6}$	CL=90%
Γ_{183}	$e^\pm \mu^\mp$	LF	< 1.1	$\times 10^{-6}$	CL=90%
Γ_{184}	$e^\pm \tau^\mp$	LF	< 8.3	$\times 10^{-6}$	CL=90%
Γ_{185}	$\mu^\pm \tau^\mp$	LF	< 2.0	$\times 10^{-6}$	CL=90%

Other decays

Γ_{186}	invisible	< 7	$\times 10^{-4}$	CL=90%
----------------	-----------	-------	------------------	--------

[a] The value is for the sum of the charge states or particle/antiparticle states indicated.

[b] Includes $p \bar{p} \pi^+ \pi^- \gamma$ and excludes $p \bar{p} \eta$, $p \bar{p} \omega$, $p \bar{p} \eta'$.

[c] See the "Note on the $\eta(1405)$ " in the $\eta(1405)$ Particle Listings.

$J/\psi(1S)$ PARTIAL WIDTHS

$\Gamma(\text{hadrons})$					Γ_1
VALUE (keV)	DOCUMENT ID	TECN	COMMENT		
• • •	We do not use the following data for averages, fits, limits, etc. • • •				
74.1 ± 8.1	BAI	95B	BES	$e^+ e^-$	
59 ± 24	BALDINI-...	75	FRAG	$e^+ e^-$	
59 ± 14	BOYARSKI	75	MRK1	$e^+ e^-$	
50 ± 25	ESPOSITO	75B	FRAM	$e^+ e^-$	

$\Gamma(e^+e^-)$ **Γ_3**

VALUE (keV)	EVTs	DOCUMENT ID	TECN	COMMENT
-------------	------	-------------	------	---------

5.55 ± 0.14 ± 0.02 OUR EVALUATION

• • • We do not use the following data for averages, fits, limits, etc. • • •

5.71 ± 0.16	13k	⁸ ADAMS	06A	CLEO $e^+e^- \rightarrow \mu^+\mu^-\gamma$
5.57 ± 0.19	7.8k	⁸ AUBERT	04	BABR $e^+e^- \rightarrow \mu^+\mu^-\gamma$
5.14 ± 0.39		BAI	95B	BES e^+e^-
5.36 ^{+0.29} _{-0.28}		⁹ HSUEH	92	RVUE See Υ mini-review
4.72 ± 0.35		ALEXANDER	89	RVUE See Υ mini-review
4.4 ± 0.6		⁹ BRANDELIK	79C	DASP e^+e^-
4.6 ± 0.8		¹⁰ BALDINI-...	75	FRAG e^+e^-
4.8 ± 0.6		BOYARSKI	75	MRK1 e^+e^-
4.6 ± 1.0		ESPOSITO	75B	FRAM e^+e^-

⁸ Calculated by us from the reported values of $\Gamma(e^+e^-) \times B(\mu^+\mu^-)$ using $B(\mu^+\mu^-) = (5.93 \pm 0.06)\%$.
⁹ From a simultaneous fit to e^+e^- , $\mu^+\mu^-$, and hadronic channels assuming $\Gamma(e^+e^-) = \Gamma(\mu^+\mu^-)$.
¹⁰ Assuming equal partial widths for e^+e^- and $\mu^+\mu^-$.

$\Gamma(\mu^+\mu^-)$ **Γ_4**

VALUE (keV)	DOCUMENT ID	TECN	COMMENT
-------------	-------------	------	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

5.13 ± 0.52	BAI	95B	BES e^+e^-
4.8 ± 0.6	BOYARSKI	75	MRK1 e^+e^-
5 ± 1	ESPOSITO	75B	FRAM e^+e^-

$\Gamma(\gamma\gamma)$ **Γ_{182}**

VALUE (eV)	CL%	DOCUMENT ID	TECN	COMMENT
------------	-----	-------------	------	---------

<5.4	90	BRANDELIK	79C	DASP e^+e^-
----------------	----	-----------	-----	---------------

$J/\psi(1S) \Gamma(i)\Gamma(e^+e^-)/\Gamma(\text{total})$

This combination of a partial width with the partial width into e^+e^- and with the total width is obtained from the integrated cross section into channel i in the e^+e^- annihilation.

$\Gamma(\text{hadrons}) \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$ **$\Gamma_1\Gamma_3/\Gamma$**

VALUE (keV)	DOCUMENT ID	TECN	COMMENT
-------------	-------------	------	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

4 ± 0.8	¹¹ BALDINI-...	75	FRAG e^+e^-
3.9 ± 0.8	¹¹ ESPOSITO	75B	FRAM e^+e^-

¹¹ Data redundant with branching ratios or partial widths above.

$\Gamma(e^+e^-) \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$ $\Gamma_3\Gamma_3/\Gamma$

VALUE (keV)	DOCUMENT ID	TECN	COMMENT
-------------	-------------	------	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.35±0.02	BRANDELIK	79C	DASP e^+e^-
0.32±0.07	¹² BALDINI-...	75	FRAG e^+e^-
0.34±0.09	¹² ESPOSITO	75B	FRAM e^+e^-
0.36±0.10	¹² FORD	75	SPEC e^+e^-

¹²Data redundant with branching ratios or partial widths above.

$\Gamma(\mu^+\mu^-) \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$ $\Gamma_4\Gamma_3/\Gamma$

VALUE (keV)	EVTS	DOCUMENT ID	TECN	COMMENT
-------------	------	-------------	------	---------

0.335 ± 0.007 OUR AVERAGE

0.3384±0.0058±0.0071	13k	ADAMS	06A	CLEO $e^+e^- \rightarrow \mu^+\mu^-\gamma$
0.3301±0.0077±0.0073	7.8k	AUBERT	04	BABR $e^+e^- \rightarrow \mu^+\mu^-\gamma$

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.51 ± 0.09		DASP	75	DASP e^+e^-
0.38 ± 0.05		¹³ ESPOSITO	75B	FRAM e^+e^-

¹³Data redundant with branching ratios or partial widths above.

$\Gamma(\omega\pi^+\pi^-\pi^0) \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$ $\Gamma_9\Gamma_3/\Gamma$

VALUE (10^{-2} keV)	EVTS	DOCUMENT ID	TECN	COMMENT
------------------------	------	-------------	------	---------

2.2±0.3±0.2	170	AUBERT	06D	BABR $10.6 e^+e^- \rightarrow \omega\pi^+\pi^-\pi^0\gamma$
--------------------	-----	--------	-----	------------------------------------------------------------

$\Gamma(\phi 2(\pi^+\pi^-)) \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$ $\Gamma_{30}\Gamma_3/\Gamma$

VALUE (10^{-2} keV)	EVTS	DOCUMENT ID	TECN	COMMENT
------------------------	------	-------------	------	---------

0.96±0.19±0.01	35	¹⁴ AUBERT	06D	BABR $10.6 e^+e^- \rightarrow \phi 2(\pi^+\pi^-)\gamma$
-----------------------	----	----------------------	-----	---------------------------------------------------------

¹⁴AUBERT 06D reports $[\Gamma(J/\psi(1S) \rightarrow \phi 2(\pi^+\pi^-)) \times \Gamma(J/\psi(1S) \rightarrow e^+e^-)/\Gamma_{\text{total}}] \times [B(\phi(1020) \rightarrow K^+K^-)] = (0.47 \pm 0.09 \pm 0.03) \times 10^{-2}$ keV. We divide by our best value $B(\phi(1020) \rightarrow K^+K^-) = (48.9 \pm 0.5) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best value.

$\Gamma(\phi\pi^+\pi^-) \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$ $\Gamma_{38}\Gamma_3/\Gamma$

VALUE (eV)	EVTS	DOCUMENT ID	TECN	COMMENT
------------	------	-------------	------	---------

5.33±0.71±0.05	03	¹⁵ AUBERT,BE	06D	BABR $10.6 e^+e^- \rightarrow K^+K^-\pi^+\pi^-\gamma$
-----------------------	----	-------------------------	-----	-------------------------------------------------------

¹⁵AUBERT,BE 06D reports $[\Gamma(J/\psi(1S) \rightarrow \phi\pi^+\pi^-) \times \Gamma(J/\psi(1S) \rightarrow e^+e^-)/\Gamma_{\text{total}}] \times [B(\phi(1020) \rightarrow K^+K^-)] = 2.61 \pm 0.30 \pm 0.18$ eV. We divide by our best value $B(\phi(1020) \rightarrow K^+K^-) = (48.9 \pm 0.5) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best value.

$\Gamma(\phi f_0(980) \rightarrow \phi\pi^+\pi^-) \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$ $\Gamma_{49}\Gamma_3/\Gamma$

VALUE (eV)	EVTS	DOCUMENT ID	TECN	COMMENT
------------	------	-------------	------	---------

1.02±0.24±0.01	20 ± 5	¹⁶ AUBERT	07AK	BABR $10.6 e^+e^- \rightarrow \pi^+\pi^-K^+K^-\gamma$
-----------------------	--------	----------------------	------	-------------------------------------------------------

¹⁶AUBERT 07AK reports $[\Gamma(J/\psi(1S) \rightarrow \phi f_0(980) \rightarrow \phi\pi^+\pi^-) \times \Gamma(J/\psi(1S) \rightarrow e^+e^-)/\Gamma_{\text{total}}] \times [B(\phi(1020) \rightarrow K^+K^-)] = 0.50 \pm 0.11 \pm 0.04$ eV. We divide by our best value $B(\phi(1020) \rightarrow K^+K^-) = (48.9 \pm 0.5) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best value.

$\Gamma(\phi\pi^0\pi^0) \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$ $\Gamma_{39}\Gamma_3/\Gamma$

VALUE (eV)	EVTS	DOCUMENT ID	TECN	COMMENT
3.15±0.88±0.03	23	17 AUBERT,BE 06D	BABR	10.6 $e^+e^- \rightarrow K^+K^-\pi^0\pi^0\gamma$
<p>17 AUBERT,BE 06D reports $[\Gamma(J/\psi(1S) \rightarrow \phi\pi^0\pi^0) \times \Gamma(J/\psi(1S) \rightarrow e^+e^-)/\Gamma_{\text{total}}] \times [B(\phi(1020) \rightarrow K^+K^-)] = 1.54 \pm 0.40 \pm 0.16$ eV. We divide by our best value $B(\phi(1020) \rightarrow K^+K^-) = (48.9 \pm 0.5) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best value.</p>				

$\Gamma(\phi f_0(980) \rightarrow \phi\pi^0\pi^0) \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$ $\Gamma_{50}\Gamma_3/\Gamma$

VALUE (eV)	EVTS	DOCUMENT ID	TECN	COMMENT
0.96±0.40±0.01	7.0 ± 2.8	18 AUBERT 07AK	BABR	10.6 $e^+e^- \rightarrow \pi^0\pi^0K^+K^-\gamma$
<p>18 AUBERT 07AK reports $[\Gamma(J/\psi(1S) \rightarrow \phi f_0(980) \rightarrow \phi\pi^0\pi^0) \times \Gamma(J/\psi(1S) \rightarrow e^+e^-)/\Gamma_{\text{total}}] \times [B(\phi(1020) \rightarrow K^+K^-)] = 0.47 \pm 0.19 \pm 0.05$ eV. We divide by our best value $B(\phi(1020) \rightarrow K^+K^-) = (48.9 \pm 0.5) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best value.</p>				

$\Gamma(\phi f_2(1270)) \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$ $\Gamma_{64}\Gamma_3/\Gamma$

VALUE (eV)	EVTS	DOCUMENT ID	TECN	COMMENT
4.0±0.7±0.1	44 ± 7	19,20 AUBERT 07AK	BABR	10.6 $e^+e^- \rightarrow \pi^+\pi^-K^+K^-\gamma$
<p>19 Using $B(\phi \rightarrow (K+K)^-) = (49.3 \pm 0.6)\%$.</p> <p>20 AUBERT 07AK reports $[\Gamma(J/\psi(1S) \rightarrow \phi f_2(1270)) \times \Gamma(J/\psi(1S) \rightarrow e^+e^-)/\Gamma_{\text{total}}] \times [B(f_2(1270) \rightarrow \pi\pi)] = 3.41 \pm 0.55 \pm 0.28$ eV. We divide by our best value $B(f_2(1270) \rightarrow \pi\pi) = (84.8^{+2.4}_{-1.2}) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best value.</p>				

$\Gamma(\pi^+\pi^-\pi^0) \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$ $\Gamma_{78}\Gamma_3/\Gamma$

VALUE (keV)	DOCUMENT ID	TECN	COMMENT
0.122±0.005±0.008	AUBERT,B 04N	BABR	10.6 $e^+e^- \rightarrow \pi^+\pi^-\pi^0\gamma$

$\Gamma(K^+\bar{K}^*(892)^- + \text{c.c.}) \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$ $\Gamma_{15}\Gamma_3/\Gamma$

VALUE (eV)	DOCUMENT ID	TECN	COMMENT
29.0±1.7±1.3	AUBERT 08S	BABR	10.6 $e^+e^- \rightarrow K^+K^*(892)^-\gamma$

$\Gamma(K^0\bar{K}^*(892)^0 + \text{c.c.}) \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$ $\Gamma_{18}\Gamma_3/\Gamma$

VALUE (eV)	DOCUMENT ID	TECN	COMMENT
26.6±2.5±1.5	AUBERT 08S	BABR	10.6 $e^+e^- \rightarrow K^0\bar{K}^*(892)^0\gamma$

$\Gamma(K^+\bar{K}^*(892)^- + \text{c.c.} \rightarrow K^+K^-\pi^0) \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$ $\Gamma_{16}\Gamma_3/\Gamma$

VALUE (eV)	EVTS	DOCUMENT ID	TECN	COMMENT
10.96±0.85±0.70	155	AUBERT 08S	BABR	10.6 $e^+e^- \rightarrow K^+K^-\pi^0\gamma$

$\Gamma(K^+\bar{K}^*(892)^- + \text{c.c.} \rightarrow K^0K^\pm\pi^\mp) \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$ $\Gamma_{17}\Gamma_3/\Gamma$

VALUE (eV)	EVTS	DOCUMENT ID	TECN	COMMENT
16.76±1.70±1.00	89	AUBERT 08S	BABR	10.6 $e^+e^- \rightarrow K_S^0K^\pm\pi^\mp\gamma$

$\Gamma(K^0\bar{K}^*(892)^0 + \text{c.c.} \rightarrow K^0K^\pm\pi^\mp) \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$ $\Gamma_{19}\Gamma_3/\Gamma$

VALUE (eV)	EVTS	DOCUMENT ID	TECN	COMMENT
17.70±1.70±1.00	94	AUBERT 08S	BABR	10.6 $e^+e^- \rightarrow K_S^0K^\pm\pi^\mp\gamma$

$\Gamma(\pi^+\pi^-K^+K^-) \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$ $\Gamma_{81}\Gamma_3/\Gamma$

VALUE (eV)	EVTS	DOCUMENT ID	TECN	COMMENT
36.3±1.3±2.1	1586 ± 58	AUBERT 07AK	BABR	10.6 e ⁺ e ⁻ → π ⁺ π ⁻ K ⁺ K ⁻ γ
• • • We do not use the following data for averages, fits, limits, etc. • • •				
33.6±2.7±2.7	233	²¹ AUBERT 05D	BABR	10.6 e ⁺ e ⁻ → K ⁺ K ⁻ π ⁺ π ⁻ γ
²¹ Superseded by AUBERT 07AK.				

$\Gamma(K^*(892)^0\bar{K}^*(892)^0) \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$ $\Gamma_{63}\Gamma_3/\Gamma$

VALUE (eV)	EVTS	DOCUMENT ID	TECN	COMMENT
1.28±0.40±0.11	25 ± 8	²² AUBERT 07AK	BABR	10.6 e ⁺ e ⁻ → π ⁺ π ⁻ K ⁺ K ⁻ γ
²² Dividing by (2/3) ² to take twice into account that B(K ^{*0} → K ⁺ π ⁻) = 2/3.				

$\Gamma(K^*(892)^0\bar{K}_2^*(1430)^0 + \text{c.c.}) \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$ $\Gamma_{12}\Gamma_3/\Gamma$

VALUE (eV)	EVTS	DOCUMENT ID	TECN	COMMENT
33±4±1	317 ± 23	^{23,24} AUBERT 07AK	BABR	10.6 e ⁺ e ⁻ → π ⁺ π ⁻ K ⁺ K ⁻ γ
²³ Dividing by 2/3 to take into account that B(K ^{*0} → K ⁺ π ⁻) = 2/3.				
²⁴ AUBERT 07AK reports [Γ(J/ψ(1S) → K ^{*0} π ⁻) × B(K ^{*0} → K ⁺ π ⁻)] × [Γ(J/ψ(1S) → e ⁺ e ⁻)/Γ _{total}] × [B(K ₂ [*] (1430) → Kπ)] = 16.4 ± 1.1 ± 1.4 eV. We divide by our best value B(K ₂ [*] (1430) → Kπ) = (49.9 ± 1.2) × 10 ⁻² . Our first error is their experiment's error and our second error is the systematic error from using our best value.				

$\Gamma(K^*(892)^0\bar{K}_2(1770)^0 + \text{c.c.} \rightarrow K^*(892)^0 K^- \pi^+ + \text{c.c.}) \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$ $\Gamma_{13}\Gamma_3/\Gamma$

VALUE (eV)	EVTS	DOCUMENT ID	TECN	COMMENT
3.8±0.4±0.3	110 ± 14	²⁵ AUBERT 07AK	BABR	10.6 e ⁺ e ⁻ → π ⁺ π ⁻ K ⁺ K ⁻ γ
²⁵ Dividing by 2/3 to take into account that B(K ^{*0} → K ⁺ π ⁻) = 2/3.				

$\Gamma(\pi^0\pi^0K^+K^-) \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$ $\Gamma_{83}\Gamma_3/\Gamma$

VALUE (eV)	EVTS	DOCUMENT ID	TECN	COMMENT
13.6±1.1±1.3	203 ± 16	AUBERT 07AK	BABR	10.6 e ⁺ e ⁻ → π ⁰ π ⁰ K ⁺ K ⁻ γ

$\Gamma(2(\pi^+\pi^-)) \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$ $\Gamma_{86}\Gamma_3/\Gamma$

VALUE (eV)	EVTS	DOCUMENT ID	TECN	COMMENT
19.5±1.4±1.3	270	AUBERT 05D	BABR	10.6 e ⁺ e ⁻ → 2(π ⁺ π ⁻)γ

$\Gamma(3(\pi^+\pi^-)) \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$ $\Gamma_{87}\Gamma_3/\Gamma$

VALUE (10 ⁻² keV)	EVTS	DOCUMENT ID	TECN	COMMENT
2.37±0.16±0.14	496	AUBERT 06D	BABR	10.6 e ⁺ e ⁻ → 3(π ⁺ π ⁻)γ

$\Gamma(2(\pi^+\pi^-\pi^0)) \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$ $\Gamma_{88}\Gamma_3/\Gamma$

VALUE (10 ⁻² keV)	EVTS	DOCUMENT ID	TECN	COMMENT
8.9±0.5±1.0	761	AUBERT 06D	BABR	10.6 e ⁺ e ⁻ → 2(π ⁺ π ⁻ π ⁰)γ

$\Gamma(2(\pi^+\pi^-)K^+K^-) \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$ $\Gamma_{104}\Gamma_3/\Gamma$

VALUE (10 ⁻² keV)	EVTS	DOCUMENT ID	TECN	COMMENT
2.75±0.23±0.17	205	AUBERT 06D	BABR	10.6 e ⁺ e ⁻ → K ⁺ K ⁻ 2(π ⁺ π ⁻)γ

$\Gamma(2(K^+K^-)) \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$ $\Gamma_{113}\Gamma_3/\Gamma$

VALUE (eV)	EVTS	DOCUMENT ID	TECN	COMMENT
------------	------	-------------	------	---------

4.11±0.39±0.30	156 ± 15	AUBERT	07AK BABR	10.6 e ⁺ e ⁻ → 2(K ⁺ K ⁻)γ
-----------------------	----------	--------	-----------	-------------------------------------------------------------------------

• • • We do not use the following data for averages, fits, limits, etc. • • •

4.0 ± 0.7 ± 0.6	38	²⁶ AUBERT	05D BABR	10.6 e ⁺ e ⁻ → 2(K ⁺ K ⁻)γ
-----------------	----	----------------------	----------	-------------------------------------------------------------------------

²⁶Superseded by AUBERT 07AK.

$\Gamma(2(\pi^+\pi^-)\pi^0) \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$ $\Gamma_{76}\Gamma_3/\Gamma$

VALUE (eV)	EVTS	DOCUMENT ID	TECN	COMMENT
------------	------	-------------	------	---------

303± 5±18	4990	AUBERT	07AU BABR	10.6 e ⁺ e ⁻ → 2(π ⁺ π ⁻)π ⁰ γ
------------------	------	--------	-----------	----------------------------------------------------------------------------------------

$\Gamma(\omega\pi^+\pi^-) \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$ $\Gamma_{10}\Gamma_3/\Gamma$

VALUE (eV)	EVTS	DOCUMENT ID	TECN	COMMENT
------------	------	-------------	------	---------

53.6±5.0±0.4	788	²⁷ AUBERT	07AU BABR	10.6 e ⁺ e ⁻ → ωπ ⁺ π ⁻ γ
---------------------	-----	----------------------	-----------	-----------------------------------------------------------------------

²⁷AUBERT 07AU reports [$\Gamma(J/\psi(1S) \rightarrow \omega\pi^+\pi^-) \times \Gamma(J/\psi(1S) \rightarrow e^+e^-)/\Gamma_{\text{total}}$] × [$B(\omega(782) \rightarrow \pi^+\pi^-\pi^0)$] = 47.8 ± 3.1 ± 3.2 eV. We divide by our best value $B(\omega(782) \rightarrow \pi^+\pi^-\pi^0) = (89.2 \pm 0.7) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best value.

$\Gamma(\eta\pi^+\pi^-) \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$ $\Gamma_{54}\Gamma_3/\Gamma$

VALUE (eV)	EVTS	DOCUMENT ID	TECN	COMMENT
------------	------	-------------	------	---------

2.24±0.98±0.03	9	²⁸ AUBERT	07AU BABR	10.6 e ⁺ e ⁻ → ηπ ⁺ π ⁻ γ
-----------------------	---	----------------------	-----------	-----------------------------------------------------------------------

²⁸AUBERT 07AU reports [$\Gamma(J/\psi(1S) \rightarrow \eta\pi^+\pi^-) \times \Gamma(J/\psi(1S) \rightarrow e^+e^-)/\Gamma_{\text{total}}$] × [$B(\eta \rightarrow \pi^+\pi^-\pi^0)$] = 0.51 ± 0.22 ± 0.03 eV. We divide by our best value $B(\eta \rightarrow \pi^+\pi^-\pi^0) = (22.73 \pm 0.28) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best value.

$\Gamma(2(\pi^+\pi^-)\eta) \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$ $\Gamma_{89}\Gamma_3/\Gamma$

VALUE (eV)	EVTS	DOCUMENT ID	TECN	COMMENT
------------	------	-------------	------	---------

13.1±2.4±0.1	85	²⁹ AUBERT	07AU BABR	10.6 e ⁺ e ⁻ → 2(π ⁺ π ⁻)ηγ
---------------------	----	----------------------	-----------	--------------------------------------------------------------------------

²⁹AUBERT 07AU reports [$\Gamma(J/\psi(1S) \rightarrow 2(\pi^+\pi^-)\eta) \times \Gamma(J/\psi(1S) \rightarrow e^+e^-)/\Gamma_{\text{total}}$] × [$B(\eta \rightarrow 2\gamma)$] = 5.16 ± 0.85 ± 0.39 eV. We divide by our best value $B(\eta \rightarrow 2\gamma) = (39.30 \pm 0.20) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best value.

$\Gamma(\pi^+\pi^-\pi^0K^+K^-) \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$ $\Gamma_{79}\Gamma_3/\Gamma$

VALUE (eV)	EVTS	DOCUMENT ID	TECN	COMMENT
------------	------	-------------	------	---------

107.0±4.3±6.4	768	AUBERT	07AU BABR	10.6 e ⁺ e ⁻ → K ⁺ K ⁻ π ⁺ π ⁻ π ⁰ γ
----------------------	-----	--------	-----------	-------------------------------------------------------------------------------------------------------------------

$\Gamma(\phi\eta) \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$ $\Gamma_{42}\Gamma_3/\Gamma$

VALUE (eV)	EVTS	DOCUMENT ID	TECN	COMMENT
------------	------	-------------	------	---------

6.1±2.7±0.4	6	³⁰ AUBERT	07AU BABR	10.6 e ⁺ e ⁻ → φηγ
--------------------	---	----------------------	-----------	------------------------------------------

³⁰AUBERT 07AU quotes $\Gamma_{ee}^{J/\psi} \cdot B(J/\psi \rightarrow \phi\eta) \cdot B(\phi \rightarrow K^+K^-) \cdot B(\eta \rightarrow 3\pi) = 0.84 \pm 0.37 \pm 0.05$ eV.

$\Gamma(\omega K\bar{K}) \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$ $\Gamma_{28}\Gamma_3/\Gamma$

VALUE (eV)	EVTS	DOCUMENT ID	TECN	COMMENT
3.70±1.98±0.03	24	31 AUBERT	07AU BABR	10.6 $e^+e^- \rightarrow \omega K^+ K^- \gamma$
³¹ AUBERT 07AU reports $[\Gamma(J/\psi(1S) \rightarrow \omega K\bar{K}) \times \Gamma(J/\psi(1S) \rightarrow e^+e^-)/\Gamma_{\text{total}}] \times [B(\omega(782) \rightarrow \pi^+\pi^-\pi^0)] = 3.3 \pm 1.3 \pm 1.2$ eV. We divide by our best value $B(\omega(782) \rightarrow \pi^+\pi^-\pi^0) = (89.2 \pm 0.7) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best value.				

$\Gamma(\pi^+\pi^-K^+K^-\eta) \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$ $\Gamma_{82}\Gamma_3/\Gamma$

VALUE (eV)	EVTS	DOCUMENT ID	TECN	COMMENT
26.0±3.9±0.1	73	32 AUBERT	07AU BABR	10.6 $e^+e^- \rightarrow K^+K^-\pi^+\pi^-\eta\gamma$
³² AUBERT 07AU reports $[\Gamma(J/\psi(1S) \rightarrow \pi^+\pi^-K^+K^-\eta) \times \Gamma(J/\psi(1S) \rightarrow e^+e^-)/\Gamma_{\text{total}}] \times [B(\eta \rightarrow 2\gamma)] = 10.2 \pm 1.3 \pm 0.8$ eV. We divide by our best value $B(\eta \rightarrow 2\gamma) = (39.30 \pm 0.20) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best value.				

$\Gamma(p\bar{p}) \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$ $\Gamma_{91}\Gamma_3/\Gamma$

VALUE (eV)	EVTS	DOCUMENT ID	TECN	COMMENT
11.6±0.9 OUR AVERAGE		Error includes scale factor of 1.2.		
12.0±0.6±0.5	438	AUBERT	06B	$e^+e^- \rightarrow p\bar{p}\gamma$
9.7±1.7		33 ARMSTRONG	93B E760	$\bar{p}p \rightarrow e^+e^-$
³³ Using $\Gamma_{\text{total}} = 85.5^{+6.1}_{-5.8}$ MeV.				

$\Gamma(\Sigma^0\bar{\Sigma}^0) \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$ $\Gamma_{103}\Gamma_3/\Gamma$

VALUE (eV)	DOCUMENT ID	TECN	COMMENT
6.4±1.2±0.6	AUBERT	07BD BABR	10.6 $e^+e^- \rightarrow \Sigma^0\bar{\Sigma}^0\gamma$

$\Gamma(\Lambda\bar{\Lambda}) \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$ $\Gamma_{110}\Gamma_3/\Gamma$

VALUE (eV)	DOCUMENT ID	TECN	COMMENT
10.7±0.9±0.7	AUBERT	07BD BABR	10.6 $e^+e^- \rightarrow \Lambda\bar{\Lambda}\gamma$

$J/\psi(1S)$ BRANCHING RATIOS

For the first four branching ratios, see also the partial widths, and (partial widths) $\times \Gamma(e^+e^-)/\Gamma_{\text{total}}$ above.

$\Gamma(\text{hadrons})/\Gamma_{\text{total}}$ Γ_1/Γ

VALUE	DOCUMENT ID	TECN	COMMENT
0.877±0.005 OUR AVERAGE			
0.878±0.005	BAI	95B BES	e^+e^-
0.86 ±0.02	BOYARSKI	75 MRK1	e^+e^-

$\Gamma(\text{virtual}\gamma \rightarrow \text{hadrons})/\Gamma_{\text{total}}$ Γ_2/Γ

VALUE	DOCUMENT ID	TECN	COMMENT
0.135±0.003	34,35 SETH	04 RVUE	e^+e^-
••• We do not use the following data for averages, fits, limits, etc. •••			
0.17 ±0.02	34 BOYARSKI	75 MRK1	e^+e^-

³⁴ Included in $\Gamma(\text{hadrons})/\Gamma_{\text{total}}$.

³⁵ Using $B(J/\psi \rightarrow \ell^+ \ell^-) = (5.90 \pm 0.09)\%$ from RPP-2002 and $R = 2.28 \pm 0.04$ determined by a fit to data from BAI 00 and BAI 02C.

$\Gamma(e^+ e^-)/\Gamma_{\text{total}}$ Γ_3/Γ

<u>VALUE (units 10^{-2})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
5.94 ± 0.06	OUR AVERAGE			
5.945 ± 0.067 ± 0.042	15k	LI	05C	CLEO $\psi(2S) \rightarrow J/\psi \pi^+ \pi^-$
5.90 ± 0.05 ± 0.10		BAI	98D	BES $\psi(2S) \rightarrow J/\psi \pi^+ \pi^-$
6.09 ± 0.33		BAI	95B	BES $e^+ e^-$
5.92 ± 0.15 ± 0.20		COFFMAN	92	MRK3 $\psi(2S) \rightarrow J/\psi \pi^+ \pi^-$
6.9 ± 0.9		BOYARSKI	75	MRK1 $e^+ e^-$

$\Gamma(\mu^+ \mu^-)/\Gamma_{\text{total}}$ Γ_4/Γ

<u>VALUE (units 10^{-2})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
5.93 ± 0.06	OUR AVERAGE			
5.960 ± 0.065 ± 0.050	17k	LI	05C	CLEO $\psi(2S) \rightarrow J/\psi \pi^+ \pi^-$
5.84 ± 0.06 ± 0.10		BAI	98D	BES $\psi(2S) \rightarrow J/\psi \pi^+ \pi^-$
6.08 ± 0.33		BAI	95B	BES $e^+ e^-$
5.90 ± 0.15 ± 0.19		COFFMAN	92	MRK3 $\psi(2S) \rightarrow J/\psi \pi^+ \pi^-$
6.9 ± 0.9		BOYARSKI	75	MRK1 $e^+ e^-$

$\Gamma(e^+ e^-)/\Gamma(\mu^+ \mu^-)$ Γ_3/Γ_4

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.997 ± 0.012 ± 0.006	LI	05C	CLEO $\psi(2S) \rightarrow J/\psi \pi^+ \pi^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1.00 ± 0.07	BAI	95B	BES $e^+ e^-$
1.00 ± 0.05	BOYARSKI	75	MRK1 $e^+ e^-$
0.91 ± 0.15	ESPOSITO	75B	FRAM $e^+ e^-$
0.93 ± 0.10	FORD	75	SPEC $e^+ e^-$


———— HADRONIC DECAYS ————

$\Gamma(\rho\pi)/\Gamma_{\text{total}}$ Γ_5/Γ

<u>VALUE (units 10^{-2})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1.69 ± 0.15	OUR AVERAGE			Error includes scale factor of 2.4. See the ideogram below.
2.18 ± 0.19	36,37	AUBERT,B	04N	BABR $10.6 e^+ e^- \rightarrow \pi^+ \pi^- \pi^0 \gamma$
2.184 ± 0.005 ± 0.201	220k	37,38 BAI	04H	BES $e^+ e^- \rightarrow J/\psi \rightarrow \pi^+ \pi^- \pi^0$
2.091 ± 0.021 ± 0.116	37,39	BAI	04H	BES $\psi(2S) \rightarrow \pi^+ \pi^- J/\psi$
1.21 ± 0.20		BAI	96D	BES $e^+ e^- \rightarrow \rho\pi$
1.42 ± 0.01 ± 0.19		COFFMAN	88	MRK3 $e^+ e^-$
1.3 ± 0.3	150	FRANKLIN	83	MRK2 $e^+ e^-$
1.6 ± 0.4	183	ALEXANDER	78	PLUT $e^+ e^-$
1.33 ± 0.21		BRANDELIK	78B	DASP $e^+ e^-$
1.0 ± 0.2	543	BARTEL	76	CNTR $e^+ e^-$
1.3 ± 0.3	153	JEAN-MARIE	76	MRK1 $e^+ e^-$

- 36 From the ratio of $\Gamma(e^+e^-)B(\pi^+\pi^-\pi^0)$ and $\Gamma(e^+e^-)B(\mu^+\mu^-)$ (AUBERT 04).
 37 Not independent of their $B(\pi^+\pi^-\pi^0)$.
 38 From $J/\psi \rightarrow \pi^+\pi^-\pi^0$ events directly.
 39 Obtained comparing the rates for $\pi^+\pi^-\pi^0$ and $\mu^+\mu^-$, using J/ψ events produced via $\psi(2S) \rightarrow \pi^+\pi^-J/\psi$ and with $B(J/\psi \rightarrow \mu^+\mu^-) = 5.88 \pm 0.10\%$.

WEIGHTED AVERAGE
 1.69 ± 0.15 (Error scaled by 2.4)



$\Gamma(\rho^0\pi^0)/\Gamma(\rho\pi)$

Γ_6/Γ_5

VALUE	DOCUMENT ID	TECN	COMMENT
$0.328 \pm 0.005 \pm 0.027$	COFFMAN 88	MRK3	e^+e^-
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
0.35 ± 0.08	ALEXANDER 78	PLUT	e^+e^-
0.32 ± 0.08	BRANDELIK 78B	DASP	e^+e^-
0.39 ± 0.11	BARTEL 76	CNTR	e^+e^-
0.37 ± 0.09	JEAN-MARIE 76	MRK1	e^+e^-

$\Gamma(a_2(1320)\rho)/\Gamma_{total}$

Γ_7/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
10.9 ± 2.2	OUR AVERAGE			
$11.7 \pm 0.7 \pm 2.5$	7584	AUGUSTIN 89	DM2	$J/\psi \rightarrow \rho^0\rho^\pm\pi^\mp$
8.4 ± 4.5	36	VANNUCCI 77	MRK1	$e^+e^- \rightarrow 2(\pi^+\pi^-)\pi^0$

$\Gamma(\omega\pi^+\pi^+\pi^-\pi^-)/\Gamma_{total}$

Γ_8/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
85 ± 34	140	VANNUCCI 77	MRK1	$e^+e^- \rightarrow 3(\pi^+\pi^-)\pi^0$

$\Gamma(\omega\pi^+\pi^-\pi^0)/\Gamma_{\text{total}}$ Γ_9/Γ

VALUE (units 10^{-2})	EVTS	DOCUMENT ID	TECN	COMMENT
0.40±0.06±0.04	170	⁴⁰ AUBERT	06D BABR	10.6 $e^+e^- \rightarrow \omega\pi^+\pi^-\pi^0\gamma$

⁴⁰ Using $\Gamma(J/\psi \rightarrow e^+e^-) = 5.52 \pm 0.14 \pm 0.04$ keV.

$\Gamma(\omega\pi^+\pi^-)/\Gamma_{\text{total}}$ Γ_{10}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
8.6±0.7 OUR AVERAGE		Error includes scale factor of 1.1.		
9.7±0.6±0.6	788	⁴¹ AUBERT	07AU BABR	10.6 $e^+e^- \rightarrow \omega\pi^+\pi^-\gamma$
7.0±1.6	18058	AUGUSTIN	89 DM2	$J/\psi \rightarrow 2(\pi^+\pi^-)\pi^0$
7.8±1.6	215	BURMESTER	77D PLUT	e^+e^-
6.8±1.9	348	VANNUCCI	77 MRK1	$e^+e^- \rightarrow 2(\pi^+\pi^-)\pi^0$

⁴¹ AUBERT 07AU quotes $\Gamma_{ee}^{J/\psi} \cdot B(J/\psi \rightarrow \omega\pi^+\pi^-) \cdot B(\omega \rightarrow 3\pi) = 47.8 \pm 3.1 \pm 3.2$ eV.

$\Gamma(\omega f_2(1270))/\Gamma_{\text{total}}$ Γ_{11}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
4.3±0.6 OUR AVERAGE				
4.3±0.2±0.6	5860	AUGUSTIN	89 DM2	e^+e^-
4.0±1.6	70	BURMESTER	77D PLUT	e^+e^-
• • • We do not use the following data for averages, fits, limits, etc. • • •				
1.9±0.8	81	VANNUCCI	77 MRK1	$e^+e^- \rightarrow 2(\pi^+\pi^-)\pi^0$

$\Gamma(K^*(892)^0\bar{K}_2^*(1430)^0 + \text{c.c.})/\Gamma_{\text{total}}$ Γ_{12}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
6.0±0.6 OUR AVERAGE				
5.9±0.6±0.2	317 ± 23	^{42,43} AUBERT	07AK BABR	10.6 $e^+e^- \rightarrow \pi^+\pi^-K^+K^-\gamma$
6.7±2.6	40	VANNUCCI	77 MRK1	$e^+e^- \rightarrow \pi^+\pi^-K^+K^-$

⁴² Using $B(K_2^*(1430)^0 \rightarrow K\pi) = (49.9 \pm 1.2)\%$.

⁴³ AUBERT 07AK reports $[\Gamma(J/\psi(1S) \rightarrow K^*(892)^0\bar{K}_2^*(1430)^0 + \text{c.c.})/\Gamma_{\text{total}}] \times [\Gamma(J/\psi(1S) \rightarrow e^+e^-)] = (32.9 \pm 2.3 \pm 2.7) \times 10^{-3}$ keV. We divide by our best value $\Gamma(J/\psi(1S) \rightarrow e^+e^-) = 5.55 \pm 0.14 \pm 0.02$ keV. Our first error is their experiment's error and our second error is the systematic error from using our best value.

$\Gamma(\omega K^*(892)\bar{K} + \text{c.c.})/\Gamma_{\text{total}}$ Γ_{14}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
61 ± 9 OUR AVERAGE				
62.0 ± 6.8±10.6	899 ± 98	ABLIKIM	08E BES2	$J/\psi \rightarrow \omega K_S^0 K^\pm \pi^\mp$
65.3±10.2±13.5	176 ± 28	ABLIKIM	08E BES2	$J/\psi \rightarrow \omega K^+ K^- \pi^0$
53 ± 14 ± 14	530 ± 140	BECKER	87 MRK3	$e^+e^- \rightarrow \text{hadrons}$

$\Gamma(K^+\bar{K}^*(892)^- + \text{c.c.})/\Gamma_{\text{total}}$ Γ_{15}/Γ

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
-------------------------------------------	-------------	--------------------	-------------	----------------

5.12±0.30 OUR AVERAGE

5.2 ±0.4 ±0.1		44 AUBERT	08S	BABR	10.6 $e^+e^- \rightarrow K^+K^*(892)^-\gamma$
4.57±0.17±0.70	2285	JOUSSET	90	DM2	$J/\psi \rightarrow \text{hadrons}$
5.26±0.13±0.53		COFFMAN	88	MRK3	$J/\psi \rightarrow K^\pm K_S^0 \pi^\mp,$ $K^+K^-\pi^0$

• • • We do not use the following data for averages, fits, limits, etc. • • •

2.6 ±0.6	24	FRANKLIN	83	MRK2	$J/\psi \rightarrow K^+K^-\pi^0$
3.2 ±0.6	48	VANNUCCI	77	MRK1	$J/\psi \rightarrow K^\pm K_S^0 \pi^\mp$
4.1 ±1.2	39	BRAUNSCH...	76	DASP	$J/\psi \rightarrow K^\pm X$

⁴⁴ AUBERT 08S reports $[\Gamma(J/\psi(1S) \rightarrow K^+\bar{K}^*(892)^- + \text{c.c.})/\Gamma_{\text{total}}] \times [\Gamma(J/\psi(1S) \rightarrow e^+e^-)] = (29.0 \pm 1.7 \pm 1.3) \times 10^{-3}$ keV. We divide by our best value $\Gamma(J/\psi(1S) \rightarrow e^+e^-) = 5.55 \pm 0.14 \pm 0.02$ keV. Our first error is their experiment's error and our second error is the systematic error from using our best value.

$\Gamma(K^+\bar{K}^*(892)^- + \text{c.c.} \rightarrow K^+K^-\pi^0)/\Gamma_{\text{total}}$ Γ_{16}/Γ

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
-------------------------------------------	-------------	--------------------	-------------	----------------

1.97±0.20±0.05 155 ⁴⁵ AUBERT 08S BABR 10.6 $e^+e^- \rightarrow K^+K^-\pi^0\gamma$

⁴⁵ AUBERT 08S reports $[\Gamma(J/\psi(1S) \rightarrow K^+\bar{K}^*(892)^- + \text{c.c.} \rightarrow K^+K^-\pi^0)/\Gamma_{\text{total}}] \times [\Gamma(J/\psi(1S) \rightarrow e^+e^-)] = (10.96 \pm 0.85 \pm 0.70) \times 10^{-3}$ keV. We divide by our best value $\Gamma(J/\psi(1S) \rightarrow e^+e^-) = 5.55 \pm 0.14 \pm 0.02$ keV. Our first error is their experiment's error and our second error is the systematic error from using our best value.

$\Gamma(K^+\bar{K}^*(892)^- + \text{c.c.} \rightarrow K^0K^\pm\pi^\mp)/\Gamma_{\text{total}}$ Γ_{17}/Γ

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
-------------------------------------------	-------------	--------------------	-------------	----------------

3.0±0.4±0.1 89 ⁴⁶ AUBERT 08S BABR 10.6 $e^+e^- \rightarrow K_S^0K^\pm\pi^\mp\gamma$

⁴⁶ AUBERT 08S reports $[\Gamma(J/\psi(1S) \rightarrow K^+\bar{K}^*(892)^- + \text{c.c.} \rightarrow K^0K^\pm\pi^\mp)/\Gamma_{\text{total}}] \times [\Gamma(J/\psi(1S) \rightarrow e^+e^-)] = (16.76 \pm 1.70 \pm 1.00) \times 10^{-3}$ keV. We divide by our best value $\Gamma(J/\psi(1S) \rightarrow e^+e^-) = 5.55 \pm 0.14 \pm 0.02$ keV. Our first error is their experiment's error and our second error is the systematic error from using our best value.

$\Gamma(K^0\bar{K}^*(892)^0 + \text{c.c.})/\Gamma_{\text{total}}$ Γ_{18}/Γ

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
-------------------------------------------	-------------	--------------------	-------------	----------------

4.39±0.31 OUR AVERAGE

4.8 ±0.5 ±0.1		47 AUBERT	08S	BABR	10.6 $e^+e^- \rightarrow K^0\bar{K}^*(892)^0\gamma$
3.96±0.15±0.60	1192	JOUSSET	90	DM2	$J/\psi \rightarrow \text{hadrons}$
4.33±0.12±0.45		COFFMAN	88	MRK3	$J/\psi \rightarrow K^\pm K_S^0 \pi^\mp$

• • • We do not use the following data for averages, fits, limits, etc. • • •

2.7 ±0.6	45	VANNUCCI	77	MRK1	$J/\psi \rightarrow K^\pm K_S^0 \pi^\mp$
----------	----	----------	----	------	------------------------------------------

⁴⁷ AUBERT 08S reports $[\Gamma(J/\psi(1S) \rightarrow K^0\bar{K}^*(892)^0 + \text{c.c.})/\Gamma_{\text{total}}] \times [\Gamma(J/\psi(1S) \rightarrow e^+e^-)] = (26.6 \pm 2.5 \pm 1.5) \times 10^{-3}$ keV. We divide by our best value $\Gamma(J/\psi(1S) \rightarrow e^+e^-) = 5.55 \pm 0.14 \pm 0.02$ keV. Our first error is their experiment's error and our second error is the systematic error from using our best value.

$\Gamma(K^0 \bar{K}^*(892)^0 + \text{c.c.} \rightarrow K^0 K^\pm \pi^\mp) / \Gamma_{\text{total}}$ Γ_{19} / Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
$3.2 \pm 0.4 \pm 0.1$	94	⁴⁸ AUBERT	08S BABR	$10.6 e^+ e^- \rightarrow K_S^0 K^\pm \pi^\mp \gamma$

⁴⁸ AUBERT 08S reports $[\Gamma(J/\psi(1S) \rightarrow K^0 \bar{K}^*(892)^0 + \text{c.c.} \rightarrow K^0 K^\pm \pi^\mp) / \Gamma_{\text{total}}] \times [\Gamma(J/\psi(1S) \rightarrow e^+ e^-)] = (17.70 \pm 1.70 \pm 1.00) \times 10^{-3}$ keV. We divide by our best value $\Gamma(J/\psi(1S) \rightarrow e^+ e^-) = 5.55 \pm 0.14 \pm 0.02$ keV. Our first error is their experiment's error and our second error is the systematic error from using our best value.

$\Gamma(K^0 \bar{K}^*(892)^0 + \text{c.c.}) / \Gamma(K^+ \bar{K}^*(892)^- + \text{c.c.})$ $\Gamma_{18} / \Gamma_{15}$

VALUE	DOCUMENT ID	TECN	COMMENT
$0.82 \pm 0.05 \pm 0.09$	COFFMAN	88 MRK3	$J/\psi \rightarrow K \bar{K}^*(892) + \text{c.c.}$

$\Gamma(K_1(1400)^\pm K^\mp) / \Gamma_{\text{total}}$ Γ_{20} / Γ

VALUE (units 10^{-3})	DOCUMENT ID	TECN	COMMENT
$3.8 \pm 0.8 \pm 1.2$	⁴⁹ BAI	99C BES	$e^+ e^-$

⁴⁹ Assuming $B(K_1(1400) \rightarrow K^* \pi) = 0.94 \pm 0.06$

$\Gamma(\bar{K}^*(892)^0 K^+ \pi^- + \text{c.c.}) / \Gamma_{\text{total}}$ Γ_{21} / Γ

VALUE	DOCUMENT ID	TECN	COMMENT
seen	⁵⁰ ABLIKIM	06C BES2	$J/\psi \rightarrow \bar{K}^*(892)^0 K^+ \pi^-$

⁵⁰ A $K_0^*(800)$ is observed by ABLIKIM 06C in the $K^+ \pi^-$ mass spectrum of the $\bar{K}^*(892)^0 K^+ \pi^-$ final state against the $\bar{K}^*(892)$. A corresponding branching fraction of the $J/\psi(1S)$ is not presented.

$\Gamma(\omega \pi^0 \pi^0) / \Gamma_{\text{total}}$ Γ_{22} / Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
$3.4 \pm 0.3 \pm 0.7$	509	AUGUSTIN	89 DM2	$J/\psi \rightarrow \pi^+ \pi^- 3\pi^0$

$\Gamma(b_1(1235)^\pm \pi^\mp) / \Gamma_{\text{total}}$ Γ_{23} / Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
30 ± 5 OUR AVERAGE				
31 ± 6	4600	AUGUSTIN	89 DM2	$J/\psi \rightarrow 2(\pi^+ \pi^-) \pi^0$
29 ± 7	87	BURMESTER	77D PLUT	$e^+ e^-$

$\Gamma(\omega K^\pm K_S^0 \pi^\mp) / \Gamma_{\text{total}}$ Γ_{24} / Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
34 ± 5 OUR AVERAGE				
$37.7 \pm 0.8 \pm 5.8$	1972 ± 41	ABLIKIM	08E BES2	$e^+ e^- \rightarrow J/\psi$
$29.5 \pm 1.4 \pm 7.0$	879 ± 41	BECKER	87 MRK3	$e^+ e^- \rightarrow \text{hadrons}$

$\Gamma(b_1(1235)^0 \pi^0) / \Gamma_{\text{total}}$ Γ_{25} / Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
$23 \pm 3 \pm 5$	229	AUGUSTIN	89 DM2	$e^+ e^-$

$\Gamma(\eta K^\pm K_S^0 \pi^\mp) / \Gamma_{\text{total}}$ Γ_{26} / Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
$21.8 \pm 2.2 \pm 3.4$	232 ± 23	ABLIKIM	08E BES2	$e^+ e^- \rightarrow J/\psi$

$\Gamma(\phi K^*(892)\bar{K} + \text{c.c.})/\Gamma_{\text{total}}$ Γ_{27}/Γ

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
21.8±2.3 OUR AVERAGE				
20.8±2.7±3.9	195 ± 25	ABLIKIM	08E BES2	$J/\psi \rightarrow \phi K_S^0 K^\pm \pi^\mp$
29.6±3.7±4.7	238 ± 30	ABLIKIM	08E BES2	$J/\psi \rightarrow \phi K^+ K^- \pi^0$
20.7±2.4±3.0		FALVARD	88 DM2	$J/\psi \rightarrow \text{hadrons}$
20 ± 3 ± 3	155 ± 20	BECKER	87 MRK3	$e^+ e^- \rightarrow \text{hadrons}$

$\Gamma(\omega K\bar{K})/\Gamma_{\text{total}}$ Γ_{28}/Γ

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1.6 ± 0.5 OUR AVERAGE				
1.36± 0.50±0.10	24	⁵¹ AUBERT	07AU BABR	$10.6 e^+ e^- \rightarrow \omega K^+ K^- \gamma$
19.8 ± 2.1 ± 3.9		⁵² FALVARD	88 DM2	$J/\psi \rightarrow \text{hadrons}$
16 ± 10	22	FELDMAN	77 MRK1	$e^+ e^-$

⁵¹ AUBERT 07AU quotes $\Gamma_{ee}^{J/\psi} \cdot B(J/\psi \rightarrow \omega K^+ K^-) \cdot B(\eta \rightarrow 3\pi) = 3.3 \pm 1.3 \pm 0.2 \text{ eV}$.

⁵² Addition of $\omega K^+ K^-$ and $\omega K^0 \bar{K}^0$ branching ratios.

$\Gamma(\omega f_0(1710) \rightarrow \omega K\bar{K})/\Gamma_{\text{total}}$ Γ_{29}/Γ

<u>VALUE (units 10^{-4})</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
4.8±1.1±0.3	53,54 FALVARD	88 DM2	$J/\psi \rightarrow \text{hadrons}$

⁵³ Includes unknown branching fraction $f_0(1710) \rightarrow K\bar{K}$.

⁵⁴ Addition of $f_0(1710) \rightarrow K^+ K^-$ and $f_0(1710) \rightarrow K^0 \bar{K}^0$ branching ratios.

$\Gamma(\phi 2(\pi^+ \pi^-))/\Gamma_{\text{total}}$ Γ_{30}/Γ

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
16.6±2.3 OUR AVERAGE				
17.3±3.3±1.2	35	⁵⁵ AUBERT	06D BABR	$10.6 e^+ e^- \rightarrow \phi 2(\pi^+ \pi^-) \gamma$
16.0±1.0±3.0		FALVARD	88 DM2	$J/\psi \rightarrow \text{hadrons}$

⁵⁵ Using $\Gamma(J/\psi \rightarrow e^+ e^-) = 5.52 \pm 0.14 \pm 0.04 \text{ keV}$.


$\Gamma(\Delta(1232)^{++} p\pi^-)/\Gamma_{\text{total}}$ Γ_{31}/Γ

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1.58±0.23±0.40	332	EATON	84 MRK2	$e^+ e^-$

$\Gamma(\omega\eta)/\Gamma_{\text{total}}$ Γ_{32}/Γ

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1.74 ± 0.20 OUR AVERAGE				
Error includes scale factor of 1.6. See the ideogram below.				
2.352±0.273	5k	⁵⁶ ABLIKIM	06F BES2	$J/\psi \rightarrow \omega\eta$
1.44 ± 0.40 ± 0.14	13	⁵⁷ AUBERT	06D BABR	$10.6 e^+ e^- \rightarrow \omega\eta\gamma$
1.43 ± 0.10 ± 0.21	378	JOUSSET	90 DM2	$J/\psi \rightarrow \text{hadrons}$
1.71 ± 0.08 ± 0.20		COFFMAN	88 MRK3	$e^+ e^- \rightarrow 3\pi\eta$

- ⁵⁶ Using $B(\eta \rightarrow 2\gamma) = (39.43 \pm 0.26)\%$, $B(\eta \rightarrow \pi^+\pi^-\pi^0) = 22.6 \pm 0.4\%$, $B(\eta \rightarrow \pi^+\pi^-\gamma) = 4.68 \pm 0.11\%$, and $B(\omega \rightarrow \pi^+\pi^-\pi^0) = (89.1 \pm 0.7)\%$.
⁵⁷ Using $\Gamma(J/\psi \rightarrow e^+e^-) = 5.52 \pm 0.14 \pm 0.04$ keV.



$\Gamma(\phi K \bar{K})/\Gamma_{\text{total}}$


Γ_{33}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
18.3 ± 2.4 OUR AVERAGE		Error includes scale factor of 1.5. See the ideogram below.		
$21.4 \pm 0.4 \pm 2.2$		ABLIKIM	05	BES2 $J/\psi \rightarrow \phi \pi^+ \pi^-$
$48^{+20}_{-16} \pm 6$	$9.0^{+3.7}_{-3.0}$	^{58,59} HUANG	03	BELL $B^+ \rightarrow (\phi K^+ K^-) K^+$
$14.6 \pm 0.8 \pm 2.1$		⁶⁰ FALVARD	88	DM2 $J/\psi \rightarrow$ hadrons
18 ± 8	14	FELDMAN	77	MRK1 $e^+ e^-$

⁵⁸ We have multiplied $K^+ K^-$ measurement by 2 to obtain $K \bar{K}$.

⁵⁹ Using $B(B^+ \rightarrow J/\psi K^+) = (1.01 \pm 0.05) \times 10^{-3}$.

⁶⁰ Addition of $\phi K^+ K^-$ and $\phi K^0 \bar{K}^0$ branching ratios.



$\Gamma(\phi f_0(1710) \rightarrow \phi K \bar{K}) / \Gamma_{\text{total}}$ **Γ_{34} / Γ**


VALUE (units 10^{-4})	DOCUMENT ID	TECN	COMMENT
$3.6 \pm 0.2 \pm 0.6$	61,62 FALVARD	88 DM2	$J/\psi \rightarrow \text{hadrons}$

⁶¹Including interference with $f_2'(1525)$.

⁶²Includes unknown branching fraction $f_0(1710) \rightarrow K \bar{K}$.

$\Gamma(p \bar{p} \omega) / \Gamma_{\text{total}}$ **Γ_{97} / Γ**

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
1.10 ± 0.15 OUR AVERAGE	Error includes scale factor of 1.3. See the ideogram below.			
$0.98 \pm 0.03 \pm 0.14$	2449	ABLIKIM	08 BES2	$e^+ e^-$
$1.10 \pm 0.17 \pm 0.18$	486	EATON	84 MRK2	$e^+ e^-$
1.6 ± 0.3	77	PERUZZI	78 MRK1	$e^+ e^-$



$\Gamma(\Delta(1232)^{++}\bar{\Delta}(1232)^{--})/\Gamma_{\text{total}}$ Γ_{35}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
$1.10 \pm 0.09 \pm 0.28$	233	EATON	84	MRK2 e^+e^-

$\Gamma(\Sigma(1385)^-\bar{\Sigma}(1385)^+$ (or c.c.)) / Γ_{total} Γ_{36}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
1.03 ± 0.13 OUR AVERAGE				
$1.00 \pm 0.04 \pm 0.21$	631 ± 25	HENRARD	87	DM2 $e^+e^- \rightarrow \Sigma^{*-}$
$1.19 \pm 0.04 \pm 0.25$	754 ± 27	HENRARD	87	DM2 $e^+e^- \rightarrow \Sigma^{*+}$
$0.86 \pm 0.18 \pm 0.22$	56	EATON	84	MRK2 $e^+e^- \rightarrow \Sigma^{*-}$
$1.03 \pm 0.24 \pm 0.25$	68	EATON	84	MRK2 $e^+e^- \rightarrow \Sigma^{*+}$

$\Gamma(p\bar{p}\eta'(958))/\Gamma_{\text{total}}$ Γ_{98}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
0.9 ± 0.4 OUR AVERAGE	Error includes scale factor of 1.7.			
$0.68 \pm 0.23 \pm 0.17$	19	EATON	84	MRK2 e^+e^-
1.8 ± 0.6	19	PERUZZI	78	MRK1 e^+e^-

$\Gamma(\phi f_2'(1525))/\Gamma_{\text{total}}$ Γ_{37}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
8 ± 4 OUR AVERAGE	Error includes scale factor of 2.7.			
$12.3 \pm 0.6 \pm 2.0$	^{63,64}	FALVARD	88	DM2 $J/\psi \rightarrow \text{hadrons}$
4.8 ± 1.8	⁶³	GIDAL	81	MRK2 $J/\psi \rightarrow K^+K^-K^+K^-$

⁶³ Re-evaluated using $B(f_2'(1525) \rightarrow K\bar{K}) = 0.713$.

⁶⁴ Including interference with $f_0(1710)$.

$\Gamma(\phi\pi^+\pi^-)/\Gamma_{\text{total}}$ **Γ_{38}/Γ**

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.94±0.09 OUR AVERAGE		Error includes scale factor of 1.2.		
0.96±0.13	103	⁶⁵ AUBERT,BE 06D	BABR	10.6 $e^+e^- \rightarrow K^+K^-\pi^+\pi^-\gamma$
1.09±0.02±0.13		ABLIKIM 05	BES2	$J/\psi \rightarrow \phi\pi^+\pi^-$
0.78±0.03±0.12		FALVARD 88	DM2	$J/\psi \rightarrow \text{hadrons}$
2.1 ±0.9	23	FELDMAN 77	MRK1	e^+e^-

⁶⁵ Derived by us. AUBERT,BE 06D measures $\Gamma(J/\psi \rightarrow e^+e^-) \times B(J/\psi \rightarrow \phi\pi^+\pi^-) \times B(\phi \rightarrow K^+K^-) = (2.61 \pm 0.30 \pm 0.18)$ eV

$\Gamma(\phi\pi^0\pi^0)/\Gamma_{\text{total}}$ **Γ_{39}/Γ**

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.56±0.16	23	⁶⁶ AUBERT,BE 06D	BABR	10.6 $e^+e^- \rightarrow K^+K^-\pi^0\pi^0\gamma$

⁶⁶ Derived by us. AUBERT,BE 06D measures $\Gamma(J/\psi \rightarrow e^+e^-) \times B(J/\psi \rightarrow \phi\pi^0\pi^0) \times B(\phi \rightarrow K^+K^-) = (1.54 \pm 0.40 \pm 0.16)$ eV

$\Gamma(\phi K^\pm K_S^0 \pi^\mp)/\Gamma_{\text{total}}$ **Γ_{40}/Γ**

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
7.2±0.8 OUR AVERAGE				
7.4±0.6±1.4	227 ± 19	ABLIKIM 08E	BES2	$e^+e^- \rightarrow J/\psi$
7.4±0.9±1.1		FALVARD 88	DM2	$J/\psi \rightarrow \text{hadrons}$
7 ±0.6±1.0	163 ± 15	BECKER 87	MRK3	$e^+e^- \rightarrow \text{hadrons}$


$\Gamma(\omega f_1(1420))/\Gamma_{\text{total}}$ **Γ_{41}/Γ**

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
6.8^{+1.9}_{-1.6} ±1.7	111 ⁺³¹ ₋₂₆	BECKER 87	MRK3	$e^+e^- \rightarrow \text{hadrons}$

$\Gamma(\phi\eta)/\Gamma_{\text{total}}$ **Γ_{42}/Γ**

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.75 ±0.08 OUR AVERAGE		Error includes scale factor of 1.5. See the ideogram below.		
1.4 ±0.6 ±0.1	6	⁶⁷ AUBERT 07AU	BABR	10.6 $e^+e^- \rightarrow \phi\eta\gamma$
0.898±0.024±0.089		ABLIKIM 05B	BES2	$e^+e^- \rightarrow J/\psi \rightarrow \text{hadr}$
0.64 ±0.04 ±0.11	346	JOUSSET 90	DM2	$J/\psi \rightarrow \text{hadrons}$
0.661±0.045±0.078		COFFMAN 88	MRK3	$e^+e^- \rightarrow K^+K^-\eta$

⁶⁷ AUBERT 07AU quotes $\Gamma_{ee}^{J/\psi} \cdot B(J/\psi \rightarrow \phi\eta) \cdot B(\phi \rightarrow K^+K^-) \cdot B(\eta \rightarrow \gamma\gamma) = 0.84 \pm 0.37 \pm 0.05$ eV.



$\Gamma(\Xi(1530)^- \Xi^+)/\Gamma_{\text{total}}$ Γ_{44}/Γ

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$0.59 \pm 0.09 \pm 0.12$	75 ± 11	HENRARD	87 DM2	$e^+ e^-$

$\Gamma(\rho K^- \bar{\Sigma}(1385)^0)/\Gamma_{\text{total}}$ Γ_{45}/Γ


<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$0.51 \pm 0.26 \pm 0.18$	89	EATON	84 MRK2	$e^+ e^-$

$\Gamma(\omega \pi^0)/\Gamma_{\text{total}}$ Γ_{46}/Γ

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.45 ± 0.05 OUR AVERAGE				Error includes scale factor of 1.4. See the ideogram below.
$0.538 \pm 0.012 \pm 0.065$	2090	⁶⁸ ABLIKIM	06F BES2	$J/\psi \rightarrow \omega \pi^0$
$0.360 \pm 0.028 \pm 0.054$	222	JOUSSET	90 DM2	$J/\psi \rightarrow \text{hadrons}$
$0.482 \pm 0.019 \pm 0.064$		COFFMAN	88 MRK3	$e^+ e^- \rightarrow \pi^0 \pi^+ \pi^- \pi^0$

⁶⁸ Using $B(\omega \rightarrow \pi^+ \pi^- \pi^0) = (89.1 \pm 0.7)\%$.


WEIGHTED AVERAGE
 0.45 ± 0.05 (Error scaled by 1.4)



$\Gamma(\phi\eta'(958))/\Gamma_{\text{total}}$

Γ_{47}/Γ

VALUE (units 10^{-3})	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
0.40 ± 0.07					OUR AVERAGE Error includes scale factor of 2.1. See the ideogram below.
$0.546 \pm 0.031 \pm 0.056$			ABLIKIM	05B BES2	$e^+e^- \rightarrow J/\psi \rightarrow \text{hadr}$
$0.41 \pm 0.03 \pm 0.08$		167	JOUSSET	90 DM2	$J/\psi \rightarrow \text{hadrons}$
$0.308 \pm 0.034 \pm 0.036$			COFFMAN	88 MRK3	$e^+e^- \rightarrow K^+K^-\eta'$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●					
< 1.3		90	VANNUCCI	77 MRK1	e^+e^-



$\Gamma(\phi f_0(980))/\Gamma_{\text{total}}$

Γ_{48}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
3.2 ± 0.9 OUR AVERAGE				Error includes scale factor of 1.9.
$4.6 \pm 0.4 \pm 0.8$		⁶⁹ FALVARD	88 DM2	$J/\psi \rightarrow \text{hadrons}$
2.6 ± 0.6	50	⁶⁹ GIDAL	81 MRK2	$J/\psi \rightarrow K^+ K^- K^+ K^-$

⁶⁹ Assuming $B(f_0(980) \rightarrow \pi\pi) = 0.78$.

$\Gamma(\phi f_0(980) \rightarrow \phi \pi^+ \pi^-)/\Gamma_{\text{total}}$

Γ_{49}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
$0.182 \pm 0.042 \pm 0.005$	19.5 ± 4.5	^{70,71} AUBERT	07AK BABR	$10.6 e^+ e^- \rightarrow \pi^+ \pi^- K^+ K^- \gamma$

⁷⁰ Using $B(\phi \rightarrow K^+ K^-) = (49.3 \pm 0.6)\%$.

⁷¹ AUBERT 07AK reports $[\Gamma(J/\psi(1S) \rightarrow \phi f_0(980) \rightarrow \phi \pi^+ \pi^-)/\Gamma_{\text{total}}] \times [\Gamma(J/\psi(1S) \rightarrow e^+ e^-)] = (1.01 \pm 0.22 \pm 0.08) \times 10^{-3}$ keV. We divide by our best value $\Gamma(J/\psi(1S) \rightarrow e^+ e^-) = 5.55 \pm 0.14 \pm 0.02$ keV. Our first error is their experiment's error and our second error is the systematic error from using our best value.

$\Gamma(\phi f_0(980) \rightarrow \phi \pi^0 \pi^0)/\Gamma_{\text{total}}$

Γ_{50}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
$0.171 \pm 0.073 \pm 0.004$	7.0 ± 2.8	^{72,73} AUBERT	07AK BABR	$10.6 e^+ e^- \rightarrow \pi^0 \pi^0 K^+ K^- \gamma$

⁷² Using $B(\phi \rightarrow K^+ K^-) = (49.3 \pm 0.6)\%$.

⁷³ AUBERT 07AK reports $[\Gamma(J/\psi(1S) \rightarrow \phi f_0(980) \rightarrow \phi \pi^0 \pi^0)/\Gamma_{\text{total}}] \times [\Gamma(J/\psi(1S) \rightarrow e^+ e^-)] = (0.95 \pm 0.39 \pm 0.10) \times 10^{-3}$ keV. We divide by our best value $\Gamma(J/\psi(1S) \rightarrow e^+ e^-) = 5.55 \pm 0.14 \pm 0.02$ keV. Our first error is their experiment's error and our second error is the systematic error from using our best value.

$\Gamma(\Xi(1530)^0 \Xi^0)/\Gamma_{\text{total}}$ Γ_{51}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
0.32±0.12±0.07	24 ± 9	HENRARD	87 DM2	$e^+ e^-$

$\Gamma(\Sigma(1385)^- \bar{\Sigma}^+ \text{ (or c.c.)})/\Gamma_{\text{total}}$ Γ_{52}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
0.31±0.05 OUR AVERAGE				
0.30±0.03±0.07	74 ± 8	HENRARD	87 DM2	$e^+ e^- \rightarrow \Sigma^{*-}$
0.34±0.04±0.07	77 ± 9	HENRARD	87 DM2	$e^+ e^- \rightarrow \Sigma^{*+}$
0.29±0.11±0.10	26	EATON	84 MRK2	$e^+ e^- \rightarrow \Sigma^{*-}$
0.31±0.11±0.11	28	EATON	84 MRK2	$e^+ e^- \rightarrow \Sigma^{*+}$

$\Gamma(\phi f_1(1285))/\Gamma_{\text{total}}$ Γ_{53}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
2.6±0.5 OUR AVERAGE	Error includes scale factor of 1.1.			
3.2±0.6±0.4		JOUSSET	90 DM2	$J/\psi \rightarrow \phi 2(\pi^+ \pi^-)$
2.1±0.5±0.4	25	⁷⁴ JOUSSET	90 DM2	$J/\psi \rightarrow \phi \eta \pi^+ \pi^-$
• • •	We do not use the following data for averages, fits, limits, etc. • • •			
0.6±0.2±0.1	16 ± 6	BECKER	87 MRK3	$J/\psi \rightarrow \phi K \bar{K} \pi$

⁷⁴We attribute to the $f_1(1285)$ the signal observed in the $\pi^+ \pi^- \eta$ invariant mass distribution at 1297 Mev.

$\Gamma(\rho\eta)/\Gamma_{\text{total}}$ Γ_{55}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
0.193±0.023 OUR AVERAGE				
0.194±0.017±0.029	299	JOUSSET	90 DM2	$J/\psi \rightarrow \text{hadrons}$
0.193±0.013±0.029		COFFMAN	88 MRK3	$e^+ e^- \rightarrow \pi^+ \pi^- \eta$

$\Gamma(\eta \pi^+ \pi^-)/\Gamma_{\text{total}}$ Γ_{54}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
0.40±0.17±0.03	9	⁷⁵ AUBERT	07AU BABR	10.6 $e^+ e^- \rightarrow \eta \pi^+ \pi^- \gamma$

⁷⁵AUBERT 07AU quotes $\Gamma_{ee}^{J/\psi} \cdot B(J/\psi \rightarrow \eta \pi^+ \pi^-) \cdot B(\eta \rightarrow 3\pi) = 0.51 \pm 0.22 \pm 0.03$ eV.

$\Gamma(\omega \eta'(958))/\Gamma_{\text{total}}$ Γ_{56}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
0.182±0.021 OUR AVERAGE				
0.226±0.043	218	⁷⁶ ABLIKIM	06F BES2	$J/\psi \rightarrow \omega \eta'$
0.18 $^{+0.10}_{-0.08}$ ±0.03	6	JOUSSET	90 DM2	$J/\psi \rightarrow \text{hadrons}$
0.166±0.017±0.019		COFFMAN	88 MRK3	$e^+ e^- \rightarrow 3\pi \eta'$

⁷⁶Using $B(\eta' \rightarrow \pi^+ \pi^- \eta) = (44.3 \pm 1.5)\%$, $B(\eta' \rightarrow \pi^+ \pi^- \gamma) = 29.5 \pm 1.0\%$, $B(\eta \rightarrow 2\gamma) = 39.43 \pm 0.26\%$, and $B(\omega \rightarrow \pi^+ \pi^- \pi^0) = (89.1 \pm 0.7)\%$.

$\Gamma(\omega f_0(980))/\Gamma_{\text{total}}$ Γ_{57}/Γ

VALUE (units 10^{-4})	DOCUMENT ID	TECN	COMMENT
1.41±0.27±0.47	⁷⁷ AUGUSTIN	89 DM2	$J/\psi \rightarrow 2(\pi^+ \pi^-) \pi^0$

⁷⁷Assuming $B(f_0(980) \rightarrow \pi\pi) = 0.78$.

$\Gamma(\rho\eta'(958))/\Gamma_{\text{total}}$ **Γ_{58}/Γ**

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.105±0.018 OUR AVERAGE				
0.083±0.030±0.012	19	JOUSSET	90 DM2	$J/\psi \rightarrow \text{hadrons}$
0.114±0.014±0.016		COFFMAN	88 MRK3	$J/\psi \rightarrow \pi^+ \pi^- \eta'$

$\Gamma(\rho\bar{\rho}\phi)/\Gamma_{\text{total}}$ **Γ_{99}/Γ**

<u>VALUE (units 10^{-4})</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.45±0.13±0.07	FALVARD	88 DM2	$J/\psi \rightarrow \text{hadrons}$

$\Gamma(a_2(1320)^\pm \pi^\mp)/\Gamma_{\text{total}}$ **Γ_{59}/Γ**

<u>VALUE (units 10^{-4})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<43	90	BRAUNSCH...	76 DASP	$e^+ e^-$

$\Gamma(K\bar{K}_2^*(1430) + \text{c.c.})/\Gamma_{\text{total}}$ **Γ_{60}/Γ**

<u>VALUE (units 10^{-4})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<40	90	VANNUCCI	77 MRK1	$e^+ e^- \rightarrow K^0 \bar{K}_2^{*0}$

• • • We do not use the following data for averages, fits, limits, etc. • • •

<66	90	BRAUNSCH...	76 DASP	$e^+ e^- \rightarrow K^\pm \bar{K}_2^{*\mp}$
-----	----	-------------	---------	----------------------------------------------

$\Gamma(K_1(1270)^\pm K^\mp)/\Gamma_{\text{total}}$ **Γ_{61}/Γ**

<u>VALUE (units 10^{-3})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<3.0	90	⁷⁸ BAI	99C BES	$e^+ e^-$

⁷⁸ Assuming $B(K_1(1270) \rightarrow K\rho) = 0.42 \pm 0.06$

$\Gamma(K_2^*(1430)^0 \bar{K}_2^*(1430)^0)/\Gamma_{\text{total}}$ **Γ_{62}/Γ**

<u>VALUE (units 10^{-4})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<29	90	VANNUCCI	77 MRK1	$e^+ e^- \rightarrow \pi^+ \pi^- K^+ K^-$

$\Gamma(K^*(892)^0 \bar{K}^*(892)^0)/\Gamma_{\text{total}}$ **Γ_{63}/Γ**

<u>VALUE (units 10^{-4})</u>	<u>CL%</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2.3±0.7±0.1	25 ± 8	⁷⁹	AUBERT 07AK	BABR	10.6 $e^+ e^- \rightarrow \pi^+ \pi^- K^+ K^- \gamma$

• • • We do not use the following data for averages, fits, limits, etc. • • •

<5	90	VANNUCCI	77 MRK1	$e^+ e^- \rightarrow \pi^+ \pi^- K^+ K^-$
----	----	----------	---------	-------------------------------------------

⁷⁹ AUBERT 07AK reports $[\Gamma(J/\psi(1S) \rightarrow K^*(892)^0 \bar{K}^*(892)^0)/\Gamma_{\text{total}}] \times [\Gamma(J/\psi(1S) \rightarrow e^+ e^-)] = (1.28 \pm 0.40 \pm 0.11) \times 10^{-3}$ keV. We divide by our best value $\Gamma(J/\psi(1S) \rightarrow e^+ e^-) = 5.55 \pm 0.14 \pm 0.02$ keV. Our first error is their experiment's error and our second error is the systematic error from using our best value.

$\Gamma(\phi f_2(1270))/\Gamma_{\text{total}}$ **Γ_{64}/Γ**

VALUE (units 10^{-3})	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
$0.72 \pm 0.13 \pm 0.02$	44 \pm 7	^{80,81}	AUBERT	07AK BABR	10.6 $e^+e^- \rightarrow \pi^+\pi^-K^+K^-\gamma$

• • • We do not use the following data for averages, fits, limits, etc. • • •

< 0.45	90		FALVARD	88	DM2	$J/\psi \rightarrow \text{hadrons}$
< 0.37	90		VANNUCCI	77	MRK1	$e^+e^- \rightarrow \pi^+\pi^-K^+K^-$

⁸⁰ Using $B(f_2(1270) \rightarrow \pi\pi) = (84.8^{+2.4}_{-1.2})\%$

⁸¹ AUBERT 07AK reports $[\Gamma(J/\psi(1S) \rightarrow \phi f_2(1270))/\Gamma_{\text{total}}] \times [\Gamma(J/\psi(1S) \rightarrow e^+e^-)] = (4.02 \pm 0.65 \pm 0.33) \times 10^{-3}$ keV. We divide by our best value $\Gamma(J/\psi(1S) \rightarrow e^+e^-) = 5.55 \pm 0.14 \pm 0.02$ keV. Our first error is their experiment's error and our second error is the systematic error from using our best value.

$\Gamma(p\bar{p}\rho)/\Gamma_{\text{total}}$ **Γ_{96}/Γ**

VALUE (units 10^{-3})	CL%	DOCUMENT ID	TECN	COMMENT	
<0.31	90	EATON	84	MRK2	$e^+e^- \rightarrow \text{hadrons}\gamma$

$\Gamma(\phi\eta(1405) \rightarrow \phi\eta\pi\pi)/\Gamma_{\text{total}}$ **Γ_{65}/Γ**

VALUE (units 10^{-4})	CL%	DOCUMENT ID	TECN	COMMENT	
<2.5	90	⁸² FALVARD	88	DM2	$J/\psi \rightarrow \text{hadrons}$

⁸² Includes unknown branching fraction $\eta(1405) \rightarrow \eta\pi\pi$.

$\Gamma(\omega f'_2(1525))/\Gamma_{\text{total}}$ **Γ_{66}/Γ**

VALUE (units 10^{-4})	CL%	DOCUMENT ID	TECN	COMMENT	
<2.2	90	⁸³ VANNUCCI	77	MRK1	$e^+e^- \rightarrow \pi^+\pi^-\pi^0K^+K^-$

• • • We do not use the following data for averages, fits, limits, etc. • • •

<2.8	90	⁸³ FALVARD	88	DM2	$J/\psi \rightarrow \text{hadrons}$
------	----	-----------------------	----	-----	-------------------------------------

⁸³ Re-evaluated assuming $B(f'_2(1525) \rightarrow K\bar{K}) = 0.713$.

$\Gamma(\Sigma(1385)^0\bar{\Lambda})/\Gamma_{\text{total}}$ **Γ_{67}/Γ**

VALUE (units 10^{-3})	CL%	DOCUMENT ID	TECN	COMMENT	
<0.2	90	HENRARD	87	DM2	e^+e^-

$\Gamma(\Delta(1232)^+\bar{p})/\Gamma_{\text{total}}$ **Γ_{68}/Γ**

VALUE (units 10^{-3})	CL%	DOCUMENT ID	TECN	COMMENT	
<0.1	90	HENRARD	87	DM2	e^+e^-

$\Gamma(\Theta(1540)\bar{\Theta}(1540) \rightarrow K_S^0 p K^- \bar{n} + \text{c.c.})/\Gamma_{\text{total}}$ **Γ_{69}/Γ**

VALUE (units 10^{-5})	CL%	DOCUMENT ID	TECN	COMMENT	
<1.1	90	BAI	04G	BES2	e^+e^-

$\Gamma(\Theta(1540)K^-\bar{n} \rightarrow K_S^0 p K^- \bar{n})/\Gamma_{\text{total}}$ **Γ_{70}/Γ**

VALUE (units 10^{-5})	CL%	DOCUMENT ID	TECN	COMMENT	
<2.1	90	BAI	04G	BES2	e^+e^-

$\Gamma(\Theta(1540)K_S^0\bar{p} \rightarrow K_S^0\bar{p}K^+n)/\Gamma_{\text{total}}$ Γ_{71}/Γ

VALUE (units 10^{-5})	CL%	DOCUMENT ID	TECN	COMMENT
<1.6	90	BAI	04G	BES2 e^+e^-

$\Gamma(\bar{\Theta}(1540)K^+n \rightarrow K_S^0\bar{p}K^+n)/\Gamma_{\text{total}}$ Γ_{72}/Γ

VALUE (units 10^{-5})	CL%	DOCUMENT ID	TECN	COMMENT
<5.6	90	BAI	04G	BES2 e^+e^-

$\Gamma(\bar{\Theta}(1540)K_S^0p \rightarrow K_S^0pK^-\bar{n})/\Gamma_{\text{total}}$ Γ_{73}/Γ

VALUE (units 10^{-5})	CL%	DOCUMENT ID	TECN	COMMENT
<1.1	90	BAI	04G	BES2 e^+e^-

$\Gamma(\Sigma^0\bar{\Lambda})/\Gamma_{\text{total}}$ Γ_{74}/Γ

VALUE (units 10^{-4})	CL%	DOCUMENT ID	TECN	COMMENT
<0.9	90	HENRARD	87	DM2 e^+e^-

$\Gamma(\phi\pi^0)/\Gamma_{\text{total}}$ Γ_{75}/Γ

VALUE (units 10^{-6})	CL%	DOCUMENT ID	TECN	COMMENT
<6.4	90	ABLIKIM	05B	BES2 $e^+e^- \rightarrow J/\psi \rightarrow \phi\gamma\gamma$

• • • We do not use the following data for averages, fits, limits, etc. • • •


<6.8	90	COFFMAN	88	MRK3 $e^+e^- \rightarrow K^+K^-\pi^0$
------	----	---------	----	---------------------------------------

————— **STABLE HADRONS** —————

$\Gamma(2(\pi^+\pi^-\pi^0))/\Gamma_{\text{total}}$ Γ_{76}/Γ

VALUE (units 10^{-2})	EVTS	DOCUMENT ID	TECN	COMMENT
4.1 ± 0.5 OUR AVERAGE		Error includes scale factor of 2.4. See the ideogram below.		
5.46 ± 0.34 ± 0.14	4990	⁸⁴ AUBERT	07AU	BABR 10.6 $e^+e^- \rightarrow 2(\pi^+\pi^-\pi^0)\gamma$
3.25 ± 0.49	46055	AUGUSTIN	89	DM2 $J/\psi \rightarrow 2(\pi^+\pi^-\pi^0)$
3.17 ± 0.42	147	FRANKLIN	83	MRK2 $e^+e^- \rightarrow \text{hadrons}$
3.64 ± 0.52	1500	BURMESTER	77D	PLUT e^+e^-
4 ± 1	675	JEAN-MARIE	76	MRK1 e^+e^-

⁸⁴AUBERT 07AU reports $[\Gamma(J/\psi(1S) \rightarrow 2(\pi^+\pi^-\pi^0))/\Gamma_{\text{total}}] \times [\Gamma(J/\psi(1S) \rightarrow e^+e^-)] = 0.303 \pm 0.005 \pm 0.018$ keV. We divide by our best value $\Gamma(J/\psi(1S) \rightarrow e^+e^-) = 5.55 \pm 0.14 \pm 0.02$ keV. Our first error is their experiment's error and our second error is the systematic error from using our best value.



$\Gamma(\omega \pi^+ \pi^-) / \Gamma(2(\pi^+ \pi^-) \pi^0)$

$\Gamma_{10} / \Gamma_{76}$

VALUE	DOCUMENT ID	TECN	COMMENT
-------	-------------	------	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.3	⁸⁵ JEAN-MARIE	76	MRK1	$e^+ e^-$
-----	--------------------------	----	------	-----------

⁸⁵ Final state $(\pi^+ \pi^-) \pi^0$ under the assumption that $\pi \pi$ is isospin 0.

$\Gamma(3(\pi^+ \pi^-) \pi^0) / \Gamma_{\text{total}}$

Γ_{77} / Γ

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
-------	------	-------------	------	---------

0.029±0.006 OUR AVERAGE

0.028±0.009	11	FRANKLIN	83	MRK2	$e^+ e^- \rightarrow \text{hadrons}$
0.029±0.007	181	JEAN-MARIE	76	MRK1	$e^+ e^-$

$\Gamma(\pi^+ \pi^- \pi^0) / \Gamma_{\text{total}}$


Γ_{78} / Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
--------------------------	------	-------------	------	---------

20.7 ±1.3 OUR AVERAGE Error includes scale factor of 1.7. See the ideogram below.

23.8 ±2.1 ±0.5	256	⁸⁶ AUBERT	07AU	BABR	10.6 $e^+ e^- \rightarrow J/\psi \pi^+ \pi^- \gamma$
21.8 ±1.9		^{87,88} AUBERT,B	04N	BABR	10.6 $e^+ e^- \rightarrow \pi^+ \pi^- \pi^0 \gamma$
21.84±0.05±2.01	220k	^{88,89} BAI	04H	BES	$e^+ e^-$
20.91±0.21±1.16		^{88,90} BAI	04H	BES	$e^+ e^-$
15 ±2	168	FRANKLIN	83	MRK2	$e^+ e^-$

- 86 AUBERT 07AU reports $[\Gamma(J/\psi(1S) \rightarrow \pi^+\pi^-\pi^0)/\Gamma_{\text{total}}] \times [\Gamma(\psi(2S) \rightarrow J/\psi(1S)\pi^+\pi^-) \times \Gamma(\psi(2S) \rightarrow e^+e^-)/\Gamma_{\text{total}}] = (18.6 \pm 1.2 \pm 1.1) \times 10^{-3}$ keV. We divide by our best value $\Gamma(\psi(2S) \rightarrow J/\psi(1S)\pi^+\pi^-) \times \Gamma(\psi(2S) \rightarrow e^+e^-)/\Gamma_{\text{total}} = 0.782 \pm 0.015$ keV. Our first error is their experiment's error and our second error is the systematic error from using our best value.
- 87 From the ratio of $\Gamma(e^+e^-) B(\pi^+\pi^-\pi^0)$ and $\Gamma(e^+e^-) B(\mu^+\mu^-)$ (AUBERT 04).
- 88 Mostly $\rho\pi$, see also $\rho\pi$ subsection.
- 89 From $J/\psi \rightarrow \pi^+\pi^-\pi^0$ events directly.
- 90 Obtained comparing the rates for $\pi^+\pi^-\pi^0$ and $\mu^+\mu^-$, using J/ψ events produced via $\psi(2S) \rightarrow \pi^+\pi^-J/\psi$ and with $B(J/\psi \rightarrow \mu^+\mu^-) = 5.88 \pm 0.10\%$.



$\Gamma(\pi^+\pi^-\pi^0 K^+K^-)/\Gamma_{\text{total}}$

Γ_{79}/Γ

VALUE (units 10^{-2})	EVTS	DOCUMENT ID	TECN	COMMENT
1.79±0.29 OUR AVERAGE				Error includes scale factor of 2.2.
1.93±0.14±0.05	768	⁹¹ AUBERT	07AU BABR	10.6 $e^+e^- \rightarrow K^+K^-\pi^+\pi^-\pi^0\gamma$
1.2 ± 0.3	309	VANNUCCI	77 MRK1	e^+e^-

- ⁹¹ AUBERT 07AU reports $[\Gamma(J/\psi(1S) \rightarrow \pi^+\pi^-\pi^0 K^+K^-)/\Gamma_{\text{total}}] \times [\Gamma(J/\psi(1S) \rightarrow e^+e^-)] = 0.1070 \pm 0.0043 \pm 0.0064$ keV. We divide by our best value $\Gamma(J/\psi(1S) \rightarrow e^+e^-) = 5.55 \pm 0.14 \pm 0.02$ keV. Our first error is their experiment's error and our second error is the systematic error from using our best value.

$\Gamma(4(\pi^+\pi^-\pi^0)/\Gamma_{\text{total}}$

Γ_{80}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
90±30	13	JEAN-MARIE	76 MRK1	e^+e^-

$\Gamma(\pi^+\pi^-K^+K^-)/\Gamma_{\text{total}}$ Γ_{81}/Γ

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
-------------------------------------------	-------------	--------------------	-------------	----------------

6.6±0.5 OUR AVERAGE

6.5±0.4±0.2	1.6k	⁹² AUBERT	07AK BABR	10.6 $e^+e^- \rightarrow \pi^+\pi^-K^+K^-\gamma$
-------------	------	----------------------	-----------	--------------------------------------------------

7.2±2.3	205	VANNUCCI	77 MRK1	e^+e^-
---------	-----	----------	---------	----------

• • • We do not use the following data for averages, fits, limits, etc. • • •

6.1±0.7±0.2	233	⁹³ AUBERT	05D BABR	10.6 $e^+e^- \rightarrow K^+K^-\pi^+\pi^-\gamma$
-------------	-----	----------------------	----------	--------------------------------------------------

⁹² AUBERT 07AK reports $[\Gamma(J/\psi(1S) \rightarrow \pi^+\pi^-K^+K^-)/\Gamma_{\text{total}}] \times [\Gamma(J/\psi(1S) \rightarrow e^+e^-)] = (36.3 \pm 1.3 \pm 2.1) \times 10^{-3}$ keV. We divide by our best value $\Gamma(J/\psi(1S) \rightarrow e^+e^-) = 5.55 \pm 0.14 \pm 0.02$ keV. Our first error is their experiment's error and our second error is the systematic error from using our best value.

⁹³ Superseded by AUBERT 07AK. AUBERT 05D reports $[\Gamma(J/\psi(1S) \rightarrow \pi^+\pi^-K^+K^-)/\Gamma_{\text{total}}] \times [\Gamma(J/\psi(1S) \rightarrow e^+e^-)] = (33.6 \pm 2.7 \pm 2.7) \times 10^{-3}$ keV. We divide by our best value $\Gamma(J/\psi(1S) \rightarrow e^+e^-) = 5.55 \pm 0.14 \pm 0.02$ keV. Our first error is their experiment's error and our second error is the systematic error from using our best value.

$\Gamma(\pi^+\pi^-K^+K^-\eta)/\Gamma_{\text{total}}$ Γ_{82}/Γ

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
-------------------------------------------	-------------	--------------------	-------------	----------------

1.84±0.28±0.05	73	⁹⁴ AUBERT	07AU BABR	10.6 $e^+e^- \rightarrow K^+K^-\pi^+\pi^-\eta\gamma$
-----------------------	----	----------------------	-----------	------------------------------------------------------

⁹⁴ AUBERT 07AU reports $[\Gamma(J/\psi(1S) \rightarrow \pi^+\pi^-K^+K^-\eta)/\Gamma_{\text{total}}] \times [\Gamma(J/\psi(1S) \rightarrow e^+e^-)] = (10.2 \pm 1.3 \pm 0.8) \times 10^{-3}$ keV. We divide by our best value $\Gamma(J/\psi(1S) \rightarrow e^+e^-) = 5.55 \pm 0.14 \pm 0.02$ keV. Our first error is their experiment's error and our second error is the systematic error from using our best value.

$\Gamma(\pi^0\pi^0K^+K^-)/\Gamma_{\text{total}}$ Γ_{83}/Γ

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
-------------------------------------------	-------------	--------------------	-------------	----------------

2.45±0.31±0.06	203 ± 16	⁹⁵ AUBERT	07AK BABR	10.6 $e^+e^- \rightarrow \pi^0\pi^0K^+K^-\gamma$
-----------------------	----------	----------------------	-----------	--------------------------------------------------

⁹⁵ AUBERT 07AK reports $[\Gamma(J/\psi(1S) \rightarrow \pi^0\pi^0K^+K^-)/\Gamma_{\text{total}}] \times [\Gamma(J/\psi(1S) \rightarrow e^+e^-)] = (13.6 \pm 1.1 \pm 1.3) \times 10^{-3}$ keV. We divide by our best value $\Gamma(J/\psi(1S) \rightarrow e^+e^-) = 5.55 \pm 0.14 \pm 0.02$ keV. Our first error is their experiment's error and our second error is the systematic error from using our best value.

$\Gamma(\eta\phi f_0(980) \rightarrow \eta\phi\pi^+\pi^-)/\Gamma_{\text{total}}$ Γ_{84}/Γ

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
-------------------------------------------	-------------	--------------------	-------------	----------------

3.23±0.75±0.73	52	ABLIKIM	08F BES	$J/\psi \rightarrow \eta\phi f_0(980)$
-----------------------	----	---------	---------	----------------------------------------

$\Gamma(K\bar{K}\pi)/\Gamma_{\text{total}}$ Γ_{85}/Γ

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
-------------------------------------------	-------------	--------------------	-------------	----------------

61 ± 10 OUR AVERAGE

55.2±12.0	25	FRANKLIN	83 MRK2	$e^+e^- \rightarrow K^+K^-\pi^0$
-----------	----	----------	---------	----------------------------------


78.0±21.0	126	VANNUCCI	77 MRK1	$e^+e^- \rightarrow K_S^0 K^\pm \pi^\mp$
-----------	-----	----------	---------	------------------------------------------

$\Gamma(\rho\bar{\rho}\pi^+\pi^-)/\Gamma_{\text{total}}$

Γ_{93}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
6.0 ± 0.5 OUR AVERAGE		Error includes scale factor of 1.3. See the ideogram below.		
6.46 ± 0.17 ± 0.43	1435	EATON	84	MRK2 e^+e^-
3.8 ± 1.6	48	BESCH	81	BONA e^+e^-
5.5 ± 0.6	533	PERUZZI	78	MRK1 e^+e^-

WEIGHTED AVERAGE
6.0 ± 0.5 (Error scaled by 1.3)



$\Gamma(2(\pi^+\pi^-))/\Gamma_{\text{total}}$

Γ_{86}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
3.55 ± 0.23 OUR AVERAGE				
3.53 ± 0.12 ± 0.29	1107	⁹⁶ ABLIKIM	05H BES2	$e^+e^- \rightarrow \psi(2S) \rightarrow J/\psi\pi^+\pi^-, J/\psi \rightarrow 2(\pi^+\pi^-)$
3.51 ± 0.34 ± 0.09	270	⁹⁷ AUBERT	05D BABR	10.6 $e^+e^- \rightarrow 2(\pi^+\pi^-)\gamma$
4.0 ± 1.0	76	JEAN-MARIE	76 MRK1	e^+e^-

⁹⁶ Computed using $B(J/\psi \rightarrow \mu^+\mu^-) = 0.0588 \pm 0.0010$.

⁹⁷ AUBERT 05D reports $[\Gamma(J/\psi(1S) \rightarrow 2(\pi^+\pi^-))/\Gamma_{\text{total}}] \times [\Gamma(J/\psi(1S) \rightarrow e^+e^-)] = (19.5 \pm 1.4 \pm 1.3) \times 10^{-3}$ keV. We divide by our best value $\Gamma(J/\psi(1S) \rightarrow e^+e^-) = 5.55 \pm 0.14 \pm 0.02$ keV. Our first error is their experiment's error and our second error is the systematic error from using our best value.

$\Gamma(3(\pi^+\pi^-))/\Gamma_{\text{total}}$ Γ_{87}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
--------------------------	------	-------------	------	---------

43 ± 4 OUR AVERAGE

43.0 ± 2.9 ± 2.8	496	⁹⁸ AUBERT	06D BABR	10.6 $e^+e^- \rightarrow 3(\pi^+\pi^-)\gamma$
40 ± 20	32	JEAN-MARIE	76 MRK1	e^+e^-

⁹⁸ Using $\Gamma(J/\psi \rightarrow e^+e^-) = 5.52 \pm 0.14 \pm 0.04$ keV.

$\Gamma(2(\pi^+\pi^-\pi^0))/\Gamma_{\text{total}}$ Γ_{88}/Γ

VALUE (units 10^{-2})	EVTS	DOCUMENT ID	TECN	COMMENT
--------------------------	------	-------------	------	---------

1.62 ± 0.09 ± 0.19	761	⁹⁹ AUBERT	06D BABR	10.6 $e^+e^- \rightarrow 2(\pi^+\pi^-\pi^0)\gamma$
---------------------------	-----	----------------------	----------	----------------------------------------------------

⁹⁹ Using $\Gamma(J/\psi \rightarrow e^+e^-) = 5.52 \pm 0.14 \pm 0.04$ keV.

$\Gamma(2(\pi^+\pi^-\eta))/\Gamma_{\text{total}}$ Γ_{89}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
--------------------------	------	-------------	------	---------

2.29 ± 0.24 OUR AVERAGE

2.35 ± 0.39 ± 0.20	85	¹⁰⁰ AUBERT	07AU BABR	10.6 $e^+e^- \rightarrow 2(\pi^+\pi^-\eta)\gamma$
2.26 ± 0.08 ± 0.27	4839	ABLIKIM	05C BES2	$e^+e^- \rightarrow 2(\pi^+\pi^-\eta)$

¹⁰⁰ AUBERT 07AU quotes $\Gamma_{ee}^{J/\psi} \cdot B(J/\psi \rightarrow 2(\pi^+\pi^-\eta)) \cdot B(\eta \rightarrow \gamma\gamma) = 5.16 \pm 0.85 \pm 0.39$ eV.

$\Gamma(3(\pi^+\pi^-\eta))/\Gamma_{\text{total}}$ Γ_{90}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
--------------------------	------	-------------	------	---------

7.24 ± 0.96 ± 1.11	616	ABLIKIM	05C BES2	$e^+e^- \rightarrow 3(\pi^+\pi^-\eta)$
---------------------------	-----	---------	----------	----------------------------------------

$\Gamma(n\bar{n}\pi^+\pi^-)/\Gamma_{\text{total}}$ Γ_{101}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
--------------------------	------	-------------	------	---------

3.8 ± 3.6	5	BESCH	81 BONA	e^+e^-
------------------	---	-------	---------	----------

$\Gamma(\Sigma^+\bar{\Sigma}^-)/\Gamma_{\text{total}}$ Γ_{102}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
--------------------------	------	-------------	------	---------

1.50 ± 0.10 ± 0.22	399	ABLIKIM	08O BES2	$e^+e^- \rightarrow J/\psi$
---------------------------	-----	---------	----------	-----------------------------

$\Gamma(\Sigma^0\bar{\Sigma}^0)/\Gamma_{\text{total}}$ Γ_{103}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
--------------------------	------	-------------	------	---------

1.29 ± 0.09 OUR AVERAGE

1.15 ± 0.24 ± 0.03		¹⁰¹ AUBERT	07BD BABR	10.6 $e^+e^- \rightarrow \Sigma^0\bar{\Sigma}^0\gamma$
1.33 ± 0.04 ± 0.11	1779	ABLIKIM	06 BES2	$J/\psi \rightarrow \Sigma^0\bar{\Sigma}^0$
1.06 ± 0.04 ± 0.23	884 ± 30	PALLIN	87 DM2	$e^+e^- \rightarrow \Sigma^0\bar{\Sigma}^0$
1.58 ± 0.16 ± 0.25	90	EATON	84 MRK2	$e^+e^- \rightarrow \Sigma^0\bar{\Sigma}^0$
1.3 ± 0.4	52	PERUZZI	78 MRK1	$e^+e^- \rightarrow \Sigma^0\bar{\Sigma}^0$

• • • We do not use the following data for averages, fits, limits, etc. • • •

2.4 ± 2.6	3	BESCH	81 BONA	$e^+e^- \rightarrow \Sigma^+\bar{\Sigma}^-$
-----------	---	-------	---------	---------------------------------------------

¹⁰¹ AUBERT 07BD reports $[\Gamma(J/\psi(1S) \rightarrow \Sigma^0\bar{\Sigma}^0)/\Gamma_{\text{total}}] \times [\Gamma(J/\psi(1S) \rightarrow e^+e^-)] = (6.4 \pm 1.2 \pm 0.6) \times 10^{-3}$ keV. We divide by our best value $\Gamma(J/\psi(1S) \rightarrow e^+e^-) = 5.55 \pm 0.14 \pm 0.02$ keV. Our first error is their experiment's error and our second error is the systematic error from using our best value.

$\Gamma(2(\pi^+\pi^-)K^+K^-)/\Gamma_{\text{total}}$ Γ_{104}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
47 ± 7 OUR AVERAGE				Error includes scale factor of 1.3.
49.8 ± 4.2 ± 3.4	205	¹⁰² AUBERT	06D BABR	10.6 $e^+e^- \rightarrow \omega K^+K^- 2(\pi^+\pi^-)\gamma$
31 ± 13	30	VANNUCCI	77 MRK1	e^+e^-

¹⁰² Using $\Gamma(J/\psi \rightarrow e^+e^-) = 5.52 \pm 0.14 \pm 0.04$ keV.

$\Gamma(\rho\bar{\rho}\pi^+\pi^-\pi^0)/\Gamma_{\text{total}}$ Γ_{94}/Γ

Including $\rho\bar{\rho}\pi^+\pi^-\gamma$ and excluding ω, η, η'

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
2.3 ± 0.9 OUR AVERAGE				Error includes scale factor of 1.9.
3.36 ± 0.65 ± 0.28	364	EATON	84 MRK2	e^+e^-
1.6 ± 0.6	39	PERUZZI	78 MRK1	e^+e^-

$\Gamma(\rho\bar{\rho})/\Gamma_{\text{total}}$ Γ_{91}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
2.17 ± 0.07 OUR AVERAGE				
2.19 ± 0.16 ± 0.08	317	¹⁰³ WU	06 BELL	$B^+ \rightarrow \rho\bar{\rho}K^+$
2.26 ± 0.01 ± 0.14	63316	BAI	04E BES2	$e^+e^- \rightarrow J/\psi$
1.97 ± 0.22	99	BALDINI	98 FENI	e^+e^-
1.91 ± 0.04 ± 0.30		PALLIN	87 DM2	e^+e^-
2.16 ± 0.07 ± 0.15	1420	EATON	84 MRK2	e^+e^-
2.5 ± 0.4	133	BRANDELIK	79C DASP	e^+e^-
2.0 ± 0.5		BESCH	78 BONA	e^+e^-
2.2 ± 0.2	331	¹⁰⁴ PERUZZI	78 MRK1	e^+e^-

• • • We do not use the following data for averages, fits, limits, etc. • • •

2.0 ± 0.3	48	ANTONELLI	93 SPEC	e^+e^-
-----------	----	-----------	---------	----------

¹⁰³ WU 06 reports $[\Gamma(J/\psi(1S) \rightarrow \rho\bar{\rho})/\Gamma_{\text{total}}] \times [B(B^+ \rightarrow J/\psi(1S)K^+)] = (2.21 \pm 0.13 \pm 0.10) \times 10^{-6}$. We divide by our best value $B(B^+ \rightarrow J/\psi(1S)K^+) = (1.007 \pm 0.035) \times 10^{-3}$. Our first error is their experiment's error and our second error is the systematic error from using our best value.

¹⁰⁴ Assuming angular distribution $(1+\cos^2\theta)$.

$\Gamma(\rho\bar{\rho}\eta)/\Gamma_{\text{total}}$ Γ_{95}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
2.09 ± 0.18 OUR AVERAGE				
2.03 ± 0.13 ± 0.15	826	EATON	84 MRK2	e^+e^-
2.5 ± 1.2		BRANDELIK	79C DASP	e^+e^-
2.3 ± 0.4	197	PERUZZI	78 MRK1	e^+e^-

$\Gamma(\rho\bar{n}\pi^-)/\Gamma_{\text{total}}$ Γ_{105}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
2.12 ± 0.09 OUR AVERAGE				
2.36 ± 0.02 ± 0.21	59k	ABLIKIM	06K BES2	$J/\psi \rightarrow \rho\pi^-\bar{n}$
2.47 ± 0.02 ± 0.24	55k	ABLIKIM	06K BES2	$J/\psi \rightarrow \bar{\rho}\pi^+n$
2.02 ± 0.07 ± 0.16	1288	EATON	84 MRK2	$e^+e^- \rightarrow \rho\pi^-$
1.93 ± 0.07 ± 0.16	1191	EATON	84 MRK2	$e^+e^- \rightarrow \bar{\rho}\pi^+$

1.7 ± 0.7	32	BESCH	81	BONA	$e^+e^- \rightarrow p\pi^-$
1.6 ± 1.2	5	BESCH	81	BONA	$e^+e^- \rightarrow \bar{p}\pi^+$
2.16 ± 0.29	194	PERUZZI	78	MRK1	$e^+e^- \rightarrow p\pi^-$
2.04 ± 0.27	204	PERUZZI	78	MRK1	$e^+e^- \rightarrow \bar{p}\pi^+$

$\Gamma(n\bar{n})/\Gamma_{total}$ **Γ_{100}/Γ**


<u>VALUE (units 10^{-2})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.22 ± 0.04 OUR AVERAGE				
0.231 ± 0.049	79	BALDINI	98	FENI e^+e^-
0.18 ± 0.09		BESCH	78	BONA e^+e^-
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
0.190 ± 0.055	40	ANTONELLI	93	SPEC e^+e^-

$\Gamma(\Xi^0\Xi^0)/\Gamma_{total}$ **Γ_{43}/Γ**

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1.20 ± 0.12 ± 0.21	206	ABLIKIM	080	BES2 $e^+e^- \rightarrow J/\psi$

$\Gamma(\Xi^- \Xi^+)/\Gamma_{total}$ **Γ_{109}/Γ**

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.85 ± 0.16 OUR AVERAGE				Error includes scale factor of 1.5. See the ideogram below.
0.70 ± 0.06 ± 0.12	132 ± 11	HENRARD	87	DM2 $e^+e^- \rightarrow \Xi^- \Xi^+$
1.14 ± 0.08 ± 0.20	194	EATON	84	MRK2 $e^+e^- \rightarrow \Xi^- \Xi^+$
1.4 ± 0.5	51	PERUZZI	78	MRK1 $e^+e^- \rightarrow \Xi^- \Xi^+$



$\Gamma(\Lambda\bar{\Lambda})/\Gamma_{\text{total}}$ **Γ_{110}/Γ**

VALUE (units 10^{-3}) EVTS DOCUMENT ID TECN COMMENT


1.61±0.15 OUR AVERAGE Error includes scale factor of 2.0. See the ideogram below.

1.93±0.21±0.05		¹⁰⁵ AUBERT	07BD	BABR	10.6 $e^+e^- \rightarrow \Lambda\bar{\Lambda}\gamma$
2.03±0.03±0.15	8887	ABLIKIM	06	BES2	$J/\psi \rightarrow \Lambda\bar{\Lambda}$
2.0 $^{+0.5}_{-0.4} \pm 0.1$	46	¹⁰⁶ WU	06	BELL	$B^+ \rightarrow \Lambda\bar{\Lambda}K^+$
1.08±0.06±0.24	631	BAI	98G	BES	e^+e^-
1.38±0.05±0.20	1847	PALLIN	87	DM2	e^+e^-
1.58±0.08±0.19	365	EATON	84	MRK2	e^+e^-
2.6 ±1.6	5	BESCH	81	BONA	e^+e^-
1.1 ±0.2	196	PERUZZI	78	MRK1	e^+e^-

¹⁰⁵ AUBERT 07BD reports $[\Gamma(J/\psi(1S) \rightarrow \Lambda\bar{\Lambda})/\Gamma_{\text{total}}] \times [\Gamma(J/\psi(1S) \rightarrow e^+e^-)] = (10.7 \pm 0.9 \pm 0.7) \times 10^{-3}$ keV. We divide by our best value $\Gamma(J/\psi(1S) \rightarrow e^+e^-) = 5.55 \pm 0.14 \pm 0.02$ keV. Our first error is their experiment's error and our second error is the systematic error from using our best value.

¹⁰⁶ WU 06 reports $[\Gamma(J/\psi(1S) \rightarrow \Lambda\bar{\Lambda})/\Gamma_{\text{total}}] \times [B(B^+ \rightarrow J/\psi(1S)K^+)] = (2.00^{+0.34}_{-0.29} \pm 0.34) \times 10^{-6}$. We divide by our best value $B(B^+ \rightarrow J/\psi(1S)K^+) = (1.007 \pm 0.035) \times 10^{-3}$. Our first error is their experiment's error and our second error is the systematic error from using our best value.

WEIGHTED AVERAGE
1.61±0.15 (Error scaled by 2.0)



$\Gamma(\Lambda\bar{\Lambda})/\Gamma(p\bar{p})$ **Γ_{110}/Γ_{91}**

VALUE DOCUMENT ID TECN COMMENT

0.90 $^{+0.15}_{-0.14} \pm 0.10$ ¹⁰⁷ WU 06 BELL $B^+ \rightarrow p\bar{p}K^+, \Lambda\bar{\Lambda}K^+$

¹⁰⁷ Not independent of other $J/\psi \rightarrow \Lambda\bar{\Lambda}, p\bar{p}$ branching ratios reported by WU 06.

$\Gamma(\rho\bar{\rho}\pi^0)/\Gamma_{\text{total}}$					Γ_{92}/Γ
<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
1.09±0.09 OUR AVERAGE					
1.13±0.09±0.09	685	EATON	84 MRK2	e^+e^-	
1.4 ±0.4		BRANDELIK	79C DASP	e^+e^-	
1.00±0.15	109	PERUZZI	78 MRK1	e^+e^-	

$\Gamma(\Lambda\bar{\Sigma}^-\pi^+(\text{or c.c.}))/\Gamma_{\text{total}}$					Γ_{111}/Γ
<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
0.83 ±0.07 OUR AVERAGE Error includes scale factor of 1.2.					
0.770±0.051±0.083	335	¹⁰⁸ ABLIKIM	07H BES2	$e^+e^- \rightarrow \bar{\Lambda}\Sigma^+\pi^-$	
0.747±0.056±0.076	254	¹⁰⁸ ABLIKIM	07H BES2	$e^+e^- \rightarrow \Lambda\bar{\Sigma}^-\pi^+$	
0.90 ±0.06 ±0.16	225 ± 15	HENRARD	87 DM2	$e^+e^- \rightarrow \bar{\Lambda}\Sigma^+\pi^-$	
1.11 ±0.06 ±0.20	342 ± 18	HENRARD	87 DM2	$e^+e^- \rightarrow \Lambda\bar{\Sigma}^-\pi^+$	
1.53 ±0.17 ±0.38	135	EATON	84 MRK2	$e^+e^- \rightarrow \bar{\Lambda}\Sigma^+\pi^-$	
1.38 ±0.21 ±0.35	118	EATON	84 MRK2	$e^+e^- \rightarrow \Lambda\bar{\Sigma}^-\pi^+$	

¹⁰⁸ Using $B(\Lambda \rightarrow \pi^- p) = 63.9\%$ and $B(\Sigma^+ \rightarrow \pi^0 p) = 51.6\%$.

$\Gamma(\rho K^-\bar{\Lambda})/\Gamma_{\text{total}}$					Γ_{112}/Γ
<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
0.89±0.07±0.14					
	307	EATON	84 MRK2	e^+e^-	

$\Gamma(2(K^+K^-))/\Gamma_{\text{total}}$					Γ_{113}/Γ
<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
0.76±0.09 OUR AVERAGE					
0.74±0.09±0.02	156 ± 15	¹⁰⁹ AUBERT	07AK BABR	10.6 $e^+e^- \rightarrow 2(K^+K^-)\gamma$	
1.4 ^{+0.5} / _{-0.4} ±0.2	11.0 ^{+4.3} / _{-3.5}	¹¹⁰ HUANG	03 BELL	$B^+ \rightarrow 2(K^+K^-)K^+$	
0.7 ±0.3		VANNUCCI	77 MRK1	e^+e^-	

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.72±0.17±0.02	38	¹¹¹ AUBERT	05D BABR	10.6 $e^+e^- \rightarrow 2(K^+K^-)\gamma$	
¹⁰⁹ AUBERT 07AK reports $[\Gamma(J/\psi(1S) \rightarrow 2(K^+K^-))/\Gamma_{\text{total}}] \times [\Gamma(J/\psi(1S) \rightarrow e^+e^-)] = (4.11 \pm 0.39 \pm 0.30) \times 10^{-3}$ keV. We divide by our best value $\Gamma(J/\psi(1S) \rightarrow e^+e^-) = 5.55 \pm 0.14 \pm 0.02$ keV. Our first error is their experiment's error and our second error is the systematic error from using our best value.					

¹¹⁰ Using $B(B^+ \rightarrow J/\psi K^+) = (1.01 \pm 0.05) \times 10^{-3}$.

¹¹¹ Superseded by AUBERT 07AK. AUBERT 05D reports $[\Gamma(J/\psi(1S) \rightarrow 2(K^+K^-))/\Gamma_{\text{total}}] \times [\Gamma(J/\psi(1S) \rightarrow e^+e^-)] = (4.0 \pm 0.7 \pm 0.6) \times 10^{-3}$ keV. We divide by our best value $\Gamma(J/\psi(1S) \rightarrow e^+e^-) = 5.55 \pm 0.14 \pm 0.02$ keV. Our first error is their experiment's error and our second error is the systematic error from using our best value.

$\Gamma(\rho K^-\bar{\Sigma}^0)/\Gamma_{\text{total}}$					Γ_{114}/Γ
<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
0.29±0.06±0.05					
	90	EATON	84 MRK2	e^+e^-	

$\Gamma(K^+ K^-)/\Gamma_{\text{total}}$

Γ_{115}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
2.37 ± 0.31 OUR AVERAGE				
2.39 ± 0.24 ± 0.22	107	BALTRUSAIT..85D	MRK3	$e^+ e^-$
2.2 ± 0.9	6	BRANDELIK 79C	DASP	$e^+ e^-$


$\Gamma(K_S^0 K_L^0)/\Gamma_{\text{total}}$

Γ_{116}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
1.46 ± 0.26 OUR AVERAGE				Error includes scale factor of 2.7. See the ideogram below.
1.82 ± 0.04 ± 0.13	2155 ± 45	¹¹² BAI	04A BES2	$J/\psi \rightarrow K_S^0 K_L^0 \rightarrow \pi^+ \pi^- X$
1.18 ± 0.12 ± 0.18		JOUSSET	90 DM2	$J/\psi \rightarrow \text{hadrons}$
1.01 ± 0.16 ± 0.09	74	BALTRUSAIT..85D	MRK3	$e^+ e^-$

¹¹² Using $B(K_S^0 \rightarrow \pi^+ \pi^-) = 0.6868 \pm 0.0027$.

WEIGHTED AVERAGE
1.46 ± 0.26 (Error scaled by 2.7)



$\Gamma(K_S^0 K_L^0)/\Gamma_{\text{total}}$

Γ_{116}/Γ

$\Gamma(\Lambda \bar{\Lambda} \eta)/\Gamma_{\text{total}}$

Γ_{117}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
2.62 ± 0.60 ± 0.44	44	¹¹³ ABLIKIM	07H BES2	$e^+ e^- \rightarrow \psi(2S)$

¹¹³ Using $B(\Lambda \rightarrow \pi^- p) = 63.9\%$ and $B(\eta \rightarrow \gamma\gamma) = 39.4\%$.

$\Gamma(\Lambda\bar{\Lambda}\pi^0)/\Gamma_{\text{total}}$ Γ_{118}/Γ

VALUE (units 10^{-4})	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
--------------------------	-----	------	-------------	------	---------

<0.64 90 ¹¹⁴ ABLIKIM 07H BES2 $e^+e^- \rightarrow \psi(2S)$

• • • We do not use the following data for averages, fits, limits, etc. • • •

2.3 $\pm 0.7 \pm 0.8$ 11 BAI 98G BES e^+e^-

2.2 $\pm 0.5 \pm 0.5$ 19 ± 4 HENRARD 87 DM2 e^+e^-

¹¹⁴ Using $B(\Lambda \rightarrow \pi^- p) = 63.9\%$.

$\Gamma(\bar{\Lambda}nK_S^0 + \text{c.c.})/\Gamma_{\text{total}}$ Γ_{119}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
--------------------------	------	-------------	------	---------

6.46 $\pm 0.20 \pm 1.07$ 1058 ¹¹⁵ ABLIKIM 08C BES2 $e^+e^- \rightarrow J/\psi$

¹¹⁵ Using $B(\bar{\Lambda} \rightarrow \bar{p}\pi^+) = 63.9\%$ and $B(K_S^0 \rightarrow \pi^+\pi^-) = 69.2\%$.

$\Gamma(\pi^+\pi^-)/\Gamma_{\text{total}}$ Γ_{120}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
--------------------------	------	-------------	------	---------

1.47 ± 0.23 OUR AVERAGE

1.58 $\pm 0.20 \pm 0.15$ 84 BALTRUSAIT..85D MRK3 e^+e^-

1.0 ± 0.5 5 BRANDELIK 78B DASP e^+e^-

1.6 ± 1.6 1 VANNUCCI 77 MRK1 e^+e^-

$\Gamma(\Lambda\bar{\Sigma} + \text{c.c.})/\Gamma_{\text{total}}$ Γ_{121}/Γ

VALUE (units 10^{-3})	CL%	DOCUMENT ID	TECN	COMMENT
--------------------------	-----	-------------	------	---------

<0.15 90 PERUZZI 78 MRK1 $e^+e^- \rightarrow \Lambda X$

$\Gamma(K_S^0 K_S^0)/\Gamma_{\text{total}}$ Γ_{122}/Γ

VALUE (units 10^{-4})	CL%	DOCUMENT ID	TECN	COMMENT
--------------------------	-----	-------------	------	---------

<0.01 95 ¹¹⁶ BAI 04D BES e^+e^-

• • • We do not use the following data for averages, fits, limits, etc. • • •

<0.052 90 ¹¹⁶ BALTRUSAIT..85C MRK3 e^+e^-

¹¹⁶ Forbidden by *CP*.

————— **RADIATIVE DECAYS** —————

$\Gamma(3\gamma)/\Gamma_{\text{total}}$ Γ_{123}/Γ

VALUE (units 10^{-6})	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
--------------------------	-----	------	-------------	------	---------

12 $\pm 3 \pm 2$ 24.2 $^{+7.2}_{-6.0}$ ADAMS 08 CLEO $\psi(2S) \rightarrow \pi^+\pi^- J/\psi$

• • • We do not use the following data for averages, fits, limits, etc. • • •

<55 90 PARTRIDGE 80 CBAL e^+e^-

$\Gamma(4\gamma)/\Gamma_{\text{total}}$ Γ_{124}/Γ

VALUE (units 10^{-6})	CL%	DOCUMENT ID	TECN	COMMENT
--------------------------	-----	-------------	------	---------

<9 90 ADAMS 08 CLEO $\psi(2S) \rightarrow \pi^+\pi^- J/\psi$

$\Gamma(5\gamma)/\Gamma_{\text{total}}$ Γ_{125}/Γ

VALUE (units 10^{-6})	CL%	DOCUMENT ID	TECN	COMMENT
--------------------------	-----	-------------	------	---------

<15 90 ADAMS 08 CLEO $\psi(2S) \rightarrow \pi^+\pi^- J/\psi$

$\Gamma(\gamma\eta_c(1S))/\Gamma_{\text{total}}$ **Γ_{126}/Γ**

<u>VALUE (units 10^{-2})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
-------------------------------------------	-------------	--------------------	-------------	----------------

1.7 ± 0.4 OUR AVERAGE Error includes scale factor of 1.7.

2.09 ± 0.33 ± 0.03		¹¹⁷ MITCHELL	09	CLEO $e^+e^- \rightarrow \gamma X$
--------------------	--	-------------------------	----	------------------------------------

1.27 ± 0.36		GAISER	86	CBAL $J/\psi \rightarrow \gamma X$
-------------	--	--------	----	------------------------------------

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.79 ± 0.20	273 ± 43	¹¹⁸ AUBERT	06E	BABR $B^\pm \rightarrow K^\pm X_{c\bar{c}}$
-------------	----------	-----------------------	-----	---------------------------------------------

seen	16	BALTRUSAITIS	84	MRK3 $J/\psi \rightarrow 2\phi\gamma$
------	----	--------------	----	---------------------------------------

¹¹⁷ MITCHELL 09 reports $(1.98 \pm 0.09 \pm 0.30) \times 10^{-2}$ from a measurement of $[\Gamma(J/\psi(1S) \rightarrow \gamma\eta_c(1S))/\Gamma_{\text{total}}] \times [B(\psi(2S) \rightarrow J/\psi(1S)\pi^+\pi^-)]$ assuming $B(\psi(2S) \rightarrow J/\psi(1S)\pi^+\pi^-) = (35.04 \pm 0.07 \pm 0.77) \times 10^{-2}$. We rescale to our best value $B(\psi(2S) \rightarrow J/\psi(1S)\pi^+\pi^-) = (33.1 \pm 0.5) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best value.

¹¹⁸ Calculated by the authors using an average of $B(J/\psi \rightarrow \gamma\eta_c) \times B(\eta_c \rightarrow K\bar{K}\pi)$ from BALTRUSAITIS 86, BISELLO 91, BAI 04 and $B(\eta_c \rightarrow K\bar{K}\pi) = (8.5 \pm 1.8)\%$ from AUBERT 06E.

$\Gamma(\gamma\eta_c(1S) \rightarrow 3\gamma)/\Gamma_{\text{total}}$ **Γ_{127}/Γ**

<u>VALUE (units 10^{-6})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
-------------------------------------------	-------------	--------------------	-------------	----------------

$1.2^{+2.7}_{-1.1} \pm 0.3$	$1.2^{+2.8}_{-1.1}$	ADAMS	08	CLEO $\psi(2S) \rightarrow \pi^+\pi^- J/\psi$
-----------------------------	---------------------	-------	----	-----------------------------------------------

$\Gamma(\gamma\pi^+\pi^-2\pi^0)/\Gamma_{\text{total}}$ **Γ_{128}/Γ**

<u>VALUE (units 10^{-3})</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
-------------------------------------------	--------------------	-------------	----------------

8.3 ± 0.2 ± 3.1	¹¹⁹ BALTRUSAITIS	86B	MRK3 $J/\psi \rightarrow 4\pi\gamma$
------------------------	-----------------------------	-----	--------------------------------------

¹¹⁹ 4π mass less than 2.0 GeV.

$\Gamma(\gamma\eta\pi\pi)/\Gamma_{\text{total}}$ **Γ_{129}/Γ**

<u>VALUE (units 10^{-3})</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
-------------------------------------------	--------------------	-------------	----------------

6.1 ± 1.0 OUR AVERAGE

5.85 ± 0.3 ± 1.05	¹²⁰ EDWARDS	83B	CBAL $J/\psi \rightarrow \eta\pi^+\pi^-$
-------------------	------------------------	-----	------------------------------------------

7.8 ± 1.2 ± 2.4	¹²⁰ EDWARDS	83B	CBAL $J/\psi \rightarrow \eta 2\pi^0$
-----------------	------------------------	-----	---------------------------------------

¹²⁰ Broad enhancement at 1700 MeV.

$\Gamma(\gamma\eta(1405/1475) \rightarrow \gamma K\bar{K}\pi)/\Gamma_{\text{total}}$ **Γ_{131}/Γ**

<u>VALUE (units 10^{-3})</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
-------------------------------------------	--------------------	-------------	----------------

2.8 ± 0.6 OUR AVERAGE Error includes scale factor of 1.6. See the ideogram below.

1.66 ± 0.1 ± 0.58	^{121,122} BAI	00D	BES $J/\psi \rightarrow \gamma K^\pm K_S^0 \pi^\mp$
-------------------	------------------------	-----	-----------------------------------------------------

3.8 ± 0.3 ± 0.6	¹²³ AUGUSTIN	90	DM2 $J/\psi \rightarrow \gamma K\bar{K}\pi$
-----------------	-------------------------	----	---------------------------------------------

4.0 ± 0.7 ± 1.0	¹²³ EDWARDS	82E	CBAL $J/\psi \rightarrow K^+ K^- \pi^0 \gamma$
-----------------	------------------------	-----	------------------------------------------------

4.3 ± 1.7	^{123,124} SCHARRE	80	MRK2 e^+e^-
-----------	----------------------------	----	---------------

• • • We do not use the following data for averages, fits, limits, etc. • • •


1.78 ± 0.21 ± 0.33	^{123,125,126} AUGUSTIN	92	DM2 $J/\psi \rightarrow \gamma K\bar{K}\pi$
--------------------	---------------------------------	----	---------------------------------------------

0.83 ± 0.13 ± 0.18	^{123,127,128} AUGUSTIN	92	DM2 $J/\psi \rightarrow \gamma K\bar{K}\pi$
--------------------	---------------------------------	----	---------------------------------------------

$0.66^{+0.17+0.24}_{-0.16-0.15}$	^{123,126,129} BAI	90C	MRK3 $J/\psi \rightarrow \gamma K_S^0 K^\pm \pi^\mp$
----------------------------------	----------------------------	-----	------------------------------------------------------

$1.03^{+0.21+0.26}_{-0.18-0.19}$	^{123,128,130} BAI	90C	MRK3 $J/\psi \rightarrow \gamma K_S^0 K^\pm \pi^\mp$
----------------------------------	----------------------------	-----	------------------------------------------------------

- 121 Interference with the $J/\psi(1S)$ radiative transition to the broad $K\bar{K}\pi$ pseudoscalar state around 1800 is $(0.15 \pm 0.01 \pm 0.05) \times 10^{-3}$.
 122 Interference with $J/\psi \rightarrow \gamma f_1(1420)$ is $(-0.03 \pm 0.01 \pm 0.01) \times 10^{-3}$.
 123 Includes unknown branching fraction $\eta(1405) \rightarrow K\bar{K}\pi$.
 124 Corrected for spin-zero hypothesis for $\eta(1405)$.
 125 From fit to the $a_0(980)\pi$ 0^-+ partial wave.
 126 $a_0(980)\pi$ mode.
 127 From fit to the $K^*(892)K$ 0^-+ partial wave.
 128 K^*K mode.
 129 From $a_0(980)\pi$ final state.
 130 From $K^*(890)K$ final state.



$\Gamma(\gamma\eta(1405/1475) \rightarrow \gamma\gamma\rho^0) / \Gamma_{\text{total}}$ Γ_{132} / Γ

VALUE (units 10^{-4})	DOCUMENT ID	TECN	COMMENT
0.78 ± 0.20 OUR AVERAGE	Error includes scale factor of 1.8.		
$1.07 \pm 0.17 \pm 0.11$	131 BAI	04J BES2	$J/\psi \rightarrow \gamma\gamma\pi^+\pi^-$
$0.64 \pm 0.12 \pm 0.07$	131 COFFMAN	90 MRK3	$J/\psi \rightarrow \gamma\gamma\pi^+\pi^-$

131 Includes unknown branching fraction $\eta(1405) \rightarrow \gamma\rho^0$.

$\Gamma(\gamma\eta(1405/1475) \rightarrow \gamma\eta\pi^+\pi^-) / \Gamma_{\text{total}}$ Γ_{133} / Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
3.0 ± 0.5 OUR AVERAGE				
$2.6 \pm 0.7 \pm 0.4$		BAI	99 BES	$J/\psi \rightarrow \gamma\eta\pi^+\pi^-$
$3.38 \pm 0.33 \pm 0.64$		132 BOLTON	92B MRK3	$J/\psi \rightarrow \gamma\eta\pi^+\pi^-$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
$7.0 \pm 0.6 \pm 1.1$	261	133 AUGUSTIN	90 DM2	$J/\psi \rightarrow \gamma\eta\pi^+\pi^-$

¹³² Via $a_0(980)\pi$.

¹³³ Includes unknown branching fraction to $\eta\pi^+\pi^-$.

$\Gamma(\gamma\eta(1405/1475) \rightarrow \gamma\gamma\phi)/\Gamma_{\text{total}}$ Γ_{134}/Γ

<u>VALUE (units 10^{-4})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<0.82	95	BAI	04J	BES2 $J/\psi \rightarrow \gamma\gamma K^+ K^-$

$\Gamma(\gamma\rho\rho)/\Gamma_{\text{total}}$ Γ_{135}/Γ

<u>VALUE (units 10^{-3})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
4.5 ± 0.8 OUR AVERAGE				
4.7 ± 0.3 ± 0.9		¹³⁴ BALTRUSAIT..86B	MRK3	$J/\psi \rightarrow 4\pi\gamma$
3.75 ± 1.05 ± 1.20		¹³⁵ BURKE	82	MRK2 $J/\psi \rightarrow 4\pi\gamma$

• • • We do not use the following data for averages, fits, limits, etc. • • •

<0.09	90	¹³⁶ BISELLO	89B	$J/\psi \rightarrow 4\pi\gamma$
-------	----	------------------------	-----	---------------------------------

¹³⁴ 4π mass less than 2.0 GeV.

¹³⁵ 4π mass less than 2.0 GeV. We have multiplied $2\rho^0$ measurement by 3 to obtain 2ρ .

¹³⁶ 4π mass in the range 2.0–25 GeV.

$\Gamma(\gamma\rho\omega)/\Gamma_{\text{total}}$ Γ_{136}/Γ

<u>VALUE (units 10^{-4})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<5.4	90	ABLIKIM	08A	BES2 $e^+e^- \rightarrow J/\psi$

$\Gamma(\gamma\rho\phi)/\Gamma_{\text{total}}$ Γ_{137}/Γ

<u>VALUE (units 10^{-5})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<8.8	90	ABLIKIM	08A	BES2 $e^+e^- \rightarrow J/\psi$

$\Gamma(\gamma\eta_2(1870) \rightarrow \gamma\eta\pi^+\pi^-)/\Gamma_{\text{total}}$ Γ_{130}/Γ

<u>VALUE (units 10^{-4})</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
6.2 ± 2.2 ± 0.9	BAI	99	BES $J/\psi \rightarrow \gamma\eta\pi^+\pi^-$

$\Gamma(\gamma\eta'(958))/\Gamma_{\text{total}}$ Γ_{138}/Γ

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
4.71 ± 0.27 OUR AVERAGE				Error includes scale factor of 1.1.

5.55 ± 0.44	35k	ABLIKIM	06E	BES2 $J/\psi \rightarrow \eta'\gamma$
4.50 ± 0.14 ± 0.53		BOLTON	92B	MRK3 $J/\psi \rightarrow \gamma\pi^+\pi^-\eta$, $\eta \rightarrow \gamma\gamma$
4.30 ± 0.31 ± 0.71		BOLTON	92B	MRK3 $J/\psi \rightarrow \gamma\pi^+\pi^-\eta$, $\eta \rightarrow \pi^+\pi^-\pi^0$
4.04 ± 0.16 ± 0.85	622	AUGUSTIN	90	DM2 $J/\psi \rightarrow \gamma\eta\pi^+\pi^-$
4.39 ± 0.09 ± 0.66	2420	AUGUSTIN	90	DM2 $J/\psi \rightarrow \gamma\gamma\pi^+\pi^-$
4.1 ± 0.3 ± 0.6		BLOOM	83	CBAL $e^+e^- \rightarrow 3\gamma +$ hadrons

• • • We do not use the following data for averages, fits, limits, etc. • • •

2.9 ± 1.1	6	BRANDELIK	79C	DASP $e^+e^- \rightarrow 3\gamma$
2.4 ± 0.7	57	BARTEL	76	CNTR $e^+e^- \rightarrow 2\gamma\rho$

$\Gamma(\gamma 2\pi^+ 2\pi^-)/\Gamma_{\text{total}}$ Γ_{139}/Γ

VALUE (units 10^{-3}) DOCUMENT ID TECN COMMENT

2.8 ± 0.5 OUR AVERAGE Error includes scale factor of 1.9. See the ideogram below.


4.32 ± 0.14 ± 0.73	137	BISELLO	89B	DM2	$J/\psi \rightarrow 4\pi\gamma$
2.08 ± 0.13 ± 0.35	138	BISELLO	89B	DM2	$J/\psi \rightarrow 4\pi\gamma$
3.05 ± 0.08 ± 0.45	138	BALTRUSAIT..86B	MRK3		$J/\psi \rightarrow 4\pi\gamma$
4.85 ± 0.45 ± 1.20	139	BURKE	82	MRK2	e^+e^-

137 4π mass less than 3.0 GeV.

138 4π mass less than 2.0 GeV.

139 4π mass less than 2.5 GeV.

WEIGHTED AVERAGE
2.8 ± 0.5 (Error scaled by 1.9)



$\Gamma(\gamma f_2(1270) f_2(1270))/\Gamma_{\text{total}}$ Γ_{140}/Γ

VALUE (units 10^{-4}) EVTS DOCUMENT ID TECN COMMENT

9.5 ± 0.7 ± 1.6 646 ± 45 ABLIKIM 04M BES $J/\psi \rightarrow \gamma 2\pi^+ 2\pi^-$

$\Gamma(\gamma f_2(1270) f_2(1270) (\text{non resonant}))/\Gamma_{\text{total}}$ Γ_{141}/Γ

VALUE (units 10^{-4}) DOCUMENT ID TECN COMMENT

8.2 ± 0.8 ± 1.7 140 ABLIKIM 04M BES $J/\psi \rightarrow \gamma 2\pi^+ 2\pi^-$

140 Subtracting contribution from intermediate $\eta_c(1S)$ decays.

$\Gamma(\gamma K^+ K^- \pi^+ \pi^-)/\Gamma_{\text{total}}$ Γ_{142}/Γ

VALUE (units 10^{-3}) EVTS DOCUMENT ID TECN COMMENT

2.1 ± 0.1 ± 0.6 1516 BAI 00B BES $J/\psi \rightarrow \gamma K^+ K^0 \pi^+ \pi^-$

$\Gamma(\gamma f_4(2050))/\Gamma_{\text{total}}$ Γ_{143}/Γ

VALUE (units 10^{-3})	DOCUMENT ID	TECN	COMMENT
2.7±0.5±0.5	¹⁴¹ BALTRUSAIT..87	MRK3	$J/\psi \rightarrow \gamma \pi^+ \pi^-$

¹⁴¹ Assuming branching fraction $f_4(2050) \rightarrow \pi \pi / \text{total} = 0.167$.

$\Gamma(\gamma \omega \omega)/\Gamma_{\text{total}}$ Γ_{144}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
1.61±0.33 OUR AVERAGE				
6.0 ± 4.8 ± 1.8		ABLIKIM	08A BES2	$J/\psi \rightarrow \gamma \omega \pi^+ \pi^-$
1.41±0.2 ± 0.42	120 ± 17	BISELLO	87 SPEC	$e^+ e^-$, hadrons γ
1.76±0.09±0.45		BALTRUSAIT..85C	MRK3	$e^+ e^- \rightarrow \text{hadrons } \gamma$

$\Gamma(\gamma \eta(1405/1475) \rightarrow \gamma \rho^0 \rho^0)/\Gamma_{\text{total}}$ Γ_{145}/Γ

VALUE (units 10^{-3})	DOCUMENT ID	TECN	COMMENT
1.7 ± 0.4 OUR AVERAGE Error includes scale factor of 1.3.			
2.1 ± 0.4	BUGG	95 MRK3	$J/\psi \rightarrow \gamma \pi^+ \pi^- \pi^+ \pi^-$
1.36±0.38	^{142,143} BISELLO	89B DM2	$J/\psi \rightarrow 4\pi \gamma$

¹⁴² Estimated by us from various fits.

¹⁴³ Includes unknown branching fraction to $\rho^0 \rho^0$.

$\Gamma(\gamma f_2(1270))/\Gamma_{\text{total}}$ Γ_{146}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
1.43±0.11 OUR AVERAGE				
1.62±0.26 ^{+0.02} / _{-0.05}	¹⁴⁴	ABLIKIM	06V BES2	$e^+ e^- \rightarrow J/\psi \rightarrow \gamma \pi^+ \pi^-$
1.42±0.21 ^{+0.02} / _{-0.04}	¹⁴⁵	ABLIKIM	06V BES2	$e^+ e^- \rightarrow J/\psi \rightarrow \gamma \pi^0 \pi^0$
1.33±0.05±0.20	¹⁴⁶	AUGUSTIN	87 DM2	$J/\psi \rightarrow \gamma \pi^+ \pi^-$
1.36±0.09±0.23	¹⁴⁶	BALTRUSAIT..87	MRK3	$J/\psi \rightarrow \gamma \pi^+ \pi^-$
1.48±0.25±0.30	178	EDWARDS	82B CBAL	$e^+ e^- \rightarrow 2\pi^0 \gamma$
2.0 ± 0.7	35	ALEXANDER	78 PLUT	$e^+ e^-$
1.2 ± 0.6	30	¹⁴⁷ BRANDELIK	78B DASP	$e^+ e^- \rightarrow \pi^+ \pi^- \gamma$

¹⁴⁴ ABLIKIM 06V reports $[\Gamma(J/\psi(1S) \rightarrow \gamma f_2(1270))/\Gamma_{\text{total}}] \times [B(f_2(1270) \rightarrow \pi \pi)] = (1.371 \pm 0.010 \pm 0.222) \times 10^{-3}$. We divide by our best value $B(f_2(1270) \rightarrow \pi \pi) = (84.8^{+2.4}_{-1.2}) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best value.

¹⁴⁵ ABLIKIM 06V reports $[\Gamma(J/\psi(1S) \rightarrow \gamma f_2(1270))/\Gamma_{\text{total}}] \times [B(f_2(1270) \rightarrow \pi \pi)] = (1.200 \pm 0.027 \pm 0.174) \times 10^{-3}$. We divide by our best value $B(f_2(1270) \rightarrow \pi \pi) = (84.8^{+2.4}_{-1.2}) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best value.

¹⁴⁶ Estimated using $B(f_2(1270) \rightarrow \pi \pi) = 0.843 \pm 0.012$. The errors do not contain the uncertainty in the $f_2(1270)$ decay.

¹⁴⁷ Restated by us to take account of spread of E1, M2, E3 transitions.

$\Gamma(\gamma f_0(1710) \rightarrow \gamma K \bar{K})/\Gamma_{\text{total}}$ Γ_{147}/Γ

VALUE (units 10^{-4})	CL%	DOCUMENT ID	TECN	COMMENT
--------------------------	-----	-------------	------	---------

8.5 \pm 1.2 **OUR AVERAGE** Error includes scale factor of 1.2.
0.9

9.62 \pm 0.29	+3.51 -1.86	148 BAI	03G BES	$J/\psi \rightarrow \gamma K \bar{K}$
5.0 \pm 0.8	+1.8 -0.4	149,150 BAI	96C BES	$J/\psi \rightarrow \gamma K^+ K^-$
9.2 \pm 1.4	\pm 1.4	150 AUGUSTIN	88 DM2	$J/\psi \rightarrow \gamma K^+ K^-$
10.4 \pm 1.2	\pm 1.6	150 AUGUSTIN	88 DM2	$J/\psi \rightarrow \gamma K_S^0 K_S^0$
9.6 \pm 1.2	\pm 1.8	150 BALTRUSAIT..87	MRK3	$J/\psi \rightarrow \gamma K^+ K^-$

• • • We do not use the following data for averages, fits, limits, etc. • • •

1.6 \pm 0.2	+0.6 -0.2	150,151 BAI	96C BES	$J/\psi \rightarrow \gamma K^+ K^-$
< 0.8		90 152 BISELLO	89B	$J/\psi \rightarrow 4\pi\gamma$
1.6 \pm 0.4	\pm 0.3	153 BALTRUSAIT..87	MRK3	$J/\psi \rightarrow \gamma\pi^+\pi^-$
3.8 \pm 1.6		154 EDWARDS	82D CBAL	$e^+e^- \rightarrow \eta\eta\gamma$

148 Includes unknown branching ratio to $K^+ K^-$ or $K_S^0 K_S^0$.

149 Assuming $J^P = 2^+$ for $f_0(1710)$.

150 Includes unknown branching fraction to $K^+ K^-$ or $K_S^0 K_S^0$. We have multiplied $K^+ K^-$ measurement by 2, and $K_S^0 K_S^0$ by 4 to obtain $K \bar{K}$ result.

151 Assuming $J^P = 0^+$ for $f_0(1710)$.

152 Includes unknown branching fraction to $\rho^0 \rho^0$.

153 Includes unknown branching fraction to $\pi^+ \pi^-$.

154 Includes unknown branching fraction to $\eta\eta$.

$\Gamma(\gamma f_0(1710) \rightarrow \gamma \pi \pi)/\Gamma_{\text{total}}$ Γ_{148}/Γ

VALUE (units 10^{-4})	DOCUMENT ID	TECN	COMMENT
--------------------------	-------------	------	---------

4.0 \pm 1.0 **OUR AVERAGE**

3.96 \pm 0.06 \pm 1.12	155 ABLIKIM	06v BES2	$e^+e^- \rightarrow J/\psi \rightarrow \gamma\pi^+\pi^-$
3.99 \pm 0.15 \pm 2.64	155 ABLIKIM	06v BES2	$e^+e^- \rightarrow J/\psi \rightarrow \gamma\pi^0\pi^0$

• • • We do not use the following data for averages, fits, limits, etc. • • •

2.5 \pm 1.6 \pm 0.8	BAI	98H BES	$J/\psi \rightarrow \gamma\pi^0\pi^0$
-------------------------	-----	---------	---------------------------------------

155 Including unknown branching fraction to $\pi\pi$.

$\Gamma(\gamma f_0(1710) \rightarrow \gamma \omega \omega)/\Gamma_{\text{total}}$ Γ_{149}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
--------------------------	------	-------------	------	---------


0.31 \pm 0.06 \pm 0.08	180	ABLIKIM	06H BES	$J/\psi \rightarrow \gamma \omega \omega$
---------------------------------------------------------	-----	---------	---------	-------------------------------------------

$\Gamma(\gamma\eta)/\Gamma_{\text{total}}$ Γ_{150}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
--------------------------	------	-------------	------	---------

0.98 \pm 0.10 **OUR AVERAGE** Error includes scale factor of 1.7. See the ideogram below.

1.123 \pm 0.089	11k	ABLIKIM	06E BES2	$J/\psi \rightarrow \eta\gamma$
0.88 \pm 0.08 \pm 0.11		BLOOM	83 CBAL	e^+e^-
0.82 \pm 0.10		BRANDELIK	79C DASP	e^+e^-
1.3 \pm 0.4	21	BARTEL	77 CNTR	e^+e^-



$\Gamma(\gamma f_1(1420) \rightarrow \gamma K \bar{K} \pi)/\Gamma_{\text{total}}$ **Γ_{151}/Γ**

<u>VALUE (units 10^{-3})</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.79 ± 0.13 OUR AVERAGE			
$0.68 \pm 0.04 \pm 0.24$	BAI	00D BES	$J/\psi \rightarrow \gamma K^\pm K_S^0 \pi^\mp$
$0.76 \pm 0.15 \pm 0.21$	^{156,157} AUGUSTIN	92 DM2	$J/\psi \rightarrow \gamma K \bar{K} \pi$
$0.87 \pm 0.14 \pm_{-0.11}^{+0.14}$	¹⁵⁶ BAI	90C MRK3	$J/\psi \rightarrow \gamma K_S^0 K^\pm \pi^\mp$

¹⁵⁶ Included unknown branching fraction $f_1(1420) \rightarrow K \bar{K} \pi$.

¹⁵⁷ From fit to the $K^*(892) K 1^{++}$ partial wave.

$\Gamma(\gamma f_1(1285))/\Gamma_{\text{total}}$ **Γ_{152}/Γ**

<u>VALUE (units 10^{-3})</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.61 ± 0.08 OUR AVERAGE			
$0.69 \pm 0.16 \pm 0.20$	¹⁵⁸ BAI	04J BES2	$J/\psi \rightarrow \gamma \gamma \rho^0$
$0.61 \pm 0.04 \pm 0.21$	¹⁵⁹ BAI	00D BES	$J/\psi \rightarrow \gamma K^\pm K_S^0 \pi^\mp$
$0.45 \pm 0.09 \pm 0.17$	¹⁶⁰ BAI	99 BES	$J/\psi \rightarrow \gamma \eta \pi^+ \pi^-$
$0.625 \pm 0.063 \pm 0.103$	¹⁶¹ BOLTON	92 MRK3	$J/\psi \rightarrow \gamma f_1(1285)$
$0.70 \pm 0.08 \pm 0.16$	¹⁶² BOLTON	92B MRK3	$J/\psi \rightarrow \gamma \eta \pi^+ \pi^-$

¹⁵⁸ Assuming $B(f_1(1285) \rightarrow \rho^0 \gamma) = 0.055 \pm 0.013$.

¹⁵⁹ Assuming $\Gamma(f_1(1285) \rightarrow K \bar{K} \pi)/\Gamma_{\text{total}} = 0.090 \pm 0.004$.

¹⁶⁰ Assuming $\Gamma(f_1(1285) \rightarrow \eta \pi \pi)/\Gamma_{\text{total}} = 0.5 \pm 0.18$.

¹⁶¹ Obtained summing the sequential decay channels

$B(J/\psi \rightarrow \gamma f_1(1285), f_1(1285) \rightarrow \pi \pi \pi \pi) = (1.44 \pm 0.39 \pm 0.27) \times 10^{-4}$;

$B(J/\psi \rightarrow \gamma f_1(1285), f_1(1285) \rightarrow a_0(980) \pi, a_0(980) \rightarrow \eta \pi) = (3.90 \pm 0.42 \pm 0.87) \times 10^{-4}$;

$B(J/\psi \rightarrow \gamma f_1(1285), f_1(1285) \rightarrow a_0(980)\pi, a_0(980) \rightarrow K\bar{K}) = (0.66 \pm 0.26 \pm 0.29) \times 10^{-4}$;

$B(J/\psi \rightarrow \gamma f_1(1285), f_1(1285) \rightarrow \gamma \rho^0) = (0.25 \pm 0.07 \pm 0.03) \times 10^{-4}$.

¹⁶² Using $B(f_1(1285) \rightarrow a_0(980)\pi) = 0.37$, and including unknown branching ratio for $a_0(980) \rightarrow \eta\pi$.

$\Gamma(\gamma f_1(1510) \rightarrow \gamma \eta \pi^+ \pi^-) / \Gamma_{\text{total}}$ Γ_{153} / Γ

VALUE (units 10^{-4})	DOCUMENT ID	TECN	COMMENT
4.5 ± 1.0 ± 0.7	BAI	99	BES $J/\psi \rightarrow \gamma \eta \pi^+ \pi^-$

$\Gamma(\gamma f'_2(1525)) / \Gamma_{\text{total}}$ Γ_{154} / Γ

VALUE (units 10^{-4})	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
--------------------------	-----	------	-------------	------	---------

4.5 ^{+0.7} _{-0.4} OUR AVERAGE

3.85 ± 0.17 ^{+1.91} _{-0.73}	163	BAI	03G	BES	$J/\psi \rightarrow \gamma K\bar{K}$
3.6 ± 0.4 ^{+1.4} _{-0.4}	163	BAI	96C	BES	$J/\psi \rightarrow \gamma K^+ K^-$
$5.6 \pm 1.4 \pm 0.9$	163	AUGUSTIN	88	DM2	$J/\psi \rightarrow \gamma K^+ K^-$
$4.5 \pm 0.4 \pm 0.9$	163	AUGUSTIN	88	DM2	$J/\psi \rightarrow \gamma K_S^0 K_S^0$
$6.8 \pm 1.6 \pm 1.4$	163	BALTRUSAIT..	87	MRK3	$J/\psi \rightarrow \gamma K^+ K^-$

• • • We do not use the following data for averages, fits, limits, etc. • • •

<3.4	90	4	¹⁶⁴ BRANDELIK	79C	DASP	$e^+ e^- \rightarrow \pi^+ \pi^- \gamma$
<2.3	90	3	ALEXANDER	78	PLUT	$e^+ e^- \rightarrow K^+ K^- \gamma$

¹⁶³ Using $B(f'_2(1525) \rightarrow K\bar{K}) = 0.888$.

¹⁶⁴ Assuming isotropic production and decay of the $f'_2(1525)$ and isospin.

$\Gamma(\gamma f_2(1640) \rightarrow \gamma \omega \omega) / \Gamma_{\text{total}}$ Γ_{155} / Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
0.28 ± 0.05 ± 0.17	141	ABLIKIM	06H	BES $J/\psi \rightarrow \gamma \omega \omega$

$\Gamma(\gamma f_2(1910) \rightarrow \gamma \omega \omega) / \Gamma_{\text{total}}$ Γ_{156} / Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
0.20 ± 0.04 ± 0.13	151	ABLIKIM	06H	BES $J/\psi \rightarrow \gamma \omega \omega$

$\Gamma(\gamma f_2(1950) \rightarrow \gamma K^*(892) \bar{K}^*(892)) / \Gamma_{\text{total}}$ Γ_{157} / Γ

VALUE (units 10^{-3})	DOCUMENT ID	TECN	COMMENT
0.7 ± 0.1 ± 0.2	BAI	00B	BES $J/\psi \rightarrow \gamma K^+ K^0 \pi^+ \pi^-$

$\Gamma(\gamma K^*(892) \bar{K}^*(892)) / \Gamma_{\text{total}}$ Γ_{158} / Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
4.0 ± 0.3 ± 1.3	320	¹⁶⁵ BAI	00B	BES $J/\psi \rightarrow \gamma K^+ K^0 \pi^+ \pi^-$

¹⁶⁵ Summed over all charges.

$\Gamma(\gamma\phi\phi)/\Gamma_{\text{total}}$ **Γ_{159}/Γ**


VALUE (units 10^{-4}) EVTS DOCUMENT ID TECN COMMENT

4.0±1.2 OUR AVERAGE Error includes scale factor of 2.1. See the ideogram below.

7.5±0.6±1.2	168	BAI	90B	MRK3	$J/\psi \rightarrow \gamma 4K$
3.4±0.8±0.6	33 ± 7	166 BISELLO	90	DM2	$J/\psi \rightarrow \gamma K^+ K^- K_S^0 K_L^0$
3.1±0.7±0.4		166 BISELLO	86B	DM2	$J/\psi \rightarrow \gamma K^+ K^- K^+ K^-$

¹⁶⁶ $\phi\phi$ mass less than 2.9 GeV, η_C excluded.

WEIGHTED AVERAGE
4.0±1.2 (Error scaled by 2.1)



$\Gamma(\gamma\rho\rho)/\Gamma_{\text{total}}$ **Γ_{160}/Γ**

VALUE (units 10^{-3}) CL% EVTS DOCUMENT ID TECN COMMENT

0.38±0.07±0.07 49 EATON 84 MRK2 $e^+ e^-$

• • • We do not use the following data for averages, fits, limits, etc. • • •

<0.11 90 PERUZZI 78 MRK1 $e^+ e^-$

$\Gamma(\gamma\eta(2225))/\Gamma_{\text{total}}$ **Γ_{161}/Γ**

VALUE (units 10^{-3}) EVTS DOCUMENT ID TECN COMMENT

0.33±0.05 OUR AVERAGE

0.44±0.04±0.08	196 ± 19	167 ABLIKIM	08i	BES	$J/\psi \rightarrow \gamma K^+ K^- K_S^0 K_L^0$
0.33±0.08±0.05		167 BAI	90B	MRK3	$J/\psi \rightarrow \gamma K^+ K^- K^+ K^-$
0.27±0.06±0.06		167 BAI	90B	MRK3	$J/\psi \rightarrow \gamma K^+ K^- K_S^0 K_L^0$
0.24 ^{+0.15} _{-0.10}	168,169	BISELLO	89B	DM2	$J/\psi \rightarrow 4\pi\gamma$

¹⁶⁷ Includes unknown branching fraction to $\phi\phi$.

¹⁶⁸ Estimated by us from various fits.

¹⁶⁹ Includes unknown branching fraction to $\rho^0\rho^0$.

$\Gamma(\gamma\eta(1760) \rightarrow \gamma\rho^0\rho^0)/\Gamma_{\text{total}}$ Γ_{162}/Γ

VALUE (units 10^{-3})		DOCUMENT ID	TECN	COMMENT
0.13±0.09	170,171	BISELLO	89B DM2	$J/\psi \rightarrow 4\pi\gamma$

170 Estimated by us from various fits.

171 Includes unknown branching fraction to $\rho^0\rho^0$.

$\Gamma(\gamma\eta(1760) \rightarrow \gamma\omega\omega)/\Gamma_{\text{total}}$ Γ_{163}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
1.98±0.08±0.32	1045	ABLIKIM	06H BES	$J/\psi \rightarrow \gamma\omega\omega$

$\Gamma(\gamma X(1835))/\Gamma_{\text{total}}$ Γ_{164}/Γ

VALUE (units 10^{-5})	EVTS	DOCUMENT ID	TECN	COMMENT
22.0±4.0±4.0	264	172 ABLIKIM	05R BES2	$J/\psi \rightarrow \gamma\pi^+\pi^-\eta'$

• • • We do not use the following data for averages, fits, limits, etc. • • •

26.1±2.7±6.5 95 173 ABLIKIM 06J BES2 $J/\psi \rightarrow \gamma\omega\phi$

7.0±0.4^{+1.9}_{-0.8} 174 BAI 03F BES2 $J/\psi \rightarrow \gamma p\bar{p}$

172 Including the unknown branching fraction to $\pi^+\pi^-\eta'$.

173 Including the unknown branching ratio to $\omega\phi$.

174 Including the unknown branching fraction to $p\bar{p}$. The fit including final state interaction effects according to SIBIRTSEV 05A gives close results.

$\Gamma(\gamma(K\bar{K}\pi)[J^{PC} = 0^{-+}])/ \Gamma_{\text{total}}$ Γ_{165}/Γ

VALUE (units 10^{-3})		DOCUMENT ID	TECN	COMMENT
0.7 ±0.4 OUR AVERAGE	Error includes scale factor of 2.1.			
0.58±0.03±0.20	175	BAI	00D BES	$J/\psi \rightarrow \gamma K^\pm K_S^0 \pi^\mp$
2.1 ±0.1 ±0.7	176	BAI	00D BES	$J/\psi \rightarrow \gamma K^\pm K_S^0 \pi^\mp$

175 For a broad structure around 1800 MeV.

176 For a broad structure around 2040 MeV.

$\Gamma(\gamma\pi^0)/\Gamma_{\text{total}}$ Γ_{166}/Γ

VALUE (units 10^{-5})	EVTS	DOCUMENT ID	TECN	COMMENT
3.3^{+0.6}_{-0.4} OUR AVERAGE				
3.13 ^{+0.65} _{-0.47}	586	ABLIKIM	06E BES2	$J/\psi \rightarrow \pi^0\gamma$
3.6 ±1.1 ±0.7		BLOOM	83 CBAL	e^+e^-
7.3 ±4.7	10	BRANDELIK	79C DASP	e^+e^-

$\Gamma(\gamma\rho\bar{p}\pi^+\pi^-)/\Gamma_{\text{total}}$ Γ_{167}/Γ

VALUE (units 10^{-3})	CL%	DOCUMENT ID	TECN	COMMENT
<0.79	90	EATON	84 MRK2	e^+e^-

$\Gamma(\gamma\gamma)/\Gamma_{\text{total}}$ Γ_{182}/Γ

VALUE (units 10^{-5})	CL%	DOCUMENT ID	TECN	COMMENT
< 0.5	90	ADAMS	08	CLEO $\psi(2S) \rightarrow \pi^+ \pi^- J/\psi$
<16	90	¹⁷⁷ WICHT	08	BELL $B^\pm \rightarrow K^\pm \gamma\gamma$
< 2.2	90	ABLIKIM	07J	BES2 $\Psi(2S) \rightarrow J/\psi \pi^+ \pi^-$
<50	90	BARTEL	77	CNTR $e^+ e^-$

¹⁷⁷ WICHT 08 reports $[\Gamma(J/\psi(1S) \rightarrow \gamma\gamma)/\Gamma_{\text{total}}] \times [B(B^+ \rightarrow J/\psi(1S) K^+)] < 0.16 \times 10^{-6}$. We divide by our best value $B(B^+ \rightarrow J/\psi(1S) K^+) = 1.007 \times 10^{-3}$.

$\Gamma(\gamma\Lambda\bar{\Lambda})/\Gamma_{\text{total}}$ Γ_{168}/Γ

VALUE (units 10^{-3})	CL%	DOCUMENT ID	TECN	COMMENT
<0.13	90	HENRARD	87	DM2 $e^+ e^-$
<0.16	90	BAI	98G	BES $e^+ e^-$

$\Gamma(\gamma f_0(2200))/\Gamma_{\text{total}}$ Γ_{169}/Γ

VALUE (units 10^{-4})	DOCUMENT ID	TECN	COMMENT
1.5	¹⁷⁸ AUGUSTIN 88	DM2	$J/\psi \rightarrow \gamma K_S^0 K_S^0$

¹⁷⁸ Includes unknown branching fraction to $K_S^0 K_S^0$.

$\Gamma(\gamma f_J(2220))/\Gamma_{\text{total}}$ Γ_{170}/Γ

VALUE (units 10^{-5})	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
>250	99.9		¹⁷⁹ HASAN 96	SPEC	$\bar{p} p \rightarrow \pi^+ \pi^-$
>300			¹⁸⁰ BAI 96B	BES	$e^+ e^- \rightarrow \gamma \bar{p} p, K \bar{K}$
< 2.3	95		¹⁸¹ AUGUSTIN 88	DM2	$J/\psi \rightarrow \gamma K^+ K^-$
< 1.6	95		¹⁸¹ AUGUSTIN 88	DM2	$J/\psi \rightarrow \gamma K_S^0 K_S^0$
$12.4^{+6.4}_{-5.2} \pm 2.8$		23	¹⁸¹ BALTRUSAIT..86D	MRK3	$J/\psi \rightarrow \gamma K_S^0 K_S^0$
$8.4^{+3.4}_{-2.8} \pm 1.6$		93	¹⁸¹ BALTRUSAIT..86D	MRK3	$J/\psi \rightarrow \gamma K^+ K^-$

¹⁷⁹ Using BAI 96B.

¹⁸⁰ Using BARNES 93.

¹⁸¹ Includes unknown branching fraction to $K^+ K^-$ or $K_S^0 K_S^0$.

$\Gamma(\gamma f_J(2220) \rightarrow \gamma \pi \pi)/\Gamma_{\text{total}}$ Γ_{171}/Γ

VALUE (units 10^{-4})	DOCUMENT ID	TECN	COMMENT
$0.84 \pm 0.26 \pm 0.30$	BAI 96B	BES	$e^+ e^- \rightarrow J/\psi \rightarrow \gamma \pi^+ \pi^-$
$1.4 \pm 0.8 \pm 0.4$	BAI 98H	BES	$J/\psi \rightarrow \gamma \pi^0 \pi^0$

$\Gamma(\gamma f_J(2220) \rightarrow \gamma K \bar{K})/\Gamma_{\text{total}}$ Γ_{172}/Γ

<u>VALUE (units 10^{-5})</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
8.1±3.0 OUR AVERAGE			
6.6±2.9±2.4	BAI	96B	BES $e^+e^- \rightarrow J/\psi \rightarrow \gamma K^+ K^-$
10.8±4.0±3.2	BAI	96B	BES $e^+e^- \rightarrow J/\psi \rightarrow \gamma K_S^0 K_S^0$

$\Gamma(\gamma f_J(2220) \rightarrow \gamma \rho \bar{\rho})/\Gamma_{\text{total}}$ Γ_{173}/Γ

<u>VALUE (units 10^{-5})</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1.5±0.6±0.5	BAI	96B	BES $e^+e^- \rightarrow J/\psi \rightarrow \gamma \rho \bar{\rho}$

$\Gamma(\gamma f_0(1500))/\Gamma_{\text{total}}$ Γ_{174}/Γ

<u>VALUE (units 10^{-4})</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1.01±0.32 OUR AVERAGE			
1.00±0.03±0.45	¹⁸² ABLIKIM	06v	BES2 $e^+e^- \rightarrow J/\psi \rightarrow \gamma \pi^+ \pi^-$
1.02±0.09±0.45	¹⁸² ABLIKIM	06v	BES2 $e^+e^- \rightarrow J/\psi \rightarrow \gamma \pi^0 \pi^0$

• • • We do not use the following data for averages, fits, limits, etc. • • •

>5.7 ±0.8 ^{183,184} BUGG 95 MRK3 $J/\psi \rightarrow \gamma \pi^+ \pi^- \pi^+ \pi^-$

¹⁸² Including unknown branching fraction to $\pi\pi$.

¹⁸³ Including unknown branching ratio for $f_0(1500) \rightarrow \pi^+ \pi^- \pi^+ \pi^-$.

¹⁸⁴ Assuming that $f_0(1500)$ decays only to two S -wave dipions.

$\Gamma(\gamma e^+ e^-)/\Gamma_{\text{total}}$ Γ_{175}/Γ

<u>VALUE (units 10^{-3})</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
8.8±1.3±0.4	¹⁸⁵ ARMSTRONG	96	E760 $\bar{p}p \rightarrow e^+e^- \gamma$

¹⁸⁵ For $E_\gamma > 100$ MeV.

————— WEAK DECAYS —————

$\Gamma(D^- e^+ \nu_e + \text{c.c.})/\Gamma_{\text{total}}$ Γ_{176}/Γ

<u>VALUE (units 10^{-5})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<1.2	90	ABLIKIM	06M	BES2 $e^+e^- \rightarrow J/\psi$

$\Gamma(\bar{D}^0 e^+ e^- + \text{c.c.})/\Gamma_{\text{total}}$ Γ_{177}/Γ

<u>VALUE (units 10^{-5})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<1.1	90	ABLIKIM	06M	BES2 $e^+e^- \rightarrow J/\psi$

$\Gamma(D_s^- e^+ \nu_e + \text{c.c.})/\Gamma_{\text{total}}$ Γ_{178}/Γ

<u>VALUE (units 10^{-5})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<3.6	90	¹⁸⁶ ABLIKIM	06M	BES2 $e^+e^- \rightarrow J/\psi$

¹⁸⁶ Using $B(D_s^- \rightarrow \phi \pi^-) = 4.4 \pm 0.5$ %.

$\Gamma(D^- \pi^+ + \text{c.c.})/\Gamma_{\text{total}}$ Γ_{179}/Γ

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<7.5 × 10⁻⁵	90	ABLIKIM	08J	BES2 $e^+e^- \rightarrow J/\psi$

$\Gamma(\overline{D}^0 K^0 + \text{c.c.})/\Gamma_{\text{total}}$					Γ_{180}/Γ
VALUE	CL%	DOCUMENT ID	TECN	COMMENT	
$<1.7 \times 10^{-4}$	90	ABLIKIM 08J	BES2	$e^+ e^- \rightarrow J/\psi$	

$\Gamma(D_s^- \pi^+ + \text{c.c.})/\Gamma_{\text{total}}$					Γ_{181}/Γ
VALUE	CL%	DOCUMENT ID	TECN	COMMENT	
$<1.3 \times 10^{-4}$	90	ABLIKIM 08J	BES2	$e^+ e^- \rightarrow J/\psi$	

LEPTON FAMILY NUMBER (LF) VIOLATING MODES

$\Gamma(e^\pm \mu^\mp)/\Gamma_{\text{total}}$					Γ_{183}/Γ
VALUE (units 10^{-6})	CL%	DOCUMENT ID	TECN	COMMENT	
<1.1	90	BAI 03D	BES	$e^+ e^- \rightarrow J/\psi$	

$\Gamma(e^\pm \tau^\mp)/\Gamma_{\text{total}}$					Γ_{184}/Γ
VALUE (units 10^{-6})	CL%	DOCUMENT ID	TECN	COMMENT	
<8.3	90	ABLIKIM 04	BES	$e^+ e^- \rightarrow J/\psi$	

$\Gamma(\mu^\pm \tau^\mp)/\Gamma_{\text{total}}$					Γ_{185}/Γ
VALUE (units 10^{-6})	CL%	DOCUMENT ID	TECN	COMMENT	
<2.0	90	ABLIKIM 04	BES	$e^+ e^- \rightarrow J/\psi$	

OTHER DECAYS

$\Gamma(\text{invisible})/\Gamma(\mu^+ \mu^-)$					Γ_{186}/Γ_4
VALUE	CL%	DOCUMENT ID	TECN	COMMENT	
$<1.2 \times 10^{-2}$	90	ABLIKIM 08G	BES2	$\psi(2S) \rightarrow \pi^+ \pi^- J/\psi$	

$J/\psi(1S)$ REFERENCES

MITCHELL 09	PRL 102 011801	R.E. Mitchell <i>et al.</i>	(CLEO Collab.)
ABLIKIM 08	EPJ C53 15	M. Ablikim <i>et al.</i>	(BES Collab.)
ABLIKIM 08A	PR D77 012001	M. Ablikim <i>et al.</i>	(BES Collab.)
ABLIKIM 08C	PL B659 789	M. Ablikim <i>et al.</i>	(BES Collab.)
ABLIKIM 08E	PR D77 032005	M. Ablikim <i>et al.</i>	(BES Collab.)
ABLIKIM 08F	PRL 100 102003	M. Ablikim <i>et al.</i>	(BES Collab.)
ABLIKIM 08G	PRL 100 192001	M. Ablikim <i>et al.</i>	(BES Collab.)
ABLIKIM 08I	PL B662 330	M. Ablikim <i>et al.</i>	(BES Collab.)
ABLIKIM 08J	PL B663 297	M. Ablikim <i>et al.</i>	(BES Collab.)
ABLIKIM 08O	PR D78 092005	M. Ablikim <i>et al.</i>	(BES Collab.)
ADAMS 08	PRL 101 101801	G.S. Adams <i>et al.</i>	(CLEO Collab.)
AUBERT 08S	PR D77 092002	B. Aubert <i>et al.</i>	(BABAR Collab.)
WICHT 08	PL B662 323	J. Wicht <i>et al.</i>	(BELLE Collab.)
ABLIKIM 07H	PR D76 092003	M. Ablikim <i>et al.</i>	(BES Collab.)
ABLIKIM 07J	PR D76 117101	M. Ablikim <i>et al.</i>	(BES Collab.)
ANDREOTTI 07	PL B654 74	M. Andreotti <i>et al.</i>	(Femilab E835 Collab.)
AUBERT 07AK	PR D76 012008	B. Aubert <i>et al.</i>	(BABAR Collab.)
AUBERT 07AU	PR D76 092005	B. Aubert <i>et al.</i>	(BABAR Collab.)
Also	PR D77 119902E (errat.)	B. Aubert <i>et al.</i>	(BABAR Collab.)
AUBERT 07BD	PR D76 092006	B. Aubert <i>et al.</i>	(BABAR Collab.)
ABLIKIM 06	PL B632 181	M. Ablikim <i>et al.</i>	(BES Collab.)
ABLIKIM 06C	PL B633 681	M. Ablikim <i>et al.</i>	(BES Collab.)
ABLIKIM 06E	PR D73 052008	M. Ablikim <i>et al.</i>	(BES Collab.)
ABLIKIM 06F	PR D73 052007	M. Ablikim <i>et al.</i>	(BES Collab.)
ABLIKIM 06H	PR D73 112007	M. Ablikim <i>et al.</i>	(BES Collab.)
ABLIKIM 06J	PRL 96 162002	M. Ablikim <i>et al.</i>	(BES Collab.)
ABLIKIM 06K	PRL 97 062001	M. Ablikim <i>et al.</i>	(BES Collab.)

ABLIKIM	06M	PL B639 418	M. Ablikim <i>et al.</i>	(BES Collab.)
ABLIKIM	06V	PL B642 441	M. Ablikim <i>et al.</i>	(BES Collab.)
ADAMS	06A	PR D73 051103R	G.S. Adams <i>et al.</i>	(CLEO Collab.)
AUBERT	06B	PR D73 012005	B. Aubert <i>et al.</i>	(BABAR Collab.)
AUBERT	06D	PR D73 052003	B. Aubert <i>et al.</i>	(BABAR Collab.)
AUBERT	06E	PRL 96 052002	B. Aubert <i>et al.</i>	(BABAR Collab.)
AUBERT,BE	06D	PR D74 091103R	B. Aubert <i>et al.</i>	(BABAR Collab.)
WU	06	PRL 97 162003	C.-H. Wu <i>et al.</i>	(BELLE Collab.)
ABLIKIM	05	PL B607 243	M. Ablikim <i>et al.</i>	(BES Collab.)
ABLIKIM	05B	PR D71 032003	M. Ablikim <i>et al.</i>	(BES Collab.)
ABLIKIM	05C	PL B610 192	M. Ablikim <i>et al.</i>	(BES Collab.)
ABLIKIM	05H	PR D72 012002	M. Ablikim <i>et al.</i>	(BES Collab.)
ABLIKIM	05R	PRL 95 262001	M. Ablikim <i>et al.</i>	(BES Collab.)
AUBERT	05D	PR D71 052001	B. Aubert <i>et al.</i>	(BABAR Collab.)
LI	05C	PR D71 111103	Z. Li <i>et al.</i>	(CLEO Collab.)
SIBIRTSEV	05A	PR D71 054010	A. Sibirtsev, J. Haidenbauer	
ABLIKIM	04	PL B598 172	M. Ablikim <i>et al.</i>	(BES Collab.)
ABLIKIM	04M	PR D70 112008	M. Ablikim <i>et al.</i>	(BES Collab.)
AUBERT	04	PR D69 011103	B. Aubert <i>et al.</i>	(BaBar Collab.)
AUBERT,B	04N	PR D70 072004	B. Aubert <i>et al.</i>	(BABAR Collab.)
BAI	04	PL B578 16	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI	04A	PR D69 012003	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI	04D	PL B589 7	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI	04E	PL B591 42	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI	04G	PR D70 012004	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI	04H	PR D70 012005	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI	04J	PL B594 47	J.Z. Bai <i>et al.</i>	(BES Collab.)
SETH	04	PR D69 097503	K.K. Seth	
AULCHENKO	03	PL B573 63	V.M. Aulchenko <i>et al.</i>	(KEDR Collab.)
BAI	03D	PL B561 49	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI	03F	PRL 91 022001	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI	03G	PR D68 052003	J.Z. Bai <i>et al.</i>	(BES Collab.)
HUANG	03	PRL 91 241802	H.-C. Huang <i>et al.</i>	(BELLE Collab.)
BAI	02C	PRL 88 101802	J.Z. Bai <i>et al.</i>	(BES Collab.)
ARTAMONOV	00	PL B474 427	A.S. Artamonov <i>et al.</i>	
BAI	00	PRL 84 594	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI	00B	PL B472 200	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI	00D	PL B476 25	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI	99	PL B446 356	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI	99C	PRL 83 1918	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI	98D	PR D58 092006	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI	98G	PL B424 213	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI	98H	PRL 81 1179	J.Z. Bai <i>et al.</i>	(BES Collab.)
BALDINI	98	PL B444 111	R. Baldini <i>et al.</i>	(FENICE Collab.)
ARMSTRONG	96	PR D54 7067	T.A. Armstrong <i>et al.</i>	(E760 Collab.)
BAI	96B	PRL 76 3502	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI	96C	PRL 77 3959	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI	96D	PR D54 1221	J.Z. Bai <i>et al.</i>	(BES Collab.)
GRIBUSHIN	96	PR D53 4723	A. Gribushin <i>et al.</i>	(E672 Collab., E706 Collab.)
HASAN	96	PL B388 376	A. Hasan, D.V. Bugg	(BRUN, LOQM)
BAI	95B	PL B355 374	J.Z. Bai <i>et al.</i>	(BES Collab.)
BUGG	95	PL B353 378	D.V. Bugg <i>et al.</i>	(LOQM, PNPI, WASH)
ANTONELLI	93	PL B301 317	A. Antonelli <i>et al.</i>	(FENICE Collab.)
ARMSTRONG	93B	PR D47 772	T.A. Armstrong <i>et al.</i>	(FNAL E760 Collab.)
BARNES	93	PL B309 469	P.D. Barnes, P. Birien, W.H. Breunlich	
AUGUSTIN	92	PR D46 1951	J.E. Augustin, G. Cosme	(DM2 Collab.)
BOLTON	92	PL B278 495	T. Bolton <i>et al.</i>	(Mark III Collab.)
BOLTON	92B	PRL 69 1328	T. Bolton <i>et al.</i>	(Mark III Collab.)
COFFMAN	92	PRL 68 282	D.M. Coffman <i>et al.</i>	(Mark III Collab.)
HSUEH	92	PR D45 R2181	S. Hsueh, S. Palestini	(FNAL, TORI)
BISELLO	91	NP B350 1	D. Bisello <i>et al.</i>	(DM2 Collab.)
AUGUSTIN	90	PR D42 10	J.E. Augustin <i>et al.</i>	(DM2 Collab.)
BAI	90B	PRL 65 1309	Z. Bai <i>et al.</i>	(Mark III Collab.)
BAI	90C	PRL 65 2507	Z. Bai <i>et al.</i>	(Mark III Collab.)
BISELLO	90	PL B241 617	D. Bisello <i>et al.</i>	(DM2 Collab.)
COFFMAN	90	PR D41 1410	D.M. Coffman <i>et al.</i>	(Mark III Collab.)
JOUSSET	90	PR D41 1389	J. Jousset <i>et al.</i>	(DM2 Collab.)
ALEXANDER	89	NP B320 45	J.P. Alexander <i>et al.</i>	(LBL, MICH, SLAC)
AUGUSTIN	89	NP B320 1	J.E. Augustin, G. Cosme	(DM2 Collab.)
BISELLO	89B	PR D39 701	G. Busetto <i>et al.</i>	(DM2 Collab.)
AUGUSTIN	88	PRL 60 2238	J.E. Augustin <i>et al.</i>	(DM2 Collab.)

COFFMAN	88	PR D38 2695	D.M. Coffman <i>et al.</i>	(Mark III Collab.)
FALVARD	88	PR D38 2706	A. Falvard <i>et al.</i>	(CLER, FRAS, LALO+)
AUGUSTIN	87	ZPHY C36 369	J.E. Augustin <i>et al.</i>	(LALO, CLER, FRAS+)
BAGLIN	87	NP B286 592	C. Baglin <i>et al.</i>	(LAPP, CERN, GENO, LYON+)
BALTRUSAIT...	87	PR D35 2077	R.M. Baltrusaitis <i>et al.</i>	(Mark III Collab.)
BECKER	87	PRL 59 186	J.J. Becker <i>et al.</i>	(Mark III Collab.)
BISELLO	87	PL B192 239	D. Bisello <i>et al.</i>	(PADO, CLER, FRAS+)
COHEN	87	RMP 59 1121	E.R. Cohen, B.N. Taylor	(RISC, NBS)
HENRARD	87	NP B292 670	P. Henrard <i>et al.</i>	(CLER, FRAS, LALO+)
PALLIN	87	NP B292 653	D. Pallin <i>et al.</i>	(CLER, FRAS, LALO, PADO)
BALTRUSAIT...	86	PR D33 629	R.M. Baltrusaitis <i>et al.</i>	(Mark III Collab.)
BALTRUSAIT...	86B	PR D33 1222	R.M. Baltrusaitis <i>et al.</i>	(Mark III Collab.)
BALTRUSAIT...	86D	PRL 56 107	R.M. Baltrusaitis	(CIT, UCSC, ILL, SLAC+)
BISELLO	86B	PL B179 294	D. Bisello <i>et al.</i>	(DM2 Collab.)
GAISER	86	PR D34 711	J. Gaiser <i>et al.</i>	(Crystal Ball Collab.)
BALTRUSAIT...	85C	PRL 55 1723	R.M. Baltrusaitis <i>et al.</i>	(CIT, UCSC+)
BALTRUSAIT...	85D	PR D32 566	R.M. Baltrusaitis <i>et al.</i>	(CIT, UCSC+)
KURAEV	85	SJNP 41 466	E.A. Kuraev, V.S. Fadin	(NOVO)
		Translated from YAF 41 733.		
BALTRUSAIT...	84	PRL 52 2126	R.M. Baltrusaitis <i>et al.</i>	(CIT, UCSC+)
EATON	84	PR D29 804	M.W. Eaton <i>et al.</i>	(LBL, SLAC)
BLOOM	83	ARNS 33 143	E.D. Bloom, C. Peck	(SLAC, CIT)
EDWARDS	83B	PRL 51 859	C. Edwards <i>et al.</i>	(CIT, HARV, PRIN+)
FRANKLIN	83	PRL 51 963	M.E.B. Franklin <i>et al.</i>	(LBL, SLAC)
BURKE	82	PRL 49 632	D.L. Burke <i>et al.</i>	(LBL, SLAC)
EDWARDS	82B	PR D25 3065	C. Edwards <i>et al.</i>	(CIT, HARV, PRIN+)
EDWARDS	82D	PRL 48 458	C. Edwards <i>et al.</i>	(CIT, HARV, PRIN+)
		Also ARNS 33 143	E.D. Bloom, C. Peck	(SLAC, CIT)
EDWARDS	82E	PRL 49 259	C. Edwards <i>et al.</i>	(CIT, HARV, PRIN+)
LEMOIGNE	82	PL 113B 509	Y. Lemoigne <i>et al.</i>	(SACL, LOIC, SHMP+)
BESCH	81	ZPHY C8 1	H.J. Besch <i>et al.</i>	(BONN, DESY, MANZ)
GIDAL	81	PL 107B 153	G. Gidal <i>et al.</i>	(SLAC, LBL)
PARTRIDGE	80	PRL 44 712	R. Partridge <i>et al.</i>	(CIT, HARV, PRIN+)
SCHARRE	80	PL 97B 329	D.L. Scharre <i>et al.</i>	(SLAC, LBL)
ZHOLENTZ	80	PL 96B 214	A.A. Zholents <i>et al.</i>	(NOVO)
		Also SJNP 34 814	A.A. Zholents <i>et al.</i>	(NOVO)
		Translated from YAF 34 1471.		
BRANDELIK	79C	ZPHY C1 233	R. Brandelik <i>et al.</i>	(DASP Collab.)
ALEXANDER	78	PL 72B 493	G. Alexander <i>et al.</i>	(DESY, HAMB, SIEG+)
BESCH	78	PL 78B 347	H.J. Besch <i>et al.</i>	(BONN, DESY, MANZ)
BRANDELIK	78B	PL 74B 292	R. Brandelik <i>et al.</i>	(DASP Collab.)
PERUZZI	78	PR D17 2901	I. Peruzzi <i>et al.</i>	(SLAC, LBL)
BARTEL	77	PL 66B 489	W. Bartel <i>et al.</i>	(DESY, HEIDP)
BURMESTER	77D	PL 72B 135	J. Burmester <i>et al.</i>	(DESY, HAMB, SIEG+)
FELDMAN	77	PRPL 33C 285	G.J. Feldman, M.L. Perl	(LBL, SLAC)
VANNUCCI	77	PR D15 1814	F. Vannucci <i>et al.</i>	(SLAC, LBL)
BARTEL	76	PL 64B 483	W. Bartel <i>et al.</i>	(DESY, HEIDP)
BRAUNSCH...	76	PL 63B 487	W. Braunschweig <i>et al.</i>	(DASP Collab.)
JEAN-MARIE	76	PRL 36 291	B. Jean-Marie <i>et al.</i>	(SLAC, LBL) IG
BALDINI-...	75	PL 58B 471	R. Baldini-Celio <i>et al.</i>	(FRAS, ROMA)
BOYARSKI	75	PRL 34 1357	A.M. Boyarski <i>et al.</i>	(SLAC, LBL) JPC
DASP	75	PL 56B 491	W. Braunschweig <i>et al.</i>	(DASP Collab.)
ESPOSITO	75B	LNC 14 73	B. Esposito <i>et al.</i>	(FRAS, NAPL, PADO+)
FORD	75	PRL 34 604	R.L. Ford <i>et al.</i>	(SLAC, PENN)

OTHER RELATED PAPERS

BESSON	08	PR D78 032012	D. Besson <i>et al.</i>	(CLOE Collab.)
LI	07A	PR D76 094016	B.A. Li	
LIU	07B	PR D75 074017	X. Liu <i>et al.</i>	
ABLIKIM	06A	PL B633 19	M. Ablikim <i>et al.</i>	(BES Collab.)
ABLIKIM	06B	EPJ C45 337	M. Ablikim <i>et al.</i>	(BES Collab.)
ABLIKIM	06Q	PRL 97 202002	M. Ablikim <i>et al.</i>	(BES Collab.)
ABLIKIM	06S	PRL 97 142002	M. Ablikim <i>et al.</i>	(BES Collab.)
GLOZMAN	06	PR D73 017503	L.Ya. Gluzman	
ABLIKIM	04J	PRL 93 112002	M. Ablikim <i>et al.</i>	(BES Collab.)
DATTA	03B	PL B567 273	A. Datta, P.J. O'Donnell	
LI	03C	EPJ C28 335	D.M. Li <i>et al.</i>	
LI	03D	IJMP A18 3335	D.M. Li <i>et al.</i>	
BAI	01B	PL B510 75	J.Z. Bai <i>et al.</i>	(BES Collab.)

CHEN	98	PRL 80 5060	Y.Q. Chen, E. Braaten	
SUZUKI	98	PR D57 5717	M. Suzuki	
BARATE	83	PL 121B 449	R. Barate <i>et al.</i>	(SACL, LOIC, SHMP, IND)
ABRAMS	74	PRL 33 1453	G.S. Abrams <i>et al.</i>	(LBL, SLAC)
ASH	74	LNC 11 705	W.W. Ash <i>et al.</i>	(FRAS, UMD, NAPL, PADO+)
AUBERT	74	PRL 33 1404	J.J. Aubert <i>et al.</i>	(MIT, BNL)
AUGUSTIN	74	PRL 33 1406	J.E. Augustin <i>et al.</i>	(SLAC, LBL)
BACCI	74	PRL 33 1408	C. Bacci <i>et al.</i>	(FRAS)
Also		PRL 33 1649 (erratum)	C. Bacci	
BALDINI...	74	LNC 11 711	R. Baldini-Celio <i>et al.</i>	(FRAS, ROMA)
BARBIELLINI	74	LNC 11 718	G. Barbiellini <i>et al.</i>	(FRAS, NAPL, PISA+)
BRAUNSCH...	74	PL 53B 393	W. Braunschweig <i>et al.</i>	(DASP Collab.)
CHRISTENS...	70	PRL 25 1523	J.C. Christenson <i>et al.</i>	(COLU, BNL, CERN)
