


$\eta_c(1S)$

$$I^G(J^{PC}) = 0^+(0^{-+})$$

$\eta_c(1S)$  MASS

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
<b>2980.5 ± 1.2 OUR AVERAGE</b>		Error includes scale factor of 1.7.		See the ideogram below.
2985.8 ± 1.5 ± 3.1	921 ± 32	AUBERT	08AB BABR	$B \rightarrow \eta_c(1S) K^{(*)} \rightarrow K \bar{K} \pi K^{(*)}$
2986.1 ± 1.0 ± 2.5	7.5k	UEHARA	08 BELL	$\gamma\gamma \rightarrow \eta_c \rightarrow \text{hadrons}$
2970 ± 5 ± 6	501	<sup>1</sup> ABE	07 BELL	$e^+e^- \rightarrow J/\psi(c\bar{c})$
2971 ± 3 $\begin{smallmatrix} + \\ - \end{smallmatrix} \begin{smallmatrix} 2 \\ 1 \end{smallmatrix}$	195	WU	06 BELL	$B^+ \rightarrow p \bar{p} K^+$
2974 ± 7 $\begin{smallmatrix} + \\ - \end{smallmatrix} \begin{smallmatrix} 2 \\ 1 \end{smallmatrix}$	20	WU	06 BELL	$B^+ \rightarrow \Lambda \bar{\Lambda} K^+$
2981.8 ± 1.3 ± 1.5	592	ASNER	04 CLEO	$\gamma\gamma \rightarrow \eta_c \rightarrow K_S^0 K^\pm \pi^\mp$
2982.5 ± 1.1 ± 0.9	2547 ± 90	AUBERT	04D BABR	$\gamma\gamma \rightarrow \eta_c(1S) \rightarrow K \bar{K} \pi$
2984.1 ± 2.1 ± 1.0	190	<sup>2</sup> AMBROGIANI	03 E835	$\bar{p} p \rightarrow \eta_c \rightarrow \gamma\gamma$
2977.5 ± 1.0 ± 1.2		<sup>3,4</sup> BAI	03 BES	$J/\psi \rightarrow \gamma\eta_c$
2979.6 ± 2.3 ± 1.6	182 ± 25	FANG	03 BELL	$B \rightarrow \eta_c K$
2976.3 ± 2.3 ± 1.2		<sup>4,5,6</sup> BAI	00F BES	$J/\psi \rightarrow \gamma\eta_c$ and $\psi(2S) \rightarrow \gamma\eta_c$
2969 ± 4 ± 4	80	<sup>4</sup> BAI	90B MRK3	$J/\psi \rightarrow \gamma K^+ K^- K^+ K^-$
2984 ± 2.3 ± 4.0		<sup>4</sup> GAISER	86 CBAL	$J/\psi \rightarrow \gamma X, \psi(2S) \rightarrow \gamma X$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
2982.2 ± 0.6		<sup>4</sup> MITCHELL	09 CLEO	$e^+e^- \rightarrow \gamma X$
2982 ± 5	273 ± 43	<sup>7</sup> AUBERT	06E BABR	$B^\pm \rightarrow K^\pm X_{c\bar{c}}$
2976.6 ± 2.9 ± 1.3	140	<sup>4,5,8</sup> BAI	00F BES	$J/\psi \rightarrow \gamma\eta_c$
2980.4 ± 2.3 ± 0.6		<sup>9</sup> BRANDENB...	00B CLE2	$\gamma\gamma \rightarrow \eta_c \rightarrow K^\pm K_S^0 \pi^\mp$
2975.8 ± 3.9 ± 1.2		<sup>5,8</sup> BAI	99B BES	Sup. by BAI 00F
2999 ± 8	25	ABREU	98O DLPH	$e^+e^- \rightarrow e^+e^- + \text{hadrons}$
2988.3 $\begin{smallmatrix} + \\ - \end{smallmatrix} \begin{smallmatrix} 3.3 \\ 3.1 \end{smallmatrix}$		ARMSTRONG	95F E760	$\bar{p} p \rightarrow \gamma\gamma$
2974.4 ± 1.9		<sup>4,8</sup> BISELLO	91 DM2	$J/\psi \rightarrow \eta_c \gamma$
2956 ± 12 ± 12		<sup>4</sup> BAI	90B MRK3	$J/\psi \rightarrow \gamma K^+ K^- K_S^0 K_L^0$
2982.6 $\begin{smallmatrix} + \\ - \end{smallmatrix} \begin{smallmatrix} 2.7 \\ 2.3 \end{smallmatrix}$	12	BAGLIN	87B SPEC	$\bar{p} p \rightarrow \gamma\gamma$
2980.2 ± 1.6		<sup>4,8</sup> BALTRUSAIT..86	MRK3	$J/\psi \rightarrow \eta_c \gamma$
2976 ± 8		<sup>4,10</sup> BALTRUSAIT..84	MRK3	$J/\psi \rightarrow 2\phi\gamma$
2982 ± 8	18	<sup>11</sup> HIMEL	80B MRK2	$e^+e^-$
2980 ± 9		<sup>11</sup> PARTRIDGE	80B CBAL	$e^+e^-$

- <sup>1</sup> From a fit of the  $J/\psi$  recoil mass spectrum. Supersedes ABE,K 02 and ABE 04G.
- <sup>2</sup> Using mass of  $\psi(2S) = 3686.00$  MeV.
- <sup>3</sup> From a simultaneous fit of five decay modes of the  $\eta_c$ .
- <sup>4</sup> MITCHELL 09 observes a significant asymmetry in the lineshapes of  $\psi(2S) \rightarrow \gamma\eta_c$  and  $J/\psi \rightarrow \gamma\eta_c$  transitions. If ignored, this asymmetry could lead to significant bias whenever the mass and width are measured in  $\psi(2S)$  or  $J/\psi$  radiative decays.
- <sup>5</sup> Using an  $\eta_c$  width of 13.2 MeV.
- <sup>6</sup> Weighted average of the  $\psi(2S)$  and  $J/\psi(1S)$  samples.
- <sup>7</sup> From the fit of the kaon momentum spectrum. Systematic errors not evaluated.
- <sup>8</sup> Average of several decay modes.
- <sup>9</sup> Superseded by ASNER 04.
- <sup>10</sup>  $\eta_c \rightarrow \phi\phi$ .
- <sup>11</sup> Mass adjusted by us to correspond to  $J/\psi(1S)$  mass = 3097 MeV.



### $\eta_c(1S)$ WIDTH

VALUE (MeV)	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
<b>27.4± 2.9 OUR AVERAGE</b>			Error includes scale factor of 2.0. See the ideogram below.		
36.3 <sup>+</sup> <sub>-</sub> 3.6 <sup>±</sup> 4.4		921 ± 32	AUBERT	08AB BABR	$B \rightarrow \eta_c(1S) K^{(*)} \rightarrow K\bar{K}\pi K^{(*)}$
28.1± 3.2±2.2		7.5k	UEHARA	08 BELL	$\gamma\gamma \rightarrow \eta_c \rightarrow$ hadrons
48 <sup>+</sup> <sub>-</sub> 8 <sup>±</sup> 5		195	WU	06 BELL	$B^+ \rightarrow p\bar{p}K^+$
40 ±19 ±5		20	WU	06 BELL	$B^+ \rightarrow \Lambda\bar{\Lambda}K^+$
24.8± 3.4±3.5		592	ASNER	04 CLEO	$\gamma\gamma \rightarrow \eta_c \rightarrow K_S^0 K^\pm \pi^\mp$


$34.3 \pm 2.3 \pm 0.9$	$2547 \pm 90$	AUBERT	04D	BABR	$\gamma\gamma \rightarrow \eta_c(1S) \rightarrow K\bar{K}\pi$	
$20.4^{+7.7}_{-6.7} \pm 2.0$	190	AMBROGIANI	03	E835	$\bar{p}p \rightarrow \eta_c \rightarrow \gamma\gamma$	
$17.0 \pm 3.7 \pm 7.4$		<sup>12</sup> BAI	03	BES	$J/\psi \rightarrow \gamma\eta_c$	
$29 \pm 8 \pm 6$	$182 \pm 25$	FANG	03	BELL	$B \rightarrow \eta_c K$	
$11.0 \pm 8.1 \pm 4.1$		<sup>13</sup> BAI	00F	BES	$J/\psi \rightarrow \gamma\eta_c$ and $\psi(2S) \rightarrow \gamma\eta_c$	
$23.9^{+12.6}_{-7.1}$		ARMSTRONG	95F	E760	$\bar{p}p \rightarrow \gamma\gamma$	
$7.0^{+7.5}_{-7.0}$	12	BAGLIN	87B	SPEC	$\bar{p}p \rightarrow \gamma\gamma$	
$10.1^{+33.0}_{-8.2}$	23	<sup>14</sup> BALTRUSAIT..86	MRK3		$J/\psi \rightarrow \gamma p\bar{p}$	
$11.5 \pm 4.5$		GAISER	86	CBAL	$J/\psi \rightarrow \gamma X,$ $\psi(2S) \rightarrow \gamma X$	
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●						
$27.0 \pm 5.8 \pm 1.4$		<sup>15</sup> BRANDENB...	00B	CLE2	$\gamma\gamma \rightarrow \eta_c \rightarrow K^\pm K_S^0 \pi^\mp$	
< 40	90	18	HIMEL	80B	MRK2	$e^+e^-$
< 20	90		PARTRIDGE	80B	CBAL	$e^+e^-$

<sup>12</sup> From a simultaneous fit of five decay modes of the  $\eta_c$ .

<sup>13</sup> From a fit to the 4-prong invariant mass in  $\psi(2S) \rightarrow \gamma\eta_c$  and  $J/\psi(1S) \rightarrow \gamma\eta_c$  decays.

<sup>14</sup> Positive and negative errors correspond to 90% confidence level.

<sup>15</sup> Superseded by ASNER 04.



$\eta_c(1S)$  DECAY MODES

Mode	Fraction ( $\Gamma_i/\Gamma$ )	Confidence level	
<b>Decays involving hadronic resonances</b>			
$\Gamma_1$	$\eta'(958)\pi\pi$	(4.1 $\pm$ 1.7 ) %	
$\Gamma_2$	$\rho\rho$	(2.0 $\pm$ 0.7 ) %	
$\Gamma_3$	$K^*(892)^0 K^- \pi^+ + \text{c.c.}$	(2.0 $\pm$ 0.7 ) %	
$\Gamma_4$	$K^*(892)\bar{K}^*(892)$	(9.2 $\pm$ 3.4 ) $\times 10^{-3}$	
$\Gamma_5$	$K^{*0}\bar{K}^{*0}\pi^+\pi^-$	(1.1 $\pm$ 0.5 ) %	
$\Gamma_6$	$\phi K^+ K^-$	(2.9 $\pm$ 1.4 ) $\times 10^{-3}$	
$\Gamma_7$	$\phi\phi$	(2.7 $\pm$ 0.9 ) $\times 10^{-3}$	
$\Gamma_8$	$\phi 2(\pi^+\pi^-)$	< 3.5 $\times 10^{-3}$	90%
$\Gamma_9$	$a_0(980)\pi$	< 2 %	90%
$\Gamma_{10}$	$a_2(1320)\pi$	< 2 %	90%
$\Gamma_{11}$	$K^*(892)\bar{K} + \text{c.c.}$	< 1.28 %	90%
$\Gamma_{12}$	$f_2(1270)\eta$	< 1.1 %	90%
$\Gamma_{13}$	$\omega\omega$	< 3.1 $\times 10^{-3}$	90%
$\Gamma_{14}$	$\omega\phi$	< 1.7 $\times 10^{-3}$	90%
$\Gamma_{15}$	$f_2(1270)f_2(1270)$	(7.6 $^{+3.1}_{-3.4}$ ) $\times 10^{-3}$	
$\Gamma_{16}$	$f_2(1270)f_2'(1525)$	(1.0 $^{+0.5}_{-0.4}$ ) %	
<b>Decays into stable hadrons</b>			
$\Gamma_{17}$	$K\bar{K}\pi$	(7.0 $\pm$ 1.2 ) %	
$\Gamma_{18}$	$\eta\pi\pi$	(4.9 $\pm$ 1.8 ) %	
$\Gamma_{19}$	$\pi^+\pi^- K^+ K^-$	(1.5 $\pm$ 0.6 ) %	
$\Gamma_{20}$	$K^+ K^- 2(\pi^+\pi^-)$	(7.0 $\pm$ 2.9 ) $\times 10^{-3}$	
$\Gamma_{21}$	$2(K^+ K^-)$	(1.5 $\pm$ 0.7 ) $\times 10^{-3}$	
$\Gamma_{22}$	$2(\pi^+\pi^-)$	(1.20 $\pm$ 0.30) %	
$\Gamma_{23}$	$3(\pi^+\pi^-)$	(1.5 $\pm$ 0.5 ) %	
$\Gamma_{24}$	$p\bar{p}$	(1.3 $\pm$ 0.4 ) $\times 10^{-3}$	
$\Gamma_{25}$	$\Lambda\bar{\Lambda}$	(1.04 $\pm$ 0.31) $\times 10^{-3}$	
$\Gamma_{26}$	$K\bar{K}\eta$	< 3.1 %	90%
$\Gamma_{27}$	$\pi^+\pi^- p\bar{p}$	< 1.2 %	90%
<b>Radiative decays</b>			
$\Gamma_{28}$	$\gamma\gamma$	(1.8 $^{+0.6}_{-0.5}$ ) $\times 10^{-4}$	
<b>Charge conjugation (C), Parity (P), Lepton family number (LF) violating modes</b>			
$\Gamma_{29}$	$\pi^+\pi^-$	$P, CP$ < 6 $\times 10^{-4}$	90%
$\Gamma_{30}$	$\pi^0\pi^0$	$P, CP$ < 4 $\times 10^{-4}$	90%
$\Gamma_{31}$	$K^+ K^-$	$P, CP$ < 6 $\times 10^{-4}$	90%
$\Gamma_{32}$	$K_S^0 K_S^0$	$P, CP$ < 3.1 $\times 10^{-4}$	90%

## $\eta_c(1S)$ PARTIAL WIDTHS

$\Gamma(\gamma\gamma)$

$\Gamma_{28}$

VALUE (keV)	EVTS	DOCUMENT ID	TECN	COMMENT
-------------	------	-------------	------	---------

**$7.2 \pm 0.7 \pm 2.0$  OUR EVALUATION** Error includes scale factor of 1.3. Treating systematic errors as correlated.

**$6.7^{+0.9}_{-0.8}$  OUR AVERAGE**

5.5 ± 1.2 ± 1.8	157 ± 33	16 KUO	05 BELL	$\gamma\gamma \rightarrow p\bar{p}$
7.4 ± 0.4 ± 2.3		17 ASNER	04 CLEO	$\gamma\gamma \rightarrow \eta_c \rightarrow K_S^0 K^\pm \pi^\mp$
13.9 ± 2.0 ± 3.0	41	18 ABDALLAH	03J DLPH	$\gamma\gamma \rightarrow \eta_c$
3.8 <sup>+</sup> 1.1 <sup>+</sup> 1.9 - 1.0 - 1.0	190	19 AMBROGIANI	03 E835	$\bar{p}p \rightarrow \eta_c \rightarrow \gamma\gamma$
6.9 ± 1.7 ± 2.1	76	20 ACCIARRI	99T L3	$e^+e^- \rightarrow e^+e^-\eta_c$
27 ± 16 ± 10	5	17 SHIRAI	98 AMY	58 $e^+e^-$
6.7 <sup>+</sup> 2.4 - 1.7 ± 2.3		16 ARMSTRONG	95F E760	$\bar{p}p \rightarrow \gamma\gamma$
11.3 ± 4.2		21 ALBRECHT	94H ARG	$e^+e^- \rightarrow e^+e^-\eta_c$
5.9 <sup>+</sup> 2.1 - 1.8 ± 1.9		19 CHEN	90B CLEO	$e^+e^- \rightarrow e^+e^-\eta_c$
6.4 <sup>+</sup> 5.0 - 3.4		22 AIHARA	88D TPC	$e^+e^- \rightarrow e^+e^-X$
4.3 <sup>+</sup> 3.4 - 3.7 ± 2.4		16 BAGLIN	87B SPEC	$\bar{p}p \rightarrow \gamma\gamma$
28 ± 15		17,23 BERGER	86 PLUT	$\gamma\gamma \rightarrow K\bar{K}\pi$

• • • We do not use the following data for averages, fits, limits, etc. • • •

5.2 ± 1.2	273 ± 43	24,25 AUBERT	06E BABR	$B^\pm \rightarrow K^\pm X_{c\bar{c}}$
7.6 ± 0.8 ± 2.3		17,26 BRANDENB...	00B CLE2	$\gamma\gamma \rightarrow \eta_c \rightarrow K^\pm K_S^0 \pi^\mp$
8.0 ± 2.3 ± 2.4	17	27 ADRIANI	93N L3	$e^+e^- \rightarrow e^+e^-\eta_c$

<sup>16</sup> Normalized to  $B(\eta_c \rightarrow p\bar{p}) = (1.3 \pm 0.4) \times 10^{-3}$ .

<sup>17</sup> Normalized to  $B(\eta_c \rightarrow K^\pm K_S^0 \pi^\mp)$ .

<sup>18</sup> Average of  $K_S^0 K^\pm \pi^\mp$ ,  $\pi^+ \pi^- K^+ K^-$ , and  $2(K^+ K^-)$  decay modes.

<sup>19</sup> Normalized to the sum of  $B(\eta_c \rightarrow K^\pm K_S^0 \pi^\mp)$ ,  $B(\eta_c \rightarrow K^+ K^- \pi^+ \pi^-)$ , and  $B(\eta_c \rightarrow 2\pi^+ 2\pi^-)$ .

<sup>20</sup> Normalized to the sum of 9 branching ratios.

<sup>21</sup> Normalized to the sum of  $B(\eta_c \rightarrow K^\pm K_S^0 \pi^\mp)$ ,  $B(\eta_c \rightarrow \phi\phi)$ ,  $B(\eta_c \rightarrow K^+ K^- \pi^+ \pi^-)$ , and  $B(\eta_c \rightarrow 2\pi^+ 2\pi^-)$ .

<sup>22</sup> Normalized to the sum of  $B(\eta_c \rightarrow K^\pm K_S^0 \pi^\mp)$ ,  $B(\eta_c \rightarrow 2K^+ 2K^-)$ ,  $B(\eta_c \rightarrow K^+ K^- \pi^+ \pi^-)$ , and  $B(\eta_c \rightarrow 2\pi^+ 2\pi^-)$ .

<sup>23</sup> Re-evaluated by AIHARA 88D.

<sup>24</sup> Calculated by us using  $\Gamma(\eta_c \rightarrow K\bar{K}\pi) \times \Gamma(\eta_c \rightarrow \gamma\gamma) / \Gamma = 0.44 \pm 0.05$  keV from PDG 06 and  $B(\eta_c \rightarrow K\bar{K}\pi) = (8.5 \pm 1.8)\%$  from AUBERT 06E.

<sup>25</sup> Systematic errors not evaluated.

<sup>26</sup> Superseded by ASNER 04.


<sup>27</sup> Superseded by ACCIARRI 99T.

### $\eta_c(1S) \Gamma(i)\Gamma(\gamma\gamma)/\Gamma(\text{total})$

$\Gamma(K\bar{K}\pi) \times \Gamma(\gamma\gamma)/\Gamma_{\text{total}}$   $\Gamma_{17}\Gamma_{28}/\Gamma$

VALUE (keV)	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
<b>0.44 ± 0.05</b>					<b>OUR AVERAGE</b> Error includes scale factor of 1.4. See the ideogram below.
0.407 ± 0.022 ± 0.028		28,29	ASNER	04	CLEO $\gamma\gamma \rightarrow \eta_c \rightarrow K_S^0 K^\pm \pi^\mp$
0.60 ± 0.12 ± 0.09	41	29,30	ABDALLAH	03J	DLPH $\gamma\gamma \rightarrow K_S^0 K^\pm \pi^\mp$
1.47 ± 0.87 ± 0.27		29	SHIRAI	98	AMY $\gamma\gamma \rightarrow \eta_c \rightarrow K^\pm K_S^0 \pi^\mp$
0.84 ± 0.21		29	ALBRECHT	94H	ARG $\gamma\gamma \rightarrow K^\pm K_S^0 \pi^\mp$
0.60 <sup>+0.23</sup> <sub>-0.20</sub>		29	CHEN	90B	CLEO $\gamma\gamma \rightarrow \eta_c K^\pm K_S^0 \pi^\mp$
1.06 ± 0.41 ± 0.27	11	29	BRAUNSCH...	89	TASS $\gamma\gamma \rightarrow K\bar{K}\pi$
1.5 <sup>+0.60</sup> <sub>-0.45</sub> ± 0.3	7	29	BERGER	86	PLUT $\gamma\gamma \rightarrow K\bar{K}\pi$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●					
0.418 ± 0.044 ± 0.022		29,31	BRANDENB...	00B	CLE2 $\gamma\gamma \rightarrow \eta_c \rightarrow K^\pm K_S^0 \pi^\mp$
<0.63	95	29	BEHREND	89	CELL $\gamma\gamma \rightarrow K_S^0 K^\pm \pi^\mp$
<4.4	95		ALTHOFF	85B	TASS $\gamma\gamma \rightarrow K\bar{K}\pi$

WEIGHTED AVERAGE  
0.44±0.05 (Error scaled by 1.4)



$\Gamma(\pi^+\pi^-K^+K^-) \times \Gamma(\gamma\gamma)/\Gamma_{\text{total}}$   $\Gamma_{19}\Gamma_{28}/\Gamma$

VALUE (eV)	EVTS	DOCUMENT ID	TECN	COMMENT
<b>27 ± 6 OUR AVERAGE</b>				
25.7 ± 3.2 ± 4.9	2019 ± 248	UEHARA	08 BELL	$\gamma\gamma \rightarrow \pi^+\pi^-K^+K^-$
280 ± 100 ± 60	42	<sup>32</sup> ABDALLAH	03J DLPH	$\gamma\gamma \rightarrow \pi^+\pi^-K^+K^-$
170 ± 80 ± 20	13.9 ± 6.6	ALBRECHT	94H ARG	$\gamma\gamma \rightarrow \pi^+\pi^-K^+K^-$

$\Gamma(K^*(892)\bar{K}^*(892)) \times \Gamma(\gamma\gamma)/\Gamma_{\text{total}}$   $\Gamma_4\Gamma_{28}/\Gamma$

VALUE (eV)	EVTS	DOCUMENT ID	TECN	COMMENT
<b>32.4 ± 4.2 ± 5.8</b>	882 ± 115	UEHARA	08 BELL	$\gamma\gamma \rightarrow \pi^+\pi^-K^+K^-$

$\Gamma(f_2(1270)f'_2(1525)) \times \Gamma(\gamma\gamma)/\Gamma_{\text{total}}$   $\Gamma_{16}\Gamma_{28}/\Gamma$

VALUE (eV)	EVTS	DOCUMENT ID	TECN	COMMENT
<b>49 ± 9 ± 13</b>	1128 ± 206	UEHARA	08 BELL	$\gamma\gamma \rightarrow \pi^+\pi^-K^+K^-$

$\Gamma(2(K^+K^-)) \times \Gamma(\gamma\gamma)/\Gamma_{\text{total}}$   $\Gamma_{21}\Gamma_{28}/\Gamma$

VALUE (eV)	EVTS	DOCUMENT ID	TECN	COMMENT
<b>5.8 ± 1.9 OUR AVERAGE</b>				
5.6 ± 1.1 ± 1.6	216 ± 42	UEHARA	08 BELL	$\gamma\gamma \rightarrow 2(K^+K^-)$
350 ± 90 ± 60	46	<sup>33</sup> ABDALLAH	03J DLPH	$\gamma\gamma \rightarrow 2(K^+K^-)$
231 ± 90 ± 23	9.1 ± 3.3	<sup>34</sup> ALBRECHT	94H ARG	$\gamma\gamma \rightarrow 2(K^+K^-)$

$\Gamma(\phi\phi) \times \Gamma(\gamma\gamma)/\Gamma_{\text{total}}$   $\Gamma_7\Gamma_{28}/\Gamma$

VALUE (eV)	EVTS	DOCUMENT ID	TECN	COMMENT
<b>6.8 ± 1.2 ± 1.3</b>	132 ± 23	UEHARA	08 BELL	$\gamma\gamma \rightarrow 2(K^+K^-)$

$\Gamma(2(\pi^+\pi^-)) \times \Gamma(\gamma\gamma)/\Gamma_{\text{total}}$   $\Gamma_{22}\Gamma_{28}/\Gamma$

VALUE (eV)	EVTS	DOCUMENT ID	TECN	COMMENT
<b>42 ± 6 OUR AVERAGE</b>				
40.7 ± 3.7 ± 5.3	5381 ± 492	UEHARA	08 BELL	$\gamma\gamma \rightarrow 2(\pi^+\pi^-)$
180 ± 70 ± 20	21.4 ± 8.6	ALBRECHT	94H ARG	$\gamma\gamma \rightarrow 2(\pi^+\pi^-)$

$\Gamma(\rho\rho) \times \Gamma(\gamma\gamma)/\Gamma_{\text{total}}$   $\Gamma_2\Gamma_{28}/\Gamma$

VALUE (eV)	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<39	90	< 1556	UEHARA	08 BELL	$\gamma\gamma \rightarrow 2(\pi^+\pi^-)$

$\Gamma(f_2(1270)f_2(1270)) \times \Gamma(\gamma\gamma)/\Gamma_{\text{total}}$   $\Gamma_{15}\Gamma_{28}/\Gamma$

VALUE (eV)	EVTS	DOCUMENT ID	TECN	COMMENT
<b>69 ± 17 ± 12</b>	3182 ± 766	UEHARA	08 BELL	$\gamma\gamma \rightarrow 2(\pi^+\pi^-)$

$\Gamma(p\bar{p}) \times \Gamma(\gamma\gamma)/\Gamma_{\text{total}}$   $\Gamma_{24}\Gamma_{28}/\Gamma$

VALUE (eV)	EVTS	DOCUMENT ID	TECN	COMMENT
<b>6.2 <sup>+1.1</sup>/<sub>-1.0</sub> OUR AVERAGE</b>	Error includes scale factor of 1.1.			
7.20 ± 1.53 <sup>+0.67</sup> / <sub>-0.75</sub>	157 ± 33	<sup>35</sup> KUO	05 BELL	$\gamma\gamma \rightarrow p\bar{p}$
4.6 <sup>+1.3</sup> / <sub>-1.1</sub> ± 0.4	190	<sup>35</sup> AMBROGIANI	03 E835	$\bar{p}p \rightarrow \gamma\gamma$
8.1 <sup>+2.9</sup> / <sub>-2.0</sub>		<sup>35</sup> ARMSTRONG	95F E760	$\bar{p}p \rightarrow \gamma\gamma$

- <sup>28</sup> Calculated by us from the value reported in ASNER 04 that assumes  $B(\eta_c \rightarrow K\bar{K}\pi) = 5.5 \pm 1.7\%$
- <sup>29</sup> We have multiplied  $K^\pm K_S^0 \pi^\mp$  measurement by 3 to obtain  $K\bar{K}\pi$ .
- <sup>30</sup> Calculated by us from the value reported in ABDALLAH 03J, which uses  $B(\eta_c \rightarrow K_S^0 K^\pm \pi^\mp) = (1.5 \pm 0.4)\%$ .
- <sup>31</sup> Superseded by ASNER 04.
- <sup>32</sup> Calculated by us from the value reported in ABDALLAH 03J, which uses  $B(\eta_c \rightarrow \pi^+ \pi^- K^+ K^-) = (2.0 \pm 0.7)\%$ .
- <sup>33</sup> Calculated by us from the value reported in ABDALLAH 03J, which uses  $B(\eta_c \rightarrow 2(K^+ K^-)) = (2.1 \pm 1.2)\%$ .
- <sup>34</sup> Includes all topological modes except  $\eta_c \rightarrow \phi\phi$ .
- <sup>35</sup> Not independent from the  $\Gamma_{\gamma\gamma}$  reported by the same experiment.

## $\eta_c(1S)$ BRANCHING RATIOS

### HADRONIC DECAYS

#### $\Gamma(\eta'(958)\pi\pi)/\Gamma_{\text{total}}$ $\Gamma_1/\Gamma$

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
<b>0.041±0.017</b>	14	<sup>36</sup> BALTRUSAIT..86	MRK3	$J/\psi \rightarrow \eta_c \gamma$

#### $\Gamma(\rho\rho)/\Gamma_{\text{total}}$ $\Gamma_2/\Gamma$

VALUE (units $10^{-3}$ )	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
<b>20 ± 7 OUR EVALUATION</b>			(Treating systematic errors as correlated.)		
<b>18 ± 5 OUR AVERAGE</b>					
12.6± 3.8±5.1		72	<sup>36</sup> ABLIKIM	05L BES2	$J/\psi \rightarrow \pi^+ \pi^- \pi^+ \pi^- \gamma$
26.0± 2.4±8.8		113	<sup>36</sup> BISELLO	91 DM2	$J/\psi \rightarrow \gamma \rho^0 \rho^0$
23.6±10.6±8.2		32	<sup>36</sup> BISELLO	91 DM2	$J/\psi \rightarrow \gamma \rho^+ \rho^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<14		90	<sup>36</sup> BALTRUSAIT..86	MRK3	$J/\psi \rightarrow \eta_c \gamma$

#### $\Gamma(K^*(892)^0 K^- \pi^+ + \text{c.c.})/\Gamma_{\text{total}}$ $\Gamma_3/\Gamma$

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
<b>0.02±0.007</b>	63	<sup>36</sup> BALTRUSAIT..86	MRK3	$J/\psi \rightarrow \eta_c \gamma$

#### $\Gamma(K^*(892)\bar{K}^*(892))/\Gamma_{\text{total}}$ $\Gamma_4/\Gamma$

VALUE (units $10^{-4}$ )	EVTS	DOCUMENT ID	TECN	COMMENT
<b>92±34 OUR EVALUATION</b>			(Treating systematic errors as correlated.)	
<b>91±26 OUR AVERAGE</b>				
108±25±44	60	<sup>36</sup> ABLIKIM	05L BES2	$J/\psi \rightarrow K^+ K^- \pi^+ \pi^- \gamma$
82±28±27	14	<sup>36</sup> BISELLO	91 DM2	$e^+ e^- \rightarrow \gamma K^+ K^- \pi^+ \pi^-$
90±50	9	<sup>36</sup> BALTRUSAIT..86	MRK3	$J/\psi \rightarrow \eta_c \gamma$

#### $\Gamma(K^{*0}\bar{K}^{*0}\pi^+\pi^-)/\Gamma_{\text{total}}$ $\Gamma_5/\Gamma$

VALUE (units $10^{-4}$ )	EVTS	DOCUMENT ID	TECN	COMMENT
<b>111±47±27</b>	45	<sup>37</sup> ABLIKIM	06A BES2	$J/\psi \rightarrow K^{*0}\bar{K}^{*0}\pi^+\pi^- \gamma$



$\Gamma(\phi K^+ K^-)/\Gamma_{\text{total}}$   $\Gamma_6/\Gamma$

VALUE (units $10^{-3}$ )	EVTS	DOCUMENT ID	TECN	COMMENT
$2.9^{+0.9}_{-0.8} \pm 1.1$	$14.1^{+4.4}_{-3.7}$	38 HUANG	03 BELL	$B^+ \rightarrow (\phi K^+ K^-) K^+$

$\Gamma(\phi\phi)/\Gamma_{\text{total}}$   $\Gamma_7/\Gamma$

VALUE (units $10^{-4}$ )	EVTS	DOCUMENT ID	TECN	COMMENT
<b><math>27 \pm 9</math> OUR EVALUATION</b>		(Treating systematic errors as correlated.)		
<b><math>27 \pm 5</math> OUR AVERAGE</b>				
$25.3 \pm 5.1 \pm 9.1$	72	36 ABLIKIM	05L BES2	$J/\psi \rightarrow K^+ K^- K^+ K^- \gamma$
$26 \pm 9$	$357 \pm 64$	36 BAI	04 BES	$J/\psi \rightarrow \gamma K^+ K^- K^+ K^-$
$18^{+8}_{-6} \pm 7$	$7.0^{+3.0}_{-2.3}$	38 HUANG	03 BELL	$B^+ \rightarrow (\phi\phi) K^+$
$31 \pm 7 \pm 10$	19	36 BISELLO	91 DM2	$J/\psi \rightarrow \gamma K^+ K^- K^+ K^-$
$30^{+18}_{-12} \pm 10$	5	36 BISELLO	91 DM2	$J/\psi \rightarrow \gamma K^+ K^- K_S^0 K_L^0$
$74 \pm 18 \pm 24$	80	36 BAI	90B MRK3	$J/\psi \rightarrow \gamma K^+ K^- K^+ K^-$
$67 \pm 21 \pm 24$		36 BAI	90B MRK3	$J/\psi \rightarrow \gamma K^+ K^- K_S^0 K_L^0$

$\Gamma(\phi 2(\pi^+ \pi^-))/\Gamma_{\text{total}}$   $\Gamma_8/\Gamma$

VALUE (units $10^{-4}$ )	CL%	DOCUMENT ID	TECN	COMMENT
<b>&lt;35</b>	90	39 ABLIKIM	06A BES2	$J/\psi \rightarrow \phi 2(\pi^+ \pi^-) \gamma$

$\Gamma(a_0(980)\pi)/\Gamma_{\text{total}}$   $\Gamma_9/\Gamma$

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
<b>&lt;0.02</b>	90	36,40 BALTRUSAIT..86	MRK3	$J/\psi \rightarrow \eta_c \gamma$

$\Gamma(a_2(1320)\pi)/\Gamma_{\text{total}}$   $\Gamma_{10}/\Gamma$

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
<b>&lt;0.02</b>	90	36 BALTRUSAIT..86	MRK3	$J/\psi \rightarrow \eta_c \gamma$

$\Gamma(K^*(892)\bar{K} + \text{c.c.})/\Gamma_{\text{total}}$   $\Gamma_{11}/\Gamma$

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
<b>&lt;0.0128</b>	90	BISELLO	91 DM2	$J/\psi \rightarrow \gamma K_S^0 K^\pm \pi^\mp$
<0.0132	90	36 BISELLO	91 DM2	$J/\psi \rightarrow \gamma K^+ K^- \pi^0$

$\Gamma(f_2(1270)\eta)/\Gamma_{\text{total}}$   $\Gamma_{12}/\Gamma$

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
<b>&lt;0.011</b>	90	36 BALTRUSAIT..86	MRK3	$J/\psi \rightarrow \eta_c \gamma$

$\Gamma(\omega\omega)/\Gamma_{\text{total}}$   $\Gamma_{13}/\Gamma$

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
<b>&lt;0.0031</b>	90	36 BALTRUSAIT..86	MRK3	$J/\psi \rightarrow \eta_c \gamma$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
<0.0063	90	36 ABLIKIM	05L BES2	$J/\psi \rightarrow \pi^+ \pi^- \pi^0 \pi^+ \pi^- \pi^0 \gamma$
<0.0063		36 BISELLO	91 DM2	$J/\psi \rightarrow \gamma \omega \omega$

$\Gamma(\omega\phi)/\Gamma_{\text{total}}$					$\Gamma_{14}/\Gamma$
VALUE	CL%	DOCUMENT ID	TECN	COMMENT	
<0.0017	90	<sup>36</sup> ABLIKIM	05L BES2	$J/\psi \rightarrow \pi^+\pi^-\pi^0 K^+ K^- \gamma$	

$\Gamma(f_2(1270)f_2(1270))/\Gamma_{\text{total}}$					$\Gamma_{15}/\Gamma$
VALUE (units $10^{-2}$ )	EVTS	DOCUMENT ID	TECN	COMMENT	
$0.76^{+0.25}_{-0.29} \pm 0.18$	$91.2 \pm 19.8$	<sup>41</sup> ABLIKIM	04M BES	$J/\psi \rightarrow \gamma 2\pi^+ 2\pi^-$	

$\Gamma(K\bar{K}\pi)/\Gamma_{\text{total}}$					$\Gamma_{17}/\Gamma$
VALUE (units $10^{-2}$ )	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
<b>7.0 ± 1.2 OUR EVALUATION</b> (Treating systematic errors as correlated.)					
<b>6.1 ± 0.8 OUR AVERAGE</b>					
$8.5 \pm 1.8$			<sup>42</sup> AUBERT	06E BABR	$B^\pm \rightarrow K^\pm X_{c\bar{c}}$
$5.1 \pm 2.1$		$609 \pm 71$	<sup>36</sup> BAI	04 BES	$J/\psi \rightarrow \gamma K^\pm \pi^\mp K_S^0$
$6.90 \pm 1.42 \pm 1.32$		33	<sup>36</sup> BISELLO	91 DM2	$J/\psi \rightarrow \gamma K^+ K^- \pi^0$
$5.43 \pm 0.94 \pm 0.94$		68	<sup>36</sup> BISELLO	91 DM2	$J/\psi \rightarrow \gamma K^\pm \pi^\mp K_S^0$
$4.8 \pm 1.7$			<sup>95</sup> <sup>36,43</sup> BALTRUSAIT..86	MRK3	$J/\psi \rightarrow \eta_c \gamma$
$16.1^{+9.2}_{-7.3}$			<sup>44</sup> HIMEL	80B MRK2	$\psi(2S) \rightarrow \eta_c \gamma$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
< 10.7	90		<sup>36</sup> PARTRIDGE	80B CBAL	$J/\psi \rightarrow \eta_c \gamma$

$\Gamma(\phi\phi)/\Gamma(K\bar{K}\pi)$					$\Gamma_7/\Gamma_{17}$
VALUE	DOCUMENT ID	TECN	COMMENT		
<b>0.055 ± 0.014 ± 0.005</b>	AUBERT,B	04B BABR	$B^\pm \rightarrow K^\pm \eta_c$		

$\Gamma(\eta\pi\pi)/\Gamma_{\text{total}}$					$\Gamma_{18}/\Gamma$
VALUE	EVTS	DOCUMENT ID	TECN	COMMENT	
<b>0.049 ± 0.018 OUR EVALUATION</b>					
<b>0.047 ± 0.015 OUR AVERAGE</b>					
$0.054 \pm 0.020$	75	<sup>36</sup> BALTRUSAIT..86	MRK3	$J/\psi \rightarrow \eta_c \gamma$	
$0.037 \pm 0.013 \pm 0.020$	18	<sup>36</sup> PARTRIDGE	80B CBAL	$J/\psi \rightarrow \eta\pi^+\pi^-\gamma$	

$\Gamma(\pi^+\pi^-K^+K^-)/\Gamma_{\text{total}}$					$\Gamma_{19}/\Gamma$
VALUE	EVTS	DOCUMENT ID	TECN	COMMENT	
<b>0.015 ± 0.006 OUR EVALUATION</b>					
<b>0.0142 ± 0.0033 OUR AVERAGE</b>					
$0.012 \pm 0.004$	$413 \pm 54$	<sup>36</sup> BAI	04 BES	$J/\psi \rightarrow \gamma K^+ K^- \pi^+ \pi^-$	
$0.021 \pm 0.007$	110	<sup>36</sup> BALTRUSAIT..86	MRK3	$J/\psi \rightarrow \eta_c \gamma$	
$0.014^{+0.022}_{-0.009}$		<sup>44</sup> HIMEL	80B MRK2	$\psi(2S) \rightarrow \eta_c \gamma$	

$\Gamma(K^+K^-2(\pi^+\pi^-))/\Gamma_{\text{total}}$					$\Gamma_{20}/\Gamma$
VALUE (units $10^{-4}$ )	EVTS	DOCUMENT ID	TECN	COMMENT	
<b>70 ± 23 ± 17</b>	100	<sup>45</sup> ABLIKIM	06A BES2	$J/\psi \rightarrow K^+ K^- 2(\pi^+\pi^-)\gamma$	

$\Gamma(2(K^+ K^-))/\Gamma_{\text{total}}$			$\Gamma_{21}/\Gamma$		
<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<b>0.0015 ± 0.0007 OUR AVERAGE</b>					
0.0014 <sup>+0.0005</sup> <sub>-0.0004</sub> ± 0.0006	14.5 <sup>+4.6</sup> <sub>-3.0</sub>	38 HUANG	03 BELL	$B^+ \rightarrow 2(K^+ K^-)$	
0.021 ± 0.010 ± 0.006		46 ALBRECHT	94H ARG	$K^+$ $\gamma\gamma \rightarrow$ $K^+ K^- K^+ K^-$	

$\Gamma(2(K^+ K^-))/\Gamma(K\bar{K}\pi)$			$\Gamma_{21}/\Gamma_{17}$		
<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>		
<b>0.023 ± 0.007 ± 0.006</b>					
	AUBERT,B	04B BABR	$B^\pm \rightarrow K^\pm \eta_c$		

$\Gamma(2(\pi^+ \pi^-))/\Gamma_{\text{total}}$			$\Gamma_{22}/\Gamma$		
<u>VALUE (units 10<sup>-2</sup>)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<b>1.2 ± 0.3 OUR EVALUATION</b>					
<b>1.15 ± 0.26 OUR AVERAGE</b>					
1.0 ± 0.5	542 ± 75	36 BAI	04 BES	$J/\psi \rightarrow \gamma 2(\pi^+ \pi^-)$	
1.05 ± 0.17 ± 0.34	137	36 BISELLO	91 DM2	$J/\psi \rightarrow \gamma 2\pi^+ 2\pi^-$	
1.3 ± 0.6	25	36 BALTRUSAIT..86	MRK3	$J/\psi \rightarrow \eta_c \gamma$	
2.0 <sup>+1.5</sup> <sub>-1.0</sub>		44 HIMEL	80B MRK2	$\psi(2S) \rightarrow \eta_c \gamma$	

$\Gamma(3(\pi^+ \pi^-))/\Gamma_{\text{total}}$			$\Gamma_{23}/\Gamma$		
<u>VALUE (units 10<sup>-4</sup>)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<b>151 ± 33 ± 36</b>					
	479	47 ABLIKIM	06A BES2	$J/\psi \rightarrow 3(\pi^+ \pi^-) \gamma$	

$\Gamma(p\bar{p})/\Gamma_{\text{total}}$			$\Gamma_{24}/\Gamma$		
<u>VALUE (units 10<sup>-4</sup>)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<b>13 ± 4 OUR EVALUATION</b> (Treating systematic errors as correlated.)					
<b>14.0 ± 2.2 OUR AVERAGE</b>					
15.5 <sup>+2.1</sup> <sub>-2.5</sub> ± 2.1	195	48 WU	06 BELL	$B^+ \rightarrow p\bar{p}K^+$	
15 ± 6	213 ± 33	36 BAI	04 BES	$J/\psi \rightarrow \gamma p\bar{p}$	
10 ± 3 ± 4	18	36 BISELLO	91 DM2	$J/\psi \rightarrow \gamma p\bar{p}$	
11 ± 6	23	36 BALTRUSAIT..86	MRK3	$J/\psi \rightarrow \eta_c \gamma$	
29 <sup>+29</sup> <sub>-15</sub>		44 HIMEL	80B MRK2	$\psi(2S) \rightarrow \eta_c \gamma$	

$\Gamma(p\bar{p})/\Gamma_{\text{total}} \times \Gamma(\phi\phi)/\Gamma_{\text{total}}$			$\Gamma_{24}/\Gamma \times \Gamma_7/\Gamma$		
<u>VALUE (units 10<sup>-5</sup>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>		
<b>4.0<sup>+3.5</sup><sub>-3.2</sub></b>					
	BAGLIN	89 SPEC	$\bar{p}p \rightarrow K^+ K^- K^+ K^-$		

$\Gamma(\Lambda\bar{\Lambda})/\Gamma_{\text{total}}$			$\Gamma_{25}/\Gamma$		
<u>VALUE (units 10<sup>-4</sup>)</u>	<u>CL%</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>10.4<sup>+2.9</sup><sub>-2.7</sub> ± 1.4</b>					
	20	49 WU	06 BELL	$B^+ \rightarrow \Lambda\bar{\Lambda}K^+$	
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<20	90	36 BISELLO	91 DM2	$e^+ e^- \rightarrow \gamma \Lambda\bar{\Lambda}$	

$\Gamma(\Lambda\bar{\Lambda})/\Gamma(p\bar{p})$

$\Gamma_{25}/\Gamma_{24}$

<u>VALUE</u>		<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$0.67^{+0.19}_{-0.16} \pm 0.12$		50 WU	06 BELL	$B^+ \rightarrow p\bar{p}K^+, \Lambda\bar{\Lambda}K^+$

$\Gamma(K\bar{K}\eta)/\Gamma_{\text{total}}$

$\Gamma_{26}/\Gamma$

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$<0.031$	90	36 BALTRUSAIT..86	MRK3	$J/\psi \rightarrow \eta_c \gamma$

$\Gamma(\pi^+ \pi^- p\bar{p})/\Gamma_{\text{total}}$

$\Gamma_{27}/\Gamma$

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$<0.012$	90	HIMEL	80B MRK2	$\psi(2S) \rightarrow \eta_c \gamma$

<sup>36</sup> The quoted branching ratios use  $B(J/\psi(1S) \rightarrow \gamma\eta_c(1S)) = 0.0127 \pm 0.0036$ . Where relevant, the error in this branching ratio is treated as a common systematic in computing averages.

<sup>37</sup> ABLIKIM 06A reports  $[\Gamma(\eta_c(1S) \rightarrow K^*0\bar{K}^*0\pi^+\pi^-)/\Gamma_{\text{total}}] \times [B(J/\psi(1S) \rightarrow \gamma\eta_c(1S))] = (1.91 \pm 0.64 \pm 0.48) \times 10^{-4}$ . We divide by our best value  $B(J/\psi(1S) \rightarrow \gamma\eta_c(1S)) = (1.7 \pm 0.4) \times 10^{-2}$ . Our first error is their experiment's error and our second error is the systematic error from using our best value.

<sup>38</sup> Using  $B(B^+ \rightarrow \eta_c K^+) = (1.25 \pm 0.12^{+0.10}_{-0.12}) \times 10^{-3}$  from FANG 03 and  $B(\eta_c \rightarrow K\bar{K}\pi) = (5.5 \pm 1.7) \times 10^{-2}$ .

<sup>39</sup> ABLIKIM 06A reports  $[\Gamma(\eta_c(1S) \rightarrow \phi 2(\pi^+\pi^-))/\Gamma_{\text{total}}] \times [B(J/\psi(1S) \rightarrow \gamma\eta_c(1S))] < 0.603 \times 10^{-4}$ . We divide by our best value  $B(J/\psi(1S) \rightarrow \gamma\eta_c(1S)) = 1.7 \times 10^{-2}$ .

<sup>40</sup> We are assuming  $B(a_0(980) \rightarrow \eta\pi) > 0.5$ .

<sup>41</sup> ABLIKIM 04M reports  $[\Gamma(\eta_c(1S) \rightarrow f_2(1270)f_2(1270))/\Gamma_{\text{total}}] \times [B(J/\psi(1S) \rightarrow \gamma\eta_c(1S))] = (1.3 \pm 0.3^{+0.3}_{-0.4}) \times 10^{-4}$ . We divide by our best value  $B(J/\psi(1S) \rightarrow \gamma\eta_c(1S)) = (1.7 \pm 0.4) \times 10^{-2}$ . Our first error is their experiment's error and our second error is the systematic error from using our best value.

<sup>42</sup> Determined from the ratio of  $B(B^\pm \rightarrow K^\pm\eta_c) B(\eta_c \rightarrow K\bar{K}\pi) = (7.4 \pm 0.5 \pm 0.7) \times 10^{-5}$  reported in AUBERT,B 04B and  $B(B^\pm \rightarrow K^\pm\eta_c) = (8.7 \pm 1.5) \times 10^{-3}$  reported in AUBERT 06E.

<sup>43</sup> Average from  $K^+K^-\pi^0$  and  $K^\pm K_S^0\pi^\mp$  decay channels.

<sup>44</sup> Estimated using  $B(\psi(2S) \rightarrow \gamma\eta_c(1S)) = 0.0028 \pm 0.0006$ .

<sup>45</sup> ABLIKIM 06A reports  $[\Gamma(\eta_c(1S) \rightarrow K^+K^-2(\pi^+\pi^-))/\Gamma_{\text{total}}] \times [B(J/\psi(1S) \rightarrow \gamma\eta_c(1S))] = (1.21 \pm 0.32 \pm 0.24) \times 10^{-4}$ . We divide by our best value  $B(J/\psi(1S) \rightarrow \gamma\eta_c(1S)) = (1.7 \pm 0.4) \times 10^{-2}$ . Our first error is their experiment's error and our second error is the systematic error from using our best value.

<sup>46</sup> Normalized to the sum of  $B(\eta_c \rightarrow K^\pm K_S^0\pi^\mp)$ ,  $B(\eta_c \rightarrow \phi\phi)$ ,  $B(\eta_c \rightarrow K^+K^-\pi^+\pi^-)$ , and  $B(\eta_c \rightarrow 2\pi^+2\pi^-)$ .

<sup>47</sup> ABLIKIM 06A reports  $[\Gamma(\eta_c(1S) \rightarrow 3(\pi^+\pi^-))/\Gamma_{\text{total}}] \times [B(J/\psi(1S) \rightarrow \gamma\eta_c(1S))] = (2.59 \pm 0.32 \pm 0.47) \times 10^{-4}$ . We divide by our best value  $B(J/\psi(1S) \rightarrow \gamma\eta_c(1S)) = (1.7 \pm 0.4) \times 10^{-2}$ . Our first error is their experiment's error and our second error is the systematic error from using our best value.

<sup>48</sup> WU 06 reports  $[\Gamma(\eta_c(1S) \rightarrow p\bar{p})/\Gamma_{\text{total}}] \times [B(B^+ \rightarrow \eta_c K^+)] = (1.42 \pm 0.11^{+0.16}_{-0.20}) \times 10^{-6}$ . We divide by our best value  $B(B^+ \rightarrow \eta_c K^+) = (9.1 \pm 1.3) \times 10^{-4}$ . Our first error is their experiment's error and our second error is the systematic error from using our best value.

<sup>49</sup>WU 06 reports  $[\Gamma(\eta_c(1S) \rightarrow \Lambda\bar{\Lambda})/\Gamma_{\text{total}}] \times [B(B^+ \rightarrow \eta_c K^+)] = (0.95^{+0.25+0.08}_{-0.22-0.11}) \times 10^{-6}$ . We divide by our best value  $B(B^+ \rightarrow \eta_c K^+) = (9.1 \pm 1.3) \times 10^{-4}$ . Our first error is their experiment's error and our second error is the systematic error from using our best value.

<sup>50</sup>Not independent from other  $\eta_c \rightarrow \Lambda\bar{\Lambda}, p\bar{p}$  branching ratios reported by WU 06.

## RADIATIVE DECAYS

$\Gamma(\gamma\gamma)/\Gamma_{\text{total}}$						$\Gamma_{28}/\Gamma$
<u>VALUE (units <math>10^{-4}</math>)</u>	<u>CL%</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	

**1.8  $^{+0.6}_{-0.5}$  OUR AVERAGE**

1.4 $^{+0.7}_{-0.5} \pm 0.3$	1.2 $^{+2.8}_{-1.1}$	51 ADAMS	08	CLEO	$\psi(2S) \rightarrow \pi^+ \pi^- J/\psi$
------------------------------	----------------------	----------	----	------	---

2.4 $^{+1.1}_{-0.8} \pm 0.3$	13	52 WICHT	08	BELL	$B^\pm \rightarrow K^\pm \gamma\gamma$
------------------------------	----	----------	----	------	--

• • • We do not use the following data for averages, fits, limits, etc. • • •

2.80 $^{+0.67}_{-0.58} \pm 1.0$		53 ARMSTRONG	95F	E760	$\bar{p}p \rightarrow \gamma\gamma$
---------------------------------	--	--------------	-----	------	-------------------------------------

< 9	90	54 BISELLO	91	DM2	$J/\psi \rightarrow \gamma\gamma\gamma$
-----	----	------------	----	-----	---

6 $^{+4}_{-3} \pm 4$		53 BAGLIN	87B	SPEC	$\bar{p}p \rightarrow \gamma\gamma$
----------------------	--	-----------	-----	------	-------------------------------------

< 18	90	55 BLOOM	83	CBAL	$J/\psi \rightarrow \eta_c \gamma$
------	----	----------	----	------	------------------------------------

<sup>51</sup>ADAMS 08 reports  $[\Gamma(\eta_c(1S) \rightarrow \gamma\gamma)/\Gamma_{\text{total}}] \times [B(J/\psi(1S) \rightarrow \gamma\eta_c(1S))] = (2.4^{+1.1}_{-0.8} \pm 0.3) \times 10^{-6}$ . We divide by our best value  $B(J/\psi(1S) \rightarrow \gamma\eta_c(1S)) = (1.7 \pm 0.4) \times 10^{-2}$ . Our first error is their experiment's error and our second error is the systematic error from using our best value.

<sup>52</sup>WICHT 08 reports  $[\Gamma(\eta_c(1S) \rightarrow \gamma\gamma)/\Gamma_{\text{total}}] \times [B(B^+ \rightarrow \eta_c K^+)] = (2.2^{+0.9+0.4}_{-0.7-0.2}) \times 10^{-7}$ . We divide by our best value  $B(B^+ \rightarrow \eta_c K^+) = (9.1 \pm 1.3) \times 10^{-4}$ . Our first error is their experiment's error and our second error is the systematic error from using our best value.

<sup>53</sup>Not independent from the values of the total and two-photon width quoted by the same experiment.

<sup>54</sup>The quoted branching ratios use  $B(J/\psi(1S) \rightarrow \gamma\eta_c(1S)) = 0.0127 \pm 0.0036$ . Where relevant, the error in this branching ratio is treated as a common systematic in computing averages.

<sup>55</sup>Using  $B(J/\psi(1S) \rightarrow \gamma\eta_c(1S)) = 0.0127 \pm 0.0036$ .

$\Gamma(p\bar{p})/\Gamma_{\text{total}} \times \Gamma(\gamma\gamma)/\Gamma_{\text{total}}$						$\Gamma_{24}/\Gamma \times \Gamma_{28}/\Gamma$
<u>VALUE (units <math>10^{-6}</math>)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>		

**0.26  $\pm 0.05$  OUR AVERAGE** Error includes scale factor of 1.4.

0.224 $^{+0.038}_{-0.037} \pm 0.020$	190	AMBROGIANI	03	E835	$\bar{p}p \rightarrow \eta_c \rightarrow \gamma\gamma$
--------------------------------------	-----	------------	----	------	--

0.336 $^{+0.080}_{-0.070}$		ARMSTRONG	95F	E760	$\bar{p}p \rightarrow \gamma\gamma$
----------------------------	--	-----------	-----	------	-------------------------------------

0.68 $^{+0.42}_{-0.31}$	12	BAGLIN	87B	SPEC	$\bar{p}p \rightarrow \gamma\gamma$
-------------------------	----	--------	-----	------	-------------------------------------

————— Charge conjugation (C), Parity (P), —————  
 ————— Lepton family number (LF) violating modes —————

**$\Gamma(\pi^+\pi^-)/\Gamma_{\text{total}}$**   **$\Gamma_{29}/\Gamma$**

VALUE (units $10^{-5}$ )	CL%	DOCUMENT ID	TECN	COMMENT
<b>&lt;60</b>	90	<sup>56</sup> ABLIKIM	06B BES2	$J/\psi \rightarrow \pi^+\pi^-\gamma$
<sup>56</sup> ABLIKIM 06B reports $[\Gamma(\eta_c(1S) \rightarrow \pi^+\pi^-)/\Gamma_{\text{total}}] \times [B(J/\psi(1S) \rightarrow \gamma\eta_c(1S))] < 1.1 \times 10^{-5}$ . We divide by our best value $B(J/\psi(1S) \rightarrow \gamma\eta_c(1S)) = 1.7 \times 10^{-2}$ .				

**$\Gamma(\pi^0\pi^0)/\Gamma_{\text{total}}$**   **$\Gamma_{30}/\Gamma$**

VALUE (units $10^{-5}$ )	CL%	DOCUMENT ID	TECN	COMMENT
<b>&lt;40</b>	90	<sup>57</sup> ABLIKIM	06B BES2	$J/\psi \rightarrow \pi^0\pi^0\gamma$
<sup>57</sup> ABLIKIM 06B reports $[\Gamma(\eta_c(1S) \rightarrow \pi^0\pi^0)/\Gamma_{\text{total}}] \times [B(J/\psi(1S) \rightarrow \gamma\eta_c(1S))] < 0.71 \times 10^{-5}$ . We divide by our best value $B(J/\psi(1S) \rightarrow \gamma\eta_c(1S)) = 1.7 \times 10^{-2}$ .				

**$\Gamma(K^+K^-)/\Gamma_{\text{total}}$**   **$\Gamma_{31}/\Gamma$**

VALUE (units $10^{-5}$ )	CL%	DOCUMENT ID	TECN	COMMENT
<b>&lt;60</b>	90	<sup>58</sup> ABLIKIM	06B BES2	$J/\psi \rightarrow K^+K^-\gamma$
<sup>58</sup> ABLIKIM 06B reports $[\Gamma(\eta_c(1S) \rightarrow K^+K^-)/\Gamma_{\text{total}}] \times [B(J/\psi(1S) \rightarrow \gamma\eta_c(1S))] < 0.96 \times 10^{-5}$ . We divide by our best value $B(J/\psi(1S) \rightarrow \gamma\eta_c(1S)) = 1.7 \times 10^{-2}$ .				

**$\Gamma(K_S^0K_S^0)/\Gamma_{\text{total}}$**   **$\Gamma_{32}/\Gamma$**

VALUE (units $10^{-5}$ )	CL%	DOCUMENT ID	TECN	COMMENT
<b>&lt;31</b>	90	<sup>59</sup> ABLIKIM	06B BES2	$J/\psi \rightarrow K_S^0K_S^0\gamma$
<sup>59</sup> ABLIKIM 06B reports $[\Gamma(\eta_c(1S) \rightarrow K_S^0K_S^0)/\Gamma_{\text{total}}] \times [B(J/\psi(1S) \rightarrow \gamma\eta_c(1S))] < 0.53 \times 10^{-5}$ . We divide by our best value $B(J/\psi(1S) \rightarrow \gamma\eta_c(1S)) = 1.7 \times 10^{-2}$ .				

**$\eta_c(1S)$  REFERENCES**

MITCHELL	09	PRL 102 011801	R.E. Mitchell <i>et al.</i>	(CLEO Collab.)
ADAMS	08	PRL 101 101801	G.S. Adams <i>et al.</i>	(CLEO Collab.)
AUBERT	08AB	PR D78 012006	B. Aubert <i>et al.</i>	(BABAR Collab.)
UEHARA	08	EPJ C53 1	S. Uehara <i>et al.</i>	(BELLE Collab.)
WICHT	08	PL B662 323	J. Wicht <i>et al.</i>	(BELLE Collab.)
ABE	07	PRL 98 082001	K. Abe <i>et al.</i>	(BELLE Collab.)
ABLIKIM	06A	PL B633 19	M. Ablikim <i>et al.</i>	(BES Collab.)
ABLIKIM	06B	EPJ C45 337	M. Ablikim <i>et al.</i>	(BES Collab.)
AUBERT	06E	PRL 96 052002	B. Aubert <i>et al.</i>	(BABAR Collab.)
PDG	06	JPG 33 1	W.-M. Yao <i>et al.</i>	(PDG Collab.)
WU	06	PRL 97 162003	C.-H. Wu <i>et al.</i>	(BELLE Collab.)
ABLIKIM	05L	PR D72 072005	M. Ablikim <i>et al.</i>	(BES Collab.)
KUO	05	PL B621 41	C.C. Kuo <i>et al.</i>	(BELLE Collab.)
ABE	04G	PR D70 071102	K. Abe <i>et al.</i>	(BELLE Collab.)
ABLIKIM	04M	PR D70 112008	M. Ablikim <i>et al.</i>	(BES Collab.)
ASNER	04	PRL 92 142001	D.M. Asner <i>et al.</i>	(CLEO Collab.)
AUBERT	04D	PRL 92 142002	B. Aubert <i>et al.</i>	(BABAR Collab.)
AUBERT,B	04B	PR D70 011101R	B. Aubert <i>et al.</i>	(BABAR Collab.)
BAI	04	PL B578 16	J.Z. Bai <i>et al.</i>	(BES Collab.)
ABDALLAH	03J	EPJ C31 481	J. Abdallah <i>et al.</i>	(DELPHI Collab.)
AMBROGIANI	03	PL B566 45	M. Ambrogiani <i>et al.</i>	(FNAL E835 Collab.)
BAI	03	PL B555 174	J.Z. Bai <i>et al.</i>	(BES Collab.)
FANG	03	PRL 90 071801	F. Fang <i>et al.</i>	(BELLE Collab.)
HUANG	03	PRL 91 241802	H.-C. Huang <i>et al.</i>	(BELLE Collab.)
ABE,K	02	PRL 89 142001	K. Abe <i>et al.</i>	(BELLE Collab.)

BAI	00F	PR D62 072001	J.Z. Bai <i>et al.</i>	(BES Collab.)
BRANDENB...	00B	PRL 85 3095	G. Brandenburg <i>et al.</i>	(CLEO Collab.)
ACCIARRI	99T	PL B461 155	M. Acciarri <i>et al.</i>	(L3 Collab.)
BAI	99B	PR D60 072001	J.Z. Bai <i>et al.</i>	(BES Collab.)
ABREU	98O	PL B441 479	P. Abreu <i>et al.</i>	(DELPHI Collab.)
SHIRAI	98	PL B424 405	M. Shirai <i>et al.</i>	(AMY Collab.)
ARMSTRONG	95F	PR D52 4839	T.A. Armstrong <i>et al.</i>	(FNAL, FERR, GENO+)
ALBRECHT	94H	PL B338 390	H. Albrecht <i>et al.</i>	(ARGUS Collab.)
ADRIANI	93N	PL B318 575	O. Adriani <i>et al.</i>	(L3 Collab.)
BISELLO	91	NP B350 1	D. Bisello <i>et al.</i>	(DM2 Collab.)
BAI	90B	PRL 65 1309	Z. Bai <i>et al.</i>	(Mark III Collab.)
CHEN	90B	PL B243 169	W.Y. Chen <i>et al.</i>	(CLEO Collab.)
BAGLIN	89	PL B231 557	C. Baglin, S. Baird, G. Bassompierre	(R704 Collab.)
BEHREND	89	ZPHY C42 367	H.J. Behrend <i>et al.</i>	(CELLO Collab.)
BRAUNSCH...	89	ZPHY C41 533	W. Braunschweig <i>et al.</i>	(TASSO Collab.)
AIHARA	88D	PRL 60 2355	H. Aihara <i>et al.</i>	(TPC Collab.)
BAGLIN	87B	PL B187 191	C. Baglin <i>et al.</i>	(R704 Collab.)
BALTRUSAIT...	86	PR D33 629	R.M. Baltrusaitis <i>et al.</i>	(Mark III Collab.)
BERGER	86	PL 167B 120	C. Berger <i>et al.</i>	(PLUTO Collab.)
GAISER	86	PR D34 711	J. Gaiser <i>et al.</i>	(Crystal Ball Collab.)
ALTHOFF	85B	ZPHY C29 189	M. Althoff <i>et al.</i>	(TASSO Collab.)
BALTRUSAIT...	84	PRL 52 2126	R.M. Baltrusaitis <i>et al.</i>	(CIT, UCSC+) JP
BLOOM	83	ARNS 33 143	E.D. Bloom, C. Peck	(SLAC, CIT)
HIMEL	80B	PRL 45 1146	T.M. Himel <i>et al.</i>	(SLAC, LBL, UCB)
PARTRIDGE	80B	PRL 45 1150	R. Partridge <i>et al.</i>	(CIT, HARV, PRIN+)

### OTHER RELATED PAPERS

ARMSTRONG	89	PL B221 216	T.A. Armstrong <i>et al.</i>	(CERN, CDEF, BIRM+)
-----------	----	-------------	------------------------------	---------------------