

Table A-1

NUMBER OF INCIDENCE CASES, 2001-2005By Primary Cancer Site, Race and Sex
17 SEER Geographic Areas

Site	All Races			Whites			Blacks		
	Both Sexes	Males	Females	Both Sexes	Males	Females	Both Sexes	Males	Females
Oral Cavity & Pharynx	38,053	25,852	12,201	31,415	21,482	9,933	3,575	2,474	1,101
Esophagus	16,293	12,344	3,949	13,661	10,448	3,213	1,787	1,273	514
Stomach	28,511	17,326	11,185	20,684	12,817	7,867	3,523	2,020	1,503
Colon & Rectum	180,196	91,442	88,754	148,263	75,602	72,661	17,926	8,579	9,347
Colon	129,847	62,933	66,914	106,987	52,079	54,908	13,576	6,306	7,270
Rectum	50,349	28,509	21,840	41,276	23,523	17,753	4,350	2,273	2,077
Liver & IBD ^a	23,246	16,237	7,009	15,986	11,135	4,851	2,579	1,870	709
Pancreas	40,780	19,986	20,794	33,580	16,628	16,952	4,357	1,968	2,389
Larynx	12,943	10,353	2,590	10,596	8,432	2,164	1,826	1,468	358
Lung & Bronchus	225,358	121,494	103,864	190,431	101,123	89,308	22,329	12,979	9,350
Melanoma of the skin	70,840	40,286	30,554	67,102	38,353	28,749	304	139	165
Breast	250,090	1,815	248,275	209,377	1,516	207,861	22,125	206	21,919
Cervix uteri	16,257	-	16,257	12,399	-	12,399	2,130	-	2,130
Corpus & Uterus, NOS	46,054	-	46,054	38,926	-	38,926	3,595	-	3,595
Ovary ^b	26,407	-	26,407	22,591	-	22,591	1,839	-	1,839
Prostate	255,212	255,212	-	204,256	204,256	-	30,834	30,834	-
Testis	10,369	10,369	-	9,555	9,555	-	284	284	-
Urinary bladder	74,680	55,697	18,983	67,602	50,756	16,846	3,575	2,307	1,268
Kidney & Renal pelvis	47,760	29,670	18,090	40,441	25,170	15,271	4,692	2,891	1,801
Brain & ONS ^a	23,765	13,106	10,659	20,919	11,610	9,309	1,464	755	709
Thyroid	33,924	8,172	25,752	28,210	7,010	21,200	2,023	411	1,612
Hodgkin lymphoma	10,373	5,627	4,746	8,750	4,754	3,996	1,030	535	495
Non-Hodgkin lymphoma	70,214	37,648	32,566	60,031	32,143	27,888	4,980	2,736	2,244
Myeloma	20,008	10,829	9,179	15,331	8,455	6,876	3,399	1,726	1,673
Leukemia	44,469	25,489	18,980	37,960	21,863	16,097	3,228	1,770	1,458
Acute lymphocytic	6,020	3,427	2,593	5,036	2,893	2,143	400	212	188
Chronic lymphocytic	14,320	8,536	5,784	12,653	7,560	5,093	861	506	355
Acute myeloid	12,884	7,063	5,821	10,845	5,986	4,859	995	517	478
Chronic myeloid	5,400	3,105	2,295	4,460	2,555	1,905	478	275	203
All others	5,845	3,358	2,487	4,966	2,869	2,097	494	260	234
Kaposi Sarcoma	2,477	2,250	227	1,740	1,566	174	538	501	37
Mesothelioma	3,840	2,987	853	3,539	2,761	778	174	134	40
All Sites	1,679,468	864,569	814,899	1,403,083	719,567	683,516	154,039	82,386	71,653

Source: SEER 17 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana and New Jersey).

^a IBD = Intrahepatic Bile Duct. ONS = Other Nervous System.^b Ovary excludes borderline cases or histologies 8442, 8451, 8462, 8472, and 8473.

- Count not shown due to fewer than 16 cases during the time period.

Table A-1

NUMBER OF INCIDENCE CASES, 2001-2005By Primary Cancer Site, Race and Sex
17 SEER Geographic Areas

Site	Asian/Pacific Islander			American Indian/Alaska Native ^a			Hispanic ^b		
	Both Sexes	Males	Females	Both Sexes	Males	Females	Both Sexes	Males	Females
Oral Cavity & Pharynx	2,474	1,536	938	151	98	53	2,601	1,798	803
Esophagus	694	510	184	74	56	18	1,076	855	221
Stomach	3,948	2,269	1,679	199	125	74	4,486	2,516	1,970
Colon & Rectum	11,917	6,167	5,750	780	379	401	14,401	7,753	6,648
Colon	7,932	3,877	4,055	546	241	305	9,721	4,966	4,755
Rectum	3,985	2,290	1,695	234	138	96	4,680	2,787	1,893
Liver & IBD ^c	4,324	2,987	1,337	192	131	61	3,923	2,775	1,148
Pancreas	2,529	1,233	1,296	157	82	75	3,657	1,696	1,961
Larynx	399	350	49	34	25	-	966	835	131
Lung & Bronchus	11,117	6,602	4,515	772	403	369	11,319	6,391	4,928
Melanoma of the skin	455	217	238	64	35	29	2,204	908	1,296
Breast	15,996	73	15,923	848	-	845	21,661	99	21,562
Cervix uteri	1,441	-	1,441	85	-	85	3,751	-	3,751
Corpus & Uterus, NOS	2,955	-	2,955	173	-	173	4,172	-	4,172
Ovary ^d	1,723	-	1,723	118	-	118	2,763	-	2,763
Prostate	11,521	11,521	-	555	555	-	20,966	20,966	-
Testis	323	323	-	67	67	-	1,846	1,846	-
Urinary bladder	2,561	1,922	639	121	92	29	3,930	2,879	1,051
Kidney & Renal pelvis	1,995	1,232	763	308	175	133	5,332	3,212	2,120
Brain & ONS ^c	1,141	601	540	82	43	39	3,018	1,659	1,359
Thyroid	3,137	636	2,501	148	30	118	4,669	870	3,799
Hodgkin lymphoma	441	239	202	28	19	-	1,482	854	628
Non-Hodgkin lymphoma	3,967	2,119	1,848	213	117	96	7,001	3,813	3,188
Myeloma	951	480	471	90	41	49	2,062	1,080	982
Leukemia	2,270	1,277	993	172	88	84	5,205	2,936	2,269
Acute lymphocytic	487	270	217	51	31	20	1,969	1,121	848
Chronic lymphocytic	244	147	97	31	17	-	655	383	272
Acute myeloid	934	504	430	46	19	27	1,470	794	676
Chronic myeloid	313	185	128	26	-	-	588	343	245
All others	292	171	121	18	-	-	523	295	228
Kaposi Sarcoma	73	67	-	-	-	-	572	530	42
Mesothelioma	99	75	24	-	-	-	370	268	102
All Sites	94,485	45,329	49,156	5,920	2,801	3,119	144,929	71,775	73,154

Source: SEER 17 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana and New Jersey).

⁻ Count not shown due to fewer than 16 cases during the time period.^a Incidence data for American Indian/Alaska Native are based on the CHSDA(Contract Health Service Delivery Area) counties.^b Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives.

Incidence data for Hispanics are based on NHIA and exclude cases from the Alaska Native Registry and Kentucky.

^c IBD = Intrahepatic Bile Duct. ONS = Other Nervous System.^d Ovary excludes borderline cases or histologies 8442, 8451, 8462, 8472, and 8473.

Table A-3

NUMBER OF DEATHS, 2001-2005

By Primary Cancer Site, Race and Sex
United States

Site	All Races			Whites			Blacks		
	Both Sexes	Males	Females	Both Sexes	Males	Females	Both Sexes	Males	Females
Oral Cavity & Pharynx	38,814	26,221	12,593	32,061	21,237	10,824	5,444	4,099	1,345
Esophagus	64,611	50,008	14,603	55,625	43,526	12,099	7,863	5,632	2,231
Stomach	60,000	35,089	24,911	45,880	26,977	18,903	10,246	5,920	4,326
Colon & Rectum	275,779	138,352	137,427	235,122	118,498	116,624	34,146	16,442	17,704
Colon	232,840	114,412	118,428	198,005	97,764	100,241	29,566	13,951	15,615
Rectum	42,939	23,940	18,999	37,117	20,734	16,383	4,580	2,491	2,089
Liver & IBD ^a	73,500	47,356	26,144	58,453	37,349	21,104	9,412	6,279	3,133
Pancreas	155,372	76,325	79,047	133,536	66,162	67,374	17,960	8,307	9,653
Larynx	18,774	14,876	3,898	15,156	11,935	3,221	3,363	2,731	632
Lung & Bronchus	788,812	450,104	338,708	692,181	391,226	300,955	81,692	50,038	31,654
Melanoma of the skin	39,170	24,859	14,311	38,350	24,465	13,885	570	253	317
Breast	208,497	1,900	206,597	175,583	1,581	174,002	28,408	292	28,116
Cervix uteri	19,737	-	19,737	14,937	-	14,937	3,982	-	3,982
Corpus & Uterus, NOS	34,621	-	34,621	28,269	-	28,269	5,566	-	5,566
Ovary	73,256	-	73,256	65,601	-	65,601	5,985	-	5,985
Prostate	148,626	148,626	-	121,539	121,539	-	24,942	24,942	-
Testis	1,788	1,788	-	1,606	1,606	-	131	131	-
Urinary bladder	63,618	43,607	20,011	58,157	40,582	17,575	4,605	2,454	2,151
Kidney & Renal pelvis	61,359	38,201	23,158	54,585	34,065	20,520	5,544	3,363	2,181
Brain & ONS ^a	64,321	35,653	28,668	59,153	32,818	26,335	3,891	2,087	1,804
Thyroid	6,904	2,864	4,040	6,029	2,591	3,438	600	185	415
Hodgkin lymphoma	6,570	3,615	2,955	5,768	3,166	2,602	667	379	288
Non-Hodgkin lymphoma	107,501	56,834	50,667	97,935	51,787	46,148	7,147	3,757	3,390
Myeloma	53,772	27,914	25,858	43,879	23,191	20,688	8,893	4,226	4,667
Leukemia	107,909	60,380	47,529	96,681	54,388	42,293	8,949	4,706	4,243
Acute lymphocytic	7,125	4,032	3,093	6,199	3,504	2,695	625	361	264
Chronic lymphocytic	22,038	12,851	9,187	20,113	11,741	8,372	1,774	1,014	760
Acute myeloid	40,270	22,277	17,993	36,199	20,194	16,005	3,061	1,528	1,533
Chronic myeloid	6,480	3,552	2,928	5,551	3,024	2,527	755	421	334
All others	31,996	17,668	14,328	28,619	15,925	12,694	2,734	1,382	1,352
All Sites	2,781,097	1,441,054	1,340,043	2,403,924	1,244,972	1,158,952	313,098	162,908	150,190

Source: US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention.

^a IBD = Intrahepatic Bile Duct. ONS = Other Nervous System.

- Count not shown due to fewer than 16 cases during the time period.

Table A-3

NUMBER OF DEATHS, 2001-2005

By Primary Cancer Site, Race and Sex
United States

Site	Asian/Pacific Islander			American Indian/Alaska Native ^a			Hispanic ^b		
	Both Sexes	Males	Females	Both Sexes	Males	Females	Both Sexes	Males	Females
Oral Cavity & Pharynx	1,116	746	370	128	91	37	1,555	1,141	414
Esophagus	848	640	208	199	155	44	2,149	1,702	447
Stomach	3,457	1,948	1,509	346	202	144	6,244	3,566	2,678
Colon & Rectum	5,408	2,811	2,597	814	431	383	12,006	6,497	5,509
Colon	4,393	2,241	2,152	652	333	319	10,047	5,298	4,749
Rectum	1,015	570	445	162	98	64	1,959	1,199	760
Liver & IBD ^c	5,065	3,376	1,689	419	245	174	7,482	4,905	2,577
Pancreas	3,300	1,573	1,727	382	190	192	7,483	3,704	3,779
Larynx	168	143	25	58	47	-	860	768	92
Lung & Bronchus	11,931	7,208	4,723	1,988	1,070	918	20,637	13,297	7,340
Melanoma of the skin	178	96	82	58	38	20	753	429	324
Breast	3,747	24	3,723	506	-	505	9,233	58	9,175
Cervix uteri	656	-	656	122	-	122	2,065	-	2,065
Corpus & Uterus, NOS	675	-	675	86	-	86	1,688	-	1,688
Ovary	1,378	-	1,378	218	-	218	3,287	-	3,287
Prostate	1,656	1,656	-	332	332	-	6,178	6,178	-
Testis	39	39	-	-	-	-	247	247	-
Urinary bladder	719	489	230	84	52	32	1,941	1,306	635
Kidney & Renal pelvis	788	491	297	336	209	127	3,531	2,260	1,271
Brain & ONS ^c	1,070	621	449	130	85	45	3,366	1,852	1,514
Thyroid	248	78	170	21	-	-	534	221	313
Hodgkin lymphoma	115	60	55	-	-	-	506	303	203
Non-Hodgkin lymphoma	2,054	1,101	953	272	138	134	5,298	2,886	2,412
Myeloma	742	370	372	195	96	99	2,708	1,404	1,304
Leukemia	1,901	1,081	820	270	148	122	5,780	3,304	2,476
Acute lymphocytic	229	121	108	52	34	18	1,288	747	541
Chronic lymphocytic	107	72	35	27	16	-	422	251	171
Acute myeloid	875	488	387	98	45	53	2,043	1,140	903
Chronic myeloid	145	87	58	21	-	-	410	243	167
All others	545	313	232	72	38	34	1,617	923	694
All Sites	52,734	27,360	25,374	8,001	4,043	3,958	119,967	63,464	56,503

Source: US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention.

- Count not shown due to fewer than 16 cases during the time period.

^a Mortality data for American Indian/Alaska Native are based on the CHSDA(Contract Health Service Delivery Area) counties.^b Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives.

Mortality data for Hispanics are based on NHIA and exclude cases from Minnesota, New Hampshire and North Dakota.

^c IBD = Intrahepatic Bile Duct. ONS = Other Nervous System.