# **EW** Sunited States Department of Labor



Bureau of Labor Statistics

Washington, D.C. 20212

Technical Information: (202) 691-6170 USDL 00-115

Media information: (202) 691-5902 For release: 10:00 A.M. EDT Internet address: <a href="http://stats.bls.gov/oshhome.htm">http://stats.bls.gov/oshhome.htm</a> Thursday, April 20, 2000

## LOST-WORKTIME INJURIES AND ILLNESSES: CHARACTERISTICS AND RESULTING TIME AWAY FROM WORK, 1998

A total of 1.7 million injuries and illnesses that required recuperation away from work beyond the day of the incident were reported in private industry workplaces during 1998, according to a survey by the Bureau of Labor Statistics, U. S. Department of Labor. The total number of these cases has declined in each year since 1992. In contrast, the number of injuries and illnesses reported with only restricted work activity rather than days away recuperating has increased during this same time period by nearly 70 percent, to over 1,000,000 cases in 1998. (Table A presents the number of injuries and illnesses requiring recuperation away from work in the past 7 years for the 10 occupations that accounted for nearly one-third of such cases in 1998.) Since 1993, truck drivers have experienced the largest number of injuries and illnesses with time away from work.

Table A. Number of occupational injuries and illnesses (in 1,000s) involving time away from work for selected occupations, 1992-1998

Total cases	1992 2,331.1	1993 2,252.6	1994 2,236.6	1995 2,040.9	1996 1,880.5	1997 1,833.4	1998 1,730.5
Total Cases	2,331.1	2,232.0	2,230.0	2,040.9	1,000.5	1,033.4	1,730.3
Truck drivers	145.9	154.7	163.8	151.3	152.8	145.5	131.8
Laborers, nonconstruction	152.1	146.3	147.3	115.5	108.5	106.9	97.2
Nursing aides, orderlies	111.1	103.9	101.8	100.6	93.6	91.3	84.1
Janitors and cleaners	59.6	62.1	60.6	52.6	46.9	45.8	44.2
Construction laborers	57.1	54.6	55.7	43.5	43.7	45.8	44.1
Assemblers	47.7	46.8	53.0	55.5	44.0	44.3	43.3
Carpenters	34.3	34.8	37.4	35.0	33.5	37.1	33.0
Cooks	36.1	42.5	36.3	35.4	30.7	31.5	28.5
Welders and cutters	29.4	29.4	30.3	29.9	26.1	28.4	28.4
Stock handlers and baggers	44.4	39.5	37.2	34.7	31.9	29.2	26.3

More than 4 out of 10 injuries and illnesses resulting in time away from work in 1998 were sprains or strains, most often involving the back, as in the preceding six years.

The number of sprains or strains cases declined by nearly 26 percent from 1992 to 1998, which was about the same as the decline for all cases. However in 1998, the overall decline in the number of injuries was not observed in cuts and lacerations, which increased from 1997 by 3 percent.

Table B. Number of occupational injuries and illness (in 1,000s) involving time away from work by selected nature of injury and illness, 1992-1998

2 2	1992	1993	1994	1995	1996	1997	1998
Total cases	2,331.1	2,252.6	2,236.6	2,040.9	1,880.5	1,833.4	1,730.5
Sprains, strains, tears	1,022.7	959.2	963.5	876.8	819.7	799.0	760.0
Bruises, contusions	222.7	211.2	212.0	192.1	174.9	165.8	153.1
Cuts, lacerations	173.6	169.9	164.6	153.2	133.2	133.6	137.6
Fractures	143.6	136.5	138.5	124.6	120.5	119.5	115.4
Heat burns, scalds	41.0	37.7	37.3	36.1	29.0	30.0	28.4
Carpal tunnel syndrome	33.0	41.0	38.3	31.5	29.9	29.2	26.3
Tendonitis	25.4	25.0	25.2	22.1	17.4	18.0	16.9
Chemical burns	15.7	15.7	16.5	13.9	11.6	12.2	11.7
Amputations	12.4	11.3	12.2	11.3	10.2	10.9	10.2

#### Worker and case characteristics

Worker characteristics detail the demographics of the injured or ill worker by providing not only the occupation but also the gender and age of the worker, occupational group, length of service with the employer at the time of the incident, and race or ethnic origin (tables 1 and 2). Following are highlights of the 1998 findings for these worker traits:

- Men accounted for two out of three of the 1.7 million cases, a proportion somewhat higher than their share (59 percent) of the hours worked by all private wage and salary workers.
- Workers aged 24 and under accounted for 15 percent of the cases and 14 percent of the total hours worked by all private wage and salary workers.
   Workers aged 25 to 44 accounted for 56 percent of the cases and 55 percent of the hours worked. Workers aged 45 and older accounted for 27 percent of the cases and 30 percent of the hours worked.
- Operators, fabricators, and laborers led all other occupational groups, accounting for 42 percent of the case total. This group includes 6 of the 10 individual jobs from table A truck drivers; laborers, nonconstruction; construction laborers; assemblers; welders and cutters; and stock handlers and baggers. Together, these six occupations accounted for 371,000 injuries and illnesses with time away from work (table 3).
- Almost 6 out of 10 workers had at least a year of service with their employer when they sustained their injury or illness. Indeed, over a fourth had over 5 years of service, suggesting that many experienced workers incur lost worktime injuries.

Case characteristics help identify the disabling condition resulting from the lost worktime case and how the event or exposure occurred. The survey contains four characteristics to describe each disabling injury or illness (tables 4 through 6). To illustrate, consider an injury to a nursing aide who sprains her back while lifting a patient. The nature, or physical effect, is a sprain or strain; the part of body affected, her back; the event, overexertion while lifting; and the source, the health care patient. Of the four characteristics, only the source changes when coding a similar incident for a truck driver who sprains his back trying to lift a box. Following are highlights of the 1998 findings for these characteristics:

- Sprain and strain was, by far, the leading nature of injury and illness in every major industry division, ranging from 34 percent in agriculture, forestry, and fishing to 51 percent in services.
- The trunk, including the back, was the body part most affected by disabling work incidents in every major industry division, except for agriculture, forestry, and fishing. Most other injuries and illnesses were to upper or lower extremities.
- Overexertion while maneuvering objects and contact with objects and equipment led all other disabling events or exposures, cited in about 15 to 40 percent of the cases in every major industry division.
- No one source of injury or illness stood out, although the following three had roughly 15 percent each of the case total: floors and other surfaces, worker motion or position, and containers.

The U. S. Department of Labor defines a musculoskeletal disorder as an injury or disorder of the muscles, tendons, ligaments, joints, cartilage, and spinal discs. Table C presents the number of such disorders by major industry division, and table D presents the occupations with the most musculoskeletal disorders in 1998.

- Nearly 593,000 musculoskeletal disorders were reported, accounting for more than one out of three of the injuries and illnesses involving recuperation away from work.
- Manufacturing and services industries each account for 26 percent of musculoskeletal disorders, followed by retail trade with 15 percent.
- Three occupations -- nursing aides, orderlies, and attendants; truck drivers; and laborers, non-construction -- together account for one out of five musculoskeletal disorders.

### Injury and illness severity

Besides identifying high risk situations, the survey also helps focus on those kinds of injuries and illnesses resulting in the longest absences from work (tables 7 through 10). Median days away from work – the key survey measure of severity – designates the point at which half the cases involved more days and half involved fewer days. The median number of lost workdays for all cases was 5 days in 1998, with a fourth of the cases resulting in 21 days or more away from work. The survey also found the following patterns:

- Among major disabling injuries and illnesses, median days away from work were highest for carpal tunnel syndrome (24 days), fractures (19 days), and amputations (18 days).
- Repetitive motion, such as grasping tools, scanning groceries, and typing, resulted in the longest absences from work among the leading events and exposures a median of 15 days.
- Truck drivers had the highest median days away from work (10 days), followed by electricians, plumbers and pipe fitters, and public transportation attendants (each with 8 days).
- Injuries to the wrist and knee resulted in the longest absences from work a median of 11 and 10 days, respectively.

Table C. Number (in 1,000s) of work-related musculoskeletal disorders involving time away from work and median days away from work by major industry division, 1998

	Number	Median days away from work
Total musculoskeletal disorders	592.5	7
Agriculture, forestry, and fishing	8.0	5
Mining	3.7	21
Construction	44.4	9
Manufacturing	156.2	7
Transportation and public utilities	69.4	9
Wholesale trade	52.4	6
Retail trade	91.4	7
Finance, insurance, and real estate	12.0	7
Services	154.9	5

Table D. Number (in 1,000s) of work-related musculoskeletal disorders involving time away from work and median days away from work by occupation. 1998

	Number	Median days away from work
Total musculoskeletal disorders	592.5	7
Nursing aides, orderlies, and attendants	49.1	5
Truck drivers	43.9	10
Laborers, nonconstruction	36.6	6
Assemblers	19.7	10
Janitors and cleaners	14.0	5
Registered nurses	12.4	5
Stock handlers and baggers	11.3	5
Construction laborers	10.8	7
Cashiers	10.0	5
Carpenters	9.3	7

#### Technical note

The Bureau of Labor Statistics has reported annually on the number of days-away-from-work injuries and illnesses in private industry and the rate of such incidents since the early 1970s. The 1998 national survey marks the seventh year that BLS has collected additional detailed information on such cases in the form of worker and case characteristics data, including workdays lost, summarized in this release.

The number and frequency (incidence rates) of these cases are based on logs and other records kept by private industry employers throughout the year. The number of hours worked used for industry and case characteristics incidence rates are collected in this survey. Because this survey does not collect hours worked for demographic characteristics, the hours used for these data come from the Current Population Survey, which is conducted by the Bureau of the Census for the Bureau of Labor Statistics. These records reflect not only the year's injury and illness experience but also the employer's understanding of which cases are work related under current recordkeeping guidelines of the U. S. Department of Labor. The number of injuries and illnesses reported in a given year also can be influenced by changes in the level of economic activity, working conditions and work practices, worker experience and training, and the number of hours worked.

The survey continues to measure the number of new work-related illness cases that are recognized, diagnosed, and reported each year. In 1998, 81,900 of the 1.7 million cases with days away from work were classified as illnesses. Some conditions, e.g., long-term latent illnesses caused by exposure to carcinogens, often are difficult to relate to the workplace and are not adequately recognized and reported. These long-term latent illnesses are believed to be understated in the survey. In contrast, the overwhelming majority of the reported new illnesses are those that are easier to directly relate to workplace activity (e.g., contact dermatitis or carpal tunnel syndrome).

Work-related musculoskeletal disorders include cases where the nature of injury or illness is sprain, strain, tear; back pain, hurt back; soreness, pain, hurt, except the back; carpal tunnel syndrome; hernia; or musculoskeletal system and connective tissue diseases and disorders and when the event or exposure leading to the injury or illness is bodily reaction/bending, climbing, crawling, reaching, twisting; overexertion; or repetition.

The Survey of Occupational Injuries and Illnesses is a Federal/State program (50/50 funded) in which employer reports are collected from about 165,000 private industry establishments and processed by state agencies cooperating with the Bureau of Labor Statistics. Occupational injury and illness data for coal, metal, and nonmetal mining and for railroad activities are provided by the U. S. Department of Labor's Mine Safety and Health Administration and the U. S. Department of Transportation's Federal Railroad Administration. The survey excludes all fatalities at work and work-related nonfatal injuries and illnesses to the self-employed; workers on farms with fewer than 11 employees; private household workers; and employers in federal, state, and local government agencies.

The survey estimates of the characteristics of cases with days away from work are based on a scientifically selected probability sample, rather than a census of the entire population. Two levels of sampling were used. First, establishments were selected to represent themselves and, in many instances, other establishments of like industry and workforce size that were not selected that survey year. Then, sampled establishments projected to have large number of days away from work cases were instructed before the survey began on how to sample those cases to minimize the burden of their response.

Because the data are based on a sample survey, the injury and illness estimates probably differ from the figures that would be obtained from all units covered by the survey. To determine the precision of each estimate, a standard error is calculated. The standard error defines a range (confidence interval) around the estimate. The approximate 95-percent confidence interval is the estimate plus or minus twice the standard error. The standard error also can be expressed as a percent of the estimate, or the relative standard error. For example, the 95-percent confidence interval for an incidence rate of 6.5 per 100 full-time workers with a relative standard error of 1.0 percent would be 6.5 plus or minus 2 percent (2 times 1.0 percent) or 6.37 to 6.63. One can be 95 percent confident that the "true" incidence rate falls within the confidence interval. The 1998 incidence rate for all occupational injuries and illnesses of 6.7 per 100 full-time workers in private industry has an estimated relative standard error of about 0.88 percent. A relative standard error was calculated for each estimate from the survey and will be published in a BLS bulletin that is scheduled to be available later in 2000.

The data also are subject to nonsampling error. The inability to obtain detailed information about all cases in the sample, mistakes in recording or coding the data, and definitional difficulties are general examples of nonsampling error in the survey. Although not measured, nonsampling errors will always occur when statistics are gathered. However, BLS has implemented quality assurance procedures to reduce nonsampling error in the survey, including a rigorous training program for State coders

and a continuing effort to encourage survey participants to respond fully and accurately to all survey elements.

Establishments are classified in industry categories based on the 1987 Standard Industrial Classification (SIC) Manual, as defined by the Office of Management and Budget. The four case characteristics used to describe lost worktime injury and illness are based on definitions and rules of selection stipulated in the 1992 BLS Occupational Injury and Illness Classification System. The occupation of the injured or ill worker is based on the 1990 Occupational Classification System developed by the Bureau of the Census.

TABLE 1. Number of nonfatal occupational injuries and illnesses involving days away from work1 by selected worker characteristics and industry division,1998

			Goods	producing			Serv	ice produ	cing	
Characteristic	Private industry <sup>2</sup>	Agriculture, forestry, and fishing <sup>2</sup>	Mining <sup>3</sup>	Con- struction	Manufac- turing	Transportation and public utilities <sup>3</sup>	Whole- sale trade	Retail trade	Finance, insur- ance, and real estate	Ser- vices
Total cases	1,730.5	41.7	13.7	178.3	429.6	200.4	135.2	294.4	35.9	401.1
Sex: Male Female	1,147.4 571.3	35.2 6.4	13.4 .4	173.4 4.5	320.0 107.5	156.2 38.6	113.8 20.5	164.0 129.4	17.2 18.7	154.1 245.4
Age:4 14 - 15 16 - 19 20 - 24 25 - 34 35 - 44 45 - 54 55 - 64 65 and over	.3 60.4 200.2 487.2 488.8 311.7 131.7 21.1	- 1.6 7.6 13.6 10.0 5.1 2.6	- .3 1.0 3.0 4.6 3.3 1.1	5.7 21.2 58.4 53.5 25.8 9.4	( <sup>5</sup> ) 9.9 47.6 116.4 127.5 81.8 36.5 3.7	- 3.7 17.1 59.1 61.1 40.5 15.6	- 3.5 16.7 42.7 38.7 22.9 8.3 1.1	.1 25.4 43.6 77.3 71.6 41.9 20.4 5.8	- .5 2.7 9.4 10.1 8.0 3.4 1.1	.1 9.9 42.6 107.4 111.8 82.4 34.6 7.1
Occupation:  Managerial and professional specialty Technical, sales, and	98.9	.5	.5	2.3	7.6	2.9	4.2	10.1	4.5	66.3
administrative support	251.1 297.5 47.0	1.4 .4 33.0	.2 .4 ( <sup>5</sup> )	2.1 .9 .5	25.1 8.0 2.3	29.7 11.2 .2	19.7 2.3 1.0	94.5 79.6 1.6	14.4 8.3 1.7	63.9 186.4 6.6
repairOperators, fabricators, and	293.5	1.3	6.3	106.4	74.8	25.7	20.3	27.7	4.0	27.1
laborers  Length of service with employer:	729.0	4.7	6.1	65.5	308.2	130.0	86.8	79.0	2.8	45.9
Less than 3 months	221.3 317.2 547.5 444.5 200.0	10.2 8.4 13.1 7.4 2.6	1.1 2.3 4.9 4.4 .9	37.2 38.1 57.5 31.6 14.0	48.1 70.9 132.0 140.8 37.8	12.5 26.5 52.2 59.4 49.8	16.2 28.2 45.7 34.8 10.3	47.7 63.1 92.0 54.2 37.5	2.9 6.6 12.8 10.5 3.1	45.4 73.2 137.2 101.5 43.9
Race or ethnic origin:  White, non-Hispanic  Black, non-Hispanic  Hispanic  Asian or Pacific Islander  American Indian or Alaskan	179.4 26.8	16.7 1.5 16.9 .4	2.2 .1 1.2 ( <sup>5</sup> )	112.9 10.1 23.0 1.3	234.8 37.3 46.0 7.1	75.9 16.5 12.6 1.8	79.6 11.4 14.6 2.0	151.4 22.4 26.6 4.1	17.8 3.5 3.7 .9	191.1 54.6 34.6 9.2
Native Not reported	7.4 477.1	.2 6.0	10.2	1.0 30.0	2.0 102.4	.7 92.9	.3 27.3	1.1 88.8	.2 9.9	1.9 109.6

NOTE: Dashes indicate data that are not available. Because of rounding and nonclassifiable responses, data may not sum to the totals. SOURCE: Bureau of Labor Statistics, U.S. Department of Labor

Days-away-from-work cases include those which result in days away from work with or without restricted work activity.
 Excludes farms with fewer than 11 employees.
 Data conforming to OSHA definitions for mining operators in coal, metal, and nonmetal mining and for employers in railroad transportation are provided to BLS by the Mine Safety and Health Administration, U.S. Department of Labor, and by the Federal Railroad Administration, U.S. Department of Transportation. Independent mining contractors are excluded from the coal,

metal, and nonmetal industries.  $^4$  Information is not shown separately for injured workers under age 14; they accounted for fewer than 50 cases. <sup>5</sup> Fewer than 50 cases.

TABLE 2. Percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker characteristics and industry division,1998

			Goods	producing			Serv	ice produ	cing	
Characteristic	Private industry <sup>2</sup>	Agriculture, forestry, and fishing <sup>2</sup>	Mining <sup>3</sup>	Con- struction	Manufac- turing	Transpor- tation and public utilities <sup>3</sup>	Whole- sale trade	Retail trade	Finance, insur- ance, and real estate	Ser- vices
Total [1,730,534 cases]	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Sex: Male Female	66.3 33.0	84.4 15.4	97.3 2.5	97.2 2.5	74.5 25.0	78.0 19.2	84.2 15.2	55.7 43.9	47.9 51.9	38.4 61.2
Age: 4 14 - 15 16 - 19 20 - 24 25 - 34 35 - 44 45 - 54 55 - 64 65 and over	( <sup>5</sup> ) 3.5 11.6 28.2 28.2 18.0 7.6 1.2	- 3.8 18.3 32.5 23.9 12.1 6.1 1.2	- 2.2 7.5 21.5 33.2 24.3 8.2 .5	- 3.2 11.9 32.7 30.0 14.5 5.2	( <sup>5</sup> ) 2.3 11.1 27.1 29.7 19.0 8.5 .9	- 1.8 8.5 29.5 30.5 20.2 7.8 .6	- 2.6 12.4 31.6 28.6 16.9 6.1 .8	( <sup>5</sup> ) 8.6 14.8 26.3 24.3 14.2 6.9 2.0	- 1.3 7.6 26.2 28.0 22.4 9.4 3.0	( <sup>5</sup> ) 2.5 10.6 26.8 27.9 20.5 8.6 1.8
Occupation:  Managerial and professional specialty  Technical, sales, and administrative support	5.7 14.5	1.2	3.5	1.3 1.2	1.8 5.8	1.4 14.8	3.1 14.6	3.4 32.1	12.5 40.0	16.5 15.9
Service Farming, forestry, and fishing Precision production, craft, and repair	17.2 2.7 17.0	1.0 79.0 3.2	2.6 .3 45.7	.5 .3 59.6	1.9 .5 17.4	5.6 .1 12.8	1.7 .8 15.0	27.0 .5 9.4	23.2 4.8 11.1	46.5 1.7 6.7
Operators, fabricators, and laborers	42.1	11.3	44.3	36.7	71.7	64.9	64.2	26.8	7.8	11.4
Length of service with employer: Less than 3 months 3 - 11 months 1 - 5 years More than 5 years Not reported	12.8 18.3 31.6 25.7 11.6	24.5 20.1 31.5 17.6 6.3	8.4 16.9 35.7 32.3 6.6	20.9 21.4 32.2 17.7 7.8	11.2 16.5 30.7 32.8 8.8	6.2 13.2 26.1 29.6 24.9	12.0 20.8 33.8 25.7 7.6	16.2 21.4 31.2 18.4 12.7	8.2 18.3 35.6 29.2 8.7	11.3 18.2 34.2 25.3 10.9
Race or ethnic origin: White, non-Hispanic	51.0 9.1 10.4 1.5	40.1 3.6 40.6 1.0	15.9 .8 9.1 .1	63.3 5.7 12.9 .7	54.7 8.7 10.7 1.7	37.9 8.3 6.3 .9	58.9 8.4 10.8 1.5	51.4 7.6 9.0 1.4	49.6 9.7 10.2 2.4	47.6 13.6 8.6 2.3
NativeNot reported	.4 27.6	.4 14.3	.1 74.1	.6 16.8	.5 23.8	.3 46.4	.2 20.2	.4 30.2	.5 27.5	.5 27.3

<sup>&</sup>lt;sup>1</sup> Days-away-from-work cases include those which result in days away from work with or without restricted work activity.

NOTE: Dashes indicate data that are not available. Because of rounding and nonclassifiable responses, percentages may not add to 100.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor

Excludes farms with fewer than 11 employees.
 Data conforming to OSHA definitions for mining operators in coal, metal, and nonmetal mining and for employers in railroad transportation are provided to BLS by the Mine Safety and Health Administration, U.S. Department of Labor, and by the Federal Railroad Administration, U.S. Department of Transportation. Independent mining contractors are excluded from the coal,

metal, and nonmetal industries.

<sup>4</sup> Information is not shown separately for injured workers under age 14; they accounted for fewer than 50 cases.

<sup>5</sup> Less than 0.1 percent.

TABLE 3. Number of nonfatal occupational injuries and illnesses involving days away from work1 by selected occupation and industry division,1998

			Goods	producing			Serv	ice produ	cing	
Occupation	Private industry <sup>2</sup>	Agriculture, forestry, and fishing <sup>2</sup>	Mining <sup>3</sup>	Con- struction	Manufac- turing	Transportation and public utilities <sup>3</sup>	Whole- sale trade	Retail trade	Finance, insur- ance, and real estate	Ser- vices
Total cases	1,730.5	41.7	13.7	178.3	429.6	200.4	135.2	294.4	35.9	401.1
Truckdrivers Laborers, nonconstruction Nursing aides, orderlies Janitors and cleaners Construction laborers Assemblers Carpenters Cooks Welders and cutters Stock handlers and baggers	131.8 97.2 84.1 44.2 44.1 43.3 33.0 28.5 28.4 26.3	1.6 .8 3 ( <sup>4</sup> ) 1	.7 1.6 - - - ( <sup>4</sup> ) - .3 ( <sup>4</sup> )	4.6 - - .8 43.0 .4 26.0 - 1.5	12.2 32.9 - 6.8 .1 37.7 2.6 .1 21.6	67.5 6.0 - 1.2 .2 .1 .2 .1 .5	23.3 26.4 - 1.5 - 2.7 .9 .1 2.0 2.9	13.1 18.0 - 6.1 .2 .7 1.1 20.6 .6 21.1	.4 1.3 .3 5.2 .1 5 .2	8.4 10.3 83.8 22.2 .4 1.6 1.7 7.5 1.8
Cashiers	26.1 25.0	-   -	_ _	_ _	.1 ( <sup>4</sup> )	.1	.3	23.3 .1	.1 .2	2.3 24.6
Groundskeepers and gardeners, except farm Sales workers, other commodities Supervisors and proprietors Miscellaneous food preparation Maids and housemen Shipping and receiving clerks Driver-sales workers Mechanics, automobile	23.0 22.9 22.7 22.0 21.3 18.5 15.7	13.3 .2 - - ( <sup>4</sup> ) ( <sup>4</sup> )	- - - .3 - - -	.5 - .1 - - -	.3 .4 .4 .3 ( <sup>4</sup> ) 5.2 4.4 .2	.2 .1 .1 - - 5.7 .6 .6	.2 .9 3.9 .1 - 2.1 6.7 .8	1.0 20.0 17.1 14.1 .6 4.4 2.5 10.1	1.7 .1 .3 .3 .4 .1	5.9 1.1 .7 6.9 20.2 1.0 1.6 4.0
Waiters and waitresses	15.5 14.5 14.4 13.8 12.6 12.3	- - .4 13.3 -	- .3 .5 - .1	- 9.5 .5 - - .1	(4) 2.3 6.8 .2 8.7 8.9	(4) .3 2.1 - 1.2 .2	- .6 2.4 .2 1.4	11.5 .1 1.5 .1 .2	.3 .2 - - .1 ( <sup>4</sup> )	3.7 1.1 .2 ( <sup>4</sup> ) .9
Packaging, filling machine operators	12.3 12.2 11.6 10.8	.1 - - -	- - - -	- 9.4 - -	10.8 1.1 ( <sup>4</sup> )	( <sup>4</sup> ) .6 ( <sup>4</sup> )	1.0 .2 .1	.1 .1 10.6 –	- .1 .1	.2 .9 .8 10.8
Mechanics, bus, truck, stationary engine	10.7 10.4 10.0 9.8 9.5 9.4 9.0 8.7 8.5 7.9	.2 1 .1 .1 2 2	(4) - - (4) (4) (4) - (4)	.2 - .1 .1 - .1 -	.9 - 2.2 4.4 .3 7.8 2.7 - 6.2 1.5	3.7 - .5 .8 .2 .1 - 8.7 .3 1.3	3.0 - 1.4 1.8 .1 .7 .7 .7 - 1.1	.6 .1 4.1 1.9 1.0 - 5.3 - .1 2.7	(4) .1 .1 6  3	2.1 10.2 1.4 .7 7.2 .5 - ( <sup>4</sup> ) .4 1.6
Helpers, construction trades	7.6 7.6 7.4	( <sup>4</sup> )	- - ( <sup>4</sup> )	7.4 5.1 .1	.1 .5 .5	( <sup>4</sup> ) .2 .2	- .7 .3	– .1 .4	- .3 .8	- .7 5.1

Transportation. Independent mining contractors are excluded from the coal, metal, and nonmetal industries.

<sup>4</sup> Fewer than 50 cases.

NOTE: Dashes indicate data that are not available. Because of rounding and nonclassifiable responses, data may not sum to the totals. SOURCE: Bureau of Labor Statistics, U.S. Department of Labor

Days-away-from-work cases include those which result in days away from work with or without restricted work activity.
 Excludes farms with fewer than 11 employees.
 Data conforming to OSHA definitions for mining operators in coal, metal, and nonmetal mining and for employers in railroad transportation are provided to BLS by the Mine Safety and Health Administration, U.S. Department of Labor, and by the Federal Railroad Administration, U.S. Department of

	Private industry <sup>2</sup>	Agricul- ture, forestry,								
		and fishing <sup>2</sup>	Mining <sup>3</sup>	Con- struction	Manufac- turing	Transpor- tation and public utilities <sup>3</sup>	Whole- sale trade	Retail trade	Finance, insur- ance, and real estate	Ser- vices
Total cases	1,730.5	41.7	13.7	178.3	429.6	200.4	135.2	294.4	35.9	401.1
Nature of injury or illness:										
Sprains, strains	760.0	14.0	5.3	66.9	163.1	101.1	65.3	126.2	14.3	203.8
Bruises, contusions	153.1	3.3	1.4	12.9	38.3	20.5	11.1	28.9	3.1	33.6
Cuts, lacerations	137.6	6.3	1.0	20.4	38.8	9.2	10.1	32.4	2.2	17.1
Fractures	115.4	2.7	1.9	19.9	29.0	11.5	8.8	17.9	2.2	21.6
Heat burns	28.4		.2	2.6	7.1	.6	.8	10.9	.4	5.5
Carpal tunnel syndrome	26.3	.2		1.0	11.6	1.5	1.1	2.9	1.9	6.0
Tendonitis	16.9	.2 .2 .2 .3	( <sup>4</sup> ) ( <sup>4</sup> )	1.0	7.6	1.0	1.3	1.5	.9	3.3
Chemical burns	11.7	2	` ′.1	1.1	3.8	.6	1.1	2.1	.2	2.5
Amputations	10.2	3	.1	.9	5.8	.5	.6	1.3	_ :-	.7
Multiple traumatic injuries	57.6	1.4	.9	5.7	13.2	6.6	5.4	9.8	1.4	13.2
Part of body affected by the										
injury or illness:										
Head	117.5	3.7	.9	13.1	33.3	12.9	9.5	18.2	1.8	24.2
Eye	58.5	2.4	.4	7.6	21.8	4.2	5.0	7.0	.8	9.2
Neck	29.9	.6	.3	2.3	6.1	4.5	2.5	4.2	.9	8.5
Trunk	645.1	12.1	4.8	56.8	147.9	81.9	55.7	106.7	11.8	167.4
Shoulder	89.3	1.1	.7	7.5	23.9	12.5	6.1	14.1	1.4	21.9
Back	440.2	7.1	3.0	37.4	93.1	55.1	39.5	73.0	8.7	123.3
Upper extremities	400.8	10.9	3.3	42.0	131.8	32.2	26.9	73.8	8.3	71.5
Wrist	84.5	1.1	.5	6.4	27.9	6.8	5.9	13.5	3.6	18.8
Hand, except finger	73.8	3.1	.6	9.3	20.8	6.0	5.4	14.3	1.3	13.1
Finger	147.5	4.2	1.5	16.9	55.7	8.8	9.3	29.4	1.7	20.0
Lower extremities	355.2	10.1	3.0	45.2	76.7	46.7	28.2	61.3	7.4	76.5
Knee	122.3	3.7	1.2	16.4	25.4	15.9	9.2	20.9	2.1	27.5
Foot, except toe	64.9	1.5	.4	8.8	15.4	7.9	5.8	11.5	1.6	12.0
Toe	19.4	.3	.1	3.1	5.3	1.9	1.6	3.6	.3	3.3
Body systems	22.3	.9	.1	2.5	4.7	2.4	1.0	2.7	1.0	6.9
Multiple parts	142.5	3.0	1.2	14.9	25.2	18.3	10.5	24.8	4.3	40.3

See footnotes at end of table.

TABLE 4. Number of nonfatal occupational injuries and illnesses involving days away from work1 by selected injury or illness characteristics and industry division,1998 — Continued

			Goods	producing			Serv	ice produ	cing	
Characteristic	Private industry <sup>2</sup>	Agriculture, forestry, and fishing <sup>2</sup>	Mining <sup>3</sup>	Con- struction	Manufac- turing	Transportation and public utilities <sup>3</sup>	Whole- sale trade	Retail trade	Finance, insur- ance, and real estate	Ser- vices
Source of injury or illness: Chemicals and chemical										
products	28.8	0.7	1.1	2.1	9.7	1.7	1.7	4.2	0.7	7.0
Containers	253.0	3.3	.6	9.4	56.8	48.6	32.7	62.9	3.7	35.0
Furniture and fixtures	61.5	.3	.1	2.4	11.2	4.2	4.6	15.5	2.1	21.2
Machinery	118.0	3.0	1.6	10.1	50.2	5.3	10.3	20.3	2.3	14.8
Parts and materials	199.4	3.3	2.6	44.8	80.1	16.1	16.3	19.2	2.1	14.9
Worker motion or position	262.7	5.8	.6	23.2	78.7	29.3	18.7	39.6	7.7	59.1
Floors, walkways, ground										
surfaces	268.7	6.3	2.0	32.3	43.7	30.2	16.7	58.1	8.5	70.8
Tools, instruments, and	400.0		4.0	40.0	00.4			40.0	4 7	04.4
equipment	109.8 135.9	5.2 2.8	1.0	19.9	28.4 21.3	6.9 34.8	6.3 15.7	19.3	1.7	21.1 27.3
Vehicles	80.4	2.0	.9	10.3	_	2.0	15.7	19.9	2.8 .2	27.3 78.0
Health care patient	80.4	_	_	_	.1	2.0	_	.1	.2	76.0
Event or exposure leading to										
injury or illness:										
Contact with objects and										
equipment	476.8	15.0	5.7	63.0	148.1	45.1	37.8	82.0	6.7	73.6
Struck by object	230.9	6.1	3.0	34.4	62.7	21.8	18.6	45.4	2.9	36.1
Struck against object	126.4	4.6	1.4	15.3	34.7	14.1	9.8	22.5	2.6	21.5
Caught in equipment or object	77.9	1.8	1.2	6.8	36.6	5.8	6.4	9.1	.7	9.3
Fall to lower level	95.5	3.1	1.2	21.1	14.8	14.6	6.9	12.8	2.9	18.0
Fall on same level	184.7	3.6	1.2	12.3	31.6	17.0	10.5	47.7	5.8	55.0
Slip, trip, loss of										
balance—without fall	55.4	1.5	.1	5.2	12.2	6.8	4.2	10.7	1.3	13.3
Overexertion	477.8	6.7	3.6	36.2	110.1	61.5	44.7	75.2	7.7	132.2
Overexertion in lifting	280.7	4.4	1.2	20.8	58.2	35.8	28.9	51.8	4.4	75.3
Repetitive motion	65.9	.4	.1	2.5	32.5	3.9	3.0	7.0	3.9	12.6
Exposure to harmful	00.7	0.0	_	7.4			4.0	47.0	4.0	40.4
substances	80.7	2.2	.5	7.1	22.8	6.1	4.0	17.2	1.6	19.1
Transportation accidents	69.7	1.7	.3	7.0	8.7	17.6	8.3	8.3	2.1	15.7
Fires and explosions Assaults and violent acts by	4.2	.1	.1	1.0	1.0	.3	.4	.5	(4)	.8
•	17.6	.1	_	.2	.5	.8	.3	2.3	.4	13.1
person	17.0	.1	_	.2	.5	.0	.3	2.3	.4	13.1

<sup>&</sup>lt;sup>1</sup> Days-away-from-work cases include those which result in days away

Transportation. Independent mining contractors are excluded from the coal, metal, and nonmetal industries.

4 Fewer than 50 cases.

NOTE: Dashes indicate data that are not available. Because of rounding and nonclassifiable responses, data may not sum to the totals. SOURCE: Bureau of Labor Statistics, U.S. Department of Labor

<sup>1</sup> Days-away-from-work cases include those which result in days away from work with or without restricted work activity.
2 Excludes farms with fewer than 11 employees.
3 Data conforming to OSHA definitions for mining operators in coal, metal, and nonmetal mining and for employers in railroad transportation are provided to BLS by the Mine Safety and Health Administration, U.S. Department of Labor, and by the Federal Railroad Administration, U.S. Department of

TABLE 5. Percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by selected injury or illness characteristics and industry division,1998

			Goods	producing			Serv	ice produ	cing	
Characteristic	Private industry <sup>2</sup>	Agricul- ture, forestry, and fishing <sup>2</sup>	Mining <sup>3</sup>	Con- struction	Manufac- turing	Transportation and public utilities <sup>3</sup>	Whole- sale trade	Retail trade	Finance, insur- ance, and real estate	Ser- vices
Total [1,730,534 cases]	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Nature of injury or illness:										
Sprains, strains	43.9	33.6	38.8	37.5	38.0	50.4	48.3	42.9	39.8	50.8
Bruises, contusions	8.8	7.9	9.9	7.2	8.9	10.2	8.2	9.8	8.7	8.4
Cuts, lacerations	8.0	15.1	7.6	11.4	9.0	4.6	7.5	11.0	6.2	4.3
Fractures	6.7	6.4	13.7	11.1	6.7	5.7	6.5	6.1	6.2	5.4
Heat burns	1.6	.5	1.3	1.4	1.7	.3	.6	3.7	1.0	1.4
	1.5	.3		.5	2.7	.s .8	.8	1.0	5.4	1.4
Carpal tunnel syndrome Tendonitis	1.0	.4	.1 .2	.5 .6	1.8	.o .5	1.0		2.6	1.5
	-	.6				.5 .3	-	.5	_	
Chemical burns		-	.8	.6	.9		.8	.7	.6	.6
Amputations		.7	.9	.5	1.3	.3	.4	.5	_	.2
Multiple traumatic injuries	3.3	3.3	6.9	3.2	3.1	3.3	4.0	3.3	3.8	3.3
Part of body affected by the										
injury or illness:										
Head	6.8	8.7	6.5	7.3	7.7	6.4	7.0	6.2	5.1	6.0
Eye	3.4	5.7	3.2	4.3	5.1	2.1	3.7	2.4	2.3	2.3
Neck	1.7	1.5	1.9	1.3	1.4	2.3	1.9	1.4	2.4	2.1
Trunk	37.3	29.0	35.2	31.8	34.4	40.9	41.2	36.2	32.7	41.7
Shoulder	5.2	2.7	5.4	4.2	5.6	6.3	4.5	4.8	3.8	5.5
Back	25.4	17.1	22.2	21.0	21.7	27.5	29.2	24.8	24.1	30.7
Upper extremities	-	26.2	24.1	23.6	30.7	16.1	19.9	25.1	23.2	17.8
Wrist	4.9	2.7	3.6	3.6	6.5	3.4	4.3	4.6	10.0	4.7
Hand, except finger	4.3	7.4	4.1	5.2	4.8	3.0	4.0	4.9	3.5	3.3
Finger	-	10.1	11.1	9.5	13.0	4.4	6.9	10.0	4.7	5.0
Lower extremities	20.5	24.1	22.0	25.3	17.8	23.3	20.9	20.8	20.7	19.1
Knee	7.1	8.8	8.8	9.2	5.9	7.9	6.8	7.1	5.8	6.8
Foot, except toe	3.7	3.6	2.9	5.0	3.6	3.9	4.3	3.9	4.4	3.0
Toe		.8	.5	1.7	1.2	.9	1.2	1.2	.7	.8
		2.2		1.7	1.2	1.2	.8		2.8	.o 1.7
Body systems	8.2	7.2	.9	8.3	5.9	9.1	.o 7.8	.9 8.4	12.0	10.1
Multiple parts	8.∠	1.2	9.1	8.3	5.9	9.1	۲.۵	8.4	12.0	10.1

See footnotes at end of table.

TABLE 5. Percent distribution of nonfatal occupational injuries and illnesses involving days away from work1 by selected injury or illness characteristics and industry division,1998 — Continued

			Goods	producing			Serv	ice produ	cing	
Characteristic	Private industry <sup>2</sup>	Agriculture, forestry, and fishing <sup>2</sup>	Mining <sup>3</sup>	Con- struction	Manufac- turing	Transportation and public utilities <sup>3</sup>	Whole- sale trade	Retail trade	Finance, insur- ance, and real estate	Ser- vices
Source of injury or illness: Chemicals and chemical										
products  Containers  Furniture and fixtures	14.6	1.8 8.0 .6	7.9 4.7 .4	1.2 5.3 1.4	2.2 13.2 2.6	0.9 24.2 2.1	1.3 24.2 3.4	1.4 21.4 5.3	1.9 10.2 5.9	1.7 8.7 5.3
Machinery	6.8 11.5 15.2	7.2 7.9 13.8	12.0 19.2 4.1	5.7 25.1 13.0	11.7 18.6 18.3	2.6 8.0 14.6	7.6 12.0 13.8	6.9 6.5 13.5	6.3 5.7 21.4	3.7 3.7 14.7
Floors, walkways, ground surfaces	15.2	15.1	14.9	18.1	10.2	15.1	12.4	19.7	23.7	17.6
Tools, instruments, and equipment Vehicles Health care patient	6.3 7.9 4.6	12.5 6.8	7.0 6.9	11.1 5.8	6.6 5.0 ( <sup>4</sup> )	3.4 17.4 1.0	4.7 11.6	6.6 6.8 ( <sup>4</sup> )	4.8 7.7 .5	5.3 6.8 19.4
Event or exposure leading to injury or illness: Contact with objects and	4.0	_	_	_		1.0	_	( )	.5	19.4
equipment	13.3	35.8 14.5 11.0 4.4 7.5 8.6	41.8 21.8 9.9 9.0 8.7 8.8	35.3 19.3 8.6 3.8 11.8 6.9	34.5 14.6 8.1 8.5 3.4 7.4	22.5 10.9 7.0 2.9 7.3 8.5	28.0 13.7 7.2 4.8 5.1 7.8	27.8 15.4 7.6 3.1 4.4 16.2	18.7 8.1 7.2 2.0 8.1 16.3	18.4 9.0 5.4 2.3 4.5 13.7
Slip, trip, loss of balance—without fall  Overexertion  Overexertion in lifting	3.2 27.6 16.2 3.8	3.5 16.2 10.5 .9	.8 26.0 8.5 .6	2.9 20.3 11.7 1.4	2.8 25.6 13.5 7.6	3.4 30.7 17.8 2.0	3.1 33.0 21.3 2.2	3.6 25.5 17.6 2.4	3.7 21.3 12.2 10.8	3.3 33.0 18.8 3.1
Exposure to harmful substances	4.7 4.0 .2	5.3 4.2 .2	3.8 1.9 .5	4.0 3.9 .6	5.3 2.0 .2	3.0 8.8 .1	2.9 6.1 .3	5.8 2.8 .2	4.5 5.8 .1	4.8 3.9 .2
person	1.0	.1	_	.1	.1	.4	.2	.8	1.0	3.3

Transportation. Independent mining contractors are excluded from the coal, metal, and nonmetal industries.  $^4\,$  Less than 0.1 percent.

NOTE: Dashes indicate data that are not available. Because of rounding and nonclassifiable responses, percentages may not add to 100.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor

Days-away-from-work cases include those which result in days away from work with or without restricted work activity.
 Excludes farms with fewer than 11 employees.
 Data conforming to OSHA definitions for mining operators in coal, metal, and nonmetal mining and for employers in railroad transportation are provided to BLS by the Mine Safety and Health Administration, U.S. Department of Labor, and by the Federal Railroad Administration, U.S. Department of

 $\label{eq:table 6.} \label{eq:table 6.} \label{eq:table 6.} Incidence\ rates \ ^1\ for\ nonfatal\ occupational\ injuries\ and\ illnesses\ involving\ days\ away\ from\ work \ ^2\ per\ 10,000\ full-time\ workers\ for\ selected\ characteristics\ and\ industry\ division,1998$ 

			Goods p	roducing			Ser	/ice produ	ıcing	
Characteristic	Private industry <sup>3</sup>	Agricul- ture, forestry, and fishing <sup>3</sup>	Mining <sup>4</sup>	Construc- tion	Manufac- turing	Transpor- tation and public utilities <sup>4</sup>	Whole- sale trade	Retail trade	Finance, insurance, and real estate	Ser- vices
Total [1,730,534 cases]	195.0	296.3	222.5	326.9	228.1	321.1	206.1	176.0	54.7	152.4
Nature of injury or illness: Sprains, strains	85.6	99.5	86.2	122.6	86.6	162.0	99.5	75.4	21.8	77.5
Bruises, contusions Cuts, lacerations	17.3 15.5	23.4 44.7	22.0 16.8	23.6 37.4	20.3 20.6	32.9 14.8	17.0 15.4	17.3 19.4	4.8 3.4	12.8 6.5
FracturesHeat burns	13.0 3.2	18.8 1.5	30.5 2.9	36.4 4.7	15.4 3.8	18.5 1.0	13.5 1.3	10.7 6.5	3.4 ( <sup>5</sup> )	8.2 2.1
Carpal tunnel syndrome Tendonitis	3.0 1.9	1.1 1.3	( <sup>5</sup> ) ( <sup>5</sup> )	1.8 1.8	6.2 4.0	2.4 1.7	1.7 2.0	1.7 ( <sup>5</sup> )	2.9 1.4	2.3 1.3
Chemical burns Amputations	1.3 1.2	1.7 2.1	1.7 1.9	2.1 1.7	2.0 3.1	( <sup>5</sup> )	1.7 ( <sup>5</sup> )	1.3 ( <sup>5</sup> )	( <sup>5</sup> )	1.0 ( <sup>5</sup> )
Multiple traumatic injuries	6.5	9.7	15.3	10.4	7.0	10.7	8.3	5.8	2.1	5.0
Part of body affected by the injury or illness:										
Head Eye	13.2 6.6	25.9 16.8	14.4 7.2	23.9 14.0	17.7 11.6	20.7 6.8	14.4 7.7	10.9 4.2	2.8 1.3	9.2 3.5
Neck	3.4	4.4	4.3	4.3	3.2	7.3	3.8	2.5	1.3	3.2
TrunkShoulder	72.7 10.1	85.9 8.1	78.2 12.0	104.1 13.7	78.5 12.7	131.2 20.1	84.9 9.4	63.8 8.4	17.9 2.1	63.6 8.3
Back Upper extremities	49.6 45.2	50.7 77.6	49.4 53.5	68.6 77.1	49.4 70.0	88.3 51.7	60.1 41.0	43.6 44.1	13.2 12.7	46.9 27.2
Wrist	9.5	8.0	8.1	11.6	14.8	10.9	8.9	8.1	5.5	7.1
Hand, except finger Finger	8.3 16.6	21.9 30.0	9.1 24.6	17.0 31.0	11.1 29.6	9.6 14.1	8.3 14.2	8.6 17.6	1.9 2.6	5.0 7.6
Lower extremities Knee	40.0 13.8	71.3 26.2	48.9 19.5	82.9 30.0	40.7 13.5	74.9 25.5	43.0 14.1	36.7 12.5	11.3 3.2	29.1 10.4
Foot, except toe	7.3	10.5	6.4	16.2	8.2	12.6	8.9	6.9	2.4	4.6
Toe Body systems	2.2 2.5	2.5 6.4	1.2 2.0	5.6 4.5	2.8 2.5	3.0 3.8	2.5 1.6	2.1 1.6	( <sup>5</sup> ) 1.6	1.2 2.6
Multiple parts	16.1	21.5	20.1	27.3	13.4	29.3	16.0	14.8	6.6	15.3

See footnotes at end of table.

TABLE 6. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers for selected characteristics and industry division,1998 — Continued

			Goods p	roducing			Serv	ice produ	ıcing	
Characteristic	Private industry <sup>3</sup>	Agricul- ture, forestry, and fishing <sup>3</sup>	Mining <sup>4</sup>	Construc- tion	Manufac- turing	Transpor- tation and public utilities <sup>4</sup>	Whole- sale trade	Retail trade	Finance, insurance, and real estate	Ser- vices
Source of injury or illness: Chemicals and chemical										
products	3.3	5.3	17.6	3.8	5.1	2.8	2.6	2.5	1.0	2.6
	28.5	23.7	10.4	17.3	30.2	77.8	49.8	37.6	5.6	13.3
Furniture and fixtures Machinery	6.9	1.8	( <sup>5</sup> )	4.5	5.9	6.7	7.1	9.3	3.3	8.0
	13.3	21.4	26.7	18.6	26.7	8.4	15.7	12.2	3.4	5.6
Parts and materials Worker motion or position Floors, walkways, ground	22.5	23.3	42.7	82.2	42.5	25.8	24.8	11.5	3.1	5.7
	29.6	40.9	9.0	42.6	41.8	47.0	28.4	23.7	11.7	22.5
surfaces Tools, instruments, and	30.3	44.9	33.2	59.2	23.2	48.4	25.5	34.7	13.0	26.9
equipmentVehiclesHealth care patient	12.4 15.3 9.1	37.0 20.1	15.6 15.4	36.4 18.9	15.1 11.3 ( <sup>5</sup> )	11.0 55.8 3.3	9.6 23.9	11.6 11.9 ( <sup>5</sup> )	2.6 4.2 ( <sup>5</sup> )	8.0 10.4 29.6
Event or exposure leading to	9.1	_	_	_		3.3	_	( * )		29.0
injury or illness: Contact with objects and										
equipment	53.7	106.1	92.9	115.4	78.6	72.2	57.6	49.0	10.2	28.0
	26.0	43.0	48.6	63.1	33.3	34.9	28.3	27.1	4.4	13.7
Struck against object	14.2	32.7	22.0	28.1	18.4	22.6	14.9	13.4	3.9	8.2
	8.8	13.1	20.1	12.4	19.5	9.3	9.8	5.5	1.1	3.5
Fall to lower level	10.8	22.2	19.3	38.7	7.9	23.4	10.5	7.7	4.4	6.9
	20.8	25.4	19.6	22.6	16.8	27.2	16.0	28.5	8.9	20.9
balance—without fall  Overexertion	6.2	10.4	1.8	9.5	6.5	11.0	6.4	6.4	2.0	5.1
	53.8	47.9	57.7	66.3	58.5	98.5	68.1	44.9	11.7	50.2
Overexertion in lifting Repetitive motion	31.6	31.0	18.9	38.1	30.9	57.3	44.0	31.0	6.7	28.6
	7.4	2.8	1.3	4.6	17.3	6.3	4.6	4.2	5.9	4.8
Exposure to harmful substances	9.1	15.6	8.4	13.1	12.1	9.8	6.1	10.3	2.4	7.3
Transportation accidents Fires and explosions	7.9	12.3	4.2	12.9	4.6	28.2	12.6	5.0	3.2	6.0
	( <sup>5</sup> )	( <sup>5</sup> )	1.2	1.8	( <sup>5</sup> )	( <sup>5</sup> )	( <sup>5</sup> )	( <sup>5</sup> )	( <sup>5</sup> )	( <sup>5</sup> )
Assaults and violent acts by person	2.0	( <sup>5</sup> )	_	(5)	( <sup>5</sup> )	1.3	(5)	1.4	(5)	5.0

 $<sup>^1\,</sup>$  Incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as: (N/EH) x 20,000,000 where

= number of injuries and illnesses = total hours worked by all employees

during the calendar year
20,000,000 = base for 10,000 equivalent full-time workers (working 40 hours per week, 50 weeks per year)

NOTE: Dashes indicate data that are not available. SOURCE: Bureau of Labor Statistics, U.S. Department of Labor

 $<sup>^{2}\,</sup>$  Days-away-from-work cases include those which result in days away from work with or without restricted work activity.

Excludes farms with fewer than 11 employees.
 Data conforming to OSHA definitions for mining operators in coal, metal, and nonmetal mining and for employers in railroad transportation are provided to BLS by the Mine Safety and Health Administration, U.S. Department of Labor, and by the Federal Railroad Administration, U.S. Department of Transportation. Independent mining contractors are excluded from the coal, metal, and nonmetal industries.

<sup>5</sup> Less than 1.0 case per 10,000 full-time workers.

TABLE 7. Percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker characteristics and number of days away from work,1998

		Percent of days-away-from-work cases involving —								
Characteristic	Total cases	1 day	2 days	3 - 5 days	6 - 10 days	11 - 20 days	21 - 30 days	31 days or more	days away from work	
Total [1,730,534 cases]	100.0	16.7	13.4	20.2	12.9	11.2	6.4	19.1	5	
Sex:										
Male	100.0	16.8	13.2	19.8	12.9	11.4	6.6	19.5	6	
Female	100.0	16.7	13.9	21.1	13.0	10.9	6.1	18.2	5	
Age: <sup>2</sup>										
14 - 15	100.0	38.8	12.3	22.5	8.0	11.6	1.8	5.4	2	
16 - 19		23.2	15.6	24.0	14.3	9.8	4.4	8.7	4	
20 - 24		21.7	16.5	22.2	13.5	9.7	4.9	11.5	4	
25 - 34		18.5	14.7	21.3	13.0	10.9	5.8	15.8	5	
35 - 44		15.7	12.8	19.3	12.8	11.8	6.7	20.9	6	
45 - 54		13.7	11.5	18.8	12.7	11.5	7.6	24.2	8	
		12.3	10.2	18.4	12.7	12.1	7.0	26.7	10	
55 - 64										
65 and over	100.0	9.5	9.4	15.7	17.3	12.7	8.5	26.9	10	
Occupation:										
Managerial and professional										
specialty	100.0	18.7	15.1	22.0	12.4	9.9	6.5	15.5	4	
Technical, sales, and										
administrative support	100.0	17.3	14.7	21.3	12.8	10.3	6.1	17.6	5	
Service	100.0	16.6	14.1	22.2	13.9	10.6	5.9	16.6	5	
Farming, forestry, and fishing	100.0	16.8	14.9	22.0	13.6	8.7	7.0	16.9	5	
Precision production, craft, and										
repair	100.0	16.5	12.8	19.0	12.6	11.5	6.9	20.7	6	
Operators, fabricators, and										
laborers	100.0	16.5	12.6	19.1	12.7	12.1	6.6	20.3	6	
Length of service with employer:										
Less than 3 months	100.0	19.4	14.7	21.1	12.9	10.0	5.6	16.4	5	
3 - 11 months		17.4	15.3	21.7	12.9	10.0	5.6	17.2	5	
1 - 5 years		17.4	13.6	20.6	13.0	11.1	6.2	18.0	5	
	100.0	14.5	11.5	18.6	12.9	12.6	7.3	22.5	7	
More than 5 years	100.0	14.5	11.5	10.0	12.9	12.0	1.3	22.5	_ ′	
Race or ethnic origin:									_	
White, non-Hispanic	100.0	17.5	13.7	20.0	12.7	10.9	6.3	18.9	5	
Black, non-Hispanic		16.6	12.9	20.9	13.6	11.2	6.0	18.7	5	
Hispanic		14.5	13.2	20.5	13.2	11.7	6.8	20.2	6	
Asian or Pacific Islander	100.0	17.0	12.1	22.8	14.7	10.2	6.0	17.2	5	
American Indian or Alaskan										
Native	100.0	14.3	13.2	20.9	13.8	12.4	9.6	15.8	6	

Days-away-from-work cases include those which result in days away from work with or without restricted work activity.
Information is not shown separately for injured workers under age 14; they accounted for fewer than 50 cases.

NOTE: Because of rounding and nonclassifiable responses, percentages may not add to 100.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor

		Percent of days-away-from-work cases involving —								
Occupation	Total cases	1 day	2 days	3 - 5 days	6 - 10 days	11 - 20 days	21 - 30 days	31 days or more	days away from work	
Total [1,730,534 cases]	100.0	16.7	13.4	20.2	12.9	11.2	6.4	19.1	5	
Truckdrivers	100.0	11.0	9.6	19.4	12.9	13.5	7.7	25.9	10	
Laborers, nonconstruction	100.0	16.7	13.2	20.1	13.7	11.0	6.5	18.9	6	
Nursing aides, orderlies	100.0	16.8	15.2	22.4	14.0	11.0	5.8	14.9	5	
Janitors and cleaners	100.0	19.9	11.8	19.9	13.2	8.6	6.3	20.2	5	
Construction laborers	100.0	14.5	12.7	19.2	11.8	14.1	6.7	21.1	7	
Assemblers	100.0	18.0	12.7	17.3	11.9	13.7	6.9	19.5	6	
Carpenters	100.0	15.4	11.4	20.2	16.4	11.0	7.3	18.4	6	
Cooks	100.0	15.4	13.6	20.8	17.2	12.2	5.6	15.2	6	
Welders and cutters	100.0	28.2	16.3	16.5	11.4	8.4	5.1	14.2	3	
Stock handlers and baggers	100.0	18.7	14.9	22.7	11.0	11.9	4.5	16.2	5	
Cashiers	100.0 100.0	15.8 17.2	15.7 17.2	20.3 23.0	15.2 12.2	8.9 10.0	6.7 5.8	17.5 14.6	5 4	
except farm	100.0	19.4	17.2	22.5	12.1	6.6	7.1	15.1	4	
Sales workers, other commodities	100.0	16.4	15.2	18.8	13.5	10.6	6.2	19.2	5	
Supervisors and proprietors	100.0	16.2	14.1	19.8	11.2	13.2	6.9	18.8	6	
Miscellaneous food preparation	100.0	16.8	15.2	23.4	11.3	13.7	6.1	13.5	4	
Maids and housemen	100.0	16.2	14.4	20.7	15.6	10.9	5.2	17.1	5	
Shipping and receiving clerks	100.0	17.3	14.8	21.4	13.8	11.6	6.6	14.6	5	
Driver-sales workers	100.0	11.9	11.2	21.6	17.8	12.2	6.3	18.8	7	
Mechanics, automobile	100.0	17.3	12.9	24.0	11.9	11.0	3.2	19.8	5	
Waiters and waitresses	100.0	16.5	12.7	22.6	11.9	7.2	6.1	23.1	5	
Electricians	100.0	16.2	12.5	16.7	11.7	10.7	8.8	23.5	8	
Industrial truck operators	100.0	15.2	13.9	16.7	12.1	11.8	6.8	23.6	7	
Farm workers	100.0	13.0	11.0	22.8	16.4	12.7	6.8	17.5	6	
Supervisors, production workers	100.0	19.4	17.4	18.2	11.9	11.5	4.3	17.3	4	
Repairers, industrial machinery Packaging, filling machine	100.0	16.8	12.6	15.4	11.8	12.5	7.4	23.5	7	
operators	100.0	19.1	16.5	16.9	13.2	9.6	5.7	18.9	5	
Plumbers and pipefitters	100.0	13.0	12.8	18.8	14.1	9.5	6.2	25.7	8	
Kitchen workers	100.0	18.2	11.8	29.6	11.2	11.8	5.4	12.0	4	
Licensed practical nurses	100.0	16.6	15.9	23.0	14.1	8.8	5.8	15.9	4	
Mechanics, bus, truck, stationary										
engine	100.0	20.6	17.7	15.6	13.3	9.4	6.4	17.0	5	
Health aides, except nursing	100.0	19.5	14.5	27.0	14.1	8.6	6.0	10.4	4	
Stock and inventory clerks	100.0	16.2	18.2	19.9	11.6	12.5	6.4	15.3	5	
Hand packers and packagers	100.0	21.0	12.8	14.4	14.6	14.2	5.9	17.2	6	
Guards and police, except public	100.0	13.1	11.1	21.8	14.1	10.8	8.9	20.2	7	
Machinists	100.0	19.5	15.6	17.4	17.9	8.2	5.8	15.6	5	
Butchers and meat cutters	100.0	14.5	10.9	19.4	11.5	14.8	11.6	17.4	7	
Attendants, public transportation	100.0	5.1	7.1	27.5	17.5	16.1	5.5	21.2	8	
Production inspectors	100.0	18.2	10.4	16.4	10.6	12.2	7.7	24.6	7	
Vehicle washers and cleaners	100.0	19.3	16.8	20.7	11.0	13.9	4.1	14.3	4	
Helpers, construction trades	100.0	17.4	11.7	15.8	14.5	11.5	8.4	20.7	7	
Painters	100.0	12.4	12.5	19.1	12.8	10.6	9.7	23.0	8	
Secretaries	100.0	21.5	12.7	23.7	13.9	6.1	7.4	14.8	4	

Days-away-from-work cases include those which result in days away from work with or without restricted work activity.

NOTE: Because of rounding and nonclassifiable responses, percentages may not add to 100.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor

TABLE 9. Percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by selected injury or illness characteristics and number of days away from work,1998

	<b>-</b>		Percent of	of days-awa	ay-from-wo	rk cases inv	volving —		Median days away from work
Characteristic	Total cases	1 day	2 days	3 - 5 days	6 - 10 days	11 - 20 days	21 - 30 days	31 days or more	
Total [1,730,534 cases]	100.0	16.7	13.4	20.2	12.9	11.2	6.4	19.1	5
Nature of injury or illness:									
Sprains, strains	100.0	14.1	13.1	22.3	13.9	11.5	6.4	18.7	6
Bruises, contusions	100.0	23.0	18.4	22.8	12.8	9.1	4.2	9.7	3
Cuts, lacerations	100.0	25.4	16.2	21.7	13.7	10.6	4.2	8.2	3
Fractures	100.0	8.3	6.4	12.4	11.2	14.0	10.6	37.1	19
Heat burns	100.0	20.8	14.0	21.8	15.2	11.6	5.0	11.5	4
Carpal tunnel syndrome	100.0	3.8	4.3	11.3	10.2	15.4	11.8	43.1	24
Tendonitis	100.0	9.7	10.8	15.3	14.7	18.4	8.2	23.0	10
Chemical burns	100.0	32.1	21.6	19.5	12.2	7.6	2.5	4.4	2
Amputations	100.0	7.6	4.8	11.0	13.5	18.2	13.3	31.6	18
Multiple traumatic injuries	100.0	14.4	13.5	18.3	11.5	10.8	6.8	24.7	7
Part of body affected by the									
injury or illness:									
Head	100.0	39.4	21.6	19.5	8.2	4.9	1.9	4.5	2
Eye	100.0	48.6	25.2	15.9	5.5	2.3	.9	1.5	2
Neck	100.0	13.5	14.8	26.5	13.4	9.8	4.9	17.0	4
Trunk	100.0	13.1	12.4	21.6	13.7	11.6	6.8	20.7	6
Shoulder	100.0	12.2	11.9	17.7	11.7	11.6	7.0	27.9	9
Back	100.0	13.5	12.9	23.1	14.4	11.0	6.0	19.2	6
Upper extremities	100.0	18.1	13.2	19.4	13.1	12.4	6.5	17.3	5
Wrist	100.0	11.1	9.5	15.7	12.7	13.2	9.5	28.4	11
Hand, except finger	100.0	21.0	16.1	21.5	12.2	12.1	5.1	12.1	4
Finger	100.0	21.8	14.8	19.9	14.0	12.4	5.7	11.5	4
Lower extremities	100.0	15.0	12.9	19.6	13.4	11.8	7.0	20.3	6
Knee	100.0	12.1	10.6	17.0	12.5	12.7	8.0	27.2	10
Foot, except toe	100.0	15.2	16.2	20.3	12.3	10.9	7.1	18.0	5
Toe	100.0	19.6	16.5	21.6	14.9	9.9	7.2	10.3	4
Body systems	100.0	28.2	17.5	16.8	10.9	7.6	5.2	13.7	3
Multiple parts	100.0	14.0	12.1	17.4	11.6	11.6	7.4	25.9	8

See footnotes at end of table.

TABLE 9. Percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by selected injury or illness characteristics and number of days away from work,1998 — Continued

	Total	Percent of days-away-from-work cases involving —								
Characteristic	cases	1 day	2 days	3 - 5 days	6 - 10 days	11 - 20 days	21 - 30 days	31 days or more	days away from work	
Source of injury or illness:										
Chemicals and chemical										
products	100.0	32.2	20.4	19.2	10.9	8.1	2.6	6.8	2	
Containers	100.0	14.5	13.7	20.9	13.3	11.8	7.1	18.7	6	
Furniture and fixtures	100.0	19.7	15.9	22.1	13.4	9.8	5.1	14.0	4	
Machinery	100.0	16.9	12.8	20.3	12.6	12.2	6.8	18.4	6	
Parts and materials	100.0	18.6	13.8	20.3	13.0	11.5	6.3	16.5	5	
Worker motion or position	100.0	12.4	10.8	20.0	13.5	12.8	7.3	23.1	8	
Floors, walkways, ground										
surfaces	100.0	13.0	11.9	18.5	12.7	11.2	7.3	25.4	8	
Tools, instruments, and										
equipment	100.0	23.3	15.0	21.2	13.0	11.2	5.2	11.2	4	
Vehicles	100.0	13.2	12.0	19.5	12.9	12.1	6.9	23.4	7	
Health care patient	100.0	15.7	15.4	22.9	15.4	10.2	5.5	14.9	5	
Event or exposure leading to										
injury or illness:										
Contact with objects and										
equipment	100.0	23.7	15.9	19.9	12.4	10.1	5.0	12.9	4	
Struck by object	100.0	23.5	16.5	20.0	12.6	9.9	4.8	12.8	4	
Struck against object	100.0	24.6	15.3	20.8	13.0	10.4	4.8	11.1	4	
Caught in equipment or object	100.0	15.3	12.5	19.5	13.2	13.0	7.4	19.2	6	
Fall to lower level	100.0	11.6	10.5	17.0	13.1	11.3	7.2	29.4	10	
Fall on same level	100.0	14.3	12.8	19.4	12.2	11.0	7.3	22.9	7	
Slip, trip, loss of										
balance—without fall	100.0	14.7	12.3	21.7	13.5	11.1	7.2	19.5	6	
Overexertion	100.0	13.0	12.7	21.6	13.7	12.1	7.2	19.6	6	
Overexertion in lifting	100.0	12.9	13.2	22.0	13.8	12.1	7.4	18.7	6	
Repetitive motion	100.0	7.9	7.3	13.9	13.0	15.4	9.4	33.0	15	
Exposure to harmful										
substances	100.0	29.9	17.9	20.6	11.7	8.2	3.6	8.1	3	
Transportation accidents	100.0	11.5	10.1	20.0	11.5	12.2	7.4	27.3	9	
Fires and explosions	100.0	18.7	9.1	15.7	12.9	14.3	3.9	25.3	9	
Assaults and violent acts by										
person	100.0	15.4	18.4	20.7	13.9	10.3	4.9	16.3	5	

 $<sup>^{\</sup>rm 1}\,$  Days-away-from-work cases include those which result in days away from work with or without restricted work activity.

NOTE: Because of rounding and nonclassifiable responses, percentages may not add to 100.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor

TABLE 10. Percent distribution of nonfatal occupational injuries and illnesses involving days away from work1 by industry division and number of days away from work,1998

	Taral	Percent of days-away-from-work cases involving —								
Industry	Total cases	1 day	2 days	3 - 5 days	6 - 10 days	11 - 20 days	21 - 30 days	31 days or more	days away from work	
Private industry <sup>2</sup> [1,730,534 cases]	100.0	16.7	13.4	20.2	12.9	11.2	6.4	19.1	5	
Goods producing: Agriculture, forestry, and fishing <sup>2</sup> Mining <sup>3</sup> Construction Manufacturing	100.0	17.0	14.2	22.0	14.3	9.2	7.0	16.3	5	
	100.0	10.4	7.4	12.3	8.6	10.0	5.8	45.5	22	
	100.0	14.5	11.3	18.9	12.6	12.2	7.5	23.1	7	
	100.0	19.4	13.4	18.3	12.5	11.7	6.6	18.1	5	
Durable goods Nondurable goods	100.0	20.1	13.5	18.0	12.3	11.8	6.5	17.8	5	
	100.0	18.2	13.3	18.7	12.7	11.5	6.8	18.7	5	
Service producing: Transportation and public utilities <sup>3</sup> Wholesale trade Retail trade Finance, insurance, and real estate Services	100.0	12.6	10.6	19.5	13.4	13.4	6.9	23.7	8	
	100.0	17.1	14.7	20.7	12.0	10.6	6.5	18.4	5	
	100.0	16.0	14.4	21.0	13.0	10.9	6.4	18.3	5	
	100.0	17.9	13.9	20.5	13.7	10.7	5.0	18.3	5	
	100.0	17.4	14.6	22.4	13.5	10.0	5.5	16.4	5	

Department of Transportation. Independent mining contractors are excluded from the coal, metal, and nonmetal industries.

NOTE: Because of rounding and nonclassifiable responses, percentages may not add to 100.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor

Days-away-from-work cases include those which result in days away from work with or without restricted work activity.
 Excludes farms with fewer than 11 employees.
 Data conforming to OSHA definitions for mining operators in coal, metal, and nonmetal mining and for employers in railroad transportation are provided to BLS by the Mine Safety and Health Administration, U.S. Department of Labor, and by the Federal Railroad Administration, U.S.