

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness,1998

Part of body	Part of body code ²	Total cases	Event or exposure leading to injury or illness ³						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Private industry		1,730,534	476,846	230,931	126,374	78,379	95,460	184,682	55,363
Head	0	117,528	74,570	36,496	12,399	555	3,493	8,651	—
Head, unspecified	00	21,577	13,057	7,033	5,668	181	1,299	3,749	—
Cranial region, including skull	01	11,313	6,638	4,058	2,393	145	1,190	1,861	—
Cranial region, unspecified	010	329	166	104	61	—	—	69	—
Brain	011	7,248	3,818	2,351	1,392	41	870	1,369	—
Scalp	012	3,007	2,251	1,288	853	102	173	271	—
Skull	013	581	318	233	82	—	97	140	—
Multiple cranial region locations	018	57	—	—	—	—	—	—	—
Cranial region, n.e.c.	019	91	56	56	—	—	19	—	—
Ear(s)	02	2,388	374	252	76	—	—	19	—
Face	03	80,890	53,827	24,614	4,139	200	944	2,927	—
Face, unspecified	030	4,934	1,676	1,240	425	—	162	532	—
Forehead	031	4,332	3,023	1,962	1,037	—	181	687	—
Eye(s)	032	58,526	41,916	15,556	1,491	78	61	259	—
Nose, nasal cavity	033	3,213	2,041	1,527	494	—	—	290	—
Nose, except internal location of diseases or disorders	0330	3,094	2,041	1,527	494	—	—	290	—
Nasal passages	0333	42	—	—	—	—	—	—	—
Sinuses	0334	57	—	—	—	—	—	—	—
Cheek(s)	034	1,083	661	526	58	77	—	133	—
Jaw/chin	035	1,328	429	386	37	—	184	252	—
Mouth	036	3,962	2,607	2,317	238	—	80	495	—
Mouth, unspecified	0360	358	240	161	63	—	—	46	—
Lip(s)	0361	1,136	607	526	65	—	—	95	—
Tooth(teeth)	0363	2,094	1,541	1,428	92	—	48	297	—
Multiple mouth locations	0368	221	107	92	—	—	—	54	—
Mouth, n.e.c.	0369	130	107	104	—	—	—	—	—
Multiple face locations	038	3,204	1,318	957	344	—	231	272	—
Face, n.e.c.	039	308	157	142	—	—	—	—	—
Multiple head locations	08	1,309	632	513	110	—	56	91	—
Head, n.e.c.	09	49	41	—	—	—	—	—	—
Neck, including throat	1	29,874	5,259	3,042	1,480	512	769	1,272	419
Neck, except internal location of diseases or disorders	10	29,713	5,259	3,042	1,480	512	769	1,272	419
Internal neck location, unspecified	11	62	—	—	—	—	—	—	—
Vocal cord(s)	12	43	—	—	—	—	—	—	—
Multiple internal neck locations	18	19	—	—	—	—	—	—	—
Trunk	2	645,074	33,507	19,656	9,168	2,028	28,755	53,775	17,466
Trunk, unspecified	20	2,854	322	179	72	—	306	646	43
Shoulder, including clavicle, scapula	21	89,337	7,303	4,862	1,805	331	5,158	9,482	1,288
Chest, including ribs, Internal organs	22	26,495	4,953	2,701	1,767	180	1,975	4,347	91
Chest, except internal location of diseases or disorders	220	23,648	4,953	2,701	1,767	180	1,973	4,347	91
Internal chest location, unspecified	221	234	—	—	—	—	—	—	—
Heart	223	564	—	—	—	—	—	—	—
Bronchus	224	330	—	—	—	—	—	—	—
Lung(s), pleura	225	1,661	—	—	—	—	—	—	—
Internal chest location, n.e.c.	229	47	—	—	—	—	—	—	—
Back, including spine, spinal cord	23	440,160	13,345	7,526	3,398	779	17,339	30,780	13,880

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, 1998 — Continued

Part of body	Event or exposure leading to injury or illness ³									All other events ⁴
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			
	Total	In lifting					Total	By person	All other assaults	
Private industry	477,785	280,725	65,866	80,651	69,660	4,152	22,382	17,589	4,793	197,687
Head	63	41	—	19,822	4,007	877	4,758	4,495	263	1,242
Head, unspecified	—	—	—	400	1,740	45	1,057	1,024	—	214
Cranial region, including skull	—	—	—	44	1,068	—	251	235	—	249
Cranial region, unspecified	—	—	—	—	37	—	—	—	—	—
Brain	—	—	—	—	787	—	218	202	—	165
Scalp	—	—	—	—	208	—	—	—	—	50
Skull	—	—	—	—	—	—	—	—	—	—
Multiple cranial region locations	—	—	—	—	—	—	—	—	—	—
Cranial region, n.e.c.	—	—	—	—	—	—	—	—	—	—
Ear(s)	—	—	—	1,732	39	37	—	—	—	159
Face	56	41	—	17,587	1,008	565	3,334	3,149	185	617
Face, unspecified	—	—	—	1,381	280	274	548	507	41	78
Forehead	—	—	—	117	136	—	165	155	—	—
Eye(s)	—	—	—	15,071	148	211	378	366	—	431
Nose, nasal cavity	—	—	—	232	61	—	502	475	—	40
Nose, except internal location of diseases or disorders	—	—	—	123	61	—	502	475	—	—
Nasal passages	—	—	—	42	—	—	—	—	—	—
Sinuses	—	—	—	57	—	—	—	—	—	—
Cheek(s)	—	—	—	51	49	—	169	97	72	—
Jaw/chin	—	—	—	—	37	—	395	395	—	—
Mouth	—	—	—	168	219	—	345	337	—	—
Mouth, unspecified	—	—	—	—	—	—	17	17	—	—
Lip(s)	—	—	—	108	74	—	221	215	—	—
Tooth(teeth)	—	—	—	—	84	—	84	84	—	—
Multiple mouth locations	—	—	—	—	36	—	18	—	—	—
Mouth, n.e.c.	—	—	—	20	—	—	—	—	—	—
Multiple face locations	—	—	—	546	77	43	704	689	—	—
Face, n.e.c.	—	—	—	—	—	—	127	127	—	—
Multiple head locations	—	—	—	59	151	225	92	74	19	—
Head, n.e.c.	—	—	—	—	—	—	—	—	—	—
Neck, including throat	10,081	4,834	673	506	6,473	20	735	661	74	3,667
Neck, except internal location of diseases or disorders	10,080	4,834	672	399	6,473	20	735	661	74	3,615
Internal neck location, unspecified	—	—	—	40	—	—	—	—	—	—
Vocal cord(s)	—	—	—	—	—	—	—	—	—	—
Multiple internal neck locations	—	—	—	19	—	—	—	—	—	—
Trunk	386,380	240,181	9,787	4,799	18,747	264	4,670	4,233	437	86,924
Trunk, unspecified	735	437	47	142	237	99	—	—	—	263
Shoulder, including clavicle, scapula	48,510	23,860	5,108	148	2,264	—	995	861	134	9,068
Chest, including ribs, internal organs	7,138	3,878	131	2,579	1,589	58	951	889	62	2,681
Chest, except internal location of diseases or disorders	6,984	3,860	131	501	1,585	40	949	887	62	2,095
Internal chest location, unspecified	—	—	—	171	—	—	—	—	—	—
Heart	—	—	—	—	—	—	—	—	—	521
Bronchus	—	—	—	330	—	—	—	—	—	—
Lung(s), pleura	116	—	—	1,498	—	18	—	—	—	—
Internal chest location, n.e.c.	—	—	—	46	—	—	—	—	—	—
Back, including spine, spinal cord	279,507	178,691	3,826	239	12,721	51	1,916	1,808	108	66,556

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, 1998 — Continued

Part of body	Part of body code ²	Total cases	Event or exposure leading to injury or illness ³						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Back, including spine, spinal cord, unspecified	230	194,288	6,664	3,954	1,737	374	9,534	13,698	7,268
Lumbar region	231	208,138	5,097	2,514	1,301	344	5,446	12,270	5,772
Thoracic region	232	18,113	761	509	185	18	711	1,091	357
Sacral region	233	2,346	58	40	—	—	74	132	51
Coccygeal region	234	3,849	185	—	113	37	909	2,273	—
Multiple back regions	238	12,799	539	471	38	—	641	1,286	411
Back, including spine, spinal cord, n.e.c.	239	627	41	—	—	—	—	—	—
Abdomen	24	40,892	2,063	1,588	261	176	514	775	377
Abdomen, except internal location of diseases or disorders	240	11,530	1,806	1,411	233	140	396	571	109
Internal abdominal location, unspecified	241	13,025	161	113	—	—	37	41	86
Stomach organ	242	551	—	—	—	—	—	—	—
Intestines, peritoneum	245	15,515	88	55	—	—	80	162	182
Intestines, peritoneum, unspecified	2450	13,233	49	—	—	—	78	67	176
Peritoneum	2451	787	—	—	—	—	—	93	—
Small intestine	2452	90	—	—	—	—	—	—	—
Large intestine/colon, rectum	2453	1,106	—	—	—	—	—	—	—
Intestines, n.e.c.	2459	296	—	—	—	—	—	—	—
Other digestive structures	246	66	—	—	—	—	—	—	—
Liver	2461	61	—	—	—	—	—	—	—
Internal abdominal location, n.e.c.	249	192	—	—	—	—	—	—	—
Pelvic region	25	30,828	3,766	1,782	1,380	339	1,988	5,561	1,276
Pelvic region, unspecified	250	455	88	57	—	—	39	124	—
Hip(s)	251	11,985	1,507	704	533	109	1,364	3,791	562
Pelvis	252	939	220	114	—	103	154	209	39
Buttock(s)	253	2,165	144	52	41	—	195	880	—
Groin	254	14,070	1,489	627	747	78	157	409	622
External reproductive tract structures	255	626	258	189	—	—	18	—	17
External reproductive tract structures, unspecified	2550	67	—	—	—	—	—	—	—
Scrotum	2551	409	139	111	—	—	—	—	—
Penis	2552	59	59	—	—	16	—	—	—
Multiple external reproductive tract structures	2558	19	—	—	—	—	—	—	—
External reproductive tract structures, n.e.c.	2559	62	—	—	—	—	—	—	—
Internal reproductive tract structures	256	79	—	—	—	—	—	—	—
Testis(testes)	2562	40	—	—	—	—	—	—	—
Ovary(ies)	2563	17	—	—	—	—	—	—	—
Multiple pelvic region locations	258	206	—	—	16	—	—	47	—
Pelvic region, n.e.c.	259	303	—	—	—	—	—	86	—
Multiple trunk locations	28	14,270	1,617	960	406	199	1,467	2,175	511
Trunk, n.e.c.	29	238	138	59	80	—	—	—	—
Upper extremities	3	400,797	224,085	92,235	61,225	61,162	11,974	28,017	742
Upper extremities, unspecified	30	927	100	38	18	37	—	—	—
Arm(s)	31	74,888	22,738	9,032	9,830	3,216	4,552	10,338	273
Arm(s), unspecified	310	27,179	7,160	3,485	1,859	1,554	1,563	3,268	103
Upper arm(s)	311	4,870	962	597	202	106	325	551	—

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, 1998 — Continued

Part of body	Event or exposure leading to injury or illness ³									
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			All other events ⁴
	Total	In lifting					Total	By person	All other assaults	
Back, including spine, spinal cord, unspecified	117,391	75,263	1,694	189	7,040	—	957	895	61	29,821
Lumbar region	140,943	91,138	1,728	—	4,265	—	789	766	—	31,817
Thoracic region	11,684	6,769	255	42	801	—	66	42	—	2,344
Sacral region	1,702	1,004	—	—	—	—	—	—	—	300
Coccygeal region	313	265	—	—	43	—	—	—	—	117
Multiple back regions	7,083	4,033	125	—	549	—	88	88	—	2,065
Back, including spine, spinal cord, n.e.c.	391	219	19	—	—	—	—	—	—	92
Abdomen	31,964	21,539	394	685	170	—	374	347	—	3,552
Abdomen, except internal location of diseases or disorders	6,724	4,334	52	309	152	—	373	346	—	1,013
Internal abdominal location, unspecified	10,917	7,251	157	—	18	—	—	—	—	1,593
Stomach organ	241	147	—	237	—	—	—	—	—	73
Intestines, peritoneum	13,912	9,680	185	69	—	—	—	—	—	838
Intestines, peritoneum, unspecified	11,968	8,324	159	68	—	—	—	—	—	668
Peritoneum	570	441	—	—	—	—	—	—	—	91
Small intestine	66	—	—	—	—	—	—	—	—	19
Large intestine/colon, rectum	1,044	714	17	—	—	—	—	—	—	—
Intestines, n.e.c.	261	164	—	—	—	—	—	—	—	—
Other digestive structures	—	—	—	47	—	—	—	—	—	19
Liver	—	—	—	43	—	—	—	—	—	19
Internal abdominal location, n.e.c.	169	127	—	—	—	—	—	—	—	—
Pelvic region	12,735	8,384	123	808	815	—	237	140	97	3,504
Pelvic region, unspecified	132	67	—	—	37	—	—	—	—	—
Hip(s)	2,122	1,047	78	105	489	—	61	—	—	1,905
Pelvis	157	113	—	—	104	—	—	—	—	43
Buttock(s)	107	62	—	615	64	—	—	—	—	137
Groin	9,838	6,856	40	44	63	—	135	68	68	1,262
External reproductive tract structures	234	114	—	—	20	—	—	—	—	—
External reproductive tract structures, unspecified	—	—	—	—	—	—	—	—	—	—
Scrotum	186	85	—	—	19	—	—	—	—	—
Penis	—	—	—	—	—	—	—	—	—	—
Multiple external reproductive tract structures	—	—	—	—	—	—	—	—	—	—
External reproductive tract structures, n.e.c.	—	—	—	—	—	—	—	—	—	—
Internal reproductive tract structures	52	43	—	—	—	—	—	—	—	—
Testis(testes)	—	—	—	—	—	—	—	—	—	—
Ovary(ies)	—	—	—	—	—	—	—	—	—	—
Multiple pelvic region locations	—	—	—	—	—	—	—	—	—	46
Pelvic region, n.e.c.	82	75	—	—	—	—	—	—	—	53
Multiple trunk locations	5,752	3,375	148	197	931	—	171	169	—	1,299
Trunk, n.e.c.	40	17	—	—	19	—	—	—	—	—
Upper extremities	41,022	17,692	51,106	20,436	3,552	999	5,219	3,460	1,759	13,644
Upper extremities, unspecified	57	47	382	273	39	—	—	—	—	55
Arm(s)	17,232	8,219	6,548	4,791	1,779	505	1,720	1,142	577	4,412
Arm(s), unspecified	6,151	3,026	1,806	3,003	1,142	410	882	675	207	1,691
Upper arm(s)	2,159	990	124	148	71	37	61	57	—	408

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, 1998 — Continued

Part of body	Part of body code ²	Total cases	Event or exposure leading to injury or illness ³						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Elbow(s)	312	27,409	7,910	1,361	6,041	287	2,231	5,108	91
Forearm(s)	313	12,172	5,778	3,258	1,512	888	316	1,075	—
Multiple arm(s) locations	318	2,762	740	256	182	302	103	273	—
Arm(s), n.e.c.	319	495	188	74	—	79	—	63	—
Wrist(s)	32	84,471	11,575	6,215	3,708	1,256	4,738	10,346	338
Hand(s), except finger(s)	33	73,827	49,355	20,692	15,822	10,181	1,438	3,802	55
Finger(s), fingernail(s)	34	147,544	133,509	53,137	30,566	44,162	566	2,399	49
Multiple upper extremities locations ...	38	19,045	6,808	3,120	1,281	2,310	679	1,113	—
Multiple upper extremities locations, unspecified	380	534	254	218	—	—	—	78	—
Hand(s) and finger(s)	381	6,034	3,589	1,496	832	1,197	103	118	—
Hand(s) and wrist(s)	382	3,680	1,237	660	144	425	87	249	—
Hand(s) and arm(s)	383	2,869	589	257	38	288	71	145	—
Multiple upper extremities locations, n.e.c.	389	5,927	1,138	490	266	365	413	523	—
Upper extremities, n.e.c.	39	95	—	—	—	—	—	—	—
Lower extremities	4	355,196	121,066	67,097	38,518	12,782	30,274	59,396	33,591
Lower extremities, unspecified	40	261	47	—	18	—	40	—	—
Leg(s)	41	172,360	44,158	20,651	18,215	3,333	13,518	36,874	14,371
Leg(s), unspecified	410	27,574	11,462	6,488	3,611	1,159	2,241	3,746	1,164
Thigh(s)	411	7,022	2,933	2,088	672	139	320	889	323
Knee(s)	412	122,293	23,161	8,255	12,053	1,339	9,317	30,232	12,436
Lower leg(s)	413	12,181	5,420	3,019	1,655	559	1,200	1,273	369
Multiple leg(s) locations	418	2,472	693	498	111	68	417	619	61
Leg(s), n.e.c.	419	818	489	303	113	70	—	115	18
Ankle(s)	42	87,541	15,750	5,835	7,965	1,791	11,372	15,484	16,445
Foot(feet), except toe(s)	43	64,867	39,928	24,627	9,599	5,343	3,867	4,628	1,859
Foot(feet), except toe(s), unspecified	430	58,472	36,969	23,451	8,132	5,108	2,935	4,420	1,783
Instep(s)	431	544	237	171	—	—	—	—	—
Sole	432	4,928	2,216	757	1,219	158	865	162	68
Sole(s), unspecified	4320	692	499	—	490	—	—	—	—
Ball(s)	4321	44	40	—	40	—	—	—	—
Arch(es)	4322	157	48	—	—	—	—	—	—
Heel(s)	4323	3,987	1,610	741	646	151	859	149	57
Multiple foot(feet) locations	438	547	301	147	135	19	—	—	—
Foot(feet), n.e.c.	439	375	205	101	81	—	37	—	—
Toe(s), toenail(s)	44	19,426	17,246	13,411	2,008	1,681	308	388	159
Multiple lower extremities locations	48	10,685	3,919	2,534	712	629	1,157	1,968	749
Multiple lower extremities locations, unspecified	480	165	56	43	—	—	20	—	—
Foot(feet) and leg(s)	481	1,153	415	306	49	60	105	139	89
Foot(feet) and ankle(s)	482	3,065	995	519	286	187	319	463	271
Foot(feet) and toe(s)	483	2,168	1,547	1,135	234	155	56	89	—
Multiple lower extremities locations, n.e.c.	489	4,134	906	531	137	218	657	1,254	376
Lower extremities, n.e.c.	49	56	19	18	—	—	—	—	—
Body systems	5	22,296	222	110	101	—	17	125	—
Multiple body parts	8	142,532	17,506	11,921	3,359	1,262	19,528	32,465	2,984
Other body parts	9	121	72	66	6	—	—	8	—
Prosthetic devices	91	84	66	66	—	—	—	—	—
Other body parts, n.e.c.	98	37	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, 1998 — Continued

Part of body	Event or exposure leading to injury or illness ³									All other events ⁴
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			
	Total	In lifting					Total	By person	All other assaults	
Elbow(s)	6,000	2,883	3,687	157	326	18	175	72	103	1,708
Forearm(s)	1,858	738	573	1,370	169	—	529	291	238	466
Multiple arm(s) locations	923	475	327	75	70	—	67	47	20	128
Arm(s), n.e.c.	142	107	—	38	—	—	—	—	—	—
Wrist(s)	15,542	6,353	35,670	615	507	—	811	762	49	4,317
Hand(s), except finger(s)	3,156	1,374	2,610	9,571	496	245	1,279	569	709	1,821
Finger(s), fingernail(s)	2,625	870	2,343	2,387	526	165	990	640	350	1,984
Multiple upper extremities locations ...	2,409	828	3,480	2,798	201	68	420	347	73	1,055
Multiple upper extremities locations, unspecified	79	52	—	—	—	—	—	—	—	—
Hand(s) and finger(s)	330	57	356	1,252	—	44	62	—	—	150
Hand(s) and wrist(s)	658	251	741	301	—	—	141	134	—	226
Hand(s) and arm(s)	338	114	504	994	—	—	64	49	—	148
Multiple upper extremities locations, n.e.c.	1,004	354	1,851	241	115	—	120	100	20	510
Upper extremities, n.e.c.	—	—	73	—	—	—	—	—	—	—
Lower extremities	17,938	6,345	1,149	8,059	12,059	159	2,932	1,361	1,571	68,574
Lower extremities, unspecified	46	41	—	—	—	—	—	—	—	74
Leg(s)	15,008	5,530	779	3,862	4,962	149	2,076	851	1,224	36,604
Leg(s), unspecified	1,554	838	72	2,358	1,542	98	514	148	366	2,823
Thigh(s)	694	244	—	507	409	—	287	18	270	632
Knee(s)	11,699	4,211	652	183	2,341	—	933	615	318	31,309
Lower leg(s)	931	200	—	696	439	17	311	65	247	1,495
Multiple leg(s) locations	86	37	—	94	213	—	—	—	—	280
Leg(s), n.e.c.	45	—	—	—	19	—	—	—	—	65
Ankle(s)	2,042	524	125	545	1,761	—	485	296	189	23,526
Foot(feet), except toe(s)	697	226	171	2,948	3,583	—	318	172	146	6,864
Foot(feet), except toe(s), unspecified	635	218	135	2,822	3,437	—	312	166	146	5,020
Instep(s)	—	—	—	—	—	—	—	—	—	271
Sole	54	—	—	—	109	—	—	—	—	1,381
Sole(s), unspecified	—	—	—	—	—	—	—	—	—	178
Ball(s)	—	—	—	—	—	—	—	—	—	—
Arch(es)	—	—	—	—	—	—	—	—	—	86
Heel(s)	44	—	—	—	109	—	—	—	—	1,107
Multiple foot(feet) locations	—	—	—	47	—	—	—	—	—	145
Foot(feet), n.e.c.	—	—	—	39	—	—	—	—	—	46
Toe(s), toenail(s)	—	—	—	108	655	—	40	40	—	483
Multiple lower extremities locations ...	114	17	63	588	1,091	—	—	—	—	1,023
Multiple lower extremities locations, unspecified	—	—	—	—	38	—	—	—	—	—
Foot(feet) and leg(s)	16	—	—	204	108	—	—	—	—	76
Foot(feet) and ankle(s)	—	—	—	130	333	—	—	—	—	482
Foot(feet) and toe(s)	—	—	—	68	269	—	—	—	—	124
Multiple lower extremities locations, n.e.c.	53	—	—	174	342	—	—	—	—	337
Lower extremities, n.e.c.	—	—	—	—	—	—	—	—	—	—
Body systems	51	—	38	17,029	91	186	593	572	—	3,935
Multiple body parts	21,153	10,948	2,903	8,876	24,102	1,607	3,026	2,728	298	8,382
Other body parts	—	—	—	—	22	—	—	—	—	11
Prosthetic devices	—	—	—	—	—	—	—	—	—	—
Other body parts, n.e.c.	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, 1998 — Continued

Part of body	Part of body code ²	Total cases	Event or exposure leading to injury or illness ³						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Nonclassifiable	9999	17,117	559	307	118	71	647	975	144

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, 1998 — Continued

Part of body	Event or exposure leading to injury or illness ³									
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			All other events ⁴
	Total	In lifting					Total	By person	All other assaults	
Nonclassifiable	1,094	674	174	1,123	606	40	449	79	370	11,308

¹ Days-away-from-work cases include those which result in days away from work with or without restricted work activity.

² Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Data shown in columns correspond to the following Event codes: Contact with objects, Total = 00-09; Struck by object = 020-029; Struck against object = 010-019; Caught in or compressed or crushed = 030-049; Fall to lower level = 110-119; Fall on same level = 130-139; Slips or trips without fall = 215; Overexertion, Total = 220-229; In lifting = 221; Repetitive motion = 230-239; Exposure to harmful substance or environment = 30-39; Transportation accidents = 40-49; Fires and explosions = 50-52; Assaults

and violent acts, Total = 60-63; By person = 61; All other assaults = 60, 62, and 63; All other events = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁴ Includes nonclassifiable responses.

NOTE: Dashes indicate data that are not available. Because of rounding, data may not sum to totals.
n.e.c. = not elsewhere classified.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor