

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 1999

Part of body	Part of body code ²	Private industry ³	Percent of days-away-from-work cases involving —					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Total		1,702,470	272,605	16.0	219,191	12.9	348,806	20.5
Head	0	107,696	40,666	37.8	21,125	19.6	22,000	20.4
Head, unspecified	00	19,294	6,287	32.6	3,213	16.7	3,960	20.5
Cranial region, including skull	01	11,459	2,347	20.5	1,804	15.7	2,498	21.8
Cranial region, unspecified	010	366	113	30.9	64	17.5	56	15.3
Brain	011	7,089	1,051	14.8	1,163	16.4	1,647	23.2
Scalp	012	3,354	1,043	31.1	532	15.9	751	22.4
Skull	013	570	115	20.2	29	5.1	39	6.8
Cranial region, n.e.c.	019	44	17	38.6	13	29.5	3	6.8
Ear(s)	02	2,556	428	16.7	570	22.3	580	22.7
Face	03	72,268	31,227	43.2	15,084	20.9	14,417	19.9
Face, unspecified	030	4,646	974	21.0	1,036	22.3	1,108	23.8
Forehead	031	4,192	1,577	37.6	839	20.0	888	21.2
Eye(s)	032	53,096	25,536	48.1	11,279	21.2	9,981	18.8
Nose, nasal cavity	033	2,729	829	30.4	436	16.0	759	27.8
Nose, except internal location of diseases or disorders	0330	2,479	780	31.5	369	14.9	723	29.2
Internal nasal location, unspecified	0331	104	36	34.6	48	46.2	14	13.5
Sinuses	0334	127	10	7.9	5	3.9	20	15.7
Cheek(s)	034	971	296	30.5	171	17.6	189	19.5
Jaw/chin	035	1,405	246	17.5	431	30.7	260	18.5
Mouth	036	2,493	994	39.9	398	16.0	571	22.9
Mouth, unspecified	0360	421	247	58.7	34	8.1	72	17.1
Lip(s)	0361	579	188	32.5	94	16.2	151	26.1
Tongue	0362	42	21	50.0	13	31.0	8	19.0
Tooth(teeth)	0363	1,027	451	43.9	184	17.9	196	19.1
Multiple mouth locations	0368	368	52	14.1	74	20.1	130	35.3
Multiple face locations	038	2,471	700	28.3	415	16.8	614	24.8
Face, n.e.c.	039	265	75	28.3	79	29.8	49	18.5
Multiple head locations	08	2,037	375	18.4	447	21.9	496	24.3
Head, n.e.c.	09	81	2	2.5	7	8.6	50	61.7
Neck, including throat	1	30,889	4,439	14.4	4,155	13.5	6,503	21.1
Neck, except internal location of diseases or disorders	10	30,744	4,397	14.3	4,143	13.5	6,492	21.1
Internal neck location, unspecified	11	67	21	31.3	12	17.9	8	11.9
Trunk	2	631,173	82,475	13.1	75,890	12.0	134,861	21.4
Trunk, unspecified	20	3,240	603	18.6	308	9.5	809	25.0
Shoulder, including clavicle, scapula	21	93,787	11,176	11.9	9,457	10.1	16,234	17.3
Chest, including ribs, internal organs	22	26,972	5,035	18.7	4,316	16.0	5,779	21.4
Chest, except internal location of diseases or disorders	220	24,098	4,632	19.2	3,885	16.1	5,176	21.5
Internal chest location, unspecified	221	267	38	14.2	42	15.7	75	28.1
Heart	223	582	27	4.6	20	3.4	62	10.7
Bronchus	224	396	41	10.4	82	20.7	76	19.2
Lung(s), pleura	225	1,597	297	18.6	278	17.4	387	24.2
Back, including spine, spinal cord	23	424,251	56,903	13.4	55,419	13.1	98,666	23.3
Back, including spine, spinal cord, unspecified	230	176,837	24,445	13.8	23,373	13.2	41,057	23.2
Lumbar region	231	211,131	27,036	12.8	27,075	12.8	48,852	23.1
Thoracic region	232	15,956	3,166	19.8	2,049	12.8	4,336	27.2
Sacral region	233	2,039	251	12.3	227	11.1	616	30.2
Coccygeal region	234	2,985	397	13.3	651	21.8	614	20.6
Multiple back regions	238	14,659	1,528	10.4	2,015	13.7	3,112	21.2
Back, including spine, spinal cord, n.e.c.	239	646	80	12.4	31	4.8	78	12.1

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 1999 — Continued

Part of body	Percent of days-away-from-work cases involving —								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Total	226,406	13.3	193,564	11.4	107,415	6.3	334,483	19.6	6
Head	10,115	9.4	5,163	4.8	2,100	1.9	6,528	6.1	2
Head, unspecified	2,348	12.2	1,278	6.6	315	1.6	1,894	9.8	3
Cranial region, including skull	1,929	16.8	815	7.1	339	3.0	1,726	15.1	4
Cranial region, unspecified	48	13.1	27	7.4	1	.3	58	15.8	3
Brain	1,364	19.2	513	7.2	250	3.5	1,102	15.5	5
Scalp	470	14.0	224	6.7	59	1.8	277	8.3	3
Skull	47	8.2	43	7.5	25	4.4	271	47.5	22
Cranial region, n.e.c.	—	—	9	20.5	—	—	3	6.8	2
Ear(s)	538	21.0	189	7.4	56	2.2	196	7.7	3
Face	5,133	7.1	2,784	3.9	1,343	1.9	2,281	3.2	2
Face, unspecified	625	13.5	324	7.0	235	5.1	344	7.4	3
Forehead	413	9.9	164	3.9	108	2.6	203	4.8	2
Eye(s)	2,943	5.5	1,558	2.9	691	1.3	1,108	2.1	2
Nose, nasal cavity	281	10.3	207	7.6	101	3.7	116	4.3	3
Nose, except internal location of diseases or disorders	187	7.5	202	8.1	101	4.1	116	4.7	3
Internal nasal location, unspecified	1	1.0	4	3.8	—	—	1	1.0	2
Sinuses	93	73.2	—	—	—	—	—	—	8
Cheek(s)	103	10.6	80	8.2	65	6.7	67	6.9	3
Jaw/chin	172	12.2	146	10.4	38	2.7	113	8.0	3
Mouth	337	13.5	120	4.8	17	.7	56	2.2	2
Mouth, unspecified	34	8.1	12	2.9	4	1.0	19	4.5	1
Lip(s)	83	14.3	42	7.3	—	—	21	3.6	3
Tongue	—	—	—	—	—	—	—	—	1
Tooth(teeth)	117	11.4	61	5.9	7	.7	11	1.1	2
Multiple mouth locations	103	28.0	6	1.6	4	1.1	2	.5	3
Multiple face locations	241	9.8	166	6.7	88	3.6	247	10.0	3
Face, n.e.c.	17	6.4	19	7.2	1	.4	25	9.4	2
Multiple head locations	163	8.0	86	4.2	47	2.3	425	20.9	3
Head, n.e.c.	4	4.9	11	13.6	—	—	6	7.4	3
Neck, including throat	3,447	11.2	3,216	10.4	1,394	4.5	7,734	25.0	6
Neck, except internal location of diseases or disorders	3,425	11.1	3,213	10.5	1,376	4.5	7,698	25.0	6
Internal neck location, unspecified	5	7.5	1	1.5	17	25.4	4	6.0	5
Trunk	89,102	14.1	75,165	11.9	41,691	6.6	131,989	20.9	7
Trunk, unspecified	414	12.8	473	14.6	134	4.1	498	15.4	5
Shoulder, including clavicle, scapula	11,399	12.2	11,752	12.5	7,210	7.7	26,559	28.3	10
Chest, including ribs, internal organs	3,621	13.4	3,308	12.3	1,448	5.4	3,465	12.8	5
Chest, except internal location of diseases or disorders	3,338	13.9	3,078	12.8	1,319	5.5	2,671	11.1	4
Internal chest location, unspecified	25	9.4	4	1.5	4	1.5	79	29.6	4
Heart	22	3.8	42	7.2	22	3.8	387	66.5	53
Bronchus	51	12.9	69	17.4	43	10.9	33	8.3	5
Lung(s), pleura	183	11.5	107	6.7	59	3.7	287	18.0	3
Back, including spine, spinal cord	63,185	14.9	46,447	10.9	22,414	5.3	81,216	19.1	6
Back, including spine, spinal cord, unspecified	26,242	14.8	17,770	10.0	8,891	5.0	35,059	19.8	5
Lumbar region	32,513	15.4	24,662	11.7	11,437	5.4	39,557	18.7	6
Thoracic region	1,739	10.9	1,631	10.2	780	4.9	2,254	14.1	4
Sacral region	399	19.6	254	12.5	113	5.5	179	8.8	5
Coccygeal region	412	13.8	258	8.6	198	6.6	455	15.2	4
Multiple back regions	1,709	11.7	1,802	12.3	971	6.6	3,522	24.0	7
Back, including spine, spinal cord, n.e.c.	171	26.5	71	11.0	25	3.9	190	29.4	10

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 1999 — Continued

Part of body	Part of body code ²	Private industry ³	Percent of days-away-from-work cases involving —					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Abdomen	24	38,724	2,529	6.5	2,030	5.2	3,923	10.1
Abdomen, except internal location of diseases or disorders	240	10,681	1,904	17.8	1,446	13.5	1,947	18.2
Internal abdominal location, unspecified	241	13,919	338	2.4	129	.9	986	7.1
Stomach organ	242	648	44	6.8	59	9.1	206	31.8
Urinary organs	244	18	—	—	—	—	4	22.2
Intestines, peritoneum	245	13,220	243	1.8	393	3.0	767	5.8
Intestines, peritoneum, unspecified	2450	11,232	208	1.9	332	3.0	638	5.7
Peritoneum	2451	506	18	3.6	5	1.0	9	1.8
Small intestine	2452	76	—	—	4	5.3	—	—
Large intestine/colon, rectum	2453	855	18	2.1	40	4.7	118	13.8
Multiple intestinal locations	2458	86	—	—	—	—	—	—
Intestines, n.e.c.	2459	464	—	—	14	3.0	2	.4
Liver	2461	19	—	—	—	—	—	—
Internal abdominal location, n.e.c.	249	202	—	—	2	1.0	13	6.4
Pelvic region	25	29,910	4,441	14.8	3,104	10.4	6,170	20.6
Pelvic region, unspecified	250	529	116	21.9	55	10.4	38	7.2
Hip(s)	251	12,021	1,673	13.9	1,269	10.6	2,394	19.9
Pelvis	252	1,054	48	4.6	45	4.3	386	36.6
Buttock(s)	253	1,601	330	20.6	152	9.5	325	20.3
Groin	254	12,918	1,772	13.7	1,368	10.6	2,722	21.1
External reproductive tract structures	255	1,003	443	44.2	72	7.2	187	18.6
External reproductive tract structures, unspecified	2550	89	6	6.7	5	5.6	27	30.3
Scrotum	2551	847	427	50.4	55	6.5	125	14.8
Internal reproductive tract structures	256	121	4	3.3	32	26.4	37	30.6
Uterus	2564	52	—	—	18	34.6	34	65.4
Multiple pelvic region locations	258	382	36	9.4	24	6.3	50	13.1
Pelvic region, n.e.c.	259	280	20	7.1	86	30.7	31	11.1
Multiple trunk locations	28	14,179	1,762	12.4	1,247	8.8	3,244	22.9
Trunk, n.e.c.	29	111	25	22.5	10	9.0	35	31.5
Upper extremities	3	397,118	68,830	17.3	50,125	12.6	76,723	19.3
Upper extremities, unspecified	30	770	62	8.1	30	3.9	99	12.9
Arm(s)	31	74,302	10,952	14.7	8,759	11.8	14,933	20.1
Arm(s), unspecified	310	27,089	4,027	14.9	3,160	11.7	6,037	22.3
Upper arm(s)	311	4,160	519	12.5	459	11.0	878	21.1
Elbow(s)	312	27,291	3,183	11.7	2,944	10.8	4,828	17.7
Forearm(s)	313	12,458	2,551	20.5	1,924	15.4	2,738	22.0
Multiple arm(s) locations	318	2,746	628	22.9	263	9.6	298	10.9
Arm(s), n.e.c.	319	558	44	7.9	10	1.8	155	27.8
Wrist(s)	32	84,410	9,273	11.0	7,501	8.9	12,948	15.3
Hand(s), except finger(s)	33	70,809	13,821	19.5	11,032	15.6	14,947	21.1
Finger(s), fingernail(s)	34	149,475	32,287	21.6	20,788	13.9	30,767	20.6
Multiple upper extremities locations	38	17,243	2,423	14.1	2,010	11.7	3,015	17.5
Multiple upper extremities locations, unspecified	380	514	167	32.5	9	1.8	95	18.5
Hand(s) and finger(s)	381	4,807	913	19.0	578	12.0	979	20.4
Hand(s) and wrist(s)	382	3,564	427	12.0	697	19.6	577	16.2
Hand(s) and arm(s)	383	2,385	340	14.3	154	6.5	285	11.9
Multiple upper extremities locations, n.e.c.	389	5,974	576	9.6	572	9.6	1,078	18.0
Upper extremities, n.e.c.	39	109	13	11.9	5	4.6	14	12.8
Lower extremities	4	350,202	48,220	13.8	44,228	12.6	71,877	20.5
Lower extremities, unspecified	40	309	22	7.1	7	2.3	64	20.7
Leg(s)	41	177,645	20,656	11.6	19,437	10.9	33,726	19.0

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 1999 — Continued

Part of body	Percent of days-away-from-work cases involving —								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Abdomen	4,482	11.6	8,241	21.3	7,531	19.4	9,988	25.8	18
Abdomen, except internal location of diseases or disorders	1,147	10.7	1,318	12.3	1,288	12.1	1,631	15.3	6
Internal abdominal location, unspecified	1,585	11.4	3,504	25.2	2,732	19.6	4,645	33.4	23
Stomach organ	56	8.6	74	11.4	83	12.8	126	19.4	8
Urinary organs	2	11.1	1	5.6	2	11.1	9	50.0	40
Intestines, peritoneum	1,687	12.8	3,304	25.0	3,399	25.7	3,425	25.9	21
Intestines, peritoneum, unspecified	1,474	13.1	2,805	25.0	2,696	24.0	3,078	27.4	21
Peritoneum	64	12.6	159	31.4	99	19.6	152	30.0	20
Small intestine	16	21.1	23	30.3	18	23.7	16	21.1	20
Large intestine/colon, rectum	71	8.3	230	26.9	231	27.0	148	17.3	16
Multiple intestinal locations	—	—	—	—	86	100.0	—	—	28
Intestines, n.e.c.	61	13.1	88	19.0	269	58.0	31	6.7	30
Liver	—	—	16	84.2	—	—	3	15.8	15
Internal abdominal location, n.e.c.	5	2.5	21	10.4	26	12.9	135	66.8	50
Pelvic region	3,834	12.8	3,513	11.7	2,219	7.4	6,628	22.2	7
Pelvic region, unspecified	80	15.1	52	9.8	40	7.6	149	28.2	10
Hip(s)	1,131	9.4	970	8.1	792	6.6	3,792	31.5	8
Pelvis	22	2.1	143	13.6	81	7.7	330	31.3	13
Buttock(s)	221	13.8	127	7.9	111	6.9	334	20.9	5
Groin	2,094	16.2	2,080	16.1	1,101	8.5	1,780	13.8	7
External reproductive tract structures	160	16.0	61	6.1	33	3.3	48	4.8	2
External reproductive tract structures, unspecified	25	28.1	7	7.9	7	7.9	12	13.5	7
Scrotum	135	15.9	51	6.0	26	3.1	29	3.4	1
Internal reproductive tract structures	6	5.0	3	2.5	4	3.3	35	28.9	3
Uterus	—	—	—	—	—	—	—	—	3
Multiple pelvic region locations	78	20.4	52	13.6	51	13.4	92	24.1	11
Pelvic region, n.e.c.	42	15.0	25	8.9	7	2.5	68	24.3	6
Multiple trunk locations	2,165	15.3	1,402	9.9	734	5.2	3,626	25.6	7
Trunk, n.e.c.	2	1.8	29	26.1	1	.9	9	8.1	5
Upper extremities	55,031	13.9	45,858	11.5	26,180	6.6	74,371	18.7	6
Upper extremities, unspecified	320	41.6	86	11.2	19	2.5	154	20.0	10
Arm(s)	10,536	14.2	9,199	12.4	5,058	6.8	14,864	20.0	7
Arm(s), unspecified	3,320	12.3	3,140	11.6	1,769	6.5	5,638	20.8	6
Upper arm(s)	530	12.7	394	9.5	288	6.9	1,093	26.3	8
Elbow(s)	4,726	17.3	3,478	12.7	2,231	8.2	5,902	21.6	9
Forearm(s)	1,413	11.3	1,797	14.4	533	4.3	1,501	12.0	5
Multiple arm(s) locations	504	18.4	331	12.1	95	3.5	628	22.9	8
Arm(s), n.e.c.	43	7.7	60	10.8	144	25.8	103	18.5	15
Wrist(s)	10,822	12.8	10,633	12.6	7,334	8.7	25,901	30.7	12
Hand(s), except finger(s)	9,981	14.1	6,877	9.7	3,284	4.6	10,866	15.3	5
Finger(s), fingernail(s)	21,041	14.1	16,782	11.2	9,357	6.3	18,453	12.3	4
Multiple upper extremities locations	2,318	13.4	2,249	13.0	1,127	6.5	4,102	23.8	8
Multiple upper extremities locations, unspecified	33	6.4	54	10.5	35	6.8	122	23.7	4
Hand(s) and finger(s)	588	12.2	555	11.5	254	5.3	940	19.6	5
Hand(s) and wrist(s)	427	12.0	319	9.0	347	9.7	770	21.6	6
Hand(s) and arm(s)	509	21.3	458	19.2	132	5.5	508	21.3	9
Multiple upper extremities locations, n.e.c.	761	12.7	864	14.5	360	6.0	1,763	29.5	11
Upper extremities, n.e.c.	13	11.9	32	29.4	—	—	31	28.4	15
Lower extremities	46,449	13.3	41,833	11.9	25,033	7.1	72,562	20.7	7
Lower extremities, unspecified	10	3.2	65	21.0	31	10.0	110	35.6	20
Leg(s)	22,581	12.7	22,335	12.6	14,547	8.2	44,363	25.0	9

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 1999 — Continued

Part of body	Part of body code ²	Private industry ³	Percent of days-away-from-work cases involving —					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Leg(s), unspecified	410	27,024	3,657	13.5	3,144	11.6	5,386	19.9
Thigh(s)	411	6,450	1,121	17.4	929	14.4	1,405	21.8
Knee(s)	412	127,953	13,696	10.7	13,504	10.6	23,680	18.5
Lower leg(s)	413	12,570	1,755	14.0	1,419	11.3	2,351	18.7
Multiple leg(s) locations	418	3,063	370	12.1	367	12.0	789	25.8
Leg(s), n.e.c.	419	584	58	9.9	73	12.5	115	19.7
Ankle(s)	42	82,884	12,586	15.2	12,270	14.8	19,141	23.1
Foot(feet), except toe(s)	43	59,782	10,426	17.4	7,803	13.1	12,295	20.6
Foot(feet), except toe(s), unspecified	430	53,457	9,297	17.4	7,306	13.7	10,981	20.5
Instep(s)	431	220	73	33.2	4	1.8	26	11.8
Sole	432	5,162	915	17.7	468	9.1	935	18.1
Sole(s), unspecified	4320	1,101	470	42.7	102	9.3	277	25.2
Arch(es)	4322	112	20	17.9	5	4.5	13	11.6
Heel(s)	4323	3,810	424	11.1	360	9.4	624	16.4
Sole(s), n.e.c.	4329	118	1	.8	—	—	17	14.4
Multiple foot(feet) locations	438	241	20	8.3	4	1.7	69	28.6
Foot(feet), n.e.c.	439	702	120	17.1	21	3.0	285	40.6
Toe(s), toenail(s)	44	17,867	3,191	17.9	2,907	16.3	4,160	23.3
Multiple lower extremities locations	48	11,648	1,337	11.5	1,770	15.2	2,475	21.2
Multiple lower extremities locations, unspecified	480	216	44	20.4	43	19.9	12	5.6
Foot(feet) and leg(s)	481	1,201	119	9.9	113	9.4	284	23.6
Foot(feet) and ankle(s)	482	3,279	530	16.2	505	15.4	593	18.1
Foot(feet) and toe(s)	483	1,427	234	16.4	179	12.5	264	18.5
Multiple lower extremities locations, n.e.c.	489	5,525	410	7.4	930	16.8	1,321	23.9
Lower extremities, n.e.c.	49	68	2	2.9	34	50.0	16	23.5
Body systems	5	21,910	5,143	23.5	3,218	14.7	5,094	23.2
Multiple body parts	8	148,188	20,043	13.5	18,260	12.3	28,213	19.0
Other body parts	9	36	3	8.3	—	—	5	13.9
Nonclassifiable	9999	15,258	2,786	18.3	2,190	14.4	3,530	23.1

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 1999 — Continued

Part of body	Percent of days-away-from-work cases involving —								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Leg(s), unspecified	2,949	10.9	4,033	14.9	2,073	7.7	5,783	21.4	7
Thigh(s)	813	12.6	769	11.9	329	5.1	1,085	16.8	5
Knee(s)	15,995	12.5	15,761	12.3	10,696	8.4	34,621	27.1	10
Lower leg(s)	2,389	19.0	1,468	11.7	1,109	8.8	2,079	16.5	7
Multiple leg(s) locations	389	12.7	241	7.9	315	10.3	591	19.3	6
Leg(s), n.e.c.	47	8.0	63	10.8	26	4.5	204	34.9	11
Ankle(s)	11,439	13.8	9,410	11.4	4,838	5.8	13,200	15.9	5
Foot(feet), except toe(s)	8,868	14.8	6,239	10.4	3,665	6.1	10,486	17.5	5
Foot(feet), except toe(s), unspecified	8,093	15.1	5,429	10.2	3,312	6.2	9,039	16.9	5
Instep(s)	41	18.6	21	9.5	27	12.3	27	12.3	8
Sole	592	11.5	698	13.5	296	5.7	1,258	24.4	7
Sole(s), unspecified	64	5.8	120	10.9	10	.9	58	5.3	2
Arch(es)	—	—	57	50.9	3	2.7	12	10.7	12
Heel(s)	451	11.8	516	13.5	265	7.0	1,170	30.7	12
Sole(s), n.e.c.	70	59.3	5	4.2	18	15.3	7	5.9	7
Multiple foot(feet) locations	38	15.8	36	14.9	7	2.9	68	28.2	9
Foot(feet), n.e.c.	103	14.7	55	7.8	24	3.4	93	13.2	5
Toe(s), toenail(s)	2,263	12.7	2,326	13.0	1,307	7.3	1,714	9.6	5
Multiple lower extremities locations	1,279	11.0	1,456	12.5	645	5.5	2,686	23.1	6
Multiple lower extremities locations, unspecified	18	8.3	12	5.6	7	3.2	81	37.5	6
Foot(feet) and leg(s)	129	10.7	148	12.3	39	3.2	368	30.6	8
Foot(feet) and ankle(s)	416	12.7	337	10.3	157	4.8	741	22.6	6
Foot(feet) and toe(s)	198	13.9	76	5.3	86	6.0	390	27.3	6
Multiple lower extremities locations, n.e.c.	519	9.4	883	16.0	356	6.4	1,106	20.0	6
Lower extremities, n.e.c.	9	13.2	2	2.9	1	1.5	3	4.4	2
Body systems	2,164	9.9	1,450	6.6	1,080	4.9	3,761	17.2	3
Multiple body parts	18,201	12.3	19,034	12.8	9,334	6.3	35,103	23.7	8
Other body parts	—	—	16	44.4	—	—	13	36.1	—
Nonclassifiable	1,897	12.4	1,831	12.0	602	3.9	2,422	15.9	5

¹ Days-away-from-work cases include those which result in days away from work with or without restricted work activity.

² Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dashes indicate data that are not available. Because of rounding, data may not sum to totals.
n.e.c. = not elsewhere classified.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor