

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, sex, and length of service with employer, 2005

Nature	Nature code ²	Private industry ³	Sex			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Total		1,234,680	814,250	415,880	4,540	166,870	262,040	417,570	377,890	10,310
Traumatic injuries and disorders	0	1,145,900	763,000	379,180	3,720	159,700	247,630	389,230	340,850	8,500
Traumatic injuries and disorders, unspecified	00	38,480	24,980	13,480	20	6,470	8,250	13,240	10,180	340
Traumatic injuries to bones, nerves, spinal cord	01	107,620	75,780	31,420	420	15,680	22,780	34,070	34,230	870
Traumatic injuries to bones, nerves, spinal cord, unspecified	010	750	390	360	—	220	170	140	230	—
Dislocations	011	10,050	6,760	3,260	40	1,050	2,460	3,000	3,490	50
Fractures	012	95,830	68,060	27,380	380	14,360	19,920	30,530	30,200	820
Traumatic injuries to nerves, except the spinal cord	014	570	420	160	—	20	40	360	150	—
Multiple traumatic injuries to bones nerves, spinal cord	018	250	80	170	—	30	110	—	90	—
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	019	160	70	100	—	—	80	30	50	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	02	508,760	323,700	182,940	2,120	58,520	106,680	176,850	162,920	3,790
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	020	4,220	2,820	1,340	60	550	720	1,600	1,270	80
Sprains, strains, tears	021	503,530	320,350	181,100	2,070	57,870	105,660	174,960	161,330	3,710
Injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	029	1,020	520	490	—	100	310	290	320	—
Open wounds	03	135,540	109,420	25,820	300	25,840	33,120	45,050	30,780	750
Open wounds, unspecified	030	1,100	1,040	50	—	80	340	270	350	—
Amputations	031	8,450	7,330	1,100	30	1,480	1,660	2,750	2,510	50
Amputations, fingertip	0311	5,780	4,910	860	—	1,030	1,180	1,810	1,740	20
Amputations, except fingertip	0319	2,660	2,410	240	—	440	480	940	770	30
Animal or insect bites	032	4,530	2,140	2,380	—	680	1,120	1,680	1,050	—
Avulsions	033	1,630	1,260	370	—	250	350	580	450	—
Cuts, lacerations	034	101,660	81,560	19,860	240	19,650	24,270	34,180	23,000	560
Gunshot wounds	036	480	440	40	—	—	320	90	60	—
Punctures, except bites	037	17,210	15,240	1,940	30	3,580	5,030	5,310	3,210	80
Multiple open wounds	038	90	80	—	—	20	—	60	—	—
Open wounds, n.e.c.	039	400	330	70	—	90	30	130	140	—
Surface wounds and bruises ..	04	132,490	84,920	46,900	670	21,920	29,090	43,700	36,510	1,280

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, sex, and length of service with employer, 2005 — Continued

Nature	Nature code ²	Private industry ³	Sex			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Surface wounds and bruises, unspecified	040	390	330	60	—	120	70	160	50	—
Abrasions, scratches	041	9,750	7,120	2,590	40	1,760	2,050	3,410	2,470	50
Blisters	042	480	330	150	—	200	80	120	90	—
Bruises, contusions	043	107,770	64,190	42,980	600	17,580	23,920	35,110	30,000	1,160
Foreign bodies (superficial splinters, chips)	044	13,120	12,270	820	40	2,090	2,880	4,610	3,480	60
Friction burns	045	90	80	—	—	30	—	50	—	—
Multiple surface wounds and bruises	048	580	430	140	—	110	70	150	250	—
Surface wounds and bruises, n.e.c.	049	320	160	160	—	40	20	100	150	—
Burns	05	24,890	17,430	7,420	50	4,710	5,960	8,620	5,480	120
Burns, unspecified	050	40	30	—	—	—	—	—	20	—
Chemical burns	051	6,360	4,900	1,450	—	1,100	1,200	2,400	1,610	40
Electrical burns	052	1,280	1,190	70	20	310	210	410	320	20
Heat burns, scalds	053	17,150	11,280	5,850	30	3,290	4,500	5,790	3,510	60
Burns, n.e.c.	059	60	20	50	—	—	40	—	—	—
Intracranial injuries	06	6,870	4,340	2,510	30	1,180	1,540	2,510	1,580	50
Intracranial injuries, unspecified	060	110	70	50	—	20	50	30	—	—
Cerebral hemorrhages	061	70	30	30	—	—	30	30	—	—
Concussions	062	6,590	4,170	2,400	30	1,160	1,450	2,430	1,500	50
Multiple intracranial injuries	068	20	20	—	—	—	—	—	—	—
Intracranial injuries, n.e.c.	069	80	50	—	—	—	—	—	70	—
Effects of environmental conditions	07	2,560	2,150	390	20	560	450	660	880	20
Effects of reduced temperature	071	170	100	70	—	—	50	70	40	—
Frostbite	0711	110	80	30	—	—	50	50	—	—
Effects of reduced temperature, n.e.c.	0719	30	—	30	—	—	—	—	30	—
Effects of heat and light	072	2,280	1,980	290	20	540	400	560	750	20
Effects of heat and light, unspecified	0720	70	60	—	—	—	20	20	—	—
Heat stroke	0721	320	310	—	—	80	70	100	70	—
Heat syncope	0722	70	20	50	—	40	—	20	—	—
Heat fatigue	0723	550	510	40	—	90	80	60	330	—
Heat edema	0724	20	—	—	—	—	—	—	—	—
Multiple effects of heat and light	0728	30	30	—	—	—	—	—	—	—
Effects of heat and light, n.e.c.	0729	1,220	1,030	170	—	310	230	350	320	20
Effects of air pressure	073	90	60	30	—	—	—	—	80	—

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, sex, and length of service with employer, 2005 — Continued

Nature	Nature code ²	Private industry ³	Sex			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Effects of air pressure, unspecified	0730	40	40	—	—	—	—	—	40	—
Aero-otitis media	0731	30	—	30	—	—	—	—	20	—
Effects of air pressure, n.e.c.	0739	20	—	—	—	—	—	—	20	—
Multiple traumatic injuries and disorders	08	50,090	31,200	18,890	—	7,430	10,680	16,480	15,090	400
Multiple traumatic injuries and disorders, unspecified	080	1,460	820	630	—	170	280	510	480	—
Cuts, abrasions, bruises	081	8,040	5,470	2,570	—	1,430	1,510	2,440	2,580	60
Sprains and bruises	082	21,240	11,390	9,850	—	3,240	5,060	7,360	5,550	30
Fractures and burns	083	100	70	30	—	—	—	60	30	—
Fractures and other injuries	084	9,660	7,220	2,440	—	1,310	2,050	2,720	3,580	—
Burns and other injuries	085	310	280	30	—	70	110	80	50	—
Intracranial injuries and injuries to internal organs	086	30	20	—	—	—	—	—	—	—
Other combinations of traumatic injuries and disorders, n.e.c.	089	9,250	5,910	3,330	—	1,200	1,660	3,290	2,800	290
Other traumatic injuries and disorders	09	138,590	89,090	49,410	90	17,410	29,070	48,040	43,200	860
Other traumatic injuries and disorders, unspecified	090	440	200	240	—	60	60	260	60	—
Asphyxiations/strangulations, suffocations	091	250	130	120	—	60	—	50	130	—
Electrocutions, electric shocks	093	1,700	1,270	430	—	230	450	680	320	20
Internal injuries to organs and blood vessels of the trunk	094	160	150	—	—	20	—	110	20	—
Other poisonings and toxic effects	095	6,710	4,420	2,270	30	1,080	1,730	2,350	1,510	50
Other poisonings and toxic effects, unspecified	0950	360	80	290	—	—	90	200	70	—
Animal or insect bites, venomous	0951	3,990	2,950	1,010	30	680	970	1,400	910	30
Other poisonings and toxic effects, n.e.c.	0959	2,360	1,390	970	—	390	680	740	530	20
Traumatic complications	096	100	30	70	—	40	—	20	20	—
Multiple traumatic complications	0968	20	—	—	—	—	—	—	—	—
Traumatic complications, n.e.c.	0969	70	20	50	—	40	—	—	—	—

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, sex, and length of service with employer, 2005 — Continued

Nature	Nature code ²	Private industry ³	Sex			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Nonspecified injuries and disorders	097	127,960	82,110	45,800	50	15,750	26,530	44,120	40,760	800
Crushing injuries	0971	14,430	11,850	2,540	40	2,780	3,380	4,560	3,620	90
Back pain, hurt back	0972	35,650	22,940	12,700	—	3,600	7,040	12,450	12,350	200
Soreness, pain, hurt, except the back	0973	65,160	39,350	25,800	—	7,560	13,650	22,560	21,100	290
Multiple nonspecified injuries and disorders ...	0978	5,110	2,890	2,230	—	630	1,160	1,760	1,560	—
Nonspecified injuries and disorders, n.e.c.	0979	7,610	5,080	2,530	—	1,190	1,310	2,790	2,120	200
Other traumatic injuries and disorders, n.e.c.	099	1,260	780	480	—	160	270	440	380	—
Systemic diseases and disorders	1	64,740	40,930	23,730	80	4,450	9,940	20,850	29,180	320
Systemic diseases and disorders, unspecified	10	380	200	190	—	—	70	120	190	—
Diseases of the blood and blood forming organs	11	20	—	—	—	—	—	—	—	—
Nervous system and sense organs diseases	12	21,990	10,080	11,890	20	1,100	2,580	6,130	12,120	60
Nervous system and sense organs diseases, unspecified	120	30	30	—	—	—	—	—	30	—
Inflammatory diseases of the central nervous system	121	30	30	—	—	—	—	—	—	—
Inflammatory diseases of the central nervous system, unspecified	1210	20	20	—	—	—	—	—	—	—
Degenerative diseases of the central nervous system	122	20	20	—	—	—	—	—	20	—
Degenerative diseases of the central nervous system, unspecified	1220	20	—	—	—	—	—	—	—	—
Other disorders of the central nervous system	123	70	60	—	—	—	40	—	20	—
Migraine	1232	60	50	—	—	—	40	—	—	—
Disorders of the peripheral nervous system	124	17,140	6,210	10,930	—	190	1,510	4,570	10,840	30
Disorders of the peripheral nervous system, unspecified	1240	190	80	110	—	—	—	60	120	—
Carpal tunnel syndrome	1241	16,460	5,890	10,560	—	190	1,470	4,320	10,450	30

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, sex, and length of service with employer, 2005 — Continued

Nature	Nature code ²	Private industry ³	Sex			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Inflammatory and toxic neuropathy, toxic polyneuropathy	1242	110	40	70	-	-	-	20	90	-
Other disorders of the peripheral nervous system, n.e.c.	1249	370	190	180	-	-	20	180	170	-
Disorders of the eye, adnexa, vision	125	4,270	3,610	650	-	900	1,000	1,490	870	-
Disorders of the eye, adnexa, vision, unspecified	1250	280	130	150	-	40	60	110	70	-
Conjunctivitis non-viral	1252	870	510	350	-	180	220	240	210	-
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	1253	350	290	60	-	30	80	130	110	-
Blindness, low vision	1255	430	420	-	-	-	-	420	-	-
Welder's flash	1256	1,940	1,930	-	-	620	510	490	320	-
Visual disturbances	1258	120	100	20	-	-	80	20	-	-
Disorders of the eye, adnexa, vision, n.e.c. ..	1259	280	210	60	-	20	40	70	140	-
Disorders of the ear, mastoid process, hearing	126	210	130	80	-	-	-	40	120	20
Disorders of the ear, mastoid process, hearing, unspecified	1260	20	20	-	-	-	-	-	-	-
Deafness, hearing loss or impairment	1261	100	50	50	-	-	-	-	70	20
Tinnitus	1262	30	-	-	-	-	-	-	-	-
Disorders of the ear, mastoid process, and hearing, n.e.c.	1269	50	30	-	-	-	-	20	30	-
Nervous system and sense organs diseases, n.e.c. ...	129	220	-	210	-	-	-	-	210	-
Circulatory system diseases ..	13	540	470	70	-	80	70	80	300	20
Hypertensive disease	132	40	-	20	-	20	-	-	-	-
Ischemic heart disease, including heart attack	133	330	310	20	-	40	30	50	190	20
Myocardial infarction (heart attack)	1331	320	300	20	-	40	30	40	190	20
Cerebrovascular disease ...	136	30	30	-	-	-	-	-	-	-
Stroke	1361	30	30	-	-	-	-	-	-	-
Diseases of the veins, lymphatics	138	100	90	-	-	20	-	-	60	-
Hemorrhoids	1382	60	50	-	-	-	-	-	40	-

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, sex, and length of service with employer, 2005 — Continued

Nature	Nature code ²	Private industry ³	Sex			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Respiratory system diseases	14	1,830	550	1,270	—	100	190	920	610	—
Respiratory system diseases, unspecified	140	180	70	100	—	—	—	110	50	—
Acute respiratory infections (including common cold)	141	50	20	30	—	—	20	—	20	—
Other diseases of upper respiratory tract	142	130	40	100	—	—	20	40	60	—
Other diseases of upper respiratory tract, unspecified	1420	30	—	20	—	—	—	—	20	—
Allergic rhinitis	1421	40	—	30	—	—	—	—	20	—
Other diseases of upper respiratory tract, n.e.c.	1429	50	20	30	—	—	—	30	—	—
Pneumonia, influenza	143	300	130	170	—	20	40	70	170	—
Pneumonia	1431	220	70	150	—	—	40	—	170	—
Influenza	1432	60	—	—	—	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions	144	1,020	190	820	—	50	90	640	230	—
Chronic obstructive pulmonary disease and allied conditions, unspecified	1440	40	30	—	—	—	30	—	—	—
Bronchitis	1441	20	20	—	—	—	—	—	—	—
Extrinsic asthma	1443	580	140	450	—	40	50	330	170	—
Extrinsic allergic alveolitis and pneumonitis (including farmer's lung, bagassosis)	1444	300	—	300	—	—	—	260	30	—
Chronic obstructive pulmonary disease and allied conditions, n.e.c.	1449	70	—	60	—	—	—	50	20	—
Pneumonopathy	146	30	—	20	—	—	—	—	20	—
Other respiratory system diseases	149	100	70	30	—	—	20	40	50	—
Other respiratory system diseases, unspecified ...	1490	40	30	20	—	—	20	—	20	—
Other respiratory system diseases, n.e.c.	1499	40	20	20	—	—	—	20	20	—
Digestive system diseases and disorders	15	20,480	19,090	1,360	40	1,320	3,390	6,970	8,630	170
Hernia	153	20,480	19,090	1,350	40	1,320	3,390	6,970	8,630	170
Hernia, unspecified	1530	9,280	8,500	750	30	660	1,520	2,930	4,060	110

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, sex, and length of service with employer, 2005 — Continued

Nature	Nature code ²	Private industry ³	Sex			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Inguinal hernia	1531	7,820	7,580	240	—	500	1,470	2,730	3,100	30
Hiatal hernia	1532	340	280	50	—	—	20	170	100	—
Ventral hernia	1533	1,550	1,380	160	—	90	150	630	670	—
Hernia, n.e.c.	1539	1,490	1,350	140	—	60	230	500	690	—
Musculoskeletal system and connective tissue diseases and disorders	17	14,280	7,200	7,070	—	1,010	2,450	4,790	5,970	60
Musculoskeletal system and connective tissue diseases and disorders, unspecified	170	170	110	50	—	—	30	60	80	—
Arthropathies and related disorders (arthritis)	171	170	70	100	—	—	60	30	70	—
Dorsopathies	172	1,390	1,020	370	—	130	200	560	500	—
Dorsopathies, unspecified	1720	50	—	40	—	—	—	40	—	—
Sciatica	1721	420	270	160	—	60	70	210	80	—
Lumbago	1722	30	20	—	—	—	—	—	—	—
Disc disorders, except dislocation	1723	230	160	70	—	20	50	90	80	—
Dorsopathies, n.e.c.	1729	660	550	100	—	50	80	220	310	—
Rheumatism, except the back	173	12,400	5,950	6,440	—	870	2,140	4,090	5,240	60
Rheumatism, except the back, unspecified	1730	880	450	430	—	90	240	320	190	30
Bursitis	1731	880	440	430	—	30	80	270	500	—
Synovitis	1732	50	20	20	—	—	—	20	—	—
Tendonitis	1733	5,720	2,570	3,160	—	510	1,150	2,030	2,020	—
Tenosynovitis	1734	640	270	360	—	20	110	170	310	—
Ganglion/cystic tumor	1735	760	290	460	—	20	180	200	360	—
Rheumatism, except the back, n.e.c.	1739	3,490	1,910	1,580	—	190	370	1,080	1,850	—
Osteopathies, chondropathies, acquired deformities	174	70	30	40	—	—	—	30	40	—
Osteopathies, chondropathies, acquired deformities, unspecified	1740	30	—	20	—	—	—	—	—	—
Osteopathies, chondropathies, acquired deformities, n.e.c.	1749	40	20	20	—	—	—	—	30	—
Musculoskeletal system and connective tissue diseases and disorders, n.e.c.	179	80	20	60	—	—	—	20	50	—

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, sex, and length of service with employer, 2005 — Continued

Nature	Nature code ²	Private industry ³	Sex			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Disorders of the skin and subcutaneous tissue	18	5,000	3,170	1,830	—	810	1,190	1,690	1,310	—
Disorders of the skin and subcutaneous tissue, unspecified	180	250	180	70	—	90	40	30	100	—
Infections of the skin and subcutaneous tissue	181	1,090	760	330	—	90	200	410	380	—
Infections of the skin and subcutaneous tissue, unspecified	1810	290	190	100	—	—	90	150	40	—
Cellulitis and abscess	1812	580	460	120	—	40	70	250	230	—
Pilonidal cyst	1815	80	40	40	—	—	—	—	50	—
Infections of the skin and subcutaneous tissue, n.e.c.	1819	110	70	50	—	—	50	—	50	—
Dermatitis	182	3,100	2,010	1,090	—	580	780	1,130	610	—
Dermatitis, unspecified ...	1820	470	320	150	—	50	70	250	90	—
Atopic dermatitis and related conditions	1821	20	—	20	—	—	—	—	20	—
Contact dermatitis and other eczema	1822	810	600	220	—	200	250	210	160	—
Allergic dermatitis	1823	980	570	410	—	230	310	300	150	—
Irritant dermatitis	1824	710	440	270	—	90	150	330	140	—
Other contact dermatitis	1825	30	20	—	—	—	—	—	—	—
Dermatitis, n.e.c.	1829	70	60	—	—	—	—	—	40	—
Other inflammatory conditions of the skin	183	190	60	130	—	—	40	50	100	—
Other inflammatory conditions of the skin, unspecified	1830	150	30	120	—	—	40	—	100	—
Other inflammatory conditions, n.e.c.	1839	20	—	—	—	—	—	—	—	—
Diseases of sebaceous glands	184	90	80	—	—	—	—	—	80	—
Sebaceous cyst	1842	90	80	—	—	—	—	—	80	—
Other diseases and disorders of the skin and subcutaneous tissue	189	280	80	200	—	40	130	70	40	—
Chronic skin ulcers	1897	30	20	—	—	—	—	—	—	—
Urticaria, hives	1898	210	50	160	—	—	120	60	20	—
Other diseases and disorders of the skin and subcutaneous tissue, n.e.c.	1899	40	—	40	—	—	—	—	—	—
Other systemic diseases and disorders	19	210	150	60	—	—	—	130	60	—

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, sex, and length of service with employer, 2005 — Continued

Nature	Nature code ²	Private industry ³	Sex			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Endocrine, nutritional, metabolic, and immunity disorder	191	110	110	—	—	—	—	70	30	—
Diseases and disorders of other endocrine glands	1912	100	100	—	—	—	—	60	30	—
Systemic diseases and disorders, n.e.c.	199	100	40	60	—	—	—	60	30	—
Infectious and parasitic diseases	2	1,770	340	1,430	—	320	350	590	510	—
Infectious and parasitic diseases, unspecified	20	20	20	—	—	—	20	—	—	—
Bacterial diseases	21	550	80	470	—	150	190	140	70	—
Tuberculoses	211	20	20	—	—	—	—	—	—	—
Tuberculoses, unspecified	2110	20	20	—	—	—	—	—	—	—
Other bacterial diseases	219	520	60	460	—	150	180	120	60	—
Diphtheria, whooping cough	2192	60	—	50	—	—	—	20	30	—
Septicemia	2197	80	—	70	—	—	—	50	—	—
Other bacterial diseases, n.e.c.	2199	360	30	330	—	150	140	40	20	—
Viral diseases	22	390	60	320	—	100	50	80	160	—
Non-arthropod-borne viral diseases of the central nervous system	222	50	—	50	—	50	—	—	—	—
Viral diseases accompanied by exanthem (eruptive fever)	223	170	30	130	—	30	—	40	90	—
Chickenpox	2233	130	—	120	—	30	—	30	70	—
Herpes zoster	2234	30	20	—	—	—	—	—	20	—
Viral hepatitis	225	20	20	—	—	—	—	—	—	—
Type A viral hepatitis (infectious hepatitis)	2251	20	20	—	—	—	—	—	—	—
Viral diseases of the conjunctiva	226	130	—	120	—	—	40	30	60	—
Viral conjunctivitis (ophthalmia)	2262	110	—	100	—	—	40	30	40	—
Other diseases due to viruses and Chlamydiae ...	229	20	—	20	—	—	—	—	—	—
Other arthropod-borne diseases	23	50	40	—	—	20	—	20	—	—
Lyme disease	237	40	30	—	—	20	—	20	—	—
Mycoses	24	100	—	90	—	—	20	30	40	—
Dermatophytosis (including athlete's foot, tinea)	241	90	—	80	—	—	20	30	40	—

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, sex, and length of service with employer, 2005 — Continued

Nature	Nature code ²	Private industry ³	Sex			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Infectious diseases peculiar to the intestines	26	200	80	120	—	—	20	50	120	—
Other salmonella infections	263	20	—	—	—	—	—	—	—	—
Shigellosis	264	20	—	20	—	—	—	—	—	—
Other bacterial food poisoning (including botulism and staphylococcal food poisoning)	265	90	50	40	—	—	—	20	60	—
Infectious diseases peculiar to the intestines, n.e.c.	269	60	—	50	—	—	—	20	40	—
Other infectious and parasitic diseases	29	480	60	410	—	30	50	290	110	—
Other infectious and parasitic diseases, unspecified	290	20	—	—	—	—	—	—	—	—
Pediculosis and phthirus infestation (lice)	293	30	—	30	—	—	—	—	—	—
Acariasis (including scabies, chiggers, mites)	294	430	60	370	—	20	40	250	110	—
Symptoms, signs, and ill-defined conditions	4	12,920	5,540	7,380	—	1,690	2,330	3,880	4,970	60
Symptoms, signs, and ill-defined conditions, unspecified	40	100	40	60	—	—	40	—	50	—
Symptoms	41	12,670	5,430	7,240	—	1,660	2,260	3,850	4,840	60
Symptoms, unspecified	410	440	180	260	—	—	20	120	290	—
General symptoms	411	4,540	1,960	2,580	—	870	840	1,120	1,660	50
General symptoms, unspecified	4110	140	50	100	—	30	50	60	—	—
Loss of consciousness not heat related	4111	950	380	580	—	140	90	360	360	—
Convulsions, seizures	4112	250	80	170	—	140	70	20	—	—
Dizziness	4114	1,270	670	600	—	330	290	150	500	—
Non-specified allergic reaction	4115	560	140	420	—	70	110	190	190	—
Multiple general symptoms	4118	150	50	100	—	20	30	70	30	—
General symptoms, n.e.c.	4119	1,200	590	610	—	140	190	270	540	50
Symptoms involving nervous and musculoskeletal systems	412	2,850	970	1,870	—	130	460	830	1,420	—

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, sex, and length of service with employer, 2005 — Continued

Nature	Nature code ²	Private industry ³	Sex			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Symptoms involving nervous and musculoskeletal systems, unspecified	4120	240	60	170	—	—	20	160	50	—
Spasms or tremors, n.e.c.	4121	40	—	30	—	—	—	30	—	—
Earache	4122	90	—	90	—	—	—	30	50	—
Eye strain	4123	40	—	40	—	—	—	—	—	—
Multiple symptoms involving nervous and musculoskeletal systems	4128	170	—	170	—	—	150	—	—	—
Symptoms involving nervous and musculoskeletal systems, n.e.c.	4129	2,270	890	1,370	—	130	270	570	1,300	—
Symptoms involving skin and other integumentary tissue	413	1,050	430	610	—	100	140	420	380	—
Symptoms involving skin and other integumentary tissue, unspecified	4130	150	30	120	—	30	—	60	40	—
Edema (including dropsy)	4131	750	370	390	—	60	120	270	310	—
Symptoms involving skin and other integumentary tissue, n.e.c.	4139	130	20	110	—	—	20	80	20	—
Symptoms involving head and neck	414	610	240	360	—	120	190	190	110	—
Symptoms involving head and neck, unspecified	4140	20	—	—	—	—	—	—	—	—
Headache, except migraine	4141	490	180	310	—	120	160	160	60	—
Multiple symptoms involving head and neck	4148	20	—	20	—	—	—	20	—	—
Symptoms involving head and neck, n.e.c. ...	4149	60	50	20	—	—	20	—	30	—
Symptoms involving cardiovascular system	415	30	—	30	—	—	—	30	—	—
Symptoms involving cardiovascular system, unspecified	4150	20	—	20	—	—	—	20	—	—

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, sex, and length of service with employer, 2005 — Continued

Nature	Nature code ²	Private industry ³	Sex			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Symptoms involving respiratory system and chest	416	2,080	1,110	970	—	360	340	680	690	—
Symptoms involving respiratory system and chest, unspecified	4160	1,100	640	460	—	250	50	410	400	—
Hyperventilation	4161	40	—	—	—	—	—	—	—	—
Chest pain	4164	250	130	120	—	—	50	80	110	—
Multiple symptoms involving respiratory system and chest	4168	50	40	20	—	—	20	20	—	—
Symptoms involving respiratory system and chest, n.e.c.	4169	640	260	370	—	100	190	180	170	—
Symptoms involving digestive and urinary system	417	310	150	170	—	—	30	210	60	—
Nausea and vomiting	4171	110	80	30	—	—	—	50	40	—
Abdominal pain, unspecified	4175	110	—	110	—	—	—	100	—	—
Multiple symptoms involving digestive or urinary system	4178	70	50	—	—	—	—	50	—	—
Multiple symptoms	418	730	380	340	—	40	240	200	240	—
Other symptoms, n.e.c.	419	50	—	—	—	—	—	50	—	—
Abnormal findings	42	80	—	60	—	—	20	—	40	—
Abnormal findings from histological and immunological studies	426	60	—	60	—	—	20	—	—	—
Other abnormal findings	429	20	—	—	—	—	—	—	20	—
Multiple symptoms, signs, and ill-defined conditions	48	60	40	20	—	—	—	20	30	—
Multiple chemical sensitivity	481	20	—	—	—	—	—	—	—	—
Multiple symptoms, signs, and ill-defined conditions, n.e.c.	489	30	30	—	—	—	—	—	30	—
Other diseases, conditions, and disorders	5	2,750	750	1,960	40	130	490	1,160	930	40
Mental disorders or syndromes	52	2,710	720	1,950	40	120	490	1,150	920	40
Mental disorder or syndrome, unspecified	520	120	50	50	20	—	—	30	60	20
Anxiety, stress, neurotic disorders	521	2,540	650	1,880	20	120	450	1,110	840	20
Anxiety, stress, neurotic disorders, unspecified ..	5210	1,160	190	950	20	30	190	520	390	20

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, sex, and length of service with employer, 2005 — Continued

Nature	Nature code ²	Private industry ³	Sex			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Post-traumatic anxiety acute	5211	210	80	140	—	30	70	60	50	—
Post-traumatic anxiety chronic	5212	50	30	—	—	—	—	—	—	—
Panic disorder	5213	30	—	20	—	—	20	—	—	—
Neurotic reaction to stress	5214	940	290	650	—	40	150	460	300	—
Multiple anxiety, stress, neurotic disorders	5218	140	50	90	—	—	—	50	80	—
Mental disorders or syndromes, n.e.c.	529	50	20	30	—	—	—	—	20	—
Other diseases, conditions, and disorders, n.e.c.	59	30	20	—	—	—	—	—	20	—
Multiple diseases, conditions, and disorders	8	300	200	100	—	40	40	140	80	—
Nonclassifiable	9999	6,290	3,480	2,100	710	550	1,260	1,720	1,370	1,390

¹ Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

² Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies