

TABLE R46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, 2006

Nature	Nature code ²	Private industry ³	Race or ethnic origin								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	Not reported
Total		1,183,500	523,320	94,370	158,760	15,350	3,820	5,190	680	790	381,230
Traumatic injuries and disorders	0	1,103,270	487,680	88,870	148,870	14,310	3,530	4,850	670	720	353,790
Traumatic injuries and disorders, unspecified	00	41,660	15,300	3,250	7,520	1,060	190	280	—	—	14,020
Traumatic injuries to bones, nerves, spinal cord	01	104,470	54,450	6,390	14,510	1,280	160	480	60	40	27,100
Traumatic injuries to bones, nerves, spinal cord, unspecified ...	010	640	450	—	90	—	—	—	—	—	80
Dislocations	011	8,750	4,820	450	830	150	—	20	—	20	2,450
Fractures	012	94,110	48,710	5,770	13,460	1,120	140	460	60	20	24,370
Traumatic injuries to spinal cord	013	140	30	90	—	—	—	—	—	—	—
Traumatic injuries to nerves, except the spinal cord	014	250	160	—	—	—	—	—	—	—	80
Multiple traumatic injuries to bones, nerves, spinal cord	018	360	160	40	80	—	—	—	—	—	70
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	019	230	130	30	30	—	—	—	—	—	30
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	02	477,360	211,910	37,830	53,980	4,760	1,640	1,770	150	390	164,940
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	020	3,840	1,950	370	300	—	—	—	—	—	1,200
Sprains, strains, tears	021	472,740	209,600	37,410	53,620	4,730	1,640	1,760	150	390	163,460
Injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	029	780	360	50	60	20	—	—	—	—	290
Open wounds	03	130,800	56,890	8,500	25,650	2,300	550	620	270	90	35,930
Open wounds, unspecified	030	780	210	—	190	80	—	—	—	—	290
Amputations	031	7,990	3,940	450	1,900	100	90	20	—	—	1,470
Amputations, fingertip	0311	5,630	2,750	290	1,360	70	80	20	—	—	1,050
Amputations, except fingertip	0319	2,360	1,190	160	540	20	—	—	—	—	420
Animal or insect bites	032	4,490	2,270	330	590	—	30	—	—	—	1,270
Avulsions	033	1,770	710	100	450	80	—	50	—	—	370
Cuts, lacerations	034	99,460	42,590	6,750	19,270	1,860	360	490	220	70	27,840
Gunshot wounds	036	110	40	20	—	—	—	—	—	—	40
Punctures, except bites	037	15,750	6,860	830	3,150	160	70	40	—	—	4,590
Multiple open wounds	038	60	20	—	20	—	—	—	—	—	20
Open wounds, n.e.c.	039	360	240	—	80	—	—	—	—	—	30
Surface wounds and bruises	04	125,360	50,650	10,880	17,530	1,620	350	580	60	100	43,610
Surface wounds and bruises, unspecified	040	320	120	30	60	—	—	—	—	—	100
Abrasions, scratches	041	9,240	3,590	740	1,800	140	50	50	—	—	2,880
Blisters	042	300	220	—	30	—	—	—	—	—	40
Bruises, contusions	043	101,260	39,740	9,240	13,220	1,350	280	430	50	90	36,870
Foreign bodies (superficial splinters, chips)	044	13,620	6,750	820	2,280	130	20	90	—	—	3,520

See footnotes at end of table.

TABLE R46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, 2006 — Continued

Nature	Nature code ²	Private industry ³	Race or ethnic origin									
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	Not reported	
Friction burns	045	60	20	—	—	—	—	—	—	—	—	20
Multiple surface wounds and bruises	048	390	140	30	60	—	—	—	—	—	—	150
Surface wounds and bruises, n.e.c.	049	170	70	—	70	—	—	—	—	—	—	20
Burns	05	26,050	10,720	2,810	4,530	380	80	90	30	—	—	7,390
Burns, unspecified	050	30	—	—	—	—	—	—	—	—	—	—
Chemical burns	051	7,490	3,300	700	1,200	70	30	—	20	—	—	2,150
Electrical burns	052	1,050	570	70	70	—	—	—	—	—	—	330
Heat burns, scalds	053	17,440	6,820	2,020	3,250	310	50	80	—	—	—	4,900
Multiple burns	058	20	—	—	—	—	—	—	—	—	—	—
Intracranial injuries	06	6,060	3,050	340	720	160	—	40	—	—	—	1,730
Intracranial injuries, unspecified	060	170	110	—	30	—	—	—	—	—	—	30
Cerebral hemorrhages	061	40	20	—	—	—	—	—	—	—	—	—
Concussions	062	5,830	2,910	340	680	150	—	40	—	—	—	1,690
Effects of environmental conditions	07	3,540	1,560	250	390	20	—	20	—	—	—	1,300
Effects of reduced temperature	071	290	—	20	—	—	—	—	—	—	—	260
Frostbite	0711	40	—	—	—	—	—	—	—	—	—	20
Hypothermia	0712	230	—	—	—	—	—	—	—	—	—	230
Effects of heat and light	072	3,020	1,530	230	380	20	—	20	—	—	—	850
Effects of heat and light, unspecified	0720	190	30	—	60	—	—	—	—	—	—	100
Heat stroke	0721	300	210	—	40	—	—	—	—	—	—	40
Heat syncope	0722	110	30	—	40	—	—	—	—	—	—	30
Heat fatigue	0723	370	120	20	40	—	—	—	—	—	—	170
Multiple effects of heat and light	0728	70	50	—	—	—	—	—	—	—	—	—
Effects of heat and light, n.e.c.	0729	1,990	1,090	180	200	20	—	—	—	—	—	490
Effects of air pressure	073	230	20	—	—	—	—	—	—	—	—	200
Effects of air pressure, unspecified	0730	90	—	—	—	—	—	—	—	—	—	90
Aero-otitis media	0731	50	—	—	—	—	—	—	—	—	—	40
Caisson disease, bends, divers' palsy	0733	20	20	—	—	—	—	—	—	—	—	—
Multiple effects of air pressure	0738	30	—	—	—	—	—	—	—	—	—	30
Effects of air pressure, n.e.c.	0739	50	—	—	—	—	—	—	—	—	—	40
Multiple traumatic injuries and disorders	08	45,890	20,910	4,370	6,740	640	170	480	20	20	—	12,550
Multiple traumatic injuries and disorders, unspecified	080	2,830	1,030	290	470	20	—	—	—	—	—	1,010
Cuts, abrasions, bruises	081	7,930	3,850	440	1,260	170	40	20	—	—	—	2,150
Sprains and bruises	082	18,020	7,220	2,370	2,920	240	110	80	20	—	—	5,050
Fractures and burns	083	50	30	—	—	—	—	—	—	—	—	20
Fractures and other injuries	084	10,550	6,010	680	1,290	70	—	290	—	—	—	2,190
Burns and other injuries	085	340	80	180	40	—	—	—	—	—	—	30

See footnotes at end of table.

TABLE R46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, 2006 — Continued

Nature	Nature code ²	Private industry ³	Race or ethnic origin								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	Not reported
Other combinations of traumatic injuries and disorders, n.e.c.	089	6,170	2,680	410	760	130	—	80	—	—	2,090
Other traumatic injuries and disorders	09	142,080	62,230	14,250	17,310	2,090	380	490	60	60	45,210
Other traumatic injuries and disorders, unspecified	090	480	210	20	40	—	—	—	—	—	220
Asphyxiations/strangulations, suffocations	091	240	110	30	20	—	—	—	—	—	60
Electrocutions, electric shocks	093	1,600	940	130	150	—	—	—	—	—	370
Internal injuries to organs and blood vessels of the trunk	094	70	30	—	—	—	—	—	—	—	20
Other poisonings and toxic effects	095	7,070	2,910	870	930	70	20	40	—	—	2,230
Other poisonings and toxic effects, unspecified	0950	560	30	40	20	—	—	—	—	—	470
Animal or insect bites, venomous	0951	4,420	2,000	580	500	60	20	20	—	—	1,230
Other poisonings and toxic effects, n.e.c.	0959	2,100	870	260	410	—	—	20	—	—	530
Traumatic complications	096	130	90	—	20	—	—	—	—	—	—
Traumatic shock	0961	20	—	—	—	—	—	—	—	—	—
Multiple traumatic complications	0968	30	—	—	—	—	—	—	—	—	—
Traumatic complications, n.e.c.	0969	70	60	—	—	—	—	—	—	—	—
Nonspecified injuries and disorders	097	131,180	57,470	12,860	15,950	1,970	350	430	50	50	42,040
Crushing injuries	0971	15,410	7,090	1,060	2,880	120	40	60	—	—	4,160
Back pain, hurt back	0972	35,330	15,340	3,670	4,130	620	150	120	20	—	11,280
Soreness, pain, hurt, except the back	0973	69,720	30,600	7,170	7,760	1,020	160	250	30	30	22,690
Multiple nonspecified injuries and disorders	0978	4,360	1,390	490	400	170	—	—	—	—	1,900
Nonspecified injuries and disorders, n.e.c.	0979	6,350	3,040	470	780	50	—	—	—	—	2,020
Other traumatic injuries and disorders, n.e.c.	099	1,310	470	320	200	30	—	—	—	—	270
Systemic diseases and disorders	1	57,560	27,970	3,480	6,940	600	210	300	—	30	18,010
Systemic diseases and disorders, unspecified	10	460	90	40	90	—	—	—	—	—	220
Diseases of the blood and blood forming organs	11	40	20	—	—	—	—	—	—	—	—
Diseases of the blood and blood forming organs, unspecified	110	20	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, 2006 — Continued

Nature	Nature code ²	Private industry ³	Race or ethnic origin								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	Not reported
Nervous system and sense organs diseases	12	18,780	9,660	1,240	1,750	240	160	70	—	—	5,650
Inflammatory diseases of the central nervous system	121	70	—	—	—	—	—	—	—	—	50
Inflammatory diseases of the central nervous system, n.e.c.	1219	50	—	—	—	—	—	—	—	—	40
Degenerative diseases of the central nervous system	122	50	40	—	—	—	—	—	—	—	—
Degenerative diseases of the central nervous system, unspecified	1220	20	20	—	—	—	—	—	—	—	—
Degenerative diseases of the central nervous system, n.e.c.	1229	30	20	—	—	—	—	—	—	—	—
Other disorders of the central nervous system	123	330	—	—	310	—	—	—	—	—	—
Migraine	1232	310	—	—	—	—	—	—	—	—	—
Disorders of the peripheral nervous system	124	13,670	7,130	1,010	900	160	150	40	—	—	4,270
Disorders of the peripheral nervous system, unspecified	1240	260	90	60	—	—	—	—	—	—	110
Carpal tunnel syndrome	1241	13,010	6,830	930	840	150	150	30	—	—	4,060
Inflammatory and toxic neuropathy, toxic polyneuropathy	1242	90	30	—	—	—	—	—	—	—	40
Other disorders of the peripheral nervous system, n.e.c.	1249	310	180	—	50	—	—	—	—	—	70
Disorders of the eye, adnexa, vision	125	4,490	2,380	220	520	80	—	30	—	—	1,250
Disorders of the eye, adnexa, vision, unspecified	1250	190	90	30	20	—	—	—	—	—	40
Conjunctivitis non-viral	1252	1,540	640	70	270	60	—	—	—	—	500
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	1253	300	100	30	30	—	—	—	—	—	140
Blindness, low vision	1255	30	20	—	—	—	—	—	—	—	—
Welder's flash	1256	1,760	1,040	80	140	—	—	30	—	—	460
Visual disturbances	1258	110	70	—	—	—	—	—	—	—	30
Disorders of the eye, adnexa, vision, n.e.c.	1259	560	420	—	50	—	—	—	—	—	90
Disorders of the ear, mastoid process, hearing	126	180	80	—	20	—	—	—	—	—	70
Deafness, hearing loss or impairment	1261	130	70	—	—	—	—	—	—	—	60

See footnotes at end of table.

TABLE R46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, 2006 — Continued

Nature	Nature code ²	Private industry ³	Race or ethnic origin								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	Not reported
Disorders of the ear, mastoid process, and hearing, n.e.c.	1269	30	—	—	20	—	—	—	—	—	—
Circulatory system diseases	13	630	400	30	20	30	—	—	—	—	150
Circulatory system diseases, unspecified	130	20	20	—	—	—	—	—	—	—	—
Ischemic heart disease, including heart attack	133	380	280	20	—	—	—	—	—	—	70
Myocardial infarction (heart attack)	1331	200	100	20	—	—	—	—	—	—	60
Cerebrovascular disease	136	80	—	—	—	30	—	—	—	—	30
Stroke	1361	80	—	—	—	30	—	—	—	—	30
Diseases of arteries, arterioles, capillaries	137	70	50	—	—	—	—	—	—	—	—
Aneurysm nontraumatic	1372	40	30	—	—	—	—	—	—	—	—
Diseases of arteries, arterioles, capillaries, n.e.c.	1379	20	20	—	—	—	—	—	—	—	—
Diseases of the veins, lymphatics ..	138	60	30	—	—	—	—	—	—	—	20
Hemorrhoids	1382	20	—	—	—	—	—	—	—	—	—
Respiratory system diseases	14	1,580	700	90	100	—	—	—	—	—	670
Respiratory system diseases, unspecified	140	150	80	20	20	—	—	—	—	—	30
Acute respiratory infections (including common cold)	141	410	130	—	—	—	—	—	—	—	260
Other diseases of upper respiratory tract	142	190	140	—	—	—	—	—	—	—	30
Allergic rhinitis	1421	60	30	—	—	—	—	—	—	—	20
Chronic conditions of upper respiratory tract (including chronic sinusitis, pharyngitis) ...	1422	20	—	—	—	—	—	—	—	—	—
Other diseases of upper respiratory tract, n.e.c.	1429	100	100	—	—	—	—	—	—	—	—
Pneumonia, influenza	143	70	40	—	20	—	—	—	—	—	—
Pneumonia	1431	30	20	—	—	—	—	—	—	—	—
Legionnaires' disease	1433	20	20	—	—	—	—	—	—	—	—
Pneumonia, influenza, n.e.c.	1439	20	—	—	—	—	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions	144	690	270	50	40	—	—	—	—	—	320
Chronic obstructive pulmonary disease and allied conditions, unspecified	1440	40	30	—	—	—	—	—	—	—	—
Bronchitis	1441	90	30	20	30	—	—	—	—	—	—
Extrinsic asthma	1443	340	100	20	—	—	—	—	—	—	210
Extrinsic allergic alveolitis and pneumonitis (including farmer's lung, bagassosis)	1444	120	70	—	—	—	—	—	—	—	40

See footnotes at end of table.

TABLE R46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, 2006 — Continued

Nature	Nature code ²	Private industry ³	Race or ethnic origin									
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	Not reported	
Chronic obstructive pulmonary disease and allied conditions, n.e.c.	1449	110	40	—	—	—	—	—	—	—	—	50
Other respiratory system diseases	149	40	20	—	—	—	—	—	—	—	—	—
Digestive system diseases and disorders	15	18,790	9,890	630	2,500	50	—	120	—	—	—	5,580
Diseases of esophagus, stomach, duodenum	152	40	20	—	—	—	—	—	—	—	—	20
Hernia	153	18,720	9,860	620	2,500	50	—	120	—	—	—	5,540
Hernia, unspecified	1530	7,530	4,120	250	860	20	—	30	—	—	—	2,240
Inguinal hernia	1531	7,470	3,640	300	1,050	20	—	20	—	—	—	2,440
Hiatal hernia	1532	420	240	20	50	—	—	—	—	—	—	120
Ventral hernia	1533	1,600	950	20	140	—	—	60	—	—	—	430
Hernia, n.e.c.	1539	1,690	920	30	390	—	—	—	—	—	—	330
Genitourinary system diseases and disorders	16	20	—	—	—	—	—	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders	17	11,460	4,800	1,050	1,240	210	20	60	—	20	—	4,070
Musculoskeletal system and connective tissue diseases and disorders, unspecified	170	160	20	—	30	—	—	—	—	—	—	100
Arthropathies and related disorders (arthritis)	171	140	70	—	20	—	—	—	—	—	—	60
Dorsopathies	172	1,310	690	170	110	—	—	—	—	—	—	330
Dorsopathies, unspecified	1720	30	—	—	—	—	—	—	—	—	—	—
Sciatica	1721	410	240	20	50	—	—	—	—	—	—	90
Lumbago	1722	20	—	—	—	—	—	—	—	—	—	—
Disc disorders, except dislocation	1723	130	70	—	—	—	—	—	—	—	—	40
Dorsopathies, n.e.c.	1729	720	350	140	40	—	—	—	—	—	—	180
Rheumatism, except the back	173	9,800	4,000	870	1,070	200	—	60	—	20	—	3,570
Rheumatism, except the back, unspecified	1730	690	240	70	100	—	—	—	—	—	—	270
Bursitis	1731	650	300	60	60	—	—	—	—	—	—	230
Synovitis	1732	70	—	20	—	—	—	—	—	—	—	20
Tendonitis	1733	4,750	1,830	310	530	120	—	40	—	—	—	1,910
Tenosynovitis	1734	750	250	120	100	—	—	—	—	—	—	240
Ganglion/cystic tumor	1735	480	190	50	90	—	—	—	—	—	—	140
Rheumatism, except the back, n.e.c.	1739	2,410	1,170	220	180	50	—	20	—	—	—	760
Osteopathies, chondropathies, acquired deformities	174	20	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, 2006 — Continued

Nature	Nature code ²	Private industry ³	Race or ethnic origin									
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	Not reported	
Musculoskeletal system and connective tissue diseases and disorders, n.e.c.	179	40	20	—	—	—	—	—	—	—	—	—
Disorders of the skin and subcutaneous tissue	18	5,720	2,370	370	1,230	50	—	30	—	—	—	1,650
Disorders of the skin and subcutaneous tissue, unspecified	180	190	120	30	20	—	—	—	—	—	—	30
Infections of the skin and subcutaneous tissue	181	1,570	680	100	240	—	—	—	—	—	—	520
Infections of the skin and subcutaneous tissue, unspecified	1810	630	160	50	90	—	—	—	—	—	—	320
Carbuncle and furuncle	1811	20	20	—	—	—	—	—	—	—	—	—
Cellulitis and abscess	1812	690	370	40	120	—	—	—	—	—	—	140
Pilonidal cyst	1815	40	30	—	—	—	—	—	—	—	—	—
Infections of the skin and subcutaneous tissue, n.e.c.	1819	180	100	—	20	—	—	—	—	—	—	50
Dermatitis	182	3,430	1,160	240	930	40	—	20	—	—	—	1,030
Dermatitis, unspecified	1820	530	120	110	70	20	—	20	—	—	—	200
Contact dermatitis and other eczema	1822	950	380	60	150	—	—	—	—	—	—	360
Allergic dermatitis	1823	1,390	410	40	650	—	—	—	—	—	—	280
Irritant dermatitis	1824	480	220	30	40	—	—	—	—	—	—	180
Other contact dermatitis	1825	20	—	—	—	—	—	—	—	—	—	—
Dermatitis, n.e.c.	1829	50	30	—	—	—	—	—	—	—	—	—
Other inflammatory conditions of the skin	183	450	390	—	20	—	—	—	—	—	—	30
Other inflammatory conditions of the skin, unspecified	1830	90	60	—	—	—	—	—	—	—	—	20
Other inflammatory conditions, n.e.c.	1839	350	320	—	20	—	—	—	—	—	—	—
Diseases of sebaceous glands	184	20	—	—	—	—	—	—	—	—	—	—
Sebaceous cyst	1842	20	—	—	—	—	—	—	—	—	—	—
Other diseases and disorders of the skin and subcutaneous tissue	189	60	20	—	—	—	—	—	—	—	—	30
Urticaria, hives	1898	30	—	—	—	—	—	—	—	—	—	—
Other systemic diseases and disorders	19	90	20	20	20	—	—	—	—	—	—	20
Endocrine, nutritional, metabolic, and immunity disorder	191	20	—	—	—	—	—	—	—	—	—	—
Systemic diseases and disorders, n.e.c.	199	70	20	—	20	—	—	—	—	—	—	20
Infectious and parasitic diseases	2	2,550	910	590	410	70	—	—	—	—	—	570

See footnotes at end of table.

TABLE R46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, 2006 — Continued

Nature	Nature code ²	Private industry ³	Race or ethnic origin									
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	Not reported	
Infectious and parasitic diseases, unspecified	20	130	90	—	—	—	—	—	—	—	—	30
Bacterial diseases	21	290	120	20	30	—	—	—	—	—	—	120
Bacterial diseases, unspecified	210	20	—	—	—	—	—	—	—	—	—	—
Tuberculoses	211	20	—	—	—	—	—	—	—	—	—	—
Tuberculoses, unspecified	2110	20	—	—	—	—	—	—	—	—	—	—
Other bacterial diseases	219	250	100	—	30	—	—	—	—	—	—	100
Diphtheria, whooping cough	2192	70	20	—	—	—	—	—	—	—	—	40
Septicemia	2197	40	20	—	—	—	—	—	—	—	—	—
Other bacterial diseases, n.e.c. ..	2199	130	70	—	—	—	—	—	—	—	—	50
Viral diseases	22	590	300	50	30	50	—	—	—	—	—	150
Viral diseases accompanied by exanthem (eruptive fever)	223	380	190	30	30	50	—	—	—	—	—	80
Chickenpox	2233	280	180	20	—	—	—	—	—	—	—	50
Herpes zoster	2234	40	—	—	—	—	—	—	—	—	—	20
Viral diseases accompanied by exanthem (eruptive fever), n.e.c.	2239	50	—	—	—	—	—	—	—	—	—	—
Viral diseases of the conjunctiva	226	90	20	20	—	—	—	—	—	—	—	50
Viral conjunctivitis (ophthalmia) ..	2262	90	20	20	—	—	—	—	—	—	—	50
Other diseases due to viruses and Chlamydiae	229	90	80	—	—	—	—	—	—	—	—	20
Mumps	2292	30	20	—	—	—	—	—	—	—	—	—
Other diseases due to viruses and Chlamydiae, n.e.c.	2299	60	—	—	—	—	—	—	—	—	—	—
Other arthropod-borne diseases	23	30	20	—	—	—	—	—	—	—	—	—
Lyme disease	237	20	20	—	—	—	—	—	—	—	—	—
Mycoses	24	70	—	—	20	—	—	—	—	—	—	40
Dermatophytosis (including athlete's foot, tinea)	241	40	—	—	—	—	—	—	—	—	—	20
Dermatomycosis	242	20	—	—	—	—	—	—	—	—	—	—
Infectious diseases peculiar to the intestines	26	80	30	—	—	—	—	—	—	—	—	40
Infectious diseases peculiar to the intestines, unspecified	260	20	—	—	—	—	—	—	—	—	—	—
Other salmonella infections	263	20	—	—	—	—	—	—	—	—	—	—
Shigellosis	264	20	—	—	—	—	—	—	—	—	—	—
Other infectious and parasitic diseases	29	1,360	330	510	320	—	—	—	—	—	—	180
Acariasis (including scabies, chiggers, mites)	294	1,330	320	510	310	—	—	—	—	—	—	180
Symptoms, signs, and ill-defined conditions	4	11,230	4,150	1,000	1,080	240	40	20	—	40	—	4,650
Symptoms, signs, and ill-defined conditions, unspecified	40	240	40	—	70	—	—	—	—	—	—	140

See footnotes at end of table.

TABLE R46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, 2006 — Continued

Nature	Nature code ²	Private industry ³	Race or ethnic origin								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	Not reported
Symptoms	41	10,840	4,070	940	1,010	240	40	20	—	40	4,470
Symptoms, unspecified	410	390	250	20	30	—	—	—	—	—	90
General symptoms	411	4,010	1,500	240	300	50	—	—	—	—	1,890
General symptoms, unspecified	4110	160	50	—	—	—	—	—	—	—	90
Loss of consciousness not heat related	4111	1,020	380	60	100	—	—	—	—	—	480
Convulsions, seizures	4112	190	100	20	—	—	—	—	—	—	60
Dizziness	4114	730	220	50	70	—	—	—	—	—	370
Non-specified allergic reaction ...	4115	500	260	20	30	—	—	—	—	—	190
Multiple general symptoms	4118	530	160	50	20	—	—	—	—	—	290
General symptoms, n.e.c.	4119	870	330	30	60	30	—	—	—	—	410
Symptoms involving nervous and musculoskeletal systems	412	2,070	540	210	330	90	—	—	—	—	860
Symptoms involving nervous and musculoskeletal systems, unspecified	4120	180	90	30	—	—	—	—	—	—	50
Spasms or tremors, n.e.c.	4121	40	—	—	—	—	—	—	—	—	40
Earache	4122	100	—	—	—	—	—	—	—	—	80
Multiple symptoms involving nervous and musculoskeletal systems	4128	80	40	—	20	—	—	—	—	—	—
Symptoms involving nervous and musculoskeletal systems, n.e.c.	4129	1,670	400	180	310	90	—	—	—	—	680
Symptoms involving skin and other integumentary tissue	413	910	350	60	120	30	20	—	—	—	330
Symptoms involving skin and other integumentary tissue, unspecified	4130	100	40	—	20	—	—	—	—	—	40
Edema (including dropsy)	4131	700	290	50	80	20	20	—	—	—	250
Symptoms involving skin and other integumentary tissue, n.e.c.	4139	100	20	—	30	—	—	—	—	—	40
Symptoms involving head and neck	414	640	180	70	50	50	—	—	—	—	290
Headache, except migraine	4141	500	140	60	40	40	—	—	—	—	220
Symptoms involving head and neck, n.e.c.	4149	110	30	—	—	—	—	—	—	—	50
Symptoms involving cardiovascular system	415	40	—	—	—	—	—	—	—	—	30
Symptoms involving cardiovascular system, unspecified	4150	20	—	—	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest	416	1,760	1,010	260	100	—	—	—	—	—	350

See footnotes at end of table.

TABLE R46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, 2006 — Continued

Nature	Nature code ²	Private industry ³	Race or ethnic origin								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	Not reported
Symptoms involving respiratory system and chest, unspecified	4160	820	580	50	50	-	-	-	-	-	140
Chest pain	4164	390	170	100	30	-	-	-	-	-	90
Multiple symptoms involving respiratory system and chest ...	4168	100	50	-	-	-	-	-	-	-	20
Symptoms involving respiratory system and chest, n.e.c.	4169	440	200	110	20	-	-	-	-	-	100
Symptoms involving digestive and urinary system	417	280	80	40	40	-	-	-	-	-	120
Nausea and vomiting	4171	170	50	-	-	-	-	-	-	-	90
Abdominal pain, unspecified	4175	60	-	-	20	-	-	-	-	-	-
Multiple symptoms involving digestive or urinary system	4178	20	-	-	-	-	-	-	-	-	-
Symptoms involving digestive and urinary system, n.e.c.	4179	20	-	-	-	-	-	-	-	-	20
Multiple symptoms	418	700	140	30	40	-	-	-	-	-	500
Other symptoms, n.e.c.	419	20	-	-	-	-	-	-	-	-	-
Abnormal findings	42	20	-	-	-	-	-	-	-	-	-
Multiple symptoms, signs, and ill-defined conditions	48	80	-	60	-	-	-	-	-	-	-
Multiple chemical sensitivity	481	50	-	-	-	-	-	-	-	-	-
Multiple symptoms, signs, and ill-defined conditions, n.e.c.	489	20	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions, n.e.c.	49	40	20	-	-	-	-	-	-	-	20
Other diseases, conditions, and disorders	5	2,370	870	200	230	60	20	-	-	-	990
Mental disorders or syndromes	52	2,350	850	200	230	60	20	-	-	-	980
Mental disorder or syndrome, unspecified	520	80	-	-	20	-	-	-	-	-	50
Anxiety, stress, neurotic disorders	521	2,220	830	190	200	60	20	-	-	-	930
Anxiety, stress, neurotic disorders, unspecified	5210	890	280	100	100	40	-	-	-	-	360
Post-traumatic anxiety acute	5211	370	200	30	-	-	-	-	-	-	130
Panic disorder	5213	90	-	-	-	-	-	-	-	-	-
Neurotic reaction to stress	5214	770	220	40	70	20	-	-	-	-	400
Multiple anxiety, stress, neurotic disorders	5218	80	60	-	-	-	-	-	-	-	-
Neurotic disorders, n.e.c.	5219	20	-	-	-	-	-	-	-	-	-
Mental disorders or syndromes, n.e.c.	529	50	-	20	-	-	-	-	-	-	-
Other diseases, conditions, and disorders, n.e.c.	59	20	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE R46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, 2006 — Continued

Nature	Nature code ²	Private industry ³	Race or ethnic origin								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	Not reported
Multiple diseases, conditions, and disorders	8	500	150	40	100	30	—	—	—	—	180
Nonclassifiable	9999	6,010	1,600	190	1,120	50	—	—	—	—	3,040

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies