

[This table was reissued in March 2009. See note at end of table.]

TABLE R45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, 2007

Nature	Nature code ²	Private industry ³	Age										Not reported
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over		
Total		1,158,870	20	400	35,250	124,550	260,080	283,660	271,300	138,960	25,140	19,510	
Traumatic injuries and disorders	0	1,080,210	20	380	34,050	117,630	245,410	263,730	250,740	128,520	24,020	15,710	
Traumatic injuries and disorders, unspecified	00	39,030	-	-	650	3,790	7,920	8,990	10,240	5,000	1,060	1,380	
Traumatic injuries to bones, nerves, spinal cord	01	105,660	-	-	2,430	9,370	20,930	22,410	25,080	19,730	4,590	1,100	
Traumatic injuries to bones, nerves, spinal cord, unspecified	010	400	-	-	-	110	40	70	80	50	20	-	
Dislocations	011	9,020	-	-	160	590	2,290	2,450	2,330	990	150	60	
Fractures	012	94,950	-	-	2,250	8,430	17,980	19,810	22,440	18,600	4,400	1,030	
Traumatic injuries to spinal cord	013	150	-	-	-	-	60	20	60	-	-	-	
Traumatic injuries to nerves, except the spinal cord	014	870	-	-	-	220	520	-	70	40	-	-	
Multiple traumatic injuries to bones nerves, spinal cord	018	150	-	-	-	20	30	30	50	20	-	-	
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	019	110	-	-	-	-	-	20	50	20	-	-	
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	02	453,550	-	30	9,840	43,950	102,830	120,180	111,000	50,970	7,560	7,180	
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified ⁴	020	3,720	-	-	40	140	500	1,200	1,050	590	80	120	
Sprains, strains, tears ⁴	021	448,380	-	30	9,790	43,740	101,840	118,550	109,730	50,220	7,400	7,060	
Injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	029	1,450	-	-	-	70	480	420	220	170	80	-	
Open wounds	03	122,990	-	120	7,220	20,260	32,540	26,700	22,390	10,190	2,070	1,510	
Open wounds, unspecified	030	1,070	-	-	140	150	150	320	120	150	-	20	
Amputations	031	7,320	-	-	270	1,320	1,690	1,540	1,650	620	180	50	
Amputations, fingertip	0311	5,170	-	-	230	1,060	1,160	1,150	1,010	390	120	50	
Amputations, except fingertip	0319	2,150	-	-	40	260	520	390	640	230	70	-	
Animal or insect bites	032	4,790	-	-	60	1,040	1,390	810	990	170	30	300	
Avulsions	033	2,130	-	-	70	230	680	450	510	150	30	-	
Cuts, lacerations	034	91,270	-	120	5,920	14,980	23,110	19,980	16,560	7,980	1,620	990	
Gunshot wounds	036	310	-	-	-	-	270	-	-	-	-	-	
Punctures, except bites	037	15,730	-	-	750	2,490	5,190	3,500	2,400	1,090	180	130	
Multiple open wounds	038	140	-	-	-	20	40	-	30	30	-	-	
Open wounds, n.e.c.	039	230	-	-	-	20	20	90	100	-	-	-	
Surface wounds and bruises	04	124,450	-	-	5,520	15,390	30,170	28,580	26,920	13,890	2,650	1,310	
Surface wounds and bruises, unspecified	040	450	-	-	-	-	100	90	100	120	20	-	
Abrasions, scratches	041	9,050	-	-	320	1,040	2,770	1,960	2,140	620	90	110	
Blisters	042	240	-	-	-	30	80	50	60	20	-	-	
Bruises, contusions	043	101,340	-	-	4,800	12,720	22,670	23,240	22,050	12,330	2,470	1,040	
Foreign bodies (superficial splinters, chips)	044	12,390	-	-	380	1,490	4,380	2,940	2,370	610	60	150	
Friction burns	045	50	-	-	-	-	-	-	-	-	-	-	
Multiple surface wounds and bruises	048	690	-	-	-	60	70	240	170	130	-	-	
Surface wounds and bruises, n.e.c.	049	250	-	-	-	20	90	50	40	50	-	-	
Burns	05	24,870	-	180	2,120	3,570	5,990	5,950	5,040	1,610	160	270	
Burns, unspecified	050	100	-	-	-	-	30	30	30	-	-	-	
Chemical burns	051	6,130	-	-	160	710	1,330	1,510	1,920	360	70	60	
Electrical burns	052	1,100	-	-	20	80	230	430	290	50	-	-	
Heat burns, scalds	053	17,490	-	170	1,930	2,780	4,380	3,960	2,800	1,200	80	190	

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, 2007 — Continued

Nature	Nature code ²	Private industry ³	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Burns, n.e.c.	059	40	—	—	—	—	20	20	—	—	—	—
Intracranial injuries	06	6,200	—	—	490	550	1,420	1,020	1,710	670	250	80
Intracranial injuries, unspecified	060	490	—	—	100	30	220	50	40	60	—	—
Cerebral hemorrhages	061	80	—	—	—	—	—	50	20	—	—	—
Concussions	062	5,620	—	—	390	520	1,200	920	1,650	610	250	80
Effects of environmental conditions	07	2,980	—	—	100	380	470	980	520	480	20	40
Effects of reduced temperature	071	130	—	—	30	20	20	30	20	—	—	—
Frostbite	0711	130	—	—	30	20	20	30	20	—	—	—
Effects of heat and light	072	2,410	—	—	80	350	400	820	470	250	20	30
Effects of heat and light, unspecified	0720	390	—	—	—	—	—	350	—	—	—	—
Heat stroke	0721	240	—	—	—	20	40	40	120	30	—	—
Heat syncope	0722	170	—	—	—	—	20	—	50	80	—	—
Heat fatigue	0723	460	—	—	—	200	50	60	80	50	—	—
Multiple effects of heat and light	0728	20	—	—	—	—	—	—	—	—	—	—
Effects of heat and light, n.e.c.	0729	1,130	—	—	50	130	290	350	200	90	—	30
Effects of air pressure	073	410	—	—	—	—	40	130	20	220	—	—
Effects of air pressure, unspecified	0730	30	—	—	—	—	—	—	—	—	—	—
Aero-otitis media	0731	60	—	—	—	—	—	50	—	—	—	—
Caisson disease, bends, divers' palsy	0733	220	—	—	—	—	—	—	—	—	—	—
Effects of air pressure, n.e.c.	0739	90	—	—	—	—	—	—	20	—	—	—
Multiple traumatic injuries and disorders	08	46,820	—	—	1,390	4,010	8,890	10,020	11,360	8,110	2,710	330
Multiple traumatic injuries and disorders, unspecified	080	3,180	—	—	40	270	620	930	790	440	70	—
Cuts, abrasions, bruises	081	8,400	—	—	250	890	1,700	1,690	1,920	1,220	670	60
Sprains and bruises	082	15,570	—	—	350	1,350	2,880	3,450	4,070	2,770	590	100
Fractures and burns	083	40	—	—	—	—	20	—	—	—	—	—
Fractures and other injuries	084	11,060	—	—	260	650	1,820	2,120	2,920	2,190	1,020	80
Burns and other injuries	085	240	—	—	—	—	90	20	70	20	30	—
Other combinations of traumatic injuries and disorders, n.e.c.	089	8,340	—	—	490	830	1,760	1,800	1,580	1,480	320	80
Other traumatic injuries and disorders	09	153,650	—	—	4,300	16,360	34,250	38,900	36,500	17,870	2,970	2,490
Other traumatic injuries and disorders, unspecified	090	540	—	—	—	20	40	—	280	170	—	—
Asphyxiations/strangulations, suffocations	091	150	—	—	—	—	20	—	80	20	—	—
Electrocutions, electric shocks	093	1,480	—	—	150	270	350	330	280	90	—	—
Internal injuries to organs and blood vessels of the trunk	094	140	—	—	—	—	40	20	80	—	—	—
Other poisonings and toxic effects	095	6,460	—	—	490	1,300	1,430	1,520	1,040	570	70	40
Other poisonings and toxic effects, unspecified	0950	130	—	—	—	—	30	50	30	—	—	—
Animal or insect bites and stings, venomous	0951	4,210	—	—	270	930	850	1,090	590	400	50	40
Other poisonings and toxic effects, n.e.c.	0959	2,120	—	—	220	360	550	380	410	170	20	—
Traumatic complications	096	260	—	—	—	90	30	50	80	—	—	—
Traumatic complications, unspecified	0960	70	—	—	—	—	—	—	20	—	—	—
Traumatic shock	0961	90	—	—	—	50	20	—	20	—	—	—
Multiple traumatic complications	0968	40	—	—	—	—	—	20	—	—	—	—

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, 2007 — Continued

Nature	Nature code ²	Private industry ³	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Traumatic complications, n.e.c.	0969	60	—	—	—	—	—	20	30	—	—	—
Nonspecified injuries and disorders	097	143,150	—	—	3,630	14,610	31,870	36,530	34,320	16,890	2,860	2,430
Crushing injuries	0971	13,910	—	—	610	2,730	3,850	2,720	2,710	960	160	160
Back pain, hurt back	0972	37,130	—	—	790	3,370	8,460	10,670	9,160	3,310	540	820
Soreness, pain, hurt, except the back	0973	78,410	—	—	2,060	7,260	16,910	19,490	18,780	10,820	1,890	1,170
Multiple nonspecified injuries and disorders	0978	6,790	—	—	110	590	1,260	2,270	1,550	690	180	150
Nonspecified injuries and disorders, n.e.c.	0979	6,900	—	—	60	650	1,380	1,380	2,110	1,110	90	120
Other traumatic injuries and disorders, n.e.c.	099	1,470	—	—	—	60	470	430	340	120	30	—
Systemic diseases and disorders	1	55,410	—	—	810	4,360	10,800	14,880	15,740	7,400	800	610
Systemic diseases and disorders, unspecified	10	380	—	—	—	60	60	140	100	—	—	—
Diseases of the blood and blood forming organs	11	20	—	—	—	—	—	—	—	—	—	—
Nervous system and sense organs diseases	12	16,470	—	—	260	1,010	3,000	4,430	4,990	2,530	130	130
Nervous system and sense organs diseases, unspecified	120	30	—	—	—	—	—	—	—	—	—	—
Inflammatory diseases of the central nervous system	121	20	—	—	—	—	—	—	—	—	—	—
Degenerative diseases of the central nervous system	122	30	—	—	—	—	—	—	20	—	—	—
Degenerative diseases of the central nervous system, unspecified	1220	20	—	—	—	—	—	—	20	—	—	—
Other disorders of the central nervous system	123	90	—	—	—	—	40	20	—	—	—	—
Migraine	1232	50	—	—	—	—	—	20	—	—	—	—
Disorders of the peripheral nervous system	124	12,610	—	—	50	400	1,770	3,590	4,340	2,260	110	90
Disorders of the peripheral nervous system, unspecified	1240	440	—	—	—	20	40	200	80	70	—	—
Carpal tunnel syndrome	1241	11,940	—	—	30	380	1,710	3,300	4,170	2,170	90	70
Inflammatory and toxic neuropathy, toxic polyneuropathy	1242	60	—	—	—	—	—	30	—	—	—	—
Other disorders of the peripheral nervous system, n.e.c.	1249	180	—	—	—	—	20	60	70	—	—	—
Disorders of the eye, adnexa, vision	125	3,540	—	—	210	600	1,170	750	560	210	20	30
Disorders of the eye, adnexa, vision, unspecified	1250	450	—	—	—	80	250	50	50	—	—	—
Conjunctivitis non-viral	1252	730	—	—	30	80	260	120	160	70	—	—
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	1253	440	—	—	60	90	40	120	80	50	—	—
Blindness, low vision	1255	20	—	—	—	—	—	—	—	—	—	—
Welder's flash	1256	1,500	—	—	120	290	500	360	180	40	—	20
Visual disturbances	1258	50	—	—	—	—	20	—	—	—	—	—
Disorders of the eye, adnexa, vision, n.e.c.	1259	350	—	—	—	40	90	90	90	20	—	—
Disorders of the ear, mastoid process, hearing	126	130	—	—	—	—	—	40	40	40	—	—
Disorders of the ear, mastoid process, hearing, unspecified	1260	20	—	—	—	—	—	—	—	—	—	—
Deafness, hearing loss or impairment	1261	80	—	—	—	—	—	20	—	30	—	—
Circulatory system diseases	13	720	—	—	—	—	60	210	150	190	70	—
Circulatory system diseases, unspecified	130	50	—	—	—	—	—	—	—	20	—	—
Hypertensive disease	132	30	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, 2007 — Continued

Nature	Nature code ²	Private industry ³	Age									Not reported
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	
Ischemic heart disease, including heart attack	133	360	—	—	—	—	—	70	90	120	60	—
Myocardial infarction (heart attack)	1331	340	—	—	—	—	—	60	80	120	60	—
Diseases of pulmonary circulation	134	30	—	—	—	—	—	—	—	20	—	—
Cerebrovascular disease	136	70	—	—	—	—	—	—	—	20	—	—
Stroke	1361	60	—	—	—	—	—	—	—	20	—	—
Diseases of arteries, arterioles, capillaries	137	40	—	—	—	—	—	40	—	—	—	—
Diseases of arteries, arterioles, capillaries, unspecified	1370	30	—	—	—	—	—	—	—	—	—	—
Diseases of the veins, lymphatics	138	120	—	—	—	—	—	90	20	—	—	—
Hemorrhoids	1382	90	—	—	—	—	—	80	—	—	—	—
Diseases of the veins, lymphatics, n.e.c.	1389	20	—	—	—	—	—	—	—	—	—	—
Respiratory system diseases	14	1,570	—	—	50	50	560	230	510	130	—	30
Respiratory system diseases, unspecified	140	290	—	—	20	—	50	40	130	30	—	—
Acute respiratory infections (including common cold)	141	310	—	—	—	—	70	30	190	—	—	—
Other diseases of upper respiratory tract	142	100	—	—	20	—	30	20	—	—	—	—
Other diseases of upper respiratory tract, unspecified	1420	20	—	—	—	—	—	—	—	—	—	—
Allergic rhinitis	1421	50	—	—	—	—	20	—	—	—	—	—
Other diseases of upper respiratory tract, n.e.c.	1429	20	—	—	—	—	—	—	—	—	—	—
Pneumonia, influenza	143	240	—	—	—	—	180	20	—	—	—	—
Pneumonia	1431	30	—	—	—	—	—	—	—	—	—	—
Influenza	1432	190	—	—	—	—	180	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions	144	570	—	—	—	20	210	120	130	60	—	20
Chronic obstructive pulmonary disease and allied conditions, unspecified	1440	20	—	—	—	—	—	—	—	—	—	—
Bronchitis	1441	100	—	—	—	—	80	—	—	—	—	—
Extrinsic asthma	1443	360	—	—	—	—	120	80	70	50	—	20
Extrinsic allergic alveolitis and pneumonitis (including farmer's lung, bagassosis)	1444	50	—	—	—	—	—	20	30	—	—	—
Chronic obstructive pulmonary disease and allied conditions, n.e.c.	1449	30	—	—	—	—	—	20	—	—	—	—
Other respiratory system diseases	149	50	—	—	—	—	—	—	20	—	—	—
Atelectasis, collapsed lung	1495	20	—	—	—	—	—	—	—	—	—	—
Digestive system diseases and disorders	15	17,240	—	—	110	1,190	3,040	4,780	5,010	2,550	360	200
Hernia	153	17,200	—	—	110	1,190	3,040	4,780	4,980	2,550	360	190
Hernia, unspecified	1530	7,900	—	—	40	610	1,650	2,140	2,050	1,160	120	130
Inguinal hernia	1531	6,470	—	—	60	480	880	1,750	1,990	1,100	170	40
Hiatal hernia	1532	260	—	—	—	—	40	80	90	20	—	—
Ventral hernia	1533	1,390	—	—	—	60	180	540	400	140	40	—
Hernia, n.e.c.	1539	1,180	—	—	—	40	280	260	450	120	—	—
Genitourinary system diseases and disorders	16	30	—	—	—	—	20	—	—	—	—	—
Diseases and disorders of the genital tract	163	20	—	—	—	—	20	—	—	—	—	—
Spontaneous abortion, miscarriage	1632	20	—	—	—	—	20	—	—	—	—	—

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, 2007 — Continued

Nature	Nature code ²	Private industry ³	Age										Not reported
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over		
Musculoskeletal system and connective tissue diseases and disorders	17	13,200	—	—	210	920	2,730	3,470	3,950	1,530	200	190	
Musculoskeletal system and connective tissue diseases and disorders, unspecified	170	270	—	—	—	—	20	70	130	40	—	—	
Arthropathies and related disorders (arthritis)	171	280	—	—	—	—	90	20	60	50	20	—	
Dorsopathies	172	1,680	—	—	20	30	520	430	440	220	—	20	
Sciatica	1721	390	—	—	—	—	20	120	190	60	—	—	
Lumbago	1722	60	—	—	—	—	20	—	—	—	—	—	
Disc disorders, except dislocation	1723	230	—	—	—	—	60	70	50	40	—	—	
Dorsopathies, n.e.c.	1729	980	—	—	—	—	420	220	190	120	—	—	
Rheumatism, except the back	173	10,540	—	—	190	580	2,090	2,940	3,200	1,200	150	170	
Rheumatism, except the back, unspecified	1730	480	—	—	—	120	80	90	140	40	—	—	
Bursitis	1731	810	—	—	60	20	110	340	160	90	—	20	
Synovitis	1732	90	—	—	—	20	—	20	30	—	—	—	
Tendonitis	1733	4,380	—	—	80	340	1,320	890	1,010	570	60	110	
Tenosynovitis	1734	1,550	—	—	20	30	160	670	590	60	—	—	
Ganglion/cystic tumor	1735	460	—	—	—	30	90	170	100	30	20	20	
Rheumatism, except the back, n.e.c.	1739	2,770	—	—	30	30	320	740	1,170	400	60	20	
Osteopathies, chondropathies, acquired deformities ...	174	70	—	—	—	20	—	—	—	20	—	—	
Osteopathies, chondropathies, acquired deformities, unspecified	1740	20	—	—	—	—	—	—	—	—	—	—	
Osteopathies, chondropathies, acquired deformities, n.e.c.	1749	50	—	—	—	20	—	—	—	—	—	—	
Musculoskeletal system and connective tissue diseases and disorders, n.e.c.	179	370	—	—	—	230	—	—	110	—	—	—	
Disorders of the skin and subcutaneous tissue	18	5,640	—	—	160	1,040	1,330	1,600	1,000	440	30	40	
Disorders of the skin and subcutaneous tissue, unspecified	180	270	—	—	—	20	120	40	40	40	—	—	
Infections of the skin and subcutaneous tissue	181	1,450	—	—	—	110	500	400	300	100	—	—	
Infections of the skin and subcutaneous tissue, unspecified	1810	430	—	—	—	20	90	200	80	30	—	—	
Carbuncle and furuncle	1811	20	—	—	—	—	—	—	—	—	—	—	
Cellulitis and abscess	1812	820	—	—	—	80	380	170	130	50	—	—	
Pilonidal cyst	1815	20	—	—	—	—	—	—	—	—	—	—	
Infections of the skin and subcutaneous tissue, n.e.c.	1819	150	—	—	—	—	30	20	90	—	—	—	
Dermatitis	182	3,620	—	—	140	770	660	1,120	600	290	—	20	
Dermatitis, unspecified	1820	440	—	—	—	30	70	100	170	60	—	—	
Contact dermatitis, unspecified	1822	420	—	—	40	40	90	140	70	30	—	—	
Allergic contact dermatitis	1823	1,860	—	—	50	570	270	550	250	160	—	—	
Irritant contact dermatitis	1824	710	—	—	40	130	210	230	60	40	—	—	
Other contact dermatitis	1825	100	—	—	—	—	—	—	—	—	—	—	
Dermatitis, n.e.c.	1829	70	—	—	—	—	30	—	—	—	—	—	
Other inflammatory conditions of the skin	183	100	—	—	—	30	40	—	20	—	—	—	
Other inflammatory conditions of the skin, unspecified	1830	30	—	—	—	—	—	—	—	—	—	—	
Other inflammatory conditions, n.e.c.	1839	40	—	—	—	—	30	—	—	—	—	—	

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, 2007 — Continued

Nature	Nature code ²	Private industry ³	Age									Not reported	
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over		
Diseases of sebaceous glands	184	90	—	—	—	60	—	—	—	—	—	—	—
Sebaceous cyst	1842	90	—	—	—	60	—	—	—	—	—	—	—
Other diseases and disorders of the skin and subcutaneous tissue	189	120	—	—	—	50	20	20	20	—	—	—	—
Urticaria, hives	1898	80	—	—	—	40	—	20	—	—	—	—	—
Other systemic diseases and disorders	19	140	—	—	—	70	—	20	20	30	—	—	—
Endocrine, nutritional, metabolic, and immunity disorder	191	90	—	—	—	70	—	—	—	—	—	—	—
Diseases and disorders of other endocrine glands ..	1912	70	—	—	—	—	—	—	—	—	—	—	—
Endocrine, nutritional, metabolic, and immunity disorders, n.e.c.	1919	20	—	—	—	—	—	—	—	—	—	—	—
Systemic diseases and disorders, n.e.c.	199	50	—	—	—	—	—	20	—	20	—	—	—
Infectious and parasitic diseases	2	1,610	—	—	20	320	350	270	490	130	—	—	30
Infectious and parasitic diseases, unspecified	20	20	—	—	—	—	—	—	—	—	—	—	—
Bacterial diseases	21	310	—	—	—	20	80	70	130	—	—	—	—
Bacterial diseases, unspecified	210	30	—	—	—	—	—	—	—	—	—	—	—
Tuberculoses	211	50	—	—	—	—	30	—	—	—	—	—	—
Tuberculoses, unspecified	2110	40	—	—	—	—	30	—	—	—	—	—	—
Other bacterial diseases	219	240	—	—	—	—	50	40	120	—	—	—	—
Other bacterial diseases, unspecified	2190	60	—	—	—	—	—	—	60	—	—	—	—
Diphtheria, whooping cough	2192	40	—	—	—	—	—	—	20	—	—	—	—
Septicemia	2197	20	—	—	—	—	—	—	—	—	—	—	—
Other bacterial diseases, n.e.c.	2199	90	—	—	—	—	40	20	20	—	—	—	—
Viral diseases	22	360	—	—	—	100	120	70	40	—	—	—	—
Viral diseases, unspecified	220	60	—	—	—	—	20	—	—	—	—	—	—
Viral diseases accompanied by exanthem (eruptive fever)	223	120	—	—	—	—	80	—	—	—	—	—	—
Chickenpox	2233	60	—	—	—	—	30	—	—	—	—	—	—
Herpes zoster	2234	50	—	—	—	—	40	—	—	—	—	—	—
Viral diseases of the conjunctiva	226	80	—	—	—	—	20	40	—	—	—	—	—
Viral conjunctivitis (ophthalmia)	2262	70	—	—	—	—	20	40	—	—	—	—	—
Other diseases due to viruses and Chlamydiae	229	80	—	—	—	40	—	—	20	—	—	—	—
Infectious mononucleosis	2295	40	—	—	—	—	—	—	—	—	—	—	—
Other diseases due to viruses and Chlamydiae, n.e.c.	2299	30	—	—	—	—	—	—	—	—	—	—	—
Other arthropod-borne diseases	23	90	—	—	—	40	—	—	30	—	—	—	—
Lyme disease	237	90	—	—	—	40	—	—	30	—	—	—	—
Mycoses	24	40	—	—	—	—	—	—	—	40	—	—	—
Infectious diseases peculiar to the intestines	26	250	—	—	—	70	30	20	120	—	—	—	—
Infectious diseases peculiar to the intestines, unspecified	260	40	—	—	—	—	—	—	20	—	—	—	—
Other bacterial food poisoning (including botulism and staphylococcal food poisoning)	265	150	—	—	—	—	—	—	90	—	—	—	—
Infectious diseases peculiar to the intestines, n.e.c.	269	30	—	—	—	—	—	—	—	—	—	—	—
Other infectious and parasitic diseases	29	530	—	—	20	80	100	90	170	70	—	—	—
Other infectious and parasitic diseases, unspecified ...	290	40	—	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, 2007 — Continued

Nature	Nature code ²	Private industry ³	Age										
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported	
Pediculosis and phthirus infestation (lice)	293	30	—	—	—	—	—	—	—	—	—	—	—
Acariasis (including scabies, chiggers, mites)	294	450	—	—	20	80	90	80	120	60	—	—	—
Neoplasms, tumors, and cancer	3	20	—	—	—	—	—	—	—	20	—	—	—
Symptoms, signs, and ill-defined conditions	4	10,690	—	—	260	1,080	1,970	2,520	2,370	1,840	180	480	—
Symptoms, signs, and ill-defined conditions, unspecified	40	110	—	—	—	50	—	20	20	—	—	—	—
Symptoms	41	10,400	—	—	250	1,020	1,920	2,480	2,260	1,820	180	480	—
Symptoms, unspecified	410	180	—	—	—	20	80	—	40	20	—	—	—
General symptoms	411	4,340	—	—	110	510	780	940	850	710	80	360	—
General symptoms, unspecified	4110	250	—	—	—	—	30	20	50	40	—	—	—
Loss of consciousness not heat related	4111	1,060	—	—	50	200	220	180	160	170	50	50	—
Convulsions, seizures	4112	170	—	—	—	20	50	50	20	20	—	—	—
Dizziness	4114	640	—	—	—	50	80	110	60	180	—	140	—
Non-specified allergic reaction	4115	980	—	—	50	140	100	290	200	170	—	20	—
Multiple general symptoms	4118	400	—	—	—	70	80	80	140	30	—	—	—
General symptoms, n.e.c.	4119	830	—	—	—	40	230	200	210	110	—	40	—
Symptoms involving nervous and musculoskeletal systems	412	1,240	—	—	50	90	200	280	360	210	—	20	—
Symptoms involving nervous and musculoskeletal systems, unspecified	4120	60	—	—	—	—	—	20	20	—	—	—	—
Spasms or tremors, n.e.c.	4121	60	—	—	—	—	50	—	—	—	—	—	—
Earache	4122	50	—	—	—	—	—	30	—	—	—	—	—
Eye strain	4123	40	—	—	—	—	—	—	—	—	—	—	—
Multiple symptoms involving nervous and musculoskeletal systems	4128	130	—	—	—	—	20	—	—	40	—	—	—
Symptoms involving nervous and musculoskeletal systems, n.e.c.	4129	910	—	—	—	80	110	220	320	150	—	—	—
Symptoms involving skin and other integumentary tissue	413	1,160	—	—	40	100	240	390	230	100	30	20	—
Symptoms involving skin and other integumentary tissue, unspecified	4130	90	—	—	—	—	30	—	20	—	20	—	—
Edema (including dropsy)	4131	920	—	—	20	70	170	360	180	90	—	20	—
Symptoms involving skin and other integumentary tissue, n.e.c.	4139	140	—	—	20	20	40	30	30	—	—	—	—
Symptoms involving head and neck	414	660	—	—	—	80	140	180	190	30	—	—	—
Headache, except migraine	4141	430	—	—	—	70	80	140	120	20	—	—	—
Multiple symptoms involving head and neck	4148	150	—	—	—	—	60	20	40	—	—	—	—
Symptoms involving head and neck, n.e.c.	4149	70	—	—	—	—	—	—	30	—	—	—	—
Symptoms involving cardiovascular system	415	30	—	—	—	—	—	—	—	—	—	—	—
Unspecified tachycardia (rapid heart beat)	4151	20	—	—	—	—	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest	416	2,010	—	—	—	130	250	550	430	540	40	60	—
Symptoms involving respiratory system and chest, unspecified	4160	770	—	—	—	100	100	290	120	120	—	30	—
Hyperventilation	4161	20	—	—	—	—	—	—	—	—	—	—	—
Chest pain	4164	220	—	—	—	20	60	40	60	30	—	—	—

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, 2007 — Continued

Nature	Nature code ²	Private industry ³	Age									Not reported
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	
Multiple symptoms involving respiratory system and chest	4168	130	-	-	-	-	20	70	-	-	-	-
Symptoms involving respiratory system and chest, n.e.c.	4169	870	-	-	-	-	70	130	240	390	-	30
Symptoms involving digestive and urinary system	417	400	-	-	-	40	160	70	30	90	-	-
Symptoms involving digestive and urinary system, unspecified	4170	20	-	-	-	-	-	-	-	-	-	-
Nausea and vomiting	4171	260	-	-	-	30	80	50	30	50	-	-
Abdominal pain, unspecified	4175	30	-	-	-	-	-	-	-	-	-	-
Symptoms involving digestive and urinary system, n.e.c.	4179	80	-	-	-	-	-	-	-	-	-	-
Multiple symptoms	418	370	-	-	-	40	50	60	100	100	-	-
Other symptoms, n.e.c.	419	20	-	-	-	-	-	-	-	-	-	-
Abnormal findings	42	20	-	-	-	-	20	-	-	-	-	-
Abnormal findings from histological and immunological studies	426	20	-	-	-	-	20	-	-	-	-	-
Multiple symptoms, signs, and ill-defined conditions	48	80	-	-	-	-	-	-	40	-	-	-
Multiple symptoms, signs, and ill-defined conditions, n.e.c.	489	60	-	-	-	-	-	-	30	-	-	-
Symptoms, signs, and ill-defined conditions, n.e.c.	49	80	-	-	20	-	-	-	50	-	-	-
Other diseases, conditions, and disorders	5	3,320	-	-	70	500	490	910	960	340	20	40
Damage to prosthetic devices	51	40	-	-	-	-	-	-	-	-	-	-
Mental disorders or syndromes	52	3,120	-	-	30	380	490	910	920	340	20	40
Mental disorder or syndrome, unspecified	520	30	-	-	-	-	-	-	-	-	-	-
Anxiety, stress, neurotic disorders	521	3,040	-	-	30	380	460	900	910	330	20	20
Anxiety, stress, neurotic disorders, unspecified	5210	1,240	-	-	20	30	260	350	320	230	-	20
Post-traumatic anxiety acute	5211	680	-	-	-	-	100	110	430	20	-	-
Post-traumatic anxiety chronic	5212	20	-	-	-	-	-	-	-	-	-	-
Panic disorder	5213	20	-	-	-	-	-	-	-	-	-	-
Neurotic reaction to stress	5214	1,020	-	-	-	320	80	410	130	60	-	-
Multiple anxiety, stress, neurotic disorders	5218	40	-	-	-	-	-	-	-	-	-	-
Neurotic disorders, n.e.c.	5219	20	-	-	-	-	-	-	-	-	-	-
Organic mental disorders neurotic or psychotic	522	20	-	-	-	-	20	-	-	-	-	-
Organic mental disorders neurotic or psychotic, unspecified	5220	20	-	-	-	-	20	-	-	-	-	-
Mental disorders or syndromes, n.e.c.	529	30	-	-	-	-	-	-	-	-	-	-
Other diseases, conditions, and disorders, n.e.c.	59	170	-	-	-	-	-	-	40	-	-	-

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, 2007 — Continued

Nature	Nature code ²	Private industry ³	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Multiple diseases, conditions, and disorders	8	1,350	—	—	—	50	340	220	350	340	40	—
Nonclassifiable	9999	6,250	—	—	40	610	710	1,140	660	380	80	2,640

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Selected estimates for this category were affected by the March 2009 revision, see note below.

data exclusion of nonclassifiable responses, data may not sum to the totals.

This table was reissued in March 2009 to revise selected estimates within the Mining (NAICS 21) and Railroad Transportation (NAICS 482) industries, and in their respective higher level industry sectors. Characteristic categories affected by the revisions, that appear in this table, are footnoted.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and