

TABLE R86. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and day of the week event occurred, 2007

Part of body	Part of body code ²	Private industry ³	Day of week						
			Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
Total		1,158,870	67,910	218,850	202,890	207,820	197,050	173,710	90,640
Head	0	78,370	4,010	14,650	14,970	14,030	14,120	10,610	5,990
Head, unspecified	00	16,310	960	2,780	2,520	3,100	3,040	2,350	1,560
Cranial region, including skull	01	10,120	490	2,090	1,740	2,050	1,950	980	820
Cranial region, unspecified	010	180	-	60	20	60	20	-	-
Brain	011	6,420	330	1,340	1,160	1,070	1,310	550	650
Scalp	012	2,820	120	610	420	800	440	330	110
Skull	013	540	20	70	80	100	140	80	50
Multiple cranial region locations	018	90	-	-	20	-	50	-	-
Cranial region, n.e.c.	019	70	-	-	30	20	-	-	-
Ear(s)	02	910	70	140	210	220	170	60	30
Face	03	50,140	2,440	9,510	10,300	8,510	8,780	7,100	3,500
Face, unspecified	030	3,490	210	550	750	850	510	350	270
Forehead	031	3,160	200	500	620	550	490	510	280
Eye(s)	032	33,010	1,510	6,620	7,220	5,460	5,840	4,670	1,690
Nose, nasal cavity	033	2,790	140	640	450	440	320	590	210
Nose, except internal location of diseases or disorders	0330	2,690	140	630	390	430	320	570	210
Internal nasal location, unspecified ..	0331	20	-	-	-	-	-	-	-
Nasal passages	0333	60	-	-	60	-	-	-	-
Cheek(s)	034	830	20	180	190	120	120	60	140
Jaw/chin	035	930	30	190	120	240	190	130	40
Mouth	036	2,350	150	490	400	450	350	370	130
Mouth, unspecified	0360	300	-	50	70	60	30	70	20
Lip(s)	0361	540	40	170	100	160	30	30	-
Tooth(teeth)	0363	1,290	60	240	200	210	260	220	90
Multiple mouth locations	0368	190	40	30	20	-	30	40	20
Mouth, n.e.c.	0369	20	-	-	-	-	-	-	-
Multiple face locations	038	3,240	180	300	520	330	920	300	680
Face, n.e.c.	039	350	-	30	40	60	30	120	60
Multiple head locations	08	740	40	110	150	150	110	110	70
Head, n.e.c.	09	150	-	-	50	-	60	-	-
Neck, including throat	1	17,050	1,270	2,890	2,630	3,480	2,800	2,490	1,490
Neck, except internal location of diseases or disorders	10	16,980	1,260	2,870	2,620	3,470	2,780	2,490	1,480
Internal neck location, unspecified	11	40	-	20	-	-	-	-	-
Pharynx	15	20	-	-	-	-	-	-	-
Trunk	2	384,650	23,240	76,170	67,380	66,680	63,430	57,800	29,960
Trunk, unspecified	20	2,000	100	360	450	450	230	310	110
Shoulder, including clavicle, scapula	21	75,580	3,970	13,310	12,570	14,450	13,190	11,780	6,310
Chest, including ribs, internal organs	22	18,580	1,410	3,930	2,770	3,140	3,450	2,610	1,270
Chest, except internal location of diseases or disorders	220	16,590	1,240	3,650	2,430	2,810	3,040	2,300	1,130
Internal chest location, unspecified	221	180	-	-	20	30	70	20	20
Heart	223	400	-	100	50	130	30	40	40
Bronchus	224	160	-	-	-	-	-	40	40
Lung(s), pleura	225	1,190	120	160	240	150	280	210	40
Multiple internal chest locations	228	40	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE R86. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and day of the week event occurred, 2007 — Continued

Part of body	Part of body code ²	Private industry ³	Day of week						
			Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
Internal chest location, n.e.c.	229	20	—	—	—	—	—	—	—
Back, including spine, spinal cord	23	235,960	14,450	49,380	41,110	40,080	37,870	34,630	18,450
Back, including spine, spinal cord, unspecified	230	96,130	5,580	20,740	17,170	16,670	14,580	14,190	7,210
Lumbar region	231	119,350	7,640	25,060	20,080	20,210	20,030	16,930	9,400
Thoracic region	232	9,710	660	1,550	1,620	1,530	1,710	1,660	990
Sacral region	233	590	70	70	100	120	80	110	40
Coccygeal region	234	2,490	110	650	290	340	460	540	110
Multiple back regions	238	7,190	380	1,100	1,760	1,140	960	1,160	690
Back, including spine, spinal cord, n.e.c.	239	500	—	210	80	80	50	50	20
Abdomen	24	24,720	1,210	4,060	5,250	3,920	4,080	4,590	1,620
Abdomen, except internal location of diseases or disorders	240	6,890	330	1,230	1,170	1,110	1,210	1,310	520
Internal abdominal location, unspecified	241	8,570	320	1,290	2,040	1,260	1,250	1,870	540
Stomach organ	242	650	—	120	190	110	80	80	60
Spleen	243	70	—	—	—	—	70	—	—
Urinary organs	244	20	—	—	—	—	—	—	—
Intestines, peritoneum	245	8,420	540	1,400	1,850	1,430	1,450	1,260	480
Intestines, peritoneum, unspecified	2450	7,760	510	1,270	1,700	1,360	1,360	1,120	430
Peritoneum	2451	450	20	120	40	60	50	140	30
Large intestine/colon, rectum	2453	180	—	20	100	—	30	—	—
Intestines, n.e.c.	2459	20	—	—	—	—	—	—	—
Internal abdominal location, n.e.c.	249	90	—	—	—	—	—	60	—
Pelvic region	25	19,250	1,420	3,250	3,780	3,280	2,860	3,040	1,610
Pelvic region, unspecified	250	240	—	30	30	50	50	30	30
Hip(s)	251	9,240	860	1,400	1,830	1,510	1,330	1,600	710
Pelvis	252	830	20	90	230	130	120	180	70
Buttock(s)	253	1,090	120	140	250	140	230	120	90
Groin	254	7,310	370	1,380	1,390	1,360	1,060	1,070	680
External reproductive tract structures ..	255	180	20	20	—	60	30	30	—
External reproductive tract structures, unspecified	2550	30	—	—	—	—	20	—	—
Scrotum	2551	120	—	—	—	50	—	30	—
Internal reproductive tract structures ..	256	60	—	—	—	20	20	—	—
Testis(testes)	2562	20	—	—	—	20	—	—	—
Multiple pelvic region locations	258	280	20	180	40	—	—	—	—
Pelvic region, n.e.c.	259	30	—	—	—	—	—	—	—
Multiple trunk locations	28	8,350	670	1,840	1,430	1,340	1,680	820	580
Trunk, n.e.c.	29	210	—	50	20	30	80	—	—
Upper extremities	3	269,240	14,670	50,930	46,840	50,470	45,620	40,340	20,380
Upper extremities, unspecified	30	520	—	110	60	60	30	240	—
Arm(s)	31	54,260	2,870	11,070	10,220	10,440	8,700	7,480	3,480
Arm(s), unspecified	310	18,170	960	3,810	3,210	3,900	2,720	2,570	990
Upper arm(s)	311	4,230	240	780	790	820	720	640	240
Elbow(s)	312	18,830	860	4,380	3,220	3,310	3,360	2,340	1,360
Forearm(s)	313	10,540	670	1,590	2,510	2,040	1,400	1,630	690
Multiple arm(s) locations	318	2,090	120	440	430	320	400	240	150
Arm(s), n.e.c.	319	410	20	70	70	50	110	60	30

See footnotes at end of table.

TABLE R86. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and day of the week event occurred, 2007 — Continued

Part of body	Part of body code ²	Private industry ³	Day of week						
			Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
Wrist(s)	32	51,620	2,480	10,050	8,770	8,940	9,520	7,700	4,160
Hand(s), except finger(s)	33	47,920	2,740	8,890	8,000	8,980	7,590	7,760	3,950
Finger(s), fingernail(s)	34	101,650	5,850	17,950	17,890	19,450	17,810	15,050	7,650
Multiple upper extremities locations	38	13,060	710	2,820	1,850	2,570	1,920	2,060	1,120
Multiple upper extremities locations, unspecified	380	220	30	30	50	—	30	40	—
Hand(s) and finger(s)	381	4,070	250	1,010	540	830	530	580	340
Hand(s) and wrist(s)	382	3,050	130	670	490	540	310	520	380
Hand(s) and arm(s)	383	1,560	100	180	240	300	310	280	150
Multiple upper extremities locations, n.e.c.	389	4,170	200	930	530	880	740	640	250
Upper extremities, n.e.c.	39	210	—	30	40	40	40	40	—
Lower extremities	4	260,580	16,400	47,150	45,420	45,660	45,590	40,080	20,280
Lower extremities, unspecified	40	790	240	400	40	20	60	30	—
Leg(s)	41	132,280	7,840	23,840	22,160	22,750	24,180	20,620	10,880
Leg(s), unspecified	410	17,310	1,000	2,860	2,400	3,100	3,800	2,740	1,420
Thigh(s)	411	4,610	290	950	830	710	720	770	350
Knee(s)	412	94,500	5,890	16,830	16,150	16,280	16,430	14,890	8,030
Lower leg(s)	413	11,930	490	2,500	2,160	2,080	2,210	1,620	860
Multiple leg(s) locations	418	3,420	130	600	580	430	950	520	200
Leg(s), n.e.c.	419	520	50	100	60	150	70	80	20
Ankle(s)	42	62,660	4,640	11,070	10,740	12,130	10,880	8,890	4,310
Foot(feet), except toe(s)	43	43,970	2,760	8,030	8,000	7,160	7,390	7,330	3,280
Foot(feet), except toe(s), unspecified ..	430	38,870	2,530	7,070	6,620	6,530	6,500	6,620	3,010
Instep(s)	431	180	—	20	30	20	40	60	—
Sole	432	3,680	150	750	970	450	690	530	140
Sole(s), unspecified	4320	470	—	140	50	70	130	70	—
Ball(s) of foot	4321	30	—	—	—	—	—	—	—
Arch(es)	4322	40	—	—	—	—	—	—	—
Heel(s)	4323	3,090	150	600	890	330	540	430	140
Multiple sole(s) locations	4328	40	—	—	—	30	—	—	—
Multiple foot(feet) locations	438	210	—	60	40	40	40	—	—
Foot(feet), n.e.c.	439	1,010	60	140	340	110	130	120	120
Toe(s), toenail(s)	44	11,630	560	1,890	2,640	2,270	1,860	1,600	810
Multiple lower extremities locations	48	9,020	350	1,870	1,830	1,320	1,120	1,570	970
Multiple lower extremities locations, unspecified	480	200	—	90	—	40	20	20	—
Foot(feet) and leg(s)	481	1,670	50	700	330	230	110	200	60
Foot(feet) and ankle(s)	482	2,410	60	410	500	390	330	510	220
Foot(feet) and toe(s)	483	970	30	80	160	150	190	200	150
Multiple lower extremities locations, n.e.c.	489	3,780	200	590	830	520	470	640	530
Lower extremities, n.e.c.	49	220	20	50	—	—	90	40	—
Body systems	5	17,710	880	2,930	3,540	3,730	3,240	2,450	930

See footnotes at end of table.

TABLE R86. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and day of the week event occurred, 2007 — Continued

Part of body	Part of body code ²	Private industry ³	Day of week						
			Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
Multiple body parts	8	120,950	6,930	22,680	20,650	21,180	20,810	18,430	10,270
Other body parts	9	50	—	—	—	50	—	—	—
Prosthetic devices	91	40	—	—	—	40	—	—	—
Other body parts, n.e.c.	98	20	—	—	—	—	—	—	—
Nonclassifiable	9999	10,280	530	1,450	1,440	2,550	1,450	1,530	1,340

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies