

Table R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, 1994

Part of body	Part of body code ²	Total cases	Event or exposure leading to injury or illness						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in object			
Private industry		2,236,639	607,073	292,609	162,269	96,840	111,308	265,578	72,542
Head	0	151,186	96,061	45,859	13,840	762	3,440	11,113	91
Head, unspecified	00	21,762	12,810	7,125	5,404	150	1,026	4,697	72
Cranial region, including skull	01	15,434	8,283	4,745	3,151	337	1,371	3,256	-
Cranial region, unspecified	010	870	610	436	168	-	50	109	-
Brain	011	9,396	4,344	2,486	1,725	125	1,011	2,299	-
Scalp	012	4,219	2,834	1,497	1,138	177	214	615	-
Skull	013	612	349	227	89	24	79	115	-
Multiple cranial region locations	018	135	67	39	-	-	-	25	-
Cranial region, n.e.c.	019	202	78	61	10	-	-	93	-
Ear(s)	02	2,977	595	388	94	15	-	96	-
Face	03	108,733	73,404	32,855	5,030	236	923	2,823	13
Face, unspecified	030	4,796	2,013	1,722	247	11	179	339	-
Forehead	031	5,199	3,702	2,378	1,293	-	257	620	-
Eye(s)	032	83,549	58,519	21,320	1,986	90	16	232	-
Nose, nasal cavity	033	4,391	2,781	2,346	387	-	124	416	-
Nose, except internal location of diseases or disorders	0330	4,047	2,774	2,339	387	-	122	415	-
Internal nasal location, unspecified	0331	92	-	-	-	-	-	-	-
Nasal passages	0333	38	-	-	-	-	-	-	-
Sinuses	0334	167	-	-	-	-	-	-	-
Multiple internal nasal locations	0338	12	-	-	-	-	-	-	-
Internal nasal location, n.e.c.	0339	36	-	-	-	-	-	-	-
Cheek(s)	034	1,284	970	605	277	78	34	84	-
Jaw/chin	035	1,905	1,080	838	225	-	113	413	-
Mouth	036	3,950	2,629	2,182	401	15	131	361	-
Mouth, unspecified	0360	512	355	293	43	12	25	13	-
Lip(s)	0361	1,145	726	647	77	-	28	84	-
Tongue	0362	110	97	95	-	-	-	-	-
Tooth(teeth)	0363	1,644	1,168	891	252	-	70	189	-
Gum	0364	11	-	-	-	-	-	-	-
Multiple mouth locations	0368	358	226	205	-	-	-	70	-
Mouth, n.e.c.	0369	170	46	42	-	-	-	-	-
Multiple face locations	038	3,279	1,464	1,271	161	-	70	333	-
Face, n.e.c.	039	380	247	193	54	-	-	25	-
Multiple head locations	08	2,020	814	642	118	17	72	176	-
Head, n.e.c.	09	259	155	104	42	-	25	65	-
Neck, including throat	1	40,178	6,328	3,693	2,187	156	849	2,451	753
Neck, except internal location of diseases or disorders	10	39,813	6,307	3,693	2,168	156	849	2,451	753
Internal neck location, unspecified	11	269	19	-	19	-	-	-	-
Vocal cord(s)	12	18	-	-	-	-	-	-	-
Larynx	13	56	-	-	-	-	-	-	-
Trunk	2	866,731	45,606	26,442	12,796	2,713	34,491	91,304	26,264
Trunk, unspecified	20	4,226	501	276	97	83	232	1,017	138
Shoulder, including clavicle, scapula	21	109,543	10,730	7,243	2,630	482	4,570	13,653	2,380
Chest, including ribs, internal organs	22	39,568	7,982	4,205	2,821	625	3,306	7,100	296
Chest, except internal location of diseases or disorders	220	35,284	7,959	4,192	2,812	624	3,297	7,094	296
Internal chest location, unspecified	221	487	-	-	-	-	-	-	-
Esophagus	222	19	-	-	-	-	-	-	-
Heart	223	851	-	-	-	-	-	-	-
Bronchus	224	436	-	-	-	-	-	-	-
Lung(s), pleura	225	2,431	18	-	-	-	-	-	-
Multiple internal chest locations	228	34	-	-	-	-	-	-	-
Back, including spine, spinal cord	23	606,545	18,438	9,729	5,248	895	21,536	54,571	20,593
Back, including spine, spinal cord, unspecified	230	299,432	9,756	5,672	2,531	437	11,184	25,087	10,920
Lumbar region	231	253,920	6,322	2,872	1,964	366	7,590	20,376	8,462
Thoracic region	232	22,550	958	635	223	34	415	2,267	489
Sacral region	233	4,076	209	55	115	-	267	509	124
Coccygeal region	234	5,307	311	84	172	18	760	3,599	39
Multiple back regions	238	19,186	841	389	224	33	707	2,366	540
Back, including spine, spinal cord, n.e.c.	239	2,074	41	-	17	-	614	367	18

See footnotes at end of table.

Table R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, 1994 — Continued

Part of body	Event or exposure leading to injury or illness									
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			All other events ³
	Total	In lifting					Total	By person	All other assaults	
Private industry	613,251	367,424	92,576	110,943	79,805	5,048	26,521	20,438	6,083	251,995
Head	475	389	54	27,536	4,336	1,274	4,282	3,920	362	2,523
Head, unspecified	84	79	—	260	1,532	67	693	667	26	517
Cranial region, including skull	64	30	—	126	1,559	20	469	434	35	286
Cranial region, unspecified	16	16	—	—	65	—	—	—	—	—
Brain	30	—	—	—	1,288	—	241	224	17	153
Scalp	16	15	—	94	173	—	164	156	—	104
Skull	—	—	—	—	32	—	24	—	—	—
Multiple cranial region locations	—	—	—	—	—	—	—	—	—	—
Cranial region, n.e.c.	—	—	—	—	—	—	13	—	—	—
Ear(s)	—	—	—	1,897	60	80	95	81	14	124
Face	157	118	39	25,066	995	1,078	2,666	2,410	256	1,569
Face, unspecified	—	—	—	1,326	149	290	460	385	75	35
Forehead	15	—	—	93	227	12	238	223	15	33
Eye(s)	124	98	36	22,215	90	616	526	479	47	1,172
Nose, nasal cavity	—	—	—	349	115	—	432	425	—	163
Nose, except internal location of diseases or disorders	—	—	—	47	115	—	432	425	—	134
Internal nasal location, unspecified	—	—	—	56	—	—	—	—	—	29
Nasal passages	—	—	—	35	—	—	—	—	—	—
Sinuses	—	—	—	167	—	—	—	—	—	—
Multiple internal nasal locations	—	—	—	12	—	—	—	—	—	—
Internal nasal location, n.e.c.	—	—	—	33	—	—	—	—	—	—
Cheek(s)	—	—	—	64	—	—	95	80	15	28
Jaw/chin	—	—	—	—	61	—	206	200	—	25
Mouth	—	—	—	329	144	—	299	259	40	45
Mouth, unspecified	—	—	—	32	—	—	58	58	—	19
Lip(s)	—	—	—	151	28	—	128	96	32	—
Tongue	—	—	—	—	—	—	—	—	—	—
Tooth(teeth)	—	—	—	—	94	—	87	87	—	25
Gum	—	—	—	—	—	—	—	—	—	—
Multiple mouth locations	—	—	—	32	—	—	13	13	—	—
Mouth, n.e.c.	—	—	—	114	—	—	—	—	—	—
Multiple face locations	—	—	—	648	202	153	345	338	—	65
Face, n.e.c.	—	—	—	35	—	—	65	—	43	—
Multiple head locations	166	160	—	187	178	29	358	326	31	25
Head, n.e.c.	—	—	—	—	11	—	—	—	—	—
Neck, including throat	12,548	7,081	956	702	8,704	30	928	889	39	5,928
Neck, except internal location of diseases or disorders	12,539	7,081	937	423	8,704	25	928	889	39	5,896
Internal neck location, unspecified	—	—	—	226	—	—	—	—	—	—
Vocal cord(s)	—	—	13	—	—	—	—	—	—	—
Larynx	—	—	—	43	—	—	—	—	—	—
Trunk	500,959	315,093	13,635	6,658	21,361	174	5,229	4,900	328	121,050
Trunk, unspecified	1,454	830	15	183	184	16	52	44	—	434
Shoulder, including clavicle, scapula	56,356	28,850	6,635	253	2,747	—	740	702	37	11,473
Chest, including ribs, internal organs	9,418	5,419	380	3,932	1,958	70	1,235	1,180	55	3,890
Chest, except internal location of diseases or disorders	9,202	5,339	363	852	1,949	28	1,228	1,174	55	3,016
Internal chest location, unspecified	32	—	—	334	—	—	—	—	—	115
Esophagus	—	—	—	19	—	—	—	—	—	—
Heart	175	71	13	—	—	—	—	—	—	650
Bronchus	—	—	—	414	—	—	—	—	—	17
Lung(s), pleura	—	—	—	2,253	—	43	—	—	—	92
Multiple internal chest locations	—	—	—	34	—	—	—	—	—	—
Back, including spine, spinal cord	373,393	240,297	5,834	468	14,263	29	1,960	1,850	110	95,460
Back, including spine, spinal cord, unspecified	184,534	118,107	3,015	334	8,391	25	1,110	1,025	86	45,078
Lumbar region	161,091	105,683	2,362	61	4,189	—	674	654	20	42,792
Thoracic region	13,906	8,138	257	44	537	—	84	81	—	3,592
Sacral region	2,400	1,569	46	—	76	—	20	20	—	425
Coccygeal region	392	232	—	—	102	—	—	—	—	92
Multiple back regions	10,317	6,139	126	12	926	—	55	53	—	3,293
Back, including spine, spinal cord, n.e.c.	753	429	26	17	42	—	—	—	—	189

See footnotes at end of table.

Table R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, 1994 — Continued

Part of body	Part of body code ²	Total cases	Event or exposure leading to injury or illness						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in object			
Abdomen	24	46,334	1,790	1,250	334	121	430	1,367	686
Abdomen, except internal location of diseases or disorders	240	12,171	1,473	1,083	231	104	250	796	234
Internal abdominal location, unspecified	241	16,462	154	73	56	15	49	325	262
Stomach organ	242	544	—	—	—	—	—	—	—
Spleen	243	50	—	—	—	—	25	16	—
Urinary organs	244	24	—	—	—	—	—	—	—
Kidney(s)	2442	16	—	—	—	—	—	—	—
Intestines, peritoneum	245	16,797	148	87	45	—	103	228	190
Intestines, peritoneum, unspecified	2450	15,261	140	81	45	—	92	220	190
Peritoneum	2451	94	—	—	—	—	—	—	—
Small intestine	2452	96	—	—	—	—	—	—	—
Large intestine/colon, rectum	2453	736	—	—	—	—	—	—	—
Multiple intestinal locations	2458	64	—	—	—	—	—	—	—
Intestines, n.e.c.	2459	546	—	—	—	—	—	—	—
Other digestive structures	246	188	—	—	—	—	—	—	—
Liver	2461	180	—	—	—	—	—	—	—
Multiple internal abdominal locations	248	40	—	—	—	—	—	—	—
Internal abdominal location, n.e.c.	249	58	—	—	—	—	—	—	—
Pelvic region	25	43,139	4,641	2,817	1,262	351	2,853	9,176	1,639
Pelvic region, unspecified	250	1,073	211	115	63	31	95	229	—
Hip(s)	251	14,850	1,671	809	583	164	1,842	5,956	608
Pelvis	252	1,134	249	162	39	48	257	438	—
Buttock(s)	253	2,520	211	53	86	32	275	1,285	—
Groin	254	21,573	1,730	1,266	395	17	289	822	953
External reproductive tract structures	255	972	443	324	71	45	40	152	—
External reproductive tract structures, unspecified	2550	130	42	41	—	—	—	—	—
Scrotum	2551	626	284	222	31	29	—	111	—
Penis	2552	94	65	49	—	16	—	—	—
External female genital region	2553	17	16	—	16	—	—	—	—
External reproductive tract structures, n.e.c.	2559	82	14	—	—	—	—	29	—
Internal reproductive tract structures	256	157	42	34	—	—	—	13	—
Testis(testes)	2562	121	41	33	—	—	—	—	—
Uterus	2564	25	—	—	—	—	—	—	—
Multiple pelvic region locations	258	588	59	48	—	11	37	199	—
Pelvic region, n.e.c.	259	273	24	—	18	—	16	82	29
Multiple trunk locations	28	16,780	1,499	914	391	152	1,541	4,253	531
Trunk, n.e.c.	29	596	25	—	13	—	24	167	—
Upper extremities	3	506,792	276,760	112,195	76,788	76,642	13,115	37,577	1,454
Upper extremities, unspecified	30	678	90	28	27	32	28	28	—
Arm(s)	31	94,949	28,874	11,794	12,578	3,650	5,205	14,613	741
Arm(s), unspecified	310	35,606	9,985	5,017	2,668	1,942	1,744	4,948	308
Upper arm(s)	311	4,312	871	444	303	97	145	494	182
Elbow(s)	312	34,980	9,957	1,966	7,454	355	2,538	7,248	184
Forearm(s)	313	16,380	7,320	3,978	1,961	1,111	477	1,350	44
Multiple arm(s) locations	318	2,744	470	241	144	74	255	382	20
Arm(s), n.e.c.	319	928	272	148	48	71	47	192	—
Wrist(s)	32	110,232	14,949	7,409	4,789	2,080	5,065	12,438	414
Hand(s), except finger(s)	33	88,123	58,356	25,048	17,479	13,094	1,123	4,599	96
Finger(s), fingernail(s)	34	187,390	165,814	64,631	39,804	54,780	871	3,882	86
Multiple upper extremities locations	38	25,097	8,552	3,235	2,055	2,986	817	1,981	117
Multiple upper extremities locations, unspecified	380	577	199	49	88	60	11	93	—
Hand(s) and finger(s)	381	6,777	4,099	1,371	1,038	1,611	66	264	24
Hand(s) and wrist(s)	382	5,553	1,874	990	366	499	57	619	—
Hand(s) and arm(s)	383	4,042	542	167	69	288	71	204	20
Multiple upper extremities locations, n.e.c.	389	8,148	1,838	659	492	527	612	801	66
Upper extremities, n.e.c.	39	322	126	50	56	—	—	35	—
Lower extremities	4	443,751	161,451	90,886	52,089	14,724	35,471	76,180	39,970
Lower extremities, unspecified	40	463	158	133	—	—	44	91	17
Leg(s)	41	208,839	56,050	24,456	24,217	4,941	16,107	48,280	17,904
Leg(s), unspecified	410	31,177	12,196	6,571	3,564	1,760	2,656	4,673	1,145
Thigh(s)	411	9,364	3,793	2,335	1,107	302	718	1,607	410

See footnotes at end of table.

Table R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, 1994 — Continued

Part of body	Event or exposure leading to injury or illness									
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			All other events ³
	Total	In lifting					Total	By person	All other assaults	
Abdomen	35,894	24,401	346	1,224	264	27	516	473	42	3,792
Abdomen, except internal location of diseases or disorders	7,189	4,657	30	619	218	27	506	463	42	830
Internal abdominal location, unspecified	13,984	9,204	139	41	—	—	—	—	—	1,500
Stomach organ	169	141	—	234	—	—	—	—	—	128
Spleen	—	—	—	—	—	—	—	—	—	—
Urinary organs	—	—	—	—	—	—	—	—	—	—
Kidney(s)	—	—	—	—	—	—	—	—	—	—
Intestines, peritoneum	14,479	10,346	175	136	28	—	—	—	—	1,307
Intestines, peritoneum, unspecified	13,183	9,387	168	97	—	—	—	—	—	1,149
Peritoneum	89	80	—	—	—	—	—	—	—	—
Small intestine	85	58	—	—	—	—	—	—	—	11
Large intestine/colon, rectum	571	508	—	—	—	—	—	—	—	129
Multiple intestinal locations	38	38	—	26	—	—	—	—	—	—
Intestines, n.e.c.	513	276	—	—	—	—	—	—	—	16
Other digestive structures	—	—	—	186	—	—	—	—	—	—
Liver	—	—	—	180	—	—	—	—	—	—
Multiple internal abdominal locations	28	28	—	—	—	—	—	—	—	—
Internal abdominal location, n.e.c.	42	—	—	—	—	—	—	—	—	13
Pelvic region	18,425	11,927	219	436	628	—	517	463	54	4,600
Pelvic region, unspecified	317	171	14	—	28	—	143	143	—	32
Hip(s)	2,472	1,465	49	99	401	—	50	34	15	1,702
Pelvis	66	49	—	—	57	—	12	11	—	52
Buttock(s)	251	179	—	200	63	—	28	—	—	176
Groin	14,779	9,677	132	105	61	—	242	227	15	2,457
External reproductive tract structures	216	126	—	28	—	—	35	19	16	45
External reproductive tract structures, unspecified	48	14	—	—	—	—	—	—	—	17
Scrotum	156	109	—	13	—	—	19	13	—	27
Penis	—	—	—	—	—	—	—	—	—	—
External female genital region	—	—	—	—	—	—	—	—	—	—
External reproductive tract structures, n.e.c.	—	—	—	—	—	—	—	—	—	—
Internal reproductive tract structures	59	41	—	—	—	—	—	—	—	30
Testis(testes)	40	28	—	—	—	—	—	—	—	—
Uterus	16	—	—	—	—	—	—	—	—	—
Multiple pelvic region locations	192	165	—	—	—	—	—	—	—	62
Pelvic region, n.e.c.	74	53	—	—	—	—	—	—	—	44
Multiple trunk locations	5,854	3,260	201	153	1,203	—	204	183	—	1,318
Trunk, n.e.c.	164	109	—	—	113	—	—	—	—	84
Upper extremities	49,675	22,417	71,401	27,508	3,452	1,624	6,434	3,888	2,545	17,792
Upper extremities, unspecified	81	34	240	133	—	—	—	—	—	69
Arm(s)	20,808	10,284	8,945	7,248	1,557	315	1,554	899	655	5,088
Arm(s), unspecified	8,064	4,040	2,426	4,092	905	206	927	526	401	2,002
Upper arm(s)	1,699	756	205	230	72	16	80	65	15	316
Elbow(s)	7,673	4,074	4,644	431	296	—	171	141	30	1,835
Forearm(s)	2,567	990	1,211	2,115	181	82	355	153	202	678
Multiple arm(s) locations	615	323	422	305	60	—	—	—	—	203
Arm(s), n.e.c.	190	102	37	76	43	—	12	—	—	53
Wrist(s)	18,484	8,416	50,620	870	624	59	1,235	1,113	122	5,475
Hand(s), except finger(s)	3,344	1,248	3,817	12,246	549	247	1,365	543	822	2,380
Finger(s), fingernail(s)	3,972	1,330	3,271	3,669	530	189	1,618	967	650	3,490
Multiple upper extremities locations	2,936	1,094	4,447	3,332	186	813	649	353	296	1,265
Multiple upper extremities locations, unspecified	148	31	76	34	—	—	—	—	—	13
Hand(s) and finger(s)	249	85	369	1,301	—	25	183	47	136	173
Hand(s) and wrist(s)	648	247	1,130	672	34	29	147	139	—	336
Hand(s) and arm(s)	352	144	682	1,014	71	704	185	68	117	198
Multiple upper extremities locations, n.e.c.	1,539	586	2,190	311	58	55	132	97	35	545
Upper extremities, n.e.c.	49	—	62	—	—	—	—	—	—	—
Lower extremities	20,442	7,227	1,574	12,798	13,165	217	3,401	1,287	2,114	79,082
Lower extremities, unspecified	—	—	—	36	—	—	—	—	—	104
Leg(s)	16,836	6,189	1,162	3,499	5,521	175	2,022	948	1,075	41,283
Leg(s), unspecified	2,778	1,004	76	2,069	1,648	82	772	181	591	3,084
Thigh(s)	1,221	377	46	348	264	29	179	24	156	748

See footnotes at end of table.

Table R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, 1994 — Continued

Part of body	Part of body code ²	Total cases	Event or exposure leading to injury or illness						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in object			
Knee(s)	412	149,061	32,025	10,924	17,336	1,887	11,106	38,560	15,698
Lower leg(s)	413	14,673	6,606	3,830	1,915	667	1,114	2,390	424
Multiple leg(s) locations	418	3,062	818	418	181	214	376	871	200
Leg(s), n.e.c.	419	1,502	612	378	115	111	137	179	27
Ankle(s)	42	103,700	20,559	8,753	9,493	2,122	12,007	20,200	18,139
Foot(foot), except toe(s)	43	85,167	52,324	32,621	14,089	4,837	5,070	4,699	2,914
Foot(foot), except toe(s), unspecified	430	74,360	47,129	30,261	11,820	4,437	3,148	4,206	2,573
Instep(s)	431	682	500	343	78	78	—	34	12
Sole	432	8,279	3,481	1,224	1,946	182	1,852	410	216
Sole(s), unspecified	4320	1,207	1,064	—	1,050	—	—	—	26
Ball(s)	4321	135	90	—	89	—	—	—	—
Arch(es)	4322	276	153	82	63	—	—	—	16
Heel(s)	4323	6,570	2,119	1,117	717	173	1,829	402	172
Multiple sole(s) locations	4328	56	32	20	—	—	11	—	—
Sole(s), n.e.c.	4329	35	—	—	—	—	—	—	—
Multiple foot(foot) locations	438	684	303	203	19	74	45	25	81
Foot(foot), n.e.c.	439	1,163	911	590	226	66	15	24	32
Toe(s), toenail(s)	44	30,084	27,053	21,383	3,525	1,853	295	506	176
Multiple lower extremities locations	48	15,260	5,244	3,494	728	966	1,916	2,367	792
Multiple lower extremities locations, unspecified	480	324	130	80	16	35	24	62	32
Foot(foot) and leg(s)	481	1,454	476	360	29	81	162	181	35
Foot(foot) and ankle(s)	482	5,130	1,416	728	252	402	708	559	446
Foot(foot) and toe(s)	483	2,320	1,762	1,430	148	179	105	128	—
Multiple lower extremities locations, n.e.c.	489	6,033	1,460	896	284	268	917	1,436	272
Lower extremities, n.e.c.	49	237	63	46	14	—	32	39	29
Body systems	5	32,572	302	177	111	—	187	341	—
Multiple body parts	8	177,743	19,416	12,710	4,148	1,747	23,038	45,169	3,652
Other body parts	9	177	43	40	—	—	19	13	—
Prosthetic devices	91	25	—	—	—	—	—	—	—
Other body parts, n.e.c.	98	152	35	31	—	—	15	—	—
Nonclassifiable	9999	17,510	1,105	607	306	91	697	1,430	351

See footnotes at end of table.

Table R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, 1994 — Continued

Part of body	Event or exposure leading to injury or illness									All other events ³
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			
	Total	In lifting					Total	By person	All other assaults	
Knee(s)	11,640	4,360	1,002	399	2,730	46	824	660	164	35,030
Lower leg(s)	865	335	29	535	583	16	210	66	144	1,901
Multiple leg(s) locations	192	39	—	100	137	—	25	14	10	340
Leg(s), n.e.c.	140	74	—	48	159	—	13	—	—	180
Ankle(s)	2,008	541	66	993	1,596	—	1,039	109	929	27,090
Foot(feet), except toe(s)	1,134	328	276	6,453	4,235	14	233	154	79	7,815
Foot(feet), except toe(s), unspecified	914	288	200	6,164	3,340	12	206	150	56	6,467
Instep(s)	19	—	—	48	15	—	—	—	—	38
Sole	195	29	70	153	743	—	20	—	18	1,139
Sole(s), unspecified	—	—	—	18	—	—	—	—	—	83
Ball(s)	—	—	—	—	—	—	—	—	—	34
Arch(es)	50	—	18	—	—	—	—	—	—	—
Heel(s)	141	27	40	129	742	—	20	—	18	976
Multiple sole(s) locations	—	—	—	—	—	—	—	—	—	12
Sole(s), n.e.c.	—	—	—	—	—	—	—	—	—	11
Multiple foot(feet) locations	—	—	—	41	103	—	—	—	—	84
Foot(feet), n.e.c.	—	—	—	48	34	—	—	—	—	87
Toe(s), toenail(s)	110	38	—	300	958	—	52	32	20	610
Multiple lower extremities locations	331	117	48	1,506	847	—	54	43	11	2,135
Multiple lower extremities locations, unspecified	—	—	—	13	—	—	—	—	—	—
Foot(feet) and leg(s)	36	28	—	398	63	14	—	—	—	76
Foot(feet) and ankle(s)	64	—	—	653	331	—	—	—	—	942
Foot(feet) and toe(s)	14	12	15	106	119	—	—	—	—	55
Multiple lower extremities locations, n.e.c.	195	55	13	335	325	—	26	14	11	1,055
Lower extremities, n.e.c.	14	12	—	—	—	—	—	—	—	45
Body systems	183	109	91	23,197	263	260	1,353	1,326	27	6,387
Multiple body parts	27,012	13,809	4,351	10,485	27,415	1,408	4,347	3,882	465	11,451
Other body parts	32	16	25	15	15	—	—	—	—	13
Prosthetic devices	—	—	—	—	—	—	—	—	—	—
Other body parts, n.e.c.	28	12	26	15	15	—	—	—	—	11
Nonclassifiable	1,926	1,284	488	2,044	1,095	60	544	345	200	7,769

¹ Days-away-from-work cases include those which result in days away from work with or without restricted work activity.

² Based on the 1992 occupational injury and illness classification structure developed by the Bureau of Labor Statistics.

³ Includes nonclassifiable responses.

NOTE: Dashes indicate data that are not available or data that do not meet publication guidelines. Because of rounding, data may not sum to the totals. Major classifications may include detailed classifications not shown separately. n.e.c. = not elsewhere classified.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor