

Table R24. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, 1995

Part of body	Part of body code ³	Total cases	Event or exposure leading to injury or illness						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in object			
Private industry [2,040,929 cases]		250.3	69.0	33.2	17.6	11.7	12.8	27.5	7.3
Head	0	17.3	11.4	5.7	1.8	0.1	0.4	1.1	-
Head, unspecified	00	2.6	1.6	0.9	0.7	-	0.2	0.4	-
Cranial region, including skull	01	1.8	1.0	0.5	0.4	-	0.2	0.4	-
Cranial region, unspecified	010	-	-	-	-	-	-	-	-
Brain	011	1.0	0.5	0.3	0.2	-	0.1	0.2	-
Scalp	012	0.6	0.4	0.2	0.2	-	-	0.1	-
Skull	013	0.1	-	-	-	-	-	-	-
Multiple cranial region locations	018	-	-	-	-	-	-	-	-
Cranial region, n.e.c.	019	-	-	-	-	-	-	-	-
Ear(s)	02	0.3	0.1	-	-	-	-	-	-
Face	03	12.4	8.6	4.2	0.6	-	0.1	0.3	-
Face, unspecified	030	0.6	0.2	0.2	-	-	-	-	-
Forehead	031	0.7	0.5	0.3	0.2	-	-	0.1	-
Eye(s)	032	9.4	6.8	2.8	0.2	-	-	-	-
Nose, nasal cavity	033	0.5	0.3	0.2	-	-	-	-	-
Nose, except internal location of diseases or disorders	0330	0.5	0.3	0.2	-	-	-	-	-
Nasal passages	0333	-	-	-	-	-	-	-	-
Sinuses	0334	-	-	-	-	-	-	-	-
Cheek(s)	034	0.2	0.1	0.1	-	-	-	-	-
Jaw/chin	035	0.2	0.2	0.1	-	-	-	-	-
Mouth	036	0.4	0.3	0.3	0.1	-	-	-	-
Mouth, unspecified	0360	0.1	0.1	0.1	-	-	-	-	-
Lip(s)	0361	0.1	0.1	0.1	-	-	-	-	-
Tongue	0362	-	-	-	-	-	-	-	-
Tooth(teeth)	0363	0.2	0.1	0.1	-	-	-	-	-
Multiple mouth locations	0368	-	-	-	-	-	-	-	-
Mouth, n.e.c.	0369	-	-	-	-	-	-	-	-
Multiple face locations	038	0.3	0.1	0.1	-	-	-	-	-
Face, n.e.c.	039	0.1	-	-	-	-	-	-	-
Multiple head locations	08	0.2	0.1	-	-	-	-	-	-
Head, n.e.c.	09	-	-	-	-	-	-	-	-
Neck, including throat	1	4.7	0.8	0.5	0.2	-	0.1	0.3	0.1
Neck, except internal location of diseases or disorders	10	4.6	0.8	0.5	0.2	-	0.1	0.3	0.1
Internal neck location, unspecified	11	-	-	-	-	-	-	-	-
Vocal cord(s)	12	-	-	-	-	-	-	-	-
Larynx	13	-	-	-	-	-	-	-	-
Trunk	2	95.2	5.3	3.0	1.4	0.3	3.6	9.1	2.6
Trunk, unspecified	20	0.4	0.1	-	-	-	-	0.1	-
Shoulder, including clavicle, scapula	21	12.4	1.3	0.9	0.3	-	0.5	1.4	0.2
Chest, including ribs, internal organs	22	4.6	0.9	0.5	0.3	0.1	0.5	0.7	-
Chest, except internal location of diseases or disorders	220	4.1	0.9	0.5	0.3	0.1	0.5	0.7	-
Internal chest location, unspecified	221	-	-	-	-	-	-	-	-
Heart	223	0.1	-	-	-	-	-	-	-
Bronchus	224	-	-	-	-	-	-	-	-
Lung(s), pleura	225	0.3	-	-	-	-	-	-	-
Internal chest location, n.e.c.	229	-	-	-	-	-	-	-	-
Back, including spine, spinal cord	23	66.2	2.1	1.1	0.6	0.1	2.0	5.6	2.1
Back, including spine, spinal cord, unspecified	230	32.3	1.0	0.6	0.3	0.1	1.2	3.0	1.1
Lumbar region	231	28.5	0.8	0.3	0.3	-	0.6	1.9	0.9
Thoracic region	232	2.2	0.2	0.1	-	-	-	0.1	0.1
Sacral region	233	0.4	-	-	-	-	-	-	-
Coccygeal region	234	0.5	-	-	-	-	0.1	0.3	-
Multiple back regions	238	2.2	0.1	-	-	-	0.1	0.2	0.1
Back, including spine, spinal cord, n.e.c.	239	0.1	-	-	-	-	-	-	-
Abdomen	24	5.4	0.3	0.2	-	-	-	0.1	-
Abdomen, except internal location of diseases or disorders	240	1.4	0.2	0.2	-	-	-	0.1	-
Internal abdominal location, unspecified	241	1.8	-	-	-	-	-	-	-
Stomach organ	242	0.2	-	-	-	-	-	-	-

See footnotes at end of table.

Table R24. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, 1995 — Continued

Part of body	Event or exposure leading to injury or illness									
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			All other events ⁴
	Total	In lifting					Total	By person	All other assaults	
Private industry [2,040,929 cases]	68.7	41.1	10.1	12.7	9.1	0.5	3.6	2.8	0.7	29.0
Head	—	—	—	3.0	0.6	0.1	0.6	0.5	—	0.2
Head, unspecified	—	—	—	0.1	0.2	—	0.1	0.1	—	—
Cranial region, including skull	—	—	—	—	0.2	—	0.1	0.1	—	—
Cranial region, unspecified	—	—	—	—	—	—	—	—	—	—
Brain	—	—	—	—	0.1	—	—	—	—	—
Scalp	—	—	—	—	—	—	—	—	—	—
Skull	—	—	—	—	—	—	—	—	—	—
Multiple cranial region locations	—	—	—	—	—	—	—	—	—	—
Cranial region, n.e.c.	—	—	—	—	—	—	—	—	—	—
Ear(s)	—	—	—	0.2	—	—	—	—	—	—
Face	—	—	—	2.8	0.1	0.1	0.4	0.3	—	0.1
Face, unspecified	—	—	—	0.2	—	—	—	—	—	—
Forehead	—	—	—	—	—	—	—	—	—	—
Eye(s)	—	—	—	2.4	—	—	0.1	0.1	—	0.1
Nose, nasal cavity	—	—	—	0.1	—	—	0.1	0.1	—	—
Nose, except internal location of diseases or disorders	—	—	—	—	—	—	0.1	0.1	—	—
Nasal passages	—	—	—	—	—	—	—	—	—	—
Sinuses	—	—	—	—	—	—	—	—	—	—
Cheek(s)	—	—	—	—	—	—	—	—	—	—
Jaw/chin	—	—	—	—	—	—	—	—	—	—
Mouth	—	—	—	—	—	—	—	—	—	—
Mouth, unspecified	—	—	—	—	—	—	—	—	—	—
Lip(s)	—	—	—	—	—	—	—	—	—	—
Tongue	—	—	—	—	—	—	—	—	—	—
Tooth(teeth)	—	—	—	—	—	—	—	—	—	—
Multiple mouth locations	—	—	—	—	—	—	—	—	—	—
Mouth, n.e.c.	—	—	—	—	—	—	—	—	—	—
Multiple face locations	—	—	—	0.1	—	—	—	—	—	—
Face, n.e.c.	—	—	—	—	—	—	—	—	—	—
Multiple head locations	—	—	—	—	—	—	—	—	—	—
Head, n.e.c.	—	—	—	—	—	—	—	—	—	—
Neck, including throat	1.5	0.7	0.1	0.1	0.9	—	0.1	0.1	—	0.7
Neck, except internal location of diseases or disorders	1.5	0.7	0.1	—	0.9	—	0.1	0.1	—	0.7
Internal neck location, unspecified	—	—	—	—	—	—	—	—	—	—
Vocal cord(s)	—	—	—	—	—	—	—	—	—	—
Larynx	—	—	—	—	—	—	—	—	—	—
Trunk	55.8	35.2	1.6	0.7	2.2	—	0.7	0.7	—	13.7
Trunk, unspecified	0.1	0.1	—	—	—	—	—	—	—	—
Shoulder, including clavicle, scapula	6.5	3.4	0.7	—	0.3	—	0.2	0.2	—	1.3
Chest, including ribs, internal organs	1.1	0.7	—	0.4	0.2	—	0.2	0.2	—	0.5
Chest, except internal location of diseases or disorders	1.1	0.7	—	0.1	0.2	—	0.2	0.2	—	0.4
Internal chest location, unspecified	—	—	—	—	—	—	—	—	—	—
Heart	—	—	—	—	—	—	—	—	—	0.1
Bronchus	—	—	—	—	—	—	—	—	—	—
Lung(s), pleura	—	—	—	0.2	—	—	—	—	—	—
Internal chest location, n.e.c.	—	—	—	—	—	—	—	—	—	—
Back, including spine, spinal cord	41.4	26.7	0.7	—	1.4	—	0.2	0.2	—	10.6
Back, including spine, spinal cord, unspecified	19.8	13.1	0.3	—	0.8	—	0.1	0.1	—	5.0
Lumbar region	18.5	11.8	0.3	—	0.4	—	0.1	0.1	—	4.9
Thoracic region	1.4	0.8	—	—	0.1	—	—	—	—	0.3
Sacral region	0.3	0.2	—	—	—	—	—	—	—	—
Coccygeal region	—	—	—	—	—	—	—	—	—	—
Multiple back regions	1.3	0.8	—	—	0.1	—	—	—	—	0.4
Back, including spine, spinal cord, n.e.c.	0.1	0.1	—	—	—	—	—	—	—	—
Abdomen	4.1	2.8	0.1	0.2	—	—	0.1	0.1	—	0.5
Abdomen, except internal location of diseases or disorders	0.8	0.5	—	0.1	—	—	0.1	0.1	—	0.1
Internal abdominal location, unspecified	1.5	1.0	—	—	—	—	—	—	—	0.2
Stomach organ	0.1	0.1	—	—	—	—	—	—	—	—

See footnotes at end of table.

Table R24. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, 1995 — Continued

Part of body	Part of body code ³	Total cases	Event or exposure leading to injury or illness						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in object			
Urinary organs	244	—	—	—	—	—	—	—	—
Intestines, peritoneum	245	1.9	—	—	—	—	—	—	—
Intestines, peritoneum, unspecified	2450	1.6	—	—	—	—	—	—	—
Peritoneum	2451	0.1	—	—	—	—	—	—	—
Small intestine	2452	—	—	—	—	—	—	—	—
Large intestine/colon, rectum	2453	0.1	—	—	—	—	—	—	—
Intestines, n.e.c.	2459	0.1	—	—	—	—	—	—	—
Other digestive structures	246	—	—	—	—	—	—	—	—
Liver	2461	—	—	—	—	—	—	—	—
Internal abdominal location, n.e.c.	249	—	—	—	—	—	—	—	—
Pelvic region	25	4.5	0.5	0.2	0.2	—	0.3	1.0	0.2
Pelvic region, unspecified	250	0.1	—	—	—	—	—	—	—
Hip(s)	251	1.6	0.2	0.1	0.1	—	0.2	0.6	0.1
Pelvis	252	0.1	—	—	—	—	—	—	—
Buttock(s)	253	0.3	—	—	—	—	—	0.1	—
Groin	254	2.2	0.1	0.1	—	—	—	0.1	0.1
External reproductive tract structures	255	0.1	—	—	—	—	—	—	—
External reproductive tract structures, unspecified	2550	—	—	—	—	—	—	—	—
Scrotum	2551	0.1	—	—	—	—	—	—	—
Penis	2552	—	—	—	—	—	—	—	—
Internal reproductive tract structures	256	—	—	—	—	—	—	—	—
Testis(testes)	2562	—	—	—	—	—	—	—	—
Multiple pelvic region locations	258	0.1	—	—	—	—	—	—	—
Pelvic region, n.e.c.	259	—	—	—	—	—	—	—	—
Multiple trunk locations	28	1.7	0.2	0.1	—	—	0.2	0.3	—
Trunk, n.e.c.	29	0.1	—	—	—	—	—	—	—
Upper extremities	3	57.2	31.6	12.7	8.1	9.3	1.6	3.8	0.1
Upper extremities, unspecified	30	0.1	—	—	—	—	—	—	—
Arm(s)	31	10.6	3.3	1.4	1.4	0.4	0.6	1.4	—
Arm(s), unspecified	310	3.7	1.0	0.5	0.2	0.2	0.2	0.4	—
Upper arm(s)	311	0.6	0.1	0.1	—	—	—	0.1	—
Elbow(s)	312	3.9	1.2	0.3	0.9	—	0.3	0.7	—
Forearm(s)	313	1.9	0.8	0.5	0.2	0.1	—	0.2	—
Multiple arm(s) locations	318	0.4	0.1	—	—	—	—	—	—
Arm(s), n.e.c.	319	0.2	—	—	—	—	—	—	—
Wrist(s)	32	11.9	1.8	1.0	0.5	0.2	0.6	1.2	0.1
Hand(s), except finger(s)	33	10.1	6.4	2.7	1.8	1.5	0.2	0.5	—
Finger(s), fingernail(s)	34	21.7	19.3	7.3	4.3	6.7	0.1	0.4	—
Multiple upper extremities locations	38	2.8	0.9	0.3	0.1	0.4	0.1	0.2	—
Multiple upper extremities locations, unspecified	380	—	—	—	—	—	—	—	—
Hand(s) and finger(s)	381	0.7	0.4	0.1	0.1	0.2	—	—	—
Hand(s) and wrist(s)	382	0.6	0.2	0.1	—	0.1	—	—	—
Hand(s) and arm(s)	383	0.4	0.1	—	—	—	—	—	—
Multiple upper extremities locations, n.e.c.	389	1.0	0.2	0.1	—	0.1	0.1	0.1	—
Upper extremities, n.e.c.	39	—	—	—	—	—	—	—	—
Lower extremities	4	49.6	17.8	9.9	5.6	1.8	4.6	8.3	4.1
Lower extremities, unspecified	40	0.1	—	—	—	—	—	—	—
Leg(s)	41	23.8	6.6	2.9	2.7	0.6	2.0	5.3	1.9
Leg(s), unspecified	410	3.5	1.4	0.8	0.4	0.2	0.3	0.6	0.1
Thigh(s)	411	0.9	0.4	0.3	0.1	—	—	0.1	—
Knee(s)	412	16.9	3.6	1.2	1.8	0.3	1.4	4.2	1.7
Lower leg(s)	413	1.6	0.8	0.4	0.2	0.1	0.2	0.2	—
Multiple leg(s) locations	418	0.3	0.1	—	—	—	—	0.1	—
Leg(s), n.e.c.	419	0.5	0.3	0.1	0.2	—	—	0.1	—
Ankle(s)	42	11.6	2.1	0.9	1.0	0.2	1.7	2.2	1.9
Foot(feet), except toe(s)	43	9.2	5.6	3.5	1.4	0.6	0.6	0.5	0.2
Foot(feet), except toe(s), unspecified	430	8.0	5.0	3.2	1.2	0.6	0.5	0.4	0.2
Instep(s)	431	0.1	0.1	—	—	—	—	—	—
Sole	432	0.8	0.4	0.1	0.2	—	0.2	—	—
Sole(s), unspecified	4320	0.1	0.1	—	0.1	—	—	—	—
Ball(s)	4321	—	—	—	—	—	—	—	—
Arch(es)	4322	—	—	—	—	—	—	—	—
Heel(s)	4323	0.6	0.2	0.1	0.1	—	0.2	—	—

See footnotes at end of table.

Table R24. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, 1995 — Continued

Part of body	Event or exposure leading to injury or illness									
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			All other events ⁴
	Total	In lifting					Total	By person	All other assaults	
Urinary organs	—	—	—	—	—	—	—	—	—	—
Intestines, peritoneum	1.6	1.2	—	—	—	—	—	—	—	0.1
Intestines, peritoneum, unspecified	1.4	1.0	—	—	—	—	—	—	—	0.1
Peritoneum	0.1	0.1	—	—	—	—	—	—	—	—
Small intestine	—	—	—	—	—	—	—	—	—	—
Large intestine/colon, rectum	0.1	0.1	—	—	—	—	—	—	—	—
Intestines, n.e.c.	0.1	—	—	—	—	—	—	—	—	—
Other digestive structures	—	—	—	—	—	—	—	—	—	—
Liver	—	—	—	—	—	—	—	—	—	—
Internal abdominal location, n.e.c.	—	—	—	—	—	—	—	—	—	—
Pelvic region	2.0	1.2	—	—	0.1	—	—	—	—	0.5
Pelvic region, unspecified	—	—	—	—	—	—	—	—	—	—
Hip(s)	0.2	0.1	—	—	—	—	—	—	—	0.2
Pelvis	—	—	—	—	—	—	—	—	—	—
Buttock(s)	—	—	—	—	—	—	—	—	—	—
Groin	1.6	1.0	—	—	—	—	—	—	—	0.2
External reproductive tract structures	—	—	—	—	—	—	—	—	—	—
External reproductive tract structures, unspecified	—	—	—	—	—	—	—	—	—	—
Scrotum	—	—	—	—	—	—	—	—	—	—
Penis	—	—	—	—	—	—	—	—	—	—
Internal reproductive tract structures	—	—	—	—	—	—	—	—	—	—
Testis(testes)	—	—	—	—	—	—	—	—	—	—
Multiple pelvic region locations	—	—	—	—	—	—	—	—	—	—
Pelvic region, n.e.c.	—	—	—	—	—	—	—	—	—	—
Multiple trunk locations	0.6	0.3	—	—	0.1	—	—	—	—	0.2
Trunk, n.e.c.	—	—	—	—	—	—	—	—	—	—
Upper extremities	5.8	2.5	7.6	3.3	0.4	0.1	0.8	0.5	0.3	2.0
Upper extremities, unspecified	—	—	—	—	—	—	—	—	—	—
Arm(s)	2.4	1.1	0.9	0.9	0.1	—	0.2	0.2	0.1	0.6
Arm(s), unspecified	0.9	0.5	0.2	0.5	0.1	—	0.1	0.1	—	0.2
Upper arm(s)	0.2	0.1	—	—	—	—	—	—	—	—
Elbow(s)	0.8	0.4	0.4	—	—	—	—	—	—	0.3
Forearm(s)	0.2	0.1	0.1	0.3	—	—	0.1	—	—	0.1
Multiple arm(s) locations	0.1	—	—	—	—	—	—	—	—	—
Arm(s), n.e.c.	0.1	0.1	—	—	—	—	—	—	—	—
Wrist(s)	2.1	0.9	5.3	0.1	0.1	—	0.2	0.1	—	0.6
Hand(s), except finger(s)	0.5	0.2	0.5	1.5	0.1	—	0.2	0.1	0.1	0.3
Finger(s), fingernail(s)	0.4	0.1	0.4	0.4	0.1	—	0.2	0.1	0.1	0.3
Multiple upper extremities locations	0.4	0.1	0.5	0.4	—	—	—	—	—	0.2
Multiple upper extremities locations, unspecified	—	—	—	—	—	—	—	—	—	—
Hand(s) and finger(s)	—	—	—	0.1	—	—	—	—	—	—
Hand(s) and wrist(s)	0.1	—	0.1	—	—	—	—	—	—	0.1
Hand(s) and arm(s)	—	—	0.1	0.2	—	—	—	—	—	—
Multiple upper extremities locations, n.e.c.	0.2	0.1	0.3	—	—	—	—	—	—	0.1
Upper extremities, n.e.c.	—	—	—	—	—	—	—	—	—	—
Lower extremities	2.4	0.9	0.3	1.2	1.5	—	0.3	0.2	0.2	9.0
Lower extremities, unspecified	—	—	—	—	—	—	—	—	—	—
Leg(s)	1.9	0.8	0.2	0.4	0.6	—	0.2	0.1	0.1	4.8
Leg(s), unspecified	0.3	0.2	—	0.2	0.2	—	0.1	—	0.1	0.3
Thigh(s)	0.1	0.1	—	—	—	—	—	—	—	0.1
Knee(s)	1.4	0.5	0.1	—	0.3	—	0.1	0.1	—	4.1
Lower leg(s)	0.1	—	—	—	—	—	—	—	—	0.2
Multiple leg(s) locations	—	—	—	—	—	—	—	—	—	—
Leg(s), n.e.c.	—	—	—	—	—	—	—	—	—	—
Ankle(s)	0.3	0.1	—	0.2	0.2	—	—	—	—	3.0
Foot(feet), except toe(s)	0.1	—	0.1	0.6	0.5	—	—	—	—	1.0
Foot(feet), except toe(s), unspecified	0.1	—	0.1	0.5	0.4	—	—	—	—	0.8
Instep(s)	—	—	—	—	—	—	—	—	—	—
Sole	—	—	—	—	—	—	—	—	—	—
Sole(s), unspecified	—	—	—	—	—	—	—	—	—	0.1
Ball(s)	—	—	—	—	—	—	—	—	—	—
Arch(es)	—	—	—	—	—	—	—	—	—	—
Heel(s)	—	—	—	—	—	—	—	—	—	0.1

See footnotes at end of table.

Table R24. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, 1995 — Continued

Part of body	Part of body code ³	Total cases	Event or exposure leading to injury or illness						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in object			
Multiple foot(feet) locations	438	0.1	—	—	—	—	—	—	—
Foot(feet), n.e.c.	439	0.3	0.2	0.1	0.1	—	—	—	—
Toe(s), toenail(s)	44	3.0	2.7	2.2	0.3	0.2	—	—	—
Multiple lower extremities locations	48	1.8	0.7	0.4	0.2	0.1	0.2	0.4	0.1
Multiple lower extremities locations, unspecified	480	—	—	—	—	—	—	—	—
Foot(feet) and leg(s)	481	0.2	0.1	0.1	—	—	—	—	—
Foot(feet) and ankle(s)	482	0.6	0.2	—	0.1	—	—	0.1	—
Foot(feet) and toe(s)	483	0.3	0.2	0.2	—	—	—	—	—
Multiple lower extremities locations, n.e.c.	489	0.7	0.2	0.1	—	—	0.1	0.2	—
Lower extremities, n.e.c.	49	—	—	—	—	—	—	—	—
Body systems	5	3.9	—	—	—	—	—	—	—
Multiple body parts	8	19.6	2.0	1.3	0.4	0.2	2.4	4.8	0.4
Other body parts	9	—	—	—	—	—	—	—	—
Other body parts, n.e.c.	98	—	—	—	—	—	—	—	—
Nonclassifiable	9999	2.7	0.1	0.1	—	—	0.1	0.2	—

See footnotes at end of table.

Table R24. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, 1995 — Continued

Part of body	Event or exposure leading to injury or illness									
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			All other events ⁴
	Total	In lifting					Total	By person	All other assaults	
Multiple foot(feet) locations	-	-	-	-	-	-	-	-	-	-
Foot(feet), n.e.c.	-	-	-	-	-	-	-	-	-	-
Toe(s), toenail(s)	-	-	-	-	0.1	-	-	-	-	-
Multiple lower extremities locations	-	-	-	0.1	0.1	-	-	-	-	0.2
Multiple lower extremities locations, unspecified	-	-	-	-	-	-	-	-	-	-
Foot(feet) and leg(s)	-	-	-	-	-	-	-	-	-	-
Foot(feet) and ankle(s)	-	-	-	-	-	-	-	-	-	0.1
Foot(feet) and toe(s)	-	-	-	-	-	-	-	-	-	-
Multiple lower extremities locations, n.e.c.	-	-	-	-	-	-	-	-	-	-
Lower extremities, n.e.c.	-	-	-	-	-	-	-	-	-	-
Body systems	-	-	-	2.8	-	-	0.2	0.2	-	0.7
Multiple body parts	2.9	1.6	0.5	1.4	3.3	0.2	0.6	0.6	0.1	1.2
Other body parts	-	-	-	-	-	-	-	-	-	-
Other body parts, n.e.c.	-	-	-	-	-	-	-	-	-	-
Nonclassifiable	0.2	0.2	0.1	0.1	0.1	-	0.2	0.2	0.1	1.6

¹ Incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as: (N/EH) x 20,000,000 where

N = number of injuries and illnesses
 EH = total hours worked by all employees during the calendar year
 20,000,000 = base for 10,000 equivalent full-time workers (working 40 hours per week, 50 weeks per year).

² Days-away-from-work cases include those which result in days away from work with or without restricted work activity.

³ Based on the 1992 occupational injury and illness classification structure developed by the Bureau of Labor Statistics.

⁴ Includes nonclassifiable responses.

NOTE: Dashes indicate data that are not available or data that do not meet publication guidelines.
 n.e.c. = not elsewhere classified.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor