

TABLE R24. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, 2003

Part of body	Part of body code ³	Private industry ⁴	Event or exposure leading to injury or illness ⁵						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Total [1,315,920 cases]		150.0	39.0	19.0	10.4	6.6	9.4	19.9	4.8
Head	0	9.7	6.1	3.3	1.1	(7)	.3	1.0	(7)
Head, unspecified	00	1.8	1.1	.6	.5	(7)	.1	.4	(7)
Cranial region, including skull	01	1.2	.6	.4	.2	(7)	.1	.3	-
Cranial region, unspecified	010	.1	(7)	(7)	(7)	-	-	(7)	-
Brain	011	.7	.3	.2	.1	-	.1	.2	-
Scalp	012	.4	.3	.1	.1	(7)	(7)	(7)	-
Skull	013	(7)	(7)	(7)	(7)	(7)	(7)	(7)	-
Multiple cranial region locations	018	(7)	-	-	-	-	-	-	-
Cranial region, n.e.c.	019	(7)	(7)	-	(7)	-	-	(7)	-
Ear(s)	02	.2	.1	(7)	(7)	-	-	(7)	-
Face	03	6.3	4.3	2.2	.4	(7)	(7)	.3	-
Face, unspecified	030	.4	.2	.1	(7)	-	(7)	.1	-
Forehead	031	.4	.3	.2	.1	(7)	-	.1	-
Eye(s)	032	4.2	3.1	1.3	.1	-	-	(7)	-
Nose, nasal cavity	033	.4	.3	.2	.1	-	(7)	(7)	-
Nose, except internal location of diseases or disorders	0330	.4	.3	.2	.1	-	(7)	(7)	-
Nasal passages	0333	(7)	-	-	-	-	-	-	-
Cheek(s)	034	.1	.1	.1	(7)	-	-	(7)	-
Jaw/chin	035	.1	.1	.1	(7)	-	(7)	(7)	-
Mouth	036	.4	.3	.2	(7)	-	(7)	.1	-
Mouth, unspecified	0360	.1	.1	.1	(7)	-	-	-	-
Lip(s)	0361	.1	(7)	(7)	-	-	-	(7)	-
Tongue	0362	(7)	-	-	-	-	-	-	-
Tooth(teeth)	0363	.2	.1	.1	(7)	-	(7)	(7)	-
Multiple mouth locations	0368	(7)	(7)	(7)	-	-	-	-	-
Mouth, n.e.c.	0369	(7)	(7)	(7)	-	-	-	-	-
Multiple face locations	038	.2	.1	.1	(7)	-	(7)	(7)	-
Face, n.e.c.	039	(7)	(7)	(7)	-	-	-	-	-
Multiple head locations	08	.1	.1	(7)	(7)	-	(7)	(7)	-
Head, n.e.c.	09	(7)	(7)	(7)	(7)	-	(7)	(7)	-
Neck, including throat	1	2.4	.4	.3	.1	(7)	.1	.1	(7)
Neck, except internal location of diseases or disorders	10	2.4	.4	.3	.1	(7)	.1	.1	(7)
Internal neck location, unspecified	11	(7)	-	-	-	-	-	-	-
Pharynx	15	(7)	-	-	-	-	-	-	-
Trunk	2	53.9	3.0	1.7	.8	.3	2.5	5.6	1.5
Trunk, unspecified	20	.2	(7)	(7)	(7)	-	(7)	(7)	(7)

See footnotes at end of table.

TABLE R24. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, 2003 — Continued

Part of body	Event or exposure leading to injury or illness ⁵									All other events ⁶
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			
	Total	In lifting					Total	By person	All other assaults	
Total [1,315,920 cases]	38.7	21.1	6.5	6.4	6.6	0.3	2.6	1.9	0.7	16.0
Head	(⁷)	(⁷)	—	1.4	.3	(⁷)	.5	.4	.1	.1
Head, unspecified	—	—	—	(⁷)	.1	—	.1	.1	—	(⁷)
Cranial region, including skull	—	—	—	(⁷)	.1	—	(⁷)	(⁷)	—	(⁷)
Cranial region, unspecified	—	—	—	—	(⁷)	—	—	—	—	—
Brain	—	—	—	(⁷)	.1	—	(⁷)	(⁷)	—	(⁷)
Scalp	—	—	—	(⁷)	(⁷)	—	(⁷)	(⁷)	—	—
Skull	—	—	—	—	—	—	—	—	—	—
Multiple cranial region locations	—	—	—	—	—	—	—	—	—	—
Cranial region, n.e.c.	—	—	—	—	—	—	—	—	—	—
Ear(s)	—	—	—	.1	(⁷)	—	(⁷)	(⁷)	(⁷)	(⁷)
Face	(⁷)	(⁷)	—	1.2	.1	(⁷)	.3	.2	(⁷)	(⁷)
Face, unspecified	—	—	—	.1	(⁷)	(⁷)	.1	(⁷)	(⁷)	—
Forehead	—	—	—	(⁷)	(⁷)	—	(⁷)	(⁷)	—	—
Eye(s)	(⁷)	(⁷)	(⁷)	1.0	—	(⁷)	(⁷)	(⁷)	(⁷)	(⁷)
Nose, nasal cavity	—	—	—	(⁷)	(⁷)	—	.1	.1	(⁷)	—
Nose, except internal location of diseases or disorders	—	—	—	(⁷)	(⁷)	—	.1	.1	(⁷)	—
Nasal passages	—	—	—	(⁷)	—	—	—	—	—	—
Cheek(s)	—	—	—	(⁷)	—	—	(⁷)	(⁷)	—	—
Jaw/chin	—	—	—	—	—	—	(⁷)	(⁷)	—	—
Mouth	—	—	—	(⁷)	(⁷)	—	(⁷)	(⁷)	(⁷)	—
Mouth, unspecified	—	—	—	(⁷)	—	—	(⁷)	(⁷)	(⁷)	—
Lip(s)	—	—	—	—	(⁷)	—	(⁷)	—	(⁷)	—
Tongue	—	—	—	—	—	—	—	—	—	—
Tooth(teeth)	—	—	—	—	—	—	(⁷)	(⁷)	—	—
Multiple mouth locations	—	—	—	—	—	—	(⁷)	(⁷)	—	—
Mouth, n.e.c.	—	—	—	—	—	—	—	—	—	—
Multiple face locations	—	—	—	(⁷)	(⁷)	(⁷)	.1	.1	—	—
Face, n.e.c.	—	—	—	(⁷)	—	—	—	—	—	—
Multiple head locations	—	—	—	(⁷)	(⁷)	—	(⁷)	(⁷)	—	—
Head, n.e.c.	—	—	—	—	—	—	—	—	—	—
Neck, including throat7	.4	.1	(⁷)	.5	—	.1	.1	(⁷)	.3
Neck, except internal location of diseases or disorders7	.4	.1	(⁷)	.5	—	.1	.1	(⁷)	.3
Internal neck location, unspecified	—	—	—	—	—	—	—	—	—	(⁷)
Pharynx	—	—	—	(⁷)	—	—	—	—	—	—
Trunk	30.6	17.7	1.3	.3	1.7	(⁷)	.5	.4	(⁷)	6.9
Trunk, unspecified	(⁷)	(⁷)	—	(⁷)	(⁷)	—	(⁷)	(⁷)	—	(⁷)

See footnotes at end of table.

TABLE R24. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, 2003 — Continued

Part of body	Part of body code ³	Private industry ⁴	Event or exposure leading to injury or illness ⁵						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Shoulder, including clavicle, scapula	21	9.6	0.9	0.5	0.2	0.1	0.5	1.2	0.2
Chest, including ribs, internal organs	22	2.3	.5	.3	.2	(⁷)	.2	.4	(⁷)
Chest, except internal location of diseases or disorders	220	2.1	.5	.3	.2	(⁷)	.2	.4	(⁷)
Internal chest location, unspecified	221	(⁷)	—	—	—	—	—	—	—
Heart	223	(⁷)	—	—	—	—	—	—	—
Bronchus	224	(⁷)	—	—	—	—	—	—	—
Lung(s), pleura	225	.2	—	—	—	—	—	(⁷)	—
Back, including spine, spinal cord	23	34.6	1.2	.7	.3	.1	1.3	2.9	1.1
Back, including spine, spinal cord, unspecified	230	15.1	.6	.3	.2	(⁷)	.7	1.4	.5
Lumbar region	231	16.5	.5	.3	.1	(⁷)	.5	1.2	.6
Thoracic region	232	1.5	.1	.1	(⁷)	—	(⁷)	.1	(⁷)
Sacral region	233	.2	(⁷)	—	—	—	—	(⁷)	—
Coccygeal region	234	.3	(⁷)	(⁷)	—	—	.1	.2	(⁷)
Multiple back regions	238	1.0	(⁷)	(⁷)	(⁷)	(⁷)	.1	.1	(⁷)
Back, including spine, spinal cord, n.e.c.	239	.1	—	—	—	—	(⁷)	—	—
Abdomen	24	3.5	.1	.1	(⁷)	(⁷)	(⁷)	.1	(⁷)
Abdomen, except internal location of diseases or disorders	240	.8	.1	.1	(⁷)	(⁷)	(⁷)	.1	(⁷)
Internal abdominal location, unspecified	241	1.3	(⁷)	(⁷)	(⁷)	—	(⁷)	(⁷)	(⁷)
Stomach organ	242	.1	—	—	—	—	—	—	—
Urinary organs	244	(⁷)	—	—	—	—	—	—	—
Kidney(s)	2442	(⁷)	—	—	—	—	—	—	—
Intestines, peritoneum	245	1.2	(⁷)	(⁷)	—	—	—	(⁷)	(⁷)
Intestines, peritoneum, unspecified	2450	1.1	(⁷)	—	—	—	—	(⁷)	(⁷)
Peritoneum	2451	.1	—	—	—	—	—	—	—
Small intestine	2452	(⁷)	—	—	—	—	—	—	—
Large intestine/colon, rectum	2453	.1	—	—	—	—	—	—	—
Intestines, n.e.c.	2459	(⁷)	—	—	—	—	—	—	—
Liver	2461	(⁷)	—	—	—	—	—	—	—
Multiple internal abdominal locations	248	—	—	—	—	—	—	—	—
Internal abdominal location, n.e.c.	249	(⁷)	—	—	—	—	—	—	—
Pelvic region	25	2.6	.2	.1	.1	(⁷)	.2	.7	.1
Pelvic region, unspecified	250	(⁷)	(⁷)	—	(⁷)	—	—	(⁷)	—

See footnotes at end of table.

TABLE R24. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, 2003 — Continued

Part of body	Event or exposure leading to injury or illness ⁵									All other events ⁶
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			
	Total	In lifting					Total	By person	All other assaults	
Shoulder, including clavicle, scapula	4.9	2.3	0.7	(7)	0.3	—	0.1	0.1	(7)	0.9
Chest, including ribs, internal organs5	.3	(7)	.2	.1	(7)	.1	.1	(7)	.2
Chest, except internal location of diseases or disorders5	.3	(7)	(7)	.1	(7)	.1	.1	(7)	.2
Internal chest location, unspecified	—	—	—	(7)	—	—	—	—	—	(7)
Heart	(7)	—	—	—	—	—	—	—	—	(7)
Bronchus	—	—	—	(7)	—	—	—	—	—	—
Lung(s), pleura	(7)	(7)	—	.1	—	—	—	—	—	(7)
Back, including spine, spinal cord	21.1	12.6	.5	(7)	1.1	(7)	.2	.2	(7)	5.1
Back, including spine, spinal cord, unspecified	8.7	5.3	.3	(7)	.6	—	.1	.1	(7)	2.3
Lumbar region	10.7	6.5	.2	(7)	.4	—	.1	(7)	(7)	2.5
Thoracic region	1.0	.5	(7)	—	.1	—	(7)	(7)	—	.2
Sacral region1	.1	—	—	—	—	—	—	—	(7)
Coccygeal region	(7)	(7)	—	—	(7)	—	—	—	—	(7)
Multiple back regions5	.3	(7)	—	.1	—	(7)	(7)	—	.2
Back, including spine, spinal cord, n.e.c.	(7)	(7)	(7)	—	—	—	—	—	—	—
Abdomen	2.7	1.7	(7)	.1	(7)	—	.1	.1	—	.3
Abdomen, except internal location of diseases or disorders4	.3	(7)	(7)	(7)	—	.1	.1	—	.1
Internal abdominal location, unspecified	1.1	.7	(7)	—	(7)	—	—	—	—	.1
Stomach organ	(7)	(7)	—	(7)	—	—	—	—	—	(7)
Urinary organs	—	—	—	—	—	—	—	—	—	(7)
Kidney(s)	—	—	—	—	—	—	—	—	—	(7)
Intestines, peritoneum	1.1	.7	(7)	(7)	—	—	—	—	—	.1
Intestines, peritoneum, unspecified	1.0	.6	(7)	—	—	—	—	—	—	.1
Peritoneum1	.1	—	—	—	—	—	—	—	(7)
Small intestine	(7)	(7)	—	—	—	—	—	—	—	—
Large intestine/colon, rectum	(7)	(7)	(7)	—	—	—	—	—	—	(7)
Intestines, n.e.c.	(7)	(7)	—	—	—	—	—	—	—	—
Liver	—	—	—	(7)	—	—	—	—	—	—
Multiple internal abdominal locations	—	—	—	—	—	—	—	—	—	(7)
Internal abdominal location, n.e.c.	(7)	(7)	—	—	—	—	—	—	—	—
Pelvic region	1.0	.6	(7)	(7)	.1	—	(7)	(7)	(7)	.3
Pelvic region, unspecified	(7)	(7)	—	—	—	—	—	—	—	(7)

See footnotes at end of table.

TABLE R24. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, 2003 — Continued

Part of body	Part of body code ³	Private industry ⁴	Event or exposure leading to injury or illness ⁵						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Hip(s)	251	1.1	0.1	(7)	(7)	(7)	0.1	0.5	(7)
Pelvis	252	.1	(7)	(7)	—	—	(7)	(7)	—
Buttock(s)	253	.2	(7)	(7)	—	—	(7)	.1	—
Groin	254	1.1	(7)	(7)	(7)	(7)	(7)	.1	(7)
External reproductive tract structures	255	(7)	(7)	(7)	—	—	—	—	—
External reproductive tract structures, unspecified	2550	(7)	—	—	—	—	—	—	—
Scrotum	2551	(7)	(7)	—	—	—	—	—	—
Penis	2552	(7)	—	—	—	—	—	—	—
External reproductive tract structures, n.e.c.	2559	—	—	—	—	—	—	—	—
Internal reproductive tract structures	256	—	—	—	—	—	—	(7)	—
Testis(testes)	2562	(7)	—	—	—	—	—	—	—
Uterus	2564	(7)	—	—	—	—	—	(7)	—
Multiple pelvic region locations	258	(7)	—	—	—	(7)	—	—	—
Pelvic region, n.e.c.	259	(7)	—	—	—	—	—	(7)	—
Multiple trunk locations	28	1.0	.1	.1	(7)	(7)	.2	.2	(7)
Trunk, n.e.c.	29	(7)	—	—	—	—	—	(7)	—
Upper extremities	3	34.0	17.9	7.6	4.5	5.1	1.3	2.9	.1
Upper extremities, unspecified	30	.1	(7)	(7)	(7)	(7)	—	(7)	—
Arm(s)	31	6.6	1.8	.8	.7	.3	.5	1.1	(7)
Arm(s), unspecified	310	2.3	.6	.3	.2	.1	.2	.4	(7)
Upper arm(s)	311	.5	.1	(7)	(7)	(7)	(7)	.1	(7)
Elbow(s)	312	2.2	.6	.1	.4	(7)	.2	.5	—
Forearm(s)	313	1.1	.5	.3	.1	.1	(7)	.1	—
Multiple arm(s) locations	318	.4	(7)	(7)	(7)	(7)	.1	.1	—
Arm(s), n.e.c.	319	.1	(7)	(7)	—	(7)	—	(7)	—
Wrist(s)	32	7.4	.9	.5	.3	.1	.5	1.0	(7)
Hand(s), except finger(s)	33	5.8	3.8	1.8	1.0	.8	.1	.3	(7)
Finger(s), fingernail(s)	34	12.1	10.7	4.2	2.3	3.8	.1	.3	—
Multiple upper extremities locations ...	38	2.0	.7	.3	.1	.2	.1	.2	(7)
Multiple upper extremities locations, unspecified	380	(7)	(7)	—	—	—	—	—	—
Hand(s) and finger(s)	381	.7	.4	.2	.1	.1	(7)	(7)	—
Hand(s) and wrist(s)	382	.4	.1	(7)	(7)	(7)	(7)	.1	—
Hand(s) and arm(s)	383	.3	.1	(7)	(7)	(7)	—	(7)	—
Multiple upper extremities locations, n.e.c.	389	.7	.1	.1	(7)	(7)	(7)	.1	(7)
Upper extremities, n.e.c.	39	(7)	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R24. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, 2003 — Continued

Part of body	Event or exposure leading to injury or illness ⁵									All other events ⁶
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			
	Total	In lifting					Total	By person	All other assaults	
Hip(s)	0.2	0.1	(7)	—	(7)	—	(7)	—	—	0.1
Pelvis	(7)	—	—	—	(7)	—	(7)	—	—	(7)
Buttock(s)	(7)	(7)	—	(7)	—	—	(7)	(7)	—	(7)
Groin8	.5	(7)	—	(7)	—	(7)	(7)	—	.1
External reproductive tract structures	(7)	(7)	—	—	—	—	—	—	—	—
External reproductive tract structures, unspecified	(7)	—	—	—	—	—	—	—	—	—
Scrotum	(7)	(7)	—	—	—	—	—	—	—	—
Penis	—	—	—	—	—	—	—	—	—	—
External reproductive tract structures, n.e.c.	(7)	—	—	—	—	—	—	—	—	—
Internal reproductive tract structures	—	—	—	—	—	—	—	—	—	—
Testis(testes)	—	—	—	—	—	—	—	—	—	—
Uterus	—	—	—	—	—	—	—	—	—	—
Multiple pelvic region locations	—	—	—	—	—	—	—	—	—	—
Pelvic region, n.e.c.	(7)	(7)	—	—	—	—	—	—	—	—
Multiple trunk locations3	.2	(7)	(7)	.1	—	(7)	(7)	—	.1
Trunk, n.e.c.	(7)	—	—	—	—	—	—	—	—	—
Upper extremities	3.5	1.5	4.6	1.8	.3	(7)	.6	.3	0.3	1.0
Upper extremities, unspecified	(7)	(7)	(7)	(7)	—	—	—	—	—	(7)
Arm(s)	1.5	.7	.5	.5	.1	(7)	.2	.1	.1	.3
Arm(s), unspecified5	.2	.1	.3	.1	(7)	.1	.1	(7)	.1
Upper arm(s)2	.1	(7)	(7)	—	—	(7)	—	(7)	(7)
Elbow(s)5	.3	.3	(7)	(7)	—	(7)	(7)	—	.1
Forearm(s)2	.1	(7)	.2	(7)	—	(7)	(7)	(7)	(7)
Multiple arm(s) locations1	(7)	.1	(7)	(7)	—	(7)	(7)	—	(7)
Arm(s), n.e.c.	(7)	(7)	—	(7)	—	—	—	—	—	—
Wrist(s)	1.3	.5	3.2	.1	.1	—	.1	.1	(7)	.3
Hand(s), except finger(s)2	.1	.3	.7	(7)	(7)	.2	.1	.1	.2
Finger(s), fingernail(s)3	.1	.2	.2	.1	(7)	.1	.1	.1	.2
Multiple upper extremities locations2	.1	.3	.3	(7)	(7)	.1	(7)	(7)	.1
Multiple upper extremities locations, unspecified	(7)	(7)	—	—	—	—	—	—	—	—
Hand(s) and finger(s)	(7)	—	(7)	.1	—	—	(7)	(7)	—	(7)
Hand(s) and wrist(s)	(7)	(7)	.1	(7)	(7)	—	(7)	(7)	(7)	(7)
Hand(s) and arm(s)	(7)	(7)	(7)	.1	—	(7)	(7)	—	(7)	(7)
Multiple upper extremities locations, n.e.c.1	(7)	.2	(7)	(7)	—	(7)	(7)	—	(7)
Upper extremities, n.e.c.	(7)	—	—	—	—	—	(7)	—	—	—

See footnotes at end of table.

TABLE R24. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, 2003 — Continued

Part of body	Part of body code ³	Private industry ⁴	Event or exposure leading to injury or illness ⁵						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Lower extremities	4	31.9	9.8	5.0	3.5	1.0	3.1	6.2	2.9
Lower extremities, unspecified	40	(⁷)	(⁷)	—	(⁷)	(⁷)	—	(⁷)	—
Leg(s)	41	16.7	3.9	1.8	1.6	.3	1.4	4.0	1.4
Leg(s), unspecified	410	2.4	.9	.6	.2	.1	.2	.4	.1
Thigh(s)	411	.6	.2	.1	(⁷)	(⁷)	(⁷)	.1	(⁷)
Knee(s)	412	12.1	2.2	.7	1.1	.2	.9	3.2	1.3
Lower leg(s)	413	1.3	.5	.3	.2	(⁷)	.1	.2	(⁷)
Multiple leg(s) locations	418	.3	.1	(⁷)	(⁷)	(⁷)	.1	.1	(⁷)
Leg(s), n.e.c.	419	.1	(⁷)	(⁷)	(⁷)	—	—	(⁷)	—
Ankle(s)	42	7.8	1.6	.5	.8	.2	1.1	1.6	1.2
Foot(feet), except toe(s)	43	5.0	2.8	1.7	.8	.3	.5	.3	.2
Foot(feet), except toe(s), unspecified	430	4.3	2.5	1.6	.6	.3	.3	.3	.1
Instep(s)	431	.1	.1	(⁷)	(⁷)	(⁷)	—	—	(⁷)
Sole	432	.4	.2	(⁷)	.1	(⁷)	.1	(⁷)	(⁷)
Sole(s), unspecified	4320	.1	.1	—	.1	—	—	—	—
Ball(s)	4321	(⁷)	(⁷)	—	(⁷)	—	—	—	—
Arch(es)	4322	(⁷)	(⁷)	—	(⁷)	—	—	—	—
Heel(s)	4323	.3	.1	(⁷)	(⁷)	(⁷)	.1	(⁷)	(⁷)
Multiple sole(s) locations	4328	(⁷)	(⁷)	—	(⁷)	—	—	—	—
Sole(s), n.e.c.	4329	(⁷)	—	—	—	—	—	—	—
Multiple foot(feet) locations	438	(⁷)	(⁷)	(⁷)	(⁷)	(⁷)	(⁷)	—	—
Foot(feet), n.e.c.	439	.1	(⁷)	(⁷)	(⁷)	—	(⁷)	(⁷)	(⁷)
Toe(s), toenail(s)	44	1.4	1.2	.9	.2	.1	(⁷)	(⁷)	(⁷)
Multiple lower extremities locations	48	.9	.3	.2	.1	.1	.1	.2	.1
Multiple lower extremities locations, unspecified	480	(⁷)	—	(⁷)	—	—	(⁷)	—	—
Foot(feet) and leg(s)	481	.1	(⁷)	(⁷)	(⁷)	(⁷)	(⁷)	(⁷)	—
Foot(feet) and ankle(s)	482	.3	.1	.1	(⁷)	(⁷)	(⁷)	.1	(⁷)
Foot(feet) and toe(s)	483	.1	.1	(⁷)	(⁷)	(⁷)	—	(⁷)	—
Multiple lower extremities locations, n.e.c.	489	.4	.1	(⁷)	(⁷)	(⁷)	.1	.1	(⁷)
Lower extremities, n.e.c.	49	(⁷)	(⁷)	(⁷)	—	—	—	—	—
Body systems	5	2.1	(⁷)	(⁷)	(⁷)	—	(⁷)	(⁷)	—
Multiple body parts	8	14.9	1.6	1.0	.4	.2	2.0	4.0	.3
Other body parts	9	(⁷)	—	—	—	—	—	(⁷)	—

See footnotes at end of table.

TABLE R24. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, 2003 — Continued

Part of body	Event or exposure leading to injury or illness ⁵									All other events ⁶
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			
	Total	In lifting					Total	By person	All other assaults	
Lower extremities	1.7	0.5	0.2	0.6	1.0	(⁷)	0.4	0.2	0.2	6.0
Lower extremities, unspecified	—	—	—	—	—	—	—	—	—	(⁷)
Leg(s)	1.4	.5	.1	.3	.5	(⁷)	.3	.1	.2	3.4
Leg(s), unspecified1	(⁷)	—	.2	.2	(⁷)	.1	(⁷)	.1	.2
Thigh(s)1	(⁷)	—	(⁷)	(⁷)	—	(⁷)	(⁷)	(⁷)	(⁷)
Knee(s)	1.0	.3	.1	(⁷)	.2	—	.1	.1	(⁷)	3.0
Lower leg(s)1	(⁷)	—	(⁷)	(⁷)	(⁷)	.1	(⁷)	(⁷)	.2
Multiple leg(s) locations	(⁷)	—	—	(⁷)	(⁷)	—	(⁷)	(⁷)	—	(⁷)
Leg(s), n.e.c.	(⁷)	—	—	—	—	—	—	—	—	(⁷)
Ankle(s)2	(⁷)	(⁷)	(⁷)	.1	—	(⁷)	(⁷)	—	1.9
Foot(feet), except toe(s)1	(⁷)	(⁷)	.2	.2	—	(⁷)	(⁷)	(⁷)	.6
Foot(feet), except toe(s), unspecified1	(⁷)	(⁷)	.2	.2	—	(⁷)	(⁷)	(⁷)	.5
Instep(s)	—	—	—	(⁷)	(⁷)	—	—	—	—	(⁷)
Sole	(⁷)	—	—	—	(⁷)	—	—	—	—	.1
Sole(s), unspecified	—	—	—	—	—	—	—	—	—	—
Ball(s)	—	—	—	—	—	—	—	—	—	—
Arch(es)	—	—	—	—	—	—	—	—	—	—
Heel(s)	(⁷)	—	—	—	(⁷)	—	—	—	—	.1
Multiple sole(s) locations	—	—	—	—	—	—	—	—	—	—
Sole(s), n.e.c.	—	—	—	—	—	—	—	—	—	—
Multiple foot(feet) locations	—	—	—	—	—	—	—	—	—	—
Foot(feet), n.e.c.	(⁷)	—	—	—	—	—	—	—	—	(⁷)
Toe(s), toenail(s)	(⁷)	—	—	(⁷)	.1	—	(⁷)	—	(⁷)	(⁷)
Multiple lower extremities locations	(⁷)	(⁷)	—	(⁷)	.1	—	—	—	—	.1
Multiple lower extremities locations, unspecified	—	—	—	—	—	—	—	—	—	—
Foot(feet) and leg(s)	(⁷)	—	—	(⁷)	(⁷)	—	—	—	—	—
Foot(feet) and ankle(s)	—	—	—	(⁷)	(⁷)	—	—	—	—	(⁷)
Foot(feet) and toe(s)	—	—	—	(⁷)	(⁷)	—	—	—	—	—
Multiple lower extremities locations, n.e.c.	(⁷)	—	—	(⁷)	(⁷)	—	—	—	—	(⁷)
Lower extremities, n.e.c.	—	—	—	—	—	—	—	—	—	—
Body systems	(⁷)	(⁷)	—	1.4	(⁷)	(⁷)	.1	.1	—	.5
Multiple body parts	2.0	1.0	.4	.7	2.6	.1	.4	.4	(⁷)	.7
Other body parts	—	—	—	—	—	—	(⁷)	(⁷)	—	—

See footnotes at end of table.

TABLE R24. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, 2003 — Continued

Part of body	Part of body code ³	Private industry ⁴	Event or exposure leading to injury or illness ⁵						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Other body parts, n.e.c.	98	(⁷)	—	—	—	—	—	(⁷)	—
Nonclassifiable	9999	1.2	0.1	(⁷)	(⁷)	(⁷)	0.1	.1	(⁷)

See footnotes at end of table.

TABLE R24. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, 2003 — Continued

Part of body	Event or exposure leading to injury or illness ⁵									All other events ⁶
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			
	Total	In lifting					Total	By person	All other assaults	
Other body parts, n.e.c.	-	-	-	-	-	-	(⁷)	(⁷)	-	-
Nonclassifiable	0.1	0.1	(⁷)	0.2	0.1	-	.1	(⁷)	0.1	0.5

¹ Incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as: (N/EH) x 20,000,000 where

N = number of injuries and illnesses
 EH = total hours worked by all employees during the calendar year
 20,000,000 = base for 10,000 equivalent full-time workers (working 40 hours per week, 50 weeks per year)

² Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

³ Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

⁵ Data shown in columns correspond to the following Event codes: Contact with objects, Total = 00-09; Struck by object = 020-029; Struck

against object = 010-019; Caught in or compressed or crushed = 030-049; Fall to lower level = 110-119; Fall on same level = 130-139; Slips or trips without fall = 215; Overexertion, Total = 220-229; In lifting = 221; Repetitive motion = 230-239; Exposure to harmful substance or environment = 30-39; Transportation accidents = 40-49; Fires and explosions = 50-52; Assaults and violent acts, Total = 60-63; By person = 61; All other assaults = 60, 62, and 63; All other events = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁶ Includes nonclassifiable responses.

⁷ Less than 0.1 case per 10,000 full-time workers.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor