

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2004

Part of body	Part of body code ²	Private industry ³	Percent of days-away-from-work cases involving					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Total		1,259,320	180,500	14.3	144,480	11.5	231,350	18.4
Head	0	81,530	27,820	34.1	15,620	19.2	16,710	20.5
Head, unspecified	00	16,300	4,840	29.7	3,100	19.0	3,640	22.3
Cranial region, including skull	01	9,600	2,120	22.1	1,310	13.6	2,050	21.4
Cranial region, unspecified	010	300	90	30.0	-	-	70	23.3
Brain	011	5,830	750	12.9	950	16.3	1,250	21.4
Scalp	012	2,650	1,040	39.2	310	11.7	540	20.4
Skull	013	600	150	25.0	-	-	150	25.0
Multiple cranial region locations	018	60	-	-	-	-	-	-
Cranial region, n.e.c.	019	160	80	50.0	-	-	-	-
Ear(s)	02	1,030	220	21.4	90	8.7	250	24.3
Face	03	52,780	20,310	38.5	10,740	20.3	10,600	20.1
Face, unspecified	030	4,070	960	23.6	740	18.2	730	17.9
Forehead	031	3,130	1,160	37.1	560	17.9	520	16.6
Eye(s)	032	36,680	15,790	43.0	8,050	21.9	7,390	20.1
Nose, nasal cavity	033	2,380	600	25.2	280	11.8	420	17.6
Nose, except internal location of diseases or disorders	0330	2,340	590	25.2	280	12.0	420	17.9
Cheek(s)	034	850	220	25.9	160	18.8	70	8.2
Jaw/chin	035	1,060	380	35.8	80	7.5	210	19.8
Mouth	036	1,950	750	38.5	330	16.9	570	29.2
Mouth, unspecified	0360	320	180	56.2	-	-	70	21.9
Lip(s)	0361	480	210	43.8	70	14.6	130	27.1
Tooth(teeth)	0363	900	290	32.2	210	23.3	260	28.9
Multiple mouth locations	0368	120	-	-	-	-	-	-
Mouth, n.e.c.	0369	110	-	-	-	-	80	72.7
Multiple face locations	038	2,490	370	14.9	510	20.5	670	26.9
Face, n.e.c.	039	180	70	38.9	-	-	-	-
Multiple head locations	08	1,690	280	16.6	370	21.9	150	8.9
Head, n.e.c.	09	130	-	-	-	-	-	-
Neck, including throat	1	21,130	3,360	15.9	2,510	11.9	4,080	19.3
Neck, except internal location of diseases or disorders	10	20,980	3,340	15.9	2,510	12.0	4,070	19.4
Multiple internal neck locations	18	70	-	-	-	-	-	-
Trunk	2	447,140	50,080	11.2	46,890	10.5	82,870	18.5
Trunk, unspecified	20	2,220	530	23.9	330	14.9	480	21.6
Shoulder, including clavicle, scapula	21	82,220	7,220	8.8	7,060	8.6	11,490	14.0
Chest, including ribs, internal organs	22	20,280	2,980	14.7	3,080	15.2	4,710	23.2
Chest, except internal location of diseases or disorders	220	17,800	2,470	13.9	2,730	15.3	4,240	23.8
Internal chest location, unspecified	221	230	60	26.1	40	17.4	60	26.1
Heart	223	470	110	23.4	-	-	-	-
Bronchus	224	160	-	-	-	-	-	-

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2004 — Continued

Part of body	Percent of days-away-from-work cases involving								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Total	159,250	12.6	143,560	11.4	85,620	6.8	314,570	25.0	7
Head	7,530	9.2	4,980	6.1	2,570	3.2	6,300	7.7	2
Head, unspecified	1,410	8.7	1,100	6.7	590	3.6	1,610	9.9	3
Cranial region, including skull	1,040	10.8	1,010	10.5	500	5.2	1,570	16.4	4
Cranial region, unspecified	—	—	—	—	—	—	—	—	4
Brain	610	10.5	690	11.8	430	7.4	1,160	19.9	5
Scalp	350	13.2	180	6.8	40	1.5	190	7.2	2
Skull	—	—	80	13.3	—	—	170	28.3	5
Multiple cranial region locations	—	—	—	—	—	—	—	—	5
Cranial region, n.e.c.	—	—	—	—	—	—	—	—	1
Ear(s)	120	11.7	160	15.5	—	—	160	15.5	4
Face	4,890	9.3	2,540	4.8	1,400	2.7	2,300	4.4	2
Face, unspecified	390	9.6	470	11.5	350	8.6	420	10.3	4
Forehead	580	18.5	80	2.6	80	2.6	150	4.8	2
Eye(s)	2,410	6.6	1,280	3.5	710	1.9	1,040	2.8	2
Nose, nasal cavity	670	28.2	220	9.2	—	—	140	5.9	5
Nose, except internal location of diseases or disorders	670	28.6	210	9.0	—	—	140	6.0	5
Cheek(s)	120	14.1	40	4.7	120	14.1	120	14.1	5
Jaw/chin	120	11.3	110	10.4	—	—	120	11.3	4
Mouth	140	7.2	100	5.1	—	—	50	2.6	2
Mouth, unspecified	—	—	—	—	—	—	—	—	1
Lip(s)	—	—	—	—	—	—	—	—	2
Tooth(teeth)	50	5.6	70	7.8	—	—	—	—	2
Multiple mouth locations	—	—	—	—	—	—	—	—	2
Mouth, n.e.c.	—	—	—	—	—	—	—	—	4
Multiple face locations	450	18.1	210	8.4	—	—	230	9.2	4
Face, n.e.c.	—	—	—	—	—	—	—	—	2
Multiple head locations	70	4.1	180	10.7	50	3.0	590	34.9	9
Head, n.e.c.	—	—	—	—	—	—	60	46.2	12
Neck, including throat	2,590	12.3	2,180	10.3	900	4.3	5,490	26.0	6
Neck, except internal location of diseases or disorders	2,520	12.0	2,180	10.4	900	4.3	5,460	26.0	6
Multiple internal neck locations	—	—	—	—	—	—	—	—	6
Trunk	61,870	13.8	51,020	11.4	32,970	7.4	121,440	27.2	9
Trunk, unspecified	240	10.8	150	6.8	100	4.5	400	18.0	4
Shoulder, including clavicle, scapula	9,480	11.5	8,460	10.3	6,720	8.2	31,790	38.7	17
Chest, including ribs, internal organs	2,440	12.0	2,360	11.6	1,360	6.7	3,350	16.5	5
Chest, except internal location of diseases or disorders	2,330	13.1	2,180	12.2	1,320	7.4	2,520	14.2	5
Internal chest location, unspecified	—	—	—	—	—	—	—	—	3
Heart	—	—	50	10.6	—	—	270	57.4	180
Bronchus	—	—	—	—	20	12.5	—	—	2

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2004 — Continued

Part of body	Part of body code ²	Private industry ³	Percent of days-away-from-work cases involving					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Lung(s), pleura	225	1,590	320	20.1	210	13.2	330	20.8
Internal chest location, n.e.c.	229	20	—	—	—	—	—	—
Back, including spine, spinal cord	23	282,240	33,700	11.9	31,910	11.3	57,630	20.4
Back, including spine, spinal cord, unspecified	230	123,200	14,800	12.0	14,780	12.0	26,160	21.2
Lumbar region	231	137,210	16,210	11.8	14,610	10.6	26,630	19.4
Thoracic region	232	10,350	1,510	14.6	1,440	13.9	2,300	22.2
Sacral region	233	860	210	24.4	110	12.8	170	19.8
Coccygeal region	234	2,130	200	9.4	190	8.9	510	23.9
Multiple back regions	238	7,790	760	9.8	740	9.5	1,660	21.3
Back, including spine, spinal cord, n.e.c.	239	700	—	—	—	—	200	28.6
Abdomen	24	29,010	1,470	5.1	1,270	4.4	2,710	9.3
Abdomen, except internal location of diseases or disorders	240	7,540	1,060	14.1	810	10.7	1,500	19.9
Internal abdominal location, unspecified	241	9,670	140	1.4	180	1.9	420	4.3
Stomach organ	242	710	110	15.5	—	—	—	—
Urinary organs	244	20	—	—	—	—	—	—
Intestines, peritoneum	245	10,990	160	1.5	240	2.2	760	6.9
Intestines, peritoneum, unspecified	2450	9,650	160	1.7	220	2.3	690	7.2
Peritoneum	2451	730	—	—	—	—	20	2.7
Small intestine	2452	210	—	—	—	—	—	—
Large intestine/colon, rectum	2453	330	—	—	20	6.1	—	—
Multiple intestinal locations	2458	20	—	—	—	—	—	—
Intestines, n.e.c.	2459	40	—	—	—	—	—	—
Internal abdominal location, n.e.c.	249	70	—	—	—	—	—	—
Pelvic region	25	22,390	3,460	15.5	2,300	10.3	4,380	19.6
Pelvic region, unspecified	250	290	—	—	—	—	20	6.9
Hip(s)	251	9,520	1,800	18.9	700	7.4	1,830	19.2
Pelvis	252	740	80	10.8	—	—	50	6.8
Buttock(s)	253	1,280	220	17.2	270	21.1	320	25.0
Groin	254	10,000	1,250	12.5	1,220	12.2	2,070	20.7
External reproductive tract structures	255	300	—	—	—	—	50	16.7
External reproductive tract structures, unspecified	2550	50	—	—	—	—	—	—
Scrotum	2551	210	—	—	—	—	20	9.5
Multiple pelvic region locations	258	150	—	—	—	—	—	—
Pelvic region, n.e.c.	259	90	—	—	—	—	—	—
Multiple trunk locations	28	8,490	720	8.5	940	11.1	1,370	16.1
Trunk, n.e.c.	29	280	—	—	—	—	90	32.1
Upper extremities	3	290,460	47,430	16.3	34,170	11.8	51,300	17.7
Upper extremities, unspecified	30	480	300	62.5	—	—	—	—
Arm(s)	31	58,310	9,180	15.7	6,160	10.6	9,980	17.1
Arm(s), unspecified	310	21,290	3,760	17.7	2,640	12.4	3,420	16.1

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2004 — Continued

Part of body	Percent of days-away-from-work cases involving								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Lung(s), pleura	60	3.8	120	7.5	20	1.3	530	33.3	5
Internal chest location, n.e.c.	—	—	—	—	—	—	—	—	4
Back, including spine, spinal cord	42,670	15.1	31,480	11.2	16,850	6.0	68,010	24.1	7
Back, including spine, spinal cord, unspecified	18,130	14.7	12,910	10.5	7,130	5.8	29,280	23.8	7
Lumbar region	21,300	15.5	16,150	11.8	8,060	5.9	34,250	25.0	8
Thoracic region	1,390	13.4	1,180	11.4	860	8.3	1,670	16.1	5
Sacral region	80	9.3	90	10.5	80	9.3	140	16.3	4
Coccygeal region	450	21.1	210	9.9	70	3.3	480	22.5	7
Multiple back regions	1,200	15.4	890	11.4	540	6.9	2,000	25.7	8
Back, including spine, spinal cord, n.e.c.	110	15.7	40	5.7	120	17.1	190	27.1	10
Abdomen	3,420	11.8	5,480	18.9	5,600	19.3	9,070	31.3	21
Abdomen, except internal location of diseases or disorders	880	11.7	1,150	15.3	970	12.9	1,180	15.6	8
Internal abdominal location, unspecified	1,050	10.9	2,030	21.0	2,280	23.6	3,570	36.9	25
Stomach organ	110	15.5	70	9.9	90	12.7	270	38.0	21
Urinary organs	—	—	—	—	—	—	—	—	63
Intestines, peritoneum	1,380	12.6	2,210	20.1	2,240	20.4	4,000	36.4	24
Intestines, peritoneum, unspecified	1,050	10.9	1,980	20.5	2,040	21.1	3,520	36.5	24
Peritoneum	250	34.2	90	12.3	100	13.7	270	37.0	21
Small intestine	—	—	—	—	—	—	130	61.9	52
Large intestine/colon, rectum	40	12.1	100	30.3	60	18.2	80	24.2	18
Multiple intestinal locations	—	—	—	—	—	—	—	—	3
Intestines, n.e.c.	—	—	—	—	—	—	—	—	30
Internal abdominal location, n.e.c.	—	—	—	—	—	—	—	—	38
Pelvic region	2,620	11.7	2,140	9.6	1,670	7.5	5,810	25.9	7
Pelvic region, unspecified	90	31.0	—	—	—	—	130	44.8	14
Hip(s)	830	8.7	690	7.2	650	6.8	3,010	31.6	7
Pelvis	90	12.2	60	8.1	130	17.6	310	41.9	26
Buttock(s)	130	10.2	110	8.6	60	4.7	160	12.5	4
Groin	1,380	13.8	1,180	11.8	800	8.0	2,090	20.9	6
External reproductive tract structures	80	26.7	60	20.0	—	—	40	13.3	9
External reproductive tract structures, unspecified	—	—	—	—	—	—	—	—	13
Scrotum	70	33.3	60	28.6	—	—	—	—	9
Multiple pelvic region locations	—	—	—	—	—	—	—	—	5
Pelvic region, n.e.c.	—	—	—	—	—	—	—	—	18
Multiple trunk locations	900	10.6	920	10.8	660	7.8	2,980	35.1	13
Trunk, n.e.c.	110	39.3	—	—	—	—	—	—	10
Upper extremities	37,000	12.7	35,820	12.3	19,930	6.9	64,810	22.3	7
Upper extremities, unspecified	—	—	—	—	—	—	70	14.6	1
Arm(s)	6,290	10.8	6,490	11.1	4,140	7.1	16,070	27.6	9
Arm(s), unspecified	2,400	11.3	2,010	9.4	1,790	8.4	5,280	24.8	7

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2004 — Continued

Part of body	Part of body code ²	Private industry ³	Percent of days-away-from-work cases involving					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Upper arm(s)	311	4,190	410	9.8	300	7.2	340	8.1
Elbow(s)	312	19,060	2,450	12.9	1,590	8.3	3,310	17.4
Forearm(s)	313	10,240	2,250	22.0	1,310	12.8	2,010	19.6
Multiple arm(s) locations	318	2,660	260	9.8	210	7.9	630	23.7
Arm(s), n.e.c.	319	870	50	5.7	110	12.6	270	31.0
Wrist(s)	32	58,510	4,990	8.5	5,140	8.8	8,480	14.5
Hand(s), except finger(s)	33	50,190	9,920	19.8	6,670	13.3	9,540	19.0
Finger(s), fingernail(s)	34	107,860	20,980	19.5	14,230	13.2	20,750	19.2
Multiple upper extremities locations ...	38	15,020	2,060	13.7	1,950	13.0	2,520	16.8
Multiple upper extremities locations, unspecified	380	250	—	—	50	20.0	—	—
Hand(s) and finger(s)	381	5,260	810	15.4	510	9.7	840	16.0
Hand(s) and wrist(s)	382	3,230	480	14.9	700	21.7	420	13.0
Hand(s) and arm(s)	383	1,680	310	18.5	180	10.7	360	21.4
Multiple upper extremities locations, n.e.c.	389	4,600	450	9.8	520	11.3	860	18.7
Upper extremities, n.e.c.	39	100	—	—	—	—	—	—
Lower extremities	4	269,490	32,630	12.1	28,900	10.7	48,280	17.9
Lower extremities, unspecified	40	250	50	20.0	—	—	80	32.0
Leg(s)	41	138,580	14,870	10.7	12,870	9.3	22,190	16.0
Leg(s), unspecified	410	18,890	2,980	15.8	2,240	11.9	3,670	19.4
Thigh(s)	411	4,820	750	15.6	500	10.4	740	15.4
Knee(s)	412	99,720	8,880	8.9	8,340	8.4	15,040	15.1
Lower leg(s)	413	10,840	1,720	15.9	1,340	12.4	2,000	18.5
Multiple leg(s) locations	418	3,450	510	14.8	410	11.9	630	18.3
Leg(s), n.e.c.	419	840	—	—	—	—	120	14.3
Ankle(s)	42	64,320	8,350	13.0	7,110	11.1	13,450	20.9
Foot(feet), except toe(s)	43	45,110	6,790	15.1	6,070	13.5	8,350	18.5
Foot(feet), except toe(s), unspecified	430	39,250	6,030	15.4	5,220	13.3	7,430	18.9
Instep(s)	431	990	40	4.0	180	18.2	200	20.2
Sole	432	3,830	640	16.7	440	11.5	510	13.3
Sole(s), unspecified	4320	680	290	42.6	110	16.2	70	10.3
Arch(es)	4322	180	100	55.6	—	—	—	—
Heel(s)	4323	2,900	240	8.3	310	10.7	370	12.8
Multiple foot(feet) locations	438	310	—	—	—	—	50	16.1
Foot(feet), n.e.c.	439	730	70	9.6	200	27.4	160	21.9
Toe(s), toenail(s)	44	12,840	1,590	12.4	2,040	15.9	2,410	18.8
Multiple lower extremities locations	48	8,350	970	11.6	810	9.7	1,760	21.1
Multiple lower extremities locations, unspecified	480	190	—	—	50	26.3	—	—
Foot(feet) and leg(s)	481	940	210	22.3	80	8.5	190	20.2
Foot(feet) and ankle(s)	482	2,630	310	11.8	200	7.6	600	22.8
Foot(feet) and toe(s)	483	1,260	140	11.1	90	7.1	230	18.3
Multiple lower extremities locations, n.e.c.	489	3,330	310	9.3	380	11.4	720	21.6
Lower extremities, n.e.c.	49	50	—	—	—	—	—	—

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2004 — Continued

Part of body	Percent of days-away-from-work cases involving								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Upper arm(s)	420	10.0	560	13.4	340	8.1	1,820	43.4	21
Elbow(s)	2,130	11.2	2,300	12.1	1,380	7.2	5,900	31.0	11
Forearm(s)	1,030	10.1	1,230	12.0	500	4.9	1,910	18.7	4
Multiple arm(s) locations	230	8.6	300	11.3	100	3.8	940	35.3	11
Arm(s), n.e.c.	80	9.2	100	11.5	40	4.6	230	26.4	7
Wrist(s)	7,160	12.2	8,150	13.9	5,060	8.6	19,530	33.4	14
Hand(s), except finger(s)	7,830	15.6	5,600	11.2	2,430	4.8	8,210	16.4	5
Finger(s), fingernail(s)	14,170	13.1	13,730	12.7	7,050	6.5	16,940	15.7	5
Multiple upper extremities locations ..	1,510	10.1	1,820	12.1	1,220	8.1	3,930	26.2	8
Multiple upper extremities locations, unspecified	—	—	60	24.0	20	8.0	70	28.0	15
Hand(s) and finger(s)	690	13.1	750	14.3	420	8.0	1,240	23.6	8
Hand(s) and wrist(s)	290	9.0	340	10.5	240	7.4	760	23.5	6
Hand(s) and arm(s)	140	8.3	150	8.9	120	7.1	410	24.4	5
Multiple upper extremities locations, n.e.c.	370	8.0	520	11.3	420	9.1	1,450	31.5	13
Upper extremities, n.e.c.	—	—	—	—	—	—	—	—	37
Lower extremities	32,470	12.0	33,270	12.3	19,560	7.3	74,380	27.6	9
Lower extremities, unspecified	—	—	—	—	—	—	50	20.0	5
Leg(s)	15,660	11.3	17,940	12.9	10,270	7.4	44,780	32.3	12
Leg(s), unspecified	1,730	9.2	1,970	10.4	1,320	7.0	4,980	26.4	7
Thigh(s)	900	18.7	500	10.4	180	3.7	1,250	25.9	7
Knee(s)	11,340	11.4	13,490	13.5	8,070	8.1	34,560	34.7	15
Lower leg(s)	990	9.1	1,550	14.3	550	5.1	2,710	25.0	7
Multiple leg(s) locations	500	14.5	250	7.2	100	2.9	1,060	30.7	8
Leg(s), n.e.c.	190	22.6	180	21.4	—	—	240	28.6	15
Ankle(s)	8,530	13.3	7,740	12.0	4,430	6.9	14,710	22.9	7
Foot(feet), except toe(s)	5,670	12.6	4,700	10.4	3,140	7.0	10,390	23.0	6
Foot(feet), except toe(s), unspecified	5,080	12.9	4,150	10.6	2,720	6.9	8,610	21.9	6
Instep(s)	90	9.1	130	13.1	100	10.1	260	26.3	9
Sole	400	10.4	290	7.6	220	5.7	1,320	34.5	10
Sole(s), unspecified	—	—	50	7.4	—	—	120	17.6	2
Arch(es)	—	—	—	—	—	—	—	—	1
Heel(s)	380	13.1	220	7.6	190	6.6	1,180	40.7	14
Multiple foot(feet) locations	—	—	—	—	70	22.6	80	25.8	19
Foot(feet), n.e.c.	70	9.6	90	12.3	—	—	110	15.1	4
Toe(s), toenail(s)	1,580	12.3	1,960	15.3	1,050	8.2	2,210	17.2	6
Multiple lower extremities locations	1,000	12.0	920	11.0	650	7.8	2,250	26.9	9
Multiple lower extremities locations, unspecified	50	26.3	—	—	—	—	50	26.3	7
Foot(feet) and leg(s)	120	12.8	90	9.6	—	—	210	22.3	5
Foot(feet) and ankle(s)	330	12.5	430	16.3	210	8.0	540	20.5	9
Foot(feet) and toe(s)	160	12.7	100	7.9	150	11.9	380	30.2	11
Multiple lower extremities locations, n.e.c.	330	9.9	290	8.7	230	6.9	1,070	32.1	10
Lower extremities, n.e.c.	—	—	—	—	—	—	—	—	5

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2004 — Continued

Part of body	Part of body code ²	Private industry ³	Percent of days-away-from-work cases involving					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Body systems	5	14,300	3,090	21.6	2,290	16.0	2,600	18.2
Multiple body parts	8	126,530	14,800	11.7	13,210	10.4	23,600	18.7
Other body parts	9	110	—	—	—	—	—	—
Prosthetic devices	91	80	—	—	—	—	—	—
Nonclassifiable	9999	8,640	1,270	14.7	860	10.0	1,890	21.9

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2004 — Continued

Part of body	Percent of days-away-from-work cases involving								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Body systems	1,820	12.7	1,250	8.7	710	5.0	2,530	17.7	5
Multiple body parts	14,920	11.8	14,250	11.3	8,340	6.6	37,410	29.6	10
Other body parts	—	—	—	—	—	—	—	—	4
Prosthetic devices	—	—	—	—	—	—	—	—	8
Nonclassifiable	1,030	11.9	780	9.0	610	7.1	2,200	25.5	7

¹ Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

² Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies