

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, 2005

Part of body	Part of body code ²	Private industry ³	Event or exposure leading to injury or illness ⁴						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Total		1,234,680	338,080	167,730	85,500	54,970	79,310	167,180	36,150
Head	0	81,090	50,720	27,910	8,610	530	2,870	8,320	20
Head, unspecified	00	15,640	9,160	5,300	3,530	190	990	3,210	-
Cranial region, including skull	01	10,680	5,360	3,110	2,090	50	1,300	2,160	-
Cranial region, unspecified	010	310	170	50	110	-	50	70	-
Brain	011	6,980	2,810	1,720	990	-	1,000	1,680	-
Scalp	012	2,680	2,000	1,190	760	30	110	340	-
Skull	013	490	220	130	100	-	140	40	-
Multiple cranial region locations	018	70	30	-	-	-	-	-	-
Cranial region, n.e.c.	019	160	140	-	120	-	-	-	-
Ear(s)	02	1,340	570	410	70	-	30	20	-
Face	03	51,990	34,980	18,570	2,810	250	490	2,440	-
Face, unspecified	030	3,870	1,500	1,250	170	60	90	440	-
Forehead	031	3,540	2,700	2,000	680	20	40	310	-
Eye(s)	032	34,740	25,070	10,510	1,260	70	20	170	-
Nose, nasal cavity	033	2,490	1,540	1,240	290	-	110	250	-
Nose, except internal location of diseases or disorders	0330	2,430	1,540	1,240	290	-	110	250	-
Cheek(s)	034	1,010	680	560	60	30	-	170	-
Jaw/chin	035	1,260	860	740	100	20	130	80	-
Mouth	036	2,230	1,400	1,210	150	30	30	410	-
Mouth, unspecified	0360	320	210	210	-	-	-	20	-
Lip(s)	0361	500	320	280	40	-	-	80	-
Tongue	0362	120	-	-	-	-	-	-	-
Tooth(teeth)	0363	1,080	700	580	100	-	-	290	-
Multiple mouth locations	0368	160	150	120	-	-	-	-	-
Mouth, n.e.c.	0369	40	-	-	-	-	-	20	-
Multiple face locations	038	2,580	1,020	910	90	20	60	590	-
Face, n.e.c.	039	270	200	150	20	-	-	-	-
Multiple head locations	08	1,270	510	380	100	20	50	480	-
Head, n.e.c.	09	170	140	130	20	-	-	-	-
Neck, including throat	1	18,470	3,450	2,400	840	60	550	1,060	220
Neck, except internal location of diseases or disorders	10	18,410	3,450	2,400	840	60	550	1,060	220
Internal neck location, unspecified	11	40	-	-	-	-	-	-	-
Internal neck location, n.e.c.	19	20	-	-	-	-	-	-	-
Trunk	2	428,500	23,260	13,580	5,860	2,030	21,950	45,460	10,680
Trunk, unspecified	20	2,650	290	180	90	20	280	510	-
Shoulder, including clavicle, scapula	21	77,800	6,690	4,390	1,690	320	4,030	10,640	930

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, 2005 — Continued

Part of body	Event or exposure leading to injury or illness ⁴									
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			All other events ⁵
	Total	In lifting					Total	By person	All other assaults	
Total	298,130	159,970	43,790	51,860	61,170	2,600	21,470	14,560	6,910	134,940
Head	500	460	—	9,970	3,410	780	3,520	2,720	800	970
Head, unspecified	—	—	—	180	1,220	20	670	650	20	180
Cranial region, including skull	—	—	—	60	1,220	—	350	280	70	200
Cranial region, unspecified	—	—	—	—	—	—	—	—	—	—
Brain	—	—	—	—	1,040	—	280	250	30	150
Scalp	—	—	—	50	130	—	30	20	—	20
Skull	—	—	—	—	20	—	30	—	—	20
Multiple cranial region locations	—	—	—	—	—	—	—	—	—	—
Cranial region, n.e.c.	—	—	—	—	—	—	—	—	—	—
Ear(s)	—	—	—	450	120	70	50	30	20	40
Face	480	450	—	9,260	820	600	2,380	1,680	690	530
Face, unspecified	—	—	—	910	300	190	400	370	40	30
Forehead	—	—	—	60	110	—	190	140	50	120
Eye(s)	460	440	—	7,500	150	350	790	280	510	210
Nose, nasal cavity	—	—	—	250	130	—	200	180	20	20
Nose, except internal location of diseases or disorders	—	—	—	180	130	—	200	180	20	20
Cheek(s)	—	—	—	90	—	30	40	20	—	—
Jaw/chin	—	—	—	30	—	—	130	130	—	—
Mouth	—	—	—	60	30	—	150	140	—	130
Mouth, unspecified	—	—	—	30	—	—	50	50	—	—
Lip(s)	—	—	—	30	—	—	30	20	—	—
Tongue	—	—	—	—	—	—	—	—	—	—
Tooth(teeth)	—	—	—	—	20	—	70	70	—	—
Multiple mouth locations	—	—	—	—	—	—	—	—	—	—
Mouth, n.e.c.	—	—	—	—	—	—	—	—	—	—
Multiple face locations	—	—	—	360	70	20	450	410	40	—
Face, n.e.c.	—	—	—	20	—	—	30	30	—	—
Multiple head locations	—	—	—	30	30	70	70	70	—	20
Head, n.e.c.	—	—	—	—	—	—	—	—	—	—
Neck, including throat	5,350	2,860	540	210	4,490	—	600	490	120	1,990
Neck, except internal location of diseases or disorders	5,340	2,850	530	180	4,490	—	600	490	120	1,980
Internal neck location, unspecified	—	—	—	20	—	—	—	—	—	—
Internal neck location, n.e.c.	—	—	—	—	—	—	—	—	—	—
Trunk	235,980	133,740	8,860	2,800	15,930	140	3,870	3,200	670	59,580
Trunk, unspecified	650	300	30	40	260	—	140	80	—	440
Shoulder, including clavicle, scapula	40,520	18,290	3,790	90	2,630	—	780	720	60	7,700

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, 2005 — Continued

Part of body	Part of body code ²	Private industry ³	Event or exposure leading to injury or illness ⁴						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Chest, including ribs, internal organs	22	18,400	3,970	2,310	1,130	480	1,920	3,720	150
Chest, except internal location of diseases or disorders	220	16,320	3,970	2,310	1,130	480	1,900	3,720	150
Internal chest location, unspecified	221	210	—	—	—	—	—	—	—
Heart	223	340	—	—	—	—	—	—	—
Bronchus	224	100	—	—	—	—	—	—	—
Lung(s), pleura	225	1,420	—	—	—	—	—	—	—
Back, including spine, spinal cord	23	270,890	8,570	4,480	2,150	760	11,720	23,320	8,270
Back, including spine, spinal cord, unspecified	230	116,160	3,550	2,110	900	130	5,990	10,450	3,600
Lumbar region	231	132,660	3,760	1,560	920	580	4,460	9,780	4,130
Thoracic region	232	10,670	450	270	90	40	330	510	180
Sacral region	233	1,330	110	40	70	—	70	180	40
Coccygeal region	234	2,270	200	100	90	—	530	1,330	—
Multiple back regions	238	7,500	490	390	70	—	330	1,050	320
Back, including spine, spinal cord, n.e.c.	239	290	—	—	—	—	—	—	—
Abdomen	24	28,350	1,410	750	430	60	440	510	260
Abdomen, except internal location of diseases or disorders	240	7,540	1,120	680	240	50	210	420	50
Internal abdominal location, unspecified	241	10,010	110	50	50	—	190	—	130
Stomach organ	242	550	—	—	—	—	—	—	—
Intestines, peritoneum	245	10,080	170	20	130	—	30	80	80
Intestines, peritoneum, unspecified	2450	8,600	170	20	130	—	30	70	80
Peritoneum	2451	710	—	—	—	—	—	—	—
Small intestine	2452	180	—	—	—	—	—	—	—
Large intestine/colon, rectum	2453	460	—	—	—	—	—	—	—
Intestines, n.e.c.	2459	130	—	—	—	—	—	—	—
Other digestive structures	246	20	—	—	—	—	—	—	—
Liver	2461	20	—	—	—	—	—	—	—
Multiple internal abdominal locations	248	40	—	—	—	—	—	—	—
Internal abdominal location, n.e.c.	249	110	—	—	—	—	—	—	—
Pelvic region	25	20,850	1,580	1,010	310	200	2,220	4,410	830
Pelvic region, unspecified	250	450	40	20	—	—	90	150	—
Hip(s)	251	8,520	700	460	170	40	1,350	2,820	340
Pelvis	252	1,050	270	140	20	110	210	180	—
Buttock(s)	253	1,200	90	—	50	—	450	330	20

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, 2005 — Continued

Part of body	Event or exposure leading to injury or illness ⁴									All other events ⁵
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			
	Total	In lifting					Total	By person	All other assaults	
Chest, including ribs, internal organs	3,450	1,610	110	1,840	1,290	20	610	510	100	1,320
Chest, except internal location of diseases or disorders	3,390	1,600	110	270	1,290	—	610	510	100	910
Internal chest location, unspecified	—	—	—	90	—	—	—	—	—	110
Heart	50	—	—	—	—	—	—	—	—	290
Bronchus	—	—	—	100	—	—	—	—	—	—
Lung(s), pleura	—	—	—	1,380	—	—	—	—	—	—
Back, including spine, spinal cord	158,740	93,360	4,290	200	9,820	30	1,540	1,240	300	44,400
Back, including spine, spinal cord, unspecified	65,080	38,830	2,120	90	4,950	30	730	650	80	19,580
Lumbar region	82,140	48,270	1,830	80	3,640	—	610	420	190	22,230
Thoracic region	6,980	3,810	190	20	450	—	100	80	30	1,460
Sacral region	710	370	30	—	50	—	—	—	—	130
Coccygeal region	50	40	—	—	90	—	50	50	—	—
Multiple back regions	3,560	1,930	110	—	640	—	30	30	—	970
Back, including spine, spinal cord, n.e.c.	220	120	—	—	—	—	—	—	—	—
Abdomen	21,540	14,010	390	380	360	20	390	330	60	2,650
Abdomen, except internal location of diseases or disorders	4,190	2,620	40	160	340	—	390	320	60	600
Internal abdominal location, unspecified	7,900	5,070	220	—	—	—	—	—	—	1,440
Stomach organ	410	360	—	90	—	—	—	—	—	50
Intestines, peritoneum	8,940	5,910	130	60	20	—	—	—	—	550
Intestines, peritoneum, unspecified	7,570	4,980	120	60	—	—	—	—	—	490
Peritoneum	640	460	—	—	—	—	—	—	—	40
Small intestine	150	130	—	—	—	—	—	—	—	20
Large intestine/colon, rectum	450	310	—	—	—	—	—	—	—	—
Intestines, n.e.c.	130	30	—	—	—	—	—	—	—	—
Other digestive structures	—	—	—	20	—	—	—	—	—	—
Liver	—	—	—	20	—	—	—	—	—	—
Multiple internal abdominal locations	—	—	—	40	—	—	—	—	—	—
Internal abdominal location, n.e.c.	100	60	—	—	—	—	—	—	—	—
Pelvic region	8,440	5,070	170	180	620	—	200	150	50	2,190
Pelvic region, unspecified	100	80	—	—	30	—	—	—	—	—
Hip(s)	1,690	930	40	20	330	—	120	90	30	1,120
Pelvis	190	110	—	—	200	—	—	—	—	—
Buttock(s)	150	60	—	100	—	—	—	—	—	40

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, 2005 — Continued

Part of body	Part of body code ²	Private industry ³	Event or exposure leading to injury or illness ⁴						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Groin	254	8,900	400	320	60	—	80	560	440
External reproductive tract structures	255	390	40	30	—	—	20	230	—
External reproductive tract structures, unspecified	2550	40	—	—	—	—	—	—	—
Scrotum	2551	310	30	30	—	—	—	220	—
Penis	2552	30	—	—	—	—	—	—	—
Multiple pelvic region locations	258	240	30	—	—	—	—	120	—
Pelvic region, n.e.c.	259	90	—	—	—	—	20	20	—
Multiple trunk locations	28	9,400	720	450	40	200	1,350	2,320	230
Trunk, n.e.c.	29	150	40	—	20	—	—	30	—
Upper extremities	3	284,750	158,760	66,660	38,620	43,020	10,150	25,110	560
Upper extremities, unspecified	30	330	50	—	—	20	20	—	—
Arm(s)	31	55,440	15,190	7,020	5,340	2,120	4,530	9,550	260
Arm(s), unspecified	310	19,550	4,950	2,230	1,310	1,080	1,720	3,240	160
Upper arm(s)	311	5,210	790	560	120	90	150	460	—
Elbow(s)	312	17,870	4,280	1,210	2,840	140	1,660	4,090	80
Forearm(s)	313	9,380	4,640	2,720	940	720	520	1,160	—
Multiple arm(s) locations	318	2,980	420	260	100	50	470	540	—
Arm(s), n.e.c.	319	460	120	50	40	40	—	60	—
Wrist(s)	32	56,250	8,780	4,940	2,320	1,050	3,920	9,750	220
Hand(s), except finger(s)	33	47,020	30,380	13,930	7,950	6,440	520	2,450	60
Finger(s), fingernail(s)	34	111,090	99,150	38,310	22,250	31,610	590	1,940	20
Multiple upper extremities locations ..	38	14,440	5,190	2,450	750	1,770	560	1,410	—
Multiple upper extremities locations, unspecified	380	250	20	—	—	—	—	40	—
Hand(s) and finger(s)	381	4,600	3,020	1,350	470	1,030	60	160	—
Hand(s) and wrist(s)	382	3,100	840	390	120	310	220	430	—
Hand(s) and arm(s)	383	1,830	420	170	30	200	60	130	—
Multiple upper extremities locations, n.e.c.	389	4,650	890	520	140	220	220	670	—
Upper extremities, n.e.c.	39	180	—	—	—	—	—	—	—
Lower extremities	4	271,740	87,970	48,250	28,620	8,330	26,130	52,110	22,520
Lower extremities, unspecified	40	300	90	60	—	—	90	40	—
Leg(s)	41	141,060	34,100	15,800	13,840	2,550	11,320	33,510	11,220
Leg(s), unspecified	410	19,700	7,770	4,330	2,450	720	2,150	3,510	540
Thigh(s)	411	5,510	1,980	1,340	310	260	490	980	170
Knee(s)	412	100,560	17,930	6,340	8,970	1,190	6,890	26,790	10,120
Lower leg(s)	413	12,030	5,500	3,190	1,880	330	1,340	1,570	230
Multiple leg(s) locations	418	2,780	740	480	200	20	360	620	150
Leg(s), n.e.c.	419	470	170	110	30	30	100	50	—

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, 2005 — Continued

Part of body	Event or exposure leading to injury or illness ⁴									All other events ⁵
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			
	Total	In lifting					Total	By person	All other assaults	
Groin	6,190	3,830	140	60	20	—	30	20	—	990
External reproductive tract structures	30	—	—	—	—	—	20	20	—	20
External reproductive tract structures, unspecified	20	—	—	—	—	—	—	—	—	—
Scrotum	20	—	—	—	—	—	—	—	—	—
Penis	—	—	—	—	—	—	—	—	—	—
Multiple pelvic region locations	60	30	—	—	—	—	—	—	—	—
Pelvic region, n.e.c.	20	20	—	—	—	—	—	—	—	—
Multiple trunk locations	2,620	1,110	70	60	930	70	200	170	40	850
Trunk, n.e.c.	—	—	—	—	20	—	—	—	—	—
Upper extremities	28,050	11,660	30,240	14,090	3,310	440	6,060	2,840	3,220	7,980
Upper extremities, unspecified	30	—	160	20	—	—	20	—	—	—
Arm(s)	13,060	5,970	3,770	3,620	1,420	180	1,450	810	630	2,420
Arm(s), unspecified	4,020	2,040	740	2,220	770	30	790	360	430	910
Upper arm(s)	2,830	1,210	240	250	100	20	100	60	40	250
Elbow(s)	4,040	1,770	2,180	160	400	—	100	60	40	890
Forearm(s)	1,210	570	280	820	100	—	380	260	130	250
Multiple arm(s) locations	800	300	320	100	50	—	70	70	—	90
Arm(s), n.e.c.	150	90	—	70	—	—	—	—	—	40
Wrist(s)	9,160	4,080	20,830	280	600	—	830	650	190	1,860
Hand(s), except finger(s)	1,920	470	1,500	6,910	550	120	1,570	310	1,260	1,040
Finger(s), fingernail(s)	2,250	790	1,740	1,930	410	—	1,370	620	750	1,690
Multiple upper extremities locations	1,500	340	2,220	1,320	320	130	800	420	380	960
Multiple upper extremities locations, unspecified	50	—	50	—	—	—	—	—	—	70
Hand(s) and finger(s)	310	50	220	470	170	40	50	—	40	110
Hand(s) and wrist(s)	380	110	710	130	50	20	60	60	—	260
Hand(s) and arm(s)	90	20	260	560	20	50	160	130	30	90
Multiple upper extremities locations, n.e.c.	680	150	980	150	90	20	520	220	310	440
Upper extremities, n.e.c.	130	—	20	—	—	—	—	—	—	—
Lower extremities	13,820	4,540	1,420	5,220	9,750	150	2,880	1,440	1,440	49,760
Lower extremities, unspecified	—	—	—	—	—	—	—	—	—	30
Leg(s)	11,490	3,890	1,090	2,640	3,910	130	2,120	930	1,190	29,530
Leg(s), unspecified	1,210	560	60	1,260	1,220	50	370	60	310	1,560
Thigh(s)	490	250	30	360	180	—	270	30	240	570
Knee(s)	8,820	2,700	940	250	2,030	30	1,080	820	260	25,680
Lower leg(s)	740	260	—	630	330	40	350	—	340	1,300
Multiple leg(s) locations	200	110	50	60	150	—	50	—	40	390
Leg(s), n.e.c.	30	—	—	70	—	—	—	—	—	40

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, 2005 — Continued

Part of body	Part of body code ²	Private industry ³	Event or exposure leading to injury or illness ⁴						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Ankle(s)	42	65,000	12,840	4,690	6,690	1,300	9,350	13,090	9,720
Foot(feet), except toe(s)	43	43,840	27,230	17,270	6,480	2,950	3,860	3,250	880
Foot(feet), except toe(s), unspecified	430	38,340	24,440	16,140	5,350	2,510	2,630	2,970	680
Instep(s)	431	640	470	350	80	40	30	30	—
Sole	432	3,880	1,640	470	1,000	110	1,170	200	170
Sole(s), unspecified	4320	640	610	—	610	—	—	—	—
Ball(s)	4321	80	60	—	40	—	—	—	—
Arch(es)	4322	30	—	—	—	—	—	—	—
Heel(s)	4323	3,120	960	460	350	100	1,160	190	170
Multiple foot(feet) locations	438	290	180	150	—	30	30	—	—
Foot(feet), n.e.c.	439	690	500	160	40	270	—	40	—
Toe(s), toenail(s)	44	12,880	11,080	8,630	1,260	1,050	240	400	30
Multiple lower extremities locations	48	8,530	2,620	1,790	320	470	1,260	1,750	650
Multiple lower extremities locations, unspecified	480	70	30	20	—	—	—	20	—
Foot(feet) and leg(s)	481	840	250	180	20	40	20	180	60
Foot(feet) and ankle(s)	482	2,780	1,090	650	180	260	310	390	190
Foot(feet) and toe(s)	483	1,030	580	430	60	90	80	80	—
Multiple lower extremities locations, n.e.c.	489	3,800	660	510	50	90	830	1,080	400
Lower extremities, n.e.c.	49	130	20	—	—	—	—	70	—
Body systems	5	17,950	290	210	50	—	20	340	—
Multiple body parts	8	120,960	13,140	8,460	2,790	940	17,330	33,720	1,940
Other body parts	9	20	—	—	—	—	—	—	—
Nonclassifiable	9999	11,200	480	270	100	50	300	1,060	210

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, 2005 — Continued

Part of body	Event or exposure leading to injury or illness ⁴									All other events ⁵
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			
	Total	In lifting					Total	By person	All other assaults	
Ankle(s)	1,380	380	110	380	1,610	—	490	370	120	16,010
Foot(feet), except toe(s)	710	190	190	1,650	2,770	—	170	100	70	3,120
Foot(feet), except toe(s), unspecified	600	180	110	1,620	2,550	—	160	90	60	2,570
Instep(s)	—	—	—	—	—	—	—	—	—	80
Sole	90	—	40	—	160	—	—	—	—	400
Sole(s), unspecified	—	—	—	—	—	—	—	—	—	20
Ball(s)	—	—	—	—	—	—	—	—	—	20
Arch(es)	—	—	—	—	—	—	—	—	—	—
Heel(s)	80	—	30	—	160	—	—	—	—	350
Multiple foot(feet) locations	—	—	—	—	—	—	—	—	—	30
Foot(feet), n.e.c.	—	—	—	—	50	—	—	—	—	50
Toe(s), toenail(s)	20	—	—	100	770	—	20	—	—	190
Multiple lower extremities locations, unspecified	180	60	—	430	680	—	70	30	40	880
Foot(feet) and leg(s)	—	—	—	—	—	—	—	—	—	—
Foot(feet) and ankle(s)	30	20	—	100	110	—	30	—	—	60
Foot(feet) and toe(s)	—	—	—	230	300	—	20	—	—	250
Multiple lower extremities locations, n.e.c.	30	30	—	70	80	—	—	—	—	90
Lower extremities, n.e.c.	100	—	—	40	180	—	20	20	—	480
Lower extremities, n.e.c.	20	—	—	—	—	—	—	—	—	—
Body systems	70	50	230	13,350	200	180	470	440	30	2,800
Multiple body parts	13,530	6,140	2,350	4,880	23,010	890	3,600	3,220	380	6,570
Other body parts	—	—	—	—	—	—	—	—	—	—
Nonclassifiable	840	530	130	1,310	1,080	—	470	210	260	5,280

¹ Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

² Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Data shown in columns correspond to the following Event codes: Contact with objects, Total = 00-09; Struck by object = 020-029; Struck against object = 010-019; Caught in or compressed or crushed = 030-049; Fall to lower level = 110-119; Fall on same level = 130-139; Slips or trips without fall = 215; Overexertion, Total = 220-229; In lifting = 221; Repetitive motion = 230-239; Exposure to harmful substance or environment = 30-39; Transportation accidents = 40-49; Fires and explosions = 50-52; Assaults and violent acts, Total = 60-63; By person = 61; All other assaults = 60, 62,

and 63; All other events = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁵ Includes nonclassifiable responses.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies