

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and occupational summary groups, 2005

Nature	Nature code ²	Private industry ³	Summary occupational groups										
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	Military specific occupations
Total		1,234,680	28,110	83,060	247,270	80,020	91,400	15,540	152,490	107,770	173,440	253,570	–
Traumatic injuries and disorders ...	0	1,145,900	24,850	77,270	233,230	73,630	80,850	14,540	144,490	100,360	155,290	240,350	–
Traumatic injuries and disorders, unspecified	00	38,480	1,110	2,510	7,430	2,360	3,960	660	5,540	3,220	3,230	8,320	–
Traumatic injuries to bones, nerves, spinal cord	01	107,620	4,770	5,970	15,190	7,230	7,430	1,440	19,130	9,230	13,900	23,280	–
Traumatic injuries to bones, nerves, spinal cord, unspecified	010	750	80	40	270	20	60	–	50	100	40	70	–
Dislocations	011	10,050	190	650	1,750	820	670	120	1,220	850	1,210	2,530	–
Fractures	012	95,830	4,490	5,240	13,090	6,260	6,610	1,310	17,770	8,260	12,580	20,170	–
Traumatic injuries to nerves, except the spinal cord	014	570	–	20	20	110	20	–	30	–	30	330	–
Multiple traumatic injuries to bones nerves, spinal cord	018	250	–	–	–	–	50	–	40	–	–	140	–
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	019	160	–	20	60	–	–	–	–	–	20	30	–
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	02	508,760	8,910	40,590	108,530	36,330	38,220	4,870	53,970	41,330	60,710	114,980	–
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	020	4,220	130	240	760	210	240	70	730	390	560	900	–
Sprains, strains, tears	021	503,530	8,780	40,310	107,470	36,030	37,800	4,790	53,170	40,840	60,100	113,910	–
Injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	029	1,020	–	40	310	90	190	–	70	90	50	170	–
Open wounds	03	135,540	1,860	4,670	29,030	5,740	4,910	2,090	25,510	14,920	28,130	18,600	–
Open wounds, unspecified	030	1,100	–	–	100	–	40	40	210	110	340	240	–
Amputations	031	8,450	210	120	650	220	130	210	1,680	900	3,090	1,220	–
Amputations, fingertip	0311	5,780	110	80	520	150	90	200	1,160	660	1,910	900	–
Amputations, except fingertip	0319	2,660	100	40	130	80	50	–	520	240	1,180	320	–
Animal or insect bites	032	4,530	80	1,100	1,700	160	330	40	260	180	160	510	–
Avulsions	033	1,630	20	–	160	20	120	40	170	140	730	230	–
Cuts, lacerations	034	101,660	1,330	2,890	24,230	4,600	3,900	1,560	17,190	11,000	20,810	14,090	–
Gunshot wounds	036	480	–	–	270	150	30	–	–	–	–	–	–
Punctures, except bites	037	17,210	150	520	1,830	500	340	210	5,930	2,550	2,940	2,230	–
Multiple open wounds	038	90	–	–	–	–	–	–	20	–	30	20	–
Open wounds, n.e.c.	039	400	50	–	100	60	30	–	50	20	40	40	–
Surface wounds and bruises	04	132,490	2,610	8,660	24,100	8,610	10,890	2,820	14,860	12,720	19,620	27,560	–
Surface wounds and bruises, unspecified	040	390	–	–	30	20	–	–	130	110	30	40	–
Abrasions, scratches	041	9,750	170	580	1,570	260	700	350	1,580	1,290	1,630	1,610	–
Blisters	042	480	–	–	110	40	110	–	70	20	40	70	–
Bruises, contusions	043	107,770	2,320	7,870	21,620	7,980	9,460	2,250	10,380	8,610	13,320	23,900	–

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and occupational summary groups, 2005 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups										
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	Military specific occupations
Foreign bodies (superficial splinters, chips)	044	13,120	100	120	630	280	560	200	2,580	2,580	4,410	1,660	—
Friction burns	045	90	—	—	—	—	—	—	30	—	—	30	—
Multiple surface wounds and bruises	048	580	—	20	90	20	40	—	60	100	110	130	—
Surface wounds and bruises, n.e.c.	049	320	—	20	50	—	—	—	30	—	70	120	—
Burns	05	24,890	740	530	9,570	950	340	120	2,630	2,600	4,690	2,700	—
Burns, unspecified	050	40	—	—	—	—	—	—	20	—	—	—	—
Chemical burns	051	6,360	140	170	1,340	230	160	100	760	780	1,220	1,460	—
Electrical burns	052	1,280	—	—	80	—	—	—	520	440	90	120	—
Heat burns, scalds	053	17,150	580	350	8,140	710	180	30	1,330	1,390	3,320	1,120	—
Burns, n.e.c.	059	60	—	—	—	—	—	—	—	—	40	—	—
Intracranial injuries	06	6,870	280	670	1,040	510	630	100	960	350	710	1,630	—
Intracranial injuries, unspecified	060	110	—	20	20	—	—	—	20	—	20	30	—
Cerebral hemorrhages	061	70	—	—	40	—	—	—	—	—	—	—	—
Concussions	062	6,590	270	650	980	500	590	100	930	350	670	1,560	—
Multiple intracranial injuries	068	20	—	—	—	—	—	—	—	—	—	—	—
Intracranial injuries, n.e.c.	069	80	—	—	—	—	—	—	—	—	—	40	—
Effects of environmental conditions	07	2,560	—	110	290	60	120	40	650	180	430	680	—
Effects of reduced temperature	071	170	—	40	30	—	—	—	20	—	—	50	—
Frostbite	0711	110	—	—	30	—	—	—	20	—	—	40	—
Effects of reduced temperature, n.e.c.	0719	30	—	—	—	—	—	—	—	—	—	—	—
Effects of heat and light	072	2,280	—	60	220	50	70	40	620	160	420	620	—
Effects of heat and light, unspecified	0720	70	—	—	—	—	—	—	20	—	30	—	—
Heat stroke	0721	320	—	—	20	—	20	—	110	30	30	80	—
Heat syncope	0722	70	—	—	30	—	—	—	—	—	—	—	—
Heat fatigue	0723	550	—	—	20	—	—	—	30	30	160	290	—
Heat edema	0724	20	—	—	—	—	—	—	—	—	—	—	—
Multiple effects of heat and light	0728	30	—	—	—	—	—	—	—	—	—	—	—
Effects of heat and light, n.e.c.	0729	1,220	—	40	140	30	50	20	440	90	180	230	—
Effects of air pressure	073	90	—	—	30	—	—	—	—	—	—	—	—
Effects of air pressure, unspecified	0730	40	—	—	—	—	—	—	—	—	—	—	—
Aero-otitis media	0731	30	—	—	30	—	—	—	—	—	—	—	—
Effects of air pressure, n.e.c.	0739	20	—	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and occupational summary groups, 2005 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups										
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	Military specific occupations
Multiple traumatic injuries and disorders	08	50,090	1,310	4,250	8,290	3,460	3,930	750	6,240	4,440	6,130	11,270	—
Multiple traumatic injuries and disorders, unspecified	080	1,460	70	110	250	160	170	—	210	80	70	320	—
Cuts, abrasions, bruises	081	8,040	230	560	1,420	580	550	100	700	530	1,310	2,060	—
Sprains and bruises	082	21,240	480	1,920	4,630	1,770	1,500	240	2,490	1,670	1,980	4,550	—
Fractures and burns	083	100	—	—	—	—	—	—	—	—	—	60	—
Fractures and other injuries	084	9,660	250	810	770	500	610	210	1,630	1,380	1,550	1,960	—
Burns and other injuries	085	310	—	—	20	—	30	—	—	60	180	—	—
Intracranial injuries and injuries to internal organs	086	30	—	—	—	—	—	—	—	—	—	—	—
Other combinations of traumatic injuries and disorders, n.e.c. ...	089	9,250	290	830	1,190	440	1,070	180	1,210	700	1,010	2,310	—
Other traumatic injuries and disorders	09	138,590	3,260	9,310	29,770	8,380	10,410	1,660	15,000	11,380	17,730	31,340	—
Other traumatic injuries and disorders, unspecified	090	440	—	80	150	—	—	—	30	50	70	50	—
Asphyxiations/strangulations, suffocations	091	250	—	—	70	20	50	20	—	30	—	50	—
Electrocutions, electric shocks ...	093	1,700	20	70	400	60	60	—	470	290	240	100	—
Internal injuries to organs and blood vessels of the trunk	094	160	—	—	—	—	—	—	110	—	—	20	—
Other poisonings and toxic effects	095	6,710	110	480	1,870	170	730	110	810	670	690	1,070	—
Other poisonings and toxic effects, unspecified	0950	360	40	120	20	—	60	—	—	30	40	40	—
Animal or insect bites, venomous	0951	3,990	30	180	1,300	120	300	100	650	370	320	610	—
Other poisonings and toxic effects, n.e.c.	0959	2,360	40	190	550	50	370	—	150	260	330	420	—
Traumatic complications	096	100	—	20	20	—	—	—	—	—	—	—	—
Multiple traumatic complications	0968	20	—	—	—	—	—	—	—	—	—	—	—
Traumatic complications, n.e.c.	0969	70	—	—	20	—	—	—	—	—	—	—	—
Unspecified injuries and disorders	097	127,960	3,090	8,540	27,020	8,050	9,440	1,500	13,340	10,180	16,590	29,850	—
Crushing injuries	0971	14,430	300	280	1,040	370	750	450	2,220	1,480	4,330	3,200	—
Back pain, hurt back	0972	35,650	800	2,670	8,580	1,860	2,380	410	3,200	3,150	3,730	8,850	—
Soreness, pain, hurt, except the back	0973	65,160	1,810	4,510	14,300	5,120	4,880	560	6,610	4,710	7,300	15,050	—
Multiple unspecified injuries and disorders	0978	5,110	100	470	1,340	330	680	30	440	320	270	1,120	—
Unspecified injuries and disorders, n.e.c.	0979	7,610	80	610	1,750	360	750	50	870	510	960	1,640	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and occupational summary groups, 2005 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups										
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	Military specific occupations
Other traumatic injuries and disorders, n.e.c.	099	1,260	20	100	240	60	110	—	250	160	110	190	—
Systemic diseases and disorders ..	1	64,740	2,140	3,740	7,780	4,240	7,110	640	6,660	5,950	15,900	10,520	—
Systemic diseases and disorders, unspecified ..	10	380	—	—	20	40	60	—	50	30	100	60	—
Diseases of the blood and blood forming organs ..	11	20	—	—	—	—	—	—	—	—	—	—	—
Nervous system and sense organs diseases ..	12	21,990	1,360	1,410	1,950	1,220	3,650	80	1,480	1,750	6,540	2,530	—
Nervous system and sense organs diseases, unspecified ..	120	30	—	—	—	—	—	—	—	—	—	30	—
Inflammatory diseases of the central nervous system ..	121	30	—	20	—	—	—	—	—	—	—	—	—
Inflammatory diseases of the central nervous system, unspecified ..	1210	20	—	20	—	—	—	—	—	—	—	—	—
Degenerative diseases of the central nervous system ..	122	20	—	—	—	—	—	—	—	—	—	—	—
Degenerative diseases of the central nervous system, unspecified ..	1220	20	—	—	—	—	—	—	—	—	—	—	—
Other disorders of the central nervous system ..	123	70	20	—	—	—	—	—	—	30	—	—	—
Migraine ..	1232	60	20	—	—	—	—	—	—	30	—	—	—
Disorders of the peripheral nervous system ..	124	17,140	1,290	1,170	1,460	970	3,550	50	870	1,160	5,030	1,600	—
Disorders of the peripheral nervous system, unspecified ..	1240	190	—	—	—	—	50	—	—	—	70	20	—
Carpal tunnel syndrome ..	1241	16,460	1,250	1,150	1,440	940	3,430	50	840	1,120	4,790	1,450	—
Inflammatory and toxic neuropathy, toxic polyneuropathy ..	1242	110	20	—	—	—	—	—	—	—	30	20	—
Other disorders of the peripheral nervous system, n.e.c.	1249	370	—	—	—	—	60	—	20	—	140	110	—
Disorders of the eye, adnexa, vision ..	125	4,270	60	210	380	40	60	30	590	530	1,490	870	—
Disorders of the eye, adnexa, vision, unspecified ..	1250	280	50	40	60	—	—	—	30	—	40	20	—
Conjunctivitis non-viral ..	1252	870	—	120	180	20	20	—	20	110	270	110	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and occupational summary groups, 2005 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups											
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	Military specific occupations	
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	1253	350	—	—	110	—	—	—	—	40	50	100	30	—
Blindness, low vision	1255	430	—	—	—	—	—	—	—	—	—	—	420	—
Welder's flash	1256	1,940	—	—	—	—	—	—	—	430	290	1,020	180	—
Visual disturbances	1258	120	—	—	30	—	—	—	—	—	—	—	80	—
Disorders of the eye, adnexa, vision, n.e.c.	1259	280	—	30	—	—	—	40	—	70	50	50	30	—
Disorders of the ear, mastoid process, hearing	126	210	—	—	100	—	20	—	20	20	—	—	20	—
Disorders of the ear, mastoid process, hearing, unspecified	1260	20	—	—	—	—	—	—	—	—	—	—	20	—
Deafness, hearing loss or impairment	1261	100	—	—	60	—	—	—	—	20	—	—	—	—
Tinnitus	1262	30	—	—	—	—	—	—	—	—	—	—	—	—
Disorders of the ear, mastoid process, and hearing, n.e.c.	1269	50	—	—	50	—	—	—	—	—	—	—	—	—
Nervous system and sense organs diseases, n.e.c.	129	220	—	—	—	—	—	—	—	—	—	—	—	—
Circulatory system diseases	13	540	30	30	90	30	60	—	—	120	50	—	100	—
Hypertensive disease	132	40	—	20	—	—	—	—	—	—	—	—	—	—
Ischemic heart disease, including heart attack	133	330	20	—	70	20	—	—	—	100	—	—	60	—
Myocardial infarction (heart attack)	1331	320	20	—	70	20	—	—	—	100	—	—	60	—
Cerebrovascular disease	136	30	—	—	—	—	—	—	—	—	—	—	—	—
Stroke	1361	30	—	—	—	—	—	—	—	—	—	—	—	—
Diseases of the veins, lymphatics	138	100	—	—	—	—	—	—	—	—	—	30	20	—
Hemorrhoids	1382	60	—	—	—	—	—	—	—	—	—	—	—	—
Respiratory system diseases	14	1,830	50	200	400	490	230	—	30	120	210	—	100	—
Respiratory system diseases, unspecified	140	180	—	20	30	20	20	—	—	—	50	—	30	—
Acute respiratory infections (including common cold)	141	50	—	20	—	—	—	—	—	—	—	—	—	—
Other diseases of upper respiratory tract	142	130	—	30	30	—	40	—	—	—	—	—	—	—
Other diseases of upper respiratory tract, unspecified	1420	30	—	—	—	—	—	—	—	—	—	—	—	—
Allergic rhinitis	1421	40	—	—	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and occupational summary groups, 2005 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups											
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	Military specific occupations	
Other diseases of upper respiratory tract, n.e.c.	1429	50	—	20	—	—	20	—	—	—	—	—	—	—
Pneumonia, influenza	143	300	—	30	30	—	—	—	—	60	—	20	—	
Pneumonia	1431	220	—	—	—	—	—	—	—	—	—	20	—	
Influenza	1432	60	—	—	—	—	—	—	—	—	—	—	—	
Chronic obstructive pulmonary disease and allied conditions ...	144	1,020	30	90	300	300	160	—	—	—	90	40	—	
Chronic obstructive pulmonary disease and allied conditions, unspecified	1440	40	—	—	—	—	30	—	—	—	—	—	—	
Bronchitis	1441	20	—	—	—	—	—	—	—	—	—	—	—	
Extrinsic asthma	1443	580	20	70	280	80	50	—	—	—	80	—	—	
Extrinsic allergic alveolitis and pneumonitis (including farmer's lung, bagassosis) ...	1444	300	—	—	—	220	70	—	—	—	—	—	—	
Chronic obstructive pulmonary disease and allied conditions, n.e.c.	1449	70	—	—	—	—	—	—	—	—	—	30	—	
Pneumonopathy	146	30	—	—	—	—	—	—	—	20	—	—	—	
Other respiratory system diseases	149	100	20	—	—	—	—	—	—	—	50	—	—	
Other respiratory system diseases, unspecified	1490	40	—	—	—	—	—	—	—	—	30	—	—	
Other respiratory system diseases, n.e.c.	1499	40	20	—	—	—	—	—	—	—	—	—	—	
Digestive system diseases and disorders	15	20,480	400	550	2,010	1,360	1,200	280	3,210	2,380	3,920	5,150	—	
Hernia	153	20,480	400	550	2,010	1,360	1,190	280	3,210	2,380	3,920	5,150	—	
Hernia, unspecified	1530	9,280	180	210	920	670	370	150	1,670	1,110	1,630	2,380	—	
Inguinal hernia	1531	7,820	150	170	670	490	680	100	1,040	930	1,630	1,950	—	
Hiatal hernia	1532	340	—	—	60	—	—	—	50	30	70	80	—	
Ventral hernia	1533	1,550	70	70	100	130	80	—	270	150	260	410	—	
Hernia, n.e.c.	1539	1,490	—	100	260	50	50	20	170	160	330	340	—	
Musculoskeletal system and connective tissue diseases and disorders	17	14,280	190	1,000	1,820	1,010	1,620	140	1,510	1,060	4,000	1,920	—	
Musculoskeletal system and connective tissue diseases and disorders, unspecified	170	170	—	—	—	—	—	—	40	30	40	20	—	
Arthropathies and related disorders (arthritis)	171	170	—	—	—	—	—	—	—	—	40	30	—	
Dorsopathies	172	1,390	—	90	220	50	110	40	280	100	180	290	—	
Dorsopathies, unspecified	1720	50	—	—	40	—	—	—	—	—	—	—	—	
Sciatica	1721	420	—	30	110	20	50	—	20	20	90	90	—	

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and occupational summary groups, 2005 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups											
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	Military specific occupations	
Lumbago	1722	30	—	—	—	—	—	—	—	—	—	—	—	—
Disc disorders, except dislocation	1723	230	—	30	30	—	—	—	50	20	—	80	—	
Dorsopathies, n.e.c.	1729	660	—	30	40	30	60	—	210	70	60	120	—	
Rheumatism, except the back ...	173	12,400	160	870	1,520	950	1,460	90	1,180	900	3,700	1,570	—	
Rheumatism, except the back, unspecified	1730	880	20	20	110	160	240	—	40	30	110	130	—	
Bursitis	1731	880	—	—	120	250	40	20	140	90	100	80	—	
Synovitis	1732	50	—	—	—	—	—	—	20	—	—	—	—	
Tendonitis	1733	5,720	70	540	680	420	750	40	630	410	1,580	600	—	
Tenosynovitis	1734	640	—	50	110	—	90	—	—	30	250	80	—	
Ganglion/cystic tumor	1735	760	20	40	60	50	70	—	60	50	330	60	—	
Rheumatism, except the back, n.e.c.	1739	3,490	—	200	440	70	260	20	290	270	1,320	600	—	
Osteopathies, chondropathies, acquired deformities	174	70	—	—	—	—	20	—	—	20	—	—	—	
Osteopathies, chondropathies, acquired deformities, unspecified	1740	30	—	—	—	—	20	—	—	—	—	—	—	
Osteopathies, chondropathies, acquired deformities, n.e.c.	1749	40	—	—	—	—	—	—	—	20	—	—	—	
Musculoskeletal system and connective tissue diseases and disorders, n.e.c.	179	80	—	20	—	—	20	—	—	—	30	—	—	
Disorders of the skin and subcutaneous tissue	18	5,000	90	520	1,400	90	260	110	370	490	1,050	610	—	
Disorders of the skin and subcutaneous tissue, unspecified	180	250	—	20	70	—	—	—	—	30	100	—	—	
Infections of the skin and subcutaneous tissue	181	1,090	30	100	150	—	60	20	130	160	230	190	—	
Infections of the skin and subcutaneous tissue, unspecified	1810	290	—	—	60	—	—	—	20	60	20	100	—	
Cellulitis and abscess	1812	580	—	50	60	—	30	—	70	100	180	60	—	
Pilonidal cyst	1815	80	—	—	—	—	20	—	—	—	—	—	—	
Infections of the skin and subcutaneous tissue, n.e.c.	1819	110	—	40	—	—	—	—	—	—	30	20	—	
Dermatitis	182	3,100	40	250	1,030	50	200	80	230	260	570	400	—	
Dermatitis, unspecified	1820	470	—	40	120	—	30	—	30	20	90	110	—	
Atopic dermatitis and related conditions	1821	20	—	—	—	—	—	—	—	—	—	—	—	

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and occupational summary groups, 2005 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups										
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	Military specific occupations
Contact dermatitis and other eczema	1822	810	—	60	370	—	60	—	50	80	100	80	—
Allergic dermatitis	1823	980	30	90	320	20	30	50	120	40	170	110	—
Irritant dermatitis	1824	710	—	50	180	—	70	—	30	100	190	70	—
Other contact dermatitis	1825	30	—	—	—	—	—	—	—	—	—	—	—
Dermatitis, n.e.c.	1829	70	—	—	30	—	—	—	—	—	—	—	—
Other inflammatory conditions of the skin	183	190	—	20	110	—	—	—	20	—	30	—	—
Other inflammatory conditions of the skin, unspecified	1830	150	—	20	100	—	—	—	—	—	—	—	—
Other inflammatory conditions, n.e.c.	1839	20	—	—	—	—	—	—	—	—	—	—	—
Diseases of sebaceous glands ..	184	90	—	—	—	—	—	—	—	—	90	—	—
Sebacous cyst	1842	90	—	—	—	—	—	—	—	—	90	—	—
Other diseases and disorders of the skin and subcutaneous tissue	189	280	—	130	40	30	—	—	—	30	30	—	—
Chronic skin ulcers	1897	30	—	—	—	—	—	—	—	—	—	—	—
Urticaria, hives	1898	210	—	130	—	20	—	—	—	30	—	—	—
Other diseases and disorders of the skin and subcutaneous tissue, n.e.c.	1899	40	—	—	40	—	—	—	—	—	—	—	—
Other systemic diseases and disorders	19	210	—	—	80	—	40	—	—	—	40	50	—
Endocrine, nutritional, metabolic, and immunity disorder	191	110	—	—	50	—	—	—	—	—	—	50	—
Diseases and disorders of other endocrine glands	1912	100	—	—	50	—	—	—	—	—	—	50	—
Systemic diseases and disorders, n.e.c.	199	100	—	—	30	—	30	—	—	—	20	—	—
Infectious and parasitic diseases ..	2	1,770	70	680	660	40	160	—	40	40	50	30	—
Infectious and parasitic diseases, unspecified	20	20	—	—	—	—	—	—	—	—	20	—	—
Bacterial diseases	21	550	—	220	260	—	—	—	20	20	—	—	—
Tuberculosis	211	20	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis, unspecified	2110	20	—	—	—	—	—	—	—	—	—	—	—
Other bacterial diseases	219	520	—	220	240	—	—	—	20	—	—	—	—
Diphtheria, whooping cough ..	2192	60	—	50	—	—	—	—	—	—	—	—	—
Septicemia	2197	80	—	—	70	—	—	—	—	—	—	—	—
Other bacterial diseases, n.e.c.	2199	360	—	160	160	—	—	—	20	—	—	—	—
Viral diseases	22	390	—	110	110	—	120	—	20	—	—	—	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and occupational summary groups, 2005 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups											
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	Military specific occupations	
Non-arthropod-borne viral diseases of the central nervous system	222	50	—	—	50	—	—	—	—	—	—	—	—	—
Viral diseases accompanied by exanthem (eruptive fever)	223	170	—	80	30	—	20	—	20	—	—	—	—	—
Chickenpox	2233	130	—	80	20	—	20	—	—	—	—	—	—	—
Herpes zoster	2234	30	—	—	—	—	—	—	20	—	—	—	—	—
Viral hepatitis	225	20	—	—	—	—	—	—	—	—	—	—	—	—
Type A viral hepatitis (infectious hepatitis)	2251	20	—	—	—	—	—	—	—	—	—	—	—	—
Viral diseases of the conjunctiva	226	130	—	—	30	—	90	—	—	—	—	—	—	—
Viral conjunctivitis (ophthalmia)	2262	110	—	—	30	—	70	—	—	—	—	—	—	—
Other diseases due to viruses and Chlamydiae	229	20	—	20	—	—	—	—	—	—	—	—	—	—
Other arthropod-borne diseases	23	50	—	—	20	—	—	—	—	—	—	—	—	—
Lyme disease	237	40	—	—	20	—	—	—	—	—	—	—	—	—
Mycoses	24	100	—	70	20	—	—	—	—	—	—	—	—	—
Dermatophytosis (including athlete's foot, tinea)	241	90	—	70	—	—	—	—	—	—	—	—	—	—
Infectious diseases peculiar to the intestines	26	200	60	40	40	20	20	—	—	—	—	—	—	—
Other salmonella infections	263	20	—	—	—	—	—	—	—	—	—	—	—	—
Shigellosis	264	20	—	20	—	—	—	—	—	—	—	—	—	—
Other bacterial food poisoning (including botulism and staphylococcal food poisoning)	265	90	40	—	—	20	—	—	—	—	—	—	—	—
Infectious diseases peculiar to the intestines, n.e.c.	269	60	—	—	20	—	—	—	—	—	—	—	—	—
Other infectious and parasitic diseases	29	480	—	240	210	—	—	—	—	—	20	—	—	—
Other infectious and parasitic diseases, unspecified	290	20	—	—	—	—	—	—	—	—	20	—	—	—
Pediculosis and phthirus infestation (lice)	293	30	—	—	30	—	—	—	—	—	—	—	—	—
Acariasis (including scabies, chiggers, mites)	294	430	—	230	170	—	—	—	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions	4	12,920	370	930	3,350	1,400	1,950	300	660	870	1,530	1,550	—	—
Symptoms, signs, and ill-defined conditions, unspecified	40	100	—	—	30	—	—	—	—	—	30	20	—	—
Symptoms	41	12,670	360	920	3,260	1,400	1,940	300	630	870	1,490	1,490	—	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and occupational summary groups, 2005 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups										
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	Military specific occupations
Symptoms, unspecified	410	440	40	20	20	—	70	—	—	—	120	140	—
General symptoms	411	4,540	130	350	1,170	560	790	40	180	380	470	480	—
General symptoms, unspecified	4110	140	—	—	70	—	—	—	—	—	—	20	—
Loss of consciousness not heat related	4111	950	20	30	170	260	60	—	20	190	100	100	—
Convulsions, seizures	4112	250	—	—	130	30	—	—	40	—	—	—	—
Dizziness	4114	1,270	30	40	470	50	400	30	70	40	20	120	—
Non-specified allergic reaction	4115	560	—	130	160	100	40	—	20	—	80	—	—
Multiple general symptoms	4118	150	—	—	—	40	40	—	—	—	20	30	—
General symptoms, n.e.c.	4119	1,200	60	130	150	70	230	—	20	140	220	180	—
Symptoms involving nervous and musculoskeletal systems ..	412	2,850	50	80	560	380	570	50	130	170	430	430	—
Symptoms involving nervous and musculoskeletal systems, unspecified	4120	240	—	—	20	—	120	—	—	—	50	30	—
Spasms or tremors, n.e.c.	4121	40	—	—	—	—	—	—	—	—	—	—	—
Earache	4122	90	—	—	80	—	—	—	—	—	—	—	—
Eye strain	4123	40	—	—	—	—	30	—	—	—	—	—	—
Multiple symptoms involving nervous and musculoskeletal systems	4128	170	—	—	150	—	—	—	—	—	—	—	—
Symptoms involving nervous and musculoskeletal systems, n.e.c.	4129	2,270	40	70	320	350	400	50	120	160	370	380	—
Symptoms involving skin and other integumentary tissue	413	1,050	—	90	360	110	100	—	50	80	170	80	—
Symptoms involving skin and other integumentary tissue, unspecified	4130	150	—	—	30	60	—	—	—	—	30	—	—
Edema (including dropsy)	4131	750	—	80	240	50	90	—	50	80	120	50	—
Symptoms involving skin and other integumentary tissue, n.e.c.	4139	130	—	—	80	—	—	—	—	—	20	20	—
Symptoms involving head and neck	414	610	20	110	110	60	50	—	60	20	70	90	—
Symptoms involving head and neck, unspecified	4140	20	—	—	—	—	—	—	—	—	—	—	—
Headache, except migraine ...	4141	490	20	90	90	60	40	—	30	20	60	70	—
Multiple symptoms involving head and neck	4148	20	—	20	—	—	—	—	—	—	—	—	—
Symptoms involving head and neck, n.e.c.	4149	60	—	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and occupational summary groups, 2005 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups											
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	Military specific occupations	
Symptoms involving cardiovascular system	415	30	—	—	—	—	—	—	—	—	—	—	—	—
Symptoms involving cardiovascular system, unspecified	4150	20	—	—	—	—	—	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest	416	2,080	70	180	530	210	230	200	170	180	120	170	—	—
Symptoms involving respiratory system and chest, unspecified	4160	1,100	—	100	200	110	160	—	130	120	40	40	—	—
Hyperventilation	4161	40	—	—	—	—	—	—	—	—	—	—	—	—
Chest pain	4164	250	—	—	50	90	—	—	20	20	—	30	—	—
Multiple symptoms involving respiratory system and chest	4168	50	—	20	—	—	—	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest, n.e.c.	4169	640	50	50	270	—	20	—	30	30	60	90	—	—
Symptoms involving digestive and urinary system	417	310	—	20	210	—	—	—	—	—	40	20	—	—
Nausea and vomiting	4171	110	—	—	40	—	—	—	—	—	40	—	—	—
Abdominal pain, unspecified ..	4175	110	—	—	100	—	—	—	—	—	—	—	—	—
Multiple symptoms involving digestive or urinary system ..	4178	70	—	—	60	—	—	—	—	—	—	—	—	—
Multiple symptoms	418	730	50	40	290	50	120	—	40	20	50	60	—	—
Other symptoms, n.e.c.	419	50	—	—	—	—	—	—	—	—	—	—	—	—
Abnormal findings	42	80	—	—	60	—	—	—	—	—	—	—	—	—
Abnormal findings from histological and immunological studies	426	60	—	—	60	—	—	—	—	—	—	—	—	—
Other abnormal findings	429	20	—	—	—	—	—	—	—	—	—	—	—	—
Multiple symptoms, signs, and ill-defined conditions	48	60	—	—	—	—	—	—	—	—	—	20	—	—
Multiple chemical sensitivity	481	20	—	—	—	—	—	—	—	—	—	—	—	—
Multiple symptoms, signs, and ill-defined conditions, n.e.c.	489	30	—	—	—	—	—	—	—	—	—	—	—	—
Other diseases, conditions, and disorders	5	2,750	410	250	380	270	940	—	70	130	100	210	—	—
Mental disorders or syndromes	52	2,710	410	250	370	270	940	—	60	120	90	210	—	—
Mental disorder or syndrome, unspecified	520	120	—	—	20	—	20	—	—	—	—	50	—	—
Anxiety, stress, neurotic disorders	521	2,540	380	220	350	260	910	—	60	120	80	160	—	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and occupational summary groups, 2005 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups										
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	Military specific occupations
Anxiety, stress, neurotic disorders, unspecified	5210	1,160	220	100	170	120	370	—	20	70	30	50	—
Post-traumatic anxiety acute	5211	210	30	—	30	—	80	—	20	—	—	30	—
Post-traumatic anxiety chronic	5212	50	—	—	—	40	—	—	—	—	—	—	—
Panic disorder	5213	30	—	—	—	—	—	—	—	—	—	—	—
Neurotic reaction to stress	5214	940	110	110	120	80	390	—	—	30	30	60	—
Multiple anxiety, stress, neurotic disorders	5218	140	20	—	—	—	70	—	—	—	—	—	—
Mental disorders or syndromes, n.e.c.	529	50	20	—	—	—	—	—	—	—	—	—	—
Other diseases, conditions, and disorders, n.e.c.	59	30	—	—	—	—	—	—	—	—	—	—	—
Multiple diseases, conditions, and disorders	8	300	40	20	20	20	70	—	—	—	30	80	—
Nonclassifiable	9999	6,290	240	160	1,850	420	320	50	570	420	540	830	—

¹ Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

² Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies